



Top surface of P.C. Beams shall be intentionally roughened to a minimum height of 1/4" over a maximum pitch of 2" measured longitudinally along the length of the beam. The crest and trough associated with the height shall not be less than 1/2" and shall extend the full width of the top flange. Roughened surface may be obtained by a special trowel as shown in the examples, by cleaning the concrete surface with a stiff wire brush (or blasting) to the extent that aggregate is exposed to a height of 1/4", or by another approved method. The method used shall be submitted for approval by the Engineer. Repair any damage to reinforcement epoxy coating before placement of deck concrete.



NOTE:

NOTE:

The Dead Load Deflection shown above at the tenth points are the initial deflections due to Deck Slab + Dipphragms + 5 p.s.f. Deck Form Allowance + Concrete Traffic Rail. It does not include the Beam weight or Future Wearing Surface. DEAD LOAD DEFLECTION DIAGRAM 0.39" 0.74" 1.01" 1.18" 1.24" 1.18" 1.01" 0.74" 0.39" ⊈ Brg



ELEVATION

2 Spaces at 2" = 4"

4'-10"

2 Spaces at 2" = 4"

2"

OKLAHOMA DEPT. OF INC. BRIDGE STANDARD (ENGLISH)
TYPE J P.C. BEAM DETAILS
105' SPAN
'SHEFT 2 OF

RANSPORTATION (ENGLISH)

SHEET 2 OF

