

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : January 27, 2000

LNTCNCA
LETTING

NOTICE TO CONTRACTORS -- February 24, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF February 24, 2000 , TO BE PUBLICALLY OPENED AT 10:30 A.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$23.07 PLUS \$1.93 TAX (OKLAHOMA TAX IS 8.375%) FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$7.38 PLUS \$.62 TAX. MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

LNTCIQA
CALL ORDER : 002
LETTING DATE : February 24, 2000
LETTING TIME : 10:30 A.M.
COUNTIES: ATOKA

STATE PROJECT
CONTRACT ID : 000075
PCN : 1756304

PAGE 1

PROJECTS : SAP-103D(22)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 24MCA
CAL. DAYS: 30 LIQ. DAM: \$ 400

CONTRACT DESCRIPTION:

SURFACE(ASPHALT)
LAKE ACCESS ROAD: BEGIN JUST SOUTH OF EW-174 AT US-69 AND
EXTEND WEST (FRED'S FISH CAMP).
PROJ. LGTH.= 2.41 KM
ASPH GRADE = 64-22 OK
FLEX ESALS = 0.3 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-SURFACE(ASPHALT)		
411(B)M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,450.000	T

LNTCIQA
 CALL ORDER : 007
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: BRYAN

FEDERAL PROJECT
 CONTRACT ID : 000014
 PCN : 1672905

PAGE 2

PROJECTS : STPY-13N(47)EH
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 16.11
 RES. ENG.: 23MAD
 CAL. DAYS: 150 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 COLBERT WELCOME CENTER
 WELCOME CENTER ON US-69/75 APPROXIMATELY 0.75 MILE
 SOUTH OF COLBERT.
 PROJ. LGTH.= 0.00 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y021-SAFETY REST AREAS AND SCENIC OVERLOOKS		
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
223	2801 (PL) TEMPORARY SILT FENCE	1,000.000	LF
230(A)	2806 SOLID SLAB SODDING	4,000.000	SY
231(G)	4500 (PL)LANDSCAPING	1.000	LSUM
307(A)	4233 LIME	46.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	22,337.790	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,000.000	TON
408	5774 (SU)PRIME COAT	2,946.000	GAL
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	5,003.660	TON
414(A)	0261 9" P.C. CONCRETE PAVEMENT	20,992.830	SY
414(A)	4809 6" P.C. CONCRETE PAVEMENT	2.500	SY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	0.890	CY
509(E)	0325 CLASS "C" CONC.	8.340	CY
511(A)	0332 REINFORCING STEEL	130.000	LB
609(A)	0299 CONC.CURB(4"MNTBLE-INTEGRAL)	400.000	LF
609(A)	0300 CONC.CURB(6"BARRIER-INTEGRAL)	4,709.000	LF
610(A)	0602 4" CONCRETE SIDEWALK	1,905.000	SY
610(C)	0608 4" CONCRETE DIVIDING STRIP	141.000	SY
611(E)	5317 INLET CICI DES. 2 (D)	2.000	EA
611(E)	5321 INLET CICI DES. 3 (STD)	2.000	EA
611(E)	5323 INLET CICI DES. 3 (D)	1.000	EA
611(E)	5335 INLET GPI TYPE 2 (DES. 9)	1.000	EA
611(E)	6000 INLET (SMD-TYPE 1)	1.000	EA
611(F)	5368 INLET CICI DES. 3 (STD, ADD'L DEPTH)	1.000	VF
611(F)	5370 INLET CICI DES. 3 (D, ADD'L DEPTH)	1.000	VF
611(G)	4204 INLT FRM&GRT(SSIF2FRM,CIG GRT)	16.000	EA
611(K)	4488 CAST IRON CURB INLETS	28.000	EA
611(L)	4207 DROP INLET GRATE (GPI-TYPE A)	1.000	EA
611(L)	4209 DROP INLET GRATE (SMD-TYPE 1)	1.000	EA
613(B)	0491 18" R.C.PIPE CLASS III	350.000	LF
613(B)	0492 24" R.C.PIPE CLASS III	54.000	LF
613(B)	0493 30" R.C.PIPE CLASS III	84.000	LF
613(CC)	7197 TYPE B6 CULVERT END TREATMENT	4.000	EA
613(CC)	7198 TYPE C6 CULVERT END TREATMENT	2.000	EA
613(D)	0690 24" CORR. GALV. STEEL PIPE	68.000	LF

SECTION NO.	0001	Y021-SAFETY REST AREAS AND SCENIC OVERLOOKS		
613(D)	0691	30" CORR. GALV. STEEL PIPE	87.000	LF
613(S)	1396	TRENCH EXCAVATION	513.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	265.000	CY
616(I)	1000	(PL) IRRIGATION SYSTEM	1.000	LSUM
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	4.000	EA
619(B)	4726	REMOVAL OF CURB AND GUTTER	275.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	13,521.000	SY
619(B)	4792	REMOVAL OF SIDEWALK	431.000	SY
624(D)	5297	FENCE-STYLE CLF (6' HIGH BARR)	600.000	LF
629(F)	5100	(PL) SITE AMENITIES	1.000	LSUM
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
642	0098	STAKING	1.000	LSUM
643	5240	(PL) FLAG PLAZA	1.000	EA
804	2915	STRUCTURAL CONCRETE	1.500	CY
804	2916	REINFORCING STEEL	2.280	LB
809	8091	(PL) ENHANCEMENT LIGHTING (COMPLETE)	1.000	LSUM
850(A)	8215	SHEET ALUMINUM SIGNS	25.260	SF
850(B)	3204	EXTRUDED ALUMINUM PANEL SIGNS	383.000	SF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	70.500	LF
851(A)	3207	6"@15 GALV. STL. WD. FLANGE BM. POST	34.000	LF
855(A)	3318	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	11,980.000	LF
855(D)	3322	TRAF. STR. (PLASTIC) (SYMBOLS)	4.000	EA
900.64	6181	(PL) EARTHWORK	1.000	LSUM
960.16	8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 4
 CALL ORDER : 030 CONTRACT ID : 000025
 LETTING DATE : February 24, 2000 PCN : 0615905M
 LETTING TIME : 10:30 A.M.
 COUNTIES: CADDO PROJECTS : STPY-8B(309)/BRFY-8B(314)
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 52.08
 RES. ENG.: 73ANA
 CAL. DAYS: 390 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)
 ON US-281 BEGINNING AT THE JUNCTION OF US-281/SH-52 IN
 BINGER AND EXTENDING NORTH TO LOOKEBA.
 PROJ. LGTH.= 7.171 KM.
 FLEX. ESALS= 1.87 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY STPY-8B(309)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	209,220.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	1,000.000	M3
205	M7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
222	M2801 TEMP. BALE BARRIER	200.000	M
223	M2802 TEMP. SILT FENCE	1,600.000	M
224	M2803 TEMP. SEDIMENT FILTER	1.000	EA
226	M2805 TEMP. SEDIMENT REMOVAL	40.000	M3
227	M0100 (PL) TEMPORARY SILT DIKE	200.000	M
229	M4318 DITCH LINER PROTECTION	2,860.000	M
230(A)	M2806 SOLID SLAB SODDING	19,083.000	M2
230(B)	M2807 MULCH SODDING	112,210.000	M2
230(F)	M2812 WATERING	23,633.000	KL
232(B)	M2814 SEEDING METHOD B	42.770	HA
233(A)	M2817 VEGETATIVE MULCHING	42.770	HA
234(A)	M2824 FERTILIZING (10-20-10)	19.400	T
234(A)	M4406 FERTILIZING (0-46-0)	4.750	T
241	M2832 MOWING	27.950	HA
317(A)	M4252 FLY ASH	2,722.000	T
317(B)	M4254 SUBGRADE MODIFICATION	47,240.000	M2
403(A)	M0217 TRAFFIC BOUND SURFACE COURSE TYPE A	176.000	T
407	M0250 TACK COAT	38,000.000	L
408	M5774 PRIME COAT	46,106.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	23,935.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	9,325.000	T
417	M5267 COLD MILLING PAVEMENT	2,455.000	M2
420(A)	M4242 FABRIC REINFORCEMENT	26,410.000	M2
420(B)	M4268 BITUMINOUS BINDER	29,843.000	L
501(A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	149.000	M3
509(B)	M0321 CLASS A CONCRETE	2,196.000	M3
509(C)	M0322 CLASS A CONCRETE FOR SMALL STRUCTURES	112.000	M3
509(E)	M0325 CLASS "C" CONC.	1,250.000	M3
511(A)	M0332 REINFORCING STEEL	40,654.000	KG

SECTION NO. 0001	I000-ROADWAY	STPY-8B(309)		
601(A)	M0297	TYPE I-PLAIN RIP RAP	294.000	T
609(B)	M1524	800 MM COMB.CRB.&GUT.(150 MM MNT.CURB)	1,182.000	M
610(B)	M0604	150 MM CONCRETE DRIVEWAY	810.000	M2
611(D)	M4215	MANHOLE FRAME & COVER	4.000	EA
611(E)	M5122	INLET CICI DES. 3 (D)	3.000	EA
611(E)	M5336	INLET GPI TYPE 2 (DES. 10)	1.000	EA
611(E)	M6000	INLET (SMD-TYPE 1)	2.000	EA
611(E)	M7080	INLET W/SMALL JCT.BOX CICI-JB-A,DES.1(D)		2.000 EA
611(E)	M7084	INLET W/SMALL JCT.BOX,CICI-JB-1,DES 2(D)		1.000 EA
611(E)	M7088	INLET W/SJB,CICI-JB-1,DES 3(D)	1.000	EA
611(G)	M4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	20.000	EA
611(K)	M4488	CAST IRON CURB INLETS	48.000	EA
613(B)	M0405	450MM R.C.PIPE CLASS III	137.000	M
613(B)	M0409	600MM R.C.PIPE CLASS III	130.000	M
613(B)	M0413	750MM R.C.PIPE CLASS III	16.000	M
613(B)	M0415	900MM R.C.PIPE CLASS III	25.000	M
613(B)	M4415	920MM X 570MM R.C.PIPE ARCH CLASS A-III		24.000 M
613(B)	M4419	1110MM X 675MM R.C.PIPE ARCH CLASS A-III		101.000 M
613(CC)	M7196	TYPE A6 CULVERT END TREATMENT	4.000	EA
613(CC)	M7197	TYPE B6 CULVERT END TREATMENT	28.000	EA
613(CC)	M7199	TYPE D6 CULVERT END TREATMENT	10.000	EA
613(CC)	M7202	TYPE BB6 CULVERT END TREATMENT	2.000	EA
613(D)	M0689	450MM CORR. GALV. STEEL PIPE	47.000	M
613(D)	M0690	600MM CORR. GALV. STEEL PIPE	240.000	M
613(D)	M0692	900MM CORR. GALV. STEEL PIPE	43.000	M
613(D)	M0693	1050MM CORR. GALV. STEEL PIPE	3.000	M
613(D)	M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH		120.000 M
613(D)	M5226	1030MM X 740MM CORR. GALV. ST. PIPE ARCH		24.000 M
613(D)	M5739	2100MM CORR. GALV. STEEL PIPE	36.000	M
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND		408.000 M
613(Q)	M1097	200 MM NON-PERF.PIPE UNDERDRAIN RND.	136.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	102.000	M3
613(S)	M1180	TRENCH EXCAVATION	1,223.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	404.000	M3
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	22,595.000	M2
619(B)	M4766	REMOVAL OF CONCRETE DRIVEWAY	666.000	M2
619(B)	M4779	REMOVAL OF HEADWALLS	23.000	EA
619(B)	M4782	REMOVAL OF CONCRETE CURB	72.000	M
619(C)	M0924	SAWING PAVEMENT	2,104.000	M
624(C)	M7180	FENCE-STYLE SWF (5 BARBED WIRE)	6,266.000	M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	6.000	EA
629(C)	M4960	MAILBOX	6.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	6.000	EA
640	M1398	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM
980.00	M4659	FOG SEAL	185.000	L
SECTION NO. 0002	I000-ROADWAY	BRFY-8B(314)		
201	M0102	CLEARING AND GRUBBING	1.000	LSUM
202(C)	M0183	UNCLASSIFIED EXCAVATION	24,004.000	M3
202(C)	M0184	UNCLASSIFIED BORROW	1,000.000	M3
205	M7174	(PL) TOPSOIL - LUMP SUM	1.000	LSUM

SECTION NO.	0002	I000-ROADWAY	BRFY-8B(314)		
222	M2801	TEMP. BALE BARRIER		100.000	M
223	M2802	TEMP. SILT FENCE		400.000	M
226	M2805	TEMP. SEDIMENT REMOVAL		25.000	M3
227	M0100	(PL) TEMPORARY SILT DIKE		100.000	M
229	M4318	DITCH LINER PROTECTION		1,180.000	M
230(A)	M2806	SOLID SLAB SODDING		6,368.000	M2
230(B)	M2807	MULCH SODDING		41,010.000	M2
230(F)	M2812	WATERING		8,528.000	KL
232(B)	M2814	SEEDING METHOD B		14.180	HA
233(A)	M2817	VEGETATIVE MULCHING		14.180	HA
234(A)	M2824	FERTILIZING (10-20-10)		6.800	T
234(A)	M4406	FERTILIZING (0-46-0)		1.600	T
241	M2832	MOWING		9.460	HA
317(A)	M4252	FLY ASH		1,326.000	T
317(B)	M4254	SUBGRADE MODIFICATION		23,011.000	M2
403(A)	M0217	TRAFFIC BOUND SURFACE COURSE TYPE A		639.000	T
407	M0250	TACK COAT		12,819.000	L
408	M5774	PRIME COAT		24,722.000	L
411(A)	M4302	(SP)ASPHALT CONCRETE TYPE A (PG 64-22)		10,647.000	T
411(B)	M4404	(SP)ASPHALT CONCRETE TYPE B (PG 64-22)		3,476.000	T
501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED		31.000	M3
509(B)	M0321	CLASS A CONCRETE		92.000	M3
509(C)	M0322	CLASS A CONCRETE FOR SMALL STRUCTURES		1.000	M3
509(E)	M0325	CLASS "C" CONC.		519.000	M3
511(A)	M0332	REINFORCING STEEL		8,036.000	KG
601(A)	M0297	TYPE I-PLAIN RIP RAP		70.000	T
613(B)	M0409	600MM R.C.PIPE CLASS III		39.000	M
613(B)	M0413	750MM R.C.PIPE CLASS III		18.000	M
613(CC)	M7196	TYPE A6 CULVERT END TREATMENT		2.000	EA
613(CC)	M7197	TYPE B6 CULVERT END TREATMENT		26.000	EA
613(CC)	M7199	TYPE D6 CULVERT END TREATMENT		6.000	EA
613(D)	M0689	450MM CORR. GALV. STEEL PIPE		176.000	M
613(D)	M0690	600MM CORR. GALV. STEEL PIPE		291.000	M
613(D)	M0692	900MM CORR. GALV. STEEL PIPE		65.000	M
613(D)	M0698	1800MM CORR. GALV. STEEL PIPE		56.000	M
613(D)	M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH		87.000	M
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND		122.000	M
613(Q)	M1097	200 MM NON-PERF.PIPE UNDERDRAIN RND.		41.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.		31.000	M3
613(S)	M1180	TRENCH EXCAVATION		270.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL		119.000	M3
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT		20,801.000	M2
619(B)	M4779	REMOVAL OF HEADWALLS		5.000	EA
619(C)	M0924	SAWING PAVEMENT		48.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE		593.000	M
623(F)	M4446	GUARD RAIL ANCHOR UNIT (TYPE A)		8.000	EA
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)		8.000	EA
624(C)	M7180	FENCE-STYLE SWF (5 BARBED WIRE)		1,801.000	M
SECTION NO.	0003	X028-BRIDGE 'A'	STPY-8B(309)		
202(A)	M1301	UNCLASSIFIED EXCAVATION		150.000	M3
202(C)	M1302	UNCLASSIFIED BORROW		25.000	M3
501(A)	M1306	STRUCTURAL EXCAVATION UNCLASSIFIED		18.000	M3

SECTION NO. 0003	X028-BRIDGE 'A'	STPY-8B(309)		
509(E) M1332	CLASS S CONCRETE		39.900	M3
511(A) M1332	REINFORCING STEEL		3,440.000	KG
611(G) M4277	INLET FRAME (TYPE "TR")		2.000	EA
611(G) M4487	INLET GRATE (TYPE RVG-T)		2.000	EA
619(B) M6235	REMOVAL OF WING		4.000	EA
SECTION NO. 0004	X028-BRIDGE 'B'	STPY-8B(309)		
202(A) M1301	UNCLASSIFIED EXCAVATION		660.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED		170.000	M3
509(E) M1332	CLASS S CONCRETE		428.500	M3
511(A) M1332	REINFORCING STEEL		31,180.000	KG
619(B) M6235	REMOVAL OF WING		2.000	EA
SECTION NO. 0005	X081-BRIDGE 'C'	BRFY-8B(314)		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON		226.000	M3
501(F) M6352	GRANULAR BACKFILL		178.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)		118.600	M
504(A) M1304	APPROACH SLAB		231.600	M2
504(C) M6276	SEALED EXPANSION JOINTS		14.230	M
504(E) M6239	CONCRETE RAIL (TR3)		98.100	M
506(A) M1322	STRUCTURAL STEEL		990.000	KG
509(A) M1326	CLASS AA CONCRETE		90.900	M3
509(D) M1331	CLASS C CONCRETE		6.000	M3
509(E) M1332	CLASS S CONCRETE		74.400	M3
511(A) M1332	REINFORCING STEEL		395.000	KG
511(B) M6010	EPOXY COATED REINF. STEEL		18,455.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)		139.600	M
514(A) M6013	PILES, FURNISHED (HP 310X79)		612.600	M
514(B) M6292	PILES, DRIVEN (HP 250X62)		139.600	M
514(B) M6294	PILES, DRIVEN (HP 310X79)		612.600	M
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)		422.000	M2
609(D) M0398	BITUMINOUS CURBING		441.200	M
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND		27.600	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN		26.000	M
613(R) M1395	PIPE UNDERDRAIN COVER MAT'L.		12.000	M3
613(S) M1396	TRENCH EXCAVATION		16.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL		10.000	M3
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
SECTION NO. 0006	X081-BRIDGE 'D'	BRFY-8B(314)		
202(A) M1301	UNCLASSIFIED EXCAVATION		1,130.000	M3
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON		90.000	M3
501(F) M6352	GRANULAR BACKFILL		82.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)		118.600	M
504(A) M1304	APPROACH SLAB		152.000	M2
504(E) M6239	CONCRETE RAIL (TR3)		83.900	M
506(A) M1322	STRUCTURAL STEEL		385.000	KG
509(A) M1326	CLASS AA CONCRETE		106.600	M3
509(D) M1331	CLASS C CONCRETE		8.000	M3
509(E) M1332	CLASS S CONCRETE		36.400	M3
511(A) M1332	REINFORCING STEEL		90.000	KG

SECTION NO. 0006	X081-BRIDGE 'D'	BRFY-8B(314)		
511(B)	M6010	EPOXY COATED REINF. STEEL	15,770.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	516.600	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	516.600	M
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	315.000	M2
609(D)	M0398	BITUMINOUS CURBING	426.000	M
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND		25.400 M
613(Q)	M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	30.000	M
613(R)	M1395	PIPE UNDERDRAIN COVER MAT'L.	10.000	M3
613(S)	M1396	TRENCH EXCAVATION	32.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	12.000	M3
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000 LSUM
SECTION NO. 0007	Y008-CONST.TRAFFIC CONTROL	STPY-8B(309)		
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100 MM WIDE)	28,444.000	M
856(G)	M8887	(PL)CONST.ZONE PAVE.MKRS(FLEX TAB)TP 2-1		1,000.000 EA
859(A)	M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	100.000	M
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	9,840.000	SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	10,660.000	SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	14,080.000	SD
880(C)	M8836	BARRICADES(TYPE II)	3,280.000	SD
880(C)	M8842	BARRICADES(TYPE III)	8,200.000	SD
880(C)	M8848	WING BARRICADES	2,460.000	SD
880(D)	M8854	VERTICAL PANELS	18,450.000	SD
880(E)	M8860	WARNING LIGHTS(TYPE A)	32,800.000	SD
880(E)	M8872	WARNING LIGHTS(TYPE C)	31,980.000	SD
880(F)	M8878	DRUMS	13,530.000	SD
SECTION NO. 0008	Y002-TRAFFIC SIGNING & STRIPING	STPY-8B(309)		
804(A)	M2915	STRUCTURAL CONCRETE	1.250	M3
850(A)	M8110	SHEET ALUMINUM SIGNS	18.870	M2
851(C)	M8327	57 MM SQUARE TUBE POST	131.100	M
855(A)	M8812	TRAF.STR.(PLAST.)(100MM WIDE)	24,696.000	M
SECTION NO. 0009	STAK-STAKING	STPY-8B(309)		
642	M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 037
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CRAIG

FEDERAL PROJECT
 CONTRACT ID : 000097
 PCN : 1625304

PAGE 9

PROJECTS : BRO-118D(01) CO
 DBE/WBE GOALS: 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 83CLA
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 ON COUNTY ROAD(EW-18) AT WEST FORK OF BIG CABIN CREEK,
 APPROXIMATELY 4.828 KM SOUTH AND 7.886 KM WEST OF PYRAMID.
 PROJ. LGTH.= 0.399 KM

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMP. BALE BARRIER	50.000	M
223 M2802	TEMP. SILT FENCE	700.000	M
230(A) M2806	SOLID SLAB SODDING	1,695.000	M2
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	558.000	T
509(D) M0325	CLASS C CONCRETE	20.000	M3
613(B) M0415	900MM R.C.PIPE CLASS III	10.800	M
613(C) M4379	SP. END SECTION OF 900MM RCP ROUND	2.000	EA
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	30.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	72.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	174.050	M
504(E) M1380	CONCRETE RAIL (TR1)	93.640	M
509(A) M1326	CLASS AA CONCRETE	72.075	M3
509(E) M1332	CLASS S CONCRETE	48.700	M3
511(A) M1332	REINFORCING STEEL	12,103.549	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	50.880	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	50.880	M
516(A) M6092	DRILLED SHAFTS 900MM DIAMETER	13.600	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	943.490	T
601A-2 M1355	TYPE I-A FILTER BLANKET	266.703	T
619(D) M5156	(PL) REMOVAL OF EXISTING BRIDGE ITEMS	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
640 M1398	FIELD OFFICE	1.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
642 M0098	STAKING	1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 040
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: COMANCHE

STATE PROJECT
 CONTRACT ID : 000067
 PCN : 1700404

PAGE 10

PROJECTS : CIP-116B(19)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 16.50
 RES. ENG.: 71DUN
 CAL. DAYS: 240 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:

GRADE, DRAIN & SURFACE(ASPHALT)
 ON US-62: BEGIN APPROXIMATELY 0.8 MILE NORTH OF THE JCT.
 OF US-62/I-44 AND EXTEND NORTH TO PORTER HILL.
 PROJ. LGTH.= 2.940 MILES
 ASPH GRADE = 64-22OK, 70-28OK & 76-28OK
 FLEX ESALS = 5.0 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	143,238.000	CY
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMP. BALE BARRIER	1,170.000	LF
223	2801 (PL) TEMPORARY SILT FENCE	9,000.000	LF
225	2804 TEMP. SEDIMENT BASIN	6.000	EA
226	2805 TEMP. SEDIMENT REMOVAL	100.000	CY
227	0100 (PL) TEMPORARY SILT DIKE	4,600.000	LF
229	4318 DITCH LINER PROTECTION	2,301.000	LF
230(A)	2806 SOLID SLAB SODDING	6,513.000	SY
230(B)	2807 MULCH SODDING	50,112.000	SY
230(G)	2812 WATERING	4,530.000	MGAL
232(B)	2814 SEEDING METHOD B	10.200	AC
233(A)	2817 VEGETATIVE MULCHING	48.200	AC
241	2832 MOWING	50.000	AC
310(B)	0149 SUBGRADE, METHOD B	5,326.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	289.000	TON
407	0250 TACK COAT	6,837.000	GAL
408	5774 (SU)PRIME COAT	7,553.000	GAL
411(AH)	6650 (SP)ASPHALT CONC. TYPE AH(PG 64-22 OK)	16,340.000	TON
411(AH)	6660 (SP)ASPHALT CONC. TYPE AH(PG 70-28 OK)	10,260.000	TON
411(BH)	6680 (SP)ASPHALT CONCRETE TYPE BH(PG64-22OK)	2,899.000	TON
411(BH)	6690 (SP)ASPHALT CONCRETE TYPE BH(PG70-28OK)	1,029.000	TON
411(BH)	6700 (SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	1,677.000	TON
414(AA)	5756 12" P.C. DOWEL JOINTED CONCRETE PAVEMENT		57.000 SY
417	5267 COLD MILLING PAVEMENT	271.000	SY
425	5195 DIAMOND GRINDING CONCRETE PAVEMENT	670.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	88.000	CY
509(B)	0321 CLASS A CONCRETE	116.300	CY
509(E)	1331 CLASS C CONCRETE	398.500	CY
511(A)	0332 REINFORCING STEEL	15,490.000	LB
601(A-1)	0536 TYPE I-A-PLAIN RIP RAP	125.000	TON
601(A-2)	0538 TYPE I-A FILTER BLANKET	55.000	TON

SECTION NO.	0001	I000-ROADWAY		
609(C)	4475	CONC. HEADER CURB (12"X22")(R/R)	130.000	LF
611(E)	5335	INLET GPI TYPE 2 (DES. 9)	1.000	EA
613(B)	0493	30" R.C.PIPE CLASS III	224.000	LF
613(B)	0495	42" R.C.PIPE CLASS III	84.000	LF
613(B)	4498	43" X 26" R.C.PIPE ARCH CLASS A-III	32.000	LF
613(CC)	7190	TYPE E4 CULVERT END TREATMENT	1.000	EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	12.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	6.000	EA
613(CC)	7201	TYPE AA6 CULVERT END TREATMENT	2.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	452.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	238.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	60.000	LF
613(D)	4534	71" X 47" CORR. GALV. STEEL PIPE ARCH	22.000	LF
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	0980	42" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	0990	43" X 27" PREFAB. CULVERT END SEC., ARCH	1.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	400.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	400.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	100.000	CY
613(S)	1180	TRENCH EXCAVATION	545.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	187.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	4.000	EA
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	27,158.000	SY
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	50.000	LF
624(A)	4281	FENCE-STYLE WWF	270.000	LF
624(B)	4793	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	1.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	9,853.000	LF
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	1,350.000	LF
629(A)	4958	(SU) MAILBOX INSTALLATION-SINGLE	5.000	EA
629(B)	4959	(SU) MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C)	4960	(SU) MAILBOX	7.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
851	8616	(PL) 1 3/4" SQUARE TUBE POST	62.000	LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	269.000	LF
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	27,446.000	LF
855(D)	3322	TRAF.STR.(PLASTIC)(SYMBOLS)	2.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	25,970.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	12,000.000	LF
890(A/B)	8756	(PL)REMOVE & RESET EXISTING SIGNS	19.000	EA
900.22	6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
930.56	4729	(PL) REMOVE AND RESET CATTLE GUARD	1.000	EA
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2	800.000	EA
SECTION NO.	0002	STAK-STAKING		
642	0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 12
 CALL ORDER : 043 CONTRACT ID : 000062
 LETTING DATE : February 24, 2000 PCN : 1654404
 LETTING TIME : 10:30 A.M.
 COUNTIES: GARFIELD PROJECTS : BRO-124D(003) CO
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.91
 RES. ENG.: 43ENI
 CAL. DAYS: 150 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY ROAD(NS-297) OVER BLACK BEAR CREEK, APPROX. 1.207 KM
 NORTH OF US-64 AND 16.09 KM EAST OF US-81.
 DROJ. LGTH.= 0.359 KM

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL) TOPSOIL - LUMP SUM	1.000	LSUM
222 M2801	TEMP. BALE BARRIER	150.000	M
223 M2802	TEMP. SILT FENCE	648.000	M
230(A) M2806	SOLID SLAB SODDING	3,965.000	M2
230(F) M2812	WATERING	714.000	KL
233(A) M2817	VEGETATIVE MULCHING	0.400	HA
234(A) M2824	FERTILIZING (10-20-10)	0.430	T
403(A) M0217	TRAFFIC BOUND SURFACE COURSE TYPE A	520.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(CC)M7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(D) M0690	600MM CORR. GALV. STEEL PIPE	19.800	M
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	75.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	30.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	142.200	M
504(E) M1380	CONCRETE RAIL (TR1)	85.500	M
509(A) M1326	CLASS AA CONCRETE	65.900	M3
509(E) M1332	CLASS S CONCRETE	46.400	M3
511(A) M1332	REINFORCING STEEL	10,755.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	60.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	60.000	M
516(A) M6092	DRILLED SHAFTS 900MM DIAMETER	26.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	560.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	150.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			

LNTCIQA

FEDERAL PROJECT

PAGE 13

SECTION NO. 0003

STAK-STAKING

642 M0098

STAKING

1.000 LSUM

LNTCIQA FEDERAL PROJECT PAGE 14
 CALL ORDER : 047 CONTRACT ID : 000003
 LETTING DATE : February 24, 2000 PCN : 0892904
 LETTING TIME : 10:30 A.M.
 COUNTIES: GRANT PROJECTS : BRFY-27C(239)
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 20.94
 RES. ENG.: 43ENI
 CAL. DAYS: 180 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES(ASPHALT)
 ON SH-132 OVER SAND CREEK APPROXIMATELY 11.265 KILOMETERS
 SOUTH OF THE TOWN OF MANCHESTER.
 PROJ. LGTH.= 0.559 KM.
 FLEX. ESALS= 0.73 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	16,555.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	3,900.000	M3
205	M4229 TYPE A - SALVAGED TOPSOIL	1.000	LSUM
222	M2801 TEMP. BALE BARRIER	100.000	M
223	M2802 TEMP. SILT FENCE	100.000	M
226	M2805 TEMP. SEDIMENT REMOVAL	20.000	M3
230(A)	M2806 SOLID SLAB SODDING	3,022.000	M2
230(B)	M2807 MULCH SODDING	32,962.000	M2
230(F)	M2812 WATERING	6,477.000	KL
232(B)	M2814 SEEDING METHOD B	3.600	HA
233(A)	M2817 VEGETATIVE MULCHING	4.420	HA
234(A)	M2824 FERTILIZING (10-20-10)	3.960	T
234(A)	M4406 FERTILIZING (0-46-0)	0.600	T
241	M2832 MOWING	3.600	HA
403(A)	M0217 TRAFFIC BOUND SURFACE COURSE TYPE A	186.000	T
407	M0250 TACK COAT	7,362.000	L
408	M5774 PRIME COAT	5,483.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	3,246.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	3,418.000	T
509(B)	M0321 CLASS A CONCRETE	7.000	M3
509(D)	M0325 CLASS C CONCRETE	10.000	M3
613(B)	M0409 600MM R.C.PIPE CLASS III	26.000	M
613(B)	M4415 920MM X 570MM R.C.PIPE ARCH CLASS A-III	24.000	M
613(CC)	M7197 TYPE B6 CULVERT END TREATMENT	4.000	EA
613(CC)	M7203 TYPE CC6 CULVERT END TREATMENT	2.000	EA
613(D)	M0690 600MM CORR. GALV. STEEL PIPE	41.000	M
613(D)	M5747 3000MM CORR. GALV. STEEL PIPE	150.000	M
613(P)	M1091 150MM PERFORATED PIPE UNDERDRAIN ROUND	42.000	M
613(Q)	M1096 150 MM NON-PERF.PIPE UNDERDRAIN RND.	14.000	M
613(R)	M1100 PIPE UNDERDRAIN COVER MAT'L.	31.000	M3
613(S)	M1180 TRENCH EXCAVATION	41.000	M3
619(A)	M0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

SECTION NO. 0001	I000-ROADWAY		
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	11,041.000	M2
624(C) M7180	FENCE-STYLE SWF (5 BARBED WIRE)	399.000	M
629(A) M4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) M4960	MAILBOX	1.000	EA
629(D) M4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	170.000	M3
501(F) M6352	GRANULAR BACKFILL	100.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	190.800	M
504(A) M1304	APPROACH SLAB	253.200	M2
504(C) M6276	SEALED EXPANSION JOINTS	29.100	M
504(E) M6239	CONCRETE RAIL (TR3)	138.400	M
506(A) M1322	STRUCTURAL STEEL	2,990.000	KG
509(A) M1326	CLASS AA CONCRETE	145.200	M3
509(D) M1331	CLASS C CONCRETE	6.000	M3
509(E) M1332	CLASS S CONCRETE	142.200	M3
511(A) M1332	REINFORCING STEEL	2,940.000	KG
511(B) M6010	EPOXY COATED REINF. STEEL	31,385.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	245.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	245.000	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	692.000	M2
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	35.200	M
609(D) M0398	BITUMINOUS CURBING	293.000	M
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	30.000	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	24.000	M
613(R) M1395	PIPE UNDERDRAIN COVER MAT'L.	12.000	M3
613(S) M1396	TRENCH EXCAVATION	24.000	M3
619(B) M4780	REMOVAL OF GUARD RAIL	200.000	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	229.000	M
623(F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H) M8571	(SP) G.E.T. GUARDRAIL END SECTION	4.000	EA
640 M1398	FIELD OFFICE	1.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
850(A) M8110	SHEET ALUMINUM SIGNS	3.200	M2
851 M8642	(PL) 57.2MM SQUARE TUBE POST	21.000	M
855(A) M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)	2,640.000	M
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 16
 CALL ORDER : 050 CONTRACT ID : 000068
 LETTING DATE : February 24, 2000 PCN : 1693404
 LETTING TIME : 10:30 A.M.
 COUNTIES: GREER PROJECTS : CIP-128B(16)IP
 JACKSON DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 34.90
 RES. ENG.: 52ALT
 CAL. DAYS: 300 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)
 ON SH-6 BEGINNING APPROXIMATELY 0.3 MILE NORTH OF THE
 JUNCTION OF SH-6/SH-19, IN BLAIR, AND EXTENDING NORTH.
 PROJ. LGTH.= 3.1 MI.
 FLEX. ESALS= 5.1 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-128B(16)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	118,971.000	CY
202(E)	0184 UNCLASSIFIED BORROW	55,393.000	CY
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMP. BALE BARRIER	200.000	LF
224	2803 TEMP. SEDIMENT FILTER	5.000	EA
229	4318 DITCH LINER PROTECTION	585.000	LF
230(A)	2806 SOLID SLAB SODDING	19,000.000	SY
230(B)	2807 MULCH SODDING	188,805.000	SY
232(B)	7183 TEMPORARY SEEDING - METHOD B	40.000	AC
233(A)	2817 VEGETATIVE MULCHING	40.000	AC
241	2832 MOWING	60.000	AC
307(A)	4233 LIME	250.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	46,290.000	SY
317(A)	4252 FLY ASH	8,344.000	TON
317(C)	4254 SUBGRADE MODIFICATION	154,521.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	314.000	TON
407	0250 TACK COAT	21,866.000	GAL
408	5774 (SU)PRIME COAT	24,416.000	GAL
411(AH)	7022 (SP)ASPHALT CONCRETE TYPE AH (PG)	19,322.000	TON
411(AH)	7025 (SP)ASPHALT CONCRETE TYPE AH (PG 64-22)	54,391.000	TON
411(BH)	7026 (SP)ASPHALT CONCRETE TYPE BH (PG 70-28)	12,843.000	TON
411(BH)	7029 (SP)ASPHALT CONCRETE TYPE BH (PG 64-22)	4,962.000	TON
413(A)	4861 (SU) RUMBLE STRIP-METHOD AC-CON	38,350.000	LF
413(B)	4862 (SU) RUMBLE STRIP-METHOD AC-CYC (GROUP)	36.000	EAGP
417	5267 COLD MILLING PAVEMENT	7,148.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	274.000	CY
509(B)	0321 CLASS A CONCRETE	796.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	4.000	CY
509(E)	0325 CLASS "C" CONC.	60.000	CY
511(A)	0332 REINFORCING STEEL	115,239.000	LB
601(A)	0297 TYPE I-PLAIN RIP RAP	80.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	30.000	TON

SECTION NO. 0001	I000-ROADWAY	CIP-128B(16)IP		
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	5.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	262.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	944.000	LF
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	7.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	9.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	16.000	EA
613(CC)	7202	TYPE BB6 CULVERT END TREATMENT	10.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	146.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	196.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	452.000	LF
613(D)	4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	224.000	LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	584.000	LF
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	1,125.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	375.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	15,546.000	SY
619(C)	0924	SAWING PAVEMENT	160.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	490.000	LF
629(A)	4958	(SU) MAILBOX INSTALLATION-SINGLE	3.000	EA
629(C)	4960	(SU) MAILBOX	3.000	EA
629(D)	4961	(SU) REMOVAL OF MAILBOX INSTALLATION	3.000	EA
641	1552	MOBILIZATION	1.000	LSUM
931.97	7011	(PL) TEMPORARY SILT FENCE	7,250.000	LF
SECTION NO. 0002	X028-BRIDGE 'A'	CIP-128B(16)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	732.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	125.000	CY
509(B)	1328	CLASS A CONCRETE	466.000	CY
511(A)	1332	REINFORCING STEEL	38,253.000	LB
SECTION NO. 0003	Y000-TRAFFIC	CIP-128B(16)IP		
850(A)	8215	SHEET ALUMINUM SIGNS	454.000	SF
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	119,350.000	LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)	17.000	EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)	9.000	EA
855(D)	3322	TRAF.STR.(PLASTIC)(SYMBOLS)	8.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	32,800.000	LF
856(B)	8005	REMOV.PVEMNT MRKNG TAPE(4"WIDE)	1,000.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	2,000.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	9,125.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	8,030.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.	10,220.000	SD
880(I)	8020	BARRICADES (TYPE II)	2,190.000	SD
880(J)	8021	BARRICADES (TYPE III)	4,380.000	SD
880(J)	8318	BARRICADES (TYPE III)	2.000	EA
880(K)	8022	WING BARRICADES	2,190.000	SD
880(L)	8023	VERTICAL PANELS	16,425.000	SD
880(M)	8024	TYPE A. LIGHT	21,170.000	SD
880(O)	8026	TYPE C LIGHT	32,850.000	SD
880(P)	8027	DRUMS	16,425.000	SD
960.62	8315	(PL) REMOVAL OF EXISTING SIGNS	30.000	EA

SECTION NO. 0003	Y000-TRAFFIC	CIP-128B(16)IP		
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	2,000.000	EA
SECTION NO. 0004	STAK-STAKING	CIP-128B(16)IP		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0005	Y060-NON-PARTICIPATING	CIP-128B(16)IP		
613(S)	1180	TRENCH EXCAVATION	363.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	233.000	CY
616(B)	5198	6" POLYVINYL CHLORIDE (PVC) PIPE	2,055.000	LF
616(B)	5217	1 1/2" POLYVINYL CHLORIDE (PVC) PIPE	246.000	LF
616(E)	0878	3/4" CORPORATION STOPS	4.000	EA
616(E)	0902	1 1/2" CORPORATION STOPS	1.000	EA
616(F)	5948	METER INSTALLATION 3/4"	1.000	EA
616(I)	5250	(PL) 4" STEEL CASING	246.000	LF
616(I)	5258	(PL) 12" STEEL CASING	340.000	LF
616(N)	0090	SERVICE CONNECTION (SHORT)	4.000	EA
617(A)	1043	GATE VALVES	1.000	EA

LNTCIQA
 CALL ORDER : 060
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: GREER

STATE PROJECT
 CONTRACT ID : 000069
 PCN : 1757604

PAGE 19

PROJECTS : CIP-128B(25)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 40.80
 RES. ENG.: 52ALT
 CAL. DAYS: 365 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)
 ON SH-6 BEGINNING APPROXIMATELY 1.0 MILE NORTH OF THE
 GREER/JACKSON COUNTY LINE AND EXTENDING NORTH.
 PROJ. LGTH.= 4.296 MI.
 FLEX. ESALS= 5.1 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-128B(25)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	264,654.000	CY
202(E)	0184 UNCLASSIFIED BORROW	32,230.000	CY
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	16.200	STA
222	2801 TEMP. BALE BARRIER	500.000	LF
224	2803 TEMP. SEDIMENT FILTER	15.000	EA
229	4318 DITCH LINER PROTECTION	1,100.000	LF
230(A)	2806 SOLID SLAB SODDING	34,101.000	SY
230(B)	2807 MULCH SODDING	348,695.000	SY
232(B)	7183 TEMPORARY SEEDING - METHOD B	72.100	AC
233(A)	2817 VEGETATIVE MULCHING	72.100	AC
241	2832 MOWING	122.000	AC
307(A)	4233 LIME	1,093.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	60,688.000	SY
317(A)	4252 FLY ASH	10,924.000	TON
317(C)	4254 SUBGRADE MODIFICATION	202,293.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	893.000	TON
407	0250 TACK COAT	24,405.000	GAL
408	5774 (SU)PRIME COAT	30,692.000	GAL
411(AH)	7022 (SP)ASPHALT CONCRETE TYPE AH (PG)	20,426.000	TON
411(AH)	7025 (SP)ASPHALT CONCRETE TYPE AH (PG 64-22)	63,426.000	TON
411(BH)	7026 (SP)ASPHALT CONCRETE TYPE BH (PG 70-28)	13,059.000	TON
411(BH)	7029 (SP)ASPHALT CONCRETE TYPE BH (PG 64-22)	6,431.000	TON
413(A)	4861 (SU) RUMBLE STRIP-METHOD AC-CON	74,826.000	LF
413(B)	4862 (SU) RUMBLE STRIP-METHOD AC-CYC (GROUP)	44.000	EAGP
417	5267 COLD MILLING PAVEMENT	534.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	434.000	CY
509(B)	0321 CLASS A CONCRETE	1,265.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	9.000	CY
509(E)	0325 CLASS "C" CONC.	118.000	CY
511(A)	0332 REINFORCING STEEL	195,070.000	LB
601(A)	0297 TYPE I-PLAIN RIP RAP	156.000	TON

SECTION NO. 0001		I000-ROADWAY	CIP-128B(25)IP		
601(A-2)	1355	TYPE I-A FILTER BLANKET		50.000	TON
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)		15.000	EA
613(B)	0491	18" R.C.PIPE CLASS III		612.000	LF
613(B)	0492	24" R.C.PIPE CLASS III		376.000	LF
613(B)	0494	36" R.C.PIPE CLASS III		134.000	LF
613(CC)	7193	TYPE CC4 CULVERT END TREATMENT		1.000	EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT		17.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT		3.000	EA
613(CC)	7199	TYPE D6 CULVERT END TREATMENT		1.000	EA
613(CC)	7203	TYPE CC6 CULVERT END TREATMENT		1.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE		630.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE		140.000	LF
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND		1,650.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN		550.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL		6.000	EA
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT		4,191.000	SY
619(C)	0924	SAWING PAVEMENT		288.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)		1,000.000	LF
641	1552	MOBILIZATION		1.000	LSUM
931.97	7011	(PL) TEMPORARY SILT FENCE		9,100.000	LF
SECTION NO. 0002		X028-BRIDGE 'B'	CIP-128B(25)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION		236.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED		214.000	CY
509(B)	1328	CLASS A CONCRETE		614.000	CY
511(A)	1332	REINFORCING STEEL		63,278.000	LB
SECTION NO. 0003		Y000-TRAFFIC	CIP-128B(25)IP		
850(A)	8215	SHEET ALUMINUM SIGNS		756.000	SF
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)		122,001.000	LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)		30.000	EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)		16.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)		40,000.000	LF
856(B)	8005	REMOV.PVEMNT MRKNG TAPE(4"WIDE)		1,000.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)		5,000.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF		9,125.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF		8,760.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.		10,950.000	SD
880(I)	8020	BARRICADES (TYPE II)		2,190.000	SD
880(J)	8021	BARRICADES (TYPE III)		5,840.000	SD
880(K)	8022	WING BARRICADES		2,170.000	SD
880(L)	8023	VERTICAL PANELS		18,250.000	SD
880(M)	8024	TYPE A. LIGHT		24,820.000	SD
880(O)	8026	TYPE C LIGHT		36,500.000	SD
880(P)	8027	DRUMS		18,250.000	SD
960.62	8315	(PL) REMOVAL OF EXISTING SIGNS		25.000	EA
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1		3,000.000	EA
SECTION NO. 0004		STAK-STAKING	CIP-128B(25)IP		
642	0098	STAKING		1.000	LSUM

LNTCIQA STATE PROJECT PAGE 21
 CALL ORDER : 065 CONTRACT ID : 000070
 LETTING DATE : February 24, 2000 PCN : 1693404C
 LETTING TIME : 10:30 A.M.
 COUNTIES: GREER PROJECTS : CIP-128B(16)IP/CIP-128B(25)IP
 JACKSON DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 75.70
 RES. ENG.: 52ALT
 CAL. DAYS: 570 LIQ. DAM: \$ 2000

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES(RCB) & SURFACE(ASPHALT)
 ON SH-6 BEGINNING APPROXIMATELY 0.3 MILE NORTH OF THE
 JUNCTION OF SH-6/SH-19, IN BLAIR, AND EXTENDING NORTH.
 PROJ. LGTH.= 7.396 MI.
 FLEX. ESALS= 5.1 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-128B(16)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	118,971.000	CY
202(E)	0184 UNCLASSIFIED BORROW	55,393.000	CY
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMP. BALE BARRIER	200.000	LF
224	2803 TEMP. SEDIMENT FILTER	5.000	EA
229	4318 DITCH LINER PROTECTION	585.000	LF
230(A)	2806 SOLID SLAB SODDING	19,000.000	SY
230(B)	2807 MULCH SODDING	188,805.000	SY
232(B)	7183 TEMPORARY SEEDING - METHOD B	40.000	AC
233(A)	2817 VEGETATIVE MULCHING	40.000	AC
241	2832 MOWING	60.000	AC
307(A)	4233 LIME	250.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	46,290.000	SY
317(A)	4252 FLY ASH	8,344.000	TON
317(C)	4254 SUBGRADE MODIFICATION	154,521.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	314.000	TON
407	0250 TACK COAT	21,866.000	GAL
408	5774 (SU)PRIME COAT	24,416.000	GAL
411(AH)	7022 (SP)ASPHALT CONCRETE TYPE AH (PG)	19,322.000	TON
411(AH)	7025 (SP)ASPHALT CONCRETE TYPE AH (PG 64-22)	54,391.000	TON
411(BH)	7026 (SP)ASPHALT CONCRETE TYPE BH (PG 70-28)	12,843.000	TON
411(BH)	7029 (SP)ASPHALT CONCRETE TYPE BH (PG 64-22)	4,962.000	TON
413(A)	4861 (SU) RUMBLE STRIP-METHOD AC-CON	38,350.000	LF
413(B)	4862 (SU) RUMBLE STRIP-METHOD AC-CYC (GROUP)	36.000	EAGP
417	5267 COLD MILLING PAVEMENT	7,148.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	274.000	CY
509(B)	0321 CLASS A CONCRETE	796.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	4.000	CY
509(E)	0325 CLASS "C" CONC.	60.000	CY
511(A)	0332 REINFORCING STEEL	115,239.000	LB
601(A)	0297 TYPE I-PLAIN RIP RAP	80.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	30.000	TON

SECTION NO. 0001		I000-ROADWAY CIP-128B(16)IP		
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	5.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	262.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	944.000	LF
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	7.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	9.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	16.000	EA
613(CC)	7202	TYPE BB6 CULVERT END TREATMENT	10.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	146.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	196.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	452.000	LF
613(D)	4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	224.000	LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	584.000	LF
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	1,125.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	375.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	15,546.000	SY
619(C)	0924	SAWING PAVEMENT	160.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	490.000	LF
629(A)	4958	(SU) MAILBOX INSTALLATION-SINGLE	3.000	EA
629(C)	4960	(SU) MAILBOX	3.000	EA
629(D)	4961	(SU) REMOVAL OF MAILBOX INSTALLATION	3.000	EA
641	1552	MOBILIZATION	1.000	LSUM
931.97	7011	(PL) TEMPORARY SILT FENCE	7,250.000	LF
SECTION NO. 0002		I000-ROADWAY CIP-128B(25)IP		
201	0102	CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183	UNCLASSIFIED EXCAVATION	264,654.000	CY
202(E)	0184	UNCLASSIFIED BORROW	32,230.000	CY
205	7174	(PL) TOPSOIL - LUMP SUM	1.000	LSUM
210	0121	OBLITERATING ABANDONED ROAD	16.200	STA
222	2801	TEMP. BALE BARRIER	500.000	LF
224	2803	TEMP. SEDIMENT FILTER	15.000	EA
229	4318	DITCH LINER PROTECTION	1,100.000	LF
230(A)	2806	SOLID SLAB SODDING	34,101.000	SY
230(B)	2807	MULCH SODDING	348,695.000	SY
232(B)	7183	TEMPORARY SEEDING - METHOD B	72.100	AC
233(A)	2817	VEGETATIVE MULCHING	72.100	AC
241	2832	MOWING	122.000	AC
307(A)	4233	LIME	1,093.000	TON
307(B)	4235	8" LIME TREATED SUBGRADE	60,688.000	SY
317(A)	4252	FLY ASH	10,924.000	TON
317(C)	4254	SUBGRADE MODIFICATION	202,293.000	SY
403(A)	0217	TRAFFIC BOUND SURFACE COURSE TYPE A	893.000	TON
407	0250	TACK COAT	24,405.000	GAL
408	5774	(SU)PRIME COAT	30,692.000	GAL
411(AH)	7022	(SP)ASPHALT CONCRETE TYPE AH (PG)	20,426.000	TON
411(AH)	7025	(SP)ASPHALT CONCRETE TYPE AH (PG 64-22)	63,426.000	TON
411(BH)	7026	(SP)ASPHALT CONCRETE TYPE BH (PG 70-28)	13,059.000	TON
411(BH)	7029	(SP)ASPHALT CONCRETE TYPE BH (PG 64-22)	6,431.000	TON
413(A)	4861	(SU) RUMBLE STRIP-METHOD AC-CON	74,826.000	LF
413(B)	4862	(SU) RUMBLE STRIP-METHOD AC-CYC (GROUP)	44.000	EAGP
417	5267	COLD MILLING PAVEMENT	534.000	SY

SECTION NO. 0002	I000-ROADWAY	CIP-128B(25)IP		
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	434.000	CY
509(B)	0321	CLASS A CONCRETE	1,265.000	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	9.000	CY
509(E)	0325	CLASS "C" CONC.	118.000	CY
511(A)	0332	REINFORCING STEEL	195,070.000	LB
601(A)	0297	TYPE I-PLAIN RIP RAP	156.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	50.000	TON
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	15.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	612.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	376.000	LF
613(B)	0494	36" R.C.PIPE CLASS III	134.000	LF
613(CC)	7193	TYPE CC4 CULVERT END TREATMENT	1.000	EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	17.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	3.000	EA
613(CC)	7199	TYPE D6 CULVERT END TREATMENT	1.000	EA
613(CC)	7203	TYPE CC6 CULVERT END TREATMENT	1.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	630.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE	140.000	LF
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	1,650.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	550.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	6.000	EA
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	4,191.000	SY
619(C)	0924	SAWING PAVEMENT	288.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,000.000	LF
641	1552	MOBILIZATION	1.000	LSUM
931.97	7011	(PL) TEMPORARY SILT FENCE	9,100.000	LF
SECTION NO. 0003	X028-BRIDGE 'A'	CIP-128B(16)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	732.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	125.000	CY
509(B)	1328	CLASS A CONCRETE	466.000	CY
511(A)	1332	REINFORCING STEEL	38,253.000	LB
SECTION NO. 0004	X028-BRIDGE 'B'	CIP-128B(25)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	236.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	214.000	CY
509(B)	1328	CLASS A CONCRETE	614.000	CY
511(A)	1332	REINFORCING STEEL	63,278.000	LB
SECTION NO. 0005	Y000-TRAFFIC	CIP-128B(16)IP		
850(A)	8215	SHEET ALUMINUM SIGNS	454.000	SF
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	119,350.000	LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)	17.000	EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)	9.000	EA
855(D)	3322	TRAF.STR.(PLASTIC)(SYMBOLS)	8.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	32,800.000	LF
856(B)	8005	REMOV.PVEMNT MRKNG TAPE(4"WIDE)	1,000.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	2,000.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	9,125.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	8,030.000	SD

SECTION NO. 0005		Y000-TRAFFIC	CIP-128B(16)IP		
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.		10,220.000	SD
880(I)	8020	BARRICADES (TYPE II)		2,190.000	SD
880(J)	8021	BARRICADES (TYPE III)		4,380.000	SD
880(J)	8318	BARRICADES (TYPE III)		2.000	EA
880(K)	8022	WING BARRICADES		2,190.000	SD
880(L)	8023	VERTICAL PANELS		16,425.000	SD
880(M)	8024	TYPE A. LIGHT		21,170.000	SD
880(O)	8026	TYPE C LIGHT		32,850.000	SD
880(P)	8027	DRUMS		16,425.000	SD
960.62	8315	(PL) REMOVAL OF EXISTING SIGNS		30.000	EA
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1		2,000.000	EA
SECTION NO. 0006		Y000-TRAFFIC	CIP-128B(25)IP		
850(A)	8215	SHEET ALUMINUM SIGNS		756.000	SF
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)		122,001.000	LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)		30.000	EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)		16.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)		40,000.000	LF
856(B)	8005	REMOV.PVEMNT MRKNG TAPE(4"WIDE)		1,000.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)		5,000.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF		9,125.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF		8,760.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.		10,950.000	SD
880(I)	8020	BARRICADES (TYPE II)		2,190.000	SD
880(J)	8021	BARRICADES (TYPE III)		5,840.000	SD
880(K)	8022	WING BARRICADES		2,170.000	SD
880(L)	8023	VERTICAL PANELS		18,250.000	SD
880(M)	8024	TYPE A. LIGHT		24,820.000	SD
880(O)	8026	TYPE C LIGHT		36,500.000	SD
880(P)	8027	DRUMS		18,250.000	SD
960.62	8315	(PL) REMOVAL OF EXISTING SIGNS		25.000	EA
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1		3,000.000	EA
SECTION NO. 0007		STAK-STAKING	CIP-128B(16)IP		
642	0098	STAKING		1.000	LSUM
SECTION NO. 0008		STAK-STAKING	CIP-128B(25)IP		
642	0098	STAKING		1.000	LSUM
SECTION NO. 0009		Y060-NON-PARTICIPATING	CIP-128B(16)IP		
613(S)	1180	TRENCH EXCAVATION		363.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL		233.000	CY
616(B)	5198	6" POLYVINYL CHLORIDE (PVC) PIPE		2,055.000	LF
616(B)	5217	1 1/2" POLYVINYL CHLORIDE (PVC) PIPE		246.000	LF
616(E)	0878	3/4" CORPORATION STOPS		4.000	EA
616(E)	0902	1 1/2" CORPORATION STOPS		1.000	EA
616(F)	5948	METER INSTALLATION 3/4"		1.000	EA
616(I)	5250	(PL) 4" STEEL CASING		246.000	LF
616(I)	5258	(PL) 12" STEEL CASING		340.000	LF
616(N)	0090	SERVICE CONNECTION (SHORT)		4.000	EA

LNTCIQA

STATE PROJECT

PAGE 25

SECTION NO. 0009

Y060-NON-PARTICIPATING

CIP-128B(16)IP

617(A) 1043

GATE VALVES

1.000

EA

LNTCIQA
 CALL ORDER : 070
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: LATIMER

FEDERAL PROJECT
 CONTRACT ID : 000027
 PCN : 1705604

PAGE 26

PROJECTS : STPY-139B(12)TR
 DBE/WBE GOALS: 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 7.52
 RES. ENG.: 24MCA
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION
 INTERSECTION MODIFICATION AT THE JUNCTION OF SH-1 & SH-2.
 PROJ. LGTH.= 0.00 KM.
 FLEX. ESALS= LESS THAN 3 MILLION
 ASPH. GRADE= 64-22OK & 64-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
202(A) M0183	UNCLASSIFIED EXCAVATION	3,567.000	M3
202(C) M0184	UNCLASSIFIED BORROW	275.000	M3
230(A) M2806	SOLID SLAB SODDING	6,840.000	M2
303 M0192	AGGREGATE BASE	1,288.000	M3
407 M0250	TACK COAT	1,595.000	L
408 M5774	PRIME COAT	4,510.000	L
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		737.000 T
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		1,451.000 T
420(A) M4242	FABRIC REINFORCEMENT	597.000	M2
420(B) M4268	BITUMINOUS BINDER	671.000	L
509(D) M0325	CLASS C CONCRETE	10.000	M3
609(A) M0288	CONC.CURB(150 MM MNTBLE-INTEGRAL)	130.000	M
610(C) M0608	100 MM CONCRETE DIVIDING STRIP	355.000	M2
613(B) M0409	600MM R.C.PIPE CLASS III	17.000	M
613(CC)M7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613(D) M5719	450MM CORR. GALV. STEEL PIPE	30.000	M
613(M) M5726	450MM PREFAB. CULVERT END SECTION, ROUND		4.000 EA
615(F) M6129	TRENCH EXCAVATION	65.100	M3
615(G) M6131	STANDARD BEDDING MATERIAL	28.100	M3
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	3,504.000	M2
619(B) M4778	REMOVAL OF EXISTING STRUCTURES	1.000	EA
619(C) M0924	SAWING PAVEMENT	300.000	M
640 M1426	FIELD OFFICE	1.000	EA
641 M2917	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL		
856(A) M8839	CONSTR.TRAFF.STR.(PAINT)(100 MM WIDE)	1,000.000	M
856(C) M8851	REM.PAVEMENT MARKING TAPE(100 MM WIDE)	100.000	M
856(G) M8887	(PL)CONST.ZONE PAVE.MKRS(FLEX TAB)TP 2-1		500.000 EA
859(A) M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	100.000	M
880(B) M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	1,200.000	SD
880(B) M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	1,400.000	SD
880(B) M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	2,400.000	SD

SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL		
880(C) M8836	BARRICADES(TYPE II)	400.000	SD
880(C) M8842	BARRICADES(TYPE III)	600.000	SD
880(C) M8848	WING BARRICADES	600.000	SD
880(D) M8854	VERTICAL PANELS	1,000.000	SD
880(E) M8860	WARNING LIGHTS(TYPE A)	4,000.000	SD
880(E) M8872	WARNING LIGHTS(TYPE C)	3,000.000	SD
880(F) M8878	DRUMS	2,000.000	SD
SECTION NO. 0003	Y002-TRAFFIC SIGNING & STRIPING		
850(A) M8110	SHEET ALUMINUM SIGNS	23.110	M2
851(C) M8327	57 MM SQUARE TUBE POST	53.000	M
851(C) M8330	64 MM SQUARE TUBE POST	36.000	M
855(A) M8812	TRAF.STR.(PLAST.)(100MM WIDE)	2,100.000	M
855(B) M8818	TRAF.STR.(PLAST.)(ARROWS)	6.000	EA
855(B) M8821	TRAF.STR.(PLAST.)(WORDS)	3.000	EA
890(A) M8724	(PL)REMOVAL OF EXISTING SIGNS	8.000	EA
SECTION NO. 0004	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 100
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: MCCURTAIN

STATE PROJECT
 CONTRACT ID : 000071
 PCN : 1674704

PAGE 28

PROJECTS : CIP-145N(10)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 28.99
 RES. ENG.: 21ANT
 CAL. DAYS: 420 LIQ. DAM: \$ 2000

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON US-70 BEGINNING IN GARVIN AND EXTENDING EAST TO IDABEL.
 PROJ. LGTH.= 6.818 MI.
 FLEX. ESALS= 5.57 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	386,325.000	CY
202(E)	0184 UNCLASSIFIED BORROW	5,000.000	CY
202(F)	0186 SELECT BORROW	6,500.000	CY
205	4230 TYPE A - SALVAGED TOPSOIL	30,574.000	CY
224	2803 TEMP. SEDIMENT FILTER	24.000	EA
227	0100 (PL) TEMPORARY SILT DIKE	11,755.000	LF
229	4318 DITCH LINER PROTECTION	8,283.000	LF
230(A)	2806 SOLID SLAB SODDING	23,377.000	SY
230(E)	2810 BROADCAST SPRIGGING (METHOD A)	363,983.000	SY
230(G)	2812 WATERING	15,494.400	MGAL
232(B)	7183 TEMPORARY SEEDING - METHOD B	10.000	AC
233(A)	2817 VEGETATIVE MULCHING	80.000	AC
234(A)	2824 FERTILIZING (10-20-10)	38.700	TON
234(A)	4406 FERTILIZING (0-46-0)	5.600	TON
241	2832 MOWING	75.200	AC
303	0192 AGGREGATE BASE	33,176.000	CY
307(A)	4233 LIME	1,138.800	TON
317(A)	4252 FLY ASH	10,338.700	TON
317(C)	4254 SUBGRADE MODIFICATION	251,461.000	SY
325	5271 (SU)SEPARATOR FABRIC	184,830.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	389.100	TON
407	0250 TACK COAT	17,441.800	GAL
408	5774 (SU)PRIME COAT	26,526.200	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,927.300	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	46,432.300	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	789.600	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	20,746.900	TON
417	5268 COLD MILLING PAVEMENT (2")	14,694.000	SY
420(A)	4242 FABRIC REINFORCEMENT	27,121.000	SY
420(B)	4268 BITUMINOUS BINDER	6,780.300	GAL
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	324.600	CY
509(B)	0321 CLASS A CONCRETE	939.700	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	108.300	CY

SECTION NO.	0001	I000-ROADWAY			
509(E)	0325	CLASS "C" CONC.	1,521.100	CY	
511(A)	1332	REINFORCING STEEL	140,017.800	LB	
601(A)	0533	TYPE I-PLAIN RIP RAP	360.000	CY	
609(B)	1526	2'-8" COMB. CRB. & GUT. (8" BAR. CURB)	5,898.700	LF	
610(B)	0604	6" CONCRETE DRIVEWAY	78.500	SY	
611(E)	5403	INLET CDI RCB(90SK) DES. 17	1.000	EA	
611(E)	5479	INLET CDI RCB(60SK) DES. 7	1.000	EA	
611(E)	5483	INLET CDI RCB(60SK) DES. 11	1.000	EA	
611(E)	5508	INLET CDI RCB(45SK) DES. 18	1.000	EA	
611(E)	5734	INLET CDI 30" RCP(45SK)	1.000	EA	
611(F)	5628	INLET CDI RCB(60SK) DES. 7 (ADD'L DEPTH)		3.700	VF
611(F)	5632	INLET CDI RCB(60SK) DES. 11(ADD'L DEPTH)		10.600	VF
611(F)	5657	INLET CDI RCB(45SK) DES. 18(ADD'L DEPTH)		4.000	VF
611(F)	5747	INLET CDI 30" RCP(45SK), (ADD'L DEPTH)		3.600	VF
611(L)	4209	DROP INLET GRATE (SMD-TYPE 1)	8.000	EA	
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	10.000	EA	
611(L)	5117	DROP INLET GRATE (SMD TYPE 2A)	1.000	EA	
613(B)	0491	18" R.C.P.I.P.E CLASS III	590.000	LF	
613(B)	0492	24" R.C.P.I.P.E CLASS III	1,033.000	LF	
613(B)	0493	30" R.C.P.I.P.E CLASS III	469.000	LF	
613(B)	0494	36" R.C.P.I.P.E CLASS III	94.000	LF	
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	14.000	EA	
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	26.000	EA	
613(CC)	7188	TYPE C4 CULVERT END TREATMENT	8.000	EA	
613(D)	0689	18" CORR. GALV. STEEL PIPE	657.000	LF	
613(D)	0690	24" CORR. GALV. STEEL PIPE	809.000	LF	
613(D)	0691	30" CORR. GALV. STEEL PIPE	259.000	LF	
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	231.000	LF	
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	3.000	EA	
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	10.000	EA	
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND	6.000	EA	
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND	1.000	EA	
613(MM)	4894	18" SLOPED CONCRETE END SEC.(CD 6-GR)	2.000	EA	
613(MM)	5045	24" SLOPED CONCRETE END SEC.(CD 6-GR)	4.000	EA	
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	2,000.000	LF	
613(Q)	1096	6" RND.NON-PERF.PIPE UNDERDRAIN	400.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	223.000	CY	
613(S)	1180	TRENCH EXCAVATION	3,861.700	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	1,377.400	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	0291	REMOVAL OF HEADWALL	14.000	EA	
619(B)	4725	REMOVAL OF FENCE	33,236.000	LF	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	19,838.000	SY	
619(C)	0924	SAWING PAVEMENT	16,034.000	LF	
622(A)	4746	PIPE RAILING	113.500	LF	
624(A)	4281	FENCE-STYLE WWF	25,277.000	LF	
624(B)	5165	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	20.000	EA	
629(A)	4958	(SU) MAILBOX INSTALLATION-SINGLE	21.000	EA	
629(C)	4960	(SU) MAILBOX	21.000	EA	
640	1398	FIELD OFFICE	1.000	EA	
641	1399	MOBILIZATION	1.000	LSUM	
643	0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM	
653(A)	5915	(SP) EDGE DRAIN CONDUIT-PERFORATED	27,000.000	LF	
653(B)	5916	(SP) EDGE DRAIN OUTLET LATERAL-NONPERF.	7,560.000	LF	

SECTION NO. 0001		I000-ROADWAY		
653(C)	5946	(SP) OUTLET LATERAL HEADWALL	130.000	EA
SECTION NO. 0002		Y004-RIGHT-OF-WAY CLEARANCE		
643	0100	(PL) NESHAP PREDEM. INSP. & NOTIFICATION		6.000 EA
999.95	0094	(PL) RIGHT-OF-WAY CLEARANCE	1.000	LSUM
SECTION NO. 0003		Y000-TRAFFIC		
509(B)	0321	CLASS A CONCRETE	100.000	CY
850(A)	8215	SHEET ALUMINUM SIGNS	593.000	SF
851	8616	(PL) 1 3/4" SQUARE TUBE POST	22.000	LF
851	8617	(PL) 2" SQUARE TUBE POST	88.000	LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	1,265.000	LF
853(A)	3310	DELINEATORS TYPE 1 CODE 1	75.000	EA
853(F)	3315	DELINEATORS TYPE 2 CODE 3	6.000	EA
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	91,929.000	LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)	36.000	EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)	18.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	13,948.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	11,834.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	2,640.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	6,600.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.	17,490.000	SD
880(I)	8020	BARRICADES (TYPE II)	2,640.000	SD
880(J)	8021	BARRICADES (TYPE III)	16,170.000	SD
880(K)	8022	WING BARRICADES	2,640.000	SD
880(L)	8023	VERTICAL PANELS	18,150.000	SD
880(M)	8024	TYPE A. LIGHT	2,640.000	SD
880(O)	8026	TYPE C LIGHT	23,760.000	SD
880(P)	8027	DRUMS	16,500.000	SD
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	6,000.000	EA
SECTION NO. 0004		STAK-STAKING		
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 140
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: OKFUSKEE

STATE PROJECT
 CONTRACT ID : 000022
 PCN : 1050411

PAGE 31

PROJECTS : CIP-154C(17)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 31.14
 RES. ENG.: 33WEW
 CAL. DAYS: 270 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON SH-27 BEGINNING APPROXIMATELY 6.9 MILE SOUTH OF THE
 CITY OF OKEMAH AND EXTENDING NORTH.
 PROJ. LGTH.= 6.6434 MI.
 FLEX. ESALS= 0.81 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY (BASE BID)		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	8,819.000	CY
202(E)	0184 UNCLASSIFIED BORROW	11,075.000	CY
202(H)	0111 LINEAR GRADING	350.770	STA
222	2801 TEMP. BALE BARRIER	850.000	LF
223	2801 (PL) TEMPORARY SILT FENCE	800.000	LF
230(A)	2806 SOLID SLAB SODDING	14,072.000	SY
230(G)	2812 WATERING	2,486.000	MGAL
232(B)	2814 SEEDING METHOD B	10.000	AC
233(A)	2817 VEGETATIVE MULCHING	25.320	AC
234(A)	2824 FERTILIZING (10-20-10)	6.130	TON
241	2832 MOWING	12.660	AC
310(B)	0149 SUBGRADE, METHOD B	42,883.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,661.000	TON
407	0250 TACK COAT	11,716.000	GAL
408	5774 (SU)PRIME COAT	4,553.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	19,853.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,967.000	TON
417	5267 COLD MILLING PAVEMENT	1,000.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	317.000	CY
509(B)	0321 CLASS A CONCRETE	996.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	108.000	CY
509(E)	0325 CLASS "C" CONC.	68.000	CY
511(A)	0332 REINFORCING STEEL	158,304.000	LB
601(A)	0297 TYPE I-PLAIN RIP RAP	91.000	TON
611(E)	5390 INLET CDI RCB(90SK) DES. 4	1.000	EA
611(E)	5393 INLET CDI RCB(90SK) DES. 7	1.000	EA
611(E)	5397 INLET CDI RCB(90SK) DES. 11	1.000	EA
613(B)	0492 24" R.C.PIPE CLASS III	98.000	LF
613(B)	0494 36" R.C.PIPE CLASS III	120.000	LF
613(CC)	7186 TYPE A4 CULVERT END TREATMENT	1.000	EA
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	3.000	EA
613(D)	0689 18" CORR. GALV. STEEL PIPE	80.000	LF

SECTION NO. 0001		I000-ROADWAY (BASE BID)	
613(D)	0690	24" CORR. GALV. STEEL PIPE	130.000 LF
613(D)	0692	36" CORR. GALV. STEEL PIPE	64.000 LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	120.000 LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	90.000 LF
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	1.000 EA
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND	4.000 EA
613(M)	4636	21" X 15" PREFAB. CULVERT END SEC., ARCH	7.000 EA
613(S)	1180	TRENCH EXCAVATION	147.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	75.000 CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	1,435.000 SY
619(C)	0924	SAWING PAVEMENT	704.000 LF
622(A)	4746	PIPE RAILING	57.000 LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	150.000 LF
623(F)	4446	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000 EA
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000 EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	7,973.000 LF
640	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM
SECTION NO. 0002		I000-ROADWAY (ADD ALTERNATE 1)	
201	0102	CLEARING AND GRUBBING	1.000 LSUM
202(E)	0184	UNCLASSIFIED BORROW	2,000.000 CY
202(H)	0111	LINEAR GRADING	115.100 STA
222	2801	TEMP. BALE BARRIER	240.000 LF
230(G)	2812	WATERING	558.000 MGAL
232(B)	2814	SEEDING METHOD B	2.880 AC
233(A)	2817	VEGETATIVE MULCHING	5.760 AC
234(A)	2824	FERTILIZING (10-20-10)	1.390 TON
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	350.000 TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	50.000 TON
613(B)	0492	24" R.C.PIPE CLASS III	28.000 LF
613(B)	0494	36" R.C.PIPE CLASS III	60.000 LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	16.000 EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	6.000 EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT	6.000 EA
613(CC)	7189	TYPE D4 CULVERT END TREATMENT	3.000 EA
613(CC)	7191	TYPE AA4 CULVERT END TREATMENT	6.000 EA
613(CC)	7192	TYPE BB4 CULVERT END TREATMENT	2.000 EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	208.000 LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	72.000 LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	1,060.000 LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	712.000 LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	166.000 LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	6.000 EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	4.000 EA
613(M)	4636	21" X 15" PREFAB. CULVERT END SEC., ARCH	30.000 EA
613(M)	4637	28" X 20" PREFAB. CULVERT END SEC., ARCH	32.000 EA
613(M)	4639	42" X 29" PREFAB. CULVERT END SEC., ARCH	2.000 EA
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	75.000 SY
619(C)	0924	SAWING PAVEMENT	100.000 LF
960.16	8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
SECTION NO. 0003		I000-ROADWAY (ADD ALTERNATE 2)	

403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	393.000	TON
408	5774	(SU)PRIME COAT	528.000	GAL
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	502.000	TON

SECTION NO. 0004 Y000-TRAFFIC (BASE BID)

850(A)	8215	SHEET ALUMINUM SIGNS	229.000	SF
851	8616	(PL) 1 3/4" SQUARE TUBE POST	23.000	LF
851	8617	(PL) 2" SQUARE TUBE POST	75.000	LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	338.000	LF
851	8643	(PL) 2 1/2" SQUARE TUBE POST	84.000	LF
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	111,880.000	LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	110,000.000	LF
856(B)	8005	REMOV.PVEMNT MRKNG TAPE(4"WIDE)	1,000.000	LF
960.16	8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
960.18	8142	(PL) REMOVAL OF EXISTING SIGNS	1.000	LSUM
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2	4,000.000	EA

SECTION NO. 0005 STAK-STAKING (BASE BID)

642	0098	STAKING	1.000	LSUM
-----	------	---------	-------	------

SECTION NO. 0006 STAK-STAKING (ADD ALTERNATE 1)

642	0098	STAKING	1.000	LSUM
-----	------	---------	-------	------

LNTCIQA FEDERAL PROJECT PAGE 34
 CALL ORDER : 150 CONTRACT ID : 000031
 LETTING DATE : February 24, 2000 PCN : 1615604
 LETTING TIME : 10:30 A.M.
 COUNTIES: OKFUSKEE PROJECTS : BRO-154D(003)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.79
 RES. ENG.: 33WEW
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY ROAD(NS-373) OVER BUCKEYE CREEK APPROXIMATELY 4.02
 KILOMETERS NORTH AND 1.609 KILOMETERS EAST OF THE JUNCTION
 OF US-62/SH-48.
 PROJ. LGTH.= 0.199 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	M0185 EARTHWORK	1.000	LSUM
223	M2802 TEMP. SILT FENCE	370.000	M
227	M0100 (PL) TEMPORARY SILT DIKE	50.000	M
230(A)	M2806 SOLID SLAB SODDING	3,860.000	M2
230(F)	M2812 WATERING	1,390.000	KL
233(A)	M2817 VEGETATIVE MULCHING	0.780	HA
234(A)	M2824 FERTILIZING (10-20-10)	0.430	T
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	323.000	T
509(D)	M0325 CLASS C CONCRETE	93.000	M3
613(D)	M5729 1200MM CORR. GALV. STEEL PIPE	15.000	M
613(M)	M5738 1200MM PREFAB. CULVERT END SECTION,ROUND		2.000 EA
850(A)	M8110 SHEET ALUMINUM SIGNS	0.920	M2
851(D)	M8597 FLANGE CHANNEL POSTS (5.95 KG/M)	9.140	M
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	110.000	M3
501(D)	M6353 UNCLASSIFIED BACKFILL	35.000	M3
503(B)	M6144 PRESTRESSED CONCRETE DOUBLE TEE	79.250	M
504(E)	M1380 CONCRETE RAIL (TR1)	48.300	M
509(A)	M1326 CLASS AA CONCRETE	28.700	M3
509(E)	M1332 CLASS S CONCRETE	26.800	M3
511(A)	M1439 REINFORCING STEEL (GRADE 420)	5,470.000	KG
514	M6266 (PL) 300 MM DIAMETER PILOT HOLES	13.800	VM
514(A)	M6011 PILES, FURNISHED (HP 250X62)	55.000	M
514(B)	M6292 PILES, DRIVEN (HP 250X62)	55.000	M
601A-1	M1353 TYPE I-A PLAIN RIPRAP	730.000	T
601A-2	M1355 TYPE I-A FILTER BLANKET	155.000	T
619(D)	M1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	M6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	M1399 MOBILIZATION	1.000	LSUM
880(J)	M6145 (PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			

LNTCIQA

FEDERAL PROJECT

PAGE 35

642 M0098

STAKING

1.000 LSUM

SECTION NO. 0004

X081-NON-PARTICIPATING

900.53 M6176

(PL) INSERTS

6.000 EA

LNTCIQA FEDERAL PROJECT PAGE 36
 CALL ORDER : 190 CONTRACT ID : 000035
 LETTING DATE : February 24, 2000 PCN : 0029241M
 LETTING TIME : 10:30 A.M.
 COUNTIES: CLEVELAND PROJECTS : IM-NHIY-35-3(221)(247)120
 OKLAHOMA DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 146.03
 RES. ENG.: 460KC
 CAL. DAYS: 515 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE
 I-35 BEGINNING AT S.E. 104TH(NORTH 27TH STREET IN MOORE)
 AND EXTENDING NORTH TO S.E. 84TH STREET IN OKLAHOMA CITY.
 PROJ. LGTH. 1.267 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	J000-ROADWAY IM-NHIY-35-3(221)120		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	196,557.000	CY
202(E)	0184 UNCLASSIFIED BORROW	2,152.000	CY
205	4230 TYPE A - SALVAGED TOPSOIL	18,436.000	CY
221	2800 TEMP. SLOPE DRAINS	200.000	LF
222	2801 TEMP. BALE BARRIER	5,405.000	LF
223	2801 (PL) TEMPORARY SILT FENCE	2,000.000	LF
224	2803 TEMP. SEDIMENT FILTER	17.000	EA
230(A)	2806 SOLID SLAB SODDING	133,989.000	SY
233(A)	2817 VEGETATIVE MULCHING	29.000	AC
234(A)	4406 FERTILIZING (0-46-0)	1.800	TON
241	2832 MOWING	87.000	AC
303	0192 AGGREGATE BASE	32,922.000	CY
319	5190 (SU)OPEN GRADED BITUMINOUS BASE	14,657.000	TON
325	5271 (SU)SEPARATOR FABRIC	96,096.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	300.000	TON
407	0250 TACK COAT	16,674.000	GAL
408	5774 (SU)PRIME COAT	41,686.000	GAL
411(A)	4300 (SP)ASPHALT CONCRETE TYPE A (PG)	27,024.000	TON
411(B)	4400 (SP)ASPHALT CONCRETE TYPE B (PG)	31,292.000	TON
414(AA)	5754 9" P.C. DOWEL JOINTED CONCRETE PAVEMENT	69,581.000	SY
414(AA)	5755 10" P.C. DOWEL JOINTED CONCRETE PAVEMENT	3,551.000	SY
414(B)	4150 9" H.E.S. CONCRETE (PATCHING)	239.000	SY
414(D)	4368 10" P.C. CONCRETE PAVEMENT (CONT.REINF.)	81,367.000	SY
417	5267 COLD MILLING PAVEMENT	13,903.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	1,873.000	CY
505(B)	1381 CONCRETE PARAPET	350.000	LF
508	6333 (SP) RETAINING WALL	2,218.000	SF
509(B)	0321 CLASS A CONCRETE	4,933.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	62.000	CY
509(E)	0325 CLASS "C" CONC.	14.000	CY
511(A)	0332 REINFORCING STEEL	637,194.000	LB
514(E)	6010 STEEL PILING (HP 10X42)	652.000	LF
601(A)	0297 TYPE I-PLAIN RIP RAP	617.000	TON
609(A)	0299 CONC. CURB(4" MNTBLE-INTEGRAL)	6,636.000	LF

SECTION NO.	0001	J000-ROADWAY	IM-NHIY-35-3(221)120		
609(A)	0300	CONC.CURB(6"BARRIER-INTEGRAL)	22,897.000	LF	
609(A)	0380	CONC.CURB(8"BARRIER-INTEGRAL)	4,069.000	LF	
609(B)	1511	1'-8"COMB.CRB&GUTTER(4"MNT.CRB)	2,490.000	LF	
609(B)	1513	1'-8"COMB.CRB&GUTTER(6"BAR.CRB)	3,756.000	LF	
610(A)	0602	4" CONCRETE SIDEWALK	1,494.000	SY	
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	3,918.000	SY	
610(C)	0609	6" CONCRETE DIVIDING STRIP	3,756.000	SY	
611(A)	2657	MANHOLE (4' DIA.)	67.000	EA	
611(A)	2658	MANHOLE (5' DIA.)	33.000	EA	
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIA)	155.000	VF	
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIA)	103.000	VF	
611(C)	0484	SPECIAL MANHOLE	80.000	CF	
611(D)	4215	MANHOLE FRAME & COVER	109.000	EA	
611(E)	5305	INLET CICI DES. 1 (STD)	1.000	EA	
611(E)	5307	INLET CICI DES. 1 (B)	3.000	EA	
611(E)	5310	INLET CICI DES. 1 (A-B)	2.000	EA	
611(E)	5312	INLET CICI DES. 1 (2B)	2.000	EA	
611(E)	5315	INLET CICI DES. 2 (STD)	26.000	EA	
611(E)	5316	INLET CICI DES. 2 (B)	50.000	EA	
611(E)	5317	INLET CICI DES. 2 (D)	39.000	EA	
611(E)	5318	INLET CICI DES. 2 (2B)	2.000	EA	
611(E)	5319	INLET CICI DES. 2 (B-D)	1.000	EA	
611(E)	5321	INLET CICI DES. 3 (STD)	5.000	EA	
611(E)	5323	INLET CICI DES. 3 (D)	16.000	EA	
611(E)	5327	INLET GPI TYPE 1 (DES. 1)	1.000	EA	
611(E)	5329	INLET GPI TYPE 1 (DES. 3)	3.000	EA	
611(E)	5692	INLET MED. BAR. DES. 2	5.000	EA	
611(E)	5693	INLET MED. BAR. DES. 2-2	3.000	EA	
611(F)	5352	INLET CICI DES. 1 (STD, ADD'L DEPTH)	1.000	VF	
611(F)	5354	INLET CICI DES. 1 (B, ADD'L DEPTH)	2.000	VF	
611(F)	5357	INLET CICI DES. 1 (A-B, ADD'L DEPTH)	4.000	VF	
611(F)	5359	INLET CICI DES. 1 (2B, ADD'L DEPTH)	2.000	VF	
611(F)	5362	INLET CICI DES. 2 (STD, ADD'L DEPTH)	34.000	VF	
611(F)	5363	INLET CICI DES. 2 (B, ADD'L DEPTH)	43.000	VF	
611(F)	5364	INLET CICI DES. 2 (D, ADD'L DEPTH)	27.000	VF	
611(F)	5365	INLET CICI DES. 2 (2B, ADD'L DEPTH)	1.000	VF	
611(F)	5366	INLET CICI DES. 2 (B-D, ADD'L DEPTH)	1.000	VF	
611(F)	5368	INLET CICI DES. 3 (STD, ADD'L DEPTH)	7.000	VF	
611(F)	5370	INLET CICI DES. 3 (D, ADD'L DEPTH)	11.000	VF	
611(F)	5374	INLET GPI TYPE 1 (ADD'L DEPTH)	5.000	VF	
611(F)	5697	INLET MED. BAR. DES. 2 (ADD'L DEPTH)	9.000	VF	
611(F)	5698	INLET MED. BAR. DES. 2-2 (ADD'L DEPTH)	5.000	VF	
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	350.000	EA	
611(J)	0487	JUNCTION BOXES	362.000	CF	
611(K)	4488	CAST IRON CURB INLETS	682.000	EA	
611(L)	4207	DROP INLET GRATE (GPI-TYPE A)	4.000	EA	
611(L)	4208	DROP INLET GRATE (GPI-TYPE B)	4.000	EA	
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	14.000	EA	
612(A)	0641	MANHOLES ADJUST TO GRADE	11.000	EA	
612(B)	0642	MANHOLES REBUILT	3.000	EA	
612(G)	0647	VALVE BOXES ADJUST TO GRADE	5.000	EA	
612(L)	0652	WATER METERS RESET	4.000	EA	
612(T)	0706	REMOVE & RESET MANHOLE FRAME & COVER	2.000	EA	
613(B)	0491	18" R.C.PIPE CLASS III	4,884.000	LF	

SECTION NO.	0001	J000-ROADWAY	IM-NHIY-35-3(221)120		
613(B)	0492	24" R.C.PIPE CLASS III		2,416.000	LF
613(B)	0493	30" R.C.PIPE CLASS III		2,233.000	LF
613(B)	0494	36" R.C.PIPE CLASS III		4,534.000	LF
613(B)	0495	42" R.C.PIPE CLASS III		657.000	LF
613(B)	0496	48" R.C.PIPE CLASS III		640.000	LF
613(B)	4495	22" X 13" R.C.PIPE ARCH CLASS A-III		221.000	LF
613(B)	4497	36" X 22" R.C.PIPE ARCH CLASS A-III		122.000	LF
613(B)	4498	43" X 26" R.C.PIPE ARCH CLASS A-III		162.000	LF
613(B)	4499	51" X 31" R.C.PIPE ARCH CLASS A-III		125.000	LF
613(C)	4375	SP. END SECTION OF 24" RCP ROUND		1.000	EA
613(C)	4753	SP. END SECTION OF 48" RCP ROUND		1.000	EA
613(C)	4852	SP. END SECTION OF 51" X 31" RCP ARCH		1.000	EA
613(CC)	7186	TYPE A4 CULVERT END TREATMENT		1.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE		150.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH		226.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH		285.000	LF
613(M)	4636	21" X 15" PREFAB. CULVERT END SEC., ARCH		2.000	EA
613(M)	4637	28" X 20" PREFAB. CULVERT END SEC., ARCH		4.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND		17,506.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN		100.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.		856.000	CY
619(B)	4726	REMOVAL OF CURB AND GUTTER		1,128.000	LF
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT		6,097.000	SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT		170,051.000	SY
619(B)	4782	REMOVAL OF CONCRETE CURB		33,866.000	LF
619(C)	0924	SAWING PAVEMENT		6,872.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE		122.000	LF
623(H)	8571	(SP) G.E.T. GUARD RAIL END SECTION		1.000	EA
624(D)	4292	FENCE-STYLE CLF (6'HIGH, CLASS A)		8,884.000	LF
624(E)	4304	GATES-STYLE CLF (6'HIGH X 8'LONG)		2.000	EA
624(E)	4305	GATES-STYLE CLF (6'HIGH X 10'LONG)		2.000	EA
625(B)	1252	REMOVE AND RECONSTRUCT FENCE		468.000	LF
625(D)	1254	REMOVE AND RECONSTRUCT GUARD RAIL		380.000	LF
628(A)	4317	CONCRETE MEDIAN BARRIER DESIGN 1		5,507.000	LF
628(B)	4401	(PL) SPEC. CONC. SHLDER. BARRIER(DES. I)		1,356.000	LF
629(A)	4958	(SU) MAILBOX INSTALLATION-SINGLE		5.000	EA
629(B)	4959	(SU) MAILBOX INSTALLATION-MULTIPLE		5.000	EA
629(C)	4960	(SU) MAILBOX		15.000	EA
629(D)	4961	(SU) REMOVAL OF MAILBOX INSTALLATION		10.000	EA
640	1426	FIELD OFFICE		1.000	EA
641	1552	MOBILIZATION		1.000	LSUM
643	0087	(SP) CONTRACTORS QUALITY CONTROL		1.000	LSUM
650	5073	(SU) FABRIC FORMED CONCRETE MAT		462.000	SF
653(B)	5916	(SP) EDGE DRAIN OUTLET LATERAL-NONPERF.		1,375.000	LF
871	8701	(PL) QUADGUARD IMPACT ATTENUATOR		5.000	EA
900.03	6134	(PL) 4" CONCRETE SLOPE WALL		70.000	SY
930.00	4661	(PL) HEAVY WELD STEEL GRATE		7,243.000	LB
SECTION NO. 0002 X281-BRIDGE 'A' IM-NHIY-35-3(247)120					
202(F)	1303	SELECT BORROW		200.000	CY
414(C)	1304	APPROACH SLABS		757.000	SY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON		485.000	CY
501(G)	6309	(SP) CLSM BACKFILL		267.000	CY

SECTION NO. 0002		X281-BRIDGE 'A'	IM-NHIY-35-3(247)120	
503(A)	1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	4,768.000	LF
504(A)	1314	CLASS AA CONCRETE	948.700	CY
505(B)	1381	CONCRETE PARAPET	1,438.600	LF
506(A)	1322	STRUCTURAL STEEL	32,580.000	LB
509(B)	1328	CLASS A CONCRETE	751.800	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	91,690.000	LB
511(B)	6009	EPOXY COATED REINF. STEEL (GR 60)	219,190.000	LB
514(E)	6010	STEEL PILING (HP 10X42)	962.000	LF
515	6013	PENETRAT WATER REPELL SURF.TR.	7,738.000	SY
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	420.000	LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	339.000	LF
613(Q)	6207	6"RND.NON-PERF.PIPE UNDERDRAIN	257.000	LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	48.000	CY
613(S)	1396	TRENCH EXCAVATION	95.000	CY
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
901.14	6264	(PL) SEALED EXPANSION JOINT	238.600	LF
901.77	6375	(PL) 6" CONCRETE SLOPE WALL	1,494.000	SY
SECTION NO. 0003		X231-BRIDGE 'B'	IM-NHIY-35-3(247)120	
202(F)	1303	SELECT BORROW	970.000	CY
414(C)	1304	APPROACH SLABS	912.000	SY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	1,390.000	CY
501(G)	6309	(SP) CLSM BACKFILL	613.000	CY
504(A)	1314	CLASS AA CONCRETE	710.400	CY
505(B)	1381	CONCRETE PARAPET	1,152.000	LF
506(A)	1322	STRUCTURAL STEEL	658,540.000	LB
509(B)	1328	CLASS A CONCRETE	1,039.600	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	51,090.000	LB
511(B)	6009	EPOXY COATED REINF. STEEL (GR 60)	199,960.000	LB
514(E)	6010	STEEL PILING (HP 10X42)	1,800.000	LF
515	6013	PENETRAT WATER REPELL SURF.TR.	5,410.000	SY
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	240.000	LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	380.000	LF
613(Q)	6207	6"RND.NON-PERF.PIPE UNDERDRAIN	222.000	LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	54.000	CY
613(S)	1396	TRENCH EXCAVATION	110.000	CY
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
901.77	6375	(PL) 6" CONCRETE SLOPE WALL	1,018.000	SY
SECTION NO. 0004		Y002-SIGNING & STRIPING	IM-NHIY-35-3(221)120	
619(B)	8301	REMOVAL OF SIGN FOOTINGS	6.000	EA
802(A)	8048	3/4" GALV.STEEL ELECT.COND. EXPOSED	180.000	LF
804	2915	STRUCTURAL CONCRETE	119.000	CY
804	2916	REINFORCING STEEL	5,312.000	LB
809(D)	8104	OVERHEAD SIGN LUM.(175 WATT MV)	9.000	EA
811	8107	1/C NO. 10 ELEC. COND.	530.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	1,276.000	SF
850(B)	3204	EXTRUDED ALUMINUM PANEL SIGNS	518.000	SF
850(B)	3205	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	592.000	SF
851	8616	(PL) 1 3/4" SQUARE TUBE POST	162.000	LF
851	8617	(PL) 2" SQUARE TUBE POST	586.000	LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	1,173.000	LF

SECTION NO. 0004		Y002-SIGNING & STRIPING	IM-NHIY-35-3(221)120		
851(A)	3206	4"@13GALV.STL.WD.FLANGE BM.POST	274.000	LF	
851(A)	3207	6"@15GALV.STL.WD.FLANGE BM.POST	36.000	LF	
851(B)	3217	2 1/2"@5.79GALV.STL.PIPE POSTS	240.000	LF	
851(B)	3218	3" @ 7.58 GALV. STL.PIPE POSTS	28.000	LF	
851(B)	3219	3 1/2"@9.11GALV.STL.PIPE POSTS	80.000	LF	
852	8603	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL		232.000	LF
852	8604	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-EXTERNAL		155.000	LF
852(A/B)	3281	OVHD.SN.STR.TC1AL.OR G.ST (65')	1.000	EA	
852(A/B)	3282	OVHD.SN.STR.TC1AL.OR G.ST (70')	1.000	EA	
852(A/B)	3283	OVHD.SN.STR.TC1AL.OR G.ST (75')	1.000	EA	
852(A/B)	3304	OVHD.SN.STR.(T.E1)(AL.OR G.STL)	1.000	EA	
854	3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	11,880.000	LF	
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	60,665.000	LF	
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)	15.000	EA	
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)	6.000	EA	
857	8243	PAV. MARKERS CLASS C TYPE 2-C	463.000	EA	
960.27	8127	(PL) REMOVAL OF OVERHEAD SIGN STR.	3.000	EA	
960.62	8315	(PL) REMOVAL OF EXISTING SIGNS	52.000	EA	
961.25	8509	(PL) TRAFFIC SURVEILLANCE,POLICE	25.000	HOURL	

SECTION NO. 0005		Y008-CONST.TRAFFIC CONTROL	IM-NHIY-35-3(221)120		
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	53,310.000	LF	
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	35,110.000	LF	
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	11,500.000	LF	
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	64,725.000	LF	
856(B)	8005	REMOV.PVEMNT MRKNG TAPE(4"WIDE)	3,500.000	LF	
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	15,550.000	LF	
870(A)	8011	SAND FILLED IMP. ATTENU. MODULE	60.000	EA	
880(C)	8015	ADVANCE WARNING DEVICE (TYPE C)	1,030.000	SD	
880(D)	8016	SIGNS 0 TO 6.25 SF	122,570.000	SD	
880(E)	8017	SIGNS 6.26 TO 15.99 SF	46,320.000	SD	
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.	38,110.000	SD	
880(G)	8510	SIGNS 33.0 S.F. & OVER	8,240.000	SD	
880(I)	8020	BARRICADES (TYPE II)	7,725.000	SD	
880(J)	8021	BARRICADES (TYPE III)	20,600.000	SD	
880(K)	8022	WING BARRICADES	4,120.000	SD	
880(L)	8023	VERTICAL PANELS	51,500.000	SD	
880(M)	8024	TYPE A. LIGHT	58,710.000	SD	
880(O)	8026	TYPE C LIGHT	193,125.000	SD	
880(P)	8027	DRUMS	167,375.000	SD	
880(Q)	8145	TUBE CHANNELIZERS	10,300.000	SD	
880(R)	8511	(SU)PORTABLE MODULAR GLARE SCREEN UNIT	1,050.000	EA	
960.86	8651	PORT. CHANG. MESS. SIGN	515.000	SD	
961.11	8652	TRUCK MOUNT. ATT.	30.000	SD	
961.25	8509	(PL) TRAFFIC SURVEILLANCE,POLICE	10.000	HOURL	
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	20,600.000	EA	

SECTION NO. 0006		Y031-TRAFFIC SIGNALS	IM-NHIY-35-3(221)120		
802(B)	8054	3"PVC SCH.40 PLAST.COND.BORE	898.000	LF	
802(B)	8058	2"PVC SCH.40 PLAST.COND.TR.	86.000	LF	
802(B)	8059	3"PVC SCH.40 PLAST.(COND.TR.	892.000	LF	
802(B)	8265	1 1/2"PVC SCH.40 P. C. BORED	170.000	LF	

SECTION NO. 0006		Y031-TRAFFIC SIGNALS	IM-NHIY-35-3(221)120		
802(B)	8266	1 1/2(PVC SCH.40 P. C. TRENCHED	2,179.000	LF	
803	8065	PULL BOX(SIZE I)	11.000	EA	
803	8066	PULL BOX(SIZE II)	5.000	EA	
803	8067	PULL BOX(SIZE III)	13.000	EA	
804	2915	STRUCTURAL CONCRETE	30.000	CY	
804	2916	REINFORCING STEEL	4,313.000	LB	
806(A)	8311	32'MH POLE 35'TS&10'LMA(G.STL.)	2.000	EA	
806(A)	8313	32'MH POLE 45'TS&10'LMA(G.STL.)	2.000	EA	
806(A)	8314	32'MH POLE 50'TS&10'LMA(G.STL.)	1.000	EA	
806(A)	8350	32'MH POLE 30'TS&10'LMA(G.STL.)	3.000	EA	
806(A)	8626	32'MTG.HT.POLE 25',35'T.S.&10'LMA(G.STL)		2.000	EA
809(A)	8097	ROADWAY LUMINAIRE(250 WATT HPS)	10.000	EA	
811	8107	1/C NO. 10 ELEC. COND.	5,110.000	LF	
811	8109	1/C NO. 6 ELEC. COND.	200.000	LF	
825	3009	TRAF.VEH.ACT.SOL.ST.SIG.CON.ASM	2.000	EA	
828(A)	3012	SOL.STE.DIGITAL IND.VEH.LP.DET.	22.000	EA	
828(B)	8494	LOOP DETECTOR WIRE	12,814.000	LF	
831	8170	1WAY3S AD.SG.HD.(MAM)S-6	22.000	EA	
831	8171	1WAY3S AD.SG.HD.(MAM)S-9	5.000	EA	
831	8394	1WAY5S AD.SG.HD.(MAM)S-19L	3.000	EA	
833	3038	5" BACKPLATE (12"HDS)(B-2)	30.000	EA	
834(A)	8207	5/C TRAF.SIG.EL.CABLE	2,635.000	LF	
834(A)	8208	7/C TRAF.SIG.EL.CABLE	166.000	LF	
834(A)	8209	9/C TRAF.SIG.EL.CABLE	719.000	LF	
834(A)	8210	12/C TRAF.SIG.EL.CABLE	1,207.000	LF	
834(B)	8214	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE		9,100.000	LF
850(C)	8525	MAST ARM MOUNTED SIGNS(ALUM.)	219.100	SF	
SECTION NO. 0007		Y030-TRAFFIC LIGHTING	IM-NHIY-35-3(221)120		
619(B)	8605	REMOVAL OF TEMPORARY SERVICE POLE	1.000	EA	
802(A)	8050	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	1,020.000	LF	
802(B)	8053	2"PVC SCH.40 PLAST.COND.BORED	1,300.000	LF	
802(B)	8058	2"PVC SCH.40 PLAST.COND.TR.	18,460.000	LF	
802(D)	8064	JUNCTION BOX(8"X8"X6")	5.000	EA	
803	8065	PULL BOX(SIZE I)	26.000	EA	
804	2915	STRUCTURAL CONCRETE	119.160	CY	
804	2916	REINFORCING STEEL	12,342.600	LB	
806(A)	8073	40'MTG&12'H.L.MST ARM(GAL STL)	77.000	EA	
806(A)	8083	40'MTG.HT P.&12'&12'HLMA(G.STL)	5.000	EA	
806(A)	8461	45'MTG.HT P.&10'&10'HLMA(G.STL)	30.000	EA	
807	8092	BREAKAWAY BASE (DES. B)	82.000	EA	
809(A)	8097	ROADWAY LUMINAIRE(250 WATT HPS)	80.000	EA	
809(A)	8517	ROADWAY LUMINAIRE (310 WATT HPS)	60.000	EA	
809(B)	8099	UNDERPASS LUM.(100 WATT HPS)	19.000	EA	
809(D)	8104	OVERHEAD SIGN LUM.(175 WATT MV)	9.000	EA	
810(A)	3118	SERVICE POLE	1.000	EA	
810(D)	8612	(SP) TEMPORARY SERVICE POLE	1.000	EA	
810(E)	8613	(SP) TEMPORARY LIGHTING SERVICE	100,000.000	KWH	
811	8107	1/C NO. 10 ELEC. COND.	16,400.000	LF	
811	8110	1/C NO. 4 ELEC. COND.	41,675.000	LF	
811	8398	2/C NO. 4 ELECT.COND.(AERIAL)	6,500.000	LF	
960.08	8134	(PL) REMOVE LIGHT POLE	47.000	EA	
960.70	8355	(PL) WOOD POLE	34.000	EA	

SECTION NO. 0007	Y030-TRAFFIC LIGHTING	IM-NHIY-35-3(221)120		
961.45	8616	(PL) REMOVE AND RESET TEMP. LIGHT POLE	17.000	EA
SECTION NO. 0008	Y032-ITS SYSTEM	IM-NHIY-35-3(221)120		
802(A)	8547	3" GALV. STEEL ELECT. CONDUIT	500.000	LF
802(B)	8053	2"PVC SCH.40 PLAST.COND.BORED	5,000.000	LF
802(B)	8054	3"PVC SCH.40 PLAST.COND.BORE	100.000	LF
802(B)	8058	2"PVC SCH.40 PLAST.COND.TR.	80,000.000	LF
802(B)	8059	3"PVC SCH.40 PLAST.(COND.TR.	100.000	LF
803	8071	GROUND BOX (SIZE II)	35.000	EA
803	8072	GROUND BOX (SIZE III)	2.000	EA
811	8106	1/C NO. 12 ELEC. COND.	40,000.000	LF
811	8109	1/C NO. 6 ELEC. COND.	195.000	LF
811	8110	1/C NO. 4 ELEC. COND.	805.000	LF
882	8350	(SP) C.M.S. MASTER EQUIPMENT	3.000	EA
882	8351	(SP) C.M.S. FIELD EQUIPMENT	3.000	EA
882	8352	(SP) C.M.S. SYSTEM SUPPORT EQUIPMENT	1.000	LSUM
882	8353	(SP) SPECIAL TEST EQUIPMENT	1.000	LSUM
SECTION NO. 0009	STAK-STAKING	IM-NHIY-35-2(221)120		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0010	NON-PARTICIPATING	IM-NHIY-35-3(221)120		
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	20,110.000	LF
871	8703	(PL) QUADGUARD IMP. ATTEN. REPL. PKG.	5.000	EA
SECTION NO. 0011	J000-TIME 'B' BID			
644	7211	(SP) TIME (B) BID	7,000.000	DAY

LNTCIQA
 CALL ORDER : 221
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PAYNE

FEDERAL PROJECT
 CONTRACT ID : 000080
 PCN : 1731504

PAGE 43

PROJECTS : STPY-160A(26)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.30
 RES. ENG.: 41PER
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION
 INTERSECTION MODIFICATION AT THE INTERSECTION OF 6TH AVENUE
 (SH-51) AND STANLEY STREET IN THE CITY OF STILLWATER.
 PROJ. LGTH.= 0.00

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	SFTY-INTERSECTION MODIFICATION		
201	0102	CLEARING AND GRUBBING	1.000 LSUM
202(C)	0183	UNCLASSIFIED EXCAVATION	352.400 CY
230(A)	2806	SOLID SLAB SODDING	89.500 SY
240(A)	2827	REM. TREES 6" TO 12" IN DIAMETER	3.000 EA
240(B)	2829	REM. TREES 13" TO 18" IN DIAMETER	1.000 EA
240(C)	2830	REM. TREES 19" TO 24" IN DIAMETER	4.000 EA
303	0192	AGGREGATE BASE	188.000 CY
310(B)	0149	SUBGRADE, METHOD B	1,127.800 SY
414(B)	0290	8" H.E.S. CONCRETE PAVEMENT	1,042.400 SY
609(A)	0300	CONC.CURB(6"BARRIER-INTEGRAL)	700.300 LF
610(A)	0602	4" CONCRETE SIDEWALK	369.500 SY
611(E)	5315	INLET CICI DES. 2 (STD)	1.000 EA
611(F)	5362	INLET CICI DES. 2 (STD, ADD'L DEPTH)	0.800 VF
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	2.000 EA
612(A)	0641	MANHOLES ADJUST TO GRADE	1.000 EA
619(B)	4726	REMOVAL OF CURB AND GUTTER	859.500 LF
619(B)	4740	REMOVAL OF 24" CONC. PIPE	3.000 LF
619(B)	4741	REMOVAL OF DRAINAGE INLETS	3.000 EA
619(B)	4778	REMOVAL OF EXISTING STRUCTURES	1.000 EA
619(C)	0924	SAWING PAVEMENT	884.200 LF
641	1552	MOBILIZATION	1.000 LSUM
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	3,873.000 LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)	6.000 EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)	4.000 EA
856(B)	8005	REMOV.PVEMNT MRKNG TAPE(4"WIDE)	783.000 LF
960.16	8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
961.34	8586	(PL)REMOVE & RESET GROUND MOUNTED SIGN	2.000 EA
SECTION NO. 0002	STAK-STAKING		
642	0098	STAKING	1.000 LSUM

LNTCIQA
 CALL ORDER : 235
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: ROGERS

STATE PROJECT
 CONTRACT ID : 000144
 PCN : 1696604

PAGE 44

PROJECTS : CIP-166A(12)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 46.17
 RES. ENG.: 83CLA
 CAL. DAYS: LIQ. DAM: \$ 5000

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON SH-88 (WILL ROGERS BLVD.) EXTENDING FROM THE BURLINGTON
 NORTHERN RAILROAD TO SH-20 IN CLAREMORE.
 PROJ. LGTH.= 0.81 MI.
 FLEX. ESALS= 1.53 MILLION
 ASPH. GRADE= 64-22 & 70-28

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 0183	UNCLASSIFIED EXCAVATION	9,893.000	CY
222 2801	TEMP. BALE BARRIER	200.000	LF
224 2803	TEMP. SEDIMENT FILTER	37.000	EA
226 2805	TEMP. SEDIMENT REMOVAL	100.000	CY
230(A) 2806	SOLID SLAB SODDING	4,529.000	SY
230(G) 2812	WATERING	271.700	MGAL
232 7185	(PL)TEMPORARY SEEDING	600.000	LB
233(A) 2817	VEGETATIVE MULCHING	5.000	AC
303 0192	AGGREGATE BASE	5,797.200	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	300.000	TON
407 0250	TACK COAT	2,007.000	GAL
408 5774	(SU)PRIME COAT	4,253.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,070.100	TON
411(A) 6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	8,153.300	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	3,389.000	TON
414(B) 4950	8" H.E.S. CONCRETE (PATCHING)	500.000	SY
417 5267	COLD MILLING PAVEMENT	1,574.300	SY
433 5109	(SU) BREAKING AND SEATING PAVEMENT	20,348.000	SY
508 6334	(PL) BLOCK RETAINING WALL & CAP	276.000	SF
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	38.100	CY
511(A) 0332	REINFORCING STEEL	2,377.000	LB
529 6309	(SU) LOW STRENGTH BACKFILL MATERIAL	35.700	CY
609(B) 0395	2'-8"COMB.CRB.&GUT.(6"B.C.-NOTC	4,354.000	LF
609(B) 1513	1'-8"COMB.CRB&GUTTER(6"BAR.CRB)	2,363.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	3,880.000	SY
610(B) 5898	8" CONCRETE DRIVEWAY(H.E.S.)	4,637.000	SY
611(A) 2657	MANHOLE (4' DIA.)	7.000	EA
611(A) 2658	MANHOLE (5' DIA.)	1.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA)	6.050	VF
611(D) 4215	MANHOLE FRAME & COVER	8.000	EA
611(E) 5315	INLET CICI DES. 2 (STD)	14.000	EA
611(E) 5316	INLET CICI DES. 2 (B)	4.000	EA
611(E) 5317	INLET CICI DES. 2 (D)	1.000	EA

SECTION NO. 0001		I000-ROADWAY		
611(E)	5808	INLET W/SMALL JCT.BOX,CICI-JB-1,DES 2	5.000	EA
611(F)	5362	INLET CICI DES. 2 (STD, ADD'L DEPTH)	16.350	VF
611(F)	5820	INLET W/SJB,CICI-JB-1,DES 2(ADD'L DEP.)	3.330	VF
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	46.000	EA
611(J)	0487	JUNCTION BOXES	121.740	CF
611(K)	4488	CAST IRON CURB INLETS	58.000	EA
611(L)	4209	DROP INLET GRATE (SMD-TYPE 1)	4.000	EA
612(A)	0641	MANHOLES ADJUST TO GRADE	5.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	413.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	731.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(S)	1180	TRENCH EXCAVATION	766.800	CY
613(T)	1181	STANDARD BEDDING MATERIAL	240.200	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	3,212.700	SY
619(C)	0924	SAWING PAVEMENT	9,057.000	LF
622(A)	4746	PIPE RAILING	136.000	LF
641	1552	MOBILIZATION	1.000	LSUM
653(A)	5915	(SP) EDGE DRAIN CONDUIT-PERFORATED	8,062.000	LF
653(B)	5916	(SP) EDGE DRAIN OUTLET LATERAL-NONPERF.	150.000	LF
SECTION NO. 0002		Y000-TRAFFIC		
802(B)	8054	3"PVC SCH.40 PLAST.COND.BORE	250.000	LF
802(B)	8058	2"PVC SCH.40 PLAST.COND.TR.	35.000	LF
802(B)	8059	3"PVC SCH.40 PLAST.(COND.TR.	10.000	LF
802(B)	8266	1 1/2(PVC SCH.40 P. C. TRENCHED	650.000	LF
803	8065	PULL BOX(SIZE I)	4.000	EA
803	8066	PULL BOX(SIZE II)	1.000	EA
803	8067	PULL BOX(SIZE III)	4.000	EA
804	2915	STRUCTURAL CONCRETE	10.220	CY
804	2916	REINFORCING STEEL	1,532.240	LB
806(A)	8162	32'MH POLE 15'TS&6'LMA(G.STL.)	2.000	EA
806(A)	8311	32'MH POLE 35'TS&10'LMA(G.STL.)	2.000	EA
809(A)	8097	ROADWAY LUMINAIRE(250 WATT HPS)	4.000	EA
810(A)	3118	SERVICE POLE	1.000	EA
811	8107	1/C NO. 10 ELEC. COND.	900.000	LF
825	3009	TRAF.VEH.ACT.SOL.ST.SIG.CON.ASM	1.000	EA
828(A)	3012	SOL.STE.DIGITAL IND.VEH.LP.DET.	10.000	EA
828(B)	8494	LOOP DETECTOR WIRE	3,250.000	LF
830	3014	PEDESTRIAN PUSH BUTTON	8.000	EA
831	8170	1WAY3S AD.SG.HD.(MAM)S-6	8.000	EA
831	8194	1WAY2SAD.PD.SG.HD.(CM)S-20	8.000	EA
831	8394	1WAY5S AD.SG.HD.(MAM)S-19L	2.000	EA
833	3038	5" BACKPLATE (12"HDS)(B-2)	2.000	EA
833	3041	8" BACKPLATE (12" HDS)(B-1)	8.000	EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	625.000	LF
834(A)	8208	7/C TRAF.SIG.EL.CABLE	115.000	LF
834(A)	8209	9/C TRAF.SIG.EL.CABLE	216.000	LF
834(A)	8211	15/C TRAF.SIG.EL.CABLE	200.000	LF
834(B)	8214	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1,860.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	253.800	SF
850(C)	8525	MAST ARM MOUNTED SIGNS(ALUM.)	42.500	SF

SECTION NO. 0002		Y000-TRAFFIC	
851	8642	(PL) 2 1/4" SQUARE TUBE POST	371.000 LF
851	8643	(PL) 2 1/2" SQUARE TUBE POST	49.000 LF
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	17,777.000 LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)	37.000 EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)	4.000 EA
855(D)	3322	TRAF.STR.(PLASTIC)(SYMBOLS)	1.000 EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	34,000.000 LF
856(B)	8005	REMOV.PVEMNT MRKNG TAPE(4"WIDE)	1,000.000 LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	25,000.000 LF
880(C)	8015	ADVANCE WARNING DEVICE (TYPE C)	550.000 SD
880(D)	8016	SIGNS 0 TO 6.25 SF	5,500.000 SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	31,350.000 SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.	6,325.000 SD
880(I)	8020	BARRICADES (TYPE II)	5,500.000 SD
880(J)	8021	BARRICADES (TYPE III)	46,200.000 SD
880(K)	8022	WING BARRICADES	825.000 SD
880(L)	8023	VERTICAL PANELS	27,500.000 SD
880(M)	8024	TYPE A. LIGHT	97,625.000 SD
880(O)	8026	TYPE C LIGHT	68,750.000 SD
880(P)	8027	DRUMS	68,750.000 SD
SECTION NO. 0003		Y030-TRAFFIC LIGHTING	
802(B)	8058	2"PVC SCH.40 PLAST.COND.TR.	4,600.000 LF
803	8067	PULL BOX(SIZE III)	15.000 EA
804	2915	STRUCTURAL CONCRETE	33.100 CY
804	2916	REINFORCING STEEL	1,410.000 LB
806(A)	8077	50'MTG&10'H.L.MST ARM(GAL STL)	25.000 EA
809(A)	8098	ROADWAY LUMINAIRE(400 WATT HPS)	25.000 EA
811	3125	1/C AWG #4 ELEC.COND.BARE CABLE	7,860.000 LF
811	8110	1/C NO. 4 ELEC. COND.	7,860.000 LF
960.08	8134	(PL) REMOVE LIGHT POLE	27.000 EA
SECTION NO. 0004		STAK-STAKING	
642	0098	STAKING	1.000 LSUM
SECTION NO. 0005		Y031-TRAFFIC SIGNALS	
802(B)	8054	3"PVC SCH.40 PLAST.COND.BORE	225.000 LF
802(B)	8058	2"PVC SCH.40 PLAST.COND.TR.	65.000 LF
802(B)	8059	3"PVC SCH.40 PLAST.(COND.TR.)	45.000 LF
802(B)	8265	1 1/2"PVC SCH.40 P. C. BORED	95.000 LF
802(B)	8266	1 1/2(PVC SCH.40 P. C. TRENCHED	330.000 LF
803	8065	PULL BOX(SIZE I)	3.000 EA
803	8066	PULL BOX(SIZE II)	1.000 EA
803	8067	PULL BOX(SIZE III)	2.000 EA
804	2915	STRUCTURAL CONCRETE	10.480 CY
804	2916	REINFORCING STEEL	1,572.380 LB
806(A)	8311	32'MH POLE 35'TS&10'LMA(G.STL.)	2.000 EA
806(A)	8351	32'MH POLE 25'TS&10'LMA(G.STL.)	2.000 EA
809(A)	8097	ROADWAY LUMINAIRE(250 WATT HPS)	4.000 EA
811	8107	1/C NO. 10 ELEC. COND.	1,340.000 LF
811	8109	1/C NO. 6 ELEC. COND.	200.000 LF

SECTION NO. 0005		Y031-TRAFFIC SIGNALS		
825	3009	TRAF.VEH.ACT.SOL.ST.SIG.CON.ASM	1.000	EA
828(A)	3012	SOL.STE.DIGITAL IND.VEH.LP.DET.	8.000	EA
828(B)	8494	LOOP DETECTOR WIRE	990.000	LF
830	3014	PEDESTRIAN PUSH BUTTON	2.000	EA
831	8170	1WAY3S AD.SG.HD.(MAM)S-6	8.000	EA
831	8194	1WAY2SAD.PD.SG.HD.(CM)S-20	2.000	EA
831	8394	1WAY5S AD.SG.HD.(MAM)S-19L	2.000	EA
833	3038	5" BACKPLATE (12"HDS)(B-2)	10.000	EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	620.000	LF
834(A)	8208	7/C TRAF.SIG.EL.CABLE	245.000	LF
834(A)	8210	12/C TRAF.SIG.EL.CABLE	240.000	LF
834(B)	8214	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1,245.000	LF
850(C)	8525	MAST ARM MOUNTED SIGNS(ALUM.)	42.000	SF
SECTION NO. 0006		Y060-WATER LINE		
615(D)	0200	(PL) 2" AIR RELIEF VALVE & VAULT	7.000	EA
615(F)	6129	TRENCH EXCAVATION	2,605.000	CY
615(G)	6131	STANDARD BEDDING MATERIAL	500.000	CY
616	0100	2" PLUG	6.000	EA
616	0118	12" PLUG	6.000	EA
616(A)	5121	6" DUCTILE IRON PIPE	5.000	LF
616(A)	5122	8" DUCTILE IRON PIPE	295.000	LF
616(A)	5124	12" DUCTILE IRON PIPE	1,071.000	LF
616(B)	5198	6" POLYVINYL CHLORIDE (PVC) PIPE	17.000	LF
616(B)	5199	8" POLYVINYL CHLORIDE (PVC) PIPE	33.000	LF
616(B)	5201	12" POLYVINYL CHLORIDE (PVC) PIPE	2,704.000	LF
616(B)	5218	2" POLYVINYL CHLORIDE (PVC) PIPE	607.000	LF
616(C)	0869	1" COPPER WATER SERVICE PIPE	300.000	LF
616(D)	0855	2" VALVE	6.000	EA
616(D)	0861	6" VALVES	15.000	EA
616(D)	0862	8" VALVES	4.000	EA
616(D)	0864	12" VALVES	17.000	EA
616(D)	7023	12" X 12" TAPPING SLEEVE	3.000	EA
616(E)	0879	1" CORPORATION STOPS	2.000	EA
616(F)	5208	(PL) METER INSTALLATION 1"	19.000	EA
616(G)	1192	FIRE HYDRANTS	11.000	EA
616(I)	0011	3" SOLID SLEEVE	1.000	EA
616(I)	0018	6" SOLID SLEEVE	5.000	EA
616(I)	0020	8" SOLID SLEEVE	13.000	EA
616(I)	0024	12" SOLID SLEEVE	6.000	EA
616(I)	5252	(PL) 6" STEEL CASING	467.000	LF
616(I)	5262	(PL) 16" STEEL CASING	91.000	LF
616(I)	5270	(PL) 24" STEEL CASING	1,124.000	LF
616(J)	0020	2" X 2" X 2" TEE	1.000	EA
616(J)	0029	12" X 12" X 4" TEE	3.000	EA
616(J)	0030	12" X 12" X 6" TEE	12.000	EA
616(J)	0032	12" X 12" X 8" TEE	4.000	EA
616(J)	0035	12" X 12" X 12" TEE	10.000	EA
616(K)	0034	2" 90 DEGREE FITTING	8.000	EA
616(K)	0042	6" 45 DEGREE FITTING	6.000	EA
616(K)	0043	8" 22 1/2 DEGREE FITTING	10.000	EA
616(K)	0044	8" 45 DEGREE FITTING	10.000	EA
616(K)	0054	12" 22 1/2 DEGREE FITTING	2.000	EA

SECTION NO. 0006

Y060-WATER LINE

616(K)	0058	12" 45 DEGREE FITTING	31.000	EA
616(K)	0062	12" 90 DEGREE FITTING	2.000	EA
616(K)	0063	8" 11 1/4 DEGREE FITTING	2.000	EA
616(K)	0068	8" 90 DEGREE FITTING	1.000	EA
616(L)	0069	4" X 3" REDUCER	1.000	EA
616(L)	0072	8" X 4" REDUCER	1.000	EA
616(L)	0079	4" X 2" REDUCER	4.000	EA
616(L)	0080	12" X 4" REDUCER	1.000	EA
616(L)	0081	12" X 6" REDUCER	4.000	EA
616(L)	0082	12" X 8" REDUCER	8.000	EA
616(M)	0082	12" X 12" X 12" X 12" CROSS	1.000	EA
619(B)	4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	70.000	SY
619(B)	5949	REMOVAL OF FIRE HYDRANTS	6.000	EA
619(B)	7200	REMOVE WATER METER AND METER CAN	33.000	EA

SECTION NO. 0007

Y060-SEWER LINE

611(A)	2657	MANHOLE (4' DIA.)	1.000	EA
612(B)	0650	(PL) MANHOLE REHABILITATION - TYPE A	1.000	EA
612(B)	0652	(PL) MANHOLE REHABILITATION - TYPE B	1.000	EA
612(B)	0654	(PL) MANHOLE REHABILITATION - TYPE C	12.000	EA
612(B)	0656	(PL) MANHOLE REHABILITATION - TYPE D	1.000	EA
612(B)	0658	(PL) MANHOLE REHABILITATION - TYPE E	5.000	EA
612(B)	0660	(PL) MANHOLE REHABILITATION - TYPE F	1.000	EA
612(B)	0662	(PL) MANHOLE REHABILITATION - TYPE G	100.000	EA
612(B)	0664	(PL) MANHOLE REHABILITATION - TYPE H	12.000	EA
612(B)	0666	(PL) MANHOLE REHABILITATION - TYPE I	3.000	EA
612(S)	0682	27" PIPE SEWER REMOVED & RELAID	25.000	LF
612(S)	4492	8" PIPE SEWER REMOVED & RELAID	25.000	LF
615(D)	0300	SANITARY SEWER SERVICE CONNECTION	9.000	EA
615(E)	0400	8" PIPEBURST AND SLIPLINE	2,673.000	LF
615(E)	0450	27" PIPEBURST AND SLIPLINE	302.000	LF

LNTCIQA
 CALL ORDER : 250
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: TULSA

FEDERAL PROJECT
 CONTRACT ID : 000066
 PCN : 1672104

PAGE 49

PROJECTS : IMY-244-2(374)003
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 8.05
 RES. ENG.: 84SS
 CAL. DAYS: 120 LIQ. DAM: \$ 800

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION
 INTERSECTION MODIFICATION AT THE I-244 ENTRANCE RAMP AND
 SOUTHWEST BLVD. IN THE CITY OF TULSA.
 PROJ. LGTH.= 0.19 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	J000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	2,290.000	CY
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMP. BALE BARRIER	100.000	LF
223	2801 (PL) TEMPORARY SILT FENCE	1,940.000	LF
224	2803 TEMP. SEDIMENT FILTER	4.000	EA
230(A)	2806 SOLID SLAB SODDING	9,500.000	SY
230(G)	2812 WATERING	380.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	1.000	AC
303	0192 AGGREGATE BASE	1,126.000	CY
310(B)	0149 SUBGRADE, METHOD B	5,313.000	SY
325	5271 (SU)SEPARATOR FABRIC	5,271.000	SY
407	0250 TACK COAT	260.600	GAL
408	5774 (SU)PRIME COAT	782.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,104.000	TON
414(BB)	5758 9" H.E.S. DOWEL JOINTED CONCRETE PAV	5,040.000	SY
609(A)	0299 CONC.CURB(4"MNTBLE-INTEGRAL)	805.000	LF
609(A)	0300 CONC.CURB(6"BARRIER-INTEGRAL)	844.000	LF
610(A)	0602 4" CONCRETE SIDEWALK	215.000	SY
610(B)	0399 6" CONCRETE DRIVEWAY (H.E.S.)	88.000	SY
610(C)	0609 6" CONCRETE DIVIDING STRIP	47.000	SY
611(A)	2657 MANHOLE (4' DIA.)	1.000	EA
611(D)	4215 MANHOLE FRAME & COVER	1.000	EA
611(E)	5305 INLET CICI DES. 1 (STD)	1.000	EA
611(E)	5315 INLET CICI DES. 2 (STD)	4.000	EA
611(F)	5352 INLET CICI DES. 1 (STD, ADD'L DEPTH)	3.200	VF
611(F)	5362 INLET CICI DES. 2 (STD, ADD'L DEPTH)	4.100	VF
611(G)	4204 INLT FRM&GRT(SSIF2FRM,CIG GRT)	9.000	EA
611(K)	4488 CAST IRON CURB INLETS	9.000	EA
612(A)	0641 MANHOLES ADJUST TO GRADE	5.000	EA
612(G)	0647 VALVE BOXES ADJUST TO GRADE	2.000	EA
613(B)	0491 18" R.C.PIPE CLASS III	54.000	LF
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0472 REMOVAL OF CONCRETE PAVEMENT	5,910.000	SY
619(C)	0924 SAWING PAVEMENT	413.000	LF

SECTION NO. 0001		J000-ROADWAY		
641	1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002		Y000-TRAFFIC		
802(A)	8043	2" GALV.STL.ELECT.COND. PUSHED OR BORED		48.000 LF
802(B)	8056	1"PVC SCH.40 PLAST.COND.TR.	145.000	LF
802(B)	8058	2"PVC SCH.40 PLAST.COND.TR.	667.000	LF
802(B)	8059	3"PVC SCH.40 PLAST.(COND.TR.	710.000	LF
803	8065	PULL BOX(SIZE I)	4.000	EA
803	8066	PULL BOX(SIZE II)	5.000	EA
804	2915	STRUCTURAL CONCRETE	2.000	CY
804	2916	REINFORCING STEEL	48.000	LB
828(B)	8494	LOOP DETECTOR WIRE	735.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	56.000	SF
850(B)	3205	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	33.000	SF
851(B)	3216	2" @ 3.65 GALV. STL.PIPE POSTS	30.000	LF
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	3,050.000	LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)	5.000	EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)	2.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	500.000	LF
856(E)	8623	TEMPORARY PAVEMENT MARKING TAPE	2,000.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	500.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	2,700.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	1,500.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.	1,800.000	SD
880(I)	8020	BARRICADES (TYPE II)	1,000.000	SD
880(J)	8021	BARRICADES (TYPE III)	500.000	SD
880(K)	8022	WING BARRICADES	500.000	SD
880(L)	8023	VERTICAL PANELS	6,500.000	SD
880(M)	8024	TYPE A. LIGHT	1,800.000	SD
880(O)	8026	TYPE C LIGHT	9,500.000	SD
880(P)	8027	DRUMS	3,000.000	SD
890	7700	(PL)TRAFFIC ITEMS	1.000	LSUM
890(A/B)	8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
960.10	8136	(PL) REM. & RESET LIGHT POLE	2.000	EA
SECTION NO. 0003		STAK-STAKING		
642	0098	STAKING	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 51
 CALL ORDER : 320 CONTRACT ID : 000085
 LETTING DATE : February 24, 2000 PCN : 1817304
 LETTING TIME : 10:30 A.M.
 COUNTIES: GRADY PROJECTS : MC-126C(36)PT.1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 73ANA
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 ARMOR COAT
 SH-19: BEGIN APPROX. 5.02 MILE EAST OF JCT. SH-19/US-81
 EXTEND SOUTH.
 PROJ. LGTH.= 6.30 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ARMOR COAT		
402 5205	(PL)ARMOR COAT	96,150.000	SY
854 3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	123,100.000	LF
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 52
 CALL ORDER : 321 CONTRACT ID : 000086
 LETTING DATE : February 24, 2000 PCN : 1817305
 LETTING TIME : 10:30 A.M.
 COUNTIES: GRADY PROJECTS : MC-126C(36)PT.2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 73ANA
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 ARMOR COAT
 SH-19: BEGIN APPROX. 11.32 MILE EAST OF JCT. SH-19/US-81
 EXTEND SOUTH TO THE GARVIN COUNTY LINE.
 PROJ. LGTH.= 7.86 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ARMOR COAT		
402 5205	(PL)ARMOR COAT	119,940.000	SY
854 3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	153,500.000	LF
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 322
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: GRADY

STATE PROJECT
 CONTRACT ID : 000087
 PCN : 1817304C

PAGE 53

PROJECTS : MC-126C(36)PT.1&2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 73ANA
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT
 SH-19: BEGIN APPROX. 5.02 MILE EAST OF JCT. SH-19/US-81
 EXTEND SOUTH TO THE GARVIN COUNTY LINE.
 PROJ. LGTH.= 14.16 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	ARMOR COAT		
402 5205	(PL)ARMOR COAT	96,150.000	SY
854 3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	123,100.000	LF
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	ARMOR COAT		
402 5205	(PL)ARMOR COAT	119,940.000	SY
854 3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	153,500.000	LF
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 330
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: NOBLE

STATE PROJECT
 CONTRACT ID : 000076
 PCN : 1816704

PAGE 54

PROJECTS : MC-152C(35)PT.1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 41PER
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-86 BEGINNING AT THE NOBLE/PAYNE COUNTY LINE AND
 EXTENDING NORTH.
 PROJ. LGTH.= 4.0 MI.
 FLEX. ESALS= 2.3 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-152C(35)PT.1		
202(E) 0184	UNCLASSIFIED BORROW	2,900.000	CY
202(H) 0111	LINEAR GRADING	422.400	STA
230(A) 2806	SOLID SLAB SODDING	500.000	SY
232(D) 2816	WATERING	9.000	MGAL
233(A) 2817	VEGETATIVE MULCHING	0.500	AC
407 0250	TACK COAT	2,900.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	6,800.000	TON
509(E) 1331	CLASS C CONCRETE	5.000	CY
629(A) 4958	(SU) MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C) 4960	(SU) MAILBOX	1.000	EA
629(D) 4961	(SU) REMOVAL OF MAILBOX INSTALLATION	2.000	EA
629(E) 5048	(SU) REMOVE AND RESET MAILBOX	3.000	EA
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 55
 CALL ORDER : 340 CONTRACT ID : 000077
 LETTING DATE : February 24, 2000 PCN : 1816705
 LETTING TIME : 10:30 A.M.
 COUNTIES: NOBLE PROJECTS : MC-152C(35)PT.2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 41PER
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-86 BEGINNING APPROXIMATELY 4.0 MILE NORTH OF THE
 NOBLE/PAYNE COUNTY LINE AND EXTENDING NORTH TO PERRY.
 PROJ. LGTH.= 4.75 MI.
 FLEX. ESALS= 2.3 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-152C(35)PT.2		
202(E) 0184	UNCLASSIFIED BORROW	4,700.000	CY
202(H) 0111	LINEAR GRADING	501.600	STA
230(A) 2806	SOLID SLAB SODDING	3,500.000	SY
232(D) 2816	WATERING	58.000	MGAL
233(A) 2817	VEGETATIVE MULCHING	3.500	AC
407 0250	TACK COAT	6,800.000	GAL
411(A) 5269	(PL)ASPHALT CONCRETE TYPE A (PATCHING)	200.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	7,000.000	TON
411(C) 6570	(SP)ASPHALT CONC. TYPE C (PG 70-28 OK)	3,000.000	TON
509(E) 1331	CLASS C CONCRETE	45.000	CY
629(A) 4958	(SU) MAILBOX INSTALLATION-SINGLE	5.000	EA
629(C) 4960	(SU) MAILBOX	1.000	EA
629(D) 4961	(SU) REMOVAL OF MAILBOX INSTALLATION	5.000	EA
629(E) 5048	(SU) REMOVE AND RESET MAILBOX	27.000	EA
857(F) 8243	PAV. MARKERS CLASS C TYPE 2-C	24.000	EA

LNTCIQA
 CALL ORDER : 350
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: NOBLE

STATE PROJECT
 CONTRACT ID : 000078
 PCN : 1816704C

PAGE 56

PROJECTS : MC-152C(35)PT.1&2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 41PER
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-86 BEGINNING AT THE NOBLE/PAYNE COUNTY LINE AND
 EXTENDING NORTH TO PERRY.
 PROJ. LGTH.= 8.75 MI.
 FLEX. ESALS= 2.3 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY MC-152C(35)PT.1		
202(E) 0184	UNCLASSIFIED BORROW	2,900.000	CY
202(H) 0111	LINEAR GRADING	422.400	STA
230(A) 2806	SOLID SLAB SODDING	500.000	SY
232(D) 2816	WATERING	9.000	MGAL
233(A) 2817	VEGETATIVE MULCHING	0.500	AC
407 0250	TACK COAT	2,900.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	6,800.000	TON
509(E) 1331	CLASS C CONCRETE	5.000	CY
629(A) 4958	(SU) MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C) 4960	(SU) MAILBOX	1.000	EA
629(D) 4961	(SU) REMOVAL OF MAILBOX INSTALLATION	2.000	EA
629(E) 5048	(SU) REMOVE AND RESET MAILBOX	3.000	EA
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY MC-152C(35)PT.2		
202(E) 0184	UNCLASSIFIED BORROW	4,700.000	CY
202(H) 0111	LINEAR GRADING	501.600	STA
230(A) 2806	SOLID SLAB SODDING	3,500.000	SY
232(D) 2816	WATERING	58.000	MGAL
233(A) 2817	VEGETATIVE MULCHING	3.500	AC
407 0250	TACK COAT	6,800.000	GAL
411(A) 5269	(PL)ASPHALT CONCRETE TYPE A (PATCHING)	200.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	7,000.000	TON
411(C) 6570	(SP)ASPHALT CONC. TYPE C (PG 70-28 OK)	3,000.000	TON
509(E) 1331	CLASS C CONCRETE	45.000	CY
629(A) 4958	(SU) MAILBOX INSTALLATION-SINGLE	5.000	EA
629(C) 4960	(SU) MAILBOX	1.000	EA
629(D) 4961	(SU) REMOVAL OF MAILBOX INSTALLATION	5.000	EA
629(E) 5048	(SU) REMOVE AND RESET MAILBOX	27.000	EA
857(F) 8243	PAV. MARKERS CLASS C TYPE 2-C	24.000	EA

LNTCIQA
 CALL ORDER : 360
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: OKLAHOMA

STATE PROJECT
 CONTRACT ID : 000050
 PCN : 1817204

PAGE 57

PROJECTS : IMC-155N(227)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 46OKC
 CAL. DAYS: LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:

RESURFACE(ASPHALT)
 I-40: EAST OF AIR DEPOT OVERPASS, BETWEEN MILE POST 157.77
 & 161.37 (E. OF DOUGLAS BLVD): BOTH DIRECTIONS OF TRAFFIC.
 PROJ. LGTH.= 1.99 MILE
 ASPH GRADE = 70-28 OK
 FLEX ESALS = 50.0 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-RESURFACE(ASPHALT)		
406	4275 (SP)OPEN GRAD.FRIC.SURF.CSE.(PG70-28OK)	3,300.000	TON
407	0250 TACK COAT	7,100.000	GAL
411(A)	5269 (PL)ASPHALT CONCRETE TYPE A (PATCHING)	200.000	TON
411(AH)	6660 (SP)ASPHALT CONC. TYPE AH(PG 70-28 OK)	8,100.000	TON
417	5267 COLD MILLING PAVEMENT	73,000.000	SY
855(A)	3318 TRAFFIC STRIPE (PLASTIC)(4" WIDE)	60,000.000	LF
856(A)	3323 CONSTRUCTION TRAFFIC STRIPE (PAINT)	30,000.000	LF
857	8243 PAV. MARKERS CLASS C TYPE 2-C	10.000	EA
880(C)	8015 ADVANCE WARNING DEVICE (TYPE C)	70.000	SD
880(D)	8016 SIGNS 0 TO 6.25 SF	100.000	SD
880(E)	8017 SIGNS 6.26 TO 15.99 SF	1,000.000	SD
880(F)	8018 SIGNS 16.0 SF TO 32.99 S.F.	3,000.000	SD
880(J)	8021 BARRICADES (TYPE III)	300.000	SD
880(K)	8022 WING BARRICADES	500.000	SD
880(M)	8024 TYPE A. LIGHT	5,000.000	SD
880(O)	8026 TYPE C LIGHT	7,000.000	SD
880(P)	8027 DRUMS	7,000.000	SD
880(T)	8615 (PL) CONES (LARGE)	7,000.000	SD
960.87	8407 (PL) PORT. CHANGEABLE MESSAGE SIGN	60.000	EA
961.06	8444 (PL) REMOVAL OF CLASS C PAVEMENT MARKERS	10.000	EA
961.25	8509 (PL) TRAFFIC SURVEILLANCE,POLICE	150.000	HOURL
961.44	8608 (PL)REMOVE&RESET CLASS C PAVE. MARKERS	420.000	EA

LNTCIQA
 CALL ORDER : 400
 LETTING DATE : February 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: STEPHENS

STATE PROJECT
 CONTRACT ID : 000051
 PCN : 1817004

PAGE 58

PROJECTS : MC-169B(42)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 71DUN
 CAL. DAYS: 30 LIQ. DAM: \$ 400

CONTRACT DESCRIPTION:

ARMOR COAT
 ON SH-29: BEGIN APPROXIMATELY 15.7 MILE EAST OF THE JCT.
 OF SH-29/US-81, EXTEND EAST TO THE GARVIN COUNTY LINE.
 PROJ. LGTH.= 7.50 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ARMOR COAT		
402 5205	(PL)ARMOR COAT	155,500.000	SY
854 3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	134,700.000	LF
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM