

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : January 27, 2000

LNTCNCA
LETTING

NOTICE TO CONTRACTORS -- February 24, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF February 24, 2000 , TO BE PUBLICALLY OPENED AT 2:00 P.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 2:00 P.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$23.07 PLUS \$1.93 TAX (OKLAHOMA TAX IS 8.375%) FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$7.38 PLUS \$.62 TAX. MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

LNTCIQA FEDERAL PROJECT PAGE 1
 CALL ORDER : 001 CONTRACT ID : 000088
 LETTING DATE : February 24, 2000 PCN : 1566704
 LETTING TIME : 2:00 P.M.
 COUNTIES: ATOKA PROJECTS : BRO-3D(262)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.22
 RES. ENG.: 24MCA
 CAL. DAYS: 110 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY ROAD(NS-378) OVER CANEY CREEK, APPROXIMATELY
 3.058 KM SOUTH AND 6.759 KM WEST OF CANEY.
 PROJ. LGTH.= 0.239 KM

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL) TOPSOIL - LUMP SUM	1.000	LSUM
222 M2801	TEMP. BALE BARRIER	100.000	M
223 M2802	TEMP. SILT FENCE	450.000	M
230(A) M2806	SOLID SLAB SODDING	3,225.000	M2
233(A) M2817	VEGETATIVE MULCHING	1.500	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	345.000	T
509(E) M0325	CLASS "C" CONC.	10.000	M3
613(CC)M7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
613(D) M5226	1030MM X 740MM CORR. GALV. ST. PIPE ARCH		16.800 M
SECTION NO. 0002 X031-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	96.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	38.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	86.840	M
504(E) M1380	CONCRETE RAIL (TR1)	59.540	M
506(A) M1322	STRUCTURAL STEEL	695.000	KG
509(A) M1326	CLASS AA CONCRETE	40.900	M3
509(E) M1332	CLASS S CONCRETE	44.800	M3
511(A) M1332	REINFORCING STEEL	9,010.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	191.600	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	191.600	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	570.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	120.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
642 M0098	STAKING	1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 003
 LETTING DATE : February 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: ATOKA

FEDERAL PROJECT
 CONTRACT ID : 000121
 PCN : 1252704

PAGE 2

PROJECTS : NHY-17N(20)
 DBE/WBE GOALS: 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 76.77
 RES. ENG.: 21ANT
 CAL. DAYS: 450 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(SUPERPAVE)
 ON SH-7 BEGINNING AT THE JUNCTION OF SH-7/SH-3B AND
 EXTENDING EAST TO SH-3.
 PROJ. LGTH.= 3.849 KM.
 FLEX. ESALS= 5.8 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY NHY-17N(20)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	308,732.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	23,738.000	M3
205	M7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
210	M0121 OBLITERATING ABANDONED ROAD	1.000	STA
222	M2801 TEMP. BALE BARRIER	150.000	M
223	M2802 TEMP. SILT FENCE	2,000.000	M
224	M2803 TEMP. SEDIMENT FILTER	17.000	EA
226	M2805 TEMP. SEDIMENT REMOVAL	50.000	M3
227	M0100 (PL) TEMPORARY SILT DIKE	150.000	M
229	M4318 DITCH LINER PROTECTION	1,000.000	M
230(A)	M2806 SOLID SLAB SODDING	76,668.000	M2
230(B)	M2807 MULCH SODDING	41,180.000	M2
230(G)	M2812 WATERING	21,213.000	KL
232(A)	M2813 SEEDING METHOD A	20.300	HA
233(A)	M2817 VEGETATIVE MULCHING	20.300	HA
234(A)	M2824 FERTILIZING (10-20-10)	14.400	T
234(A)	M4406 FERTILIZING (0-46-0)	2.700	T
235(A)	M0100 (PL)ROCK FILTER DAM, TYPE 1	75.000	M3
238	M0300 (PL)TEMPORARY SEDIMENT TRAP	2.000	EA
241	M2832 MOWING	16.050	HA
303	M0192 AGGREGATE BASE	11,376.000	M3
307(A)	M4233 LIME	1,995.000	T
307(B)	M4235 200MM LIME TREATED SUBGRADE	91,022.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,107.000	T
407	M0250 TACK COAT	55,142.000	L
408	M5853 PRIME COAT	131,204.000	L
411(C1)	M5874 (SP)ASPH. CONC., 19MM NOM MAX(PG 70-22)	33,926.000	T
411(C1)	M5875 (SP)ASPH CONC. 19MM NOM MAX(PG 64-22)	8,995.000	T
411(D1)	M5876 (SP)ASPH CONC, 12.5MM NOM MAX(PG 70-28)	7,262.000	T
411(D1)	M5879 (SP)ASPH. CONC.,12.5MM NOM MAX(PG 64-22)	2,139.000	T
414(B1)	M5759 250MM H.E.S. DOWEL JOINTED CONCRETE PAV	9,103.000	M2
501(A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	234.000	M3
504(E)	M6239 CONCRETE RAIL (TR3)	55.000	M

SECTION NO.	0001	I000-ROADWAY	NHY-17N(20)		
509(B)	M0321	CLASS A CONCRETE		755.000	M3
509(C)	M0322	CLASS A CONCRETE FOR SMALL STRUCTURES		11.000	M3
509(D)	M0325	CLASS C CONCRETE		197.000	M3
511(A)	M0332	REINFORCING STEEL		67,453.000	KG
521(A)	M6210	PNEUMATICALLY PLACED MORTAR		560.000	M2
601A-1	M0536	TYPE I-A-PLAIN RIP RAP		60.000	T
601A-2	M0538	TYPE I-A-FILTER BLANKET		13.000	T
609(A)	M0287	CONC.CURB(100 MM MNTBLE-INTEGRAL)		73.000	M
609(A)	M0300	CONC.CURB(150 MM BARRIER-INTEGRAL)		871.000	M
609(B)	M1525	800 MM COMB.CRB.&GUT.(150 MM BAR.CURB)		4,947.000	M
610(A)	M0602	100 MM CONCRETE SIDEWALK		9,803.000	M2
610(B)	M0604	150 MM CONCRETE DRIVEWAY		2,080.000	M2
610(C)	M0608	100 MM CONCRETE DIVIDING STRIP		132.000	M2
611(A)	M2657	MANHOLE (1200 MM DIA.)		34.000	EA
611(A)	M2658	MANHOLE (1500 MM DIA.)		1.000	EA
611(B)	M2680	ADD'L.DEPTH IN MANHOLE (1200 MM DIA)		24.000	M
611(B)	M2681	ADD'L.DEPTH IN MANHOLE (1500 MM DIA)		2.000	M
611(D)	M4215	MANHOLE FRAME & COVER		40.000	EA
611(E)	M5112	INLET CICI DES. 2 (STD)		10.000	EA
611(E)	M5113	INLET CICI DES. 2 (B)		42.000	EA
611(E)	M5114	INLET CICI DES. 2 (C)		2.000	EA
611(E)	M5117	INLET CICI DES. 2 (2B)		5.000	EA
611(E)	M5972	INLET W/SJB,CICI-JB-1,DES 2(B)		2.000	EA
611(E)	M5976	INLET W/SJB,CICI-JB-1,DES 2(2B)		2.000	EA
611(E)	M6000	INLET (SMD-TYPE 1)		17.000	EA
611(E)	M6002	INLET (SMD-TYPE 2)		4.000	EA
611(E)	M6004	INLET (SMD-TYPE 2A)		3.000	EA
611(E)	M6006	INLET (SMD-TYPE 2B)		1.000	EA
611(F)	M5325	INLET CICI DES 2 (ADD'L DEPTH)		32.000	M
611(F)	M5972	INLET W/SJB,CICI-JB-1,DES 2(B,ADD DPTH)		1.000	M
611(F)	M5976	INLET W/SJB,CICI-JB-1,DES 2(2B,ADD DPTH)		2.000	M
611(G)	M4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)		126.000	EA
611(J)	M0487	JUNCTION BOXES		4.000	M3
611(K)	M4488	CAST IRON CURB INLETS		248.000	EA
613(B)	M0405	450MM R.C.PIPE CLASS III		1,175.000	M
613(B)	M0409	600MM R.C.PIPE CLASS III		1,143.000	M
613(B)	M0413	750MM R.C.PIPE CLASS III		504.000	M
613(B)	M0415	900MM R.C.PIPE CLASS III		188.000	M
613(B)	M0417	1050MM R.C.PIPE CLASS III		18.000	M
613(B)	M4411	725MM X 460MM R.C.PIPE ARCH CLASS A-III		27.000	M
613(B)	M4423	1300MM X 795MM R.C.PIPE ARCH CLASS A-III		29.000	M
613(D)	M5205	510MM X 380MM CORR. GALV. ST. PIPE ARCH		20.000	M
613(D)	M5719	450MM CORR. GALV. STEEL PIPE		235.000	M
613(D)	M5723	750MM CORR. GALV. STEEL PIPE		59.000	M
613(M)	M0897	450MM PREFAB. CULVERT END SEC., ROUND		26.000	EA
613(M)	M0898	600MM PREFAB. CULVERT END SEC., ROUND		6.000	EA
613(M)	M0899	750MM PREFAB. CULVERT END SEC., ROUND		10.000	EA
613(M)	M0900	900MM PREFAB. CULVERT END SEC., ROUND		4.000	EA
613(M)	M0980	1050MM PREFAB. CULVERT END SEC.,ROUND		1.000	EA
613(M)	M4518	725MM X 460MM PREFAB.CULV.END SEC., ARCH		2.000	EA
613(M)	M4540	1300MM X 795MM PREFAB.CULV.END SEC.,ARCH		1.000	EA
613(P)	M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND		289.000	M
613(Q)	M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.		97.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.		73.000	M3

SECTION NO. 0001	I000-ROADWAY	NHY-17N(20)		
613(S)	M1180	TRENCH EXCAVATION	8,412.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	2,850.000	M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	M0291	REMOVAL OF HEADWALL	1.000	EA
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	418.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	34,930.000	M2
619(B)	M4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	5,776.000	M2
619(B)	M4766	REMOVAL OF CONCRETE DRIVEWAY	976.000	M2
619(B)	M4782	REMOVAL OF CONCRETE CURB	449.000	M
619(C)	M0924	SAWING PAVEMENT	526.000	M
624(A)	M4281	FENCE-STYLE WWF	219.000	M
624(B)	M4464	GATES-STYLE WWF(1350MM HI X 4200MM LONG)		1.000 EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,414.000	M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	15.000	EA
629(B)	M4959	MAILBOX INSTALLATION-MULTIPLE	4.000	EA
629(C)	M4960	MAILBOX	26.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	26.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(C)	M5946	OUTLET LATERAL HEADWALL	4.000	EA
SECTION NO. 0002	X028-BRIDGE 'A'	NHY-17N(20)		
202(A)	M1301	UNCLASSIFIED EXCAVATION	7,520.000	M3
501(A)	M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	524.000	M3
509(E)	M1332	CLASS S CONCRETE	1,575.800	M3
511(A)	M1332	REINFORCING STEEL	251,330.000	KG
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0003	Y008-CONST.TRAFFIC CONTROL	NHY-17N(20)		
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100 MM WIDE)	6,000.000	M
856(C)	M8851	REM.PAVEMENT MARKING TAPE(100 MM WIDE)	200.000	M
856(G)	M8887	(PL)CONST.ZONE PAVE.MKRS(FLEX TAB)TP 2-1	8,000.000	EA
859(A)	M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	500.000	M
880(A)	M8812	ARROW DISPLAY(TYPE C)	450.000	SD
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	35,100.000	SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	13,500.000	SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	16,200.000	SD
880(C)	M8836	BARRICADES(TYPE II)	7,000.000	SD
880(C)	M8842	BARRICADES(TYPE III)	10,800.000	SD
880(C)	M8848	WING BARRICADES	4,500.000	SD
880(D)	M8854	VERTICAL PANELS	27,000.000	SD
880(E)	M8860	WARNING LIGHTS(TYPE A)	44,800.000	SD
880(E)	M8872	WARNING LIGHTS(TYPE C)	60,750.000	SD
880(F)	M8878	DRUMS	33,750.000	SD
SECTION NO. 0004	Y002-SIGNING & STRIPING	NHY-17N(20)		
850(A)	M8110	SHEET ALUMINUM SIGNS	75.000	M2
851(C)	M8327	57 MM SQUARE TUBE POST	271.000	M
851(C)	M8330	64 MM SQUARE TUBE POST	154.000	M
855(A)	M8812	TRAF.STR.(PLAST.)(100MM WIDE)	21,000.000	M

SECTION NO. 0004	Y002-SIGNING & STRIPING	NHY-17N(20)		
855(B) M8818	TRAF.STR.(PLAST.)(ARROWS)		31.000	EA
855(B) M8821	TRAF.STR.(PLAST.)(WORDS)		13.000	EA
857(A) M8947	PAVE.MARKERS CLASS C TYPE 2-C		100.000	EA
857(A) M8950	PAVE.MARKERS CLASS C TYPE 2-D		50.000	EA
857(B) M8962	REMOVE & RESET CLASS C PAVE. MARKERS		10.000	EA
SECTION NO. 0005	Y031-TRAFFIC SIGNALS	NHY-17N(20)		
802(B) M8334	25MM PVC SCH.40 P.C.TR.		21.000	M
802(B) M8336	38MM PVC SCH.40 P.C.BORED		30.000	M
802(B) M8338	38MM PVC SCH.40 P.C.TR.		250.000	M
802(B) M8342	50MM PVC SCH.40 P.C.TR.		23.000	M
802(B) M8344	75MM PVC SCH.40 P.C.BORED		30.000	M
802(B) M8346	75MM PVC SCH.40 P.C.TR.		102.000	M
803 M8065	PULL BOX(SIZE I)		3.000	EA
803 M8066	PULL BOX(SIZE II)		1.000	EA
803 M8067	PULL BOX(SIZE III)		6.000	EA
804(A) M2915	STRUCTURAL CONCRETE		14.400	M3
804(B) M2916	REINFORCING STEEL		859.000	KG
806(A) M8734	POLE & 13.7M TS MST.ARM(G.STL.)		1.000	EA
806(A) M8804	9.7M MHP 13.7M TS & 3.0M LMA(G.STL.)		2.000	EA
806(A) M8816	9.7M MHP 15.2M TS & 3.0M LMA(G.STL.)		1.000	EA
809(A) M8204	ROADWAY LUMINAIRE(250 WATT HPS)		3.000	EA
811 M8040	1/C NO.6 ELECT.COND.		30.000	M
811 M8044	1/C NO.10 ELECT.COND.		319.000	M
825 M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM		1.000	EA
828(A) M8135	SOL.STE.DIGITAL IND.VEH.LP.DET.		12.000	EA
828(B) M8138	LOOP DETECTOR WIRE		1,698.000	M
830 M8000	PEDESTRIAN PUSH BUTTON		8.000	EA
831 M8239	1WAY3SEC.ADJ.SG.HD.(MAM)S-6		8.000	EA
831 M8257	1WAY3SEC.ADJ.SG.HD.(MAM)S-9		4.000	EA
831 M8296	1WAY2SEC.ADJ.PD.SG.HD.(CM)S-20		8.000	EA
833 M3038	127MM BACKPLATE (300MM HDS)(B-2)		12.000	EA
834(A) M8207	5/C TRAF.SIG.ELECT.CABLE		457.000	M
834(A) M8210	12/C TRAF.SIG.ELECT.CABLE		198.000	M
834(B) M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE		783.000	M
850(C) M8118	MAST ARM MOUNTED SIGNS(ALUM.)		6.860	M2
890(A) M8726	(PL)REMOVAL OF TRAF.SIG.EQUIPMENT		1.000	LSUM
SECTION NO. 0006	STAK-STAKING	NHY-17N(20)		
642 M0098	STAKING		1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 6
 CALL ORDER : 004 CONTRACT ID : 000122
 LETTING DATE : February 24, 2000 PCN : 1252712
 LETTING TIME : 2:00 P.M.
 COUNTIES: ATOKA PROJECTS : NHY-17N(42)
 DBE/WBE GOALS: 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 76.77
 RES. ENG.: 21ANT
 CAL. DAYS: 240 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 ON SH-7 OVER THE UNION PACIFIC RAILROAD APPROXIMATELY 0.483
 KILOMETERS EAST OF THE JUNCTION OF SH-7/US-69.
 PROJ. LGTH.= 0.09 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X181-BRIDGE 'B' NHY-17N(42)		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	280.000	M3
501(G) M6309	CLSM BACKFILL	274.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	717.600	M
504(A) M1304	APPROACH SLAB	500.000	M2
504(C) M6276	SEALED EXPANSION JOINTS	23.720	M
504(E) M6239	CONCRETE RAIL (TR3)	280.800	M
504(F) M6182	(PL) CONCRETE PARAPET (HANDRAIL TYPE)	279.200	M
506(A) M1322	STRUCTURAL STEEL	3,290.000	KG
509(A) M1326	CLASS AA CONCRETE	410.000	M3
509(E) M1332	CLASS S CONCRETE	300.800	M3
510(A) M6333	RETAINING WALL	348.000	M2
510(C) M6135	SLOPE WALL (125MM)	1,868.000	M2
511(A) M1332	REINFORCING STEEL	9,860.000	KG
511(B) M6010	EPOXY COATED REINF. STEEL	99,640.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	78.000	M
514(A) M6013	PILES, FURNISHED (HP 310X79)	470.800	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	78.000	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	470.800	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	26.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	2,689.000	M2
516(A) M6092	DRILLED SHAFTS 900MM DIAMETER	240.000	M
516(A) M6098	DRILLED SHAFTS 1800MM DIAMETER	83.200	M
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	48.000	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	14.000	M
613(R) M1395	PIPE UNDERDRAIN COVER MAT'L.	22.000	M3
613(S) M1396	TRENCH EXCAVATION	10.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	10.000	M3
641 M1399	MOBILIZATION	1.000	LSUM
643 M0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002	STAK-STAKING NHY-17N(42)		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 005
 LETTING DATE : February 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: ATOKA

FEDERAL PROJECT
 CONTRACT ID : 000123
 PCN : 1252704C

PAGE 7

PROJECTS : NHY-17N(20)/NHY-17N(42)
 DBE/WBE GOALS: 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 76.77
 RES. ENG.: 21ANT
 CAL. DAYS: 450 LIQ. DAM: \$ 3000

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(SUPERPAVE)
 ON SH-7 BEGINNING AT THE JUNCTION OF SH-7/SH-3B AND
 EXTENDING EAST TO SH-3.
 PROJ. LGTH.= 3.941 KM.
 FLEX. ESALS= 5.8 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY NHY-17N(20)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	308,732.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	23,738.000	M3
205	M7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
210	M0121 OBLITERATING ABANDONED ROAD	1.000	STA
222	M2801 TEMP. BALE BARRIER	150.000	M
223	M2802 TEMP. SILT FENCE	2,000.000	M
224	M2803 TEMP. SEDIMENT FILTER	17.000	EA
226	M2805 TEMP. SEDIMENT REMOVAL	50.000	M3
227	M0100 (PL) TEMPORARY SILT DIKE	150.000	M
229	M4318 DITCH LINER PROTECTION	1,000.000	M
230(A)	M2806 SOLID SLAB SODDING	76,668.000	M2
230(B)	M2807 MULCH SODDING	41,180.000	M2
230(G)	M2812 WATERING	21,213.000	KL
232(A)	M2813 SEEDING METHOD A	20.300	HA
233(A)	M2817 VEGETATIVE MULCHING	20.300	HA
234(A)	M2824 FERTILIZING (10-20-10)	14.400	T
234(A)	M4406 FERTILIZING (0-46-0)	2.700	T
235(A)	M0100 (PL)ROCK FILTER DAM, TYPE 1	75.000	M3
238	M0300 (PL)TEMPORARY SEDIMENT TRAP	2.000	EA
241	M2832 MOWING	16.050	HA
303	M0192 AGGREGATE BASE	11,376.000	M3
307(A)	M4233 LIME	1,995.000	T
307(B)	M4235 200MM LIME TREATED SUBGRADE	91,022.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,107.000	T
407	M0250 TACK COAT	55,142.000	L
408	M5853 PRIME COAT	131,204.000	L
411(C1)	M5874 (SP)ASPH. CONC., 19MM NOM MAX(PG 70-22)	33,926.000	T
411(C1)	M5875 (SP)ASPH CONC. 19MM NOM MAX(PG 64-22)	8,995.000	T
411(D1)	M5876 (SP)ASPH CONC, 12.5MM NOM MAX(PG 70-28)	7,262.000	T
411(D1)	M5879 (SP)ASPH. CONC.,12.5MM NOM MAX(PG 64-22)	2,139.000	T
414(B1)	M5759 250MM H.E.S. DOWEL JOINTED CONCRETE PAV	9,103.000	M2
501(A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	234.000	M3
504(E)	M6239 CONCRETE RAIL (TR3)	55.000	M

SECTION NO.	0001	I000-ROADWAY	NHY-17N(20)		
509(B)	M0321	CLASS A CONCRETE		755.000	M3
509(C)	M0322	CLASS A CONCRETE FOR SMALL STRUCTURES		11.000	M3
509(D)	M0325	CLASS C CONCRETE		197.000	M3
511(A)	M0332	REINFORCING STEEL		67,453.000	KG
521(A)	M6210	PNEUMATICALLY PLACED MORTAR		560.000	M2
601A-1	M0536	TYPE I-A-PLAIN RIP RAP		60.000	T
601A-2	M0538	TYPE I-A-FILTER BLANKET		13.000	T
609(A)	M0287	CONC.CURB(100 MM MNTBLE-INTEGRAL)		73.000	M
609(A)	M0300	CONC.CURB(150 MM BARRIER-INTEGRAL)		871.000	M
609(B)	M1525	800 MM COMB.CRB.&GUT.(150 MM BAR.CURB)		4,947.000	M
610(A)	M0602	100 MM CONCRETE SIDEWALK		9,803.000	M2
610(B)	M0604	150 MM CONCRETE DRIVEWAY		2,080.000	M2
610(C)	M0608	100 MM CONCRETE DIVIDING STRIP		132.000	M2
611(A)	M2657	MANHOLE (1200 MM DIA.)		34.000	EA
611(A)	M2658	MANHOLE (1500 MM DIA.)		1.000	EA
611(B)	M2680	ADD'L.DEPTH IN MANHOLE (1200 MM DIA)		24.000	M
611(B)	M2681	ADD'L.DEPTH IN MANHOLE (1500 MM DIA)		2.000	M
611(D)	M4215	MANHOLE FRAME & COVER		40.000	EA
611(E)	M5112	INLET CICI DES. 2 (STD)		10.000	EA
611(E)	M5113	INLET CICI DES. 2 (B)		42.000	EA
611(E)	M5114	INLET CICI DES. 2 (C)		2.000	EA
611(E)	M5117	INLET CICI DES. 2 (2B)		5.000	EA
611(E)	M5972	INLET W/SJB,CICI-JB-1,DES 2(B)		2.000	EA
611(E)	M5976	INLET W/SJB,CICI-JB-1,DES 2(2B)		2.000	EA
611(E)	M6000	INLET (SMD-TYPE 1)		17.000	EA
611(E)	M6002	INLET (SMD-TYPE 2)		4.000	EA
611(E)	M6004	INLET (SMD-TYPE 2A)		3.000	EA
611(E)	M6006	INLET (SMD-TYPE 2B)		1.000	EA
611(F)	M5325	INLET CICI DES 2 (ADD'L DEPTH)		32.000	M
611(F)	M5972	INLET W/SJB,CICI-JB-1,DES 2(B,ADD DPTH)		1.000	M
611(F)	M5976	INLET W/SJB,CICI-JB-1,DES 2(2B,ADD DPTH)		2.000	M
611(G)	M4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)		126.000	EA
611(J)	M0487	JUNCTION BOXES		4.000	M3
611(K)	M4488	CAST IRON CURB INLETS		248.000	EA
613(B)	M0405	450MM R.C.PIPE CLASS III		1,175.000	M
613(B)	M0409	600MM R.C.PIPE CLASS III		1,143.000	M
613(B)	M0413	750MM R.C.PIPE CLASS III		504.000	M
613(B)	M0415	900MM R.C.PIPE CLASS III		188.000	M
613(B)	M0417	1050MM R.C.PIPE CLASS III		18.000	M
613(B)	M4411	725MM X 460MM R.C.PIPE ARCH CLASS A-III		27.000	M
613(B)	M4423	1300MM X 795MM R.C.PIPE ARCH CLASS A-III		29.000	M
613(D)	M5205	510MM X 380MM CORR. GALV. ST. PIPE ARCH		20.000	M
613(D)	M5719	450MM CORR. GALV. STEEL PIPE		235.000	M
613(D)	M5723	750MM CORR. GALV. STEEL PIPE		59.000	M
613(M)	M0897	450MM PREFAB. CULVERT END SEC., ROUND		26.000	EA
613(M)	M0898	600MM PREFAB. CULVERT END SEC., ROUND		6.000	EA
613(M)	M0899	750MM PREFAB. CULVERT END SEC., ROUND		10.000	EA
613(M)	M0900	900MM PREFAB. CULVERT END SEC., ROUND		4.000	EA
613(M)	M0980	1050MM PREFAB. CULVERT END SEC.,ROUND		1.000	EA
613(M)	M4518	725MM X 460MM PREFAB.CULV.END SEC., ARCH		2.000	EA
613(M)	M4540	1300MM X 795MM PREFAB.CULV.END SEC.,ARCH		1.000	EA
613(P)	M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND		289.000	M
613(Q)	M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.		97.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.		73.000	M3

SECTION NO. 0001	I000-ROADWAY	NHY-17N(20)		
613(S)	M1180	TRENCH EXCAVATION	8,412.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	2,850.000	M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	M0291	REMOVAL OF HEADWALL	1.000	EA
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	418.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	34,930.000	M2
619(B)	M4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	5,776.000	M2
619(B)	M4766	REMOVAL OF CONCRETE DRIVEWAY	976.000	M2
619(B)	M4782	REMOVAL OF CONCRETE CURB	449.000	M
619(C)	M0924	SAWING PAVEMENT	526.000	M
624(A)	M4281	FENCE-STYLE WWF	219.000	M
624(B)	M4464	GATES-STYLE WWF(1350MM HI X 4200MM LONG)		1.000 EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,414.000	M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	15.000	EA
629(B)	M4959	MAILBOX INSTALLATION-MULTIPLE	4.000	EA
629(C)	M4960	MAILBOX	26.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	26.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(C)	M5946	OUTLET LATERAL HEADWALL	4.000	EA
SECTION NO. 0002	X028-BRIDGE 'A'	NHY-17N(20)		
202(A)	M1301	UNCLASSIFIED EXCAVATION	7,520.000	M3
501(A)	M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	524.000	M3
509(E)	M1332	CLASS S CONCRETE	1,575.800	M3
511(A)	M1332	REINFORCING STEEL	251,330.000	KG
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0003	X181-BRIDGE 'B'	NHY-17N(42)		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	280.000	M3
501(G)	M6309	CLSM BACKFILL	274.000	M3
503(A)	M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	717.600	M
504(A)	M1304	APPROACH SLAB	500.000	M2
504(C)	M6276	SEALED EXPANSION JOINTS	23.720	M
504(E)	M6239	CONCRETE RAIL (TR3)	280.800	M
504(F)	M6182	(PL) CONCRETE PARAPET (HANDRAIL TYPE)	279.200	M
506(A)	M1322	STRUCTURAL STEEL	3,290.000	KG
509(A)	M1326	CLASS AA CONCRETE	410.000	M3
509(E)	M1332	CLASS S CONCRETE	300.800	M3
510(A)	M6333	RETAINING WALL	348.000	M2
510(C)	M6135	SLOPE WALL (125MM)	1,868.000	M2
511(A)	M1332	REINFORCING STEEL	9,860.000	KG
511(B)	M6010	EPOXY COATED REINF. STEEL	99,640.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	78.000	M
514(A)	M6013	PILES, FURNISHED (HP 310X79)	470.800	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	78.000	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	470.800	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	26.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	2,689.000	M2
516(A)	M6092	DRILLED SHAFTS 900MM DIAMETER	240.000	M
516(A)	M6098	DRILLED SHAFTS 1800MM DIAMETER	83.200	M

SECTION NO. 0003	X181-BRIDGE 'B' NHY-17N(42)		
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	48.000	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	14.000	M
613(R) M1395	PIPE UNDERDRAIN COVER MAT'L.	22.000	M3
613(S) M1396	TRENCH EXCAVATION	10.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	10.000	M3
641 M1399	MOBILIZATION	1.000	LSUM
643 M0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0004	Y008-CONST.TRAFFIC CONTROL NHY-17N(20)		
856(A) M8839	CONSTR.TRAFF.STR.(PAINT)(100 MM WIDE)	6,000.000	M
856(C) M8851	REM.PAVEMENT MARKING TAPE(100 MM WIDE)	200.000	M
856(G) M8887	(PL)CONST.ZONE PAVE.MKRS(FLEX TAB)TP 2-1	8,000.000	EA
859(A) M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	500.000	M
880(A) M8812	ARROW DISPLAY(TYPE C)	450.000	SD
880(B) M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	35,100.000	SD
880(B) M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	13,500.000	SD
880(B) M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	16,200.000	SD
880(C) M8836	BARRICADES(TYPE II)	7,000.000	SD
880(C) M8842	BARRICADES(TYPE III)	10,800.000	SD
880(C) M8848	WING BARRICADES	4,500.000	SD
880(D) M8854	VERTICAL PANELS	27,000.000	SD
880(E) M8860	WARNING LIGHTS(TYPE A)	44,800.000	SD
880(E) M8872	WARNING LIGHTS(TYPE C)	60,750.000	SD
880(F) M8878	DRUMS	33,750.000	SD
SECTION NO. 0005	Y002-SIGNING & STRIPING NHY-17N(20)		
850(A) M8110	SHEET ALUMINUM SIGNS	75.000	M2
851(C) M8327	57 MM SQUARE TUBE POST	271.000	M
851(C) M8330	64 MM SQUARE TUBE POST	154.000	M
855(A) M8812	TRAF.STR.(PLAST.)(100MM WIDE)	21,000.000	M
855(B) M8818	TRAF.STR.(PLAST.)(ARROWS)	31.000	EA
855(B) M8821	TRAF.STR.(PLAST.)(WORDS)	13.000	EA
857(A) M8947	PAVE.MARKERS CLASS C TYPE 2-C	100.000	EA
857(A) M8950	PAVE.MARKERS CLASS C TYPE 2-D	50.000	EA
857(B) M8962	REMOVE & RESET CLASS C PAVE. MARKERS	10.000	EA
SECTION NO. 0006	Y031-TRAFFIC SIGNALS NHY-17N(20)		
802(B) M8334	25MM PVC SCH.40 P.C.TR.	21.000	M
802(B) M8336	38MM PVC SCH.40 P.C.BORED	30.000	M
802(B) M8338	38MM PVC SCH.40 P.C.TR.	250.000	M
802(B) M8342	50MM PVC SCH.40 P.C.TR.	23.000	M
802(B) M8344	75MM PVC SCH.40 P.C.BORED	30.000	M
802(B) M8346	75MM PVC SCH.40 P.C.TR.	102.000	M
803 M8065	PULL BOX(SIZE I)	3.000	EA
803 M8066	PULL BOX(SIZE II)	1.000	EA
803 M8067	PULL BOX(SIZE III)	6.000	EA
804(A) M2915	STRUCTURAL CONCRETE	14.400	M3
804(B) M2916	REINFORCING STEEL	859.000	KG
806(A) M8734	POLE & 13.7M TS MST.ARM(G.STL.)	1.000	EA
806(A) M8804	9.7M MHP 13.7M TS & 3.0M LMA(G.STL.)	2.000	EA
806(A) M8816	9.7M MHP 15.2M TS & 3.0M LMA(G.STL.)	1.000	EA

SECTION NO. 0006	Y031-TRAFFIC SIGNALS	NHY-17N(20)		
809(A)	M8204	ROADWAY LUMINAIRE(250 WATT HPS)	3.000	EA
811	M8040	1/C NO.6 ELECT.COND.	30.000	M
811	M8044	1/C NO.10 ELECT.COND.	319.000	M
825	M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A)	M8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	12.000	EA
828(B)	M8138	LOOP DETECTOR WIRE	1,698.000	M
830	M8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831	M8239	1WAY3SEC.ADJ.SG.HD.(MAM)S-6	8.000	EA
831	M8257	1WAY3SEC.ADJ.SG.HD.(MAM)S-9	4.000	EA
831	M8296	1WAY2SEC.ADJ.PD.SG.HD.(CM)S-20	8.000	EA
833	M3038	127MM BACKPLATE (300MM HDS)(B-2)	12.000	EA
834(A)	M8207	5/C TRAF.SIG.ELECT.CABLE	457.000	M
834(A)	M8210	12/C TRAF.SIG.ELECT.CABLE	198.000	M
834(B)	M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	783.000	M
850(C)	M8118	MAST ARM MOUNTED SIGNS(ALUM.)	6.860	M2
890(A)	M8726	(PL)REMOVAL OF TRAF.SIG.EQUIPMENT	1.000	LSUM
SECTION NO. 0007	STAK-STAKING	NHY-17N(20)		
642	M0098	STAKING	1.000	LSUM
SECTION NO. 0008	STAK-STAKING	NHY-17N(42)		
642	M0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 12
 CALL ORDER : 006 CONTRACT ID : 000001
 LETTING DATE : February 24, 2000 PCN : 1770404
 LETTING TIME : 2:00 P.M.
 COUNTIES: BRYAN PROJECTS : NHG-13N(62)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 6.44
 RES. ENG.: 23MAD
 CAL. DAYS: 120 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION/TRAFFIC SIGNALS
 US-69: BEGIN AT THE INTERSECTION OF US-69/US-75 AND
 CHOCTAW ROAD IN DURANT.
 PROJ. LGTH.= 0.221 MILE
 ASPH GRADE = 64-22 OK
 FLEX ESALS = LESS THAN 3 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y031-TRAFFIC SIGNALS		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	2,564.200	CY
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
223	2801 (PL) TEMPORARY SILT FENCE	500.000	LF
230(A)	2806 SOLID SLAB SODDING	5,330.000	SY
230(G)	2812 WATERING	213.200	MGAL
233(A)	2817 VEGETATIVE MULCHING	1.100	AC
234(A)	2824 FERTILIZING (10-20-10)	0.530	TON
245(A)	7039 (SP)LIME	122.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	6,454.900	SY
408	5774 (SU)PRIME COAT	968.300	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,445.900	TON
414(A)	0261 9" P.C. CONCRETE PAVEMENT	2,073.400	SY
414(AA)	5754 9" P.C. DOWEL JOINTED CONCRETE PAVEMENT	4,381.700	SY
509(E)	0325 CLASS "C" CONC.	10.000	CY
609(A)	0380 CONC.CURB(8"BARRIER-INTEGRAL)	529.000	LF
609(B)	1524 2'-8"COMB.CRB.&GUT.(6"MNT.CURB)	417.500	LF
610(C)	0609 6" CONCRETE DIVIDING STRIP	275.000	SY
613(B)	0491 18" R.C.PIPE CLASS III	511.000	LF
613(MM)	4894 18" SLOPED CONCRETE END SEC.(CD 6-GR)	5.000	EA
613(Q)	1096 6"RND.NON-PERF.PIPE UNDERDRAIN	250.000	LF
613(R)	1100 PIPE UNDERDRAIN COVER MAT'L.	50.000	CY
613(S)	1180 TRENCH EXCAVATION	96.100	CY
613(T)	1181 STANDARD BEDDING MATERIAL	100.200	CY
619(B)	4727 REMOVAL OF CONCRETE PAVEMENT	923.700	SY
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	2,207.400	SY
619(B)	5918 REMOVAL OF EXISTING PIPE	60.000	LF
619(C)	0924 SAWING PAVEMENT	3,750.000	LF
640	1398 FIELD OFFICE	1.000	EA
641	1552 MOBILIZATION	1.000	LSUM
802(B)	8054 3"PVC SCH.40 PLAST.COND.BORE	264.000	LF
802(B)	8058 2"PVC SCH.40 PLAST.COND.TR.	43.000	LF
802(B)	8059 3"PVC SCH.40 PLAST.(COND.TR.	65.000	LF

SECTION NO. 0001		Y031-TRAFFIC SIGNALS	
803	8065	PULL BOX(SIZE I)	3.000 EA
803	8066	PULL BOX(SIZE II)	1.000 EA
804	2915	STRUCTURAL CONCRETE	13.840 CY
804	2916	REINFORCING STEEL	1,887.300 LB
806(A)	8315	32'MTG.HT.POLE,35'T.S.& 35'LMA(G.STL.)	1.000 EA
806(A)	8316	32'MTG.HT.POLE,40'T.S.& 35'LMA(G.STL)	1.000 EA
806(A)	8317	32'MTG.HT.POLE,45'T.S.& 35'LMA(G.STL.)	1.000 EA
806(A)	8318	32'MTG.HT.POLE,50'T.S.& 35'LMA(G.STL.)	1.000 EA
809(A)	8097	ROADWAY LUMINAIRE(250 WATT HPS)	4.000 EA
811	8107	1/C NO. 10 ELEC. COND.	1,192.000 LF
811	8109	1/C NO. 6 ELEC. COND.	200.000 LF
825	3009	TRAF.VEH.ACT.SOL.ST.SIG.CON.ASM	1.000 EA
828	8132	(PL)DETECTION SYSTEM (VIDEO)	1.000 LSUM
831	8170	1WAY3S AD.SG.HD.(MAM)S-6	6.000 EA
831	8171	1WAY3S AD.SG.HD.(MAM)S-9	2.000 EA
831	8335	1WAY3S AD.SG.HD.(MAM)S-10	1.000 EA
831	8394	1WAY5S AD.SG.HD.(MAM)S-19L	2.000 EA
833	8205	5"BACKPLATE(12"HDS)B-2	11.000 EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	430.000 LF
834(A)	8208	7/C TRAF.SIG.EL.CABLE	370.000 LF
834(A)	8209	9/C TRAF.SIG.EL.CABLE	150.000 LF
834(A)	8210	12/C TRAF.SIG.EL.CABLE	125.000 LF
850(A)	8215	SHEET ALUMINUM SIGNS	332.100 SF
850(C)	8525	MAST ARM MOUNTED SIGNS(ALUM.)	63.750 SF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	278.500 LF
851(A)	3207	6"@15GALV.STL.WD.FLANGE BM.POST	50.000 LF
851(B)	3217	2 1/2"@5.79GALV.STL.PIPE POSTS	31.000 LF
851(B)	3218	3" @ 7.58 GALV. STL.PIPE POSTS	35.000 LF
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	12,993.000 LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)	20.000 EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)	12.000 EA
856(B)	8005	REMOV.PVEMNT MRKNG TAPE(4"WIDE)	500.000 LF
857(F)	8243	PAV. MARKERS CLASS C TYPE 2-C	72.000 EA
857(F)	8244	PAV. MARKERS CLASS C TYPE 2-D	17.000 EA
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	500.000 LF
880(D)	8016	SIGNS 0 TO 6.25 SF	1,620.000 SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	1,080.000 SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.	1,800.000 SD
880(I)	8020	BARRICADES (TYPE II)	540.000 SD
880(J)	8021	BARRICADES (TYPE III)	900.000 SD
880(K)	8022	WING BARRICADES	720.000 SD
880(L)	8023	VERTICAL PANELS	1,350.000 SD
880(M)	8024	TYPE A. LIGHT	3,960.000 SD
880(O)	8026	TYPE C LIGHT	4,050.000 SD
880(P)	8027	DRUMS	2,700.000 SD
960.62	8315	(PL) REMOVAL OF EXISTING SIGNS	10.000 EA
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	500.000 EA
SECTION NO. 0002		STAK-STAKING	
642	0098	STAKING	1.000 LSUM

LNTCIQA FEDERAL PROJECT PAGE 14
 CALL ORDER : 035 CONTRACT ID : 000096
 LETTING DATE : February 24, 2000 PCN : 1679504M
 LETTING TIME : 2:00 P.M.
 COUNTIES: CARTER PROJECTS : BRF-110C(23)CO/BRF-110C(26)CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 10.20
 RES. ENG.: 72ARD
 CAL. DAYS: 180 LIQ. DAM: \$ 800

CONTRACT DESCRIPTION:
 BRIDGES & APPROACHES
 BRIDGES OVER SNAD BRANCH CREEK, APPROX. 3.219 KM. WEST AND
 1.77 KM. NORTH OF THE JUNCTION OF SH-199/US-177 IN DICKSON.
 PROJ. LGTH.= 0.629 KM.
 FLEX. ESALS= 0.3 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY BRF-110C(23)CO		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M1301	UNCLASSIFIED EXCAVATION	99.900	M3
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL) TOPSOIL - LUMP SUM	1.000	LSUM
223 M2802	TEMP. SILT FENCE	528.000	M
227 M0100	(PL) TEMPORARY SILT DIKE	132.000	M
230(A) M2806	SOLID SLAB SODDING	715.000	M2
230(B) M2807	MULCH SODDING	5,204.000	M2
230(F) M2812	WATERING	1,874.000	KL
233(A) M2817	VEGETATIVE MULCHING	0.520	HA
234(A) M2824	FERTILIZING (10-20-10)	0.630	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	14.000	T
407 M0250	TACK COAT	561.000	L
408 M5774	PRIME COAT	1,728.000	L
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	450.000	T
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	220.000	T
509(B) M0321	CLASS A CONCRETE	13.110	M3
509(D) M0325	CLASS C CONCRETE	23.110	M3
511(A) M1332	REINFORCING STEEL	695.000	KG
619(B) M0291	REMOVAL OF HEADWALL	1.000	EA
850(A) M8110	SHEET ALUMINUM SIGNS	2.900	M2
851(D) M8597	FLANGE CHANNEL POSTS (5.95 KG/M)	17.030	M
SECTION NO. 0002	I000-ROADWAY BRF-110C(26)CO		
201 M0181	SELECTIVE CLEARING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
223 M2802	TEMP. SILT FENCE	1,020.000	M
227 M0100	(PL) TEMPORARY SILT DIKE	100.000	M
230(A) M2806	SOLID SLAB SODDING	300.000	M2
230(B) M2807	MULCH SODDING	4,200.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.500	HA
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	495.000	T

SECTION NO. 0002	I000-ROADWAY	BRF-110C(26)CO		
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		245.000	T
509(D) M0325	CLASS C CONCRETE		10.000	M3
854(A) M8800	TRAF.STR.(PAINT)(100 MM WIDE)		1,200.000	M
SECTION NO. 0003	X081-BRIDGE 'A'	BRF-110C(23)CO		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON		150.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL		120.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)		126.840	M
504(E) M1380	CONCRETE RAIL (TR1)		91.140	M
506(A) M1322	STRUCTURAL STEEL		754.000	KG
509(A) M1326	CLASS AA CONCRETE		58.300	M3
509(E) M1332	CLASS S CONCRETE		76.000	M3
511(A) M1332	REINFORCING STEEL		13,080.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)		284.400	M
514(B) M6292	PILES, DRIVEN (HP 250X62)		284.400	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP		861.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET		205.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)		4.000	EA
641 M1399	MOBILIZATION		1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL		1.000	LSUM
SECTION NO. 0004	X081-BRIDGE 'A'	BRF-110C(26)CO		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON		96.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL		38.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)		86.840	M
504(E) M1380	CONCRETE RAIL (TR1)		59.540	M
506(A) M1322	STRUCTURAL STEEL		695.000	KG
509(A) M1326	CLASS AA CONCRETE		40.900	M3
509(E) M1332	CLASS S CONCRETE		44.800	M3
511(A) M1332	REINFORCING STEEL		9,016.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)		325.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)		325.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP		971.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET		203.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)		4.000	EA
641 M1399	MOBILIZATION		1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL		1.000	LSUM
SECTION NO. 0005	STAK-STAKING	BRF-110C(23)CO		
642 M0098	STAKING		1.000	LSUM
SECTION NO. 0006	STAK-STAKING	BRF-110C(26)CO		
642 M0098	STAKING		1.000	LSUM

LNTCIQA
 CALL ORDER : 067
 LETTING DATE : February 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: HUGHES

STATE PROJECT
 CONTRACT ID : 000143
 PCN : 1045009

PAGE 16

PROJECTS : CIP-132B(20)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 21.48
 RES. ENG.: 31ADA
 CAL. DAYS: 300 LIQ. DAM: \$ 800

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE(ASPHALT)
 US-75 FROM WETUMKA SOUTH
 PROJ. LGTH.= 2.164 MILES
 FLEX ESALS = 2.7 MILLION
 ASPH GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY ITEMS (PART 1)		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	8,467.000	CY
202(E)	0184 UNCLASSIFIED BORROW	2,734.000	CY
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMP. BALE BARRIER	596.000	LF
223	2801 (PL) TEMPORARY SILT FENCE	1,760.000	LF
224	2803 TEMP. SEDIMENT FILTER	10.000	EA
225	2804 TEMP. SEDIMENT BASIN	6.000	EA
230(A)	2806 SOLID SLAB SODDING	19,340.000	SY
230(G)	2812 WATERING	1,235.000	MGAL
232(B)	2814 SEEDING METHOD B	5.800	AC
233(A)	2817 VEGETATIVE MULCHING	15.300	AC
234(A)	2824 FERTILIZING (10-20-10)	2.650	TON
234(A)	4406 FERTILIZING (0-46-0)	0.720	TON
241	2832 MOWING	9.500	AC
303	0192 AGGREGATE BASE	2,212.000	CY
317(A)	4252 FLY ASH	1,012.000	TON
317(C)	4254 SUBGRADE MODIFICATION	20,830.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	991.000	TON
407	0250 TACK COAT	2,116.000	GAL
408	5774 (SU)PRIME COAT	5,686.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	3,332.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,677.000	TON
411(C)	6560 (SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	250.000	TON
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	24.000	CY
509(B)	0321 CLASS A CONCRETE	109.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	44.000	CY
509(E)	0325 CLASS "C" CONC.	33.000	CY
511(A)	0332 REINFORCING STEEL	12,650.000	LB
601(A)	0297 TYPE I-PLAIN RIP RAP	10.000	TON
602(A)	4154 GABIONS	325.000	CY
602(B)	5266 FILTER FABRIC (GABIONS)	528.000	SY
609(B)	1511 1'-8"COMB.CRB&GUTTER(4"MNT.CRB)	278.000	LF
609(B)	1525 2'-8"COMB.CRB.&GUT.(6"BAR.CURB)	3,400.000	LF

SECTION NO. 0001		I000-ROADWAY ITEMS (PART 1)	
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	212.000 SY
611(A)	2657	MANHOLE (4' DIA.)	2.000 EA
611(A)	2658	MANHOLE (5' DIA.)	1.000 EA
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIA)	5.300 VF
611(D)	4215	MANHOLE FRAME & COVER	3.000 EA
611(E)	5315	INLET CICI DES. 2 (STD)	5.000 EA
611(E)	5316	INLET CICI DES. 2 (B)	3.000 EA
611(F)	5362	INLET CICI DES. 2 (STD, ADD'L DEPTH)	1.130 VF
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	16.000 EA
611(K)	4488	CAST IRON CURB INLETS	22.000 EA
611(L)	4209	DROP INLET GRATE (SMD-TYPE 1)	8.000 EA
613(B)	0491	18" R.C.PIPE CLASS III	1,113.000 LF
613(B)	0492	24" R.C.PIPE CLASS III	76.000 LF
613(B)	0493	30" R.C.PIPE CLASS III	8.000 LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	45.000 EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	595.000 LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	868.000 LF
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	3.000 EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	800.000 LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	200.000 LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	240.000 CY
613(S)	1180	TRENCH EXCAVATION	639.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	534.000 CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	0291	REMOVAL OF HEADWALL	18.000 EA
619(B)	4725	REMOVAL OF FENCE	2,181.000 LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	500.000 SY
619(C)	0924	SAWING PAVEMENT	4,400.000 LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	288.000 LF
623(H)	8571	(SP) G.E.T. GUARD RAIL END SECTION	1.000 EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,311.000 LF
629(A)	4958	(SU) MAILBOX INSTALLATION-SINGLE	18.000 EA
629(B)	4959	(SU) MAILBOX INSTALLATION-MULTIPLE	2.000 EA
629(C)	4960	(SU) MAILBOX	23.000 EA
629(D)	4961	(SU) REMOVAL OF MAILBOX INSTALLATION	23.000 EA
640	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM
653(C)	5946	(SP) OUTLET LATERAL HEADWALL	10.000 EA
SECTION NO. 0002		I000-ROADWAY ITEMS (PART 2)	
201	0102	CLEARING AND GRUBBING	1.000 LSUM
202(C)	0183	UNCLASSIFIED EXCAVATION	407.000 CY
202(H)	0111	LINEAR GRADING	23.550 STA
205	7174	(PL) TOPSOIL - LUMP SUM	1.000 LSUM
222	2801	TEMP. BALE BARRIER	200.000 LF
223	2801	(PL) TEMPORARY SILT FENCE	500.000 LF
224	2803	TEMP. SEDIMENT FILTER	10.000 EA
225	2804	TEMP. SEDIMENT BASIN	1.000 EA
230(A)	2806	SOLID SLAB SODDING	8,614.000 SY
230(G)	2812	WATERING	345.000 MGAL
233(A)	2817	VEGETATIVE MULCHING	1.690 AC
234(A)	2824	FERTILIZING (10-20-10)	0.860 TON
234(A)	4406	FERTILIZING (0-46-0)	0.130 TON

SECTION NO. 0002		I000-ROADWAY ITEMS (PART 2)	
241	2832	MOWING	1.690 AC
310(B)	0149	SUBGRADE, METHOD B	3,173.000 SY
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	860.000 TON
407	0250	TACK COAT	866.000 GAL
408	5774	(SU)PRIME COAT	476.000 GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,136.000 TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	708.000 TON
411(C)	6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	416.000 TON
417	5267	COLD MILLING PAVEMENT	6,878.000 SY
506(A)	6005	STRUCTURAL STEEL A36	2,470.000 LB
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	88.200 CY
509(E)	0325	CLASS "C" CONC.	5.000 CY
511(A)	0332	REINFORCING STEEL	11,588.000 LB
601(A)	0297	TYPE I-PLAIN RIP RAP	10.000 TON
609(B)	1523	2'-8" COMB. CRB. & GUT. (4" MNT. CURB)	4,731.000 LF
610(A)	0602	4" CONCRETE SIDEWALK	78.000 SY
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	358.000 SY
611(D)	4215	MANHOLE FRAME & COVER	12.000 EA
611(E)	5305	INLET CICI DES. 1 (STD)	1.000 EA
611(E)	5315	INLET CICI DES. 2 (STD)	1.000 EA
611(E)	5316	INLET CICI DES. 2 (B)	1.000 EA
611(E)	5317	INLET CICI DES. 2 (D)	8.000 EA
611(F)	5352	INLET CICI DES. 1 (STD, ADD'L DEPTH)	0.080 VF
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	55.000 EA
611(K)	4488	CAST IRON CURB INLETS	89.000 EA
611(L)	4209	DROP INLET GRATE (SMD-TYPE 1)	1.000 EA
612(A)	0641	MANHOLES ADJUST TO GRADE	5.000 EA
613(B)	0491	18" R.C.PIPE CLASS III	260.000 LF
613(B)	0493	30" R.C.PIPE CLASS III	341.000 LF
613(B)	0494	36" R.C.PIPE CLASS III	208.000 LF
613(B)	0495	42" R.C.PIPE CLASS III	935.000 LF
613(B)	0496	48" R.C.PIPE CLASS III	279.000 LF
613(B)	4520	19" X 30" R.C.PIPE ELL. CLASS HE-IV	379.000 LF
613(B)	5162	12" R.C.PIPE CLASS III	83.000 LF
613(M)	0981	48" PREFAB. CULVERT END SEC., ROUND	1.000 EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	800.000 LF
613(Q)	1096	6" RND.NON-PERF.PIPE UNDERDRAIN	200.000 LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	240.000 CY
613(S)	1180	TRENCH EXCAVATION	2,583.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	1,807.000 CY
619(B)	4726	REMOVAL OF CURB AND GUTTER	4,709.000 LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	948.000 SY
619(C)	0924	SAWING PAVEMENT	6,564.000 LF

SECTION NO. 0003		Y060-WATER LINE (PART 1)	
616(B)	5197	4" POLYVINYL CHLORIDE (PVC) PIPE	590.000 LF
616(B)	5199	8" POLYVINYL CHLORIDE (PVC) PIPE	20.000 LF
616(B)	5215	1" POLYVINYL CHLORIDE (PVC) PIPE	250.000 LF
616(B)	5218	2" POLYVINYL CHLORIDE (PVC) PIPE	354.000 LF
616(D)	0862	8" VALVES	1.000 EA
616(F)	5204	(PL) METER INSTALLATION 5/8"	15.000 EA
616(I)	0020	8" SOLID SLEEVE	1.000 EA
616(K)	0044	8" 45 DEGREE FITTING	2.000 EA

SECTION NO. 0003		Y060-WATER LINE (PART 1)	
616(L)	0072	8" X 4" REDUCER	1.000 EA
616(N)	0090	SERVICE CONNECTION (SHORT)	9.000 EA
616(N)	0092	SERVICE CONNECTION (LONG)	6.000 EA
616(N)	0093	WET CONNECTION	2.000 EA
617(A)	1014	TEST SYSTEM	1.000 EA
617(A)	1015	WATER SAMPLE ANALYSIS	1.000 EA
SECTION NO. 0004		Y060-WATER LINE (PART 2)	
616(B)	5197	4" POLYVINYL CHLORIDE (PVC) PIPE	1,280.000 LF
616(B)	5199	8" POLYVINYL CHLORIDE (PVC) PIPE	40.000 LF
616(D)	0860	4" VALVES	3.000 EA
616(D)	0862	8" VALVES	2.000 EA
616(F)	5204	(PL) METER INSTALLATION 5/8"	8.000 EA
616(I)	0020	8" SOLID SLEEVE	2.000 EA
616(J)	0026	8" X 8" X 6" TEE	1.000 EA
616(K)	0044	8" 45 DEGREE FITTING	4.000 EA
616(L)	0072	8" X 4" REDUCER	2.000 EA
616(N)	0090	SERVICE CONNECTION (SHORT)	3.000 EA
616(N)	0092	SERVICE CONNECTION (LONG)	5.000 EA
616(N)	0093	WET CONNECTION	3.000 EA
617(A)	1014	TEST SYSTEM	1.000 EA
617(A)	1015	WATER SAMPLE ANALYSIS	1.000 EA
SECTION NO. 0005		Y000-TRAFFIC ITEMS (PART 1)	
804	2915	STRUCTURAL CONCRETE	5.120 CY
850(A)	8215	SHEET ALUMINUM SIGNS	166.000 SF
851	8616	(PL) 1 3/4" SQUARE TUBE POST	10.000 LF
851	8617	(PL) 2" SQUARE TUBE POST	57.000 LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	247.000 LF
853(D)	3313	DELINEATORS TYPE 2 CODE 1	32.000 EA
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	33,600.000 LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	2,000.000 LF
856(B)	8005	REMOV.PVEMNT MRKNG TAPE(4"WIDE)	1,000.000 LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	100.000 LF
960.16	8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
960.18	8142	(PL) REMOVAL OF EXISTING SIGNS	1.000 LSUM
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2	8,000.000 EA
SECTION NO. 0006		Y000-TRAFFIC ITEMS (PART 2)	
804	2915	STRUCTURAL CONCRETE	4.220 CY
850(A)	8215	SHEET ALUMINUM SIGNS	147.000 SF
851	8616	(PL) 1 3/4" SQUARE TUBE POST	22.000 LF
851	8617	(PL) 2" SQUARE TUBE POST	49.000 LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	218.000 LF
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	6,095.000 LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	2,000.000 LF
856(B)	8005	REMOV.PVEMNT MRKNG TAPE(4"WIDE)	1,000.000 LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	100.000 LF
960.16	8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
960.18	8142	(PL) REMOVAL OF EXISTING SIGNS	1.000 LSUM
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2	2,000.000 EA
SECTION NO. 0007		STAK-STAKING (PART 1)	

LNTCIQA

STATE PROJECT

PAGE 20

642 0098 STAKING 1.000 LSUM

SECTION NO. 0008 STAK-STAKING (PART 2)

642 0098 STAKING 1.000 LSUM

LNTCIQA FEDERAL PROJECT PAGE 21
 CALL ORDER : 071 CONTRACT ID : 000089
 LETTING DATE : February 24, 2000 PCN : 1518504
 LETTING TIME : 2:00 P.M.
 COUNTIES: LATIMER PROJECTS : BRO-39D(184)CO
 DBE/WBE GOALS: 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.83
 RES. ENG.: DISTRICT 2 (ANTLERS)
 CAL. DAYS: 110 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY ROAD(NS-449) OVER FOURCHE MALINE CREEK, APPROX.
 3.540 KM SOUTH AND 4.184 KM EAST OF RED OAK.
 PROJ. LGTH.= 0.599 KM

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL) TOPSOIL - LUMP SUM	1.000	LSUM
222 M2801	TEMP. BALE BARRIER	100.000	M
223 M2802	TEMP. SILT FENCE	800.000	M
229 M4318	DITCH LINER PROTECTION	150.000	M
230(A) M2806	SOLID SLAB SODDING	2,000.000	M2
230(G) M2812	WATERING	300.000	KL
232(A) M2813	SEEDING METHOD A	0.600	HA
233(A) M2817	VEGETATIVE MULCHING	1.600	HA
234(A) M2824	FERTILIZING (10-20-10)	0.430	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	674.000	T
509(E) M0325	CLASS "C" CONC.	50.000	M3
613(D) M0690	600MM CORR. GALV. STEEL PIPE	11.000	M
613(D) M0692	900MM CORR. GALV. STEEL PIPE	12.000	M
613(G) M0761	600MM GALV. STEEL CULVERT END SECT. RND.		2.000 EA
613(G) M0763	900MM GALV. STEEL CULVERT END SECT. RND.		2.000 EA
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	98.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	48.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	103.000	M
504(E) M1380	CONCRETE RAIL (TR1)	70.300	M
506(A) M1322	STRUCTURAL STEEL	665.000	KG
509(A) M1326	CLASS AA CONCRETE	47.700	M3
509(E) M1332	CLASS S CONCRETE	44.600	M3
511(A) M1332	REINFORCING STEEL	10,050.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	161.900	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	161.900	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	255.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	40.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
640 M1398	FIELD OFFICE	1.000	EA

SECTION NO. 0002	X081-BRIDGE 'A'		
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 24
 CALL ORDER : 110 CONTRACT ID : 000038
 LETTING DATE : February 24, 2000 PCN : 1739504
 LETTING TIME : 2:00 P.M.
 COUNTIES: MAJOR PROJECTS : CIP-147N(39)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 55.84
 RES. ENG.: 61BUF
 CAL. DAYS: 300 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)
 AT VARIOUS LOCATIONS ALONG US-412 BETWEEN THE TOWN OF
 ORIENTA AND THE JUNCTION OF US-412/US-281.
 PROJ. LGTH.= 3.011 MI.
 FLEX. ESALS= 6.6 MILLION
 ASPH. GRADE= 64-22OK, 70-28OK & 76-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-147N(39)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	158,161.000	CY
202(E)	0184 UNCLASSIFIED BORROW	54,588.000	CY
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	31.000	STA
222	2801 TEMP. BALE BARRIER	10,276.000	LF
223	2801 (PL) TEMPORARY SILT FENCE	5,620.000	LF
226	2805 TEMP. SEDIMENT REMOVAL	423.000	CY
228	5709 (SU)PVC EROSION CONTROL MAT	13,423.000	SY
230(A)	2806 SOLID SLAB SODDING	60.000	SY
230(G)	2812 WATERING	7.000	MGAL
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	25.000	EA
231(A)	4567 TREES	25.000	EA
231(B)	4568 SHRUBS	30.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(E)	5929 (PL)PLANT ESTABLISHMENT PERIOD (TREES)	170.000	EA
231(F)	7023 (PL)PLANT ESTABLISHMT PERIOD(SHRB & GC)	110.000	EA
232(B)	2814 SEEDING METHOD B	62.000	AC
232(B)	7183 TEMPORARY SEEDING - METHOD B	6.000	AC
233(A)	2817 VEGETATIVE MULCHING	6.000	AC
233(C)	2819 ASPHALT MULCHING	93,462.000	GAL
234(A)	2824 FERTILIZING (10-20-10)	16.000	TON
234(A)	4406 FERTILIZING (0-46-0)	5.000	TON
241	2832 MOWING	62.000	AC
303	0192 AGGREGATE BASE	16,518.000	CY
317(A)	4252 FLY ASH	5,240.000	TON
317(C)	4254 SUBGRADE MODIFICATION	96,203.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	130.000	TON
407	0250 TACK COAT	15,838.000	GAL
408	5774 (SU)PRIME COAT	14,276.000	GAL

SECTION NO.	0001	I000-ROADWAY	CIP-147N(39)IP		
411(A)	4302	(SP)ASPHALT CONCRETE TYPE A (PG 64-22)		19,707.000	TON
411(AH)	7023	(SP)ASPHALT CONCRETE TYPE AH (PG 70-28)		29,411.000	TON
411(B)	4404	(SP)ASPHALT CONCRETE TYPE B (PG 64-22)		4,759.000	TON
411(BH)	7023	(SP)ASPHALT CONCRETE TYPE BH (PG)		6,949.000	TON
411(D)	4602	(SP)ASPHALT CONCRETE, TYPE D (PG 64-22)		326.000	TON
413(A)	4861	(SU) RUMBLE STRIP-METHOD AC-CON		38,196.000	LF
413(C)	4867	RUMBLE STRIP METHOD PCC-CYC (PER GROUP)		155.000	EA
414(AA)	5755	10" P.C. DOWEL JOINTED CONCRETE PAVEMENT		21,164.000	SY
417	5267	COLD MILLING PAVEMENT		16,679.000	SY
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED		57.000	CY
509(B)	0321	CLASS A CONCRETE		156.000	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES		5.000	CY
509(E)	1331	CLASS C CONCRETE		50.000	CY
511(A)	0332	REINFORCING STEEL		27,415.000	LB
529	6309	(SU) LOW STRENGTH BACKFILL MATERIAL		25.000	CY
601(B)	0539	TYPE II-SP. PLAIN RIP RAP		7,024.000	CY
601(E)	6312	FILTER FABRIC (RIPRAP)		6,172.000	SY
610(C)	0609	6" CONCRETE DIVIDING STRIP		65.000	SY
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)		7.000	EA
613(B)	0491	18" R.C.PIPE CLASS III		686.000	LF
613(B)	0492	24" R.C.PIPE CLASS III		193.000	LF
613(B)	0494	36" R.C.PIPE CLASS III		613.000	LF
613(CC)	7196	TYPE A6 CULVERT END TREATMENT		4.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT		20.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT		4.000	EA
613(CC)	7199	TYPE D6 CULVERT END TREATMENT		10.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE		220.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE		720.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE		134.000	LF
613(D)	0692	36" CORR. GALV. STEEL PIPE		419.000	LF
613(D)	4819	96" CORR. GALV. STEEL PIPE		360.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND		7.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND		2.000	EA
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND		4.000	EA
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND		550.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN		130.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.		50.000	CY
613(S)	1180	TRENCH EXCAVATION		1,154.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL		596.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL		2.000	EA
619(B)	4725	REMOVAL OF FENCE		26,795.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT		57,942.000	SY
619(B)	4780	REMOVAL OF GUARD RAIL		3,224.000	LF
619(B)	5918	REMOVAL OF EXISTING PIPE		1,048.000	LF
619(B)	8305	REMOVAL OF SIGNS		72.000	EA
619(C)	0924	SAWING PAVEMENT		3,203.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE		575.000	LF
623(F)	4449	GUARD RAIL ANCHOR UNIT (TYPE D)		4.000	EA
623(G)	0936	GUIDE POSTS		87.000	EA
623(H)	8571	(SP) G.E.T. GUARD RAIL END SECTION		4.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)		26,905.000	LF
629(E)	5048	(SU) REMOVE AND RESET MAILBOX		6.000	EA
640	1426	FIELD OFFICE		1.000	EA

SECTION NO. 0001		I000-ROADWAY	CIP-147N(39)IP		
641	1552	MOBILIZATION		1.000	LSUM
653(C)	5946	(SP) OUTLET LATERAL HEADWALL		4.000	EA
804	2915	STRUCTURAL CONCRETE		19.000	CY
804	2916	REINFORCING STEEL		2,032.000	LB
SECTION NO. 0002		X900-BRIDGE REMOVAL & CONSTRUCTION	CIP-147N(39)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION		445.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED		94.000	CY
509(B)	1328	CLASS A CONCRETE		225.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)		31,780.000	LB
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
SECTION NO. 0003		Y000-TRAFFIC	CIP-147N(39)IP		
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR		275.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR		275.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS		1,088.000	SF
851(B)	3216	2" @ 3.65 GALV. STL.PIPE POSTS		443.000	LF
851(B)	3217	2 1/2"@5.79GALV.STL.PIPE POSTS		618.000	LF
851(B)	3218	3" @ 7.58 GALV. STL.PIPE POSTS		307.000	LF
851(C)	8597	FLANGE CHANNEL POSTS (4.0 LB./FT.)		27.000	LF
853(B)	3311	DELINEATORS TYPE 1 CODE 2		6.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2		16.000	EA
854	3316	TRAFFIC STRIPE (PAINT)(4" WIDE)		13,072.000	LF
855(A)	3320	TRAFFIC STRIPE(THERMOPLASTIC)(4"WIDE)		54,911.000	LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)		4.000	EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)		2.000	EA
855(F)	8002	TRAF.STRIPE(PLASTIC)(TAPE)ARROW		15.000	EA
855(G)	8003	TRAF.STRIPE(PLASTIC)(TAPE)WORDS		9.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)		77,600.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)		45,600.000	LF
874(A)	8036	(SU)G-RAIL IM.AT. G-R-E-A-T CZ		1.000	EA
880(E)	8017	SIGNS 6.26 TO 15.99 SF		7,275.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.		10,380.000	SD
880(J)	8021	BARRICADES (TYPE III)		10,650.000	SD
880(L)	8023	VERTICAL PANELS		16,875.000	SD
880(P)	8323	DRUMS		10,650.000	EA
930.56	4729	(PL) REMOVE AND RESET CATTLE GUARD		1.000	EA
960.20	8144	(PL) RELOC. OF CONST. ZONE IMPACT ATN.		1.000	EA
SECTION NO. 0004		STAK-STAKING	CIP-147N(39)IP		
642	0098	STAKING		1.000	LSUM

LNTCIQA STATE PROJECT PAGE 27
 CALL ORDER : 120 CONTRACT ID : 000039
 LETTING DATE : February 24, 2000 PCN : 1739508
 LETTING TIME : 2:00 P.M.
 COUNTIES: MAJOR PROJECTS : CIP-147N(43)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 10.20
 RES. ENG.: 61BUF
 CAL. DAYS: 150 LIQ. DAM: \$ 800

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 ON US-412 OVER COTTONWOOD CREEK APPROXIMATELY 1.0 MILE
 WEST OF THE TOWN OF ORIENTA.
 PROJ. LGTH.= 0.09 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-BRIDGE 'A' CIP-147N(43)IP		
202(F) 0186	SELECT BORROW	40.000	CY
230(A) 2806	SOLID SLAB SODDING	300.000	SY
230(G) 2812	WATERING	10.000	MGAL
234(A) 2824	FERTILIZING (10-20-10)	0.500	TON
414(C) 0309	APPROACH SLABS	294.000	SY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,125.000	LF
504(A) 1314	CLASS AA CONCRETE	292.000	CY
505(A) 1380	CONCRETE RAIL	428.000	LF
506(A) 6005	STRUCTURAL STEEL A36	5,443.000	LB
509(B) 1328	CLASS A CONCRETE	112.000	CY
509(E) 1331	CLASS C CONCRETE	14.000	CY
511(A) 1439	REINFORCING STEEL (GRADE 60)	17,126.000	LB
511(B) 6009	EPOXY COATED REINF. STEEL (GR 60)	54,308.000	LB
514(E) 6011	STEEL PILING (HP 12X53)	456.000	LF
515 6013	PENETRAT WATER REPELL SURF.TR.	675.000	SY
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	258.000	LF
516(C) 6106	CORRUGATED GALV.STL.PIPE 42"DIA	120.000	LF
601(A-1)0536	TYPE I-A-PLAIN RIP RAP	626.000	TON
601(A-2)0538	TYPE I-A FILTER BLANKET	210.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	88.000	LF
613(Q) 6207	6"RND.NON-PERF.PIPE UNDERDRAIN	80.000	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	34.000	CY
613(S) 1180	TRENCH EXCAVATION	10.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	10.000	CY
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	STAK-STAKING CIP-147N(43)IP		
642 0098	STAKING	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 28
 CALL ORDER : 130 CONTRACT ID : 000040
 LETTING DATE : February 24, 2000 PCN : 1739504C
 LETTING TIME : 2:00 P.M.
 COUNTIES: MAJOR PROJECTS : CIP-147N(39)IP/CIP-147N(43)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 66.04
 RES. ENG.: 61BUF
 CAL. DAYS: 400 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)
 AT VARIOUS LOCATIONS ALONG US-412 BETWEEN THE TOWN OF
 ORIENTA AND THE JUNCTION OF US-412/US-281.
 PROJ. LGTH.= 3.101 MI.
 FLEX. ESALS= 6.6 MILLION
 ASPH. GRADE= 64-22OK, 70-28OK & 76-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-147N(39)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	158,161.000	CY
202(E)	0184 UNCLASSIFIED BORROW	54,588.000	CY
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	31.000	STA
222	2801 TEMP. BALE BARRIER	10,276.000	LF
223	2801 (PL) TEMPORARY SILT FENCE	5,620.000	LF
226	2805 TEMP. SEDIMENT REMOVAL	423.000	CY
228	5709 (SU)PVC EROSION CONTROL MAT	13,423.000	SY
230(A)	2806 SOLID SLAB SODDING	60.000	SY
230(G)	2812 WATERING	7.000	MGAL
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	25.000	EA
231(A)	4567 TREES	25.000	EA
231(B)	4568 SHRUBS	30.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(E)	5929 (PL)PLANT ESTABLISHMENT PERIOD (TREES)	170.000	EA
231(F)	7023 (PL)PLANT ESTABLISHMT PERIOD(SHRB & GC)	110.000	EA
232(B)	2814 SEEDING METHOD B	62.000	AC
232(B)	7183 TEMPORARY SEEDING - METHOD B	6.000	AC
233(A)	2817 VEGETATIVE MULCHING	6.000	AC
233(C)	2819 ASPHALT MULCHING	93,462.000	GAL
234(A)	2824 FERTILIZING (10-20-10)	16.000	TON
234(A)	4406 FERTILIZING (0-46-0)	5.000	TON
241	2832 MOWING	62.000	AC
303	0192 AGGREGATE BASE	16,518.000	CY
317(A)	4252 FLY ASH	5,240.000	TON
317(C)	4254 SUBGRADE MODIFICATION	96,203.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	130.000	TON
407	0250 TACK COAT	15,838.000	GAL
408	5774 (SU)PRIME COAT	14,276.000	GAL

SECTION NO.	0001	I000-ROADWAY	CIP-147N(39)IP		
411(A)	4302	(SP)ASPHALT CONCRETE TYPE A (PG 64-22)	19,707.000	TON	
411(AH)	7023	(SP)ASPHALT CONCRETE TYPE AH (PG 70-28)	29,411.000	TON	
411(B)	4404	(SP)ASPHALT CONCRETE TYPE B (PG 64-22)	4,759.000	TON	
411(BH)	7023	(SP)ASPHALT CONCRETE TYPE BH (PG)	6,949.000	TON	
411(D)	4602	(SP)ASPHALT CONCRETE, TYPE D (PG 64-22)	326.000	TON	
413(A)	4861	(SU) RUMBLE STRIP-METHOD AC-CON	38,196.000	LF	
413(C)	4867	RUMBLE STRIP METHOD PCC-CYC (PER GROUP)	155.000	EA	
414(AA)	5755	10" P.C. DOWEL JOINTED CONCRETE PAVEMENT	21,164.000	SY	
417	5267	COLD MILLING PAVEMENT	16,679.000	SY	
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	57.000	CY	
509(B)	0321	CLASS A CONCRETE	156.000	CY	
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	5.000	CY	
509(E)	1331	CLASS C CONCRETE	50.000	CY	
511(A)	0332	REINFORCING STEEL	27,415.000	LB	
529	6309	(SU) LOW STRENGTH BACKFILL MATERIAL	25.000	CY	
601(B)	0539	TYPE II-SP. PLAIN RIP RAP	7,024.000	CY	
601(E)	6312	FILTER FABRIC (RIPRAP)	6,172.000	SY	
610(C)	0609	6" CONCRETE DIVIDING STRIP	65.000	SY	
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	7.000	EA	
613(B)	0491	18" R.C.PIPE CLASS III	686.000	LF	
613(B)	0492	24" R.C.PIPE CLASS III	193.000	LF	
613(B)	0494	36" R.C.PIPE CLASS III	613.000	LF	
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	20.000	EA	
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7199	TYPE D6 CULVERT END TREATMENT	10.000	EA	
613(D)	0689	18" CORR. GALV. STEEL PIPE	220.000	LF	
613(D)	0690	24" CORR. GALV. STEEL PIPE	720.000	LF	
613(D)	0691	30" CORR. GALV. STEEL PIPE	134.000	LF	
613(D)	0692	36" CORR. GALV. STEEL PIPE	419.000	LF	
613(D)	4819	96" CORR. GALV. STEEL PIPE	360.000	LF	
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	7.000	EA	
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA	
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND	4.000	EA	
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	550.000	LF	
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	130.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY	
613(S)	1180	TRENCH EXCAVATION	1,154.000	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	596.000	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	0291	REMOVAL OF HEADWALL	2.000	EA	
619(B)	4725	REMOVAL OF FENCE	26,795.000	LF	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	57,942.000	SY	
619(B)	4780	REMOVAL OF GUARD RAIL	3,224.000	LF	
619(B)	5918	REMOVAL OF EXISTING PIPE	1,048.000	LF	
619(B)	8305	REMOVAL OF SIGNS	72.000	EA	
619(C)	0924	SAWING PAVEMENT	3,203.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	575.000	LF	
623(F)	4449	GUARD RAIL ANCHOR UNIT (TYPE D)	4.000	EA	
623(G)	0936	GUIDE POSTS	87.000	EA	
623(H)	8571	(SP) G.E.T. GUARD RAIL END SECTION	4.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	26,905.000	LF	
629(E)	5048	(SU) REMOVE AND RESET MAILBOX	6.000	EA	
640	1426	FIELD OFFICE	1.000	EA	

SECTION NO. 0001	I000-ROADWAY	CIP-147N(39)IP		
641	1552	MOBILIZATION	1.000	LSUM
653(C)	5946	(SP) OUTLET LATERAL HEADWALL	4.000	EA
804	2915	STRUCTURAL CONCRETE	19.000	CY
804	2916	REINFORCING STEEL	2,032.000	LB
SECTION NO. 0002	X900-BRIDGE REMOVAL & CONSTRUCTION	CIP-147N(39)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	445.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	94.000	CY
509(B)	1328	CLASS A CONCRETE	225.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	31,780.000	LB
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0003	X081-BRIDGE 'A'	CIP-147N(43)IP		
202(F)	0186	SELECT BORROW	40.000	CY
230(A)	2806	SOLID SLAB SODDING	300.000	SY
230(G)	2812	WATERING	10.000	MGAL
234(A)	2824	FERTILIZING (10-20-10)	0.500	TON
414(C)	0309	APPROACH SLABS	294.000	SY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	CY
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,125.000	LF
504(A)	1314	CLASS AA CONCRETE	292.000	CY
505(A)	1380	CONCRETE RAIL	428.000	LF
506(A)	6005	STRUCTURAL STEEL A36	5,443.000	LB
509(B)	1328	CLASS A CONCRETE	112.000	CY
509(E)	1331	CLASS C CONCRETE	14.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	17,126.000	LB
511(B)	6009	EPOXY COATED REINF. STEEL (GR 60)	54,308.000	LB
514(E)	6011	STEEL PILING (HP 12X53)	456.000	LF
515	6013	PENETRAT WATER REPELL SURF.TR.	675.000	SY
516(A)	6093	DRILLED SHAFTS 42" DIAMETER	258.000	LF
516(C)	6106	CORRUGATED GALV.STL.PIPE 42"DIA	120.000	LF
601(A-1)	0536	TYPE I-A-PLAIN RIP RAP	626.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	210.000	TON
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	88.000	LF
613(Q)	6207	6"RND.NON-PERF.PIPE UNDERDRAIN	80.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	34.000	CY
613(S)	1180	TRENCH EXCAVATION	10.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	10.000	CY
641	1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0004	Y000-TRAFFIC	CIP-147N(39)IP		
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	275.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	275.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	1,088.000	SF
851(B)	3216	2" @ 3.65 GALV. STL.PIPE POSTS	443.000	LF
851(B)	3217	2 1/2"@5.79GALV.STL.PIPE POSTS	618.000	LF
851(B)	3218	3" @ 7.58 GALV. STL.PIPE POSTS	307.000	LF

SECTION NO. 0004	Y000-TRAFFIC	CIP-147N(39)IP		
851(C)	8597	FLANGE CHANNEL POSTS (4.0 LB./FT.)	27.000	LF
853(B)	3311	DELINEATORS TYPE 1 CODE 2	6.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2	16.000	EA
854	3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	13,072.000	LF
855(A)	3320	TRAFFIC STRIPE(THERMOPLASTIC)(4"WIDE)	54,911.000	LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)	4.000	EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)	2.000	EA
855(F)	8002	TRAF.STRIPE(PLASTIC)(TAPE)ARROW	15.000	EA
855(G)	8003	TRAF.STRIPE(PLASTIC)(TAPE)WORDS	9.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	77,600.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	45,600.000	LF
874(A)	8036	(SU)G-RAIL IM.AT. G-R-E-A-T CZ	1.000	EA
880(E)	8017	SIGNS 6.26 TO 15.99 SF	7,275.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.	10,380.000	SD
880(J)	8021	BARRICADES (TYPE III)	10,650.000	SD
880(L)	8023	VERTICAL PANELS	16,875.000	SD
880(P)	8323	DRUMS	10,650.000	EA
930.56	4729	(PL) REMOVE AND RESET CATTLE GUARD	1.000	EA
960.20	8144	(PL) RELOC. OF CONST. ZONE IMPACT ATN.	1.000	EA
SECTION NO. 0005	STAK-STAKING	CIP-147N(39)IP		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0006	STAK-STAKING	CIP-147N(43)IP		
642	0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 32
 CALL ORDER : 135 CONTRACT ID : 000098
 LETTING DATE : February 24, 2000 PCN : 1694904
 LETTING TIME : 2:00 P.M.
 COUNTIES: NOBLE PROJECTS : BRO-152D(12)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.91
 RES. ENG.: 41PER
 CAL. DAYS: 130 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY ROAD(NS-331) OVER RED ROCK CREEK, APPROXIMATELY
 2.575 KM WEST OF US-177 AND 2.414 KM NORTH OF SH-15.
 PROJ. LGTH.= 0.529 KM

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL) TOPSOIL - LUMP SUM	1.000	LSUM
222 M2801	TEMP. BALE BARRIER	200.000	M
223 M2802	TEMP. SILT FENCE	950.000	M
230(A) M2806	SOLID SLAB SODDING	9,810.000	M2
230(F) M2812	WATERING	1,766.000	KL
233(A) M2817	VEGETATIVE MULCHING	0.980	HA
234(A) M2824	FERTILIZING (10-20-10)	1.080	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	800.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(CC)M7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(D) M0690	600MM CORR. GALV. STEEL PIPE	42.300	M
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	75.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	30.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	237.750	M
504(E) M1380	CONCRETE RAIL (TR1)	109.500	M
509(A) M1326	CLASS AA CONCRETE	83.600	M3
509(E) M1332	CLASS S CONCRETE	56.200	M3
511(A) M1332	REINFORCING STEEL	14,135.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	112.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	112.000	M
516(A) M6095	DRILLED SHAFTS 1350MM DIAMETER	44.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,500.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	440.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			

LNTCIQA

FEDERAL PROJECT

PAGE 33

SECTION NO. 0003

STAK-STAKING

642 M0098

STAKING

1.000 LSUM

LNTCIQA FEDERAL PROJECT PAGE 34
 CALL ORDER : 160 CONTRACT ID : 000032
 LETTING DATE : February 24, 2000 PCN : 1719204
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKFUSKEE PROJECTS : BRO-154D(14)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.79
 RES. ENG.: 33WEW
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY ROAD(EW-99) OVER SPRING CREEK APPROXIMATELY 9.495
 KILOMETERS NORTH AND 0.322 KILOMETERS WEST OF BOLEY.
 PROJ. LGTH.= 0.249 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
223 M2802	TEMP. SILT FENCE	470.000	M
227 M0100	(PL) TEMPORARY SILT DIKE	50.000	M
230(A) M2806	SOLID SLAB SODDING	4,685.000	M2
230(F) M2812	WATERING	1,687.000	KL
233(A) M2817	VEGETATIVE MULCHING	0.940	HA
234(A) M2824	FERTILIZING (10-20-10)	0.520	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	371.000	T
509(D) M0325	CLASS C CONCRETE	54.600	M3
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	75.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	30.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	79.250	M
504(E) M1380	CONCRETE RAIL (TR1)	45.500	M
509(A) M1326	CLASS AA CONCRETE	28.700	M3
509(E) M1332	CLASS S CONCRETE	22.400	M3
511(A) M1439	REINFORCING STEEL (GRADE 420)	5,075.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	106.400	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	106.400	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	480.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	130.000	T
619(B) M6050	REMOVAL OF SUBSTRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 200
 LETTING DATE : February 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA

STATE PROJECT
 CONTRACT ID : 000041
 PCN : 1698108

PAGE 35

PROJECTS : CIP-155A(186)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 46OKC
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

RESURFACE
 ON US-62(N.E. 23RD STREET) BEGINNING AT THE JUNCTION OF
 US-62/I-35 AND EXTENDING EAST.
 PROJ. LGTH.= 1.9 MI.
 FLEX. ESALS= 2.3 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
205 5209	(PL) TOPSOIL	100.000	CY
303 0192	AGGREGATE BASE	200.000	CY
407 0250	TACK COAT	3,000.000	GAL
411(A) 5269	(PL)ASPHALT CONCRETE TYPE A (PATCHING)	985.000	TON
411(BH) 6690	(SP)ASPHALT CONCRETE TYPE BH(PG70-28OK)	6,200.000	TON
414(BB) 5757	8" H.E.S. DOWEL JOINTED CONCRETE PAV	660.000	SY
417 5267	COLD MILLING PAVEMENT	4,800.000	SY
419 4152	CONCRETE JOINT REHABILITATION	3,200.000	LF
612(A) 0641	MANHOLES ADJUST TO GRADE	16.000	EA
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	660.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	1,712.000	SY
SECTION NO. 0002 Y002-TRAFFIC SIGNING & STRIPING			
828(B) 8494	LOOP DETECTOR WIRE	700.000	LF
855(A) 3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	47,000.000	LF
855(B) 3320	TRAF. STR. (PLASTIC)(ARROWS)	4.000	EA
855(C) 3321	TRAF. STR. (PLASTIC)(WORDS)	2.000	EA
859(A) 8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	3,000.000	LF
859(B) 8007	PAVEMENT MARKING REMOV.(ARROWS)	4.000	EA
859(C) 8008	PAVEMENT MARKING REMOV. (WORDS)	2.000	EA
SECTION NO. 0003 Y008-CONST.TRAFFIC CONTROL			
880(C) 8015	ADVANCE WARNING DEVICE (TYPE C)	70.000	SD
880(D) 8016	SIGNS 0 TO 6.25 SF	200.000	SD
880(E) 8017	SIGNS 6.26 TO 15.99 SF	200.000	SD
880(F) 8018	SIGNS 16.0 SF TO 32.99 S.F.	500.000	SD
880(I) 8020	BARRICADES (TYPE II)	500.000	SD
880(J) 8021	BARRICADES (TYPE III)	100.000	SD
880(K) 8022	WING BARRICADES	300.000	SD
880(M) 8024	TYPE A. LIGHT	1,000.000	SD
880(O) 8026	TYPE C LIGHT	500.000	SD

SECTION NO. 0003 Y008-CONST.TRAFFIC CONTROL

880(P)	8027	DRUMS	500.000	SD
880(T)	8615	(PL) CONES (LARGE)	1,000.000	SD

LNTCIQA
 CALL ORDER : 210
 LETTING DATE : February 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA

STATE PROJECT
 CONTRACT ID : 000042
 PCN : 1740904

PAGE 37

PROJECTS : CIP-155N(159)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 150.33
 RES. ENG.: 44EDM
 CAL. DAYS: 520 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE
 ON BROADWAY EXTENSION(US-77) BEGINNING APPROXIMATELY 0.966
 KILOMETERS SOUTH OF HEFNER ROAD AND EXTENDING NORTH.
 PROJ. LGTH.= 2.569 KM.
 FLEX. ESALS= 34.1 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	J000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	70,023.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	30,498.000	M3
202(C)	M4781 UNCLASSIFIED BORROW (TOP SOIL)	7,500.000	M3
205	M4229 TYPE A - SALVAGED TOPSOIL	1.000	LSUM
223	M2802 TEMP. SILT FENCE	4,850.000	M
224	M2803 TEMP. SEDIMENT FILTER	38.000	EA
227	M0100 (PL) TEMPORARY SILT DIKE	172.000	M
230(A)	M2806 SOLID SLAB SODDING	149,086.000	M2
230(F)	M2812 WATERING	40,199.000	KL
232(B)	M2814 SEEDING METHOD B	14.520	HA
232(D)	M2816 WATERING	26,136.000	KL
233(A)	M2817 VEGETATIVE MULCHING	14.520	HA
234(A)	M2824 FERTILIZING (10-20-10)	15.990	T
235(B)	M0101 (PL)ROCK FILTER DAM, TYPE 2	18.000	M3
310(B)	M0149 SUBGRADE, METHOD B	5,000.000	M2
317(A)	M4252 FLY ASH	7,051.000	T
317(B)	M4254 SUBGRADE MODIFICATION	133,566.000	M2
317(C)	M4253 LIME	1,411.000	T
317(D)	M4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	133,566.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	T
407	M0250 TACK COAT	21,446.000	L
408	M5774 PRIME COAT	118,878.000	L
411(A)	M5269 (PL)ASPHALT CONCRETE TYPE A (PATCHING)	2,465.000	T
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	28,397.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	21,220.000	T
414(A1)	M5754 225MM P.C. DOWEL JOINTED CONCRETE PAV	40,935.000	M2
414(A1)	M5757 275MM P.C. DOWEL JOINTED CONCRETE PAV	106,598.000	M2
417	M4267 COLD MILLING BITUMINOUS PAVEMENT	58,576.000	M2
417	M4659 (PL) FOG SEAL	26,358.000	L
501(A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	209.000	M3
501(G)	M6309 CLSM BACKFILL	104.200	M3
504(F)	M1381 CONCRETE PARAPET	1,418.000	M

SECTION NO. 0001

J000-ROADWAY

509(A)	M1326	CLASS AA CONCRETE	730.160	M3
509(B)	M0321	CLASS A CONCRETE	532.600	M3
509(B)	M4153	CLASS A CONCRETE (MED.BAR.DES.1-A)	635.470	M3
509(C)	M0322	CLASS A CONCRETE FOR SMALL STRUCTURES	59.670	M3
509(D)	M0325	CLASS C CONCRETE	74.720	M3
510(A)	M6333	RETAINING WALL	2,058.000	M2
511(A)	M0332	REINFORCING STEEL	134,534.000	KG
601(D)	M1390	TYPE IV-GROUTED RIPRAP	302.000	M2
609(A)	M0299	CONC.CURB(100 MM MNTBLE-INTEGRAL)	2,199.000	M
609(A)	M0300	CONC.CURB(150 MM BARRIER-INTEGRAL)	4,521.000	M
609(B)	M1525	800 MM COMB.CRB.&GUT.(150 MM BAR.CURB)	2,785.000	M
610(A)	M0602	100 MM CONCRETE SIDEWALK	2,294.000	M2
610(A)	M0605	150 MM CONCRETE SIDEWALK	173.000	M2
610(B)	M0399	150 MM CONCRETE DRIVEWAY (H.E.S.)	1,692.000	M2
610(C)	M0609	150 MM CONCRETE DIVIDING STRIP	5,208.000	M2
610(G)	M4475	BIT. DRIVEWAY (150 MM)	282.000	M2
611(A)	M2657	MANHOLE (1200 MM DIA.)	17.000	EA
611(A)	M2659	MANHOLE (1800 MM DIA.)	12.000	EA
611(B)	M0483	ADD'L.DEPTH IN MANHOLE (1800 MM DIA)	8.614	M
611(B)	M2680	ADD'L.DEPTH IN MANHOLE (1200 MM DIA)	12.118	M
611(D)	M4215	MANHOLE FRAME & COVER	35.000	EA
611(E)	M5112	INLET CICI DES. 2 (STD)	29.000	EA
611(E)	M5113	INLET CICI DES. 2 (B)	8.000	EA
611(E)	M5115	INLET CICI DES. 2 (D)	22.000	EA
611(E)	M5117	INLET CICI DES. 2 (2B)	1.000	EA
611(E)	M5119	INLET CICI DES. 2 (2D)	1.000	EA
611(E)	M5122	INLET CICI DES. 3 (D)	3.000	EA
611(E)	M5327	INLET GPI TYPE 1 (DES. 1)	4.000	EA
611(E)	M5328	INLET GPI TYPE 1 (DES. 2)	1.000	EA
611(E)	M5329	INLET GPI TYPE 1 (DES. 3)	2.000	EA
611(E)	M5332	INLET GPI TYPE 1 (DES. 6)	2.000	EA
611(E)	M5338	INLET GPI TYPE 2 (DES. 12)	4.000	EA
611(E)	M5339	INLET GPI TYPE 2 (DES. 13)	2.000	EA
611(E)	M5393	INLET CDI RCB(90SK) DES. 7	1.000	EA
611(E)	M6000	INLET (SMD-TYPE 1)	5.000	EA
611(E)	M6002	INLET (SMD-TYPE 2)	2.000	EA
611(F)	M5273	INLET (DES. 2, CICI, ADD'L. DEPTH)	10.962	M
611(F)	M5275	INLET (DES. 2B, CICI, ADD'L. DEPTH)	4.442	M
611(F)	M5277	INLET (DES. 2D, CICI, ADD'L. DEPTH)	8.920	M
611(F)	M5306	INLET CICI DES. 2 (2B, ADD'L DEPTH)	0.515	M
611(F)	M5308	INLET CICI DES. 2 (2D, ADD'L DEPTH)	0.515	M
611(F)	M5311	INLET CICI DES. 3 (D, ADD'L DEPTH)	2.467	M
611(F)	M5374	INLET GPI TYPE 1 (ADD'L DEPTH)	0.785	M
611(F)	M5542	INLET CDI RCB(90SK) DES. 7, (ADD'L DEPTH)	0.350	M
611(G)	M4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	178.000	EA
611(J)	M0487	JUNCTION BOXES	14.710	M3
611(K)	M4488	CAST IRON CURB INLETS	266.000	EA
612(E)	M0645	INLETS ADJUST TO GRADE	6.000	EA
613(B)	M0405	450MM R.C.PIPE CLASS III	1,212.600	M
613(B)	M0409	600MM R.C.PIPE CLASS III	949.700	M
613(B)	M0413	750MM R.C.PIPE CLASS III	288.100	M
613(B)	M0415	900MM R.C.PIPE CLASS III	125.200	M
613(B)	M0419	1200MM R.C.PIPE CLASS III	437.500	M
613(B)	M4475	975MM X 1535MM R.C.PIPE ELL. CL. HE-III	66.100	M

SECTION NO.	DESCRIPTION	QUANTITY	UNIT
SECTION NO. 0001	J000-ROADWAY		
613(C) M4373	SP. END SECTION OF 450MM RCP ROUND	22.000	EA
613(C) M4375	SP. END SECTION OF 600MM RCP ROUND	1.000	EA
613(C) M4379	SP. END SECTION OF 900MM RCP ROUND	3.000	EA
613(C) M4383	SP. END SECTION OF 1200MM RCP ROUND	4.000	EA
613(C) M5182	SP. END SECT. OF 975MM X 1535MM RCP ELL.	1.000	EA
613(D) M0688	300MM CORR. GALV. STEEL PIPE	30.000	M
613(D) M0689	450MM CORR. GALV. STEEL PIPE	51.000	M
613(D) M0691	750MM CORR. GALV. STEEL PIPE	14.000	M
613(P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	300.000	M
613(R) M1100	PIPE UNDERDRAIN COVER MAT'L.	115.000	M3
613(S) M1180	TRENCH EXCAVATION	7,095.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	3,012.600	M3
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) M4726	REMOVAL OF CURB AND GUTTER	3,405.000	M
619(B) M4727	REMOVAL OF CONCRETE PAVEMENT	32,424.000	M2
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	75,428.000	M2
619(B) M4915	REMOVAL OF CONCRETE MEDIAN BARRIER	351.000	M
619(C) M0924	SAWING PAVEMENT	5,861.000	M
624(D) M4292	FENCE-STYLE CLF (1800MM HIGH, CLASS A)	1,754.000	M
627(I) M4317	CONCRETE MEDIAN BARRIER, DESIGN 1	1,441.000	M
640 M1426	FIELD OFFICE	1.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
930.03 M4663	(PL) SLOTTED DRAIN	638.200	M

SECTION NO.	DESCRIPTION	QUANTITY	UNIT
SECTION NO. 0002	X281-BRIDGE 'A'		
202(D) M1303	SELECT BORROW	80.000	M3
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	292.000	M3
501(G) M6309	CLSM BACKFILL	571.600	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,238.440	M
504(A) M1304	APPROACH SLAB	686.400	M2
504(C) M6276	SEALED EXPANSION JOINTS	38.120	M
504(F) M1381	CONCRETE PARAPET	393.800	M
506(A) M1322	STRUCTURAL STEEL	9,880.000	KG
509(A) M1326	CLASS AA CONCRETE	780.200	M3
509(E) M1332	CLASS S CONCRETE	571.400	M3
510 M6350	(PL) STEEL SHEET PILING	451.000	M2
510(C) M6135	SLOPE WALL (125MM)	1,606.000	M2
511(A) M1332	REINFORCING STEEL	53,550.000	KG
511(B) M6010	EPOXY COATED REINF. STEEL	97,470.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	825.800	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	825.800	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	72.000	EA
514(G) M6310	METAL PILE SHOES	72.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	1,764.000	M2
516(A) M6098	DRILLED SHAFTS 1800MM DIAMETER	61.600	M
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	180.800	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	76.000	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION NO.	DESCRIPTION	QUANTITY	UNIT
SECTION NO. 0003	X281-BRIDGE 'B'		
202(A) M0103	COMMON EXCAVATION	300.000	M3
202(D) M1303	SELECT BORROW	220.000	M3

SECTION NO. 0003		X281-BRIDGE 'B'	
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	395.000 M3
503(A)	M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	152.100 M
504(A)	M1304	APPROACH SLAB	155.400 M2
504(C)	M6383	(PL) SILICONE EXPANSION JOINT	13.400 M
504(C)	M6389	(PL) RAPID CURE JOINT SEALANT	97.500 M
504(F)	M1381	CONCRETE PARAPET	180.400 M
505(A)	M6018	CLASS A BRIDGE DECK REPAIR	20.000 M2
505(B)	M6019	CLASS B BRIDGE DECK REPAIR	14.000 M2
505(C)	M6020	CLASS C BRIDGE DECK REPAIR	14.000 M2
506(A)	M1322	STRUCTURAL STEEL	1,090.000 KG
509(A)	M1326	CLASS AA CONCRETE	93.400 M3
509(E)	M1332	CLASS S CONCRETE	393.500 M3
510(C)	M6135	SLOPE WALL (125MM)	490.000 M2
511(A)	M1332	REINFORCING STEEL	13,360.000 KG
511(B)	M6010	EPOXY COATED REINF. STEEL	42,130.000 KG
512(A)	M1323	PAINTING EXISTING STRUCTURES	1.000 LSUM
514(A)	M6011	PILES, FURNISHED (HP 250X62)	162.400 M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	162.400 M
514(G)	M6310	METAL PILE SHOES	20.000 EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	441.000 M2
520(A)	M6058	PREP. OF CRACKS ABOVE WATER	86.000 M
520(C)	M6060	EPOXY RESIN ABOVE WATER	16.000 L
535	M6185	(PL) SUBSTRUCTURE CONCRETE REPAIR	4.000 M2
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	99.000 M
613(Q)	M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	52.000 M
619(B)	M4792	REMOVAL OF SIDEWALK	144.000 M2
619(B)	M6243	REMOVAL OF CONCRETE SLOPE WALL	360.000 M2
619(B)	M6252	REMOVAL OF EXISTING PARAPET	90.200 M
619(B)	M6319	REMOVAL OF DECK	40.000 M2
SECTION NO. 0004		Y000-TRAFFIC	
627(G)	M8120	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	8,477.000 M
627(H)	M8125	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	29,300.000 M
802(B)	M8338	38MM PVC SCH.40 P.C.TR.	170.000 M
802(B)	M8342	50MM PVC SCH.40 P.C.TR.	2,355.000 M
802(B)	M8346	75MM PVC SCH.40 P.C.TR.	420.000 M
803	M8065	PULL BOX(SIZE I)	31.000 EA
803	M8066	PULL BOX(SIZE II)	1.000 EA
803	M8067	PULL BOX(SIZE III)	9.000 EA
804(A)	M2915	STRUCTURAL CONCRETE	209.900 M3
804(B)	M2916	REINFORCING STEEL	7,462.000 KG
806(A)	M8329	9.7M MH POLE 15.2M TS&4.6M LMA(G.STL.)	1.000 EA
806(A)	M8473	9.7M MH POLE 16.8M TS& 4.6M LMA(G.STL.)	1.000 EA
806(A)	M8554	9.7M MTG.HT.POLE & 4.6M LMA (G.STL.)	4.000 EA
806(A)	M8579	9.7M MHP.10.7M,9.1M T.S.&4.6M LMA(G.STL)	2.000 EA
806(B)	M8369	3.7M MTG.HT.T.S.PED.POLE(G.STL.)	2.000 EA
809(A)	M8097	ROADWAY LUMINAIRE(250 WATT HPS)	8.000 EA
810(A)	M3118	SERVICE POLE	1.000 EA
811	M8044	1/C NO.10 ELECT.COND.	1,710.000 M
825	M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000 EA
828(A)	M8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	6.000 EA
828(B)	M8494	LOOP DETECTOR WIRE	454.000 M
830	M8000	PEDESTRIAN PUSH BUTTON	12.000 EA

SECTION NO. 0004

Y000-TRAFFIC

831	M8170	1WAY3S AD.SG.HD.(MAM)S-6	12.000	EA
831	M8171	1WAY3S AD.SG.HD.(MAM)S-9	2.000	EA
831	M8194	1WAY2SAD.PD.SG.HD.(CM)S-20	12.000	EA
831	M8302	1WAY1SEC.ADJ.SG.HD.(CM)S-22	4.000	EA
833	M3041	200MM BACKPLATE (300MM HDS)(B-1)	14.000	EA
834(A)	M8207	5/C TRAF.SIG.ELECT.CABLE	1,970.000	M
834(A)	M8208	7/C TRAF.SIG.ELECT.CABLE	350.000	M
834(A)	M8210	12/C TRAF.SIG.ELECT.CABLE	690.000	M
834(B)	M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1,140.000	M
850(A)	M8110	SHEET ALUMINUM SIGNS	110.650	M2
850(B)	M8112	EXTRUDED ALUMINIUM PANEL SIGNS	220.210	M2
850(C)	M8118	MAST ARM MOUNTED SIGNS(ALUM.)	10.320	M2
851	M8642	(PL) 57.2MM SQUARE TUBE POST	278.110	M
851(A)	M3206	100MM @ 19.3 G.STL.WD.FLANGE BM.POST	39.530	M
851(A)	M3207	150MM @ 22.3 GALV.STL.WD.FLANGE BM.POST	11.220	M
851(A)	M3209	150MM @ 37.2 GALV.STL.WD.FLANGE BM.POST	23.140	M
851(A)	M3210	200MM @ 46.1 GALV.STL.WD.FLANGE BM.POST	27.970	M
851(B)	M3216	50 MM @ 5.43 GALV. STL.PIPE POST	19.320	M
851(B)	M3217	64 MM @ 8.62 GALV.STL.PIPE POST	48.390	M
851(B)	M3218	75MM @ 11.28 G.STL.PIPE POST	47.870	M
852	M8339	(PL) OVHD.SN.STR.WALKWAY&HANDRAIL	174.060	M
852A/B	M8958	OVHD.SN.STR.TYPE C-1 ALUM./G.STL. 22.9 M		1.000 EA
852A/B	M8964	OVHD.SN.STR.TYPE C-1 ALUM./G.STL. 24.4 M		4.000 EA
852A/B	M9015	OVHD.SN.STR.TYPE E-1 ALUM./G.STL.	8.000	EA
855(A)	M8812	TRAF.STR.(PLAST.)(100MM WIDE)	50,671.000	M
855(B)	M3320	TRAF. STR. (PLASTIC)(ARROWS)	48.000	EA
855(C)	M3321	TRAF. STR. (PLASTIC)(WORDS)	28.000	EA
856(A)	M3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	32,250.000	M
857	M8234	PAV. MARKERS CLASS A TYPE 2-C	61.000	EA
857	M8243	PAV. MARKERS CLASS C TYPE 2-C	889.000	EA
859(A)	M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	15,450.000	M
870(A)	M8011	SAND FILLED IMP. ATTENU. MODULE	220.000	EA
870(A)	M8485	SAND FILLED IMP.ATN.MODULE	17,765.000	SD
870(B)	M8012	IMPACT ATTENU.MODULE(REPLACMT)	80.000	EA
876(C)	M8482	(PL)TRUCK MTD.ATTENUATOR	260.000	SD
880(A)	M8812	ARROW DISPLAY(TYPE C)	701.000	SD
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	33,469.000	SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	28,558.000	SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	3,790.000	SD
880(B)	M8827	CONSTRUCTION SIGNS 3.07 M2 & OVER	4,430.000	SD
880(C)	M8842	BARRICADES(TYPE III)	18,302.000	SD
880(C)	M8848	WING BARRICADES	3,240.000	SD
880(D)	M8854	VERTICAL PANELS	27,619.000	SD
880(E)	M8860	WARNING LIGHTS(TYPE A)	50,021.000	SD
880(E)	M8872	WARNING LIGHTS(TYPE C)	141,948.000	SD
880(F)	M8878	DRUMS	114,689.000	SD
880(G)	M8884	TUBE CHANNELIZERS	72,200.000	SD
880(L)	M8911	TRAFFIC SURVEILLANCE, POLICE	3,120.000	HOUR
880(R)	M8511	(SU)PORTABLE MODULAR GLARE SCREEN UNIT	210.000	EA
882(B)	M8306	PORT.CHANGEABLE MESSAGE SIGN	2,160.000	SD
890(A)	M8712	(PL)REMOVAL OF LIGHT POLE	7.000	EA
890(A)	M8724	(PL)REMOVAL OF EXISTING SIGNS	131.000	EA
961.42	M8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	3,985.000	EA

SECTION NO. 0005

STAK-STAKING

SECTION NO. 0005	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM
SECTION NO. 0006	I000-TIME 'B' BID		
644 M7211	(SP) TIME (B) BID	7,500.000	DAY
SECTION NO. 0007	I000-TIME 'C' BID		
644 M7212	(SP) TIME (C) BID	2,500.000	DAY

LNTCIQA
 CALL ORDER : 220
 LETTING DATE : February 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: PAYNE

STATE PROJECT
 CONTRACT ID : 000043
 PCN : 1699804

PAGE 43

PROJECTS : CIP-160B(14)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 34.90
 RES. ENG.: 45STL
 CAL. DAYS: 270 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON SH-51 BEGINNING APPROXIMATELY 4.0 MILE WEST OF THE
 JUNCTION OF SH-51/SH-108 AND EXTENDING EAST.
 PROJ. LGTH.= 2.87 MILE
 FLEX. ESALS= 9.54 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	81,220.000	CY
202(E)	0184 UNCLASSIFIED BORROW	3,774.000	CY
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMP. BALE BARRIER	2,000.000	LF
223	2801 (PL) TEMPORARY SILT FENCE	9,800.000	LF
224	2803 TEMP. SEDIMENT FILTER	8.000	EA
225	2804 TEMP. SEDIMENT BASIN	6.000	EA
226	2805 TEMP. SEDIMENT REMOVAL	30.000	CY
229	4318 DITCH LINER PROTECTION	3,337.000	LF
230(A)	2806 SOLID SLAB SODDING	16,336.000	SY
230(B)	2807 MULCH SODDING	100,724.000	SY
230(G)	2812 WATERING	4,800.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	25.000	AC
234(A)	2824 FERTILIZING (10-20-10)	12.000	TON
234(A)	4406 FERTILIZING (0-46-0)	1.400	TON
241	2832 MOWING	16.000	AC
243	0450 (PL)TEMPORARY INLET SEDIMENT FILTER	22.000	EA
307(A)	4233 LIME	1,411.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	105,297.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	692.000	TON
407	0250 TACK COAT	23,224.000	GAL
408	5774 (SU)PRIME COAT	18,540.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	37,426.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	15,883.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	6,959.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	12,267.000	TON
413(A)	4861 (SU) RUMBLE STRIP-METHOD AC-CON	15,834.000	LF
417	5267 COLD MILLING PAVEMENT	35,817.000	SY
420(A)	4242 FABRIC REINFORCEMENT	41,184.000	SY
420(B)	4268 BITUMINOUS BINDER	10,296.000	GAL
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	127.000	CY
509(B)	0321 CLASS A CONCRETE	358.000	CY

SECTION NO. 0001		I000-ROADWAY	
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	13.000 CY
509(E)	0325	CLASS "C" CONC.	608.000 CY
511(A)	0332	REINFORCING STEEL	40,067.000 LB
601(A)	0533	TYPE I-PLAIN RIP RAP	60.000 CY
601(E)	6312	FILTER FABRIC (RIPRAP)	200.000 SY
609(B)	0385	1'-8" COMB. CRB. & GUT. (4" M.C. - NOTC)	325.000 LF
609(B)	0386	1'-8" COMB. CRB. & GUT. (6" M.C. - NOTC)	13,267.000 LF
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	625.000 SY
611(A)	2657	MANHOLE (4' DIA.)	6.000 EA
611(A)	2658	MANHOLE (5' DIA.)	4.000 EA
611(B)	2680	ADD'L DEPTH IN MANHOLE (4' DIA)	1.260 VF
611(B)	2681	ADD'L DEPTH IN MANHOLE (5' DIA)	4.860 VF
611(D)	4215	MANHOLE FRAME & COVER	10.000 EA
611(E)	5308	INLET CICI DES. 1 (C)	3.000 EA
611(E)	5317	INLET CICI DES. 2 (D)	4.000 EA
611(E)	5323	INLET CICI DES. 3 (D)	14.000 EA
611(E)	5325	INLET CICI DES. 3 (B-D)	1.000 EA
611(F)	5355	INLET CICI DES. 1 (C, ADD'L DEPTH)	2.400 VF
611(F)	5364	INLET CICI DES. 2 (D, ADD'L DEPTH)	3.320 VF
611(F)	5370	INLET CICI DES. 3 (D, ADD'L DEPTH)	3.930 VF
611(G)	4488	INLET FRM&GRT (SSIF-FRM, CIG-GRT-VG-F)	71.000 EA
611(K)	4488	CAST IRON CURB INLETS	158.000 EA
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	5.000 EA
611(L)	5117	DROP INLET GRATE (SMD TYPE 2A)	3.000 EA
613(B)	0491	18" R.C. PIPE CLASS III	1,462.000 LF
613(B)	0492	24" R.C. PIPE CLASS III	960.000 LF
613(B)	0493	30" R.C. PIPE CLASS III	1,240.000 LF
613(B)	0494	36" R.C. PIPE CLASS III	1,632.000 LF
613(B)	0495	42" R.C. PIPE CLASS III	12.000 LF
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	27.000 EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT	10.000 EA
613(CC)	7189	TYPE D4 CULVERT END TREATMENT	3.000 EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	24.000 EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	7.000 EA
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	1,557.000 LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	437.000 LF
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	1,200.000 LF
613(Q)	1097	8" RND. NON-PERF. PIPE UNDERDRAIN	800.000 LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	120.000 CY
613(S)	1180	TRENCH EXCAVATION	5,165.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	2,615.000 CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	4726	REMOVAL OF CURB AND GUTTER	538.000 LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	64,301.000 SY
619(C)	0924	SAWING PAVEMENT	23,950.000 LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	215.000 LF
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000 EA
623(H)	8571	(SP) G.E.T. GUARD RAIL END SECTION	1.000 EA
624(A)	4281	FENCE-STYLE WWF	6,130.000 LF
624(B)	5266	GATES-STYLE WWF (4.5' HIGH X 22' LONG)	3.000 EA
624(C)	4458	FENCE-STYLE SWF (4 BARBED WIRE)	240.000 LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	7,588.000 LF
624(D)	4292	FENCE-STYLE CLF (6' HIGH, CLASS A)	230.000 LF
624(D)	4293	FENCE-STYLE CLF (6' HIGH, CLASS B)	274.000 LF

SECTION NO. 0001		I000-ROADWAY	
624(D)	4293	FENCE-STYLE CLF (6'HIGH, CLASS B)	230.000 LF
624(E)	5260	GATES-STYLE CLF (6'HIGH X 20'LONG, CL.A)	2.000 EA
629(A)	4958	(SU) MAILBOX INSTALLATION-SINGLE	20.000 EA
629(B)	4959	(SU) MAILBOX INSTALLATION-MULTIPLE	27.000 EA
629(C)	4960	(SU) MAILBOX	132.000 EA
629(D)	4961	(SU) REMOVAL OF MAILBOX INSTALLATION	132.000 EA
640	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM
930.01	4402	(PL) SP. WELDED STEEL GRATE (42"SQ)	8.000 EA
980.00	4659	FOG SEAL	3,582.000 GAL
SECTION NO. 0002		Y002-TRAFFIC SIGNING & STRIPING	
850(A)	8215	SHEET ALUMINUM SIGNS	460.000 SF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	1,036.000 LF
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	81,697.000 LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)	132.000 EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)	8.000 EA
SECTION NO. 0003		Y008-CONST.TRAFFIC CONTROL	
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	2,050.000 LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	2,050.000 LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	2,050.000 LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	64,000.000 LF
856(B)	8005	REMOV.PVEMNT MRKNG TAPE(4"WIDE)	2,000.000 LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	35,600.000 LF
870(A)	8011	SAND FILLED IMP. ATTENU. MODULE	180.000 EA
880(D)	8016	SIGNS 0 TO 6.25 SF	32,000.000 SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	64,000.000 SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.	6,000.000 SD
880(I)	8020	BARRICADES (TYPE II)	14,000.000 SD
880(J)	8021	BARRICADES (TYPE III)	14,000.000 SD
880(K)	8022	WING BARRICADES	1,600.000 SD
880(L)	8023	VERTICAL PANELS	4,500.000 SD
880(M)	8024	TYPE A. LIGHT	34,000.000 SD
880(O)	8026	TYPE C LIGHT	160,000.000 SD
880(P)	8027	DRUMS	160,000.000 SD
880(Q)	8145	TUBE CHANNELIZERS	80,000.000 SD
960.79	8365	(PL) CONST.ZONE PAV.MARK.(WHITE)	1,400.000 EA
960.80	8366	(PL) CONST.ZONE PAV.MARK.(YELLOW)	2,800.000 EA
SECTION NO. 0004		STAK-STAKING	
642	0098	STAKING	1.000 LSUM

LNTCIQA FEDERAL PROJECT PAGE 46
 CALL ORDER : 230 CONTRACT ID : 000036
 LETTING DATE : February 24, 2000 PCN : 1703404
 LETTING TIME : 2:00 P.M.
 COUNTIES: PITTSBURG PROJECTS : STPY-13N(45) TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 24MCA
 CAL. DAYS: 45 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION
 US-69: BEGIN AT THE INTERSECTION OF US-69 AND WEST
 CHAMBERS ROAD, SOUTH OF THE CITY OF MCALESTER.
 PROJ. LGTH.= 0.00 KM
 ASPH GRADE = 64-22 OK & 70-28 OK
 FLEX ESALS = 3.0 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	SFTY-INTERSECTION MODIFICATION		
202(G) M0185	EARTHWORK	1.000	LSUM
230(A) M2806	SOLID SLAB SODDING	1,080.000	M2
303 M5912	AGGREGATE BASE	309.000	T
407 M0250	TACK COAT	38.000	L
408 M5774	PRIME COAT	128.000	L
411(A) M6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)		91.430 T
411(B) M6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)		182.860 T
619(C) M0924	SAWING PAVEMENT	176.000	M
641 M1552	MOBILIZATION	1.000	LSUM
804(A) M2915	STRUCTURAL CONCRETE	0.150	M3
850(A) M8110	SHEET ALUMINUM SIGNS	1.760	M2
851(C) M8327	57 MM SQUARE TUBE POST	12.330	M
855(A) M8812	TRAF.STR.(PLAST.)(100MM WIDE)	452.000	M
855(B) M8818	TRAF.STR.(PLAST.)(ARROWS)	2.000	EA
855(B) M8821	TRAF.STR.(PLAST.)(WORDS)	1.000	EA
859(A) M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	175.000	M
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) M8724	(PL)REMOVAL OF EXISTING SIGNS	1.000	EA

LNTCIQA
 CALL ORDER : 240
 LETTING DATE : February 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: TEXAS

FEDERAL PROJECT
 CONTRACT ID : 000037
 PCN : 0814504

PAGE 47

PROJECTS : BRFY-70C(182)
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 25.47
 RES. ENG.: 62GUY
 CAL. DAYS: 270 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 ON SH-136 OVER BIG GOFF CREEK ON OFFSET ALIGNMENT BETWEEN
 US-64 AND SH-136.
 PROJ. LGTH.= 0.769 KM.
 FLEX. ESALS= 2.4 MILLION
 ASPH. GRADE= 64-22 & 70-28

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(A) M0183	UNCLASSIFIED EXCAVATION	7,540.000	M3
202(C) M0184	UNCLASSIFIED BORROW	43,884.000	M3
205 M7174	(PL) TOPSOIL - LUMP SUM	1.000	LSUM
209 M5911	(PL) MACHINE GRADING	302.000	M
222 M2801	TEMP. BALE BARRIER	200.000	M
223 M2802	TEMP. SILT FENCE	600.000	M
229 M4318	DITCH LINER PROTECTION	36.000	M
230(A) M2806	SOLID SLAB SODDING	3,403.000	M2
230(G) M2812	WATERING	6,006.000	KL
232(B) M2814	SEEDING METHOD B	9.500	HA
233(A) M2817	VEGETATIVE MULCHING	5.300	HA
233(C) M2819	ASPHALT MULCHING	59,108.000	L
234(A) M2824	FERTILIZING (10-20-10)	2.700	T
234(A) M4406	FERTILIZING (0-46-0)	0.800	T
241 M2832	MOWING	4.600	HA
310(B) M0149	SUBGRADE, METHOD B	1,657.000	M2
317(A) M4252	FLY ASH	507.000	T
317(B) M4254	SUBGRADE MODIFICATION	8,801.000	M2
407 M0250	TACK COAT	7,305.000	L
408 M5774	PRIME COAT	8,794.000	L
411(A) M6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,860.000	T
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,858.000	T
411(B) M6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	715.000	T
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	535.000	T
413(B) M4862	RUMBLE STRIP-METHOD AC-CYC (GROUP)	22.000	EA
509(D) M0325	CLASS C CONCRETE	15.000	M3
613(CC)M7196	TYPE A6 CULVERT END TREATMENT	2.000	EA
613(D) M5719	450MM CORR. GALV. STEEL PIPE	45.100	M
613(P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	165.000	M
613(Q) M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.	85.000	M
613(R) M1100	PIPE UNDERDRAIN COVER MAT'L.	114.000	M3
613(S) M1180	TRENCH EXCAVATION	172.000	M3
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	6,433.000	M2

SECTION NO. 0001	I000-ROADWAY		
619(C) M0924	SAWING PAVEMENT	8.000	M
624(C) M7180	FENCE-STYLE SWF (5 BARBED WIRE)	541.000	M
629(A) M4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) M4960	MAILBOX	1.000	EA
629(D) M4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
SECTION NO. 0002	I000-BRIDGE ROADWAY ITEMS		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	1,367.000	M3
202(C) M0184	UNCLASSIFIED BORROW	3,909.000	M3
310(B) M0149	SUBGRADE, METHOD B	9,236.000	M2
403(A) M0217	TRAFFIC BOUND SURFACE COURSE TYPE A	29.000	T
407 M0250	TACK COAT	1,468.000	L
408 M5774	PRIME COAT	4,480.000	L
411(A) M4302	(SP) ASPHALT CONCRETE TYPE A (PG 64-22)	99.000	T
411(B) M4404	(SP) ASPHALT CONCRETE TYPE B (PG 64-22)	1,995.000	T
613(D) M5719	450MM CORR. GALV. STEEL PIPE	36.000	M
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	5,221.000	M2
623(A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	114.300	M
623(F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H) M8571	(SP) G.E.T. GUARDRAIL END SECTION	4.000	EA
SECTION NO. 0003	X081-BRIDGE 'A'		
414(C) M1304	APPROACH SLABS	253.200	M2
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	210.000	M3
501(F) M6352	GRANULAR BACKFILL	136.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	477.600	M
504(C) M6276	SEALED EXPANSION JOINTS	12.810	M
504(E) M6239	CONCRETE RAIL (TR3)	281.000	M
506(A) M1322	STRUCTURAL STEEL	4,400.000	KG
509(A) M1326	CLASS AA CONCRETE	344.200	M3
509(E) M1332	CLASS S CONCRETE	163.400	M3
511(A) M1332	REINFORCING STEEL	6,385.000	KG
511(B) M6010	EPOXY COATED REINF. STEEL	52,770.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	39.600	M
514(A) M6013	PILES, FURNISHED (HP 310X79)	156.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	39.600	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	156.000	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	1,209.000	M2
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	164.200	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,200.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	275.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	26.000	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	13.400	M
613(R) M1395	PIPE UNDERDRAIN COVER MAT'L.	12.000	M3
613(S) M1396	TRENCH EXCAVATION	10.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	10.000	M3
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640 M1398	FIELD OFFICE	1.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0004	Y002-TRAFFIC		

SECTION NO. 0004		Y002-TRAFFIC		
804	M2915	STRUCTURAL CONCRETE	4.000	M3
804	M2916	REINFORCING STEEL	258.000	KG
850(A)	M8110	SHEET ALUMINUM SIGNS	32.000	M2
851(B)	M3217	64 MM @ 8.62 GALV.STL.PIPE POST	15.000	M
851(B)	M3218	75MM @ 11.28 G.STL.PIPE POST	53.000	M
851(B)	M3219	89 MM @ 13.56 GALV.STL.PIPE POST	25.000	M
851(C)	M8321	44 MM SQUARE TUBE POST	16.000	M
851(C)	M8324	50 MM SQUARE TUBE POST	17.000	M
851(C)	M8327	57 MM SQUARE TUBE POST	34.000	M
855(A)	M8812	TRAF.STR.(PLAST.)(100MM WIDE)	5,370.000	M
855(B)	M8818	TRAF.STR.(PLAST.)(ARROWS)	3.000	EA
855(B)	M8821	TRAF.STR.(PLAST.)(WORDS)	2.000	EA
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100 MM WIDE)	5,000.000	M
856(C)	M8851	REM.PAVEMENT MARKING TAPE(100 MM WIDE)	300.000	M
856(G)	M8887	(PL)CONST.ZONE PAVE.MKRS(FLEX TAB)TP 2-1	500.000	EA
859(A)	M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	1,300.000	M
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	5,610.000	SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	6,630.000	SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	3,570.000	SD
880(C)	M8836	BARRICADES(TYPE II)	510.000	SD
880(C)	M8842	BARRICADES(TYPE III)	3,060.000	SD
880(C)	M8848	WING BARRICADES	1,530.000	SD
880(D)	M8854	VERTICAL PANELS	10,200.000	SD
880(E)	M8860	WARNING LIGHTS(TYPE A)	10,200.000	SD
880(E)	M8872	WARNING LIGHTS(TYPE C)	16,575.000	SD
880(F)	M8878	DRUMS	6,375.000	SD
SECTION NO. 0005		STAK-STAKING		
642	M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 260
 LETTING DATE : February 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: WAGONER

STATE PROJECT
 CONTRACT ID : 000044
 PCN : 1000409

PAGE 50

PROJECTS : CIP-173B(18)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 59.06
 RES. ENG.: 11MUS
 CAL. DAYS: 240 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 ON SH-51 OVER THE VERDIGRIS RIVER.
 PROJ. LGTH.= 0.163 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-BRIDGE 'A' CIP-173B(18)IP		
201 0102	CLEARING AND GRUBBING	1.000	LSUM
414(C) 1304	APPROACH SLABS	273.400	SY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	248.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	758.700	LF
504 6253	(PL)DECK DRAIN COLLECTION SYSTEM	26.000	EA
504(A) 1314	CLASS AA CONCRETE	838.100	CY
505(B) 1381	CONCRETE PARAPET	1,727.400	LF
506(A) 1322	STRUCTURAL STEEL	1,123,810.000	LB
509(B) 1328	CLASS A CONCRETE	701.600	CY
511(A) 1439	REINFORCING STEEL (GRADE 60)	53,650.000	LB
511(B) 6009	EPOXY COATED REINF. STEEL (GR 60)	208,490.000	LB
514(E) 6010	STEEL PILING (HP 10X42)	350.000	LF
514(E) 6011	STEEL PILING (HP 12X53)	1,492.000	LF
515(A) 6387	(SP) PENETRAT WATER REPELL TR.CONC.SUR.	1,547.400	SY
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	98.000	LF
516(A) 6105	DRILLED SHAFTS 96" DIAMETER	398.000	LF
516(C) 6200	CROSSHOLE SONIC LOGGING	8.000	EA
516(D) 6400	CSL ACCESS TUBES	3,536.000	LF
529 6309	(SU) LOW STRENGTH BACKFILL MATERIAL	184.000	CY
601(A-1)1353	TYPE I-A PLAIN RIPRAP	3,180.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	820.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	82.000	LF
613(Q) 6207	6"RND.NON-PERF.PIPE UNDERDRAIN	50.000	LF
613(R) 1395	PIPE UNDERDRAIN COVER MAT'L.	12.000	CY
613(S) 1396	TRENCH EXCAVATION	16.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	16.000	CY
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM
655 7200	(SP) PIER PROTECTION CELL	2.000	EA
901.00 6238	(PL) BRIDGE NAVIGATION LIGHTING	1.000	LSUM
901.14 6264	(PL) SEALED EXPANSION JOINT	82.000	LF
SECTION NO. 0002	STAK-STAKING CIP-173B(18)IP		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 270
 LETTING DATE : February 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: WAGONER

STATE PROJECT
 CONTRACT ID : 000045
 PCN : 1000413

PAGE 51

PROJECTS : CIP-173B(29)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 59.06
 RES. ENG.: 11MUS
 CAL. DAYS: 450 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES(RCB) & SURFACE(ASPHALT)
 ON SH-51 BEGINNING APPROXIMATELY 7.0 MILE WEST OF THE TOWN
 OF WAGONER AND EXTENDING EAST.
 PROJ. LGTH.= 6.791 MI.
 FLEX. ESALS= 4.6 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-173B(29)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	241,934.000	CY
202(E)	0184 UNCLASSIFIED BORROW	498,159.000	CY
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
221	2800 TEMP. SLOPE DRAINS	770.000	LF
222	2801 TEMP. BALE BARRIER	2,068.000	LF
224	2803 TEMP. SEDIMENT FILTER	32.000	EA
226	2805 TEMP. SEDIMENT REMOVAL	340.000	CY
229	4318 DITCH LINER PROTECTION	809.000	LF
230(A)	2806 SOLID SLAB SODDING	39,615.000	SY
230(B)	2807 MULCH SODDING	371,855.000	SY
232(B)	2814 SEEDING METHOD B	122.000	AC
233(A)	2817 VEGETATIVE MULCHING	122.000	AC
234(A)	2824 FERTILIZING (10-20-10)	49.000	TON
235(B)	0101 (PL)ROCK FILTER DAM, TYPE 2	70.000	CY
235(C)	0102 (PL)ROCK FILTER DAM, TYPE 3	104.000	CY
238	0300 (PL)TEMPORARY SEDIMENT TRAP	27.000	EA
241	2832 MOWING	102.000	AC
303	0192 AGGREGATE BASE	32,533.000	CY
325	5271 (SU)SEPARATOR FABRIC	1,322.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,630.000	TON
407	0250 TACK COAT	26,570.000	GAL
408	5774 (SU)PRIME COAT	60,696.000	GAL
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	74,133.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	22,756.000	TON
413(A)	4861 (SU) RUMBLE STRIP-METHOD AC-CON	72,258.000	LF
417	5268 COLD MILLING PAVEMENT (2")	25,992.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	242.000	CY
509(B)	0321 CLASS A CONCRETE	781.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	25.000	CY
509(E)	0325 CLASS "C" CONC.	305.000	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	115,991.000	LB
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	89.000	TON

SECTION NO.	0001	I000-ROADWAY	CIP-173B(29)IP		
601(E)	6312	FILTER FABRIC (RIPRAP)		177.000	SY
609(B)	1512	1'-8" COMB. CRB&GUTTER (6" MNT. CRB)		400.000	LF
609(B)	1513	1'-8" COMB. CRB&GUTTER (6" BAR. CRB)		1,361.000	LF
610(B)	0604	6" CONCRETE DRIVEWAY		266.000	SY
611(A)	2657	MANHOLE (4' DIA.)		1.000	EA
611(A)	2658	MANHOLE (5' DIA.)		6.000	EA
611(B)	2680	ADD'L. DEPTH IN MANHOLE (4' DIA)		1.000	VF
611(B)	2681	ADD'L. DEPTH IN MANHOLE (5' DIA)		3.000	VF
611(D)	4215	MANHOLE FRAME & COVER		7.000	EA
611(D)	4276	MANHOLE COVER GRATE		1.000	EA
611(E)	5316	INLET CICI DES. 2 (B)		4.000	EA
611(F)	5363	INLET CICI DES. 2 (B, ADD'L DEPTH)		4.000	VF
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)		8.000	EA
611(K)	4488	CAST IRON CURB INLETS		16.000	EA
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)		31.000	EA
613(B)	0491	18" R.C.P.I.P.E CLASS III		212.000	LF
613(B)	0492	24" R.C.P.I.P.E CLASS III		136.000	LF
613(B)	0493	30" R.C.P.I.P.E CLASS III		702.000	LF
613(B)	0494	36" R.C.P.I.P.E CLASS III		678.000	LF
613(B)	4496	28" X 18" R.C.P.I.P.E ARCH CLASS A-III		86.000	LF
613(C)	4849	SP. END SECTION OF 28" X 18" RCP ARCH		4.000	EA
613(CC)	7186	TYPE A4 CULVERT END TREATMENT		30.000	EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT		16.000	EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT		4.000	EA
613(CC)	7189	TYPE D4 CULVERT END TREATMENT		4.000	EA
613(CC)	7193	TYPE CC4 CULVERT END TREATMENT		4.000	EA
613(CC)	7194	TYPE DD4 CULVERT END TREATMENT		6.000	EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT		3.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE		2,914.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE		708.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE		358.000	LF
613(D)	0692	36" CORR. GALV. STEEL PIPE		128.000	LF
613(D)	0693	42" CORR. GALV. STEEL PIPE		120.000	LF
613(D)	1260	22" X 13" CORR. GALV. STEEL PIPE ARCH		122.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH		70.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH		54.000	LF
613(D)	4529	35" X 24" CORR. GALV. STEEL PIPE ARCH		94.000	LF
613(D)	4531	49" X 33" CORR. GALV. STEEL PIPE ARCH		100.000	LF
613(D)	4533	64" X 43" CORR. GALV. STEEL PIPE ARCH		230.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND		19.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND		14.000	EA
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND		5.000	EA
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND		5.000	EA
613(M)	0987	22" X 13" PREFAB. CULVERT END SEC., ARCH		14.000	EA
613(M)	4636	21" X 15" PREFAB. CULVERT END SEC., ARCH		2.000	EA
613(M)	4637	28" X 20" PREFAB. CULVERT END SEC., ARCH		4.000	EA
613(M)	4638	35" X 24" PREFAB. CULVERT END SEC., ARCH		6.000	EA
613(M)	4640	49" X 33" PREFAB. CULVERT END SEC., ARCH		4.000	EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND		1,400.000	LF
613(Q)	1096	6" RND. NON-PERF. PIPE UNDERDRAIN		500.000	LF
613(S)	1180	TRENCH EXCAVATION		3,387.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL		1,405.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	4725	REMOVAL OF FENCE		29,073.000	LF

SECTION NO. 0001	I000-ROADWAY	CIP-173B(29)IP		
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	22,118.000	SY
619(B)	4766	REMOVAL OF CONCRETE DRIVEWAY	398.000	SY
619(B)	4780	REMOVAL OF GUARD RAIL	2,132.000	LF
619(B)	6235	REMOVAL OF WING	10.000	EA
619(B)	8305	REMOVAL OF SIGNS	50.000	EA
619(C)	0924	SAWING PAVEMENT	19,051.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,737.500	LF
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	8571	(SP) G.E.T. GUARD RAIL END SECTION	9.000	EA
624(A)	4281	FENCE-STYLE WWF	3,961.000	LF
624(B)	4793	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	3.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	15,242.000	LF
624(D)	4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	502.000	LF
624(E)	5851	GATES-STYLE CLF (4'HIGH X 16'LONG)	3.000	EA
625(D)	1254	REMOVE AND RECONSTRUCT GUARD RAIL	400.000	LF
629(A)	4958	(SU) MAILBOX INSTALLATION-SINGLE	22.000	EA
629(B)	4959	(SU) MAILBOX INSTALLATION-MULTIPLE	3.000	EA
629(C)	4960	(SU) MAILBOX	28.000	EA
629(D)	4961	(SU) REMOVAL OF MAILBOX INSTALLATION	28.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
653(A)	5915	(SP) EDGE DRAIN CONDUIT-PERFORATED	1,400.000	LF
653(B)	5916	(SP) EDGE DRAIN OUTLET LATERAL-NONPERF.	859.000	LF
653(C)	5946	(SP) OUTLET LATERAL HEADWALL	1.000	EA
930.22	4682	(PL) PLUGGING ABANDONED PIPE	2.000	EA
931.97	7011	(PL) TEMPORARY SILT FENCE	1,705.000	LF
932.11	7072	(PL) COARSE AGGREGATE NO 57	560.000	CY
SECTION NO. 0002	X028-BRIDGE 'B'	CIP-173B(29)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	1,470.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	1,185.000	CY
509(B)	1328	CLASS A CONCRETE	629.900	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	132,210.000	LB
619(B)	4780	REMOVAL OF GUARD RAIL	375.000	LF
619(B)	6235	REMOVAL OF WING	2.000	EA
SECTION NO. 0003	X028-BRIDGE 'C'	CIP-173B(29)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	1,092.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	152.000	CY
509(B)	1328	CLASS A CONCRETE	429.300	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	82,430.000	LB
619(B)	1383	REMOVAL OF HEADWALL	1.000	EA
619(B)	4780	REMOVAL OF GUARD RAIL	365.000	LF
SECTION NO. 0004	Y008-CONST.TRAFFIC CONTROL	CIP-173B(29)IP		
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	2,360.000	LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	280.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	4,720.000	LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	45,950.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	121,525.000	LF
859(B)	8007	PAVEMENT MARKING REMOV.(ARROWS)	3.000	EA

SECTION NO. 0004		Y008-CONST.TRAFFIC CONTROL	CIP-173B(29)IP	
859(C)	8008	PAVEMENT MARKING REMOV. (WORDS)	1.000	EA
871	8705	(PL) CONSTR. ZONE QUADGUARD IMP. ATTN.		3.000 EA
880(C)	8015	ADVANCE WARNING DEVICE (TYPE C)	270.000	SD
880(D)	8016	SIGNS 0 TO 6.25 SF	4,970.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	81,080.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.	32,875.000	SD
880(J)	8021	BARRICADES (TYPE III)	48,690.000	SD
880(K)	8022	WING BARRICADES	3,450.000	SD
880(L)	8023	VERTICAL PANELS	136,245.000	SD
880(M)	8024	TYPE A. LIGHT	88,065.000	SD
880(O)	8026	TYPE C LIGHT	136,245.000	SD
880(P)	8027	DRUMS	49,480.000	SD
880(Q)	8145	TUBE CHANNELIZERS	1,710.000	SD
880(R)	8511	(SU)PORTABLE MODULAR GLARE SCREEN UNIT	180.000	EA
960.20	8144	(PL) RELOC. OF CONST. ZONE IMPACT ATN.		1.000 EA
961.30	8550	(PL) FLAGGER	35.000	DAY
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1		17.000 EA
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1		4,500.000 EA
SECTION NO. 0005		Y002-TRAFFIC SIGNING & STRIPING	CIP-173B(18)IP	
850(A)	8215	SHEET ALUMINUM SIGNS	807.500	SF
851	8616	(PL) 1 3/4" SQUARE TUBE POST	104.000	LF
851	8617	(PL) 2" SQUARE TUBE POST	60.000	LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	1,663.000	LF
853(B)	3311	DELINEATORS TYPE 1 CODE 2	15.000	EA
853(D)	3313	DELINEATORS TYPE 2 CODE 1	18.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2	54.000	EA
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	177,046.000	LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)	88.000	EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)	18.000	EA
961.33	8580	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA
SECTION NO. 0006		STAK-STAKING	CIP-173B(29)IP	
642	0098	STAKING	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 55
 CALL ORDER : 280 CONTRACT ID : 000046
 LETTING DATE : February 24, 2000 PCN : 1000409C
 LETTING TIME : 2:00 P.M.
 COUNTIES: WAGONER PROJECTS : CIP-173B(18)IP/CIP-173B(29)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 59.06
 RES. ENG.: 11MUS
 CAL. DAYS: 450 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)
 ON SH-51 BEGINNING APPROXIMATELY 7.0 MILE WEST OF THE TOWN
 WAGONER AND EXTENDING EAST.
 PROJ. LGTH.= 6.954 MI.
 FLEX. ESALS= 4.6 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-173B(29)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	241,934.000	CY
202(E)	0184 UNCLASSIFIED BORROW	498,159.000	CY
205	7174 (PL) TOPSOIL - LUMP SUM	1.000	LSUM
221	2800 TEMP. SLOPE DRAINS	770.000	LF
222	2801 TEMP. BALE BARRIER	2,068.000	LF
224	2803 TEMP. SEDIMENT FILTER	32.000	EA
226	2805 TEMP. SEDIMENT REMOVAL	340.000	CY
229	4318 DITCH LINER PROTECTION	809.000	LF
230(A)	2806 SOLID SLAB SODDING	39,615.000	SY
230(B)	2807 MULCH SODDING	371,855.000	SY
232(B)	2814 SEEDING METHOD B	122.000	AC
233(A)	2817 VEGETATIVE MULCHING	122.000	AC
234(A)	2824 FERTILIZING (10-20-10)	49.000	TON
235(B)	0101 (PL)ROCK FILTER DAM, TYPE 2	70.000	CY
235(C)	0102 (PL)ROCK FILTER DAM, TYPE 3	104.000	CY
238	0300 (PL)TEMPORARY SEDIMENT TRAP	27.000	EA
241	2832 MOWING	102.000	AC
303	0192 AGGREGATE BASE	32,533.000	CY
325	5271 (SU)SEPARATOR FABRIC	1,322.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,630.000	TON
407	0250 TACK COAT	26,570.000	GAL
408	5774 (SU)PRIME COAT	60,696.000	GAL
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	74,133.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	22,756.000	TON
413(A)	4861 (SU) RUMBLE STRIP-METHOD AC-CON	72,258.000	LF
417	5268 COLD MILLING PAVEMENT (2")	25,992.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	242.000	CY
509(B)	0321 CLASS A CONCRETE	781.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	25.000	CY
509(E)	0325 CLASS "C" CONC.	305.000	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	115,991.000	LB
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	89.000	TON

SECTION NO.	0001	I000-ROADWAY	CIP-173B(29)IP		
601(E)	6312	FILTER FABRIC (RIPRAP)		177.000	SY
609(B)	1512	1'-8" COMB. CRB&GUTTER (6" MNT. CRB)		400.000	LF
609(B)	1513	1'-8" COMB. CRB&GUTTER (6" BAR. CRB)		1,361.000	LF
610(B)	0604	6" CONCRETE DRIVEWAY		266.000	SY
611(A)	2657	MANHOLE (4' DIA.)		1.000	EA
611(A)	2658	MANHOLE (5' DIA.)		6.000	EA
611(B)	2680	ADD'L DEPTH IN MANHOLE (4' DIA)		1.000	VF
611(B)	2681	ADD'L DEPTH IN MANHOLE (5' DIA)		3.000	VF
611(D)	4215	MANHOLE FRAME & COVER		7.000	EA
611(D)	4276	MANHOLE COVER GRATE		1.000	EA
611(E)	5316	INLET CICI DES. 2 (B)		4.000	EA
611(F)	5363	INLET CICI DES. 2 (B, ADD'L DEPTH)		4.000	VF
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)		8.000	EA
611(K)	4488	CAST IRON CURB INLETS		16.000	EA
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)		31.000	EA
613(B)	0491	18" R.C.PIPES CLASS III		212.000	LF
613(B)	0492	24" R.C.PIPES CLASS III		136.000	LF
613(B)	0493	30" R.C.PIPES CLASS III		702.000	LF
613(B)	0494	36" R.C.PIPES CLASS III		678.000	LF
613(B)	4496	28" X 18" R.C.PIPES ARCH CLASS A-III		86.000	LF
613(C)	4849	SP. END SECTION OF 28" X 18" RCP ARCH		4.000	EA
613(CC)	7186	TYPE A4 CULVERT END TREATMENT		30.000	EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT		16.000	EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT		4.000	EA
613(CC)	7189	TYPE D4 CULVERT END TREATMENT		4.000	EA
613(CC)	7193	TYPE CC4 CULVERT END TREATMENT		4.000	EA
613(CC)	7194	TYPE DD4 CULVERT END TREATMENT		6.000	EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT		3.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE		2,914.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE		708.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE		358.000	LF
613(D)	0692	36" CORR. GALV. STEEL PIPE		128.000	LF
613(D)	0693	42" CORR. GALV. STEEL PIPE		120.000	LF
613(D)	1260	22" X 13" CORR. GALV. STEEL PIPE ARCH		122.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH		70.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH		54.000	LF
613(D)	4529	35" X 24" CORR. GALV. STEEL PIPE ARCH		94.000	LF
613(D)	4531	49" X 33" CORR. GALV. STEEL PIPE ARCH		100.000	LF
613(D)	4533	64" X 43" CORR. GALV. STEEL PIPE ARCH		230.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND		19.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND		14.000	EA
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND		5.000	EA
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND		5.000	EA
613(M)	0987	22" X 13" PREFAB. CULVERT END SEC., ARCH		14.000	EA
613(M)	4636	21" X 15" PREFAB. CULVERT END SEC., ARCH		2.000	EA
613(M)	4637	28" X 20" PREFAB. CULVERT END SEC., ARCH		4.000	EA
613(M)	4638	35" X 24" PREFAB. CULVERT END SEC., ARCH		6.000	EA
613(M)	4640	49" X 33" PREFAB. CULVERT END SEC., ARCH		4.000	EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND		1,400.000	LF
613(Q)	1096	6" RND. NON-PERF. PIPE UNDERDRAIN		500.000	LF
613(S)	1180	TRENCH EXCAVATION		3,387.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL		1,405.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	4725	REMOVAL OF FENCE		29,073.000	LF

SECTION NO. 0001		I000-ROADWAY	CIP-173B(29)IP		
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	22,118.000	SY	
619(B)	4766	REMOVAL OF CONCRETE DRIVEWAY	398.000	SY	
619(B)	4780	REMOVAL OF GUARD RAIL	2,132.000	LF	
619(B)	6235	REMOVAL OF WING	10.000	EA	
619(B)	8305	REMOVAL OF SIGNS	50.000	EA	
619(C)	0924	SAWING PAVEMENT	19,051.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,737.500	LF	
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA	
623(H)	8571	(SP) G.E.T. GUARD RAIL END SECTION	9.000	EA	
624(A)	4281	FENCE-STYLE WWF	3,961.000	LF	
624(B)	4793	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	3.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	15,242.000	LF	
624(D)	4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	502.000	LF	
624(E)	5851	GATES-STYLE CLF (4'HIGH X 16'LONG)	3.000	EA	
625(D)	1254	REMOVE AND RECONSTRUCT GUARD RAIL	400.000	LF	
629(A)	4958	(SU) MAILBOX INSTALLATION-SINGLE	22.000	EA	
629(B)	4959	(SU) MAILBOX INSTALLATION-MULTIPLE	3.000	EA	
629(C)	4960	(SU) MAILBOX	28.000	EA	
629(D)	4961	(SU) REMOVAL OF MAILBOX INSTALLATION	28.000	EA	
640	1426	FIELD OFFICE	1.000	EA	
641	1552	MOBILIZATION	1.000	LSUM	
653(A)	5915	(SP) EDGE DRAIN CONDUIT-PERFORATED	1,400.000	LF	
653(B)	5916	(SP) EDGE DRAIN OUTLET LATERAL-NONPERF.	859.000	LF	
653(C)	5946	(SP) OUTLET LATERAL HEADWALL	1.000	EA	
930.22	4682	(PL) PLUGGING ABANDONED PIPE	2.000	EA	
931.97	7011	(PL) TEMPORARY SILT FENCE	1,705.000	LF	
932.11	7072	(PL) COARSE AGGREGATE NO 57	560.000	CY	
SECTION NO. 0002		X081-BRIDGE 'A'	CIP-173B(18)IP		
201	0102	CLEARING AND GRUBBING	1.000	LSUM	
414(C)	1304	APPROACH SLABS	273.400	SY	
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	248.000	CY	
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	758.700	LF	
504	6253	(PL)DECK DRAIN COLLECTION SYSTEM	26.000	EA	
504(A)	1314	CLASS AA CONCRETE	838.100	CY	
505(B)	1381	CONCRETE PARAPET	1,727.400	LF	
506(A)	1322	STRUCTURAL STEEL	1,123,810.000	LB	
509(B)	1328	CLASS A CONCRETE	701.600	CY	
511(A)	1439	REINFORCING STEEL (GRADE 60)	53,650.000	LB	
511(B)	6009	EPOXY COATED REINF. STEEL (GR 60)	208,490.000	LB	
514(E)	6010	STEEL PILING (HP 10X42)	350.000	LF	
514(E)	6011	STEEL PILING (HP 12X53)	1,492.000	LF	
515(A)	6387	(SP) PENETRAT WATER REPELL TR.CONC.SUR.	1,547.400	SY	
516(A)	6098	DRILLED SHAFTS 72" DIAMETER	98.000	LF	
516(A)	6105	DRILLED SHAFTS 96" DIAMETER	398.000	LF	
516(C)	6200	CROSSHOLE SONIC LOGGING	8.000	EA	
516(D)	6400	CSL ACCESS TUBES	3,536.000	LF	
529	6309	(SU) LOW STRENGTH BACKFILL MATERIAL	184.000	CY	
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	3,180.000	TON	
601(A-2)	1355	TYPE I-A FILTER BLANKET	820.000	TON	
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	82.000	LF	
613(Q)	6207	6"RND.NON-PERF.PIPE UNDERDRAIN	50.000	LF	
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	12.000	CY	

SECTION NO. 0002	X081-BRIDGE 'A'	CIP-173B(18)IP		
613(S)	1396	TRENCH EXCAVATION	16.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	16.000	CY
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
655	7200	(SP) PIER PROTECTION CELL	2.000	EA
901.00	6238	(PL) BRIDGE NAVIGATION LIGHTING	1.000	LSUM
901.14	6264	(PL) SEALED EXPANSION JOINT	82.000	LF
SECTION NO. 0003	X028-BRIDGE 'B'	CIP-173B(29)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	1,470.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	1,185.000	CY
509(B)	1328	CLASS A CONCRETE	629.900	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	132,210.000	LB
619(B)	4780	REMOVAL OF GUARD RAIL	375.000	LF
619(B)	6235	REMOVAL OF WING	2.000	EA
SECTION NO. 0004	X028-BRIDGE 'C'	CIP-173B(29)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	1,092.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	152.000	CY
509(B)	1328	CLASS A CONCRETE	429.300	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	82,430.000	LB
619(B)	1383	REMOVAL OF HEADWALL	1.000	EA
619(B)	4780	REMOVAL OF GUARD RAIL	365.000	LF
SECTION NO. 0005	Y008-CONST.TRAFFIC CONTROL	CIP-173B(29)IP		
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	2,360.000	LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	280.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	4,720.000	LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	45,950.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	121,525.000	LF
859(B)	8007	PAVEMENT MARKING REMOV.(ARROWS)	3.000	EA
859(C)	8008	PAVEMENT MARKING REMOV. (WORDS)	1.000	EA
871	8705	(PL) CONSTR. ZONE QUADGUARD IMP. ATTEN.	3.000	EA
880(C)	8015	ADVANCE WARNING DEVICE (TYPE C)	270.000	SD
880(D)	8016	SIGNS 0 TO 6.25 SF	4,970.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	81,080.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.	32,875.000	SD
880(J)	8021	BARRICADES (TYPE III)	48,690.000	SD
880(K)	8022	WING BARRICADES	3,450.000	SD
880(L)	8023	VERTICAL PANELS	136,245.000	SD
880(M)	8024	TYPE A. LIGHT	88,065.000	SD
880(O)	8026	TYPE C LIGHT	136,245.000	SD
880(P)	8027	DRUMS	49,480.000	SD
880(Q)	8145	TUBE CHANNELIZERS	1,710.000	SD
880(R)	8511	(SU)PORTABLE MODULAR GLARE SCREEN UNIT	180.000	EA
960.20	8144	(PL) RELOC. OF CONST. ZONE IMPACT ATN.	1.000	EA
961.30	8550	(PL) FLAGGER	35.000	DAY
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	17.000	EA
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	4,500.000	EA
SECTION NO. 0006	Y002-TRAFFIC SIGNING & STRIPING	CIP-173B(18)IP		

SECTION NO. 0006	Y002-TRAFFIC SIGNING & STRIPING	CIP-173B(18)IP		
850(A)	8215	SHEET ALUMINUM SIGNS	807.500	SF
851	8616	(PL) 1 3/4" SQUARE TUBE POST	104.000	LF
851	8617	(PL) 2" SQUARE TUBE POST	60.000	LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	1,663.000	LF
853(B)	3311	DELINEATORS TYPE 1 CODE 2	15.000	EA
853(D)	3313	DELINEATORS TYPE 2 CODE 1	18.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2	54.000	EA
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	177,046.000	LF
855(B)	3320	TRAF. STR. (PLASTIC)(ARROWS)	88.000	EA
855(C)	3321	TRAF. STR. (PLASTIC)(WORDS)	18.000	EA
961.33	8580	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA
SECTION NO. 0007	STAK-STAKING	CIP-173B(18)IP		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0008	STAK-STAKING	CIP-173B(29)IP		
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 290
 LETTING DATE : February 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: COTTON

STATE PROJECT
 CONTRACT ID : 000072
 PCN : 1817104

PAGE 60

PROJECTS : MC-117C(14) PT.1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 71DUN
 CAL. DAYS: LIQ. DAM: \$ 400

CONTRACT DESCRIPTION:
 ARMOR COAT
 US-277: BEGIN AT JCT. US-277/US-70 EAST OF RANDLETT,
 EXTEND NORTH.
 PROJ. LGTH.= 6.98 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ARMOR COAT		
402 5205	(PL)ARMOR COAT	98,300.000	SY
854 3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	136,300.000	LF
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 61
 CALL ORDER : 300 CONTRACT ID : 000073
 LETTING DATE : February 24, 2000 PCN : 1817105
 LETTING TIME : 2:00 P.M.
 COUNTIES: COTTON PROJECTS : MC-117C(14) PT.2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 71DUN
 CAL. DAYS: LIQ. DAM: \$ 400

CONTRACT DESCRIPTION:
 ARMOR COAT
 US-277: BEGIN APPROXIMATELY 6.98 MILE NORTH OF JCT. US-277
 AND US-70 EAST OF RANDLETT, EXTEND NORTH.
 PROJ. LGTH.= 5.71 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ARMOR COAT		
402 5205	(PL)ARMOR COAT	80,402.000	SY
854 3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	111,500.000	LF
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 310
 LETTING DATE : February 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: COTTON

STATE PROJECT
 CONTRACT ID : 000074
 PCN : 1817104C

PAGE 62

PROJECTS : MC-117C(14) PT.1&2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 71DUN
 CAL. DAYS: LIQ. DAM: \$ 400

CONTRACT DESCRIPTION:
 ARMOR COAT
 US-277: BEGIN AT JCT. US-277/US-70 EAST OF RANDLETT,
 EXTEND NORTH.
 PROJ. LGTH.= 12.69 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ARMOR COAT-MC-117C(14) PT.1		
402 5205	(PL)ARMOR COAT	98,300.000	SY
854 3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	136,300.000	LF
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	ARMOR COAT-MC-117C(14) PT.2		
402 5205	(PL)ARMOR COAT	80,402.000	SY
854 3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	111,500.000	LF
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 63
 CALL ORDER : 370 CONTRACT ID : 000047
 LETTING DATE : February 24, 2000 PCN : 1813504
 LETTING TIME : 2:00 P.M.
 COUNTIES: ROGER MILLS PROJECTS : MC-165C(16) PT.1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 51CLI
 CAL. DAYS: LIQ. DAM: \$ 400

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-152: BEGIN AT TEXAS/OKLAHOMA STATE LINE AND EXTEND
 EAST TO ROGER MILLS/BECKHAM COUNTY LINE.
 PROJ. LGTH.= 1.28 MILE
 ASPH GRADE = 70-28 OK
 FLEX ESALS = 2.02 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	RESURFACE(ASPHALT) MC-165C(16)PT.1		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	115.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,014.000	TON
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 64
 CALL ORDER : 380 CONTRACT ID : 000048
 LETTING DATE : February 24, 2000 PCN : 1813505
 LETTING TIME : 2:00 P.M.
 COUNTIES: ROGER MILLS PROJECTS : MC-165C(16)PT.2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 51CLI
 CAL. DAYS: LIQ. DAM: \$ 400

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-152: BEGIN AT ROGER MILLS/BECKHAM COUNTY LINE AND
 EXTEND EAST TO THE JCT. OF SH-152/SH-6.
 PROJ. LGTH.= 7.84 MILE
 ASPH GRADE = 70-28 OK
 FLEX ESALS = 2.02 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	RESURFACE(ASPHALT) MC-165C(16)PT.2		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	706.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	13,620.000	TON
417 5267	COLD MILLING PAVEMENT	5,534.000	SY
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 65
 CALL ORDER : 390 CONTRACT ID : 000049
 LETTING DATE : February 24, 2000 PCN : 1813504C
 LETTING TIME : 2:00 P.M.
 COUNTIES: ROGER MILLS PROJECTS : MC-165C(16)PT.1&2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 51CLI
 CAL. DAYS: LIQ. DAM: \$ 400

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 SH-152: BEG. TEXAS/OKLAHOMA STATE LINE EXT. E. TO JCT SH-6.
 INCLUDE 0.30 MI. N/S SH-152/SH-30 & S/SE LEG SH-152/SH-6.
 PROJ. LGTH.= 9.12 MILES
 ASPH GRADE = 70-28 OK
 FLEX ESALS = 2.02 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	RESURFACE(ASPHALT) MC-165C(16)PT.1		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	115.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,014.000	TON
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	RESURFACE(ASPHALT) MC-165C(16)PT.2		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	706.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	13,620.000	TON
417 5267	COLD MILLING PAVEMENT	5,534.000	SY
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM