

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : February 28, 2000

LNTCNCA
LETTING

NOTICE TO CONTRACTORS -- March 23, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF March 23, 2000 , TO BE PUBLICALLY OPENED AT 10:30 A.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$23.07 PLUS \$1.93 TAX (OKLAHOMA TAX IS 8.375%) FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$7.38 PLUS \$.62 TAX. MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

LNTCIQA
 CALL ORDER : 020
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: BRYAN

STATE PROJECT
 CONTRACT ID : 000119
 PCN : 1738804

PAGE 1

PROJECTS : SAP-107C(024)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 13.42
 RES. ENG.: 23MAD
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON SH-78 BEGINNING AT US-69, IN CALERA, AND EXTENDING EAST.
 PROJ. LGTH.= 1.313 KM.
 FLEX. ESALS= 0.72 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(A)	M0183	UNCLASSIFIED EXCAVATION	11,331.000 M3
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000 LSUM
222	M2801	TEMPORARY BALE BARRIER	25.000 M
223	M2802	TEMPORARY SILT FENCE	50.000 M
226	M2805	TEMPORARY SEDIMENT REMOVAL	20.000 M3
227	M0100	(PL)TEMPORARY SILT DIKE	75.000 M
230(A)	M2806	SOLID SLAB SODDING	2,716.000 M2
230(B)	M2807	MULCH SODDING	8,780.000 M2
230(G)	M2812	WATERING	2,069.300 KL
232(B)	M2814	SEEDING METHOD B	4.650 HA
233(A)	M2817	VEGETATIVE MULCHING	4.650 HA
234(A)	M2824	FERTILIZING (10-20-10)	1.850 T
234(A)	M4406	FERTILIZING (0-46-0)	0.500 T
241	M2832	MOWING	2.900 HA
303	M0192	AGGREGATE BASE	1,398.000 M3
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	686.000 T
407	M0250	TACK COAT	2,895.536 L
408	M5853	PRIME COAT	6,798.000 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	2,146.000 T
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,158.000 T
509(D)	M0325	CLASS C CONCRETE	20.000 M3
610(B)	M0604	150 MM CONCRETE DRIVEWAY	77.000 M2
613(B)	M4403	560MM X 345MM R.C.PIPE ARCH CLASS A-III	23.000 M
613(B)	M4415	920MM X 570MM R.C.PIPE ARCH CLASS A-III	35.000 M
613(D)	M5205	510MM X 380MM CORR. GALV. ST. PIPE ARCH	120.000 M
613(M)	M4502	510MM X 380MM PREFAB.CULV.END SEC., ARCH	28.000 EA
613(MM)	M7500	TYPE A4 SLOPED CONCRETE END SECTION	4.000 EA
613(MM)	M7502	TYPE C4 SLOPED CONCRETE END SECTION	4.000 EA
613(P)	M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	99.000 M
613(Q)	M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.	33.000 M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	25.000 M3
613(S)	M1180	TRENCH EXCAVATION	168.000 M3
613(T)	M1181	STANDARD BEDDING MATERIAL	72.000 M3

SECTION NO. 0001	I000-ROADWAY		
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	2,712.000	M2
619(B) M4766	REMOVAL OF CONCRETE DRIVEWAY	55.000	M2
619(C) M0924	SAWING PAVEMENT	58.000	M
624(A) M4281	FENCE-STYLE WWF	124.000	M
624(C) M4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,140.000	M
629(A) M4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) M4960	MAILBOX	1.000	EA
629(D) M4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
640 M1426	FIELD OFFICE	1.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
653(C) M5946	OUTLET LATERAL HEADWALL	2.000	EA
SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL		
890 M7702	(PL)TRAFFIC ITEMS (TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0003	Y002-TRAFFIC SIGNING & STRIPING		
850(A) M8110	SHEET ALUMINUM SIGNS	8.090	M2
851(C) M8327	57 MM SQUARE TUBE POST	62.180	M
855(A) M8812	TRAF.STR.(PLAST.)(100MM WIDE)	18.000	M
855(A) M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)	2,800.000	M
855(B) M8824	TRAF.STR.(PLAST.)(SYMBOLS)	2.000	EA
SECTION NO. 0004	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 040
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CANADIAN

FEDERAL PROJECT
 CONTRACT ID : 000093
 PCN : 1186905

PAGE 3

PROJECTS : STPY-9C(241)
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 47.25
 RES. ENG.: 460KC
 CAL. DAYS: 300 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)
 SH-4(NEW ALIGNMENT) BEGINNING APPROXIMATELY 1.209 KILOMETERS
 NORTH OF THE GRADY/CANADIAN COUNTY LINE AND EXTENDING NORTH
 TO SH-152.
 PROJ. LGTH.= 5.744 KM.
 FLEX. ESALS= 10.6 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY STPY-9C(241)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	M0183 UNCLASSIFIED EXCAVATION	394,114.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	76,741.000	M3
205	M7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	533.000	M
223	M2802 TEMPORARY SILT FENCE	2,900.000	M
224	M2803 TEMPORARY SEDIMENT FILTER	11.000	EA
226	M2805 TEMPORARY SEDIMENT REMOVAL	100.000	M3
229	M4318 DITCH LINER PROTECTION	3,977.000	M
230(A)	M2806 SOLID SLAB SODDING	286,606.000	M2
230(F)	M2812 WATERING	51,590.000	KL
233(A)	M2817 VEGETATIVE MULCHING	27.600	HA
234(A)	M2824 FERTILIZING (10-20-10)	31.500	T
317(A)	M4252 FLY ASH	9,957.000	T
317(B)	M4254 SUBGRADE MODIFICATION	172,653.000	M2
317(C)	M4253 LIME	337.000	T
317(D)	M4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	17,266.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	558.000	T
407	M0250 TACK COAT	103,962.000	L
408	M5853 PRIME COAT	133,952.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	73,379.000	T
411(A)	M6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	18,511.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,476.000	T
411(B)	M6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	12,252.000	T
509(D)	M0325 CLASS C CONCRETE	1,323.000	M3
609(B)	M1526 800MM COMB.CRB.&GUT.(200MM BAR.CURB)	1,471.000	M
609(D)	M0398 BITUMINOUS CURBING	280.000	M
610(B)	M0399 150 MM CONCRETE DRIVEWAY (H.E.S.)	226.000	M2
610(G)	M4475 BIT. DRIVEWAY (150 MM)	2,262.000	M2
611(A)	M2657 MANHOLE (1200 MM DIA.)	3.000	EA
611(B)	M2680 ADD'L.DEPTH IN MANHOLE (1200 MM DIA)	1.065	M
611(D)	M4215 MANHOLE FRAME & COVER	3.000	EA

SECTION NO. 0001	I000-ROADWAY	STPY-9C(241)		
611(E)	M5113	INLET CICI DES. 2 (B)	2.000	EA
611(E)	M5115	INLET CICI DES. 2 (D)	2.000	EA
611(E)	M5327	INLET GPI TYPE 1 (DES. 1)	9.000	EA
611(E)	M5328	INLET GPI TYPE 1 (DES. 2)	2.000	EA
611(E)	M5334	INLET GPI TYPE 2 (DES. 8)	1.000	EA
611(F)	M5283	INLET (TYPE 1, GPI, ADD'L. DEPTH)	2.160	M
611(F)	M5325	INLET CICI DES 2 (ADD'L DEPTH)	0.620	M
611(G)	M4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	8.000	EA
611(K)	M4488	CAST IRON CURB INLETS	20.000	EA
613(B)	M0405	450MM R.C.PIPE CLASS III	175.000	M
613(B)	M0409	600MM R.C.PIPE CLASS III	462.000	M
613(B)	M0413	750MM R.C.PIPE CLASS III	246.000	M
613(B)	M0421	1350MM R.C.PIPE CLASS III	114.000	M
613(M)	M0898	600MM PREFAB. CULVERT END SEC., ROUND	22.000	EA
613(M)	M0899	750MM PREFAB. CULVERT END SEC., ROUND	8.000	EA
613(M)	M0982	1350MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND	355.000	M
613(Q)	M1097	200 MM NON-PERF.PIPE UNDERDRAIN RND.	132.000	M
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	922.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	9,217.000	M2
619(B)	M4766	REMOVAL OF CONCRETE DRIVEWAY	194.000	M2
619(B)	M4782	REMOVAL OF CONCRETE CURB	130.000	M
619(C)	M0924	SAWING PAVEMENT	71.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	420.000	M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	M8571	(SP) G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	10,850.000	M
640	M1426	FIELD OFFICE	1.000	EA
643	M0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002	X121-BRIDGE 'C'	STPY-9C(241)		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501(G)	M6309	CLSM BACKFILL	136.000	M3
503(A)	M6281	(PL) PRESTRESSED CONCRETE BEAMS (72 BT)	216.800	M
504(A)	M1304	APPROACH SLAB	296.900	M2
504(C)	M6276	SEALED EXPANSION JOINTS	13.011	M
504(F)	M1381	CONCRETE PARAPET	136.300	M
506(A)	M6005	STRUCTURAL STEEL A36	1,272.000	KG
509(A)	M1326	CLASS AA CONCRETE	138.400	M3
509(B)	M1328	CLASS A CONCRETE	104.700	M3
509(D)	M1331	CLASS C CONCRETE	6.000	M3
510(C)	M6134	SLOPE WALL (100MM)	780.000	M2
511(A)	M1439	REINFORCING STEEL (GRADE 420)	785.000	KG
511(B)	M6010	EPOXY COATED REINF. STEEL	20,560.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	58.000	M
514(A)	M6013	PILES, FURNISHED (HP 310X79)	226.000	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	58.000	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	226.000	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	675.100	M2
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	36.600	M
613(Q)	M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	32.000	M

SECTION NO. 0002	X121-BRIDGE 'C'	STPY-9C(241)		
613(R) M1395	PIPE UNDERDRAIN COVER MAT'L.		34.000	M3
613(S) M1396	TRENCH EXCAVATION		20.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL		20.000	M3
641 M1399	MOBILIZATION		1.000	LSUM
SECTION NO. 0003	X121-BRIDGE 'D'	STPY-9C(241)		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON		90.000	M3
501(G) M6309	CLSM BACKFILL		136.000	M3
503(A) M6281	(PL) PRESTRESSED CONCRETE BEAMS (72 BT)		216.800	M
504(A) M1304	APPROACH SLAB		296.900	M2
504(C) M6276	SEALED EXPANSION JOINTS		13.011	M
504(F) M1381	CONCRETE PARAPET		136.300	M
506(A) M6005	STRUCTURAL STEEL A36		1,272.000	KG
509(A) M1326	CLASS AA CONCRETE		138.400	M3
509(B) M1328	CLASS A CONCRETE		104.700	M3
509(D) M1331	CLASS C CONCRETE		6.000	M3
510(C) M6134	SLOPE WALL (100MM)		780.000	M2
511(A) M1439	REINFORCING STEEL (GRADE 420)		785.000	KG
511(B) M6010	EPOXY COATED REINF. STEEL		20,560.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)		58.000	M
514(A) M6013	PILES, FURNISHED (HP 310X79)		226.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)		58.000	M
514(B) M6294	PILES, DRIVEN (HP 310X79)		226.000	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)		22.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)		675.100	M2
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND		36.600	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN		32.000	M
613(R) M1395	PIPE UNDERDRAIN COVER MAT'L.		34.000	M3
613(S) M1396	TRENCH EXCAVATION		20.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL		20.000	M3
SECTION NO. 0004	Y000-TRAFFIC	STPY-9C(241)		
801 M6250	(PL)PERMANENT TRAFFIC SIGNALS		1.000	LSUM
850(A) M8110	SHEET ALUMINUM SIGNS		48.630	M2
851(C) M8324	50 MM SQUARE TUBE POST		82.440	M
851(C) M8327	57 MM SQUARE TUBE POST		275.470	M
855(A) M8812	TRAF.STR.(PLAST.)(100MM WIDE)		28,350.000	M
855(B) M8818	TRAF.STR.(PLAST.)(ARROWS)		48.000	EA
855(B) M8821	TRAF.STR.(PLAST.)(WORDS)		15.000	EA
960.16 M8140	(PL) CONSTRUCTION TRAFFIC CONTROL		1.000	LSUM
SECTION NO. 0005	STAK-STAKING	STPY-9C(241)		
642 M0098	STAKING		1.000	LSUM

LNTCIQA
 CALL ORDER : 050
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CANADIAN
 GRADY

FEDERAL PROJECT
 CONTRACT ID : 000094
 PCN : 1186908
 PROJECTS : MGSY-109C(009)
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 44.02
 RES. ENG.: 460KC
 CAL. DAYS: 420

PAGE 6

LIQ. DAM: \$ 3500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)
 SH-4(NEW ALIGNMENT) BEGINNING AT S.W. 149TH STREET IN TUTTLE
 AND EXTENDING NORTH OVER THE CANADIAN RIVER.
 PROJ. LGTH.= 2.453 KM.
 FLEX. ESALS= 10.6 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MGS-STPY-109C(009)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	M0183 UNCLASSIFIED EXCAVATION	352,634.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	390,757.000	M3
205	M7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	57.000	M
223	M2802 TEMPORARY SILT FENCE	2,840.000	M
224	M2803 TEMPORARY SEDIMENT FILTER	4.000	EA
226	M2805 TEMPORARY SEDIMENT REMOVAL	40.000	M3
229	M4318 DITCH LINER PROTECTION	100.000	M
230(A)	M2806 SOLID SLAB SODDING	152,750.000	M2
230(F)	M2812 WATERING	27,495.000	KL
233(A)	M2817 VEGETATIVE MULCHING	12.500	HA
234(A)	M2824 FERTILIZING (10-20-10)	8.400	T
241	M2832 MOWING	22.000	HA
317(A)	M4252 FLY ASH	3,340.000	T
317(B)	M4254 SUBGRADE MODIFICATION	57,914.000	M2
317(C)	M4253 LIME	112.900	T
317(D)	M4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	5,792.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	T
407	M0250 TACK COAT	34,751.000	L
408	M5853 PRIME COAT	45,135.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	24,679.000	T
411(A)	M6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	6,198.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,424.000	T
411(B)	M6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	4,099.000	T
509(D)	M0325 CLASS C CONCRETE	48.000	M3
609(D)	M0398 BITUMINOUS CURBING	280.000	M
610(G)	M4475 BIT. DRIVEWAY (150 MM)	2,828.000	M2
611(E)	M5327 INLET GPI TYPE 1 (DES. 1)	3.000	EA
611(E)	M5334 INLET GPI TYPE 2 (DES. 8)	1.000	EA
611(F)	M5283 INLET (TYPE 1, GPI, ADD'L. DEPTH)	0.700	M
613(B)	M0409 600MM R.C.PIPE CLASS III	316.000	M
613(B)	M0413 750MM R.C.PIPE CLASS III	109.000	M

SECTION NO. 0001	I000-ROADWAY	MGS-STPY-109C(009)		
613(M)	M0898	600MM PREFAB. CULVERT END SEC., ROUND	9.000	EA
613(M)	M0899	750MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND	120.000	M
613(Q)	M1097	200 MM NON-PERF.PIPE UNDERDRAIN RND.	45.000	M
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	420.000	M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	M8571	(SP) G.E.T. GUARD RAIL END SECTION	4.000	EA
624(A)	M4281	FENCE-STYLE WWF	2,306.000	M
624(B)	M4464	GATES-STYLE WWF(1350MM HI X 4200MM LONG)		2.000 EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,082.000	M
640	M1426	FIELD OFFICE	1.000	EA
643	M0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002	X081-BRIDGE 'A'	MGS-STPY-109C(009)		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(G)	M6309	CLSM BACKFILL	130.000	M3
503(A)	M6281	(PL) PRESTRESSED CONCRETE BEAMS (72 BT)	2,661.000	M
504(A)	M1304	APPROACH SLAB	394.000	M2
504(C)	M6276	SEALED EXPANSION JOINTS	74.500	M
504(F)	M1381	CONCRETE PARAPET	1,133.000	M
506(A)	M6005	STRUCTURAL STEEL A36	14,880.000	KG
509(A)	M1326	CLASS AA CONCRETE	1,664.600	M3
509(B)	M1328	CLASS A CONCRETE	648.600	M3
509(D)	M1331	CLASS C CONCRETE	6.000	M3
511(A)	M1439	REINFORCING STEEL (GRADE 420)	35,735.000	KG
511(B)	M6010	EPOXY COATED REINF. STEEL	192,664.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	70.000	M
514(A)	M6013	PILES, FURNISHED (HP 310X79)	284.000	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	70.000	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	284.000	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	6,698.100	M2
516(A)	M6098	DRILLED SHAFTS 1800MM DIAMETER	602.400	M
601B-1	M1359	TYPE II-A-SP. PLAIN RIPRAP	1,000.000	T
601B-2	M1361	TYPE II-A FILTER BLANKET	200.000	T
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND		36.000 M
613(Q)	M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	27.000	M
613(R)	M1395	PIPE UNDERDRAIN COVER MAT'L.	34.000	M3
613(S)	M1396	TRENCH EXCAVATION	17.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	17.000	M3
641	M1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0003	X081-BRIDGE 'B'	MGS-STPY-109C(009)		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(G)	M6309	CLSM BACKFILL	130.000	M3
503(A)	M6281	(PL) PRESTRESSED CONCRETE BEAMS (72 BT)	2,661.000	M
504(A)	M1304	APPROACH SLAB	394.000	M2
504(C)	M6276	SEALED EXPANSION JOINTS	74.500	M
504(F)	M1381	CONCRETE PARAPET	1,133.000	M
506(A)	M6005	STRUCTURAL STEEL A36	14,880.000	KG
509(A)	M1326	CLASS AA CONCRETE	1,664.600	M3

SECTION NO. 0003	X081-BRIDGE 'B'	MGS-STPY-109C(009)		
509(B) M1328	CLASS A CONCRETE		648.600	M3
509(D) M1331	CLASS C CONCRETE		6.000	M3
511(A) M1439	REINFORCING STEEL (GRADE 420)		35,735.000	KG
511(B) M6010	EPOXY COATED REINF. STEEL		192,664.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)		70.000	M
514(A) M6013	PILES, FURNISHED (HP 310X79)		284.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)		70.000	M
514(B) M6294	PILES, DRIVEN (HP 310X79)		284.000	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)		22.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)		6,698.100	M2
516(A) M6098	DRILLED SHAFTS 1800MM DIAMETER		601.600	M
601B-1 M1359	TYPE II-A-SP. PLAIN RIPRAP		1,000.000	T
601B-2 M1361	TYPE II-A FILTER BLANKET		200.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND		36.000	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN		27.000	M
613(R) M1395	PIPE UNDERDRAIN COVER MAT'L.		34.000	M3
613(S) M1396	TRENCH EXCAVATION		17.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL		17.000	M3
SECTION NO. 0004	Y000-TRAFFIC	MGS-STPY-109C(009)		
850(A) M8110	SHEET ALUMINUM SIGNS		22.720	M2
851(C) M8324	50 MM SQUARE TUBE POST		36.640	M
851(C) M8327	57 MM SQUARE TUBE POST		120.330	M
855(A) M8812	TRAF.STR.(PLAST.)(100MM WIDE)		11,102.700	M
855(B) M8818	TRAF.STR.(PLAST.)(ARROWS)		10.000	EA
855(B) M8821	TRAF.STR.(PLAST.)(WORDS)		5.000	EA
960.16 M8140	(PL) CONSTRUCTION TRAFFIC CONTROL		1.000	LSUM
SECTION NO. 0005	STAK-STAKING	MGS-STPY-109C(009)		
642 M0098	STAKING		1.000	LSUM
SECTION NO. 0006	X081-NON-PARTICIPATING			
900.53 M6176	(PL) INSERTS		427.000	EA

LNTCIQA
 CALL ORDER : 060
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CANADIAN
 GRADY

FEDERAL PROJECT
 CONTRACT ID : 000095
 PCN : 1186905C

PAGE 9

PROJECTS : STPY-9C(241)/MGSY-109C(009)
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 91.27
 RES. ENG.: 460KC
 CAL. DAYS: 540 LIQ. DAM: \$ 3500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)
 ON SH-4(NEW ALIGNMENT) BEGINNING AT S.W. 149TH STREET IN
 TUTTLE AND EXTENDING NORTH TO SH-152.
 PROJ. LGTH.= 8.197 KM.
 FLEX. ESALS= 10.6 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY STPY-9C(241)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	M0183 UNCLASSIFIED EXCAVATION	394,114.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	76,741.000	M3
205	M7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	533.000	M
223	M2802 TEMPORARY SILT FENCE	2,900.000	M
224	M2803 TEMPORARY SEDIMENT FILTER	11.000	EA
226	M2805 TEMPORARY SEDIMENT REMOVAL	100.000	M3
229	M4318 DITCH LINER PROTECTION	3,977.000	M
230(A)	M2806 SOLID SLAB SODDING	286,606.000	M2
230(F)	M2812 WATERING	51,590.000	KL
233(A)	M2817 VEGETATIVE MULCHING	27.600	HA
234(A)	M2824 FERTILIZING (10-20-10)	31.500	T
317(A)	M4252 FLY ASH	9,957.000	T
317(B)	M4254 SUBGRADE MODIFICATION	172,653.000	M2
317(C)	M4253 LIME	337.000	T
317(D)	M4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	17,266.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	558.000	T
407	M0250 TACK COAT	103,962.000	L
408	M5853 PRIME COAT	133,952.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	73,379.000	T
411(A)	M6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	18,511.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,476.000	T
411(B)	M6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	12,252.000	T
509(D)	M0325 CLASS C CONCRETE	1,323.000	M3
609(B)	M1526 800MM COMB.CRB.&GUT.(200MM BAR.CURB)	1,471.000	M
609(D)	M0398 BITUMINOUS CURBING	280.000	M
610(B)	M0399 150 MM CONCRETE DRIVEWAY (H.E.S.)	226.000	M2
610(G)	M4475 BIT. DRIVEWAY (150 MM)	2,262.000	M2
611(A)	M2657 MANHOLE (1200 MM DIA.)	3.000	EA
611(B)	M2680 ADD'L.DEPTH IN MANHOLE (1200 MM DIA)	1.065	M
611(D)	M4215 MANHOLE FRAME & COVER	3.000	EA
611(E)	M5113 INLET CICI DES. 2 (B)	2.000	EA

SECTION NO. 0001	I000-ROADWAY	STPY-9C(241)		
611(E)	M5115	INLET CICI DES. 2 (D)	2.000	EA
611(E)	M5327	INLET GPI TYPE 1 (DES. 1)	9.000	EA
611(E)	M5328	INLET GPI TYPE 1 (DES. 2)	2.000	EA
611(E)	M5334	INLET GPI TYPE 2 (DES. 8)	1.000	EA
611(F)	M5283	INLET (TYPE 1, GPI, ADD'L DEPTH)	2.160	M
611(F)	M5325	INLET CICI DES 2 (ADD'L DEPTH)	0.620	M
611(G)	M4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	8.000	EA
611(K)	M4488	CAST IRON CURB INLETS	20.000	EA
613(B)	M0405	450MM R.C.PIPE CLASS III	175.000	M
613(B)	M0409	600MM R.C.PIPE CLASS III	462.000	M
613(B)	M0413	750MM R.C.PIPE CLASS III	246.000	M
613(B)	M0421	1350MM R.C.PIPE CLASS III	114.000	M
613(M)	M0898	600MM PREFAB. CULVERT END SEC., ROUND	22.000	EA
613(M)	M0899	750MM PREFAB. CULVERT END SEC., ROUND	8.000	EA
613(M)	M0982	1350MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND	355.000	M
613(Q)	M1097	200 MM NON-PERF.PIPE UNDERDRAIN RND.	132.000	M
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	922.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	9,217.000	M2
619(B)	M4766	REMOVAL OF CONCRETE DRIVEWAY	194.000	M2
619(B)	M4782	REMOVAL OF CONCRETE CURB	130.000	M
619(C)	M0924	SAWING PAVEMENT	71.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	420.000	M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	M8571	(SP) G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	10,850.000	M
640	M1426	FIELD OFFICE	1.000	EA
643	M0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY	MGS-STPY-109C(009)		
201	M0102	CLEARING AND GRUBBING	1.000	LSUM
202(C)	M0183	UNCLASSIFIED EXCAVATION	352,634.000	M3
202(C)	M0184	UNCLASSIFIED BORROW	390,757.000	M3
205	M7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	M2801	TEMPORARY BALE BARRIER	57.000	M
223	M2802	TEMPORARY SILT FENCE	2,840.000	M
224	M2803	TEMPORARY SEDIMENT FILTER	4.000	EA
226	M2805	TEMPORARY SEDIMENT REMOVAL	40.000	M3
229	M4318	DITCH LINER PROTECTION	100.000	M
230(A)	M2806	SOLID SLAB SODDING	152,750.000	M2
230(F)	M2812	WATERING	27,495.000	KL
233(A)	M2817	VEGETATIVE MULCHING	12.500	HA
234(A)	M2824	FERTILIZING (10-20-10)	8.400	T
241	M2832	MOWING	22.000	HA
317(A)	M4252	FLY ASH	3,340.000	T
317(B)	M4254	SUBGRADE MODIFICATION	57,914.000	M2
317(C)	M4253	LIME	112.900	T
317(D)	M4254	SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	5,792.000	M2
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	T
407	M0250	TACK COAT	34,751.000	L
408	M5853	PRIME COAT	45,135.000	L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	24,679.000	T

SECTION NO.	DESCRIPTION	QUANTITY	UNIT
0002	I000-ROADWAY MGS-STPY-109C(009)		
411(A)	M6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	6,198.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,424.000	T
411(B)	M6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	4,099.000	T
509(D)	M0325 CLASS C CONCRETE	48.000	M3
609(D)	M0398 BITUMINOUS CURBING	280.000	M
610(G)	M4475 BIT. DRIVEWAY (150 MM)	2,828.000	M2
611(E)	M5327 INLET GPI TYPE 1 (DES. 1)	3.000	EA
611(E)	M5334 INLET GPI TYPE 2 (DES. 8)	1.000	EA
611(F)	M5283 INLET (TYPE 1, GPI, ADD'L. DEPTH)	0.700	M
613(B)	M0409 600MM R.C.PIPE CLASS III	316.000	M
613(B)	M0413 750MM R.C.PIPE CLASS III	109.000	M
613(M)	M0898 600MM PREFAB. CULVERT END SEC., ROUND	9.000	EA
613(M)	M0899 750MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	M1092 200MM PERFORATED PIPE UNDERDRAIN ROUND	120.000	M
613(Q)	M1097 200 MM NON-PERF.PIPE UNDERDRAIN RND.	45.000	M
619(A)	M0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(A)	M0932 BEAM GUARD RAIL-W-BEAM-SINGLE	420.000	M
623(F)	M5686 GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	M8571 (SP) G.E.T. GUARD RAIL END SECTION	4.000	EA
624(A)	M4281 FENCE-STYLE WWF	2,306.000	M
624(B)	M4464 GATES-STYLE WWF(1350MM HI X 4200MM LONG)		2.000 EA
624(C)	M4459 FENCE-STYLE SWF (5 BARBED WIRE)	1,082.000	M
640	M1426 FIELD OFFICE	1.000	EA
643	M0087 (SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM
0003	X081-BRIDGE 'A' MGS-STPY-109C(009)		
501(B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(G)	M6309 CLSM BACKFILL	130.000	M3
503(A)	M6281 (PL) PRESTRESSED CONCRETE BEAMS (72 BT)	2,661.000	M
504(A)	M1304 APPROACH SLAB	394.000	M2
504(C)	M6276 SEALED EXPANSION JOINTS	74.500	M
504(F)	M1381 CONCRETE PARAPET	1,133.000	M
506(A)	M6005 STRUCTURAL STEEL A36	14,880.000	KG
509(A)	M1326 CLASS AA CONCRETE	1,664.600	M3
509(B)	M1328 CLASS A CONCRETE	648.600	M3
509(D)	M1331 CLASS C CONCRETE	6.000	M3
511(A)	M1439 REINFORCING STEEL (GRADE 420)	35,735.000	KG
511(B)	M6010 EPOXY COATED REINF. STEEL	192,664.000	KG
514(A)	M6011 PILES, FURNISHED (HP 250X62)	70.000	M
514(A)	M6013 PILES, FURNISHED (HP 310X79)	284.000	M
514(B)	M6292 PILES, DRIVEN (HP 250X62)	70.000	M
514(B)	M6294 PILES, DRIVEN (HP 310X79)	284.000	M
514(F)	M6354 PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A)	M6013 WATER REPELLENT (VISUALLY INSPECTED)	6,698.100	M2
516(A)	M6098 DRILLED SHAFTS 1800MM DIAMETER	602.400	M
601B-1	M1359 TYPE II-A-SP. PLAIN RIPRAP	1,000.000	T
601B-2	M1361 TYPE II-A FILTER BLANKET	200.000	T
613(P)	M6204 150MM PERFORATED PIPE UNDERDRAIN ROUND	36.000	M
613(Q)	M6207 150 MM RND.NON-PERF.PIPE UNDERDRAIN	27.000	M
613(R)	M1395 PIPE UNDERDRAIN COVER MAT'L.	34.000	M3
613(S)	M1396 TRENCH EXCAVATION	17.000	M3
613(T)	M1181 STANDARD BEDDING MATERIAL	17.000	M3
641	M1399 MOBILIZATION	1.000	LSUM
0004	X081-BRIDGE 'B' MGS-STPY-109C(009)		

501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	M3
501(G)	M6309	CLSM BACKFILL	130.000	M3
503(A)	M6281	(PL) PRESTRESSED CONCRETE BEAMS (72 BT)	2,661.000	M
504(A)	M1304	APPROACH SLAB	394.000	M2
504(C)	M6276	SEALED EXPANSION JOINTS	74.500	M
504(F)	M1381	CONCRETE PARAPET	1,133.000	M
506(A)	M6005	STRUCTURAL STEEL A36	14,880.000	KG
509(A)	M1326	CLASS AA CONCRETE	1,664.600	M3
509(B)	M1328	CLASS A CONCRETE	648.600	M3
509(D)	M1331	CLASS C CONCRETE	6.000	M3
511(A)	M1439	REINFORCING STEEL (GRADE 420)	35,735.000	KG
511(B)	M6010	EPOXY COATED REINF. STEEL	192,664.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	70.000	M
514(A)	M6013	PILES, FURNISHED (HP 310X79)	284.000	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	70.000	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	284.000	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	6,698.100	M2
516(A)	M6098	DRILLED SHAFTS 1800MM DIAMETER	601.600	M
601B-1	M1359	TYPE II-A-SP. PLAIN RIPRAP	1,000.000	T
601B-2	M1361	TYPE II-A FILTER BLANKET	200.000	T
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	36.000	M
613(Q)	M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	27.000	M
613(R)	M1395	PIPE UNDERDRAIN COVER MAT'L.	34.000	M3
613(S)	M1396	TRENCH EXCAVATION	17.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	17.000	M3

SECTION NO. 0005 X121-BRIDGE 'C' STPY-9C(241)

501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501(G)	M6309	CLSM BACKFILL	136.000	M3
503(A)	M6281	(PL) PRESTRESSED CONCRETE BEAMS (72 BT)	216.800	M
504(A)	M1304	APPROACH SLAB	296.900	M2
504(C)	M6276	SEALED EXPANSION JOINTS	13.011	M
504(F)	M1381	CONCRETE PARAPET	136.300	M
506(A)	M6005	STRUCTURAL STEEL A36	1,272.000	KG
509(A)	M1326	CLASS AA CONCRETE	138.400	M3
509(B)	M1328	CLASS A CONCRETE	104.700	M3
509(D)	M1331	CLASS C CONCRETE	6.000	M3
510(C)	M6134	SLOPE WALL (100MM)	780.000	M2
511(A)	M1439	REINFORCING STEEL (GRADE 420)	785.000	KG
511(B)	M6010	EPOXY COATED REINF. STEEL	20,560.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	58.000	M
514(A)	M6013	PILES, FURNISHED (HP 310X79)	226.000	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	58.000	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	226.000	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	675.100	M2
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	36.600	M
613(Q)	M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	32.000	M
613(R)	M1395	PIPE UNDERDRAIN COVER MAT'L.	34.000	M3
613(S)	M1396	TRENCH EXCAVATION	20.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	20.000	M3
641	M1399	MOBILIZATION	1.000	LSUM

SECTION NO. 0006 X121-BRIDGE 'D' STPY-9C(241)

SECTION NO. 0006	X121-BRIDGE 'D'	STPY-9C(241)		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501(G)	M6309	CLSM BACKFILL	136.000	M3
503(A)	M6281	(PL) PRESTRESSED CONCRETE BEAMS (72 BT)	216.800	M
504(A)	M1304	APPROACH SLAB	296.900	M2
504(C)	M6276	SEALED EXPANSION JOINTS	13.011	M
504(F)	M1381	CONCRETE PARAPET	136.300	M
506(A)	M6005	STRUCTURAL STEEL A36	1,272.000	KG
509(A)	M1326	CLASS AA CONCRETE	138.400	M3
509(B)	M1328	CLASS A CONCRETE	104.700	M3
509(D)	M1331	CLASS C CONCRETE	6.000	M3
510(C)	M6134	SLOPE WALL (100MM)	780.000	M2
511(A)	M1439	REINFORCING STEEL (GRADE 420)	785.000	KG
511(B)	M6010	EPOXY COATED REINF. STEEL	20,560.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	58.000	M
514(A)	M6013	PILES, FURNISHED (HP 310X79)	226.000	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	58.000	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	226.000	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	22.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	675.100	M2
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	36.600	M
613(Q)	M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	32.000	M
613(R)	M1395	PIPE UNDERDRAIN COVER MAT'L.	34.000	M3
613(S)	M1396	TRENCH EXCAVATION	20.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	20.000	M3
SECTION NO. 0007	Y000-TRAFFIC	STPY-9C(241)		
801	M6250	(PL)PERMANENT TRAFFIC SIGNALS	1.000	LSUM
850(A)	M8110	SHEET ALUMINUM SIGNS	48.630	M2
851(C)	M8324	50 MM SQUARE TUBE POST	82.440	M
851(C)	M8327	57 MM SQUARE TUBE POST	275.470	M
855(A)	M8812	TRAF.STR.(PLAST.)(100MM WIDE)	28,350.000	M
855(B)	M8818	TRAF.STR.(PLAST.)(ARROWS)	48.000	EA
855(B)	M8821	TRAF.STR.(PLAST.)(WORDS)	15.000	EA
960.16	M8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0008	Y000-TRAFFIC	MGS-STPY-109C(009)		
850(A)	M8110	SHEET ALUMINUM SIGNS	22.720	M2
851(C)	M8324	50 MM SQUARE TUBE POST	36.640	M
851(C)	M8327	57 MM SQUARE TUBE POST	120.330	M
855(A)	M8812	TRAF.STR.(PLAST.)(100MM WIDE)	11,102.700	M
855(B)	M8818	TRAF.STR.(PLAST.)(ARROWS)	10.000	EA
855(B)	M8821	TRAF.STR.(PLAST.)(WORDS)	5.000	EA
960.16	M8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0009	STAK-STAKING	STPY-9C(241)		
642	M0098	STAKING	1.000	LSUM
SECTION NO. 0010	STAK-STAKING	MGS-STPY-109C(009)		
642	M0098	STAKING	1.000	LSUM
SECTION NO. 0011	X081-NON-PARTICIPATING			

LNTCIQA

FEDERAL PROJECT

PAGE 14

SECTION NO. 0011

X081-NON-PARTICIPATING

900.53 M6176

(PL) INSERTS

427.000

EA

LNTCIQA
 CALL ORDER : 090
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: GARVIN

FEDERAL PROJECT
 CONTRACT ID : 000100
 PCN : 1728605

PAGE 15

PROJECTS : IMY-35-2(228)057
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.30
 RES. ENG.: 32PUR
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 JOINT SEAL/REPAIR
 ON I-35 OVER WILDHORSE CREEK APPROXIMATELY 3.219 KILOMETERS
 NORTH OF THE JUNCTION OF I-35/SH-7.
 PROJ. LGTH.= 0.0 KM.
 FLEX. ESALS= 30 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	X041-JOINT SEAL/REPAIR BRIDGE 'A'&'B'		
407	M0250 TACK COAT	890.000	L
411(B)	M6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	640.000	T
417	M5267 COLD MILLING PAVEMENT	3,550.000	M2
504(C)	M6389 (PL) RAPID CURE JOINT SEALANT	72.300	M
504(C)	M6390 (PL) ELASTOMERIC MORTAR	1.600	M3
505	M6139 (PL) MEMBRANE	3,550.000	M2
505(B)	M6019 CLASS B BRIDGE DECK REPAIR	200.000	M2
505(C)	M6020 CLASS C BRIDGE DECK REPAIR	50.000	M2
506(A)	M1322 STRUCTURAL STEEL	2,260.000	KG
509(A)	M1326 CLASS AA CONCRETE	16.500	M3
511(A)	M1332 REINFORCING STEEL	7,840.000	KG
619(D)	M5156 (PL) REMOVAL OF EXISTING BRIDGE ITEMS	1.000	LSUM
641	M1399 MOBILIZATION	1.000	LSUM
SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL		
855(A)	M8812 TRAF.STR.(PLAST.)(100MM WIDE)	660.000	M
876(C)	M8482 (PL)TRUCK MTD.ATTENUATOR	60.000	SD
880(C)	M8015 ADVANCE WARNING DEVICE (TYPE C)	60.000	SD
880(D)	M8016 SIGNS 0 TO 0.59 M2	900.000	SD
880(E)	M8017 SIGNS 0.60 M2 TO 1.47 M2	600.000	SD
880(F)	M8018 SIGNS 1.48 M2 TO 3.06 M2	720.000	SD
880(I)	M8020 BARRICADES (TYPE II)	120.000	SD
880(J)	M8021 BARRICADES (TYPE III)	480.000	SD
880(K)	M8022 WING BARRICADES	240.000	SD
880(M)	M8024 TYPE A. LIGHT	1,800.000	SD
880(O)	M8026 TYPE C LIGHT	3,480.000	SD
880(P)	M8027 DRUMS	3,480.000	SD

LNTCIQA
 CALL ORDER : 110
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: GRADY

FEDERAL PROJECT
 CONTRACT ID : 000102
 PCN : 1324204
 PROJECTS : STPY-26C(230)
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 23.62
 RES. ENG.: 73ANA
 CAL. DAYS: 270

PAGE 16

LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(SUPERPAVE)
 ON MUSTANG ROAD(SH-4) BEGINNING AT SH-37 AND EXTENDING
 NORTH TO THE GRADY/CANADIAN COUNTY LINE.
 PROJ. LGTH.= 3.235 KM.
 FLEX. ESALS= 12.5 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	M0183 UNCLASSIFIED EXCAVATION	82,971.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	16,648.000	M3
205	M7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	339.000	M
223	M2802 TEMPORARY SILT FENCE	1,596.000	M
224	M2803 TEMPORARY SEDIMENT FILTER	2.000	EA
226	M2805 TEMPORARY SEDIMENT REMOVAL	20.000	M3
229	M4318 DITCH LINER PROTECTION	143.000	M
230(A)	M2806 SOLID SLAB SODDING	98,364.000	M2
230(F)	M2812 WATERING	17,705.000	KL
233(A)	M2817 VEGETATIVE MULCHING	12.500	HA
234(A)	M2824 FERTILIZING (10-20-10)	10.800	T
317(A)	M4252 FLY ASH	5,063.000	T
317(B)	M4254 SUBGRADE MODIFICATION	87,781.000	M2
317(C)	M4253 LIME	171.400	T
317(D)	M4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	8,778.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,000.000	T
407	M0250 TACK COAT	55,707.000	L
408	M5853 PRIME COAT	67,565.000	L
411(B1)	M5876 (SP)ASPH.CONC.,25MM NOM MAX(PG 70-28 OK)	10,676.000	T
411(B1)	M5877 (SP)ASPH.CONC.,25MM NOM MAX(PG 64-22 OK)	38,584.000	T
411(D1)	M5881 (SP)ASPH.CONC.12.5MM NOM MAX(PG 70-28OK)	7,090.000	T
411(D1)	M5882 (SP)ASPH.CONC.12.5MM NOM MAX(PG 64-22OK)	1,673.000	T
501(A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	22.000	M3
509(B)	M0321 CLASS A CONCRETE	62.000	M3
509(C)	M0322 CLASS "A" CONC. FOR SMALL STR.	3.000	M3
509(D)	M0325 CLASS C CONCRETE	63.000	M3
511(A)	M0332 REINFORCING STEEL	5,630.000	KG
601A-1	M0536 TYPE I-A-PLAIN RIP RAP	1,728.000	T
601A-2	M0538 TYPE I-A-FILTER BLANKET	303.200	T
609(A)	M0380 CONC.CURB(200MM BARRIER-INTEGRAL)	78.000	M
609(B)	M1526 800MM COMB.CRB.&GUT.(200MM BAR.CURB)	1,926.000	M

SECTION NO. 0001

I000-ROADWAY

610(B)	M0399	150 MM CONCRETE DRIVEWAY (H.E.S.)	353.000	M2
610(G)	M4475	BIT. DRIVEWAY (150 MM)	3,597.000	M2
611(A)	M2657	MANHOLE (1200 MM DIA.)	5.000	EA
611(A)	M2658	MANHOLE (1500 MM DIA.)	1.000	EA
611(B)	M2680	ADD'L.DEPTH IN MANHOLE (1200 MM DIA)	0.300	M
611(D)	M4215	MANHOLE FRAME & COVER	7.000	EA
611(E)	M5112	INLET CICI DES. 2 (STD)	2.000	EA
611(E)	M5113	INLET CICI DES. 2 (B)	8.000	EA
611(E)	M5115	INLET CICI DES. 2 (D)	3.000	EA
611(E)	M5122	INLET CICI DES. 3 (D)	2.000	EA
611(E)	M5124	INLET CICI DES. 3 (B-D)	1.000	EA
611(E)	M5327	INLET GPI TYPE 1 (DES. 1)	1.000	EA
611(E)	M5334	INLET GPI TYPE 2 (DES. 8)	1.000	EA
611(E)	M6000	INLET (SMD-TYPE 1)	1.000	EA
611(F)	M5325	INLET CICI DES 2 (ADD'L DEPTH)	6.600	M
611(F)	M5330	INLET CICI DES 3 (ADD'L DEPTH)	0.700	M
611(G)	M4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	38.000	EA
611(J)	M0487	JUNCTION BOXES	1.100	M3
611(K)	M4488	CAST IRON CURB INLETS	80.000	EA
613(B)	M0405	450MM R.C.PIPE CLASS III	314.000	M
613(B)	M0409	600MM R.C.PIPE CLASS III	545.000	M
613(B)	M0413	750MM R.C.PIPE CLASS III	183.000	M
613(B)	M0417	1050MM R.C.PIPE CLASS III	28.000	M
613(B)	M0419	1200MM R.C.PIPE CLASS III	83.000	M
613(M)	M0898	600MM PREFAB. CULVERT END SEC., ROUND	41.000	EA
613(M)	M0899	750MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	M0980	1050MM PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M)	M0981	1200MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND	200.000	M
613(Q)	M1097	200 MM NON-PERF.PIPE UNDERDRAIN RND.	75.000	M
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	20,328.000	M2
619(B)	M4766	REMOVAL OF CONCRETE DRIVEWAY	87.000	M2
619(B)	M4782	REMOVAL OF CONCRETE CURB	199.000	M
619(B)	M4792	REMOVAL OF SIDEWALK	50.000	M2
619(C)	M0924	SAWING PAVEMENT	141.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	32.100	M
623(H)	M8571	(SP) G.E.T. GUARD RAIL END SECTION	4.000	EA
624(A)	M4281	FENCE-STYLE WWF	1,894.000	M
624(B)	M4464	GATES-STYLE WWF(1350MM HI X 4200MM LONG)	3.000	EA
624(B)	M4466	GATES-STYLE WWF(1350MM HI X 4800MM LONG)	1.000	EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	3,292.000	M
624(D)	M4288	FENCE-STYLE CLF (1200MM HIGH, CLASS A)	135.000	M
624(E)	M5849	GATES-STYLE CLF(1200MM HI X 4200MM LONG)	3.000	EA
624(E)	M5852	GATES-STYLE CLF(1200MM HI X 5400MM LONG)	1.000	EA
629	0100	(PL)MAILBOXES	1.000	LSUM
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION NO. 0002

Y000-TRAFFIC

802(B)	M8334	25MM PVC SCH.40 P.C.TR.	16.000	M
802(B)	M8336	38MM PVC SCH.40 P.C.BORED	18.000	M

SECTION NO. 0002		Y000-TRAFFIC		
802(B)	M8338	38MM PVC SCH.40 P.C.TR.	218.000	M
802(B)	M8342	50MM PVC SCH.40 P.C.TR.	13.000	M
802(B)	M8344	75MM PVC SCH.40 P.C.BORED	90.000	M
802(B)	M8346	75MM PVC SCH.40 P.C.TR.	12.000	M
803	M8065	PULL BOX(SIZE I)	3.000	EA
803	M8066	PULL BOX(SIZE II)	1.000	EA
803	M8067	PULL BOX(SIZE III)	4.000	EA
804(A)	M2915	STRUCTURAL CONCRETE	9.400	M3
804(B)	M2916	REINFORCING STEEL	847.800	KG
806(A)	M8860	12.2M MHP 12.2M TS & 3.7M LMA(G.STL.)	1.000	EA
806(A)	M8868	12.2M MHP 13.7M TS & 3.7M LMA(G.STL.)	3.000	EA
809(A)	M8204	ROADWAY LUMINAIRE(250 WATT HPS)	4.000	EA
811	M8040	1/C NO.6 ELECT.COND.	180.000	M
811	M8044	1/C NO.10 ELECT.COND.	114.000	M
825	M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A)	M8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	1.000	EA
828(B)	M8138	LOOP DETECTOR WIRE	1,450.000	M
831	M8239	1WAY3SEC.ADJ.SG.HD.(MAM)S-6	8.000	EA
831	M8257	1WAY3SEC.ADJ.SG.HD.(MAM)S-9	4.000	EA
833	M3038	127MM BACKPLATE (300MM HDS)(B-2)	12.000	EA
834(A)	M8207	5/C TRAF.SIG.ELECT.CABLE	980.800	M
834(A)	M8209	9/C TRAF.SIG.EL.CABLE	128.000	M
834(B)	M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	517.800	M
850(A)	M8110	SHEET ALUMINUM SIGNS	24.800	M2
850(C)	M8118	MAST ARM MOUNTED SIGNS(ALUM.)	5.000	M2
851(C)	M8327	57 MM SQUARE TUBE POST	186.000	M
855(A)	M8812	TRAF.STR.(PLAST.)(100MM WIDE)	15,975.000	M
855(B)	M8818	TRAF.STR.(PLAST.)(ARROWS)	57.000	EA
855(B)	M8821	TRAF.STR.(PLAST.)(WORDS)	8.000	EA
880(J)	M8318	BARRICADES (TYPE III)	6.000	EA
960.16	M8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003		STAK-STAKING		
642	M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 130
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: HARPER

FEDERAL PROJECT
 CONTRACT ID : 000134
 PCN : 1725704

PAGE 19

PROJECTS : BRO-130D(21)CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 6.44
 RES. ENG.: 61BUF
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY ROAD OVER BRANCH OF POLE CREEK, APPROXIMATELY 9.656
 KILOMETERS NORTH OF US-64 AND 14.0 KILOMETERS EAST OF US-183
 PROJ. LGTH.= 0.469 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	200.000	M
223 M2802	TEMPORARY SILT FENCE	950.000	M
230(A) M2806	SOLID SLAB SODDING	8,616.000	M2
230(F) M2812	WATERING	1,551.000	KL
233(A) M2817	VEGETATIVE MULCHING	0.862	HA
234(A) M2824	FERTILIZING (10-20-10)	0.948	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	633.500	T
509(D) M0325	CLASS C CONCRETE	63.100	M3
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	75.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	30.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	166.200	M
504(E) M1380	CONCRETE RAIL (TR1)	97.500	M
506(A) M1322	STRUCTURAL STEEL	1,425.000	KG
509(A) M1326	CLASS AA CONCRETE	76.300	M3
509(E) M1332	CLASS S CONCRETE	34.200	M3
511(A) M1332	REINFORCING STEEL	10,505.000	KG
514(A) M6013	PILES, FURNISHED (HP 310X79)	350.000	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	350.000	M
514(N) M6300	(PL)PAINTING PILING	115.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,120.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	330.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 140
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: HUGHES

FEDERAL PROJECT
 CONTRACT ID : 000104
 PCN : 1322504
 PROJECTS : BRF-32C(172)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 33WEW
 CAL. DAYS: 110

PAGE 20

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY ROAD(NS-383) OVER CANEY BOGGY CREEK, APPROXIMATELY
 1.4 MILE SOUTH AND 3.5 MILE EAST OF GERTY.
 PROJ. LGTH.= 0.337 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	9,499.000	CY
202(E)	0184 UNCLASSIFIED BORROW	4,000.000	CY
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	1,000.000	LF
230(B)	2807 MULCH SODDING	7,500.000	SY
233(A)	2817 VEGETATIVE MULCHING	1.600	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	741.000	TON
509(E)	0325 CLASS "C" CONC.	30.000	CY
611(E)	5332 INLET GPI TYPE 1 (DES. 6)	1.000	EA
611(L)	4207 DROP INLET GRATE (GPI-TYPE A)	1.000	EA
611(L)	4208 DROP INLET GRATE (GPI-TYPE B)	1.000	EA
613(CC)	4881 24" CULVERT END TREATMENT(RS-GR)	6.000	EA
613(D)	0690 24" CORR. GALV. STEEL PIPE	148.000	LF
613(D)	0691 30" CORR. GALV. STEEL PIPE	78.000	LF
613(MM)	4876 30" SLOPED CONCRETE END SEC.(CD 4-GR)	1.000	EA
850(A)	8215 SHEET ALUMINUM SIGNS	17.000	SF
851(C)	8597 FLANGE CHANNEL POSTS (4.0 LB./FT.)	23.000	LF
SECTION NO. 0002 X081-BRIDGE 'A'			
202(E)	1302 UNCLASSIFIED BORROW	34.000	CY
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	78.000	CY
503(A)	1311 PRESTRESSED CONCRETE BEAMS (TYPE II)	312.340	LF
503(A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	265.170	LF
504(A)	1314 CLASS AA CONCRETE	108.500	CY
505(A)	1380 CONCRETE RAIL	355.200	LF
506(A)	1322 STRUCTURAL STEEL	2,100.000	LB
509(B)	1328 CLASS A CONCRETE	97.400	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	40,093.000	LB
514(E)	6010 STEEL PILING (HP 10X42)	638.000	LF
516(A)	6094 DRILLED SHAFTS 48" DIAMETER	152.000	LF
516(C)	6107 CORRUGATED GALV.STL.PIPE 48"DIA	124.000	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	470.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	110.000	TON

SECTION NO. 0002	X081-BRIDGE 'A'		
623(A) 1418	BEAM GUARD RAIL-W-BEAM-SINGLE	200.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F) 6029	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
900.24 6147	(PL) 2 1/2" COMPRESSION JT. W/ANGLE	65.600	LF
SECTION NO. 0003	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 175
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: LATIMER

FEDERAL PROJECT
 CONTRACT ID : 000027
 PCN : 1705604

PAGE 22

PROJECTS : STPY-139B(12)TR
 DBE/WBE GOALS: 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 7.52
 RES. ENG.: 24MCA
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION
 INTERSECTION MODIFICATION AT THE JUNCTION OF SH-1 & SH-2.
 PROJ. LGTH.= 0.00 KM.
 FLEX. ESALS= LESS THAN 3 MILLION
 ASPH. GRADE= 64-22OK & 64-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0101	CLEARING AND GRUBBING	1.000 HA
202(A)	M0183	UNCLASSIFIED EXCAVATION	2,435.000 M3
202(C)	M0184	UNCLASSIFIED BORROW	767.000 M3
230(A)	M2806	SOLID SLAB SODDING	6,840.000 M2
303	M0192	AGGREGATE BASE	1,288.000 M3
407	M0250	TACK COAT	1,595.000 L
408	M5774	PRIME COAT	4,510.000 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	737.000 T
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,451.000 T
420(A)	M4242	FABRIC REINFORCEMENT	5,870.000 M2
420(B)	M4268	BITUMINOUS BINDER	6,633.000 L
509(D)	M0325	CLASS C CONCRETE	10.000 M3
613(B)	M4419	1110MM X 675MM R.C.PIPE ARCH CLASS A-III	23.750 M
613(CC)	M7197	TYPE B6 CULVERT END TREATMENT	2.000 EA
613(D)	M5719	450MM CORR. GALV. STEEL PIPE	45.000 M
613(M)	M5726	450MM PREFAB. CULVERT END SECTION, ROUND	6.000 EA
615(F)	M6129	TRENCH EXCAVATION	65.100 M3
615(G)	M6131	STANDARD BEDDING MATERIAL	28.100 M3
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	3,504.000 M2
619(B)	M4778	REMOVAL OF EXISTING STRUCTURES	1.000 EA
619(C)	M0924	SAWING PAVEMENT	300.000 M
640	M1426	FIELD OFFICE	1.000 EA
641	M2917	MOBILIZATION	1.000 LSUM
SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL		
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100 MM WIDE)	1,000.000 M
856(C)	M8851	REM.PAVEMENT MARKING TAPE(100 MM WIDE)	100.000 M
856(G)	M8887	(PL)CONST.ZONE PAVE.MKRS(FLEX TAB)TP 2-1	500.000 EA
859(A)	M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	100.000 M
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	1,200.000 SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	1,400.000 SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	2,400.000 SD
880(C)	M8836	BARRICADES(TYPE II)	400.000 SD

SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL		
880(C) M8842	BARRICADES(TYPE III)	600.000	SD
880(C) M8848	WING BARRICADES	600.000	SD
880(D) M8854	VERTICAL PANELS	1,000.000	SD
880(E) M8860	WARNING LIGHTS(TYPE A)	4,000.000	SD
880(E) M8872	WARNING LIGHTS(TYPE C)	3,000.000	SD
880(F) M8878	DRUMS	2,000.000	SD
SECTION NO. 0003	Y002-TRAFFIC SIGNING & STRIPING		
850(A) M8110	SHEET ALUMINUM SIGNS	23.220	M2
851(C) M8327	57 MM SQUARE TUBE POST	69.960	M
851(C) M8330	64 MM SQUARE TUBE POST	45.700	M
855(A) M8812	TRAF.STR.(PLAST.)(100MM WIDE)	2,100.000	M
855(B) M8818	TRAF.STR.(PLAST.)(ARROWS)	2.000	EA
855(B) M8821	TRAF.STR.(PLAST.)(WORDS)	1.000	EA
890(A) M8724	(PL)REMOVAL OF EXISTING SIGNS	8.000	EA
SECTION NO. 0004	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 232
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: OSAGE

FEDERAL PROJECT
 CONTRACT ID : 000154
 PCN : 1602204

PAGE 24

PROJECTS : BRF-157C(001)CO
 DBE/WBE GOALS: 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.22
 RES. ENG.: 81TUL
 CAL. DAYS: 150 LIQ. DAM: \$ 800

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY ROAD OVER MAHALA CREEK, APPROXIMATELY 1.287 KM
 NORTH AND 6/920 KM EAST OF HOMINY
 PROJ. LGTH.= 0.319 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	100.000	M
223 M2802	TEMPORARY SILT FENCE	640.000	M
230(A) M2806	SOLID SLAB SODDING	5,440.000	M2
233(A) M2817	VEGETATIVE MULCHING	1.080	HA
234(A) M2824	FERTILIZING (10-20-10)	0.600	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,065.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(B) M0413	750MM R.C.PIPE CLASS III	9.000	M
613(D) M5216	700MM X 500MM CORR. GALV. ST. PIPE ARCH		13.200 M
613(D) M5732	1500MM CORR. GALV. STEEL PIPE	81.000	M
613(M) M4516	700MM X 500MM PREFAB.CULV.END SEC., ARCH		2.000 EA
613(M) M5732	750MM PREFAB. CULVERT END SECTION, ROUND		2.000 EA
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	22.000	M3
503(A) M1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	78.000	M
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	87.000	M
504(C) M6250	SEALED EXPANSION JOINT - COUNTY	17.200	M
504(E) M1380	CONCRETE RAIL (TR1)	99.900	M
506(A) M1322	STRUCTURAL STEEL	1,580.000	KG
509(A) M1326	CLASS AA CONCRETE	75.400	M3
509(E) M1332	CLASS S CONCRETE	66.000	M3
511(A) M1332	REINFORCING STEEL	15,420.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	73.800	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	73.800	M
516(A) M6094	DRILLED SHAFTS 1200MM DIAMETER	12.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	680.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	150.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA

SECTION NO. 0002

X081-BRIDGE 'A'

623(F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
642 M0098	STAKING	1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 241
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PITTSBURG

FEDERAL PROJECT
 CONTRACT ID : 000141
 PCN : 1660804

PAGE 26

PROJECTS : BRF-161C(14)CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.37
 RES. ENG.: 24MCA
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE 0.805 KM. NORTH AND 0.161 KM. EAST OF SCIPPIO
 PROJ. LGTH.= 0.579 KM.
 FLEX. ESALS= 0.01 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	M0185 EARTHWORK	1.000	LSUM
205	M7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
223	M2802 TEMPORARY SILT FENCE	1,160.000	M
227	M0100 (PL)TEMPORARY SILT DIKE	50.000	M
230(A)	M2806 SOLID SLAB SODDING	6,491.000	M2
233(A)	M2817 VEGETATIVE MULCHING	1.400	HA
303	M0192 AGGREGATE BASE	803.000	M3
408	M5774 PRIME COAT	8,635.000	L
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		725.000 T
509(E)	M0325 CLASS "C" CONC.	65.000	M3
613(B)	M0409 600MM R.C.PIPE CLASS III	16.800	M
613(C)	M4375 SP. END SECTION OF 600MM RCP ROUND	4.000	EA
613(D)	M5216 700MM X 500MM CORR. GALV. ST. PIPE ARCH		52.800 M
613(M)	M4516 700MM X 500MM PREFAB.CULV.END SEC., ARCH		10.000 EA
613(S)	M1180 TRENCH EXCAVATION	16.000	M3
613(T)	M1181 STANDARD BEDDING MATERIAL	17.000	M3
629(A)	M4958 MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C)	M4960 MAILBOX	2.000	EA
629(D)	M4961 REMOVAL OF MAILBOX INSTALLATION	2.000	EA
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	86.000	M3
501(D)	M6353 UNCLASSIFIED BACKFILL	41.000	M3
503(A)	M1312 PRESTRESSED CONCRETE BEAMS (TYPE III)		94.840 M
504(E)	M1380 CONCRETE RAIL (TR1)	63.540	M
506(A)	M1322 STRUCTURAL STEEL	695.000	KG
509(A)	M1326 CLASS AA CONCRETE	44.900	M3
509(E)	M1332 CLASS S CONCRETE	48.700	M3
511(A)	M1332 REINFORCING STEEL	9,335.000	KG
516(A)	M6089 DRILLED SHAFTS 450MM DIAMETER	9.600	M
516(A)	M6090 DRILLED SHAFTS 600MM DIAMETER	32.800	M
601A-1	M1353 TYPE I-A PLAIN RIPRAP	625.000	T

SECTION NO. 0002	X081-BRIDGE 'A'		
601A-2 M1355	TYPE I-A FILTER BLANKET	173.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	20.000	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	20.000	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 270
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: SEQUOYAH

STATE PROJECT
 CONTRACT ID : 000111
 PCN : 1815504

PAGE 28

PROJECTS : SAP-168N(64)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 12SAL
 CAL. DAYS: 14 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE REPAIR
 I-40 WESTBOUND BRIDGE OVER US-S64, 0.2 MILES EAST OF
 JCT. US-59
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X231-BRIDGE REPAIR		
641 1399	MOBILIZATION	1.000	LSUM
880(J) 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
900.01 6116	(PL) FALSEWORK JACKING	1.000	LSUM
900.39 6162	(PL) BEAM REPAIR	1.000	LSUM

LNTCIQA
 CALL ORDER : 320
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CLEVELAND

STATE PROJECT
 CONTRACT ID : 000138
 PCN : 1825504

PAGE 29

PROJECTS : MC-114A(53)PT1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 ARMOR COAT
 SH-9 FROM A POINT 1.5 MILES EAST OF INTERSECTION WITH
 US-77 EXTEND EAST 8.0 MILES
 PROJ. LGTH.= 8.0 MILES
 FLEX. ESALS= 3.7 MILLION
 ASPH. GRADE= 70-28 OK, 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ARMOR COAT		
402 5205	(PL)ARMOR COAT	206,510.000	SY
407 0250	TACK COAT	7,000.000	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,250.000	TON
411(C) 5280	(SP)ASPH.CONC.TYPE C(PATCH)(PG 64-22 OK)	2,000.000	TON

LNTCIQA
 CALL ORDER : 330
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CLEVELAND

STATE PROJECT
 CONTRACT ID : 000139
 PCN : 1825505

PAGE 30

PROJECTS : MC-114B(53)PT2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 ARMOR COAT
 BEGIN 7.95 MILES WEST OF THE POTTAWATOMIE COUNTY LINE
 EXTEND EAST 7.95 MILES TO THE COUNTY LINE
 PROJ. LGTH.= 7.95 MILES
 FLEX ESALS=3.7 MILLION
 ASPH. GRADE= 70-28 OK, 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ARMOR COAT		
402 5205	(PL)ARMOR COAT	202,070.000	SY
407 0250	TACK COAT	7,000.000	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,250.000	TON
411(C) 4935	(SP)ASPHALT CONCRETE TYPE C (PG)	2,000.000	TON

LNTCIQA
 CALL ORDER : 340
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CLEVELAND

STATE PROJECT
 CONTRACT ID : 000140
 PCN : 1825504C

PAGE 31

PROJECTS : MC-114A(53)PT.1&2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT
 SH-9 FROM A POINT 1.5 MILES EAST OF INTERSECTION WITH
 US-77 EXTEND EAST TO THE POTTAWATOMIE COUNTY LINE
 PROJ. LGTH.= 15.95 MILES
 FLEX. ESALS= 3.7 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ARMOR COAT MC-114A(53)PT.1		
402 5205	(PL)ARMOR COAT	206,510.000	SY
407 0250	TACK COAT	7,000.000	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,250.000	TON
411(C) 5280	(SP)ASPH.CONC.TYPE C(PATCH)(PG 64-22 OK)	2,000.000	TON
SECTION NO. 0002	I000-ARMOR COAT MC-114A(53)PT.2		
402 5205	(PL)ARMOR COAT	202,070.000	SY
407 0250	TACK COAT	7,000.000	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,250.000	TON
411(C) 4935	(SP)ASPHALT CONCRETE TYPE C (PG)	2,000.000	TON

LNTCIQA
 CALL ORDER : 350
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: DEWEY

STATE PROJECT
 CONTRACT ID : 000146
 PCN : 1824204

PAGE 32

PROJECTS : MC-122C(15)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 51CLI
 CAL. DAYS: LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:
 BRIDGE PAINTING
 US-60 OVER KIZER CREEK AND DEEP CREEK 8.9 MILES, 13.3 MILES
 EAST OF SH-34
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE PAINTING		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 360
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: DEWEY

STATE PROJECT
 CONTRACT ID : 000147
 PCN : 1824304

PAGE 33

PROJECTS : MC-122C(16)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 51CLI
 CAL. DAYS: LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:

JOINT SEAL
 US-60 OVER KIZER CREEK, CAMP CREEK AND DEEP CREEK, 8.9 MILES
 13.3 MILES AND 17.1 MILES EAST OF SH-34
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-JOINT SEAL		
504(H) 6390	RAPID CURE JOINT SEALANT	0.800	LF
504(I) 6389	ELASTOMERIC MORTAR	160.000	CF
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 390
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: JEFFERSON

STATE PROJECT
 CONTRACT ID : 000150
 PCN : 1823104

PAGE 34

PROJECTS : MC-134C(19)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 71DUN
 CAL. DAYS: LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:
 BRIDGE PAINTING
 SH-5 OVER BEAVER CREEK OVERFLOW, 4.8 MILES AND 5.4 MILES
 EAST OF COTTON COUNTY LINE
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE PAINTING		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 400
 LETTING DATE : March 23, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: JEFFERSON

STATE PROJECT
 CONTRACT ID : 000151
 PCN : 1823204

PAGE 35

PROJECTS : MC-134C(20)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 71DUN
 CAL. DAYS: LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:

JOINT SEAL
 SH-5 OVER BEAVER CREEK OVERFLOW, 4.8 MILES AND 5.4 MILES
 EAST OF COTTON COUNTY LINE
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-JOINT SEAL		
504(H) 6390	RAPID CURE JOINT SEALANT	330.000	LF
504(I) 6389	ELASTOMERIC MORTAR	0.100	CF
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM