

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : February 29, 2000

LNTCNCA
LETTING

NOTICE TO CONTRACTORS -- March 23, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF March 23, 2000 , TO BE PUBLICALLY OPENED AT 2:00 P.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 2:00 P.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$23.07 PLUS \$1.93 TAX (OKLAHOMA TAX IS 8.375%) FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$7.38 PLUS \$.62 TAX. MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

LNTCIQA
 CALL ORDER : 010
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: ATOKA

FEDERAL PROJECT
 CONTRACT ID : 000091
 PCN : 0864707

PAGE 1

PROJECTS : NHY-13N(005)
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 12.89
 RES. ENG.: 21ANT
 CAL. DAYS: 300 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE
 ON US-69 BEGINNING APPROXIMATELY 5.23 KILOMETERS NORTH OF
 THE TOWN OF CANEY AND EXTENDING NORTH.
 PROJ. LGTH.= 6.84 KM.
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	J000-ROADWAY		
202(A) M0183	UNCLASSIFIED EXCAVATION	5,500.000	M3
202(C) M0184	UNCLASSIFIED BORROW	21,150.000	M3
205 M7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
230(A) M2806	SOLID SLAB SODDING	76,296.000	M2
230(G) M2812	WATERING	13,733.000	KL
234(A) M2824	FERTILIZING (10-20-10)	8.400	T
303 M0192	AGGREGATE BASE	2,343.000	M3
307(A) M4233	LIME	37.000	T
307(B) M4235	200MM LIME TREATED SUBGRADE	3,180.000	M2
317(A) M4252	FLY ASH	734.000	T
317(B) M4254	SUBGRADE MODIFICATION	12,720.000	M2
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	956.000	T
407 M0250	TACK COAT	13,356.000	L
408 M5774	PRIME COAT	32,270.000	L
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	12,683.000	T
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,473.000	T
413(C) M4867	RUMBLE STRIP METHOD PCC-CYC (GROUP)	344.000	EA
414(A) M0264	300MM P.C. CONCRETE PAVEMENT	26,503.000	M2
414(D) M4370	300MM P.C. CONC. PAVEMENT (CONT.REINF.)	53,252.000	M2
414(F) M5262	TERMINAL JOINT	3.000	EA
501(G) M6309	CLSM BACKFILL	80.000	M3
504(A) M1304	APPROACH SLAB	130.000	M2
509(E) M0325	CLASS "C" CONC.	200.000	M3
613(CC)M7197	TYPE B6 CULVERT END TREATMENT	10.000	EA
613(D) M5205	510MM X 380MM CORR. GALV. ST. PIPE ARCH	55.000	M
613(D) M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH	168.000	M
613(P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	57.000	M
613(Q) M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.	36.000	M
613(R) M1100	PIPE UNDERDRAIN COVER MAT'L.	15.000	M3
613(S) M1180	TRENCH EXCAVATION	47.000	M3
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	16,023.000	M2
619(B) M4780	REMOVAL OF GUARD RAIL	305.000	M
619(B) M6171	REMOVAL OF APPROACH SLAB	3.000	EA

SECTION NO. 0001		J000-ROADWAY	
619(C)	M0924	SAWING PAVEMENT	2,304.000 M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	629.000 M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000 EA
623(H)	M8571	(SP) G.E.T. GUARD RAIL END SECTION	8.000 EA
640	M1426	FIELD OFFICE	1.000 EA
641	M1552	MOBILIZATION	1.000 LSUM
643	M0087	(SP) CONTRACTORS QUALITY CONTROL	1.000 LSUM
653(C)	M5946	OUTLET LATERAL HEADWALL	4.000 EA
SECTION NO. 0002		Y008-CONST.TRAFFIC CONTROL	
627(H)	M8125	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	16,320.000 M
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100 MM WIDE)	32,640.000 M
856(C)	M8851	REM.PAVEMENT MARKING TAPE(100 MM WIDE)	200.000 M
856(G)	M8887	(PL)CONST.ZONE PAVE.MKRS(FLEX TAB)TP 2-1	2,000.000 EA
859(A)	M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	32,640.000 M
878(A)	M8511	MODULAR GLARE SCREEN	200.000 EA
880(A)	M8812	ARROW DISPLAY(TYPE C)	500.000 SD
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	13,750.000 SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	6,750.000 SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	9,250.000 SD
880(C)	M8836	BARRICADES(TYPE II)	1,500.000 SD
880(C)	M8842	BARRICEDES(TYPE III)	5,000.000 SD
880(C)	M8848	WING BARRICADES	1,000.000 SD
880(D)	M8854	VERTICAL PANELS	37,500.000 SD
880(E)	M8860	WARNING LIGHTS(TYPE A)	20,750.000 SD
880(E)	M8872	WARNING LIGHTS(TYPE C)	65,000.000 SD
880(F)	M8878	DRUMS	27,500.000 SD
SECTION NO. 0003		Y002-TRAFFIC SIGNING	
804(A)	M2915	STRUCTURAL CONCRETE	3.400 M3
850(A)	M8110	SHEET ALUMINUM SIGNS	36.880 M2
851(C)	M8327	57 MM SQUARE TUBE POST	272.700 M
855(A)	M8812	TRAF.STR.(PLAST.)(100MM WIDE)	41,875.000 M
855(B)	M8818	TRAF.STR.(PLAST.)(ARROWS)	28.000 EA
855(B)	M8821	TRAF.STR.(PLAST.)(WORDS)	14.000 EA
857(A)	M8947	PAVE.MARKERS CLASS C TYPE 2-C	600.000 EA
SECTION NO. 0004		STAK-STAKING	
642	M0098	STAKING	1.000 LSUM

LNTCIQA
 CALL ORDER : 030
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: BRYAN

FEDERAL PROJECT
 CONTRACT ID : 000092
 PCN : 1752204

PAGE 3

PROJECTS : NHY-13N(52)TR
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.83
 RES. ENG.: 23MAD
 CAL. DAYS: 120 LIQ. DAM: \$ 800

CONTRACT DESCRIPTION:
 TRAFFIC LIGHTING
 ON US-69 BEGINNING APPROXIMATELY 0.75 MILE SOUTH OF CHOCTAW
 ROAD, IN THE CITY OF DURANT, AND EXTENDING NORTH.
 PROJ. LGTH.= 1.05 MI.
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	Y030-TRAFFIC LIGHTING		
411(B) 4400	(SP) ASPHALT CONCRETE TYPE B (PG)	54.133	TON
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	175.000	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(H) 8571	(SP) G.E.T. GUARD RAIL END SECTION	2.000	EA
641 2917	MOBILIZATION	1.000	LSUM
802(B) 8053	2" PVC SCH.40 PLAST.COND.BORE	465.000	LF
802(B) 8058	2" PVC SCH.40 PLAST.COND.TR.	10,860.000	LF
802(B) 8265	1 1/2" PVC SCH.40 P. C. BORED	300.000	LF
802(B) 8266	1 1/2" PVC SCH.40 P. C. TRENCHED	2,290.000	LF
803 8065	PULL BOX(SIZE I)	17.000	EA
804 2915	STRUCTURAL CONCRETE	38.840	CY
804 2916	REINFORCING STEEL	2,729.000	LB
806(A) 8074	40' MTG&15'H.L.MST ARM(GAL STL)	58.000	EA
806(A) 8569	40' MH POLE 30' TS & 15' LMA(G.STL.)	2.000	EA
807 8092	BREAKAWAY BASE (DES. B)	58.000	EA
809(A) 8097	ROADWAY LUMINAIRE(250 WATT HPS)	60.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8106	1/C NO. 12 ELEC. COND.	7,200.000	LF
811 8108	1/C NO. 8 ELEC. COND.	6,500.000	LF
811 8110	1/C NO. 4 ELEC. COND.	22,450.000	LF
827 8620	SOLID STATE FLASHER CONTROLLER(TYPE I)	2.000	EA
831 8477	1WAY1SEC.ADJ.SIG.HD.(CM)S-22	4.000	EA
880(J) 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 100
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: GRADY

FEDERAL PROJECT
 CONTRACT ID : 000101
 PCN : 0207005

PAGE 4

PROJECTS : STPY-26B(232)
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 44.02
 RES. ENG.: 73ANA
 CAL. DAYS: 420 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(SUPERPAVE)
 ON US-62 BEGINNING APPROXIMATELY 5.3 KILOMETERS EAST OF THE
 TOWN OF TABLER AND EXTENDING EAST.
 PROJ. LGTH.= 12.207
 FLEX. ESALS= 3.5 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(A)	M0183	UNCLASSIFIED EXCAVATION	672,280.000 M3
202(C)	M0184	UNCLASSIFIED BORROW	90,485.000 M3
205	M7174	(PL)TOPSOIL - LUMP SUM	1.000 LSUM
222	M2801	TEMPORARY BALE BARRIER	964.000 M
223	M2802	TEMPORARY SILT FENCE	3,500.000 M
225	M2804	TEMPORARY SEDIMENT BASIN	4.000 EA
226	M2805	TEMPORARY SEDIMENT REMOVAL	50.000 M3
227	M0100	TEMPORARY SILT DIKE	300.000 M
229	M4318	DITCH LINER PROTECTION	1,713.000 M
230(A)	M2806	SOLID SLAB SODDING	64,194.000 M2
230(B)	M2807	MULCH SODDING	330,360.000 M2
230(F)	M2812	WATERING	65,560.000 KL
232(B)	M2814	SEEDING METHOD B	155.780 HA
233(A)	M2817	VEGETATIVE MULCHING	155.780 HA
234(A)	M2824	FERTILIZING (10-20-10)	27.210 T
234(A)	M4406	FERTILIZING (0-46-0)	16.340 T
235(A)	M0100	(PL)ROCK FILTER DAM, TYPE 1	100.000 M3
241	M2832	MOWING	96.100 HA
303	M0192	AGGREGATE BASE	29,353.000 M3
307(A)	M4233	LIME	3,975.000 T
307(B)	M4235	200MM LIME TREATED SUBGRADE	82,705.000 M2
317(A)	M4252	FLY ASH	11,925.000 T
317(B)	M4254	SUBGRADE MODIFICATION	206,762.000 M2
403(A)	M0217	TRAFFIC BOUND SURFACE COURSE TYPE A	1,528.000 T
407	M0250	TACK COAT	101,240.000 L
408	M5774	PRIME COAT	304,464.000 L
411(C1)	M5877	(SP)ASPH.CONC.,19MM NOM MAX(PG 70-28 OK)	79,472.000 T
411(C1)	M5878	(SP)ASPH.CONC.,19MM NOM MAX(PG 64-22 OK)	10,692.000 T
411(D1)	M5881	(SP)ASPH.CONC.12.5MM NOM MAX(PG 70-28OK)	29,703.000 T
411(D1)	M5882	(SP)ASPH.CONC.12.5MM NOM MAX(PG 64-22OK)	3,934.000 T
501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	464.000 M3
509(B)	M0321	CLASS A CONCRETE	1,465.000 M3

SECTION NO. 0001

I000-ROADWAY

509(C)	M0322	CLASS "A" CONC. FOR SMALL STR.	8.600	M3
509(E)	M0325	CLASS "C" CONC.	800.000	M3
511(A)	M0332	REINFORCING STEEL	156,242.000	KG
601A-1	M0536	TYPE I-A-PLAIN RIP RAP	256.200	T
601A-2	M0538	TYPE I-A-FILTER BLANKET	256.200	T
611(E)	M5394	INLET CDI RCB(90SK) DES. 8	1.000	EA
611(E)	M6000	INLET (SMD-TYPE 1)	1.000	EA
611(F)	M5543	INLET CDI RCB(90SK) DES. 8,(ADD'L DEPTH)		1.030 M
613(B)	M0405	450MM R.C.PIPE CLASS III	3.000	M
613(B)	M0409	600MM R.C.PIPE CLASS III	245.000	M
613(B)	M0415	900MM R.C.PIPE CLASS III	294.000	M
613(B)	M0417	1050MM R.C.PIPE CLASS III	103.000	M
613(B)	M0419	1200MM R.C.PIPE CLASS III	38.000	M
613(B)	M4411	725MM X 460MM R.C.PIPE ARCH CLASS A-III		27.800 M
613(CC)	M7187	TYPE B4 CULVERT END TREATMENT	9.000	EA
613(CC)	M7188	TYPE C4 CULVERT END TREATMENT	6.000	EA
613(CC)	M7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
613(CC)	M7196	TYPE A6 CULVERT END TREATMENT	1.000	EA
613(CC)	M7197	TYPE B6 CULVERT END TREATMENT	85.000	EA
613(CC)	M7202	TYPE BB6 CULVERT END TREATMENT	8.000	EA
613(D)	M5205	510MM X 380MM CORR. GALV. ST. PIPE ARCH		34.600 M
613(D)	M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH		1,663.800 M
613(D)	M5725	900MM CORR. GALV. STEEL PIPE	15.000	M
613(D)	M5729	1200MM CORR. GALV. STEEL PIPE	46.300	M
613(D)	M5737	1800MM CORR. GALV. STEEL PIPE	17.000	M
613(M)	M0900	900MM PREFAB. CULVERT END SEC., ROUND		1.000 EA
613(M)	M0981	1200MM PREFAB. CULVERT END SEC., ROUND		3.000 EA
613(M)	M0985	1800MM PREFAB. CULVERT END SEC., ROUND		2.000 EA
613(M)	M4514	680MM X 500MM PREFAB.CULV.END SEC.,ARCH		7.000 EA
613(P)	M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND		916.000 M
613(Q)	M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.	306.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	136.000	M3
613(S)	M1180	TRENCH EXCAVATION	3,430.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	1,416.000	M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000 LSUM
619(B)	M0291	REMOVAL OF HEADWALL	9.000	EA
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	20,363.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	35,712.000	M2
619(C)	M0924	SAWING PAVEMENT	2,708.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	76.200	M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	2.000	EA
623(H)	M8571	(SP) G.E.T. GUARD RAIL END SECTION	2.000	EA
624(A)	M4281	FENCE-STYLE WWF	509.000	M
624(B)	M4462	GATES-STYLE WWF(1350MM HI X 3600MM LONG)		2.000 EA
624(C)	M7180	FENCE-STYLE SWF (5 BARBED WIRE)	19,201.000	M
624(D)	M4288	FENCE-STYLE CLF (1200MM HIGH, CLASS A)		835.000 M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	14.000	EA
629(B)	M4959	MAILBOX INSTALLATION-MULTIPLE	2.000	EA
629(C)	M4960	MAILBOX	32.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	32.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION NO. 0002

Y008-CONST.TRAFFIC CONTROL

SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL		
890 M7702	(PL)TRAFFIC ITEMS (TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0003	Y002-TRAFFIC SIGNING & STRIPING		
850(A) M8110	SHEET ALUMINUM SIGNS	9.040	M2
851(C) M8327	57 MM SQUARE TUBE POST	64.760	M
855(A) M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)	36,621.000	M
SECTION NO. 0004	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 120
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: GRANT

FEDERAL PROJECT
 CONTRACT ID : 000103
 PCN : 1286504

PAGE 7

PROJECTS : HDPY-9269(002)HP
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 6.98
 RES. ENG.: 43ENI
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON US-60 BEGINNING APPROXIMATELY 1.0 MILE SOUTH AND 3.2
 MILE WEST OF LAMONT AND EXTENDING WEST.
 PROJ. LGTH.= 3.750 MI.
 FLEX. ESALS= 2.1 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(H)	0111 LINEAR GRADING	178.000	STA
222	2801 TEMPORARY BALE BARRIER	325.000	LF
230(A)	2806 SOLID SLAB SODDING	12,672.000	SY
230(B)	2807 MULCH SODDING	173,399.000	SY
230(G)	2812 WATERING	9,304.000	MGAL
232(A)	2813 SEEDING METHOD A	38.500	AC
233(A)	2817 VEGETATIVE MULCHING	38.500	AC
234(A)	2824 FERTILIZING (10-20-10)	19.500	TON
234(A)	4406 FERTILIZING (0-46-0)	18.600	TON
241	2832 MOWING	38.500	AC
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	255.000	TON
407	0250 TACK COAT	79.000	GAL
408	5774 (SU)PRIME COAT	98.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		184.000 TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		67.000 TON
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	384.000	CY
509(B)	0321 CLASS A CONCRETE	241.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	21.000	CY
511(A)	0332 REINFORCING STEEL	23,190.000	LB
601(A)	0297 TYPE I-PLAIN RIP RAP	100.000	TON
613(CC)	7200 TYPE E6 CULVERT END TREATMENT	8.000	EA
613(D)	0694 48" CORR. GALV. STEEL PIPE	328.000	LF
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291 REMOVAL OF HEADWALL	8.000	EA
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	718.000	SY
619(C)	0924 SAWING PAVEMENT	144.000	LF
624(C)	4459 FENCE-STYLE SWF (5 BARBED WIRE)	4,000.000	LF
629(E)	5048 (SU) REMOVE AND RESET MAILBOX	1.000	EA
641	1552 MOBILIZATION	1.000	LSUM
900.22	6145 (PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
901.80	6380 (PL)SETTING PRECAST REINF.CONC.BOX SECT.		332.000 LF
931.97	7011 (PL) TEMPORARY SILT FENCE	678.000	LF

LNTCIQA

FEDERAL PROJECT

PAGE 8

SECTION NO. 0001

I000-ROADWAY

961.33 8580

(PL)REMOVE & RESET EXISTING SIGNS

15.000

EA

SECTION NO. 0002

STAK-STAKING

642 0098

STAKING

1.000

LSUM

LNTCIQA
 CALL ORDER : 150
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: HUGHES

FEDERAL PROJECT
 CONTRACT ID : 000105
 PCN : 1662904
 PROJECTS : BRO-132D(10)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 31ADA
 CAL. DAYS: 110

PAGE 9

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 BRIDGE AND APPROACHES OVER CINDY CREEK, APPROXIMATELY 6.759
 KILOMETERS NORTH AND 1.609 KILOMETERS WEST OF CALVIN.
 PROJ. LGTH.= 0.199 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	380.000	M
227 M0100	(PL)TEMPORARY SILT DIKE	50.000	M
230(A) M2806	SOLID SLAB SODDING	3,310.000	M2
230(F) M2812	WATERING	1,192.000	KL
233(A) M2817	VEGETATIVE MULCHING	0.660	HA
234(A) M2824	FERTILIZING (10-20-10)	0.370	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	306.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	75.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	30.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	39.400	M
504(E) M1380	CONCRETE RAIL (TR1)	33.500	M
509(A) M1326	CLASS AA CONCRETE	20.100	M3
509(E) M1332	CLASS S CONCRETE	22.400	M3
511(A) M1439	REINFORCING STEEL (GRADE 420)	4,205.000	KG
514 M6268	(PL) 350 MM DIAMETER PILOT HOLES	33.400	VM
514(A) M6011	PILES, FURNISHED (HP 250X62)	44.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	44.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	290.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	75.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 170
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: JOHNSTON

FEDERAL PROJECT
 CONTRACT ID : 000107
 PCN : 0766604
 PROJECTS : BRO-35D(159)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.79
 RES. ENG.: 31ADA
 CAL. DAYS: 120

PAGE 10

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY ROAD(EW-199) OVER ROCK CREEK APPROXIMATELY 1.609
 KILOMETERS SOUTH AND 4.828 KILOMETERS WEST OF THE JUNCTION
 OF SH-78/SH-22.
 PROJ. LGTH.= 0.319 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	M0185 EARTHWORK	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	175.000	M
223	M2802 TEMPORARY SILT FENCE	600.000	M
230(A)	M2806 SOLID SLAB SODDING	978.000	M2
230(B)	M2807 MULCH SODDING	4,360.000	M2
230(F)	M2812 WATERING	961.000	KL
233(A)	M2817 VEGETATIVE MULCHING	1.370	HA
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	516.800	T
509(E)	M0325 CLASS "C" CONC.	20.000	M3
613(CC)	M7188 TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D)	M0691 750MM CORR. GALV. STEEL PIPE	18.000	M
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	55.000	M3
501(D)	M6353 UNCLASSIFIED BACKFILL	43.000	M3
503(A)	M1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	108.720	M
504(C)	M6147 (PL) 63MM COMPRESSION JOINT W/ANGLE	8.800	M
504(E)	M1380 CONCRETE RAIL (TR1)	74.670	M
506(A)	M1322 STRUCTURAL STEEL	435.000	KG
509(A)	M1326 CLASS AA CONCRETE	51.900	M3
509(E)	M1332 CLASS S CONCRETE	37.200	M3
511(A)	M1332 REINFORCING STEEL	10,730.000	KG
516(A)	M6090 DRILLED SHAFTS 600MM DIAMETER	28.500	M
601A-1	M1353 TYPE I-A PLAIN RIPRAP	330.000	T
601A-2	M1355 TYPE I-A FILTER BLANKET	70.000	T
619(D)	M1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	M6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	M1399 MOBILIZATION	1.000	LSUM
880(J)	M6145 (PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			

LNTCIQA

FEDERAL PROJECT

PAGE 11

SECTION NO. 0003

STAK-STAKING

642 M0098

STAKING

1.000 LSUM

LNTCIQA
 CALL ORDER : 235
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: PAWNEE

FEDERAL PROJECT
 CONTRACT ID : 000145
 PCN : 1644204

PAGE 12

PROJECTS : BRO-159D(005)CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 7.52
 RES. ENG.: 84SS
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY ROAD(EW-47) OVER BLACK BEAR CREEK, APPROXIMATELY
 0.483 KILOMETERS SOUTH AND 2.414 KILOMETERS WEST OF PAWNEE.
 PROJ. LGTH.= 0.479 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	960.000	M
227 M0100	(PL)TEMPORARY SILT DIKE	200.000	M
230(A) M2806	SOLID SLAB SODDING	12,423.000	M2
230(F) M2812	WATERING	2,236.000	KL
233(A) M2817	VEGETATIVE MULCHING	1.250	HA
234(A) M2824	FERTILIZING (10-20-10)	1.370	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	629.000	T
509(E) M0325	CLASS "C" CONC.	61.000	M3
613(CC)M7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(D) M0690	600MM CORR. GALV. STEEL PIPE	25.600	M
853 M9033	DELINEATORS(TYPE 2, CODE 1)	11.000	EA
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	35.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	237.000	M
504(E) M1380	CONCRETE RAIL (TR1)	135.900	M
506(A) M1322	STRUCTURAL STEEL	1,675.000	KG
509(A) M1326	CLASS AA CONCRETE	107.800	M3
509(E) M1332	CLASS S CONCRETE	94.200	M3
511(A) M1332	REINFORCING STEEL	22,035.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	256.300	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	256.300	M
516(A) M6094	DRILLED SHAFTS 1200MM DIAMETER	43.200	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,630.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	490.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
850(A) M8110	SHEET ALUMINUM SIGNS	0.580	M2
851(D) M8597	FLANGE CHANNEL POSTS (5.95 KG/M)	4.400	M

LNTCIQA

FEDERAL PROJECT

PAGE 13

SECTION NO. 0002

X081-BRIDGE 'A'

880(J) M6145

(PL) CONSTRUCTION TRAFFIC CONTROL

1.000

LSUM

SECTION NO. 0003

STAK-STAKING

642 M0098

STAKING

1.000

LSUM

LNTCIQA
 CALL ORDER : 250
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: PONTOTOC

FEDERAL PROJECT
 CONTRACT ID : 000109
 PCN : 1663004
 PROJECTS : BRO-162D(21)CO
 DBE/WBE GOALS: 12.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 31ADA
 CAL. DAYS: 120

PAGE 14

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY ROAD(NS-351) OVER BLACK CREEK, APPROXIMATELY 6.437
 KILOMETERS NORTH AND 2.092 KILOMETERS EAST OF FITZHUGH.
 PROJ. LGTH.= 0.259 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	500.000	M
227 M0100	(PL)TEMPORARY SILT DIKE	50.000	M
230(A) M2806	SOLID SLAB SODDING	5,174.000	M2
230(F) M2812	WATERING	1,863.000	KL
233(A) M2817	VEGETATIVE MULCHING	1.040	HA
234(A) M2824	FERTILIZING (10-20-10)	0.570	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	391.000	T
509(D) M0325	CLASS C CONCRETE	84.300	M3
613(D) M5721	600MM CORR. GALV. STEEL PIPE	24.600	M
613(M) M5730	600MM PREFAB. CULVERT END SECTION, ROUND		4.000 EA
850(A) M8110	SHEET ALUMINUM SIGNS	0.920	M2
851(D) M8597	FLANGE CHANNEL POSTS (5.95 KG/M)	9.140	M
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	40.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	98.840	M
504(C) M6250	SEALED EXPANSION JOINT - COUNTY	9.800	M
504(E) M1380	CONCRETE RAIL (TR1)	63.540	M
506(A) M1322	STRUCTURAL STEEL	695.000	KG
509(A) M1326	CLASS AA CONCRETE	44.100	M3
509(E) M1332	CLASS S CONCRETE	44.800	M3
511(A) M1439	REINFORCING STEEL (GRADE 420)	9,420.000	KG
514 M6268	(PL) 350 MM DIAMETER PILOT HOLES	72.500	VM
514(A) M6011	PILES, FURNISHED (HP 250X62)	123.400	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	123.400	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	462.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	122.000	T
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			

LNTCIQA

FEDERAL PROJECT

PAGE 15

642 M0098

STAKING

1.000 LSUM

LNTCIQA
 CALL ORDER : 255
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: POTTAWATOMIE

FEDERAL PROJECT
 CONTRACT ID : 000142
 PCN : 1242204
 PROJECTS : STP-63C(358)CO
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 11.27
 RES. ENG.: 33WEW
 CAL. DAYS: 270

PAGE 16

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE AND SURFACE (ASPHALT)
 COUNTY ROAD (EW-111) BEGIN 2 MILES WEST OF SH-18 AND
 1.5 MILES NORTH OF I-40, ESTEND WEST
 PROJ. LGTH.= 4.882 MILES
 FLEW. ESALS= 0.3 MILLION
 ASPH. GRADE= 64-22 OK, 64-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	12,238.000	CY
202(E)	0184 UNCLASSIFIED BORROW	1,000.000	CY
202(H)	0111 LINEAR GRADING	217.840	STA
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	500.000	LF
227	0100 (PL)TEMPORARY SILT DIKE	500.000	LF
229	4318 DITCH LINER PROTECTION	200.000	LF
230(A)	2806 SOLID SLAB SODDING	900.000	SY
230(B)	2807 MULCH SODDING	110,000.000	SY
230(G)	2812 WATERING	6,654.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	22.700	AC
234(A)	2824 FERTILIZING (10-20-10)	11.000	TON
307(A)	4233 LIME	889.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	23,111.000	SY
307(B)	4237 12" LIME TREATED SUBGRADE	21,334.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	6,067.000	TON
407	0250 TACK COAT	3,283.000	GAL
408	5774 (SU)PRIME COAT	10,731.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	14,903.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,237.000	TON
505(B)	1381 CONCRETE PARAPET	50.000	LF
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	22.000	CY
509(E)	0325 CLASS "C" CONC.	10.000	CY
601(A)	0297 TYPE I-PLAIN RIP RAP	1,740.000	TON
610(A)	7184 6" CONCRETE SIDEWALK	15.000	SY
610(B)	0604 6" CONCRETE DRIVEWAY	95.000	SY
613(CC)	7186 TYPE A4 CULVERT END TREATMENT	114.000	EA
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	12.000	EA
613(CC)	7188 TYPE C4 CULVERT END TREATMENT	8.000	EA
613(CC)	7189 TYPE D4 CULVERT END TREATMENT	2.000	EA
613(D)	0689 18" CORR. GALV. STEEL PIPE	2,756.000	LF
613(D)	0690 24" CORR. GALV. STEEL PIPE	280.000	LF

SECTION NO. 0001	I000-ROADWAY		
613(D)	0691	30" CORR. GALV. STEEL PIPE	144.000 LF
613(D)	0692	36" CORR. GALV. STEEL PIPE	62.000 LF
613(D)	0696	60" CORR. GALV. STEEL PIPE	376.000 LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	66.000 LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	100.000 LF
613(D)	4531	49" X 33" CORR. GALV. STEEL PIPE ARCH	96.000 LF
613(D)	4532	57" X 38" CORR. GALV. STEEL PIPE ARCH	166.000 LF
613(D)	4533	64" X 43" CORR. GALV. STEEL PIPE ARCH	66.000 LF
613(D)	4536	83" X 57" CORR. GALV. STEEL PIPE ARCH	62.000 LF
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	1,000.000 LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	500.000 LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	300.000 CY
613(S)	1180	TRENCH EXCAVATION	1,712.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	890.000 CY
619(B)	4778	REMOVAL OF EXISTING STRUCTURES	3.000 EA
623(F)	6033	GUARD RAIL ANCHOR UNIT (TYPE II)	12.000 EA
629(A)	4958	(SU) MAILBOX INSTALLATION-SINGLE	18.000 EA
629(B)	4959	(SU) MAILBOX INSTALLATION-MULTIPLE	7.000 EA
629(C)	4960	(SU) MAILBOX	32.000 EA
629(D)	4961	(SU) REMOVAL OF MAILBOX INSTALLATION	32.000 EA
640	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM
850(A)	8215	SHEET ALUMINUM SIGNS	118.000 SF
851(C)	8597	FLANGE CHANNEL POSTS (4.0 LB./FT.)	272.000 LF
853(F)	3315	DELINEATORS TYPE 2 CODE 3	30.000 EA
855(A)	3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	78,400.000 LF
880(D)	8016	SIGNS 0 TO 6.25 SF	2,600.000 SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	1,720.000 SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 S.F.	3,440.000 SD
880(H)	8019	BARRICADES (TYPE I)	2,870.000 SD
880(I)	8020	BARRICADES (TYPE II)	2,870.000 SD
880(J)	8021	BARRICADES (TYPE III)	1,150.000 SD
880(K)	8022	WING BARRICADES	1,150.000 SD
880(M)	8024	TYPE A. LIGHT	8,600.000 SD
931.97	7011	(PL) TEMPORARY SILT FENCE	1,500.000 LF
SECTION NO. 0002	X028-BRIDGE 'A'		
202(C)	1301	UNCLASSIFIED EXCAVATION	1,110.000 CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	49.000 CY
505(A)	1380	CONCRETE RAIL	56.000 LF
509(B)	1328	CLASS A CONCRETE	185.600 CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	16,600.000 LB
601(A)	1351	TYPE I-PLAIN RIPRAP	270.000 TON
619(B)	4778	REMOVAL OF EXISTING STRUCTURES	1.000 EA
SECTION NO. 0003	X028-BRIDGE 'B'		
202(C)	1301	UNCLASSIFIED EXCAVATION	2,080.000 CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	77.000 CY
505(A)	1380	CONCRETE RAIL	81.400 LF
509(B)	1328	CLASS A CONCRETE	258.500 CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	26,263.000 LB
601(A)	1351	TYPE I-PLAIN RIPRAP	1,390.000 TON

SECTION NO. 0003	X028-BRIDGE 'B'		
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	1.000	EA
SECTION NO. 0004	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 260
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: SEQUOYAH

FEDERAL PROJECT
 CONTRACT ID : 000110
 PCN : 1323904M

PAGE 19

PROJECTS : BRF-68C(225)CO/BRF-168C(17)CO
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.85
 RES. ENG.: 12SAL
 CAL. DAYS: 240 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 BRIDGES & APPROACHES
 OVER BIG SKIN BAYOU CREEK APPROXIMATELY 4.02 KILOMETERS
 NORTH & 1.77 KILOMETERS EAST OF JUNCTION OF US-64/SH-141;
 OVER SALLISAY CREEK TRIBUTARY APPROXIMATELY 3.54 KILOMETERS
 NORTH & 8.69 KILOMETERS WEST OF SALLISAW.
 PROJ. LGTH.= 0.575 KM.
 FLEX. ESALS= 0.3 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY BRF-68C(225)CO			
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	100.000	M
223 M2802	TEMPORARY SILT FENCE	100.000	M
226 M2805	TEMPORARY SEDIMENT REMOVAL	100.000	M3
230(A) M2806	SOLID SLAB SODDING	3,000.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.800	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	T
509(D) M0325	CLASS C CONCRETE	24.600	M3
613(D) M5719	450MM CORR. GALV. STEEL PIPE	22.000	M
613(D) M5725	900MM CORR. GALV. STEEL PIPE	9.100	M
613(M) M5726	450MM PREFAB. CULVERT END SECTION, ROUND		4.000 EA
613(M) M5734	900MM PREFAB. CULVERT END SECTION, ROUND		2.000 EA
850(A) M8215	SHEET ALUMINUM SIGNS	0.580	M2
851(D) M8597	FLANGE CHANNEL POSTS (5.95 KG/M)	4.500	M
SECTION NO. 0002 I000-ROADWAY BRF-168C(17)CO			
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	30.000	M
223 M2802	TEMPORARY SILT FENCE	500.000	M
230(A) M2806	SOLID SLAB SODDING	2,000.000	M2
230(F) M2812	WATERING	430.000	KL
233(A) M2817	VEGETATIVE MULCHING	0.600	HA
303 M0192	AGGREGATE BASE	463.000	M3
408 M5774	PRIME COAT	3,790.000	L
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		369.000 T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(D) M5719	450MM CORR. GALV. STEEL PIPE	24.400	M
613(M) M5726	450MM PREFAB. CULVERT END SECTION, ROUND		2.000 EA
629(A) M4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) M4960	MAILBOX	1.000	EA

SECTION NO. 0002	I000-ROADWAY	BRF-168C(17)CO		
850(A)	M8110	SHEET ALUMINUM SIGNS	0.580	M2
851(D)	M8597	FLANGE CHANNEL POSTS (5.95 KG/M)	4.300	M
854	M3316	TRAFFIC STRIPE (PAINT)(100MM WIDE)	1,120.000	M
SECTION NO. 0003	X081-BRIDGE 'A'	BRF-68C(225)CO		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	M3
501(D)	M6353	UNCLASSIFIED BACKFILL	22.000	M3
503(A)	M1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	78.000	M
503(A)	M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	79.000	M
504(E)	M1380	CONCRETE RAIL (TR1)	95.900	M
506(A)	M1322	STRUCTURAL STEEL	1,572.000	KG
509(A)	M1326	CLASS AA CONCRETE	72.000	M3
509(E)	M1332	CLASS S CONCRETE	63.600	M3
511(A)	M1332	REINFORCING STEEL	14,215.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	98.500	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	98.500	M
516(A)	M6093	DRILLED SHAFTS 1050MM DIAMETER	24.000	M
601A-1	M1353	TYPE I-A PLAIN RIPRAP	664.700	T
601A-2	M1355	TYPE I-A FILTER BLANKET	172.200	T
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	M6034	GUARD RAIL ANCHOR UNIT (TYPE III)	4.000	EA
641	M1399	MOBILIZATION	1.000	LSUM
900.22	M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004	X081-BRIDGE 'A'	BRF-168C(17)CO		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501(D)	M6353	UNCLASSIFIED BACKFILL	32.000	M3
503(A)	M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	79.000	M
504(E)	M1380	CONCRETE RAIL (TR1)	55.900	M
506(A)	M1322	STRUCTURAL STEEL	614.000	KG
509(A)	M1326	CLASS AA CONCRETE	36.900	M3
509(E)	M1332	CLASS S CONCRETE	41.400	M3
511(A)	M1332	REINFORCING STEEL	8,360.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	72.000	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	72.000	M
601A-1	M1353	TYPE I-A PLAIN RIPRAP	400.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	90.000	T
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	M1399	MOBILIZATION	1.000	LSUM
880(J)	M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0005	STAK-STAKING	BRF-68C(225)CO		
642	M0098	STAKING	1.000	LSUM
SECTION NO. 0006	STAK-STAKING	BRF-168C(17)CO		
642	M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 290
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: TULSA

FEDERAL PROJECT
 CONTRACT ID : 000108
 PCN : 1755205

PAGE 21

PROJECTS : NHG-30N(31)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 25.77
 RES. ENG.: 81TUL
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNING
 ON US-169 BEGINNING AT ADMIRAL PLACE AND EXTENDING NORTH
 TO 66TH STREET NORTH IN THE CITY OF TULSA.
 PROJ. LGTH.= 0.0 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	Y008-CONST.TRAFFIC CONTROL		
876(A) 8646	(PL)IMPACT ATTENUATOR	240.000	SD
880(C) 8015	ADVANCE WARNING DEVICE (TYPE C)	240.000	SD
880(D) 8016	SIGNS 0 TO 6.25 SF	1,920.000	SD
880(E) 8017	SIGNS 6.26 TO 15.99 SF	1,920.000	SD
880(F) 8018	SIGNS 16.0 TO 32.99 SF	3,600.000	SD
880(I) 8020	BARRICADES (TYPE II)	480.000	SD
880(J) 8021	BARRICADES (TYPE III)	720.000	SD
880(K) 8022	WING BARRICADES	480.000	SD
880(M) 8024	TYPE A. LIGHT	5,520.000	SD
880(O) 8026	TYPE C LIGHT	4,800.000	SD
880(P) 8027	DRUMS	4,800.000	SD
961.25 8509	(PL) TRAFFIC SURVEILLANCE,POLICE	24.000	HOURL
SECTION NO. 0002	Y002-TRAFFIC SIGNING		
804 2915	STRUCTURAL CONCRETE	70.960	CY
804 2916	REINFORCING STEEL	12,918.000	LB
850(A) 8215	SHEET ALUMINUM SIGNS	2,173.170	SF
850(B) 3204	EXTRUDED ALUMINUM PANEL SIGNS	3,304.500	SF
850(B) 3205	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	3,977.500	SF
851 8616	(PL) 1.75" SQUARE TUBE POST	260.000	LF
851 8617	(PL) 2" SQUARE TUBE POST	1,095.000	LF
851 8642	(PL) 2.25" SQUARE TUBE POST	552.000	LF
851(A) 3206	4" @ 13 G.STL.WD.FLANGE BM.POST	566.000	LF
851(A) 3207	6" @ 15 GALV.STL.WD.FLANGE BM.POST	256.000	LF
851(A) 3208	6" @ 20 GALV.STL.WD.FLANGE BM.POST	142.000	LF
851(A) 3209	6" @ 25 GALV.STL.WD.FLANGE BM.POST	111.000	LF
851(A) 3210	8" @ 31 GALV.STL.WD.FLANGE BM.POST	122.000	LF
851(A) 3211	8" @ 35 GALV.STL.WD.FLANGE BM.POST	48.000	LF
851(A) 3213	10" @ 45 GALV.STL.WD.FLANGE BM.PTS	50.000	LF
851(B) 3217	2.5" @ 5.79 GALV.STL.PIPE POST	112.000	LF
851(B) 3218	3" @ 7.58 G.STL.PIPE POST	1,049.000	LF
851(B) 3219	3.5" @ 9.11 GALV.STL.PIPE POST	400.000	LF
960.27 8127	(PL) REMOVAL OF OVERHEAD SIGN STR.	5.000	EA
960.62 8315	(PL) REMOVAL OF EXISTING SIGNS	213.000	EA

LNTCIQA
 CALL ORDER : 300
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: WASHINGTON

FEDERAL PROJECT
 CONTRACT ID : 000113
 PCN : 1763604

PAGE 22

PROJECTS : STPY-174B(12)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 81TUL
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 AT INTERSECTION OF SH-123 (HENSLEY BOULEVARD) AND
 CHEROKEE AVENUE IN BARTLESVILLE
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y031-TRAFFIC SIGNALS		
610(A) M0602	100 MM CONCRETE SIDEWALK	22.200	M2
641 M2917	MOBILIZATION	1.000	LSUM
802(B) M8332	25MM PVC SCH.40 P.C.BORED	50.000	M
802(B) M8336	38MM PVC SCH.40 P.C.BORED	50.000	M
802(B) M8338	38MM PVC SCH.40 P.C.TR.	200.000	M
802(B) M8340	50MM PVC SCH.40 P.C.BORED	2.000	M
802(B) M8342	50MM PVC SCH.40 P.C.TR.	35.000	M
802(B) M8344	75MM PVC SCH.40 P.C.BORED	80.000	M
802(B) M8346	75MM PVC SCH.40 P.C.TR.	25.000	M
803 M8065	PULL BOX(SIZE I)	3.000	EA
803 M8066	PULL BOX(SIZE II)	1.000	EA
803 M8067	PULL BOX(SIZE III)	5.000	EA
804(A) M2915	STRUCTURAL CONCRETE	8.700	M3
804(B) M2916	REINFORCING STEEL	776.900	KG
806(A) M8768	9.7M MHP 9.1M TS & 3.0M LMA(G.STL.)	1.000	EA
806(A) M8780	9.7M MHP 10.7M TS & 3.0M LMA(G.STL.)	2.000	EA
806(A) M8822	9.7M MHP 16.8M TS & 3.0M LMA(G.STL.)	1.000	EA
809(A) M8204	ROADWAY LUMINAIRE(250 WATT HPS)	4.000	EA
811 M8040	1/C NO.6 ELECT.COND.	60.000	M
811 M8044	1/C NO.10 ELECT.COND.	460.000	M
825 M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A) M8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	9.000	EA
828(B) M8138	LOOP DETECTOR WIRE	1,775.000	M
830 M8000	PEDESTRIAN PUSH BUTTON	6.000	EA
831 M8239	1WAY3SEC.ADJ.SG.HD.(MAM)S-6	7.000	EA
831 M8257	1WAY3SEC.ADJ.SG.HD.(MAM)S-9	1.000	EA
831 M8269	1WAY3SEC.ADJ.SG.HD.(MAM)S-10	3.000	EA
831 M8290	1WAY5SEC.ADJ.SG.HD.(MAM)S-19	1.000	EA
831 M8296	1WAY2SEC.ADJ.PD.SG.HD.(CM)S-20	6.000	EA
833 M3038	127MM BACKPLATE (300MM HDS)(B-2)	12.000	EA
834(A) M8207	5/C TRAF.SIG.ELECT.CABLE	380.000	M
834(A) M8208	7/C TRAF.SIG.ELECT.CABLE	65.000	M
834(A) M8209	9/C TRAF.SIG.EL.CABLE	40.000	M
834(A) M8210	12/C TRAF.SIG.ELECT.CABLE	60.000	M
834(B) M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	415.000	M

SECTION NO. 0001	Y031-TRAFFIC SIGNALS		
840(A) M8592	(PL)E.P.S. OPTICAL EMITTER	5.000	EA
840(B) M8593	(PL)E.P.S. OPTICAL DETECTOR	4.000	EA
840(C) M8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	250.000	M
840(D) M8595	(PL)E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(C) M8118	MAST ARM MOUNTED SIGNS(ALUM.)	10.030	M2
855(A) M8812	TRAF.STR.(PLAST.)(100MM WIDE)	1,350.000	M
855(B) M8818	TRAF.STR.(PLAST.)(ARROWS)	6.000	EA
855(B) M8821	TRAF.STR.(PLAST.)(WORDS)	3.000	EA
859(A) M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	675.000	M
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) M8726	(PL)REMOVAL OF TRAF.SIG.EQUIPMENT	1.000	LSUM
SECTION NO. 0002	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 310
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CLEVELAND

STATE PROJECT
 CONTRACT ID : 000137
 PCN : 1825404

PAGE 24

PROJECTS : MC-114A(52)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:
 MICROSURFACE
 SH-9 BEGIN AT SOUTHWEST 24TH AVE. EXTEND EAST 5.32 MILES
 PROJ. LGTH.= 5.32 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-MIRCOSURFACE		
410(A) 4324	EMULSIFIED ASPHALT	62,000.000	TON
410(C) 4760	TYPE II AGGREGATE	3,350.000	TON
859(A) 8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	16,500.000	LF
859(B) 8007	PAVEMENT MARKING REMOV.(ARROWS)	43.000	EA
859(C) 8008	PAVEMENT MARKING REMOV.(WORDS)	24.000	EA

LNTCIQA
 CALL ORDER : 370
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: HUGHES

STATE PROJECT
 CONTRACT ID : 000148
 PCN : 1823604

PAGE 25

PROJECTS : MC-132B(32)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 33WEW
 CAL. DAYS: LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:
 BRIDGE PAINTING
 US-75 OVER WEWOKA CREEK, 2.5 MILES SOUTH OF JCT. SH-9
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE PAINTING		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 380
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: HUGHES

STATE PROJECT
 CONTRACT ID : 000149
 PCN : 1823704

PAGE 26

PROJECTS : MC-132B(33)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 33WEW
 CAL. DAYS: LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:
 JOINT SEAL
 US-75 OVER WEWOKA CREEK, 2.5 MILES SOUTH OF JCT. SH-9
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-JOINT SEAL		
419 4152	CONCRETE JOINT REHABILITATION	392.000	LF
504(H) 6390	RAPID CURE JOINT SEALANT	496.000	LF
504(I) 6389	ELASTOMERIC MORTAR	0.400	CF
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 410
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: SEQUOYAH

STATE PROJECT
 CONTRACT ID : 000152
 PCN : 1823404
 PROJECTS : IMC-168N(65)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 12SAL
 CAL. DAYS: LIQ. DAM: \$ 300

PAGE 27

CONTRACT DESCRIPTION:
 BRIDGE PAINTING
 I-40 UNDER COUNTY ROAD AND I-40 UNDER US-64 CONNECTOR ROAD,
 9.9 MILES EAST AND 10.9 MILES EAST OF MUSKOGEE COUNTY LINE
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X231-BRIDGE PAINTING		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 420
 LETTING DATE : March 23, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: SEQUOYAH

STATE PROJECT
 CONTRACT ID : 000153
 PCN : 1823504

PAGE 28

PROJECTS : IMC-168N(66)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 12SAL
 CAL. DAYS: LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:

JOINT SEAL
 I-40 UNDER COUNTY ROAD AND I-40 UNDER US-64 CONNECTOR ROAD,
 9.9 MILES EAST AND 10.9 MILES EAST OF MUSKOGEE COUNTY LINE
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X231-JOINT SEAL		
419 4152	CONCRETE JOINT REHABILITATION	240.000	LF
504(H) 6390	RAPID CURE JOINT SEALANT	48.000	LF
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM