

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : March 23, 2000

LNTCNCA
LETING

NOTICE TO CONTRACTORS -- April 20, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF April 20, 2000 , TO BE PUBLICALLY OPENED AT 10:30 A.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$23.07 PLUS \$1.93 TAX (OKLAHOMA TAX IS 8.375%) FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$7.38 PLUS \$.62 TAX. MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

LNTCIQA
 CALL ORDER : 010
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: ALFALFA

FEDERAL PROJECT
 CONTRACT ID : 000004
 PCN : 0947104

PAGE 1

PROJECTS : BRO-2D(166) CO
 DBE/WBE GOALS: 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.22
 RES. ENG.: 61BUF
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE AT WEST CLAY CREEK, 3.3 MILES SOUTH AND
 2.6 MILES EAST OF CHEROKEE
 PROJ. LGTH.=0.184 MILES
 FLEX. ESALS= 0.2 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	1,794.000	CY
202(E)	0184 UNCLASSIFIED BORROW	2,842.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	891.000	CY
222	2801 TEMPORARY BALE BARRIER	150.000	LF
223	2802 TEMPORARY SILTATION SCREEN	500.000	LF
230(A)	2806 SOLID SLAB SODDING	4,840.000	SY
230(G)	2812 WATERING	387.200	MGAL
233(A)	2817 VEGETATIVE MULCHING	1.000	AC
234(A)	2824 FERTILIZING (10-20-10)	0.490	TON
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	9.000	TON
407	0250 TACK COAT	150.000	GAL
408	5774 (SU)PRIME COAT	767.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		667.000 TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		328.000 TON
509(E)	0325 CLASS "C" CONC.	30.000	CY
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	2.000	EA
613(D)	4528 28" X 20" CORR. GALV. STEEL PIPE ARCH	44.000	LF
641	1399 MOBILIZATION	1.000	LSUM
SECTION NO. 0002	X081-BRIDGE 'A'		
202(E)	1302 UNCLASSIFIED BORROW	50.000	CY
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	40.000	CY
503(B)	6144 PRESTRESSED CONCRETE DOUBLE TEE	354.000	LF
504(A)	1314 CLASS AA CONCRETE	63.350	CY
505(A)	1380 CONCRETE RAIL	181.000	LF
509(B)	1328 CLASS A CONCRETE	60.500	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	17,295.000	LB
514(E)	6010 STEEL PILING (HP 10X42)	250.000	LF
516(A)	6092 DRILLED SHAFTS 36" DIAMETER	90.000	LF
516(C)	6105 CORRUGATED GALV.STL.PIPE 36"DIA	54.000	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	325.000	TON

SECTION NO. 0002	X081-BRIDGE 'A'		
601(A-2)1355	TYPE I-A FILTER BLANKET	75.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F) 6029	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
900.22 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 020
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: ALFALFA

FEDERAL PROJECT
 CONTRACT ID : 000011
 PCN : 1813104
 PROJECTS : STPY-102C(29)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.61
 RES. ENG.: 61BUF
 CAL. DAYS: 30

PAGE 3

LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:

SILANE TREATMENT
 SILANE TREATMENT ON BRIDGE OVER DRIFTWOOD CREEK 1.2 MILES
 WEST OF BURLINGTON ON SH-8
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-SILANE TREATMENT		
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,650.000	SY
520(G) 6421	(PL) HMWM CRACK PREPARATION	120.000	LF
520(H) 6422	(PL) HMWM RESIN	1.000	GAL
641 1399	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS (TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA
 CALL ORDER : 030
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: BECKHAM

FEDERAL PROJECT
 CONTRACT ID : 000013
 PCN : 1813004
 PROJECTS : STPY-105H(43)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.61
 RES. ENG.: 52ALT
 CAL. DAYS: 30

PAGE 4

LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:
 SILANE TREATMENT
 SILANE TREATMENT IN DIVISION 5, BECKHAM AND JACKSON
 COUNTYS
 PROJ. LGHT.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-BRIDGE 'A'		
515(B) M6014	WATER REPELLENT (PERFORMANCE TESTED)	929.760	M2
520(G) M6421	(PL) HMWM CRACK PREPARATION	55.780	M
520(H) M6422	(PL) HMWM RESIN	4.330	L
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X081-BRIDGE 'B'		
515(B) M6014	WATER REPELLENT (PERFORMANCE TESTED)	878.730	M2
520(G) M6421	(PL) HMWM CRACK PREPARATION	29.600	M
520(H) M6422	(PL) HMWM RESIN	2.300	L
SECTION NO. 0003	X081-BRIDGE 'C'		
515(B) M6014	WATER REPELLENT (PERFORMANCE TESTED)	1,043.280	M2
520(G) M6421	(PL) HMWM CRACK PREPARATION	92.000	M
520(H) M6422	(PL) HMWM RESIN	7.140	L

LNTCIQA
 CALL ORDER : 070
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CANADIAN

FEDERAL PROJECT
 CONTRACT ID : 000023
 PCN : 1254404

PAGE 5

PROJECTS : NHY-11N(009)
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 22.01
 RES. ENG.: 42ELR
 CAL. DAYS: 300 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & BRIDGES(RCB)
 ON US-81 BEGINNING AT THE NORTH EDGE OF THE EL RENO CITY
 LIMITS AND EXTENDING NORTH.
 PROJ. LGTH.= 5.491 MI.
 FLEX. ESALS= 12.1 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	C000-ROADWAY		
102	0100 (SP)TERO FEE	1.000	LSUM
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	290,347.000	CY
202(E)	0184 UNCLASSIFIED BORROW	97,001.000	CY
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMPORQARY BALE BARRIER	1,500.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	10.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	50.000	CY
227	0100 TEMPORARY SILT DIKE	500.000	LF
229	4318 DITCH LINER PROTECTION	18,315.000	LF
230(A)	2806 SOLID SLAB SODDING	3,380.000	SY
230(E)	2810 BROADCAST SPRIGGING (METHOD A)	216,667.000	SY
230(G)	2812 WATERING	13,203.000	MGAL
232(B)	2814 SEEDING METHOD B	101.900	AC
233(A)	2817 VEGETATIVE MULCHING	101.900	AC
234(A)	2824 FERTILIZING (10-20-10)	26.200	TON
234(A)	4406 FERTILIZING (0-46-0)	5.600	TON
235(A)	0100 (PL)ROCK FILTER DAM, TYPE 1	100.000	CY
241	2832 MOWING	73.700	AC
317(A)	4252 FLY ASH	128.000	TON
317(C)	4254 SUBGRADE MODIFICATION	2,360.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	795.000	TON
407	0250 TACK COAT	495.000	GAL
408	5774 PRIME COAT	1,270.000	GAL
411(A)	4263 ASPHALT CONCRETE TYPE A	739.000	TON
411(AH)	6660 (SP)ASPHALT CONC. TYPE AH(PG 70-28 OK)	793.000	TON
411(B)	4264 ASPHALT CONCRETE TYPE B	289.000	TON
411(BH)	6690 (SP)ASPHALT CONCRETE TYPE BH(PG70-28OK)	257.000	TON
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	215.000	CY
509(B)	0321 CLASS A CONCRETE	585.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	5.000	CY
509(E)	0325 CLASS "C" CONC.	3,298.000	CY
511(A)	0332 REINFORCING STEEL	94,986.000	LB

SECTION NO. 0001	C000-ROADWAY		
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	6.000 EA
613(B)	0491	18" R.C.PIPE CLASS III	602.000 LF
613(B)	0493	30" R.C.PIPE CLASS III	105.000 LF
613(B)	0494	36" R.C.PIPE CLASS III	101.000 LF
613(B)	4497	36" X 22" R.C.PIPE ARCH CLASS A-III	248.000 LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	1.000 EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	1.000 EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT	1.000 EA
613(CC)	7189	TYPE D4 CULVERT END TREATMENT	2.000 EA
613(CC)	7195	TYPE EE4 CULVERT END TREATMENT	4.000 EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	9.000 EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	5.000 EA
613(CC)	7201	TYPE AA6 CULVERT END TREATMENT	2.000 EA
613(CC)	7204	TYPE DD6 CULVERT END TREATMENT	2.000 EA
613(CC)	7205	TYPE EE6 CULVERT END TREATMENT	4.000 EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	498.000 LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	337.000 LF
613(D)	0692	36" CORR. GALV. STEEL PIPE	208.000 LF
613(D)	0694	48" CORR. GALV. STEEL PIPE	376.000 LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	50.000 LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	98.000 LF
613(D)	4532	57" X 38" CORR. GALV. STEEL PIPE ARCH	238.000 LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	3.000 EA
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	1,500.000 LF
613(Q)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.	500.000 LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	79.000 CY
613(S)	1180	TRENCH EXCAVATION	1,087.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	382.000 CY
616(B)	5199	8" POLYVINYL CHLORIDE (PVC) PIPE	320.000 LF
616(I)	0030	12" STEEL CASING	320.000 LF
616(U)	6190	BORE AND JACK 12" CASING	100.000 LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	0291	REMOVAL OF HEADWALL	9.000 EA
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	2,889.000 SY
619(C)	0924	SAWING PAVEMENT	469.000 LF
624(A)	4281	FENCE-STYLE WWF	9,871.000 LF
624(B)	5165	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	4.000 EA
624(B)	5264	GATES-STYLE WWF (4.5'HIGH X 20'LONG)	6.000 EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	28,983.000 LF
624(D)	4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	322.000 LF
624(E)	5853	GATES-STYLE CLF (4'HIGH X 20'LONG)	1.000 EA
640	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM
931.97	7011	(PL) TEMPORARY SILT FENCE	4,000.000 LF
SECTION NO. 0002	X028-BRIDGE 'A'		
202(C)	1301	UNCLASSIFIED EXCAVATION	780.000 CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	182.000 CY
509(B)	1328	CLASS A CONCRETE	406.000 CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	53,870.000 LB
619(B)	1383	REMOVAL OF HEADWALL	2.000 EA
SECTION NO. 0003	X028-BRIDGE 'B'		

SECTION NO. 0003		X028-BRIDGE 'B'		
202(C)	1301	UNCLASSIFIED EXCAVATION	3,310.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	330.000	CY
509(B)	1328	CLASS A CONCRETE	809.400	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	95,000.000	LB
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004		X028-BRIDGE 'C'		
202(C)	1301	UNCLASSIFIED EXCAVATION	755.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	185.000	CY
509(B)	1328	CLASS A CONCRETE	563.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	67,600.000	LB
619(B)	1383	REMOVAL OF HEADWALL	2.000	EA
SECTION NO. 0005		Y000-TRAFFIC		
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	1,500.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	600.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	305.000	SF
851	8642	(PL) 2.25" SQUARE TUBE POST	54.000	LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	52,000.000	LF
870(A)	8011	SAND FILLED IMP. ATTENU. MODULE	30.000	EA
880(J)	8318	BARRICADES (TYPE III)	14.000	EA
890	7702	(PL)TRAFFIC ITEMS (TRAFFIC CONTROL)	1.000	LSUM
960.68	8345	(PL) PERMANENT BARRICADE UNIT	10.000	EA
SECTION NO. 0006		STAK-STAKING		
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 100
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CRAIG
 CREEK
 MCINTOSH

FEDERAL PROJECT
 CONTRACT ID : 000026
 PCN : 1623704M

PAGE 8

PROJECTS : BRFY-NBIP(61)(62)(65)/BRFY-118
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 81TUL
 CAL. DAYS: 210 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE PAINTING & JOINT SEAL/REPAIR
 CRAIG CO: SH-82 OVER MUSTANG CREEK; CREEK CO: SH-48 OVER
 WEST FORK SAND CREEK; MCINTOSH CO: US-266 OVER GRAVES CREEK.
 PROJ. LGTH.= 0.0 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X071-BRIDGE 'A' BRFY-NBIP(61)		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X071-BRIDGE 'A' BRFY-NBIP(62)		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	X071-BRIDGE 'A' BRFY-NBIP(65)		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004	X071-JOINT SEAL/REPAIR BRFY-118C(21)		
502 6116	(PL) FALSEWORK JACKING	1.000	LSUM
504(H) 6390	RAPID CURE JOINT SEALANT	120.000	LF
506(A) 1322	STRUCTURAL STEEL	8,760.000	LB
SECTION NO. 0005	X071-JOINT SEAL/REPAIR BRFY-119C(47)		
535 6159	(PL) CONCRETE SURFACE REPAIR	5.300	SY
SECTION NO. 0006	X071-JOINT SEAL/REPAIR BRFY-146C(23)		
504(I) 6389	ELASTOMERIC MORTAR	5.000	CF
509 6386	(PL) SILICONE CONSTRUCTION JOINT	336.000	LF

LNTCIQA
 CALL ORDER : 120
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: GARVIN

FEDERAL PROJECT
 CONTRACT ID : 000033
 PCN : 1511404

PAGE 9

PROJECTS : BRFY-25B(310)
 DBE/WBE GOALS: 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 18.79
 RES. ENG.: 32PUR
 CAL. DAYS: 150 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 ON US-177 OVER SPRING BROOK CREEK APPROXIMATELY 0.322
 KILOMETERS SOUTH OF THE JUNCTION OF US-177/SH-19.
 PROJ. LGTH.= 0.479 KM.
 FLEX. ESALS= 3.6 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	M0183 UNCLASSIFIED EXCAVATION	7,266.000	M3
202(E)	M0184 UNCLASSIFIED BORROW	6,977.000	M3
205	M7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	100.000	M
223	M2802 TEMPORARY SILT FENCE	350.000	M
226	M2805 TEMPORARY SEDIMENT REMOVAL	20.000	M3
229	M4318 DITCH LINER PROTECTION	320.000	M
230(A)	M2806 SOLID SLAB SODDING	2,801.000	M2
230(B)	M2807 MULCH SODDING	21,166.000	M2
230(F)	M2812 WATERING	4,314.000	KL
232(A)	M2813 SEEDING METHOD A	2.396	HA
233(A)	M2817 VEGETATIVE MULCHING	2.396	HA
234(A)	M2824 FERTILIZING (10-20-10)	2.630	T
241	M2832 MOWING	2.396	HA
307(A)	M4233 LIME	132.000	T
307(B)	M4235 200MM LIME TREATED SUBGRADE	6,831.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	15.000	T
407	M0250 TACK COAT	4,749.000	L
408	M5774 PRIME COAT	6,107.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	2,295.000	T
411(A)	M6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	575.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	481.000	T
411(B)	M6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	470.000	T
417	M5267 COLD MILLING PAVEMENT	1,197.000	M2
509(C)	M0322 CLASS "A" CONC. FOR SMALL STR.	1.075	M3
509(D)	M0325 CLASS C CONCRETE	30.000	M3
511(A)	M0332 REINFORCING STEEL	59.000	KG
611(D)	M4215 MANHOLE FRAME & COVER	1.000	EA
611(E)	M6000 INLET (SMD-TYPE 1)	1.000	EA
611(J)	M0487 JUNCTION BOXES	0.341	M3
613(B)	M0405 450MM R.C.PIPE CLASS III	37.200	M
613(B)	M0409 600MM R.C.PIPE CLASS III	1.200	M

SECTION NO. 0001	I000-ROADWAY		
613(CC)M7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
613(D) M0689	450MM CORR. GALV. STEEL PIPE	19.200	M
613(D) M0690	600MM CORR. GALV. STEEL PIPE	49.200	M
613(D) M5226	1030MM X 740MM CORR. GALV. ST. PIPE ARCH		20.400 M
613(M) M0897	450MM PREFAB. CULVERT END SEC., ROUND	3.000	EA
613(M) M0898	600MM PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M) M4529	1030MM X 740MM PREFAB.CULV.END SEC.,ARCH		2.000 EA
613(P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	33.600	M
613(Q) M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.	11.400	M
613(R) M1100	PIPE UNDERDRAIN COVER MAT'L.	9.000	M3
613(S) M1180	TRENCH EXCAVATION	23.000	M3
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	3,068.000	M2
619(C) M0924	SAWING PAVEMENT	254.000	M
623(A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	168.000	M
623(F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H) M8571	(SP) G.E.T. GUARD RAIL END SECTION	4.000	EA
624(A) M4281	FENCE-STYLE WWF	319.000	M
624(C) M4459	FENCE-STYLE SWF (5 BARBED WIRE)	302.000	M
624(D) M4288	FENCE-STYLE CLF (1200MM HIGH, CLASS A)		60.000 M
624(E) M5852	GATES-STYLE CLF(1200MM HI X 5400MM LONG)		2.000 EA
629(A) M4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) M4960	MAILBOX	1.000	EA
629(D) M4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
653(C) M5946	OUTLET LATERAL HEADWALL	1.000	EA
980.00 M4659	FOG SEAL	90.000	L
SECTION NO. 0002	X081-BRIDGE 'A'		
202(A) M1301	UNCLASSIFIED EXCAVATION	1,700.000	M3
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	67.000	M3
501(F) M6352	GRANULAR BACKFILL	56.000	M3
503(A) M1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	142.800	M
504(A) M1304	APPROACH SLAB	152.000	M2
504(E) M6239	CONCRETE RAIL (TR3)	96.400	M
506(A) M1322	STRUCTURAL STEEL	1,280.000	KG
509(A) M1326	CLASS AA CONCRETE	115.000	M3
509(E) M1332	CLASS S CONCRETE	80.100	M3
511(A) M1332	REINFORCING STEEL	7,480.000	KG
511(B) M6010	EPOXY COATED REINF. STEEL	14,970.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	136.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	136.000	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	10.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	301.000	M2
516(A) M6094	DRILLED SHAFTS 1200MM DIAMETER	54.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,635.000	T
601B-2 M1361	TYPE II-A FILTER BLANKET	395.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND		24.000 M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	14.000	M
613(R) M1395	PIPE UNDERDRAIN COVER MAT'L.	9.000	M3
613(S) M1396	TRENCH EXCAVATION	10.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	1.000	M3
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 M1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0003	Y008-TRAFFIC CONTROL		

LNTCIQA

FEDERAL PROJECT

PAGE 11

855(A) M8812	TRAF.STR.(PLAST.)(100MM WIDE)	2,000.000	M
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 140
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: GRANT

FEDERAL PROJECT
 CONTRACT ID : 000103
 PCN : 1286504

PAGE 12

PROJECTS : HDPY-9269(002)HP
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 6.98
 RES. ENG.: 43ENI
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON US-60 BEGINNING APPROXIMATELY 1.0 MILE SOUTH AND 3.2
 MILE WEST OF LAMONT AND EXTENDING WEST.
 PROJ. LGTH.= 3.750 MI.
 FLEX. ESALS= 2.1 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(H)	0111 LINEAR GRADING	178.000	STA
222	2801 TEMPORARY BALE BARRIER	325.000	LF
230(A)	2806 SOLID SLAB SODDING	12,672.000	SY
230(B)	2807 MULCH SODDING	173,399.000	SY
230(G)	2812 WATERING	9,304.000	MGAL
232(A)	2813 SEEDING METHOD A	38.500	AC
233(A)	2817 VEGETATIVE MULCHING	38.500	AC
234(A)	2824 FERTILIZING (10-20-10)	19.500	TON
234(A)	4406 FERTILIZING (0-46-0)	18.600	TON
241	2832 MOWING	38.500	AC
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	255.000	TON
407	0250 TACK COAT	79.000	GAL
408	5774 (SU)PRIME COAT	98.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		184.000 TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		67.000 TON
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	384.000	CY
509(B)	0321 CLASS A CONCRETE	241.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	21.000	CY
511(A)	0332 REINFORCING STEEL	23,190.000	LB
601(A)	0297 TYPE I-PLAIN RIP RAP	100,000.000	TON
613(CC)	7200 TYPE E6 CULVERT END TREATMENT	8.000	EA
613(D)	0694 48" CORR. GALV. STEEL PIPE	328.000	LF
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291 REMOVAL OF HEADWALL	8.000	EA
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	718.000	SY
619(C)	0924 SAWING PAVEMENT	144.000	LF
624(C)	4459 FENCE-STYLE SWF (5 BARBED WIRE)	4,000.000	LF
629(E)	5048 (SU) REMOVE AND RESET MAILBOX	1.000	EA
641	1552 MOBILIZATION	1.000	LSUM
900.22	6145 (PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
901.80	6380 (PL)SETTING PRECAST REINF.CONC.BOX SECT.		332.000 LF
931.97	7011 (PL) TEMPORARY SILT FENCE	678.000	LF

SECTION NO. 0001	I000-ROADWAY		
961.33 8580	(PL)REMOVE & RESET EXISTING SIGNS	15.000	EA
SECTION NO. 0002	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 190
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: LOGAN

STATE PROJECT
 CONTRACT ID : 000203
 PCN : 1832604

PAGE 14

PROJECTS : SAP-142C(47)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 44EDM
 CAL. DAYS: 30 LIQ. DAM: \$ 250

CONTRACT DESCRIPTION:
 BRIDGE REPAIR
 SH-51 OVER OTTER CREEK APPROXIMATELY 1.5 MILE EAST OF THE
 JUNCTION OF SH-51/SH-74.
 PROJ. LGTH.= 0.0 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE REPAIR		
506(A) 6005	STRUCTURAL STEEL A36	9,580.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
520(A) 6058	PREP. OF CRACKS ABOVE WATER	400.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	18.200	GAL
535 6174	(PL) FALSEWORK & JACKING	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL		
890 7702	(PL)TRAFFIC ITEMS (TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA
 CALL ORDER : 220
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: MURRAY

FEDERAL PROJECT
 CONTRACT ID : 000030
 PCN : 1266804

PAGE 15

PROJECTS : IMY-35-2(199)045IR
 DBE/WBE GOALS: 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 72ARD
 CAL. DAYS: 180 LIQ. DAM: \$ 2000

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON I-35 BEGINNING AT THE MURRAY/CARTER COUNTY LINE AND
 EXTENDING NORTH.
 PROJ. LGTH.= 6.406 MI.
 FLEX. ESALS= GREATER THAN 3 MILLION
 ASPH. GRADE= 76-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
202(E) 0184	UNCLASSIFIED BORROW	10,565.000	CY
407 0250	TACK COAT	25,236.000	GAL
411(AH) 6670	(SP)ASPHALT CONC. TYPE AH(PG 76-28 OK)	41,212.000	TON
411(BH) 6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	37,489.000	TON
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	138,628.000	LF
414(B) 5913	H.E.S. CONCRETE (FULL DEPTH PATCHING)	5,000.000	SY
417 5267	COLD MILLING PAVEMENT	36,000.000	SY
420(A) 4242	FABRIC REINFORCEMENT	9,000.000	SY
420(B) 4268	BITUMINOUS BINDER	2,300.000	GAL
509(A) 0319	CLASS AA CONCRETE	1.000	CY
511(A) 0332	REINFORCING STEEL	70.000	LB
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	287.000	SY
619(B) 6128	REMOVAL OF GUARD RAIL	1,700.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	16.000	EA
623(H) 8571	(SP) G.E.T. GUARD RAIL END SECTION	16.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM
980.00 4659	FOG SEAL	600.000	GAL
SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL		
876(C) 8482	(PL)TRUCK MTD.ATTENUATOR	183.000	SD
890 7702	(PL)TRAFFIC ITEMS (TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0003	Y002-SIGNING & STRIPING		
509(E) 0325	CLASS "C" CONC.	32.330	CY
511(A) 0332	REINFORCING STEEL	1,361.000	LB
855(A) 3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	181,832.000	LF
857 8243	PAV. MARKERS CLASS C TYPE 2-C	150.000	EA
857(B) 8962	REMOVE & RESET CLASS C PAVE. MARKERS	1,500.000	EA
870(A) 8011	SAND FILLED IMP. ATTENU. MODULE	97.000	EA

LNTCIQA
SECTION NO. 0004

FEDERAL PROJECT
Y000-NON-PARTICIPATING

PAGE 16

870(B) 8012

IMPACT ATTENU.MODULE(REPLACEMT)

27.000 EA

LNTCIQA
 CALL ORDER : 340
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PITTSBURG

FEDERAL PROJECT
 CONTRACT ID : 000167
 PCN : 1812704

PAGE 17

PROJECTS : STPY-161H(55)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 24MCA
 CAL. DAYS: 20 LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:
 SILANE TREATMENT
 SILANE TREATMENT IN DIVISION 2 ON SH-1 WEST AND SH-31 EAST
 OF MCALESTER IN PITTSBURG COUNTY
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X900-SILANE TREATMENT		
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	280.000	SY
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,540.000	SY
520(G) 6421	(PL) HMWM CRACK PREPARATION	770.000	LF
520(H) 6422	(PL) HMWM RESIN	5.000	GAL
641 1399	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS (TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA
 CALL ORDER : 341
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PITTSBURG

FEDERAL PROJECT
 CONTRACT ID : 000136
 PCN : 1815004
 PROJECTS : STPY-13N(64)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.22
 RES. ENG.: 24MCA
 CAL. DAYS: 30 LIQ. DAM: \$ 500

PAGE 18

CONTRACT DESCRIPTION:
 SCHOOL ZONE SIGNS
 SCHOOL ZONE MESSAGE SIGNS ALONG US-69 IN SAVANNA
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y031-SCHOOL SIGNS		
641	2917 MOBILIZATION	1.000	LSUM
804	2915 STRUCTURAL CONCRETE	6.040	CY
804	2916 REINFORCING STEEL	873.200	LB
810(A)	3118 SERVICE POLE	2.000	EA
811	8107 1/C NO. 10 ELEC. COND.	200.000	LF
827	8623 SOLID STATE FLASHER CONTROLLER(TYPE II)		2.000 EA
831	8477 1WAY1SEC.ADJ.SIG.HD.(CM)S-22	4.000	EA
850(A)	8215 SHEET ALUMINUM SIGNS	20.760	SF
850(C)	8118 MAST ARM MOUNTED SIGNS(ALUM.)	34.000	SF
851	8642 (PL) 2.25" SQUARE TUBE POST	56.000	LF
890	7702 (PL)TRAFFIC ITEMS (TRAFFIC CONTROL)	1.000	LSUM
890(A)	8724 (PL)REMOVAL OF EXISTING SIGNS	8.000	EA
960.65	8338 (PL) REMOVE & RELOC.TRAF.SIG.EQPT.	1.000	LSUM

LNTCIQA
 CALL ORDER : 350
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: POTTAWATOMIE

FEDERAL PROJECT
 CONTRACT ID : 000168
 PCN : 1784904

PAGE 19

PROJECTS : STPY-163C(51)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 33WEW
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 FLASHING SIGNALS AT INTERSECTION OF SH-3E AND SOUTH
 ROCK CREEK ROAD
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	Y031-FLASHING SIGNAL		
641 2917	MOBILIZATION	1.000	LSUM
802(B) 8054	3" PVC SCH.40 PLAST.COND.BORE	115.000	LF
802(B) 8058	2" PVC SCH.40 PLAST.COND.TR.	20.000	LF
803 8065	PULL BOX(SIZE I)	3.000	EA
804 2915	STRUCTURAL CONCRETE	5.400	CY
804 2916	REINFORCING STEEL	832.600	LB
806(A) 8150	POLE & 35' T.S. MST.ARM(G.STL.)	2.000	EA
811 8109	1/C NO. 6 ELEC. COND.	100.000	LF
827 8167	SOLID STATE FLASHER CONTROLLER	1.000	EA
831 8477	1WAY1SEC.ADJ.SIG.HD.(CM)S-22	8.000	EA
833 3038	5" BACKPLATE (12" HDS)(B-2)	8.000	EA
855(A) 3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	5,310.000	LF
855(B) 3320	TRAF. STR. (PLASTIC)(ARROWS)	4.000	EA
855(C) 3321	TRAF. STR. (PLASTIC)(WORDS)	2.000	EA
859(A) 8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	2,000.000	LF
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 380
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: ROGERS

STATE PROJECT
 CONTRACT ID : 000029
 PCN : 1789504

PAGE 20

PROJECTS : SAP-166C(42)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 81TUL
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 TO SERVE GRIFFIN WHEEL COMPANY, BEGIN AT TIGER SWITCH RD. AT
 145TH E. AVE. AND EXTEND TO 161ST E. AVE.
 PROJ. LGTH.= 1.021 MILES
 FLEX. ESALS= 3.0 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(G) 6181	(PL)EARTHWORK	1.000	LSUM
303 0192	AGGREGATE BASE	3,600.000	CY
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	2,600.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,100.000	TON
414(C) 0309	APPROACH SLABS	286.000	SY
509(E) 0325	CLASS "C" CONC.	10.000	CY
613(D) 0689	18" CORR. GALV. STEEL PIPE	6.000	LF
613(D) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	178.000	LF
613(G) 0760	18" GALV. STEEL CULVERT END SEC. RND.	1.000	EA
613(G) 4571	28" X 20" GALV. STEEL CULV. END SEC.ARCH		8.000 EA
854 3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	21,200.000	LF
930.14 4674	(PL) CRACK POURING	2,500.000	LF
931.72 5944	(PL)FULL DEPTH CONCRETE CROSSING SURFACE		72.000 TRKF
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 400
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: WAGONER

FEDERAL PROJECT
 CONTRACT ID : 000170
 PCN : 1744304

PAGE 21

PROJECTS : NHG-13N(51)TR
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.91
 RES. ENG.: 11MUS
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GUARDRAIL
 US-69; UPGRADE GUARDRAIL AT VARIOUS BRIDGE LOCATIONS IN
 WAGONER COUNTY
 PROJ. LGTH.= 0.00 MILES
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y000-GUARDRAIL		
209	5911 (PL)MACHINE GRADING	19,031.500	LF
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,368.000	TON
509(E)	0325 CLASS "C" CONC.	3.340	CY
511(A)	0332 REINFORCING STEEL	158.000	LB
619(B)	4780 REMOVAL OF GUARD RAIL	15,200.000	LF
619(C)	0924 SAWING PAVEMENT	19,031.500	LF
623(A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	12,400.000	LF
623(F)	4447 GUARD RAIL ANCHOR UNIT (TYPE B)	8.000	EA
623(F)	4452 GUARD RAIL ANCHOR UNIT (TYPE G)	2.000	EA
623(F)	4453 GUARD RAIL ANCHOR UNIT (TYPE GE)	7.000	EA
623(F)	5686 GUARD RAIL ANCHOR UNIT (TYPE D-BF)	13.000	EA
623(H)	8571 (SP) G.E.T. GUARD RAIL END SECTION	33.000	EA
641	2917 MOBILIZATION	1.000	LSUM
853(G)	8246 GUARDRAIL DELINEATORS TYPE 4	397.000	EA
870(A)	8011 SAND FILLED IMP. ATTENU. MODULE	38.000	EA
876(A)	8480 (PL)TRUCK MTD.ATTENUATOR	30.000	EA
960.16	8140 (PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
960.47	8279 (PL) CONC. BRIDGE PARAPET RETROFIT	66.000	LF

LNTCIQA
 CALL ORDER : 460
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CARTER

STATE PROJECT
 CONTRACT ID : 000189
 PCN : 1828204

PAGE 22

PROJECTS : CMC-110A(62)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 72ARD
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON US-70 BEGINNING APPROXIMATELY 0.21 MILE WEST OF THE
 JUNCTION OF US-70/I-35 AND EXTENDING EAST TO THE JUNCTION
 OF US-70/US-77.
 PROJ. LGTH.= 2.75 MI.
 FLEX. ESALS= GREATER THAN 3 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-110A(62)		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	7,250.000	TON
420(A) 4242	FABRIC REINFORCEMENT	57,000.000	SY
420(B) 4268	BITUMINOUS BINDER	17,100.000	GAL
855(A) 3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	62,850.000	LF
856(A) 3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	38,850.000	LF
880(J) 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 470
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: LOVE

STATE PROJECT
 CONTRACT ID : 000190
 PCN : 1828704

PAGE 23

PROJECTS : CMC-143C(21)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 72ARD
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-32 BEGINNING AT THE JUNCTION OF SH-32/US-77 AND
 EXTENDING EAST TO THE MARIETTA CITY LIMITS.
 PROJ. LGTH.= 1.28 MI.
 FLEX. ESALS= GREATER THAN 3 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-143C(21)		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,870.000	TON
417 5267	COLD MILLING PAVEMENT	28,135.000	SY
855(A) 8812	TRAF.STR.(PLAST.)(4" WIDE)	10,510.000	LF
855(B) 8824	TRAF.STR.(PLAST.)(SYMBOLS)	2.000	EA
880(J) 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 480
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CARTER
 LOVE

STATE PROJECT
 CONTRACT ID : 000191
 PCN : 1828204C

PAGE 24

PROJECTS : CMC-110A(62)/CMC-143C(21)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 72ARD
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

RESURFACE(ASPHALT)
 US-70 BEGINNING APPROXIMATELY 0.21 MILE WEST OF THE JUNCTION
 OF US-70/I-35 AND EXTENDING EAST TO THE JUNCTION OF US-70/
 US-77; ON US-32 BEGINNING AT THE JUNCTION OF SH-32/US-77
 AND EXTENDING EAST TO THE MARIETTA CITY LIMITS.
 PROJ. LGTH.= 4.03 MI.
 FLEX. ESALS= GREATER THAN 3 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY CMC-110A(62)		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	7,250.000	TON
420(A) 4242	FABRIC REINFORCEMENT	57,000.000	SY
420(B) 4268	BITUMINOUS BINDER	17,100.000	GAL
855(A) 3318	TRAFFIC STRIPE (PLASTIC)(4" WIDE)	62,850.000	LF
856(A) 3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	38,850.000	LF
880(J) 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY CMC-143C(21)		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,870.000	TON
417 5267	COLD MILLING PAVEMENT	28,135.000	SY
855(A) 8812	TRAF.STR.(PLAST.)(4" WIDE)	10,510.000	LF
855(B) 8824	TRAF.STR.(PLAST.)(SYMBOLS)	2.000	EA
880(J) 6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 485
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CLEVELAND

STATE PROJECT
 CONTRACT ID : 000137
 PCN : 1825404

PAGE 25

PROJECTS : MC-114A(52)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:
 MICROSURFACE
 SH-9 BEGIN AT SOUTHWEST 24TH AVE. EXTEND EAST 5.32 MILES
 PROJ. LGTH.= 5.32 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-MIRCOSURFACE		
410(A) 4323	EMULSIFIED ASPHALT	62,000.000	GAL
410(C) 4760	TYPE II AGGREGATE	3,350.000	TON
859(A) 8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	16,500.000	LF
859(B) 8007	PAVEMENT MARKING REMOV.(ARROWS)	43.000	EA
859(C) 8008	PAVEMENT MARKING REMOV. (WORDS)	24.000	EA

LNTCIQA
 CALL ORDER : 540
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: JOHNSTON

STATE PROJECT
 CONTRACT ID : 000197
 PCN : 1826804

PAGE 26

PROJECTS : MC-135C(25)PT.1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 31ADA
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-7 BEGINNING AT THE JUNCTION OF SH-7/US-77 AND
 EXTENDING EAST.(INCLUDING BOTH LEGS OF THE WYE)
 PROJ. LGTH.= 2.78 MI.
 FLEX. ESALS= 0.9 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-135C(25)PT.1		
202(E) 4781	UNCLASSIFIED BORROW (TOPSOIL)	1,169.000	CY
407 0250	TACK COAT	3,626.000	GAL
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)		451.000 TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		3,264.000 TON

LNTCIQA
 CALL ORDER : 550
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: JOHNSTON

STATE PROJECT
 CONTRACT ID : 000198
 PCN : 1826805

PAGE 27

PROJECTS : MC-135C(25)PT.2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 31ADA
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-7 BEGINNING APPROXIMATELY 2.5 MILE EAST OF THE
 JUNCTION OF SH-7/US-377 AND EXTENDING EAST TO THE JUNCTION
 OF SH-7/SH-7D.
 PROJ. LGTH.= 5.93 MI.
 FLEX. ESALS= 0.9 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-135C(25)PT.2		
202(E) 4781	UNCLASSIFIED BORROW (TOPSOIL)	2,499.000	CY
407 0250	TACK COAT	7,663.000	GAL
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)		961.000 TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		6,904.000 TON

LNTCIQA
 CALL ORDER : 560
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: JOHNSTON

STATE PROJECT
 CONTRACT ID : 000199
 PCN : 1826804C

PAGE 28

PROJECTS : MC-135C(25)PT.1&2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 31ADA
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-7 BEGINNING AT THE JUNCTION OF SH-7/US-377 AND
 EXTENDING EAST TO THE JUNCTION OF SH-7/SH-7D.
 PROJ. LGTH.= 8.71 MI.
 FLEX. ESALS= 0.9 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-135C(25)PT.1		
202(E) 4781	UNCLASSIFIED BORROW (TOPSOIL)	1,169.000	CY
407 0250	TACK COAT	3,626.000	GAL
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)		451.000 TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		3,264.000 TON
SECTION NO. 0002	I000-ROADWAY MC-135C(25)PT.2		
202(E) 4781	UNCLASSIFIED BORROW (TOPSOIL)	2,499.000	CY
407 0250	TACK COAT	7,663.000	GAL
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)		961.000 TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		6,904.000 TON

LNTCIQA
 CALL ORDER : 590
 LETTING DATE : April 20, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: WASHITA

STATE PROJECT
 CONTRACT ID : 000202
 PCN : 1813604

PAGE 29

PROJECTS : MC-175N(24)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 51CLI
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN 1.0 MILE NORTH OF CORDELL AND EXTEND NORTH TO
 CORN ROAD
 PROJ. LGTH.= 4.1 MILES
 FLEX. ESALS= 3.54 MILLION
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-RESURFACE(ASPHALT)		
411(B) 5277	(SP)ASPH. CONC. TYPE B (PATCH)(PG 70-28)	369.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,819.000	TON
417 5267	COLD MILLING PAVEMENT	83,536.000	SY
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM