

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : March 23, 2000

LNTCNCA
LETTING

NOTICE TO CONTRACTORS -- April 20, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF April 20, 2000 , TO BE PUBLICALLY OPENED AT 2:00 P.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 2:00 P.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$23.07 PLUS \$1.93 TAX (OKLAHOMA TAX IS 8.375%) FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$7.38 PLUS \$.62 TAX. MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

LNTCIQA
 CALL ORDER : 130
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: GARVIN

FEDERAL PROJECT
 CONTRACT ID : 000034
 PCN : 1812804
 PROJECTS : STPY-125H(59)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 6.44
 RES. ENG.: 33WEW
 CAL. DAYS: 90

PAGE 1

LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:
 SILANE TREATMENTS
 SILANE TREATMENTS IN DIVISION 3, MCCLAIN, GARVIN, LINCOLN
 AND COAL COUNTIES
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X900-SILANE TREATMENT		
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	37,525.000	SY
520(G) 6421	(PL) HMWM CRACK PREPARATION	10,290.000	LF
520(H) 6422	(PL) HMWM RESIN	65.250	GAL
641 1399	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS (TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA
 CALL ORDER : 150
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: JEFFERSON

FEDERAL PROJECT
 CONTRACT ID : 000155
 PCN : 1823004
 PROJECTS : STP-134C(18)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.61
 RES. ENG.: 72ARD
 CAL. DAYS: 60 LIQ. DAM: \$ 500

PAGE 2

CONTRACT DESCRIPTION:
 SCHOOL ZONE MESSAGE SIGNS
 SCHOOL ZONE MESSAGE SIGNS ALONG SH-89 IN RINGLING
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y002-SCHOOL ZONE MESSAGE SIGNS		
641	2917 MOBILIZATION	1.000	LSUM
802(B)	8056 1" PVC SCH.40 PLAST.COND.TR.	330.000	LF
803	8065 PULL BOX(SIZE I)	1.000	EA
804	2915 STRUCTURAL CONCRETE	0.700	CY
804	2916 REINFORCING STEEL	54.000	LB
810(A)	3118 SERVICE POLE	2.000	EA
811	8107 1/C NO. 10 ELEC. COND.	700.000	LF
827	8623 SOLID STATE FLASHER CONTROLLER(TYPE II)		2.000 EA
831	8477 1WAY1SEC.ADJ.SIG.HD.(CM)S-22	4.000	EA
850(A)	8215 SHEET ALUMINUM SIGNS	35.380	SF
851	8642 (PL) 2.25" SQUARE TUBE POST	56.000	LF
851(B)	3220 4" @ 10.79 GALV.STL.PIPE POST	24.000	LF
890	7702 (PL)TRAFFIC ITEMS (TRAFFIC CONTROL)	1.000	LSUM
890(A)	8724 (PL)REMOVAL OF EXISTING SIGNS	2.000	EA

LNTCIQA
 CALL ORDER : 270
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA

FEDERAL PROJECT
 CONTRACT ID : 000161
 PCN : 1812904
 PROJECTS : STPY-155H(240)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 460KC
 CAL. DAYS: 60

PAGE 3

LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:
 SALINE TREATMENTS
 SALINE TREATMENTS AT VARIOUS LOCATIONS IN CANADIAN, LOGAN
 AND OKLAHOMA COUNTIES IN DIVISION 4
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X271-SILANE TREATMENT		
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	30,210.000	SY
520(G) 6421	(PL) HMWM CRACK PREPARATION	14,670.000	LF
520(H) 6422	(PL) HMWM RESIN	90.000	GAL
641 1399	MOBILIZATION	1.000	LSUM
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 280
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA

FEDERAL PROJECT
 CONTRACT ID : 000162
 PCN : 1815104

PAGE 4

PROJECTS : IMG-35-3(267)141 TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 44EDM
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 MEDIAN BARRIER
 INSTALLATION OF MEDIAN BARRIERS AND ATTENUATORS FOR NORTH
 BRIDGE COLUMNS AT I-35/SH-66
 PROJ. LGTH.= 0.241 MILES
 FLEX. ESALS= 0.00 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y008-MEDIAN BARRIERS AND ATTENUATORS		
407 0250	TACK COAT	294.000	GAL
408 5774	PRIME COAT	884.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,974.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	658.000	TON
509(E) 0325	CLASS "C" CONC.	2.000	CY
511(A) 0332	REINFORCING STEEL	79.000	LB
612(E) 0645	INLETS ADJUST TO GRADE	2.000	EA
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	10.000	LF
619(C) 0924	SAWING PAVEMENT	2,600.000	LF
628(A) 4317	CONCRETE MEDIAN BARRIER DESIGN 1	1,300.000	LF
641 2917	MOBILIZATION	1.000	LSUM
870(A) 8011	SAND FILLED IMP. ATTENU. MODULE	19.000	EA
900.64 6181	(PL) EARTHWORK	1.000	LSUM
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
960.25 8125	(PL) PULL BOX(RESET)	1.000	EA
960.26 8126	(PL) PULL BOX (REMOVE)	1.000	EA
SECTION NO. 0002	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 290
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA

STATE PROJECT
 CONTRACT ID : 000184
 PCN : 1827604
 PROJECTS : SAP-155N(239)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 460KC
 CAL. DAYS: 45 LIQ. DAM: \$ 250

PAGE 5

CONTRACT DESCRIPTION:
 BRIDGE REPAIR
 REPAIR OVERHEIGHT VEHICLE DAMAGE TO THE SOONER ROAD BRIDGE
 OVER I-240.
 PROJ. LGTH.= 0.0 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X241-BRIDGE 'A'		
641 1399	MOBILIZATION	1.000	LSUM
900.52 6175	(PL) BRIDGE REPAIR	1.000	LSUM
900.79 6197	(PL) REPAIR STL.GIRDER(FLAME STRAIT.)	1.000	EA
SECTION NO. 0002	Y000-TRAFFIC		
880(D) 8016	SIGNS 0 TO 6.25 SF	14.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	7.000	SD
890 7702	(PL)TRAFFIC ITEMS (TRAFFIC CONTROL)	1.000	LSUM
961.12 8481	(PL) TRUCK MTD. ATTENUATOR (REPL. MOD.)	7.000	EA

LNTCIQA
 CALL ORDER : 300
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: PAYNE

FEDERAL PROJECT
 CONTRACT ID : 000163
 PCN : 1230404

PAGE 6

PROJECTS : BRFY-60C(269)
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 25.77
 RES. ENG.: 45STL
 CAL. DAYS: 330 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 SH-108 OVER THE STILLWATER CENTRAL RAILROAD BEGINNING
 APPROXIMATELY 0.5 MILE SOUTH OF THE JUNCTION OF
 SH-108/US-412 AND EXTENDING NORTH.
 PROJ. LGTH.= 0.5 KM.
 FLEX. ESALS= 2.5 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(A)	M0183	UNCLASSIFIED EXCAVATION	21,379.000 M3
202(C)	M0184	UNCLASSIFIED BORROW	39,361.000 M3
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000 LSUM
222	M2801	TEMPORARY BALE BARRIER	50.000 M
223	M2802	TEMPORARY SILT FENCE	500.000 M
226	M2805	TEMPORARY SEDIMENT REMOVAL	25.000 M3
227	M0100	TEMPORARY SILT DIKE	50.000 M
229	M4318	DITCH LINER PROTECTION	30.000 M
230(A)	M2806	SOLID SLAB SODDING	3,468.000 M2
230(B)	M2807	MULCH SODDING	12,320.000 M2
230(F)	M2812	WATERING	2,842.000 KL
232(B)	M2814	SEEDING METHOD B	5.130 HA
233(A)	M2817	VEGETATIVE MULCHING	5.130 HA
234(A)	M2824	FERTILIZING (10-20-10)	2.330 T
234(A)	M4406	FERTILIZING (0-46-0)	0.570 T
241	M2832	MOWING	3.350 HA
317(B)	M4254	SUBGRADE MODIFICATION	5,557.000 M2
317(C)	M4253	LIME	107.000 T
403(A)	M0217	TRAFFIC BOUND SURFACE COURSE TYPE A	162.000 T
407	M0250	TACK COAT	5,198.000 L
408	M5774	PRIME COAT	9,722.000 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	2,547.000 T
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,261.000 T
426(C)	M5097	FLY ASH	320.000 T
509(D)	M0325	CLASS C CONCRETE	10.000 M3
613(B)	M0409	600MM R.C.PIPE CLASS III	28.700 M
613(CC)	M7197	TYPE B6 CULVERT END TREATMENT	10.000 EA
613(D)	M5721	600MM CORR. GALV. STEEL PIPE	214.600 M
613(M)	M0898	600MM PREFAB. CULVERT END SEC., ROUND	2.000 EA
613(S)	M1396	TRENCH EXCAVATION	34.000 M3
613(T)	M1181	STANDARD BEDDING MATERIAL	22.230 M3

SECTION NO. 0001	I000-ROADWAY		
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	7,275.000 M2
619(B)	M4779	REMOVAL OF HEADWALLS	2.000 EA
624(C)	M7180	FENCE-STYLE SWF (5 BARBED WIRE)	241.000 M
629(B)	M4959	MAILBOX INSTALLATION-MULTIPLE	1.000 EA
629(C)	M4960	MAILBOX	2.000 EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	1.000 EA
SECTION NO. 0002	X181-BRIDGE 'A'		
202(A)	M1301	UNCLASSIFIED EXCAVATION	2,700.000 M3
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	205.000 M3
501(F)	M6352	GRANULAR BACKFILL	408.000 M3
503(A)	M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	213.500 M
504(A)	M1304	APPROACH SLAB	309.600 M2
504(C)	M6277	(PL) SEALED EXPANSION JOINT W/PLATES	32.600 M
504(F)	M1381	CONCRETE PARAPET	174.700 M
506(A)	M1322	STRUCTURAL STEEL	3,040.000 KG
509(A)	M1326	CLASS AA CONCRETE	113.600 M3
509(B)	M1328	CLASS A CONCRETE	170.200 M3
509(D)	M0325	CLASS C CONCRETE	15.000 M3
510(C)	M6135	SLOPE WALL (125MM)	593.000 M2
511(A)	M1332	REINFORCING STEEL	6,965.000 KG
511(B)	M6010	EPOXY COATED REINF. STEEL	24,515.000 KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	35.200 M
514(A)	M6013	PILES, FURNISHED (HP 310X79)	107.800 M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	35.200 M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	107.800 M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	18.000 EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	761.000 M2
516(A)	M6096	DRILLED SHAFTS 1500MM DIAMETER	61.800 M
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	32.000 M
613(Q)	M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	36.000 M
613(R)	M1395	PIPE UNDERDRAIN COVER MAT'L.	14.000 M3
613(S)	M1396	TRENCH EXCAVATION	10.000 M3
613(T)	M1181	STANDARD BEDDING MATERIAL	10.000 M3
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	497.670 M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000 EA
623(H)	M8571	(SP) G.E.T. GUARD RAIL END SECTION	4.000 EA
641	M1399	MOBILIZATION	1.000 LSUM
643	M0087	(SP) CONTRACTORS QUALITY CONTROL	1.000 LSUM
SECTION NO. 0003	X131-BRIDGE 'B'		
202(C)	M1302	UNCLASSIFIED BORROW	300.000 M3
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	50.000 M3
504(E)	M6239	CONCRETE RAIL (TR3)	91.100 M
506(A)	M1322	STRUCTURAL STEEL	50,250.000 KG
509(A)	M1326	CLASS AA CONCRETE	70.800 M3
509(B)	M1328	CLASS A CONCRETE	80.400 M3
511(A)	M1439	REINFORCING STEEL (GRADE 420)	14,565.000 KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	95.200 M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	95.200 M

SECTION NO. 0003	X131-BRIDGE 'B'		
514(F) M6354	PILE LOAD TEST (DYNAMIC)	14.000	EA
516(A) M6093	DRILLED SHAFTS 1050MM DIAMETER	38.200	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	30.400	M
623(D) M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
623(F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
SECTION NO. 0004	Y000-TRAFFIC		
850(A) M8110	SHEET ALUMINUM SIGNS	2.480	M2
851(C) M8327	57 MM SQUARE TUBE POST	8.220	M
855(A) M8812	TRAF.STR.(PLAST.)(100MM WIDE)	4,000.000	M
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0005	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 330
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: PITTSBURG

FEDERAL PROJECT
 CONTRACT ID : 000166
 PCN : 1759604

PAGE 9

PROJECTS : STPY-13N(57)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 24MCA
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION
 SOUTHBOUND INTERSECTION OF US-69 AND FRINK ROAD SOUTH
 OF MCALESTER
 PROJ. LGTH.= 0.00 KM.
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y000-INTERSECTION MODIFICATION		
202(G) M0185	EARTHWORK	1.000	LSUM
230(A) M2806	SOLID SLAB SODDING	1,310.000	M2
303 M0192	AGGREGATE BASE	240.000	M3
407 M0250	TACK COAT	343.000	L
408 M5774	PRIME COAT	883.000	L
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		257.000 T
411(B) M6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)		164.000 T
509(B) M0321	CLASS A CONCRETE	0.100	M3
611(E) M6002	INLET (SMD-TYPE 2)	1.000	EA
619(B) M4741	REMOVAL OF DRAINAGE INLETS	1.000	EA
619(C) M0924	SAWING PAVEMENT	230.000	M
641 M2917	MOBILIZATION	1.000	LSUM
850(A) M8110	SHEET ALUMINUM SIGNS	3.060	M2
851(C) M8327	57 MM SQUARE TUBE POST	8.220	M
855(A) M8812	TRAF.STR.(PLAST.)(100MM WIDE)	516.000	M
855(B) M8818	TRAF.STR.(PLAST.)(ARROWS)	2.000	EA
855(B) M8821	TRAF.STR.(PLAST.)(WORDS)	1.000	EA
856(G) M8884	(PL)C/L CONST.ZONE PAV.MARKERS(YELLOW)		10.000 EA
859(A) M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	200.000	M
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A) M8724	(PL)REMOVAL OF EXISTING SIGNS	3.000	EA

LNTCIQA
 CALL ORDER : 370
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: ROGERS

FEDERAL PROJECT
 CONTRACT ID : 000158
 PCN : 1499604
 PROJECTS : BRF-66C(366)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.91
 RES. ENG.: 83CLA
 CAL. DAYS: 210

PAGE 10

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 BRIDGE AND APPROACHES OVER VERDIGRIS RIVER, 8.529 KM.
 NORTH AND 7.242 KM. WEST OF CLAREMORE
 PROJ. LGTH.-0.550
 FLEX. ESALS= 0.18 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	M0185 EARTHWORK	1.000	LSUM
205	M7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	70.000	M
223	M2802 TEMPORARY SILT FENCE	580.000	M
230(A)	M2806 SOLID SLAB SODDING	9,430.000	M2
230(F)	M2812 WATERING	3,416.000	KL
233(A)	M2817 VEGETATIVE MULCHING	0.940	HA
234(A)	M2824 FERTILIZING (10-20-10)	1.040	T
303	M0192 AGGREGATE BASE	594.000	M3
408	M5774 PRIME COAT	7,251.000	L
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		638.000 T
509(D)	M0325 CLASS C CONCRETE	60.000	M3
613(CC)	M7186 TYPE A4 CULVERT END TREATMENT	6.000	EA
613(D)	M5719 450MM CORR. GALV. STEEL PIPE	43.800	M
854(A)	M8800 TRAF.STR.(PAINT)(100 MM WIDE)	1,100.000	M
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	98.000	M3
501(D)	M6353 UNCLASSIFIED BACKFILL	48.000	M3
503(A)	M1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	492.000	M
504(C)	M6250 SEALED EXPANSION JOINT - COUNTY	8.600	M
504(E)	M1380 CONCRETE RAIL (TR1)	266.300	M
506(A)	M1322 STRUCTURAL STEEL	2,405.000	KG
509(A)	M1326 CLASS AA CONCRETE	220.400	M3
509(E)	M1332 CLASS S CONCRETE	112.600	M3
511(A)	M1332 REINFORCING STEEL	40,190.000	KG
514(A)	M6011 PILES, FURNISHED (HP 250X62)	207.800	M
514(B)	M6292 PILES, DRIVEN (HP 250X62)	207.800	M
516(A)	M6093 DRILLED SHAFTS 1050MM DIAMETER	35.600	M
516(A)	M6094 DRILLED SHAFTS 1200MM DIAMETER	32.000	M
601A-1	M1353 TYPE I-A PLAIN RIPRAP	540.000	T

SECTION NO. 0002	X081-BRIDGE 'A'		
601A-2 M1355	TYPE I-A FILTER BLANKET	120.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	15.300	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	15.000	M
623(F) M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
623(F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
642 M0098	STAKING	1.000	LSUM
880(J) M6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
900.93 M6224	(PL) HANGERS	40.000	EA

LNTCIQA
 CALL ORDER : 390
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: TULSA

FEDERAL PROJECT
 CONTRACT ID : 000169
 PCN : 1813304
 PROJECTS : STPY-172H(126)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.83
 RES. ENG.: 81TUL
 CAL. DAYS: 90

PAGE 12

LIQ. DAM: \$ 300

CONTRACT DESCRIPTION:
 SILANE TREATMENTS
 SILANE TREATMENTS AT VARIOUS LOCATIONS IN DIVISION 8
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-SILANE TREATMENT		
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	69.000	SY
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	39,866.000	SY
520(G) 6421	(PL) HMWM CRACK PREPARATION	10,292.000	LF
520(H) 6422	(PL) HMWM RESIN	69.250	GAL
641 1399	MOBILIZATION	1.000	LSUM
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 410
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: WASHITA

FEDERAL PROJECT
 CONTRACT ID : 000171
 PCN : 1603604

PAGE 13

PROJECTS : BRO-175D(001)CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.83
 RES. ENG.: 51CLI
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 ELK CREEK, 1.61 KM. SOUTH AND 8.05 KM. WEST OF SENTINEL
 PROJ. LGTH.= 0.421 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	M0185 EARTHWORK	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	126.000	M
223	M2802 TEMPORARY SILT FENCE	842.000	M
230(A)	M2806 SOLID SLAB SODDING	1,050.000	M2
230(F)	M2812 WATERING	242.000	KL
233(A)	M2817 VEGETATIVE MULCHING	0.443	HA
234(A)	M2824 FERTILIZING (10-20-10)	0.116	T
509(D)	M0325 CLASS C CONCRETE	10.000	M3
SECTION NO. 0002 X081-BRIDGE 'A'			
202(A)	M1301 UNCLASSIFIED EXCAVATION	1,000.000	M3
501(B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	110.000	M3
501(D)	M6353 UNCLASSIFIED BACKFILL	32.000	M3
503(B)	M6144 PRESTRESSED CONCRETE DOUBLE TEE	134.200	M
504(E)	M1380 CONCRETE RAIL (TR1)	84.300	M
509(A)	M1326 CLASS AA CONCRETE	63.100	M3
509(E)	M1332 CLASS S CONCRETE	54.200	M3
511(A)	M1439 REINFORCING STEEL (GRADE 420)	11,240.000	KG
514(A)	M6011 PILES, FURNISHED (HP 250X62)	135.000	M
514(B)	M6292 PILES, DRIVEN (HP 250X62)	135.000	M
516(A)	M6092 DRILLED SHAFTS 900MM DIAMETER	51.200	M
601(E)	M6312 FILTER FABRIC (RIPRAP)	575.000	M2
601A-1	M1353 TYPE I-A PLAIN RIPRAP	430.000	T
601A-2	M1355 TYPE I-A FILTER BLANKET	85.000	T
623(F)	M6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	M1399 MOBILIZATION	1.000	LSUM
880(J)	M6145 (PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642	M0098 STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 420
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CADDO

STATE PROJECT
 CONTRACT ID : 000185
 PCN : 1828604

PAGE 14

PROJECTS : MC-108B(63)PT.1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 73ANA
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-9 BEGINNING AT THE CADDO/KIOWA COUNTY LINE AND
 EXTENDING EAST TO SH-58.
 PROJ. LGTH.= 2.42 MI.
 FLEX. ESALS= GREATER THAN 3 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-108B(63)PT. 1		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	3,350.000	TON
855(A) 8812	TRAF.STR.(PLAST.)(4" WIDE)	5,580.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 430
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CADDO

STATE PROJECT
 CONTRACT ID : 000186
 PCN : 1828605

PAGE 15

PROJECTS : MC-108C(63)PT.2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 73ANA
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-58 BEGINNING APPROXIMATELY 1.0 MILE SOUTH OF THE
 JUNCTION OF SH-58/SH-9 AND EXTENDING NORTH.
 PROJ. LGTH.= 4.16 MI.
 FLEX. ESALS= GREATER THAN 3 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-108B(63)PT. 2		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,660.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	11,400.000	SY
855(A) 8812	TRAF.STR.(PLAST.)(4" WIDE)	36,685.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 440
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CADDO

STATE PROJECT
 CONTRACT ID : 000187
 PCN : 1828604C

PAGE 16

PROJECTS : MC-108B(63)PT.1/MC-108C(63)PT2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 73ANA
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

RESURFACE(ASPHALT)
 SH-9 BEGINNING AT THE CADDO/KIOWA COUNTY LINE AND EXTENDING
 EAST TO SH-58; SH-58 BEGINNING APPROXIMATELY 1.0 MILE SOUTH
 OF THE JUNCTION OF SH-58/SH-9 AND EXTENDING NORTH.
 PROJ. LGTH.= 4.16 MI.
 FLEX. ESALS= GREATER THAN 3 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY MC-108B(63)PT. 1		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	3,350.000	TON
855(A) 8812	TRAF.STR.(PLAST.)(4" WIDE)	5,580.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY MC-108B(63)PT. 2		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,660.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	11,400.000	SY
855(A) 8812	TRAF.STR.(PLAST.)(4" WIDE)	36,685.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 490
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: COMANCHE

STATE PROJECT
 CONTRACT ID : 000192
 PCN : 1828504

PAGE 17

PROJECTS : MC-116N(42)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 71DUN
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-7 BEGINNING APPROXIMATELY 3.1 MILE EAST OF THE
 JUNCTION OF SH-7/I-44 AND EXTENDING EAST.
 PROJ. LGTH.= 5.8 MI.
 FLEX. ESALS= GREATER THAN 3 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-116N(42)		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	11,190.000	TON
855(A) 8815	TRAF.STR.(PLAST.)(THIN-LINE)(4" WIDE)	82,600.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 500
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: GRADY

STATE PROJECT
 CONTRACT ID : 000193
 PCN : 1828304

PAGE 18

PROJECTS : MC-126N(38)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 71DUN
 CAL. DAYS: 60 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON US-81 BEGINNING APPROXIMATELY 0.22 MILE NORTH OF THE
 GRADY/STEPHENS COUNTY LINE AND EXTENDING NORTH.
 PROJ. LGTH.= 6.80 MI.
 FLEX. ESALS= 1.2 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-126N(38)		
411(BH) 6690	(SP)ASPHALT CONCRETE TYPE BH(PG70-28OK)	30,225.000	TON
855(A) 8815	TRAF.STR.(PLAST.)(THIN-LINE)(4" WIDE)	156,404.000	LF
855(B) 3320	TRAF. STR. (PLASTIC)(ARROWS)	2.000	EA
855(C) 3321	TRAF. STR. (PLASTIC)(WORDS)	1.000	EA
857(B) 8962	REMOVE & RESET CLASS C PAVE. MARKERS	820.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 510
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: STEPHENS

STATE PROJECT
 CONTRACT ID : 000194
 PCN : 1828404

PAGE 19

PROJECTS : CMC-169N(43)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 71DUN
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON US-81 BEGINNING AT THE JUNCTION OF US-81/SH-7 AND
 EXTENDING NORTH.
 PROJ. LGTH.= 2.11 MI.
 FLEX. ESALS= GREATER THAN 3 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-169N(43)		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,550.000	TON
855(A) 8812	TRAF.STR.(PLAST.)(4" WIDE)	55,000.000	LF
855(D) 3322	TRAF.STR.(PLASTIC)(SYMBOLS)	10.000	EA
857(A) 8938	PAVE.MARKERS CLASS C TYPE 2	252.000	EA
857(B) 8962	REMOVE & RESET CLASS C PAVE. MARKERS	62.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 520
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: COMANCHE
 GRADY
 STEPHENS

STATE PROJECT
 CONTRACT ID : 000195
 PCN : 1828504C

PAGE 20

PROJECTS : MC-116N(42)/MC-126N(38)/CMC-16
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: DIVISION 7 (DUNCAN)
 CAL. DAYS: 90 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:

RESURFACE(ASPHALT)
 SH-7 BEG. 3.1 MILE EAST OF JCT. SH-7/I-44 EXT. EAST; US-81
 BEG. AT GRADY/STEPHENS COUNTY LINE EXT. NORTH; US-81 BEG.
 JCT. US-81/SH-7 EXT. NORTH.
 PROJ. LGTH.= 14.71 MI.
 FLEX. ESALS= GREATER THAN 3 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY MC-116N(42)		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	11,190.000	TON
855(A) 8815	TRAF.STR.(PLAST.)(THIN-LINE)(4" WIDE)	82,600.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY MC-126N(38)		
411(BH) 6690	(SP)ASPHALT CONCRETE TYPE BH(PG70-28OK)	30,225.000	TON
855(A) 8815	TRAF.STR.(PLAST.)(THIN-LINE)(4" WIDE)	156,404.000	LF
855(B) 3320	TRAF. STR. (PLASTIC)(ARROWS)	2.000	EA
855(C) 3321	TRAF. STR. (PLASTIC)(WORDS)	1.000	EA
857(B) 8962	REMOVE & RESET CLASS C PAVE. MARKERS	820.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	I000-ROADWAY CMC-169N(43)		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,550.000	TON
855(A) 8812	TRAF.STR.(PLAST.)(4" WIDE)	55,000.000	LF
855(D) 3322	TRAF.STR.(PLASTIC)(SYMBOLS)	10.000	EA
857(A) 8938	PAVE.MARKERS CLASS C TYPE 2	252.000	EA
857(B) 8962	REMOVE & RESET CLASS C PAVE. MARKERS	62.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 565
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: NOBLE

STATE PROJECT
 CONTRACT ID : 000076
 PCN : 1816704

PAGE 21

PROJECTS : MC-152C(35)PT.1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 41PER
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-86 BEGINNING AT THE NOBLE/PAYNE COUNTY LINE AND
 EXTENDING NORTH.
 PROJ. LGTH.= 4.0 MI.
 FLEX. ESALS= 2.3 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-152C(35)PT.1		
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	5,300.000	TON
411(D) 6590	(SP)ASPHALT CONC. TYPE D (PG 64-22 OK)	300.000	TON
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 566
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: NOBLE

STATE PROJECT
 CONTRACT ID : 000077
 PCN : 1816705

PAGE 22

PROJECTS : MC-152C(35)PT.2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 41PER
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-86 BEGINNING APPROXIMATELY 4.0 MILE NORTH OF THE
 NOBLE/PAYNE COUNTY LINE AND EXTENDING NORTH TO PERRY.
 PROJ. LGTH.= 4.75 MI.
 FLEX. ESALS= 2.3 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-152C(35)PT.2		
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	6,500.000	TON
411(D) 6590	(SP)ASPHALT CONC. TYPE D (PG 64-22 OK)	1,000.000	TON
417 5267	COLD MILLING PAVEMENT	150.000	SY

LNTCIQA
 CALL ORDER : 567
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: PAYNE

STATE PROJECT
 CONTRACT ID : 000204
 PCN : 1816706

PAGE 23

PROJECTS : MC-152C(35)PT.3
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 41PER
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-86 BEGINNING AT THE JUNCTION OF SH-86/SH-51 AND
 EXTENDING NORTH TO THE PERRY/NOBLE COUNTY LINE.
 PROJ. LGTH= 2.95 MI.
 FLEX. ESALS= 2.3 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-152C(35)PT.3		
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,200.000	TON
411(D) 6590	(SP)ASPHALT CONC. TYPE D (PG 64-22 OK)	200.000	TON
417 5267	COLD MILLING PAVEMENT	1,750.000	SY
900.08 6139	(PL) MEMBRANE	536.000	SY
961.44 8608	(PL)REMOVE&RESET CLASS C PAVE. MARKERS	10.000	EA

LNTCIQA
 CALL ORDER : 568
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: NOBLE

STATE PROJECT
 CONTRACT ID : 000078
 PCN : 1816704C

PAGE 24

PROJECTS : MC-152C(35)PT.1,2&3
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 41PER
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON SH-86 BEGINNING AT THE NOBLE/PAYNE COUNTY LINE AND
 EXTENDING NORTH TO PERRY.
 PROJ. LGTH.= 8.75 MI.
 FLEX. ESALS= 2.3 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-152C(35)PT.1		
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	5,300.000	TON
411(D) 6590	(SP)ASPHALT CONC. TYPE D (PG 64-22 OK)	300.000	TON
960.16 8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY MC-152C(35)PT.2		
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	6,500.000	TON
411(D) 6590	(SP)ASPHALT CONC. TYPE D (PG 64-22 OK)	1,000.000	TON
417 5267	COLD MILLING PAVEMENT	150.000	SY
SECTION NO. 0003	I000-ROADWAY MC-152C(35)PT.3		
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,200.000	TON
411(D) 6590	(SP)ASPHALT CONC. TYPE D (PG 64-22 OK)	200.000	TON
417 5267	COLD MILLING PAVEMENT	1,750.000	SY
900.08 6139	(PL) MEMBRANE	536.000	SY
961.44 8608	(PL)REMOVE&RESET CLASS C PAVE. MARKERS	10.000	EA

LNTCIQA
 CALL ORDER : 570
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: NOWATA

STATE PROJECT
 CONTRACT ID : 000200
 PCN : 1807104

PAGE 25

PROJECTS : MC-153N(15)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 83CLA
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 US-169; BEGIN APPROXIMATELY 0.8 MILE NORTH OF JCT.
 US-169 AND SH-10 EXTEND NORTH
 PROJ. LGTH.= 5.3 MILES
 FLEX. ESALS= 2.3 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-RESURFACE(ASPHALT)		
202(E) 1302	UNCLASSIFIED BORROW	20.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON
407 0250	TACK COAT	6,712.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,206.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	6,041.000	TON
417 5267	COLD MILLING PAVEMENT	2,468.000	SY

LNTCIQA
 CALL ORDER : 580
 LETTING DATE : April 20, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: SEQUOYAH

STATE PROJECT
 CONTRACT ID : 000201
 PCN : 1773804

PAGE 26

PROJECTS : MC-168C(57)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 12SAL
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 US-64; BEGIN 11.265 KM. WEST OF SH-64B, EXTEND EAST
 PROJ. LGTH.= 9.65 KM.
 PLEX. ESALS= 2.2 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-RESURFACE(ASPHALT)		
202(C) M5033	(PL)UNCLASSIFIED BORROW (TOPSOIL)	1.000	LSUM
407 M0250	TACK COAT	28,100.000	L
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	27,300.000	T
420(A) M4242	FABRIC REINFORCEMENT	78,600.000	M2
420(B) M4268	BITUMINOUS BINDER	112,000.000	L
855(A) M8812	TRAF.STR.(PLAST.)(100MM WIDE)	34,000.000	M
960.16 M8140	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM