

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : May 26, 2000

LNTCNCA  
LETING

NOTICE TO CONTRACTORS -- June 22, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF June 22, 2000 , TO BE PUBLICALLY OPENED AT 10:30 A.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$23.07 PLUS \$1.93 TAX (OKLAHOMA TAX IS 8.375%) FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$7.38 PLUS \$.62 TAX. MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:



LNTCIQA  
 CALL ORDER : 030  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: COMANCHE

FEDERAL PROJECT  
 CONTRACT ID : 000253  
 PCN : 1742504

PAGE 1

PROJECTS : ACHPP-503(001)HP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 71DUN  
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 COUNTY ROAD(NS-237) BEGINNING APPROXIMATELY 3.0 MILE NORTH  
 OF INDIAHOMA AND EXTENDING NORTH ALONG THE WESTERN EDGE OF  
 THE FORT SILL RESERVATION.  
 PROJ. LGTH.= 1.906  
 FLEX. ESALS= 0.85 MILLION  
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
407 0250	TACK COAT	2,600.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	5,620.000	TON
854 3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	20,126.000	LF
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 040  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: GREER  
 JACKSON

STATE PROJECT  
 CONTRACT ID : 000068  
 PCN : 1693404  
 PROJECTS : CIP-128B(16)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 34.90  
 RES. ENG.: 52ALT  
 CAL. DAYS: 300

PAGE 2

LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)  
 ON SH-6 BEGINNING APPROXIMATELY 0.3 MILE NORTH OF THE  
 JUNCTION OF SH-6/SH-19, IN BLAIR, AND EXTENDING NORTH.  
 PROJ. LGTH.= 3.1 MI.  
 FLEX. ESALS= 5.1 MILLION  
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-128B(16)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	118,971.000	CY
202(E)	0184 UNCLASSIFIED BORROW	55,393.000	CY
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	200.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	5.000	EA
229	4318 DITCH LINER PROTECTION	585.000	LF
230(A)	2806 SOLID SLAB SODDING	19,000.000	SY
230(B)	2807 MULCH SODDING	188,805.000	SY
232(B)	7183 TEMPORARY SEEDING - METHOD B	40.000	AC
233(A)	2817 VEGETATIVE MULCHING	40.000	AC
241	2832 MOWING	60.000	AC
307(A)	4233 LIME	250.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	46,290.000	SY
317(A)	4252 FLY ASH	8,344.000	TON
317(C)	4254 SUBGRADE MODIFICATION	154,521.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	314.000	TON
407	0250 TACK COAT	21,866.000	GAL
408	5774 (SU)PRIME COAT	24,416.000	GAL
411(AH)	7022 (SP)ASPHALT CONCRETE TYPE AH (PG)	19,322.000	TON
411(AH)	7025 (SP)ASPHALT CONCRETE TYPE AH (PG 64-22)	54,391.000	TON
411(BH)	7026 (SP)ASPHALT CONCRETE TYPE BH (PG 70-28)	12,843.000	TON
411(BH)	7029 (SP)ASPHALT CONCRETE TYPE BH (PG 64-22)	4,962.000	TON
413(A)	4861 (SU) RUMBLE STRIP-METHOD AC-CON	38,350.000	LF
413(B)	4862 (SU) RUMBLE STRIP-METHOD AC-CYC (GROUP)	36.000	EAGP
417	5267 COLD MILLING PAVEMENT	7,148.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	274.000	CY
509(B)	0321 CLASS A CONCRETE	796.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	4.000	CY
509(E)	0325 CLASS "C" CONC.	60.000	CY
511(A)	0332 REINFORCING STEEL	115,239.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	80.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	30.000	TON

SECTION NO. 0001	I000-ROADWAY	CIP-128B(16)IP		
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	5.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	262.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	944.000	LF
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	7.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	9.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	16.000	EA
613(CC)	7202	TYPE BB6 CULVERT END TREATMENT	10.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	146.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	196.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	452.000	LF
613(D)	4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	224.000	LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	584.000	LF
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	1,125.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	375.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	15,546.000	SY
619(C)	0924	SAWING PAVEMENT	160.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	490.000	LF
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	3.000	EA
629(C)	4960	(SU)MAILBOX	3.000	EA
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	3.000	EA
641	1552	MOBILIZATION	1.000	LSUM
931.97	7011	(PL) TEMPORARY SILT FENCE	7,250.000	LF
SECTION NO. 0002	X028-BRIDGE 'A'	CIP-128B(16)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	732.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	125.000	CY
509(B)	1328	CLASS A CONCRETE	466.000	CY
511(A)	1332	REINFORCING STEEL	38,253.000	LB
SECTION NO. 0003	Y000-TRAFFIC	CIP-128B(16)IP		
850(A)	8215	SHEET ALUMINUM SIGNS	454.000	SF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	119,350.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	17.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	9.000	EA
855(D)	3322	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	8.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	32,800.000	LF
856(B)	8005	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1,000.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	2,000.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	9,125.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	8,030.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	10,220.000	SD
880(I)	8020	BARRICADES(TYPE II)	2,190.000	SD
880(J)	8021	BARRICADES(TYPE III)	4,380.000	SD
880(J)	8318	BARRICADES(TYPE III)	2.000	EA
880(K)	8022	WING BARRICADES	2,190.000	SD
880(L)	8023	VERTICAL PANELS	16,425.000	SD
880(M)	8024	TYPE A LIGHT	21,170.000	SD
880(O)	8026	TYPE C LIGHT	32,850.000	SD
880(P)	8027	DRUMS	16,425.000	SD
960.62	8315	(PL) REMOVAL OF EXISTING SIGNS	30.000	EA

SECTION NO. 0003	Y000-TRAFFIC	CIP-128B(16)IP		
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	2,000.000	EA
SECTION NO. 0004	STAK-STAKING	CIP-128B(16)IP		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0005	Y060-NON-PARTICIPATING	CIP-128B(16)IP		
613(S)	1180	TRENCH EXCAVATION	363.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	233.000	CY
616(B)	5198	6" POLYVINYL CHLORIDE (PVC) PIPE	2,055.000	LF
616(B)	5217	1 1/2" POLYVINYL CHLORIDE (PVC) PIPE	246.000	LF
616(E)	0878	3/4" CORPORATION STOPS	4.000	EA
616(E)	0902	1 1/2" CORPORATION STOPS	1.000	EA
616(F)	5948	METER INSTALLATION 3/4"	1.000	EA
616(I)	5250	(PL)4" STEEL CASING	243.000	LF
616(I)	5258	(PL)12" STEEL CASING	340.000	LF
616(N)	0090	SERVICE CONNECTION (SHORT)	4.000	EA
617(A)	1043	GATE VALVES	1.000	EA

LNTCIQA  
 CALL ORDER : 050  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: GREER

STATE PROJECT  
 CONTRACT ID : 000069  
 PCN : 1757604

PAGE 5

PROJECTS : CIP-128B(25)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 40.80  
 RES. ENG.: 52ALT  
 CAL. DAYS: 365 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)  
 ON SH-6 BEGINNING APPROXIMATELY 1.0 MILE NORTH OF THE  
 GREER/JACKSON COUNTY LINE AND EXTENDING NORTH.  
 PROJ. LGTH.= 4.296 MI.  
 FLEX. ESALS= 5.1 MILLION  
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-128B(25)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	264,654.000	CY
202(E)	0184 UNCLASSIFIED BORROW	32,230.000	CY
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	16.200	STA
222	2801 TEMPORARY BALE BARRIER	500.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	15.000	EA
229	4318 DITCH LINER PROTECTION	1,100.000	LF
230(A)	2806 SOLID SLAB SODDING	34,101.000	SY
230(B)	2807 MULCH SODDING	348,695.000	SY
232(B)	7183 TEMPORARY SEEDING - METHOD B	72.100	AC
233(A)	2817 VEGETATIVE MULCHING	72.100	AC
241	2832 MOWING	122.000	AC
307(A)	4233 LIME	1,093.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	60,688.000	SY
317(A)	4252 FLY ASH	10,924.000	TON
317(C)	4254 SUBGRADE MODIFICATION	202,293.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	893.000	TON
407	0250 TACK COAT	24,405.000	GAL
408	5774 (SU)PRIME COAT	30,692.000	GAL
411(AH)	7022 (SP)ASPHALT CONCRETE TYPE AH (PG)	20,426.000	TON
411(AH)	7025 (SP)ASPHALT CONCRETE TYPE AH (PG 64-22)	63,426.000	TON
411(BH)	7026 (SP)ASPHALT CONCRETE TYPE BH (PG 70-28)	13,059.000	TON
411(BH)	7029 (SP)ASPHALT CONCRETE TYPE BH (PG 64-22)	6,431.000	TON
413(A)	4861 (SU) RUMBLE STRIP-METHOD AC-CON	74,826.000	LF
413(B)	4862 (SU) RUMBLE STRIP-METHOD AC-CYC (GROUP)	44.000	EAGP
417	5267 COLD MILLING PAVEMENT	534.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	434.000	CY
509(B)	0321 CLASS A CONCRETE	1,265.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	9.000	CY
509(E)	0325 CLASS "C" CONC.	118.000	CY
511(A)	0332 REINFORCING STEEL	195,070.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	156.000	TON

SECTION NO. 0001	I000-ROADWAY	CIP-128B(25)IP		
601(A-2)1355	TYPE I-A FILTER BLANKET		50.000	TON
611(L) 4210	DROP INLET GRATE (SMD-TYPE 2)		15.000	EA
613(B) 0491	18" R.C.PIPE CLASS III		612.000	LF
613(B) 0492	24" R.C.PIPE CLASS III		376.000	LF
613(B) 0494	36" R.C.PIPE CLASS III		134.000	LF
613(CC) 7193	TYPE CC4 CULVERT END TREATMENT		1.000	EA
613(CC) 7196	TYPE A6 CULVERT END TREATMENT		17.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT		3.000	EA
613(CC) 7199	TYPE D6 CULVERT END TREATMENT		1.000	EA
613(CC) 7203	TYPE CC6 CULVERT END TREATMENT		1.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE		630.000	LF
613(D) 0691	30" CORR. GALV. STEEL PIPE		140.000	LF
613(P) 1091	6" PERFORARED PIPE UNDERDRAIN ROUND		1,650.000	LF
613(Q) 1096	6"RND.NON-PERF.PIPE UNDERDRAIN		550.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL		6.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT		4,191.000	SY
619(C) 0924	SAWING PAVEMENT		288.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)		1,000.000	LF
641 1552	MOBILIZATION		1.000	LSUM
931.97 7011	(PL) TEMPORARY SILT FENCE		9,100.000	LF
SECTION NO. 0002	X028-BRIDGE 'B'	CIP-128B(25)IP		
202(C) 1301	UNCLASSIFIED EXCAVATION		236.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED		214.000	CY
509(B) 1328	CLASS A CONCRETE		614.000	CY
511(A) 1332	REINFORCING STEEL		63,278.000	LB
SECTION NO. 0003	Y000-TRAFFIC	CIP-128B(25)IP		
850(A) 8215	SHEET ALUMINUM SIGNS		756.000	SF
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)		122,001.000	LF
855(B) 3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)		30.000	EA
855(C) 3321	TRAFFIC STRIPE(PLASTIC)(WORDS)		16.000	EA
856(A) 3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)		40,000.000	LF
856(B) 8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)		1,000.000	LF
859(A) 8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)		5,000.000	LF
880(D) 8016	SIGNS 0 TO 6.25 SF		9,125.000	SD
880(E) 8017	SIGNS 6.26 TO 15.99 SF		8,760.000	SD
880(F) 8018	SIGNS 16.0 SF TO 32.99 SF		10,950.000	SD
880(I) 8020	BARRICADES(TYPE II)		2,190.000	SD
880(J) 8021	BARRICADES(TYPE III)		5,840.000	SD
880(K) 8022	WING BARRICADES		2,170.000	SD
880(L) 8023	VERTICAL PANELS		18,250.000	SD
880(M) 8024	TYPE A LIGHT		24,820.000	SD
880(O) 8026	TYPE C LIGHT		36,500.000	SD
880(P) 8027	DRUMS		18,250.000	SD
960.62 8315	(PL) REMOVAL OF EXISTING SIGNS		25.000	EA
961.42 8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1		3,000.000	EA
SECTION NO. 0004	Y031-FLASHER SIGNALS	CIP-128B(25)IP		
802(B) 8054	3" PVC SCH.40 PLASTIC CONDUIT BORED		70.000	LF



SECTION NO. 0004	Y031-FLASHER SIGNALS	CIP-128B(25)IP		
802(B)	8058	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	80.000	LF
803	8065	PULL BOX(SIZE I)	2.000	EA
804	2915	STRUCTURAL CONCRETE	5.500	CY
804	2916	REINFORCING STEEL	837.000	LB
806(A)	8504	32'MHP 30',30'T.S.&10'LMA(G.S.)	2.000	EA
809(A)	8097	ROADWAY LUMINAIRE(250 WATT HPS)	2.000	EA
811	8107	1/C NO.10 ELECT.COND.	450.000	LF
811	8109	1/C NO.6 ELECT.COND.	175.000	LF
827	8167	SOLID STATE FLASHER CONTROLLER	1.000	EA
831	8175	1WAY1SEC.ADJ.SIG.HD.(MAM)S-22	8.000	EA
833	8205	5"BACKPLATE(12"HDS)B-2	8.000	EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	560.000	LF
850(C)	8525	MAST ARM MOUNTED SIGNS(ALUM.)	26.000	SF
SECTION NO. 0005	STAK-STAKING	CIP-128B(25)IP		
642	0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 060  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: GREER  
 JACKSON

STATE PROJECT  
 CONTRACT ID : 000070  
 PCN : 1693404C

PAGE 8

PROJECTS : CIP-128B(16)IP/CIP-128B(25)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 75.70  
 RES. ENG.: 52ALT  
 CAL. DAYS: 570 LIQ. DAM: \$ 2000

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGES(RCB) & SURFACE(ASPHALT)  
 ON SH-6 BEGINNING APPROXIMATELY 0.3 MILE NORTH OF THE  
 JUNCTION OF SH-6/SH-19, IN BLAIR, AND EXTENDING NORTH.  
 PROJ. LGTH.= 7.396 MI.  
 FLEX. ESALS= 5.1 MILLION  
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-128B(16)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	118,971.000	CY
202(E)	0184 UNCLASSIFIED BORROW	55,393.000	CY
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	200.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	5.000	EA
229	4318 DITCH LINER PROTECTION	585.000	LF
230(A)	2806 SOLID SLAB SODDING	19,000.000	SY
230(B)	2807 MULCH SODDING	188,805.000	SY
232(B)	7183 TEMPORARY SEEDING - METHOD B	40.000	AC
233(A)	2817 VEGETATIVE MULCHING	40.000	AC
241	2832 MOWING	60.000	AC
307(A)	4233 LIME	250.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	46,290.000	SY
317(A)	4252 FLY ASH	8,344.000	TON
317(C)	4254 SUBGRADE MODIFICATION	154,521.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	314.000	TON
407	0250 TACK COAT	21,866.000	GAL
408	5774 (SU)PRIME COAT	24,416.000	GAL
411(AH)	7022 (SP)ASPHALT CONCRETE TYPE AH (PG)	19,322.000	TON
411(AH)	7025 (SP)ASPHALT CONCRETE TYPE AH (PG 64-22)	54,391.000	TON
411(BH)	7026 (SP)ASPHALT CONCRETE TYPE BH (PG 70-28)	12,843.000	TON
411(BH)	7029 (SP)ASPHALT CONCRETE TYPE BH (PG 64-22)	4,962.000	TON
413(A)	4861 (SU) RUMBLE STRIP-METHOD AC-CON	38,350.000	LF
413(B)	4862 (SU) RUMBLE STRIP-METHOD AC-CYC (GROUP)	36.000	EAGP
417	5267 COLD MILLING PAVEMENT	7,148.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	274.000	CY
509(B)	0321 CLASS A CONCRETE	796.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	4.000	CY
509(E)	0325 CLASS "C" CONC.	60.000	CY
511(A)	0332 REINFORCING STEEL	115,239.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	80.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	30.000	TON

SECTION NO. 0001	I000-ROADWAY	CIP-128B(16)IP		
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	5.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	262.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	944.000	LF
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	7.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	9.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	16.000	EA
613(CC)	7202	TYPE BB6 CULVERT END TREATMENT	10.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	146.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	196.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	452.000	LF
613(D)	4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	224.000	LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	584.000	LF
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	1,125.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	375.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	15,546.000	SY
619(C)	0924	SAWING PAVEMENT	160.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	490.000	LF
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	3.000	EA
629(C)	4960	(SU)MAILBOX	3.000	EA
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	3.000	EA
641	1552	MOBILIZATION	1.000	LSUM
931.97	7011	(PL) TEMPORARY SILT FENCE	7,250.000	LF
SECTION NO. 0002	I000-ROADWAY	CIP-128B(25)IP		
201	0102	CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183	UNCLASSIFIED EXCAVATION	264,654.000	CY
202(E)	0184	UNCLASSIFIED BORROW	32,230.000	CY
205	7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
210	0121	OBLITERATING ABANDONED ROAD	16.200	STA
222	2801	TEMPORARY BALE BARRIER	500.000	LF
224	2803	TEMPORARY SEDIMENT FILTER	15.000	EA
229	4318	DITCH LINER PROTECTION	1,100.000	LF
230(A)	2806	SOLID SLAB SODDING	34,101.000	SY
230(B)	2807	MULCH SODDING	348,695.000	SY
232(B)	7183	TEMPORARY SEEDING - METHOD B	72.100	AC
233(A)	2817	VEGETATIVE MULCHING	72.100	AC
241	2832	MOWING	122.000	AC
307(A)	4233	LIME	1,093.000	TON
307(B)	4235	8" LIME TREATED SUBGRADE	60,688.000	SY
317(A)	4252	FLY ASH	10,924.000	TON
317(C)	4254	SUBGRADE MODIFICATION	202,293.000	SY
403(A)	0217	TRAFFIC BOUND SURFACE COURSE TYPE A	893.000	TON
407	0250	TACK COAT	24,405.000	GAL
408	5774	(SU)PRIME COAT	30,692.000	GAL
411(AH)	7022	(SP)ASPHALT CONCRETE TYPE AH (PG)	20,426.000	TON
411(AH)	7025	(SP)ASPHALT CONCRETE TYPE AH (PG 64-22)	63,426.000	TON
411(BH)	7026	(SP)ASPHALT CONCRETE TYPE BH (PG 70-28)	13,059.000	TON
411(BH)	7029	(SP)ASPHALT CONCRETE TYPE BH (PG 64-22)	6,431.000	TON
413(A)	4861	(SU) RUMBLE STRIP-METHOD AC-CON	74,826.000	LF
413(B)	4862	(SU) RUMBLE STRIP-METHOD AC-CYC (GROUP)	44.000	EAGP
417	5267	COLD MILLING PAVEMENT	534.000	SY

SECTION NO. 0002	I000-ROADWAY	CIP-128B(25)IP		
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	434.000	CY
509(B)	0321	CLASS A CONCRETE	1,265.000	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	9.000	CY
509(E)	0325	CLASS "C" CONC.	118.000	CY
511(A)	0332	REINFORCING STEEL	195,070.000	LB
601(A)	0297	TYPE I PLAIN RIPRAP	156.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	50.000	TON
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	15.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	612.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	376.000	LF
613(B)	0494	36" R.C.PIPE CLASS III	134.000	LF
613(CC)	7193	TYPE CC4 CULVERT END TREATMENT	1.000	EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	17.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	3.000	EA
613(CC)	7199	TYPE D6 CULVERT END TREATMENT	1.000	EA
613(CC)	7203	TYPE CC6 CULVERT END TREATMENT	1.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	630.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE	140.000	LF
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	1,650.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	550.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	6.000	EA
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	4,191.000	SY
619(C)	0924	SAWING PAVEMENT	288.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,000.000	LF
641	1552	MOBILIZATION	1.000	LSUM
931.97	7011	(PL) TEMPORARY SILT FENCE	9,100.000	LF
SECTION NO. 0003	X028-BRIDGE 'A'	CIP-128B(16)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	732.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	125.000	CY
509(B)	1328	CLASS A CONCRETE	466.000	CY
511(A)	1332	REINFORCING STEEL	38,253.000	LB
SECTION NO. 0004	X028-BRIDGE 'B'	CIP-128B(25)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	236.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	214.000	CY
509(B)	1328	CLASS A CONCRETE	614.000	CY
511(A)	1332	REINFORCING STEEL	63,278.000	LB
SECTION NO. 0005	Y000-TRAFFIC	CIP-128B(16)IP		
850(A)	8215	SHEET ALUMINUM SIGNS	454.000	SF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	119,350.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	17.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	9.000	EA
855(D)	3322	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	8.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	32,800.000	LF
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	1,000.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	2,000.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	9,125.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	8,030.000	SD

SECTION NO. 0005	Y000-TRAFFIC	CIP-128B(16)IP		
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	10,220.000	SD
880(I)	8020	BARRICADES(TYPE II)	2,190.000	SD
880(J)	8021	BARRICADES(TYPE III)	4,380.000	SD
880(J)	8318	BARRICADES(TYPE III)	2.000	EA
880(K)	8022	WING BARRICADES	2,190.000	SD
880(L)	8023	VERTICAL PANELS	16,425.000	SD
880(M)	8024	TYPE A LIGHT	21,170.000	SD
880(O)	8026	TYPE C LIGHT	32,850.000	SD
880(P)	8027	DRUMS	16,425.000	SD
960.62	8315	(PL) REMOVAL OF EXISTING SIGNS	30.000	EA
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	2,000.000	EA
SECTION NO. 0006	Y000-TRAFFIC	CIP-128B(25)IP		
850(A)	8215	SHEET ALUMINUM SIGNS	756.000	SF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	122,001.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	30.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	16.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	40,000.000	LF
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	1,000.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	5,000.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	9,125.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	8,760.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	10,950.000	SD
880(I)	8020	BARRICADES(TYPE II)	2,190.000	SD
880(J)	8021	BARRICADES(TYPE III)	5,840.000	SD
880(K)	8022	WING BARRICADES	2,170.000	SD
880(L)	8023	VERTICAL PANELS	18,250.000	SD
880(M)	8024	TYPE A LIGHT	24,820.000	SD
880(O)	8026	TYPE C LIGHT	36,500.000	SD
880(P)	8027	DRUMS	18,250.000	SD
960.62	8315	(PL) REMOVAL OF EXISTING SIGNS	25.000	EA
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	3,000.000	EA
SECTION NO. 0007	Y031-FLASHER SIGNALS	CIP-128B(25)IP		
802(B)	8054	3" PVC SCH.40 PLASTIC CONDUIT BORED	70.000	LF
802(B)	8058	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	80.000	LF
803	8065	PULL BOX(SIZE I)	2.000	EA
804	2915	STRUCTURAL CONCRETE	5.500	CY
804	2916	REINFORCING STEEL	837.000	LB
806(A)	8504	32'MHP 30',30'T.S.&10'LMA(G.S.)	2.000	EA
809(A)	8097	ROADWAY LUMINAIRE(250 WATT HPS)	2.000	EA
811	8107	1/C NO.10 ELECT.COND.	450.000	LF
811	8109	1/C NO.6 ELECT.COND.	175.000	LF
827	8167	SOLID STATE FLASHER CONTROLLER	1.000	EA
831	8175	1WAY1SEC.ADJ.SIG.HD.(MAM)S-22	8.000	EA
833	8205	5"BACKPLATE(12"HDS)B-2	8.000	EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	560.000	LF
850(C)	8525	MAST ARM MOUNTED SIGNS(ALUM.)	26.000	SF
SECTION NO. 0008	STAK-STAKING	CIP-128B(16)IP		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0009	STAK-STAKING	CIP-128B(25)IP		

642	0098	STAKING	1.000	LSUM
SECTION NO.	0010	Y060-NON-PARTICIPATING	CIP-128B(16)IP	
613(S)	1180	TRENCH EXCAVATION	363.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	233.000	CY
616(B)	5198	6" POLYVINYL CHLORIDE (PVC) PIPE	2,055.000	LF
616(B)	5217	1 1/2" POLYVINYL CHLORIDE (PVC) PIPE	246.000	LF
616(E)	0878	3/4" CORPORATION STOPS	4.000	EA
616(E)	0902	1 1/2" CORPORATION STOPS	1.000	EA
616(F)	5948	METER INSTALLATION 3/4"	1.000	EA
616(I)	5250	(PL)4" STEEL CASING	243.000	LF
616(I)	5258	(PL)12" STEEL CASING	340.000	LF
616(N)	0090	SERVICE CONNECTION (SHORT)	4.000	EA
617(A)	1043	GATE VALVES	1.000	EA

LNTCIQA  
 CALL ORDER : 070  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: HARMON

FEDERAL PROJECT  
 CONTRACT ID : 000254  
 PCN : 1769004  
 PROJECTS : BRO-129D(8) CO  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 2.68  
 RES. ENG.: 52ALT  
 CAL. DAYS: 150

PAGE 13

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE AND APPROACHES  
 OVER EAST FORK SANDY CREEK, 4.506 KM. NORTH AND 7 242 KM.  
 EAST OF HOLLIS  
 PROJ. LGSTH.= 0.179 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	E000-ROADWAY		
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	40.000	M
223 M2802	TEMPORARY SILT FENCE	400.000	M
230(A) M2806	SOLID SLAB SODDING	1,200.000	M2
230(F) M2812	WATERING	360.000	KL
233(A) M2817	VEGETATIVE MULCHING	0.610	HA
509(D) M0325	CLASS C CONCRETE	5.000	M3
SECTION NO. 0002	X081-BRIDGE 'A'		
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	1,023.000	M3
509(B) M1328	CLASS A CONCRETE	183.100	M3
511(A) M1332	REINFORCING STEEL	19,800.000	KG
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 074  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: JOHNSTON

FEDERAL PROJECT  
 CONTRACT ID : 000131  
 PCN : 0766604  
 PROJECTS : BRO-35D(159)CO  
 DBE/WBE GOALS: 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 3.76  
 RES. ENG.: 31ADA  
 CAL. DAYS: 120

PAGE 14

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE & APPROACHES  
 COUNTY ROAD(EW-199) OVER ROCK CREEK APPROXIMATELY 1.61  
 KILOMETERS SOUTH AND 4.83 KILOMETERS WEST OF NIDA.  
 PROJ. LGTH= 0.319 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	E000-ROADWAY BRO-35D(159)CO		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	175.000	M
223 M2802	TEMPORARY SILT FENCE	600.000	M
230(A) M2806	SOLID SLAB SODDING	978.000	M2
230(B) M2807	MULCH SODDING	4,360.000	M2
230(F) M2812	WATERING	961.000	KL
233(A) M2817	VEGETATIVE MULCHING	1.370	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	516.800	T
509(E) M0325	CLASS "C" CONC.	20.000	M3
613(CC)M7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D) M0691	750MM CORR. GALV. STEEL PIPE	18.000	M
SECTION NO. 0002 X081-BRIDGE 'A' BRO-35D(159)CO			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	55.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	43.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	108.720	M
504(C) M6147	(PL) 63MM COMPRESSION JOINT W/ANGLE	8.800	M
504(E) M1380	CONCRETE RAIL (TR1)	74.670	M
506(A) M1322	STRUCTURAL STEEL	435.000	KG
509(A) M1326	CLASS AA CONCRETE	51.900	M3
509(E) M1332	CLASS S CONCRETE	37.200	M3
511(A) M1332	REINFORCING STEEL	10,730.000	KG
516(A) M6090	DRILLED SHAFTS 600MM DIAMETER	28.500	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	330.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	70.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING BRO-35D(159)CO			
642 M0098	STAKING	1.000	LSUM



LNTCIQA  
 CALL ORDER : 075  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: JOHNSTON

FEDERAL PROJECT  
 CONTRACT ID : 000132  
 PCN : 1641804

PAGE 15

PROJECTS : BRO-135D(002)CO  
 DBE/WBE GOALS: 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 3.22  
 RES. ENG.: 31ADA  
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE & APPROACHES  
 COUNTY ROAD(EW-190) OVER LITTLE SANDY CREEK APPROXIMATELY  
 2.1 KILOMETERS NORTH AND 0.48 KILOMETERS EAST OF MILBURN.  
 PROJ. LGTH.= 0.229 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	E000-ROADWAY BRO-135D(002)CO		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	100.000	M
223 M2802	TEMPORARY SILT FENCE	400.000	M
230(A) M2806	SOLID SLAB SODDING	3,300.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.660	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	432.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(D) M5216	700MM X 500MM CORR. GALV. ST. PIPE ARCH		25.800 M
613(M) M4516	700MM X 500MM PREFAB.CULV.END SEC., ARCH		4.000 EA
SECTION NO. 0002	X028-BRIDGE 'A' BRO-135D(002)CO		
202(A) M0183	UNCLASSIFIED EXCAVATION	785.000	M3
501(A) M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	62.000	M3
509(E) M1332	CLASS S CONCRETE	95.100	M3
511(A) M1332	REINFORCING STEEL	7,990.000	KG
619(B) M4778	REMOVAL OF EXISTING STRUCTURES	1.000	EA
SECTION NO. 0003	X081-BRIDGE 'B' BRO-135D(002)CO		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	72.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	30.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	79.250	M
504(E) M1380	CONCRETE RAIL (TR1)	45.500	M
509(A) M1326	CLASS AA CONCRETE	28.650	M3
509(E) M1332	CLASS S CONCRETE	22.400	M3
511(A) M1332	REINFORCING STEEL	5,076.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	130.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	130.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	480.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	100.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM

LNTCIQA

FEDERAL PROJECT

PAGE 16

SECTION NO. 0003	X081-BRIDGE 'B' BRO-135D(002)C0		
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004	STAK-STAKING BRO-135D(002)CO		
642 M0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 076  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: JOHNSTON

FEDERAL PROJECT  
 CONTRACT ID : 000133  
 PCN : 0766604C

PAGE 17

PROJECTS : BRO-35D(159)CO/BRO-135D(002)CO  
 DBE/WBE GOALS: 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 6.98  
 RES. ENG.: 31ADA  
 CAL. DAYS: 210 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGES & APPROACHES  
 COUNTY ROAD(EW-199) OVER ROCK CREEK APROXIMATELY 1.61  
 KILOMETERS SOUTH AND 4.83 KILOMETERS WEST OF NIDA; COUNTY  
 ROAD(EW-190) OVER LITTLE SANDY CREEK APPROXIMATELY 2.1  
 KILOMETERS NORTH AND 0.48 KILOMETERS EAST OF MILBURN.  
 PROJ. LGTH.= 0.548 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	E000-ROADWAY BRO-35D(159)CO		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	175.000	M
223 M2802	TEMPORARY SILT FENCE	600.000	M
230(A) M2806	SOLID SLAB SODDING	978.000	M2
230(B) M2807	MULCH SODDING	4,360.000	M2
230(F) M2812	WATERING	961.000	KL
233(A) M2817	VEGETATIVE MULCHING	1.370	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	516.800	T
509(E) M0325	CLASS "C" CONC.	20.000	M3
613(CC)M7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D) M0691	750MM CORR. GALV. STEEL PIPE	18.000	M
SECTION NO. 0002 E000-ROADWAY BRO-135D(002)CO			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	100.000	M
223 M2802	TEMPORARY SILT FENCE	400.000	M
230(A) M2806	SOLID SLAB SODDING	3,300.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.660	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	432.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(D) M5216	700MM X 500MM CORR. GALV. ST. PIPE ARCH		25.800 M
613(M) M4516	700MM X 500MM PREFAB.CULV.END SEC., ARCH		4.000 EA
SECTION NO. 0003 X081-BRIDGE 'A' BRO-35D(159)CO			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	55.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	43.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	108.720	M
504(C) M6147	(PL) 63MM COMPRESSION JOINT W/ANGLE	8.800	M
504(E) M1380	CONCRETE RAIL (TR1)	74.670	M

SECTION NO. 0003	X081-BRIDGE 'A'	BRO-35D(159)CO		
506(A) M1322	STRUCTURAL STEEL		435.000	KG
509(A) M1326	CLASS AA CONCRETE		51.900	M3
509(E) M1332	CLASS S CONCRETE		37.200	M3
511(A) M1332	REINFORCING STEEL		10,730.000	KG
516(A) M6090	DRILLED SHAFTS 600MM DIAMETER		28.500	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP		330.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET		70.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)		4.000	EA
641 M1399	MOBILIZATION		1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL		1.000	LSUM
SECTION NO. 0004	X028-BRIDGE 'A'	BRO-135D(002)CO		
202(A) M0183	UNCLASSIFIED EXCAVATION		785.000	M3
501(A) M0313	STRUCTURAL EXCAVATION UNCLASSIFIED		62.000	M3
509(E) M1332	CLASS S CONCRETE		95.100	M3
511(A) M1332	REINFORCING STEEL		7,990.000	KG
619(B) M4778	REMOVAL OF EXISTING STRUCTURES		1.000	EA
SECTION NO. 0005	X081-BRIDGE 'B'	BRO-135D(002)CO		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON		72.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL		30.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE		79.250	M
504(E) M1380	CONCRETE RAIL (TR1)		45.500	M
509(A) M1326	CLASS AA CONCRETE		28.650	M3
509(E) M1332	CLASS S CONCRETE		22.400	M3
511(A) M1332	REINFORCING STEEL		5,076.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)		130.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)		130.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP		480.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET		100.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)		4.000	EA
641 M1399	MOBILIZATION		1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL		1.000	LSUM
SECTION NO. 0006	STAK-STAKING	BRO-35D(159)CO		
642 M0098	STAKING		1.000	LSUM
SECTION NO. 0007	STAK-STAKING	BRO-135D(002)CO		
642 M0098	STAKING		1.000	LSUM

LNTCIQA  
 CALL ORDER : 090  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: KINGFISHER

FEDERAL PROJECT  
 CONTRACT ID : 000256  
 PCN : 1623905  
 PROJECTS : BRFY-137C(20)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 2.68  
 RES. ENG.: 45STL  
 CAL. DAYS: 45

PAGE 19

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

JOINT SEAL  
 OVER SKELETON CREEK, 11.3 MILES EAST OF JCT. US-81/SH-51  
 ON SH-51  
 PROJ. LGTH.= 0.00 MILES  
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE 'A'		
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	65.300	TON
419 4152	CONCRETE JOINT REHABILITATION	84.000	LF
504(H) 6390	RAPID CURE JOINT SEALANT	116.000	LF
504(I) 6389	ELASTOMERIC MORTAR	45.700	CF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	305.600	SY
641 1399	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
900.33 6156	(PL)REMOVAL OF EXIST. BRIDGE ITEMS	1.000	LSUM

LNTCIQA  
 CALL ORDER : 100  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: LATIMER

FEDERAL PROJECT  
 CONTRACT ID : 000257  
 PCN : 1430004  
 PROJECTS : BRO-39D(179)CO  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 5.37  
 RES. ENG.: 24MCA  
 CAL. DAYS: 120

PAGE 20

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE AND APPROACHES  
 COUNTY BRIDGE OVER BANDY CREEK AT THE SOUTH EDGE OF  
 WILBURTON  
 PROJ. LGTH.= 0.00 MILES  
 FLEX. ESALS= 0.4 MILLION  
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	500.000	LF
227	0100 (PL)TEMPORARY SILT DIKE	1,500.000	LF
230(A)	2806 SOLID SLAB SODDING	400.000	SY
232(A)	2813 SEEDING METHOD A	3.860	AC
233(A)	2817 VEGETATIVE MULCHING	7.720	AC
234(A)	2824 FERTILIZING (10-20-10)	0.620	TON
303	0192 AGGREGATE BASE	1,019.000	CY
407	0250 TACK COAT	288.000	GAL
408	5774 (SU)PRIME COAT	2,226.000	GAL
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,292.000	TON
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	23.000	CY
509(B)	0321 CLASS A CONCRETE	92.500	CY
511(A)	0332 REINFORCING STEEL	12,460.000	LB
613(B)	0492 24" R.C.PIPE CLASS III	52.000	LF
613(C)	4375 SP. END SECTION OF 24" RCP ROUND	2.000	EA
613(D)	0689 18" CORR. GALV. STEEL PIPE	26.000	LF
613(D)	0690 24" CORR. GALV. STEEL PIPE	26.000	LF
613(M)	0897 18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	0898 24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	1091 6" PERFORARED PIPE UNDERDRAIN ROUND	300.000	LF
613(Q)	1096 6"RND.NON-PERF.PIPE UNDERDRAIN	100.000	LF
613(R)	1100 PIPE UNDERDRAIN COVER MAT'L.	90.000	CY
613(S)	1180 TRENCH EXCAVATION	30.000	CY
613(T)	1181 STANDARD BEDDING MATERIAL	15.000	CY
850(A)	8215 SHEET ALUMINUM SIGNS	22.500	SF
851(C)	8597 FLANGE CHANNEL POSTS (4.0 LB./FT.)	57.000	LF
854	3316 TRAFFIC STRIPE (PAINT)(4" WIDE)	6,618.000	LF
900.64	6181 (PL)EARTHWORK	1.000	LSUM
SECTION NO. 0002	X081-BRIDGE 'A'		
202(E)	1302 UNCLASSIFIED BORROW	70.000	CY

SECTION NO. 0002	X081-BRIDGE 'A'		
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	80.000 CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	356.670 LF
504(A)	1314	CLASS AA CONCRETE	87.200 CY
505(A)	1380	CONCRETE RAIL	245.000 LF
506(A)	1322	STRUCTURAL STEEL	1,050.000 LB
509(B)	1328	CLASS A CONCRETE	62.800 CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	30,250.000 LB
516(A)	6089	DRILLED SHAFTS 18" DIAMETER	48.000 LF
516(A)	6091	DRILLED SHAFTS 30" DIAMETER	84.000 LF
516(C)	6104	CORRUGATED GALV. STEEL PIPE 30" DIA.	51.000 LF
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	410.000 TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	120.000 TON
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(F)	6034	GUARD RAIL ANCHOR UNIT (TYPE III)	4.000 EA
640	1398	FIELD OFFICE	1.000 EA
641	1399	MOBILIZATION	1.000 LSUM
900.22	6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
SECTION NO. 0003	STAK-STAKING		
642	0098	STAKING	1.000 LSUM

LNTCIQA  
 CALL ORDER : 110  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: LINCOLN

FEDERAL PROJECT  
 CONTRACT ID : 000258  
 PCN : 1015914  
 PROJECTS : BRFY-141C(008)  
 DBE/WBE GOALS: 7.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 26.31  
 RES. ENG.: 33WEW  
 CAL. DAYS: 240

PAGE 22

LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:  
 BRIDGES & APPROACHES(ASPHALT)  
 ON US-62, OVER ROBINSON CREEK, APPROXIMATELY 6.44 KILOMETERS  
 WEST OF THE TOWN OF PRAGUE.  
 PROJ. LGTH.= 1.305 KM.  
 FLEX. ESALS= 0.7 MILLION  
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	25,339.340	M3
202(C)	M0184 UNCLASSIFIED BORROW	28,684.000	M3
205	M7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
210	M0121 OBLITERATING ABANDONED ROAD	2.987	STA
222	M2801 TEMPORARY BALE BARRIER	200.000	M
223	M2802 TEMPORARY SILT FENCE	200.000	M
226	M2805 TEMPORARY SEDIMENT REMOVAL	25.000	M3
227	M0100 TEMPORARY SILT DIKE	50.000	M
229	M4318 DITCH LINER PROTECTION	53.402	M
230(A)	M2806 SOLID SLAB SODDING	3,847.000	M2
230(B)	M2807 MULCH SODDING	35,564.000	M2
230(F)	M2812 WATERING	7,094.000	KL
232(B)	M2814 SEEDING METHOD B	10.620	HA
233(A)	M2817 VEGETATIVE MULCHING	12.070	HA
234(A)	M2824 FERTILIZING (10-20-10)	5.450	T
234(A)	M4406 FERTILIZING (0-46-0)	1.240	T
241	M2832 MOWING	7.280	HA
317(A)	M4252 (SP)FLY ASH	1,060.690	T
317(B)	M4254 SUBGRADE MODIFICATION	18,594.020	M2
317(C)	M4253 LIME	53.600	T
317(D)	M4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	2,789.100	M2
403(A)	M0217 TRAFFIC BOUND SURFACE COURSE TYPE A	101.610	T
407	M0250 TACK COAT	16,542.200	L
408	M5774 PRIME COAT	16,430.830	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	9,637.390	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,552.940	T
501(A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	11.917	M3
509(B)	M0321 CLASS A CONCRETE	62.786	M3
509(D)	M0325 CLASS C CONCRETE	10.000	M3
511(A)	M0332 REINFORCING STEEL	4,525.824	KG
611(C)	M0484 SPECIAL MANHOLE	3.246	M3
611(D)	M4215 MANHOLE FRAME & COVER	1.000	EA



SECTION NO. 0001	I000-ROADWAY		
613(B) M0405	450MM R.C.PIPE CLASS III	3.493	M
613(B) M0415	900MM R.C.PIPE CLASS III	22.930	M
613(CC)M7186	TYPE A4 CULVERT END TREATMENT	6.000	EA
613(CC)M7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(CC)M7196	TYPE A6 CULVERT END TREATMENT	6.000	EA
613(CC)M7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
613(D) M0689	450MM CORR. GALV. STEEL PIPE	126.840	M
613(D) M0690	600MM CORR. GALV. STEEL PIPE	20.430	M
613(M) M0897	450MM PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M) M0900	900MM PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	13.000	M
613(Q) M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.	8.000	M
613(R) M1100	PIPE UNDERDRAIN COVER MAT'L.	3.600	M3
613(S) M1180	TRENCH EXCAVATION	76.070	M3
613(T) M1181	STANDARD BEDDING MATERIAL	37.010	M3
619(B) M0291	REMOVAL OF HEADWALL	5.000	EA
619(B) M4780	REMOVAL OF GUARD RAIL	64.650	M
619(C) M0924	SAWING PAVEMENT	1,732.000	M
623(A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	316.230	M
623(F) M4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H) M8571	G.E.T. GUARD RAIL END SECTION	6.000	EA
653(C) M5946	OUTLET LATERAL HEADWALL	4.000	EA
SECTION NO. 0002	X028-BRIDGE 'A'		
202(A) M1301	UNCLASSIFIED EXCAVATION	900.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	99.000	M3
509(B) M1328	CLASS A CONCRETE	249.800	M3
509(D) M1331	CLASS C CONCRETE	2.600	M3
510 M6350	(PL)STEEL SHEET PILING	28.000	M2
511(A) M1332	REINFORCING STEEL	22,715.000	KG
SECTION NO. 0003	X081-BRIDGE 'B'		
202(A) M1301	UNCLASSIFIED EXCAVATION	740.000	M3
403(A) M0217	TRAFFIC BOUND SURFACE COURSE TYPE A	15.450	T
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	75.000	M3
501(F) M6352	GRANULAR BACKFILL	58.000	M3
503(A) M1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	158.800	M
504(A) M1304	APPROACH SLAB	152.000	M2
504(E) M6239	CONCRETE RAIL (TR3)	104.200	M
506(A) M1322	STRUCTURAL STEEL	1,620.000	KG
509(A) M1326	CLASS AA CONCRETE	131.600	M3
509(B) M1328	CLASS A CONCRETE	70.100	M3
509(D) M1331	CLASS C CONCRETE	4.000	M3
511(A) M1332	REINFORCING STEEL	8,860.000	KG
511(B) M6010	EPOXY COATED REINF. STEEL	16,255.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	75.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	75.000	M
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	350.000	M2
516(A) M6094	DRILLED SHAFTS 1200MM DIAMETER	39.800	M
601B-1 M1359	TYPE II-A SP. PLAIN RIPRAP	1,170.000	T
601B-2 M1361	TYPE II-A FILTER BLANKET	275.000	T

SECTION NO. 0003	X081-BRIDGE 'B'		
609(D) M0398	BITUMINOUS CURBING	216.000	M
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	26.000	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	9.200	M
613(R) M1395	PIPE UNDERDRAIN COVER MAT'L.	10.000	M3
613(S) M1396	TRENCH EXCAVATION	5.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	3.000	M3
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640 M1398	FIELD OFFICE	1.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0004	Y008-CONST. TRAFFIC CONTROL		
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	5,500.000	M
890 M7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0005	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 120  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: LOVE

FEDERAL PROJECT  
 CONTRACT ID : 000259  
 PCN : 1688504  
 PROJECTS : BRO-143D(11)CO  
 DBE/WBE GOALS: 7.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 4.88  
 RES. ENG.: 72ARD  
 CAL. DAYS: 120

PAGE 25

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE & APPROACHES(ASPHALT)  
 COUNTY ROAD(NS-326) OVER HICKORY CREEK APPROXIMATELY 4.51  
 KILOMETERS WEST OF I-35 AND 1.29 KILOMETERS SOUTH OF THE  
 LOVE/CARTER COUNTY LINE.  
 PROJ. LGTH.= 0.339 KM.  
 FLEX. ESALS= 0.1 MILLION  
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(G)	M6181	EARTHWORK	1.000 LSUM
205	M7174	(PL)TOPSOIL - LUMP SUM	1.000 LSUM
223	M2802	TEMPORARY SILT FENCE	680.000 M
227	M0100	TEMPORARY SILT DIKE	86.000 M
230(A)	M2806	SOLID SLAB SODDING	2,539.000 M2
233(A)	M2817	VEGETATIVE MULCHING	0.520 HA
303	M0192	AGGREGATE BASE	468.000 M3
408	M5774	PRIME COAT	5,067.000 L
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	411.000 T
509(D)	M0325	CLASS C CONCRETE	75.000 M3
613(CC)	M7186	TYPE A4 CULVERT END TREATMENT	4.000 EA
613(D)	M5216	700MM X 500MM CORR. GALV. ST. PIPE ARCH	29.400 M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	1.000 EA
629(C)	M4960	MAILBOX	1.000 EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	1.000 EA
850(A)	M8110	SHEET ALUMINUM SIGNS	0.920 M2
851(D)	M8597	FLANGE CHANNEL POSTS (5.95 KG/M)	10.000 M
854(A)	M8800	TRAFFIC STRIPE(PAINT)(100MM WIDE)	1,360.000 M
-----			
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	96.000 M3
501(D)	M6353	UNCLASSIFIED BACKFILL	41.000 M3
503(A)	M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	86.840 M
504(E)	M1380	CONCRETE RAIL (TR1)	59.540 M
506(A)	M1322	STRUCTURAL STEEL	693.000 KG
509(A)	M1326	CLASS AA CONCRETE	41.200 M3
509(E)	M1332	CLASS S CONCRETE	46.000 M3
511(A)	M1332	REINFORCING STEEL	8,905.000 KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	103.800 M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	103.800 M

SECTION NO. 0002	X081-BRIDGE 'A'		
601A-1 M1353	TYPE I-A PLAIN RIPRAP	210.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	58.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 130  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: MCCURTAIN

STATE PROJECT  
 CONTRACT ID : 000071  
 PCN : 1674704

PAGE 27

PROJECTS : CIP-145N(10)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 23.09  
 RES. ENG.: 21ANT  
 CAL. DAYS: 420 LIQ. DAM: \$ 2000

CONTRACT DESCRIPTION:  
 GRADE, DRAIN & SURFACE(ASPHALT)  
 ON US-70 BEGINNING IN GARVIN AND EXTENDING EAST TO IDABEL.  
 PROJ. LGTH.= 6.818 MI.  
 FLEX. ESALS= 5.57 MILLION  
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	242,156.000	CY
202(E)	0184 UNCLASSIFIED BORROW	38,533.000	CY
202(F)	0186 SELECT BORROW	6,500.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	19,865.000	CY
224	2803 TEMPORARY SEDIMENT FILTER	14.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	4,467.000	CY
227	0100 (PL)TEMPORARY SILT DIKE	6,030.000	LF
229	4318 DITCH LINER PROTECTION	7,902.600	LF
230(A)	2806 SOLID SLAB SODDING	14,833.500	SY
230(E)	2810 BROADCAST SPRIGGING (METHOD A)	242,360.500	SY
230(G)	2812 WATERING	10,287.800	MGAL
232(B)	7183 TEMPORARY SEEDING - METHOD B	80.000	AC
233(A)	2817 VEGETATIVE MULCHING	106.300	AC
234(A)	2824 FERTILIZING (10-20-10)	25.700	TON
234(A)	4406 FERTILIZING (0-46-0)	3.800	TON
241	2832 MOWING	50.100	AC
303	0192 AGGREGATE BASE	20,956.400	CY
307(A)	4233 LIME	1,138.800	TON
317(A)	4252 FLY ASH	6,521.600	TON
317(C)	4254 SUBGRADE MODIFICATION	184,982.500	SY
325	5271 (SU)SEPARATOR FABRIC	122,252.200	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	5,262.000	TON
407	0250 TACK COAT	11,029.100	GAL
408	5774 (SU)PRIME COAT	15,895.500	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	740.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	29,554.900	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	287.500	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	12,679.900	TON
417	5268 COLD MILLING PAVEMENT (2")	4,373.000	SY
420(A)	4242 FABRIC REINFORCEMENT	8,135.000	SY
420(B)	4268 BITUMINOUS BINDER	2,033.800	GAL
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	259.600	CY
509(B)	0321 CLASS A CONCRETE	809.200	CY

SECTION NO. 0001		I000-ROADWAY	
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	37.500 CY
509(E)	0325	CLASS "C" CONC.	1,393.000 CY
511(A)	1332	REINFORCING STEEL	111,361.800 LB
601(A)	0533	TYPE I PLAIN RIPRAP	729.000 CY
611(E)	5403	INLET CDI RCB(90SK) DES. 17	1.000 EA
611(E)	5479	INLET CDI RCB(60SK) DES. 7	1.000 EA
611(E)	5483	INLET CDI RCB(60SK) DES. 11	1.000 EA
611(E)	5508	INLET CDI RCB(45SK) DES. 18	1.000 EA
611(E)	5734	INLET CDI 30" RCP(45SK)	1.000 EA
611(F)	5628	INLET CDI RCB(60SK) DES. 7 (ADD'L DEPTH)	3.700 VF
611(F)	5632	INLET CDI RCB(60SK) DES. 11(ADD'L DEPTH)	10.600 VF
611(F)	5657	INLET CDI RCB(45SK) DES. 18(ADD'L DEPTH)	4.000 VF
611(F)	5747	INLET CDI 30" RCP(45SK),(ADD'L DEPTH)	3.600 VF
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	8.000 EA
611(L)	5117	DROP INLET GRATE (SMD TYPE 2A)	1.000 EA
613(B)	0491	18" R.C.PIPES CLASS III	245.000 LF
613(B)	0492	24" R.C.PIPES CLASS III	133.000 LF
613(B)	0493	30" R.C.PIPES CLASS III	285.000 LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	8.000 EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	12.000 EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT	4.000 EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	1,237.000 LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	561.000 LF
613(D)	0691	30" CORR. GALV. STEEL PIPE	117.000 LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	1.000 EA
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND	2.000 EA
613(MM)	5045	24" SLOPED CONCRETE END SEC.(CD 6-GR)	2.000 EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	2,000.000 LF
613(Q)	1096	6"RND.NON-PERF.PIPES UNDERDRAIN	400.000 LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	223.000 CY
613(S)	1180	TRENCH EXCAVATION	1,784.200 CY
613(T)	1181	STANDARD BEDDING MATERIAL	195.800 CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	0291	REMOVAL OF HEADWALL	10.000 EA
619(B)	4725	REMOVAL OF FENCE	21,665.000 LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	8,390.300 SY
619(C)	0924	SAWING PAVEMENT	7,240.000 LF
622(A)	4746	PIPE RAILING	113.500 LF
624(A)	4281	FENCE-STYLE WWF	16,183.000 LF
624(B)	5165	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	11.000 EA
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	8.000 EA
629(C)	4960	(SU)MAILBOX	8.000 EA
640	1398	FIELD OFFICE	1.000 EA
641	1399	MOBILIZATION	1.000 LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000 LSUM
653(A)	5915	(SP)EDGE DRAIN CONDUIT-PERFORATED	16,400.000 LF
653(B)	5916	(SP)EDGE DRAIN OUTLET LATERAL-NONPERF.	7,560.000 LF
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	130.000 EA

## SECTION NO. 0002 Y004-RIGHT-OF-WAY CLEARANCE

643	0100	(PL)NESHAP PREDEM. INSP. & NOTIFICATION	6.000 EA
999.95	0094	(PL)RIGHT-OF-WAY CLEARANCE	1.000 LSUM

## SECTION NO. 0003 Y000-TRAFFIC

SECTION NO. 0003		Y000-TRAFFIC		
509(B)	0321	CLASS A CONCRETE	59.300	CY
850(A)	8215	SHEET ALUMINUM SIGNS	459.100	SF
851	8616	(PL) 1 3/4" SQUARE TUBE POST	44.000	LF
851	8617	(PL) 2" SQUARE TUBE POST	44.000	LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	781.000	LF
853(A)	3310	DELINEATORS TYPE 1 CODE 1	43.000	EA
853(F)	3315	DELINEATORS TYPE 2 CODE 3	6.000	EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	77,396.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	24.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	12.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	9,118.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	5,694.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	440.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	1,680.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	3,460.000	SD
880(I)	8020	BARRICADES(TYPE II)	120.000	SD
880(J)	8021	BARRICADES(TYPE III)	4,870.000	SD
880(K)	8022	WING BARRICADES	530.000	SD
880(L)	8023	VERTICAL PANELS	7,800.000	SD
880(M)	8024	TYPE A LIGHT	2,545.000	SD
880(O)	8026	TYPE C LIGHT	17,660.000	SD
880(P)	8027	DRUMS	16,500.000	SD
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	6,000.000	EA
SECTION NO. 0004		STAK-STAKING		
642	0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 140  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: MAJOR

STATE PROJECT  
 CONTRACT ID : 000038  
 PCN : 1739504

PAGE 30

PROJECTS : CIP-147N(39)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 58.52  
 RES. ENG.: 61BUF  
 CAL. DAYS: 300 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)  
 AT VARIOUS LOCATIONS ALONG US-412 BETWEEN THE TOWN OF  
 ORIENTA AND THE JUNCTION OF US-412/US-281.  
 PROJ. LGTH.= 3.011 MI.  
 FLEX. ESALS= 6.6 MILLION  
 ASPH. GRADE= 64-22OK, 70-28OK & 76-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY(BASE BID)	CIP-147N(39)IP	
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	158,161.000	CY
202(E)	0184 UNCLASSIFIED BORROW	54,588.000	CY
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	53.000	STA
222	2801 TEMPORARY BALE BARRIER	10,276.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	5,620.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	423.000	CY
228	5709 (SU)PVC EROSION CONTROL MAT	13,423.000	SY
230(A)	2806 SOLID SLAB SODDING	60.000	SY
230(G)	2812 WATERING	7.000	MGAL
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	25.000	EA
231(A)	4567 TREES	25.000	EA
231(B)	4568 SHRUBS	30.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(E)	5929 (PL)PLANT ESTABLISHMENT PERIOD (TREES)	170.000	EA
231(F)	7023 (PL)PLANT ESTABLISHMT PERIOD (SHRB & GC)	110.000	EA
232(B)	2814 SEEDING METHOD B	62.000	AC
232(B)	7183 TEMPORARY SEEDING - METHOD B	6.000	AC
233(A)	2817 VEGETATIVE MULCHING	6.000	AC
233(C)	2819 ASPHALT MULCHING	93,462.000	GAL
234(A)	2824 FERTILIZING (10-20-10)	16.000	TON
234(A)	4406 FERTILIZING (0-46-0)	5.000	TON
241	2832 MOWING	62.000	AC
303	0192 AGGREGATE BASE	13,591.000	CY
317(A)	4252 FLY ASH	4,025.000	TON
317(C)	4254 SUBGRADE MODIFICATION	73,496.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	130.000	TON
407	0250 TACK COAT	13,463.000	GAL
408	5774 (SU)PRIME COAT	10,948.000	GAL



SECTION NO.	0001	I000-ROADWAY(BASE BID)	CIP-147N(39)IP		
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		16,624.000	TON
411(AH)	6660	(SP)ASPHALT CONC. TYPE AH(PG 70-28 OK)		23,827.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		4,372.000	TON
411(BH)	6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)		5,554.000	TON
411(D)	6590	(SP)ASPHALT CONC. TYPE D (PG 64-22 OK)		326.000	TON
413(A)	4861	(SU) RUMBLE STRIP-METHOD AC-CON	31,794.000		LF
413(C)	4867	RUMBLE STRIP METHOD PCC-CYC (PER GROUP)		78.000	EA
414(AA)	5755	10" P.C. DOWEL JOINTED CONCRETE PAVEMENT		12,148.000	SY
417	5267	COLD MILLING PAVEMENT	16,679.000		SY
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED		57.000	CY
509(B)	0321	CLASS A CONCRETE		156.000	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES		5.000	CY
509(E)	1331	CLASS C CONCRETE		50.000	CY
511(A)	0332	REINFORCING STEEL	27,415.000		LB
529	6309	(SU)LOW STRENGTH BACKFILL MATERIAL		25.000	CY
601(B)	0539	TYPE II SP. PLAIN RIPRAP		7,024.000	CY
601(E)	6312	FILTER FABRIC (RIPRAP)		6,172.000	SY
610(C)	0609	6" CONCRETE DIVIDING STRIP		65.000	SY
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)		7.000	EA
613(B)	0491	18" R.C.PIPE CLASS III		686.000	LF
613(B)	0492	24" R.C.PIPE CLASS III		193.000	LF
613(B)	0494	36" R.C.PIPE CLASS III		613.000	LF
613(CC)	7196	TYPE A6 CULVERT END TREATMENT		4.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT		20.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT		4.000	EA
613(CC)	7199	TYPE D6 CULVERT END TREATMENT		10.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE		220.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE		720.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE		134.000	LF
613(D)	0692	36" CORR. GALV. STEEL PIPE		419.000	LF
613(D)	4819	96" CORR. GALV. STEEL PIPE		360.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND		7.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND		2.000	EA
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND		4.000	EA
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND		550.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN		130.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.		50.000	CY
613(S)	1180	TRENCH EXCAVATION		1,154.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL		596.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL		2.000	EA
619(B)	4725	REMOVAL OF FENCE	26,795.000		LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	57,942.000		SY
619(B)	4780	REMOVAL OF GUARD RAIL	3,224.000		LF
619(B)	5918	REMOVAL OF EXISTING PIPE	1,048.000		LF
619(B)	8305	REMOVAL OF SIGNS		72.000	EA
619(C)	0924	SAWING PAVEMENT		3,203.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE		575.000	LF
623(F)	4449	GUARD RAIL ANCHOR UNIT (TYPE D)		4.000	EA
623(G)	0936	GUIDE POSTS		87.000	EA
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION		4.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	26,905.000		LF
629(E)	5048	(SU)REMOVE AND RESET MAILBOX		6.000	EA
640	1426	FIELD OFFICE		1.000	EA

SECTION NO. 0001		I000-ROADWAY(BASE BID)	CIP-147N(39)IP	
641	1552	MOBILIZATION	1.000	LSUM
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	4.000	EA
804	2915	STRUCTURAL CONCRETE	12.000	CY
804	2916	REINFORCING STEEL	1,368.000	LB
SECTION NO. 0002		I000-ROADWAY(ADD ALTERNATE 1)	CIP-147N(43)IP	
210	0121	OBLITERATING ABANDONED ROAD	9.300	STA
303	0192	AGGREGATE BASE	2,927.000	CY
317(A)	4252	FLY ASH	1,215.000	TON
317(C)	4254	SUBGRADE MODIFICATION	22,707.000	SY
407	0250	TACK COAT	2,375.000	GAL
408	5774	(SU)PRIME COAT	3,328.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	3,083.000	TON
411(AH)	6660	(SP)ASPHALT CONC. TYPE AH(PG 70-28 OK)	5,584.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	387.000	TON
411(BH)	6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	1,395.000	TON
413(A)	4861	(SU) RUMBLE STRIP-METHOD AC-CON	6,402.000	LF
413(C)	4863	(SU) RUMBLE STRIP-METHOD PCC-CYCL	77.000	SY
414(AA)	5755	10" P.C. DOWEL JOINTED CONCRETE PAVEMENT	9,016.000	SY
804	2915	STRUCTURAL CONCRETE	7.000	CY
804	2916	REINFORCING STEEL	664.000	LB
SECTION NO. 0003		X900-BRIDGE REMOVAL & CONSTRUCTION	CIP-147N(39)IP	
202(C)	1301	UNCLASSIFIED EXCAVATION	445.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	94.000	CY
509(B)	1328	CLASS A CONCRETE	225.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	31,780.000	LB
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004		Y000-TRAFFIC	CIP-147N(39)IP	
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	275.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	275.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	592.000	SF
851(B)	3216	2" @ 3.65 GALV. STL.PIPE POSTS	152.000	LF
851(B)	3217	2 1/2"@5.79GALV.STL.PIPE POSTS	334.000	LF
851(B)	3218	3" @ 7.58 GALV. STL.PIPE POSTS	282.000	LF
851(C)	8597	FLANGE CHANNEL POSTS (4.0 LB./FT.)	27.000	LF
854	3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	8,644.000	LF
855(A)	3320	TRAFFIC STRIPE(THERMOPLASTIC)(4" WIDE)	44,515.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA
855(F)	8002	TRAFFIC STRIPE(PLASTIC)(TAPE)ARROW	15.000	EA
855(G)	8003	TRAFFIC STRIPE(PLASTIC)(TAPE)WORDS	9.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	77,600.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	45,600.000	LF
874(A)	8036	(SU)G-RAIL IM.AT. G-R-E-A-T CZ	1.000	EA
880(E)	8017	SIGNS 6.26 TO 15.99 SF	7,275.000	SD

SECTION NO. 0004	Y000-TRAFFIC	CIP-147N(39)IP		
880(F) 8018	SIGNS 16.0 SF TO 32.99 SF		10,380.000	SD
880(J) 8021	BARRICADES(TYPE III)		10,650.000	SD
880(J) 8318	BARRICADES(TYPE III)		28.000	EA
880(L) 8023	VERTICAL PANELS		16,875.000	SD
880(O) 8026	TYPE C LIGHT		27,525.000	SD
880(P) 8323	DRUMS		10,650.000	EA
930.56 4729	(PL) REMOVE AND RESET CATTLE GUARD		1.000	EA
960.20 8144	(PL)RELOC. OF CONST. ZONE IMPACT ATN.		1.000	EA
SECTION NO. 0005	STAK-STAKING	CIP-147N(39)IP		
642 0098	STAKING		1.000	LSUM

LNTCIQA  
 CALL ORDER : 150  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: MAJOR

STATE PROJECT  
 CONTRACT ID : 000039  
 PCN : 1739508

PAGE 34

PROJECTS : CIP-147N(43)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 10.20  
 RES. ENG.: 61BUF  
 CAL. DAYS: 150 LIQ. DAM: \$ 800

CONTRACT DESCRIPTION:  
 BRIDGE & APPROACHES  
 ON US-412 OVER COTTONWOOD CREEK APPROXIMATELY 1.0 MILE  
 WEST OF THE TOWN OF ORIENTA.  
 PROJ. LGTH.= 0.09 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-BRIDGE 'A' CIP-147N(43)IP		
202(F) 0186	SELECT BORROW	40.000	CY
230(A) 2806	SOLID SLAB SODDING	300.000	SY
230(G) 2812	WATERING	10.000	MGAL
234(A) 2824	FERTILIZING (10-20-10)	0.500	TON
414(C) 0309	APPROACH SLABS	294.000	SY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,125.000	LF
504(A) 1314	CLASS AA CONCRETE	292.000	CY
505(A) 1380	CONCRETE RAIL	428.000	LF
506(A) 6005	STRUCTURAL STEEL A36	5,443.000	LB
509(B) 1328	CLASS A CONCRETE	112.000	CY
509(E) 1331	CLASS C CONCRETE	14.000	CY
511(A) 1439	REINFORCING STEEL (GRADE 60)	17,126.000	LB
511(B) 6009	EPOXY COATED REINF. STEEL (GR 60)	54,308.000	LB
514(E) 6011	STEEL PILING (HP 12X53)	456.000	LF
515 6013	PENETRAT WATER REPELL SURF.TR.	675.000	SY
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	258.000	LF
516(C) 6106	CORRUGATED GALV. STEEL PIPE 42" DIA.	120.000	LF
601(A-1)0536	TYPE I-A PLAIN RIPRAP	626.000	TON
601(A-2)0538	TYPE I-A FILTER BLANKET	210.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	88.000	LF
613(Q) 6207	6"RND.NON-PERF.PIPE UNDERDRAIN	80.000	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	34.000	CY
613(S) 1180	TRENCH EXCAVATION	10.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	10.000	CY
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	STAK-STAKING CIP-147N(43)IP		
642 0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 160  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: MAJOR

STATE PROJECT  
 CONTRACT ID : 000040  
 PCN : 1739504C

PAGE 35

PROJECTS : CIP-147N(39)IP/CIP-147N(43)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 68.72  
 RES. ENG.: 61BUF  
 CAL. DAYS: 400 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)  
 AT VARIOUS LOCATIONS ALONG US-412 BETWEEN THE TOWN OF  
 ORIENTA AND THE JUNCTION OF US-412/US-281.  
 PROJ. LGTH.= 3.101 MI.  
 FLEX. ESALS= 6.6 MILLION  
 ASPH. GRADE= 64-22OK, 70-28OK & 76-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY(BASE BID) CIP-147N(39)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	158,161.000	CY
202(E)	0184 UNCLASSIFIED BORROW	54,588.000	CY
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	31.000	STA
222	2801 TEMPORARY BALE BARRIER	10,276.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	5,620.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	423.000	CY
228	5709 (SU)PVC EROSION CONTROL MAT	13,423.000	SY
230(A)	2806 SOLID SLAB SODDING	60.000	SY
230(G)	2812 WATERING	7.000	MGAL
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	25.000	EA
231(A)	4567 TREES	25.000	EA
231(B)	4568 SHRUBS	30.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(E)	5929 (PL)PLANT ESTABLISHMENT PERIOD (TREES)	170.000	EA
231(F)	7023 (PL)PLANT ESTABLISHMT PERIOD (SHRB & GC)	110.000	EA
232(B)	2814 SEEDING METHOD B	62.000	AC
232(B)	7183 TEMPORARY SEEDING - METHOD B	6.000	AC
233(A)	2817 VEGETATIVE MULCHING	6.000	AC
233(C)	2819 ASPHALT MULCHING	93,462.000	GAL
234(A)	2824 FERTILIZING (10-20-10)	16.000	TON
234(A)	4406 FERTILIZING (0-46-0)	5.000	TON
241	2832 MOWING	62.000	AC
303	0192 AGGREGATE BASE	16,518.000	CY
317(A)	4252 FLY ASH	5,241.000	TON
317(C)	4254 SUBGRADE MODIFICATION	96,203.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	130.000	TON
407	0250 TACK COAT	15,838.000	GAL
408	5774 (SU)PRIME COAT	14,276.000	GAL

SECTION NO.	0001	I000-ROADWAY(BASE BID)	CIP-147N(39)IP		
411(A)	4302	(SP)ASPHALT CONCRETE TYPE A (PG 64-22)	19,707.000	TON	
411(AH)	7023	(SP)ASPHALT CONCRETE TYPE AH (PG 70-28)	29,411.000	TON	
411(B)	4404	(SP)ASPHALT CONCRETE TYPE B (PG 64-22)	4,759.000	TON	
411(BH)	7023	(SP)ASPHALT CONCRETE TYPE BH (PG)	6,949.000	TON	
411(D)	4602	(SP)ASPHALT CONCRETE, TYPE D (PG 64-22)	326.000	TON	
413(A)	4861	(SU) RUMBLE STRIP-METHOD AC-CON	38,196.000	LF	
413(C)	4867	RUMBLE STRIP METHOD PCC-CYC (PER GROUP)	155.000	EA	
414(AA)	5755	10" P.C. DOWEL JOINTED CONCRETE PAVEMENT	21,164.000	SY	
417	5267	COLD MILLING PAVEMENT	16,679.000	SY	
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	57.000	CY	
509(B)	0321	CLASS A CONCRETE	156.000	CY	
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	5.000	CY	
509(E)	1331	CLASS C CONCRETE	50.000	CY	
511(A)	0332	REINFORCING STEEL	27,415.000	LB	
529	6309	(SU)LOW STRENGTH BACKFILL MATERIAL	25.000	CY	
601(B)	0539	TYPE II SP. PLAIN RIPRAP	7,024.000	CY	
601(E)	6312	FILTER FABRIC (RIPRAP)	6,172.000	SY	
610(C)	0609	6" CONCRETE DIVIDING STRIP	65.000	SY	
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	7.000	EA	
613(B)	0491	18" R.C.PIPE CLASS III	686.000	LF	
613(B)	0492	24" R.C.PIPE CLASS III	193.000	LF	
613(B)	0494	36" R.C.PIPE CLASS III	613.000	LF	
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	20.000	EA	
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7199	TYPE D6 CULVERT END TREATMENT	10.000	EA	
613(D)	0689	18" CORR. GALV. STEEL PIPE	220.000	LF	
613(D)	0690	24" CORR. GALV. STEEL PIPE	720.000	LF	
613(D)	0691	30" CORR. GALV. STEEL PIPE	134.000	LF	
613(D)	0692	36" CORR. GALV. STEEL PIPE	419.000	LF	
613(D)	4819	96" CORR. GALV. STEEL PIPE	360.000	LF	
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	7.000	EA	
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA	
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND	4.000	EA	
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	550.000	LF	
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	130.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY	
613(S)	1180	TRENCH EXCAVATION	1,154.000	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	596.000	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	0291	REMOVAL OF HEADWALL	2.000	EA	
619(B)	4725	REMOVAL OF FENCE	26,795.000	LF	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	57,942.000	SY	
619(B)	4780	REMOVAL OF GUARD RAIL	3,224.000	LF	
619(B)	5918	REMOVAL OF EXISTING PIPE	1,048.000	LF	
619(B)	8305	REMOVAL OF SIGNS	72.000	EA	
619(C)	0924	SAWING PAVEMENT	3,203.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	575.000	LF	
623(F)	4449	GUARD RAIL ANCHOR UNIT (TYPE D)	4.000	EA	
623(G)	0936	GUIDE POSTS	87.000	EA	
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	26,905.000	LF	
629(E)	5048	(SU)REMOVE AND RESET MAILBOX	6.000	EA	
640	1426	FIELD OFFICE	1.000	EA	

SECTION NO. 0001		I000-ROADWAY(BASE BID) CIP-147N(39)IP		
641	1552	MOBILIZATION	1.000	LSUM
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	4.000	EA
804	2915	STRUCTURAL CONCRETE	19.000	CY
804	2916	REINFORCING STEEL	2,032.000	LB
SECTION NO. 0002		I000-ROADWAY(ADD ALTERNATE 1) CIP-147N(43)IP		
210	0121	OBLITERATING ABANDONED ROAD	9.300	STA
303	0192	AGGREGATE BASE	2,927.000	CY
317(A)	4252	FLY ASH	1,215.000	TON
317(C)	4254	SUBGRADE MODIFICATION	22,707.000	SY
407	0250	TACK COAT	2,375.000	GAL
408	5774	(SU)PRIME COAT	3,328.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	3,083.000	TON
411(AH)	6660	(SP)ASPHALT CONC. TYPE AH(PG 70-28 OK)	5,584.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	387.000	TON
411(BH)	6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	1,395.000	TON
413(A)	4861	(SU) RUMBLE STRIP-METHOD AC-CON	6,402.000	LF
413(C)	4863	(SU) RUMBLE STRIP-METHOD PCC-CYCL	77.000	SY
414(AA)	5755	10" P.C. DOWEL JOINTED CONCRETE PAVEMENT	9,016.000	SY
804	2915	STRUCTURAL CONCRETE	7.000	CY
804	2916	REINFORCING STEEL	664.000	LB
SECTION NO. 0003		X900-BRIDGE REMOVAL & CONSTRUCTION CIP-147N(39)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	445.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	94.000	CY
509(B)	1328	CLASS A CONCRETE	225.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	31,780.000	LB
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004		X081-BRIDGE 'A' CIP-147N(43)IP		
202(F)	0186	SELECT BORROW	40.000	CY
230(A)	2806	SOLID SLAB SODDING	300.000	SY
230(G)	2812	WATERING	10.000	MGAL
234(A)	2824	FERTILIZING (10-20-10)	0.500	TON
414(C)	0309	APPROACH SLABS	294.000	SY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	CY
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,125.000	LF
504(A)	1314	CLASS AA CONCRETE	292.000	CY
505(A)	1380	CONCRETE RAIL	428.000	LF
506(A)	6005	STRUCTURAL STEEL A36	5,443.000	LB
509(B)	1328	CLASS A CONCRETE	112.000	CY
509(E)	1331	CLASS C CONCRETE	14.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	17,126.000	LB
511(B)	6009	EPOXY COATED REINF. STEEL (GR 60)	54,308.000	LB
514(E)	6011	STEEL PILING (HP 12X53)	456.000	LF
515	6013	PENETRAT WATER REPELL SURF.TR.	675.000	SY
516(A)	6093	DRILLED SHAFTS 42" DIAMETER	258.000	LF

SECTION NO. 0004	X081-BRIDGE 'A'	CIP-147N(43)IP		
516(C)	6106	CORRUGATED GALV. STEEL PIPE 42" DIA.	120.000	LF
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	626.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	210.000	TON
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	88.000	LF
613(Q)	6207	6"RND.NON-PERF.PIPE UNDERDRAIN	80.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	34.000	CY
613(S)	1180	TRENCH EXCAVATION	10.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	10.000	CY
641	1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0005	Y000-TRAFFIC	CIP-147N(39)IP		
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	275.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	275.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	1,088.000	SF
851(B)	3216	2" @ 3.65 GALV. STL.PIPE POSTS	443.000	LF
851(B)	3217	2 1/2"@5.79GALV.STL.PIPE POSTS	618.000	LF
851(B)	3218	3" @ 7.58 GALV. STL.PIPE POSTS	307.000	LF
851(C)	8597	FLANGE CHANNEL POSTS (4.0 LB./FT.)	27.000	LF
853(B)	3311	DELINEATORS TYPE 1 CODE 2	6.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2	16.000	EA
854	3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	13,072.000	LF
855(A)	3320	TRAFFIC STRIPE(THERMOPLASTIC)(4" WIDE)	54,911.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA
855(F)	8002	TRAFFIC STRIPE(PLASTIC)(TAPE)ARROW	15.000	EA
855(G)	8003	TRAFFIC STRIPE(PLASTIC)(TAPE)WORDS	9.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	77,600.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	45,600.000	LF
874(A)	8036	(SU)G-RAIL IM.AT. G-R-E-A-T CZ	1.000	EA
880(E)	8017	SIGNS 6.26 TO 15.99 SF	7,275.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	10,380.000	SD
880(J)	8021	BARRICADES(TYPE III)	10,650.000	SD
880(L)	8023	VERTICAL PANELS	16,875.000	SD
880(P)	8323	DRUMS	10,650.000	EA
930.56	4729	(PL) REMOVE AND RESET CATTLE GUARD	1.000	EA
960.20	8144	(PL)RELOC. OF CONST. ZONE IMPACT ATN.	1.000	EA
SECTION NO. 0006	STAK-STAKING	CIP-147N(39)IP		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0007	STAK-STAKING	CIP-147N(43)IP		
642	0098	STAKING	1.000	LSUM



LNTCIQA  
 CALL ORDER : 250  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: OKMULGEE

FEDERAL PROJECT  
 CONTRACT ID : 000263  
 PCN : 1811504

PAGE 39

PROJECTS : STP-156C(37)UR  
 DBE/WBE GOALS: 3.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 3.76  
 RES. ENG.: 11MUS  
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE AND APPROACHES  
 CITY STREET; 13TH STREET BRIDGE OVER OKMULGEE CREEK,  
 0.6 MILE WEST OF US-75 IN OKMULGEE  
 PROJ. LGTH.= 0.046 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 J000-ROADWAY			
201	0102 CLEARING AND GRUBBING	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	200.000	LF
223	2802 TEMPORARY SILTATION SCREEN	500.000	LF
230(A)	2806 SOLID SLAB SODDING	3,889.000	SY
233(A)	2817 VEGETATIVE MULCHING	0.700	AC
414(A)	0260 8" P.C. CONCRETE PAVEMENT	760.000	SY
505(C)	1382 STEEL HANDRAILING	80.000	LF
509(E)	0325 CLASS "C" CONC.	15.000	CY
609(A)	0300 CONC.CURB(6" BARRIER-INTEGRAL)	520.000	LF
610(A)	0602 4" CONCRETE SIDEWALK	278.000	SY
619(C)	0924 SAWING PAVEMENT	54.000	LF
900.64	6181 (PL)EARTHWORK	1.000	LSUM
960.16	8140 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 X028-BRIDGE 'A'			
202(C)	1301 UNCLASSIFIED EXCAVATION	3,754.000	CY
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	178.000	CY
509(B)	1328 CLASS A CONCRETE	735.500	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	88,545.000	LB
641	1399 MOBILIZATION	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642	0098 STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 260  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: PAWNEE

FEDERAL PROJECT  
 CONTRACT ID : 000264  
 PCN : 1764304  
 PROJECTS : STP-159C(13)CO  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 2.15  
 RES. ENG.: 84SS  
 CAL. DAYS: 120

PAGE 40

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 COUNTY ROAD(EW-54) BEGINNING AT SH-18, APPROXIMATELY 0.5  
 MILE NORTH OF THE CIMMARRON TURNPIKE AND EXTENDING EAST.  
 PROJ. LGTH.= 1.498 MI.  
 FLEX. ESALS= 0.5 MILLION  
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 0183	UNCLASSIFIED EXCAVATION	1,848.000	CY
202(E) 0184	UNCLASSIFIED BORROW	509.000	CY
303 0192	AGGREGATE BASE	2,918.000	CY
407 0250	TACK COAT	1,599.000	GAL
408 5774	PRIME COAT	1,653.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	3,299.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,621.000	TON
613(D) 0698	72" CORR. GALV. STEEL PIPE	264.000	LF
615(F) 6129	TRENCH EXCAVATION	834.000	CY
615(G) 6131	STANDARD BEDDING MATERIAL	439.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6,273.000	SY
619(C) 0924	SAWING PAVEMENT	4,582.000	LF
641 1552	MOBILIZATION	1.000	LSUM
853(F) 3315	DELINEATORS TYPE 2 CODE 3	4.000	EA
854 3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	7,470.000	LF
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 270  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: PAYNE

STATE PROJECT  
 CONTRACT ID : 000043  
 PCN : 1699804  
 PROJECTS : CIP-160B(14)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 34.90  
 RES. ENG.: 45STL  
 CAL. DAYS: 270

PAGE 41

LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN & SURFACE(ASPHALT)  
 ON SH-51 BEGINNING APPROXIMATELY 4.0 MILE WEST OF THE  
 JUNCTION OF SH-51/SH-108 AND EXTENDING EAST.  
 PROJ. LGTH.= 2.87 MILE  
 FLEX. ESALS= 9.54 MILLION  
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	81,220.000	CY
202(E)	0184 UNCLASSIFIED BORROW	3,774.000	CY
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	2,000.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	9,800.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	8.000	EA
225	2804 TEMPORARY SEDIMENT BASIN	6.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	30.000	CY
229	4318 DITCH LINER PROTECTION	3,337.000	LF
230(A)	2806 SOLID SLAB SODDING	16,336.000	SY
230(B)	2807 MULCH SODDING	100,724.000	SY
230(G)	2812 WATERING	4,800.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	25.000	AC
234(A)	2824 FERTILIZING (10-20-10)	12.000	TON
234(A)	4406 FERTILIZING (0-46-0)	1.400	TON
241	2832 MOWING	16.000	AC
243	0450 (PL)TEMPORARY INLET SEDIMENT FILTER	22.000	EA
307(A)	4233 LIME	1,411.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	105,297.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	692.000	TON
407	0250 TACK COAT	23,224.000	GAL
408	5774 (SU)PRIME COAT	18,540.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	37,426.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	15,833.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	6,959.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	12,267.000	TON
413(A)	4861 (SU) RUMBLE STRIP-METHOD AC-CON	15,834.000	LF
417	5267 COLD MILLING PAVEMENT	35,817.000	SY
420(A)	4242 FABRIC REINFORCEMENT	41,184.000	SY
420(B)	4268 BITUMINOUS BINDER	10,296.000	GAL
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	127.000	CY
509(B)	0321 CLASS A CONCRETE	358.000	CY

SECTION NO. 0001		I000-ROADWAY	
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	13.000 CY
509(E)	0325	CLASS "C" CONC.	608.000 CY
511(A)	0332	REINFORCING STEEL	40,067.000 LB
601(A)	0533	TYPE I PLAIN RIPRAP	60.000 CY
601(E)	6312	FILTER FABRIC (RIPRAP)	200.000 SY
609(B)	0385	1'-8" COMB. CRB. & GUT. (4" M.C. - NOTC)	325.000 LF
609(B)	0386	1'-8" COMB. CRB. & GUT. (6" M.C. - NOTC)	13,267.000 LF
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	625.000 SY
611(A)	2657	MANHOLE (4' DIA.)	6.000 EA
611(A)	2658	MANHOLE (5' DIA.)	4.000 EA
611(B)	2680	ADD'L DEPTH IN MANHOLE (4' DIA.)	1.260 VF
611(B)	2681	ADD'L DEPTH IN MANHOLE (5' DIA.)	4.860 VF
611(D)	4215	MANHOLE FRAME & COVER	10.000 EA
611(E)	5308	INLET CICI DES. 1 (C)	3.000 EA
611(E)	5317	INLET CICI DES. 2 (D)	4.000 EA
611(E)	5323	INLET CICI DES. 3 (D)	14.000 EA
611(E)	5325	INLET CICI DES. 3 (B-D)	1.000 EA
611(F)	5355	INLET CICI DES. 1 (C, ADD'L DEPTH)	2.400 VF
611(F)	5364	INLET CICI DES. 2 (D, ADD'L DEPTH)	3.320 VF
611(F)	5370	INLET CICI DES. 3 (D, ADD'L DEPTH)	3.930 VF
611(G)	4488	INLET FRM&GRT (SSIF-FRM, CIG-GRT-VG-F)	71.000 EA
611(K)	4488	CAST IRON CURB INLETS	158.000 EA
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	5.000 EA
611(L)	5117	DROP INLET GRATE (SMD TYPE 2A)	3.000 EA
613(B)	0491	18" R.C. PIPE CLASS III	1,462.000 LF
613(B)	0492	24" R.C. PIPE CLASS III	960.000 LF
613(B)	0493	30" R.C. PIPE CLASS III	1,240.000 LF
613(B)	0494	36" R.C. PIPE CLASS III	1,632.000 LF
613(B)	0495	42" R.C. PIPE CLASS III	12.000 LF
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	27.000 EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT	11.000 EA
613(CC)	7189	TYPE D4 CULVERT END TREATMENT	3.000 EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	24.000 EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	6.000 EA
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	1,557.000 LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	459.000 LF
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	1,200.000 LF
613(Q)	1097	8" RND. NON-PERF. PIPE UNDERDRAIN	800.000 LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	120.000 CY
613(S)	1180	TRENCH EXCAVATION	5,165.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	2,615.000 CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	4726	REMOVAL OF CURB AND GUTTER	538.000 LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	64,301.000 SY
619(C)	0924	SAWING PAVEMENT	23,950.000 LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	215.000 LF
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000 EA
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	1.000 EA
624(A)	4281	FENCE-STYLE WWF	6,130.000 LF
624(B)	5266	GATES-STYLE WWF (4.5'HIGH X 22'LONG)	3.000 EA
624(C)	4458	FENCE-STYLE SWF (4 BARBED WIRE)	240.000 LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	7,588.000 LF
624(D)	4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	230.000 LF
624(D)	4293	FENCE-STYLE CLF (6'HIGH, CLASS B)	274.000 LF

SECTION NO. 0001		I000-ROADWAY	
624(E)	5260	GATES-STYLE CLF (6'HIGH X 20'LONG, CL.A)	2.000 EA
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	20.000 EA
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE	27.000 EA
629(C)	4960	(SU)MAILBOX	132.000 EA
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	132.000 EA
640	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM
930.01	4402	(PL) SP. WELDED STEEL GRATE (42"SQ)	8.000 EA
980.00	4659	FOG SEAL	3,582.000 GAL
SECTION NO. 0002		Y002-TRAFFIC SIGNING & STRIPING	
850(A)	8215	SHEET ALUMINUM SIGNS	460.000 SF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	1,036.000 LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	81,697.000 LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	132.000 EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	8.000 EA
SECTION NO. 0003		Y008-CONST.TRAFFIC CONTROL	
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	2,050.000 LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	2,050.000 LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	2,050.000 LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	64,000.000 LF
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	2,000.000 LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	35,600.000 LF
870(A)	8011	SAND FILLED IMP. ATTENU. MODULE	180.000 EA
880(D)	8016	SIGNS 0 TO 6.25 SF	32,000.000 SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	64,000.000 SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	6,000.000 SD
880(I)	8020	BARRICADES(TYPE II)	14,000.000 SD
880(J)	8021	BARRICADES(TYPE III)	14,000.000 SD
880(K)	8022	WING BARRICADES	1,600.000 SD
880(L)	8023	VERTICAL PANELS	4,500.000 SD
880(M)	8024	TYPE A LIGHT	34,000.000 SD
880(O)	8026	TYPE C LIGHT	160,000.000 SD
880(P)	8027	DRUMS	160,000.000 SD
880(Q)	8145	TUBE CHANNELIZERS	80,000.000 SD
960.79	8365	(PL) CONST.ZONE PAV.MARK.(WHITE)	1,400.000 EA
960.80	8366	(PL) CONST.ZONE PAV.MARK.(YELLOW)	2,800.000 EA
SECTION NO. 0004		STAK-STAKING	
642	0098	STAKING	1.000 LSUM

LNTCIQA  
 CALL ORDER : 280  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: PONTOTOC

FEDERAL PROJECT  
 CONTRACT ID : 000265  
 PCN : 1016410

PAGE 44

PROJECTS : NHY-12N(47)  
 DBE/WBE GOALS: 8.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 31.14  
 RES. ENG.: 31ADA  
 CAL. DAYS: 420 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:  
 BRIDGES & APPROACHES  
 SH-99/SH-3(NEW ALIGNMENT) OVER AN UNNAMED AND LITTLE SANDY  
 CREEKS NORTH OF ADA.  
 PROJ. LGTH.= 0.203

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-BRIDGE 'A'		
202(C) 1301	UNCLASSIFIED EXCAVATION	200.000	CY
202(C) 1302	UNCLASSIFIED BORROW	200.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	40.000	CY
501(F) 6352	GRANULAR BACKFILL	1,100.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	716.000	LF
504(C) 6276	(PL) SEALED EXPANSION JOINTS	80.000	LF
504(F) 1381	CONCRETE PARAPET	363.000	LF
506(A) 1322	STRUCTURAL STEEL	8,000.000	LB
509(A) 1326	CLASS AA CONCRETE	190.000	CY
509(B) 1328	CLASS A CONCRETE	271.800	CY
511(A) 1439	REINFORCING STEEL (GRADE 60)	8,000.000	LB
511(B) 6009	EPOXY COATED REINF. STEEL (GR 60)	65,000.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1,140.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1,140.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2,000.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	118.000	LF
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	90.000	LF
613(Q) 6207	6" RND.NON-PERF.PIPE UNDERDRAIN	40.000	LF
613(R) 1395	PIPE UNDERDRAIN COVER MAT'L.	130.000	CY
613(S) 1396	TRENCH EXCAVATION	40.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	20.000	CY
640	FIELD OFFICE	1.000	EA
641	MOBILIZATION	1.000	LSUM
643	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002	X081-BRIDGE 'B'		
202(C) 1301	UNCLASSIFIED EXCAVATION	200.000	CY
202(C) 1302	UNCLASSIFIED BORROW	200.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	40.000	CY
501(F) 6352	GRANULAR BACKFILL	1,100.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	716.000	LF
504(C) 6276	(PL) SEALED EXPANSION JOINTS	80.000	LF
504(F) 1381	CONCRETE PARAPET	363.000	LF
506(A) 1322	STRUCTURAL STEEL	8,000.000	LB

SECTION NO. 0002	X081-BRIDGE 'B'		
509(A)	1326	CLASS AA CONCRETE	190.000 CY
509(B)	1328	CLASS A CONCRETE	271.800 CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	8,000.000 LB
511(B)	6009	EPOXY COATED REINF. STEEL (GR 60)	65,000.000 LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	1,140.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	1,140.000 LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	2,000.000 SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	118.000 LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	90.000 LF
613(Q)	6207	6" RND.NON-PERF.PIPE UNDERDRAIN	40.000 LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	130.000 CY
613(S)	1396	TRENCH EXCAVATION	40.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	20.000 CY
SECTION NO. 0003	X081-BRIDGE 'C'		
202(C)	1301	UNCLASSIFIED EXCAVATION	200.000 CY
202(C)	1302	UNCLASSIFIED BORROW	200.000 CY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	40.000 CY
501(F)	6352	GRANULAR BACKFILL	1,100.000 CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,196.000 LF
504(C)	6276	(PL) SEALED EXPANSION JOINTS	80.000 LF
504(F)	1381	CONCRETE PARAPET	600.800 LF
506(A)	1322	STRUCTURAL STEEL	8,000.000 LB
509(A)	1326	CLASS AA CONCRETE	285.000 CY
509(B)	1328	CLASS A CONCRETE	300.000 CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	10,000.000 LB
511(B)	6009	EPOXY COATED REINF. STEEL (GR 60)	98,000.000 LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	1,140.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	1,140.000 LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	3,000.000 SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	230.000 LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	90.000 LF
613(Q)	6207	6" RND.NON-PERF.PIPE UNDERDRAIN	40.000 LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	130.000 CY
613(S)	1396	TRENCH EXCAVATION	40.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	20.000 CY
SECTION NO. 0004	X081-BRIDGE 'D'		
202(C)	1301	UNCLASSIFIED EXCAVATION	200.000 CY
202(C)	1302	UNCLASSIFIED BORROW	200.000 CY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	40.000 CY
501(F)	6352	GRANULAR BACKFILL	1,100.000 CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,196.000 LF
504(C)	6276	(PL) SEALED EXPANSION JOINTS	80.000 LF
504(F)	1381	CONCRETE PARAPET	600.800 LF
506(A)	1322	STRUCTURAL STEEL	8,000.000 LB
509(A)	1326	CLASS AA CONCRETE	285.000 CY
509(B)	1328	CLASS A CONCRETE	300.000 CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	10,000.000 LB
511(B)	6009	EPOXY COATED REINF. STEEL (GR 60)	98,000.000 LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	1,140.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	1,140.000 LF

SECTION NO. 0004		X081-BRIDGE 'D'		
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	3,000.000	SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	230.000	LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	90.000	LF
613(Q)	6207	6" RND.NON-PERF.PIPE UNDERDRAIN	40.000	LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	130.000	CY
613(S)	1396	TRENCH EXCAVATION	40.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	20.000	CY
SECTION NO. 0005		X900-BRIDGE 'E' LOW WATER CROSSING		
202(C)	1301	UNCLASSIFIED EXCAVATION	150.000	CY
202(C)	1302	UNCLASSIFIED BORROW	40.000	CY
246(A)	7041	(SP)GEOGRID EARTH REINFORCEMENT	317.300	SY
303	0192	AGGREGATE BASE	54.200	CY
325	5271	SEPARATOR FABRIC	317.300	SY
403(A)	3200	TRAFFIC BOUND SURFACE COURSE TYPE A	200.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	91.500	CY
501(G)	6309	CLSM BACKFILL	270.000	CY
506(A)	1322	STRUCTURAL STEEL	200.000	LB
509(A)	1326	CLASS AA CONCRETE	71.300	CY
509(B)	1328	CLASS A CONCRETE	45.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	10,000.000	LB
511(B)	6009	EPOXY COATED REINF. STEEL (GR 60)	2,000.000	LB
516(C)	6111	CORRUGATED GALV. STEEL PIPE 72" DIA.	216.670	LF
619(B)	6050	REMOVAL OF SUBSTRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
900.15	6122	(PL)STEEL SHEET PILING	214.000	LF
SECTION NO. 0006		STAK-STAKING		
642	0098	STAKING	1.000	LSUM



LNTCIQA  
 CALL ORDER : 290  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: PONTOTOC

FEDERAL PROJECT  
 CONTRACT ID : 000266  
 PCN : 1811304

PAGE 47

PROJECTS : STPY-21N(25)TR  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 2.15  
 RES. ENG.: 31ADA  
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 LIGHTING  
 HIGHWAY LIGHTING AT THE INTERSECTION OF SH-1 AND  
 CHICKASAW TURNPIKE  
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	Y008-TRAFFIC		
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	Y030-LIGHTING		
616(I) 5250	(PL)4" STEEL CASING	70.000	LF
641 2917	MOBILIZATION	1.000	LSUM
802(B) 8053	2" PVC SCH.40 PLASTIC CONDUIT BORED	70.000	LF
802(B) 8058	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	2,100.000	LF
803 8065	PULL BOX(SIZE I)	5.000	EA
804 2915	STRUCTURAL CONCRETE	6.380	CY
804 2916	REINFORCING STEEL	367.400	LB
806(A) 8074	40' MTG&15'H.L.MST ARM(GAL STL)	11.000	EA
807 8092	BREAKAWAY BASE (DES. B)	11.000	EA
809(A) 8097	ROADWAY LUMINAIRE(250 WATT HPS)	11.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8106	1/C NO.12 ELECT.COND.	1,265.000	LF
811 8110	1/C NO.4 ELECT.COND.	4,275.000	LF
SECTION NO. 0003	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 310  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: PONTOTOC

STATE PROJECT  
 CONTRACT ID : 000275  
 PCN : 1832504

PAGE 48

PROJECTS : SAP-162B(59)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 2.68  
 RES. ENG.: 31ADA  
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE REPAIR  
 BRIDGE REPAIR OVER MILL CREEK 8.9 MILES SOUTH OF JCT.  
 SH-3/SH-99 IN FITTSTOWN  
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE 'A'		
509(A) 1326	CLASS AA CONCRETE	1.000	CY
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
520(A) 6058	PREP. OF CRACKS ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	2.000	GAL
535 6174	(PL)FALSEWORK & JACKING	1.000	LSUM
535 6194	(PL)REPAIR TRUSS MAIN MEMBER	2.000	EA
535 6341	(PL)REPLACE TRUSS MAIN MEMBER	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	Y002-TRAFFIC CONTROL		
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA  
 CALL ORDER : 316  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: ROGERS

STATE PROJECT  
 CONTRACT ID : 000144  
 PCN : 1696604

PAGE 49

PROJECTS : CIP-166A(12)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 46.17  
 RES. ENG.: 83CLA  
 CAL. DAYS: LIQ. DAM: \$ 5000

CONTRACT DESCRIPTION:  
 GRADE, DRAIN & SURFACE(ASPHALT)  
 ON SH-88 (WILL ROGERS BLVD.) EXTENDING FROM THE BURLINGTON  
 NORTHERN RAILROAD TO SH-20 IN CLAREMORE.  
 PROJ. LGTH.= 0.81 MI.  
 FLEX. ESALS= 1.53 MILLION  
 ASPH. GRADE= 64-22 & 70-28

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) 0183	UNCLASSIFIED EXCAVATION	9,893.000	CY
222 2801	TEMPORARY BALE BARRIER	200.000	LF
224 2803	TEMPORARY SEDIMENT FILTER	37.000	EA
226 2805	TEMPORARY SEDIMENT REMOVAL	100.000	CY
230(A) 2806	SOLID SLAB SODDING	4,529.000	SY
230(G) 2812	WATERING	271.700	MGAL
232 7185	(PL)TEMPORARY SEEDING	600.000	LB
233(A) 2817	VEGETATIVE MULCHING	5.000	AC
303 0192	AGGREGATE BASE	5,797.200	CY
325 5271	(SU)SEPARATOR FABRIC	23,197.000	SY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	300.000	TON
407 0250	TACK COAT	2,007.000	GAL
408 5774	(SU)PRIME COAT	4,253.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,070.100	TON
411(A) 6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	8,153.300	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	3,389.000	TON
414(B) 4950	8" H.E.S. CONCRETE (PATCHING)	500.000	SY
417 5267	COLD MILLING PAVEMENT	1,574.300	SY
433 5109	(SU) BREAKING AND SEATING PAVEMENT	20,348.000	SY
508 6334	(PL) BLOCK RETAINING WALL & CAP	276.000	SF
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	38.100	CY
511(A) 0332	REINFORCING STEEL	2,377.000	LB
529 6309	(SU)LOW STRENGTH BACKFILL MATERIAL	35.700	CY
609(B) 0395	2'-8"COMB.CRB.&GUT.(6"B.C.-NOTC	4,354.000	LF
609(B) 1513	1'-8"COMB.CRB&GUTTER(6"BAR.CRB)	2,363.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	3,880.000	SY
610(B) 5898	8" CONCRETE DRIVEWAY(H.E.S.)	4,637.000	SY
611(A) 2657	MANHOLE (4' DIA.)	7.000	EA
611(A) 2658	MANHOLE (5' DIA.)	1.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	6.050	VF
611(D) 4215	MANHOLE FRAME & COVER	8.000	EA
611(E) 5315	INLET CICI DES. 2 (STD)	14.000	EA
611(E) 5316	INLET CICI DES. 2 (B)	4.000	EA

SECTION NO. 0001		I000-ROADWAY		
611(E)	5317	INLET CICI DES. 2 (D)	1.000	EA
611(E)	5808	INLET W/SMALL JCT.BOX,CICI-JB-1,DES 2	5.000	EA
611(F)	5362	INLET CICI DES. 2 (STD, ADD'L DEPTH)	16.350	VF
611(F)	5820	INLET W/SJB,CICI-JB-1,DES 2(ADD'L DEP.)	3.330	VF
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	46.000	EA
611(J)	0487	JUNCTION BOXES	121.740	CF
611(K)	4488	CAST IRON CURB INLETS	58.000	EA
611(L)	4209	DROP INLET GRATE (SMD-TYPE 1)	4.000	EA
612(A)	0641	MANHOLES ADJUST TO GRADE	5.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	413.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	731.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(S)	1180	TRENCH EXCAVATION	766.800	CY
613(T)	1181	STANDARD BEDDING MATERIAL	240.200	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	3,212.700	SY
619(C)	0924	SAWING PAVEMENT	9,057.000	LF
622(A)	4746	PIPE RAILING	136.000	LF
641	1552	MOBILIZATION	1.000	LSUM
653(A)	5915	(SP)EDGE DRAIN CONDUIT-PERFORATED	8,062.000	LF
653(B)	5916	(SP)EDGE DRAIN OUTLET LATERAL-NONPERF.	150.000	LF
SECTION NO. 0002		Y000-TRAFFIC		
802(B)	8054	3" PVC SCH.40 PLASTIC CONDUIT BORED	250.000	LF
802(B)	8058	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	35.000	LF
802(B)	8059	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	10.000	LF
802(B)	8266	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	650.000	LF
803	8065	PULL BOX(SIZE I)	4.000	EA
803	8066	PULL BOX(SIZE II)	1.000	EA
803	8067	PULL BOX(SIZE III)	4.000	EA
804	2915	STRUCTURAL CONCRETE	10.220	CY
804	2916	REINFORCING STEEL	1,532.240	LB
806(A)	8162	32'MH POLE 15'TS&6'LMA(G.STL.)	2.000	EA
806(A)	8311	32'MH POLE 35'TS&10'LMA(G.STL.)	2.000	EA
809(A)	8097	ROADWAY LUMINAIRE(250 WATT HPS)	4.000	EA
810(A)	3118	SERVICE POLE	1.000	EA
811	8107	1/C NO.10 ELECT.COND.	900.000	LF
825	3009	TRAF.VEH.ACT.SOL.ST.SIG.CON.ASM	1.000	EA
828(A)	3012	SOL.STE.DIGITAL IND.VEH.LP.DET.	10.000	EA
828(B)	8494	LOOP DETECTOR WIRE	3,250.000	LF
830	3014	PEDESTRIAN PUSH BUTTON	8.000	EA
831	8170	1WAY3SEC.ADJ.SIG.HD.(MAM)S-6	8.000	EA
831	8194	1WAY2SEC.ADJ.PED.SIG.HD.(CM)S-20	8.000	EA
831	8394	1WAY5SEC.ADJ.SIG.HD.(MAM)S-19L	2.000	EA
833	3038	5" BACKPLATE (12"HDS)(B-2)	2.000	EA
833	3041	8" BACKPLATE (12" HDS)(B-1)	8.000	EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	625.000	LF
834(A)	8208	7/C TRAF.SIG.EL.CABLE	115.000	LF
834(A)	8209	9/C TRAF.SIG.EL.CABLE	216.000	LF
834(A)	8211	15/C TRAF.SIG.EL.CABLE	200.000	LF
834(B)	8214	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1,860.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	253.800	SF

SECTION NO. 0002		Y000-TRAFFIC		
850(C)	8525	MAST ARM MOUNTED SIGNS(ALUM.)	42.500	SF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	371.000	LF
851	8643	(PL) 2 1/2" SQUARE TUBE POST	49.000	LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	17,777.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	37.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA
855(D)	3322	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	1.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	34,000.000	LF
856(B)	8005	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1,000.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	25,000.000	LF
880(C)	8015	ADVANCE WARNING DEVICE (TYPE C)	550.000	SD
880(D)	8016	SIGNS 0 TO 6.25 SF	5,500.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	31,350.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	6,325.000	SD
880(I)	8020	BARRICADES(TYPE II)	5,500.000	SD
880(J)	8021	BARRICADES(TYPE III)	46,200.000	SD
880(K)	8022	WING BARRICADES	825.000	SD
880(L)	8023	VERTICAL PANELS	27,500.000	SD
880(M)	8024	TYPE A LIGHT	97,625.000	SD
880(O)	8026	TYPE C LIGHT	68,750.000	SD
880(P)	8027	DRUMS	68,750.000	SD
SECTION NO. 0003		Y030-TRAFFIC LIGHTING		
802(B)	8058	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	4,600.000	LF
803	8067	PULL BOX(SIZE III)	15.000	EA
804	2915	STRUCTURAL CONCRETE	33.100	CY
804	2916	REINFORCING STEEL	1,410.000	LB
806(A)	8077	50'MTG&10'H.L.MST ARM(GAL STL)	25.000	EA
809(A)	8098	ROADWAY LUMINAIRE(400 WATT HPS)	25.000	EA
811	3125	1/C NO.4 ELECT.COND.BARE CABLE	7,860.000	LF
811	8110	1/C NO.4 ELECT.COND.	7,860.000	LF
960.08	8134	(PL)REMOVE LIGHT POLE	27.000	EA
SECTION NO. 0004		STAK-STAKING		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0005		Y031-TRAFFIC SIGNALS		
802(B)	8054	3" PVC SCH.40 PLASTIC CONDUIT BORED	225.000	LF
802(B)	8058	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	65.000	LF
802(B)	8059	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	45.000	LF
802(B)	8265	1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	95.000	LF
802(B)	8266	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	330.000	LF
803	8065	PULL BOX(SIZE I)	3.000	EA
803	8066	PULL BOX(SIZE II)	1.000	EA
803	8067	PULL BOX(SIZE III)	2.000	EA
804	2915	STRUCTURAL CONCRETE	10.480	CY
804	2916	REINFORCING STEEL	1,572.380	LB
806(A)	8311	32'MH POLE 35'TS&10'LMA(G.STL.)	2.000	EA
806(A)	8351	32'MH POLE 25'TS&10'LMA(G.STL.)	2.000	EA
809(A)	8097	ROADWAY LUMINAIRE(250 WATT HPS)	4.000	EA
811	8107	1/C NO.10 ELECT.COND.	1,340.000	LF

SECTION NO. 0005		Y031-TRAFFIC SIGNALS		
811	8109	1/C NO.6 ELECT.COND.	200.000	LF
825	3009	TRAF.VEH.ACT.SOL.ST.SIG.CON.ASM	1.000	EA
828(A)	3012	SOL.STE.DIGITAL IND.VEH.LP.DET.	8.000	EA
828(B)	8494	LOOP DETECTOR WIRE	990.000	LF
830	3014	PEDESTRIAN PUSH BUTTON	2.000	EA
831	8170	1WAY3SEC.ADJ.SIG.HD.(MAM)S-6	8.000	EA
833	3038	5" BACKPLATE (12"HDS)(B-2)	10.000	EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	620.000	LF
834(A)	8208	7/C TRAF.SIG.EL.CABLE	245.000	LF
834(A)	8210	12/C TRAF.SIG.EL.CABLE	240.000	LF
834(B)	8214	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1,245.000	LF
850(C)	8525	MAST ARM MOUNTED SIGNS(ALUM.)	42.000	SF
SECTION NO. 0006		Y060-WATER LINE		
615(D)	0200	(PL)2" AIR RELIEF VALVE & VAULT	7.000	EA
615(F)	6129	TRENCH EXCAVATION	2,605.000	CY
615(G)	6131	STANDARD BEDDING MATERIAL	500.000	CY
616	0100	2" PLUG	6.000	EA
616	0118	12" PLUG	6.000	EA
616(A)	5121	6" DUCTILE IRON PIPE	5.000	LF
616(A)	5122	8" DUCTILE IRON PIPE	295.000	LF
616(A)	5124	12" DUCTILE IRON PIPE	1,071.000	LF
616(B)	5198	6" POLYVINYL CHLORIDE (PVC) PIPE	17.000	LF
616(B)	5199	8" POLYVINYL CHLORIDE (PVC) PIPE	33.000	LF
616(B)	5201	12" POLYVINYL CHLORIDE (PVC) PIPE	2,704.000	LF
616(B)	5218	2" POLYVINYL CHLORIDE (PVC) PIPE	607.000	LF
616(C)	0869	1" COPPER WATER SERVICE PIPE	300.000	LF
616(D)	0855	2" VALVE	6.000	EA
616(D)	0861	6" VALVES	15.000	EA
616(D)	0862	8" VALVES	4.000	EA
616(D)	0864	12" VALVES	17.000	EA
616(D)	7023	12" X 12" TAPPING SLEEVE	3.000	EA
616(E)	0879	1" CORPORATION STOPS	2.000	EA
616(F)	5208	(PL)METER INSTALLATION 1"	19.000	EA
616(G)	1192	FIRE HYDRANTS	11.000	EA
616(I)	0011	3" SOLID SLEEVE	1.000	EA
616(I)	0018	6" SOLID SLEEVE	5.000	EA
616(I)	0020	8" SOLID SLEEVE	13.000	EA
616(I)	0024	12" SOLID SLEEVE	6.000	EA
616(I)	5252	(PL)6" STEEL CASING	467.000	LF
616(I)	5262	(PL)16" STEEL CASING	91.000	LF
616(I)	5270	(PL)24" STEEL CASING	1,124.000	LF
616(J)	0020	2" X 2" X 2" TEE	1.000	EA
616(J)	0029	12" X 12" X 4" TEE	3.000	EA
616(J)	0030	12" X 12" X 6" TEE	12.000	EA
616(J)	0032	12" X 12" X 8" TEE	4.000	EA
616(J)	0035	12" X 12" X 12" TEE	10.000	EA
616(K)	0034	2" 90 DEGREE FITTING	8.000	EA
616(K)	0042	6" 45 DEGREE FITTING	6.000	EA
616(K)	0043	8" 22 1/2 DEGREE FITTING	10.000	EA
616(K)	0044	8" 45 DEGREE FITTING	10.000	EA
616(K)	0054	12" 22 1/2 DEGREE FITTING	2.000	EA
616(K)	0058	12" 45 DEGREE FITTING	31.000	EA

## SECTION NO. 0006

## Y060-WATER LINE

616(K)	0062	12" 90 DEGREE FITTING	2.000	EA
616(K)	0063	8" 11 1/4 DEGREE FITTING	2.000	EA
616(K)	0068	8" 90 DEGREE FITTING	1.000	EA
616(L)	0069	4" X 3" REDUCER	1.000	EA
616(L)	0072	8" X 4" REDUCER	1.000	EA
616(L)	0079	4" X 2" REDUCER	4.000	EA
616(L)	0080	12" X 4" REDUCER	1.000	EA
616(L)	0081	12" X 6" REDUCER	4.000	EA
616(L)	0082	12" X 8" REDUCER	8.000	EA
616(M)	0082	12" X 12" X 12" X 12" CROSS	1.000	EA
619(B)	4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	70.000	SY
619(B)	5949	REMOVAL OF FIRE HYDRANTS	6.000	EA
619(B)	7200	REMOVE WATER METER AND METER CAN	17.000	EA
619(B)	7210	REMOVAL OF GATE VALVE AND BOX	16.000	EA

## SECTION NO. 0007

## Y060-SEWER LINE

611(A)	2657	MANHOLE (4' DIA.)	1.000	EA
612(B)	0650	(PL) MANHOLE REHABILITATION - TYPE A	1.000	EA
612(B)	0652	(PL) MANHOLE REHABILITATION - TYPE B	1.000	EA
612(B)	0654	(PL) MANHOLE REHABILITATION - TYPE C	12.000	EA
612(B)	0656	(PL) MANHOLE REHABILITATION - TYPE D	1.000	EA
612(B)	0658	(PL) MANHOLE REHABILITATION - TYPE E	5.000	EA
612(B)	0660	(PL) MANHOLE REHABILITATION - TYPE F	1.000	EA
612(B)	0662	(PL) MANHOLE REHABILITATION - TYPE G	100.000	EA
612(B)	0664	(PL) MANHOLE REHABILITATION - TYPE H	12.000	EA
612(B)	0666	(PL) MANHOLE REHABILITATION - TYPE I	3.000	EA
612(S)	0682	27" PIPE SEWER REMOVED & RELAID	25.000	LF
612(S)	4492	8" PIPE SEWER REMOVED & RELAID	25.000	LF
615(D)	0300	SANITARY SEWER SERVICE CONNECTION	9.000	EA
615(E)	0400	8" PIPEBURST AND SLIPLINE	2,673.000	LF
615(E)	0450	27" PIPEBURST AND SLIPLINE	302.000	LF

LNTCIQA  
 CALL ORDER : 330  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: TILLMAN

FEDERAL PROJECT  
 CONTRACT ID : 000268  
 PCN : 1691004  
 PROJECTS : BRF-171C(19)CO  
 DBE/WBE GOALS: 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 4.30  
 RES. ENG.: 52ALT  
 CAL. DAYS: 150

PAGE 54

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE & APPROACHES  
 COUNTY ROAD(EW-187) OVER JACK CREEK APPROXIMATELY 8.047  
 KILOMETERS NORTH AND 1.609 KILOMETERS WEST OF THE JUNCTION  
 OF SH-36/US-70 IN GRANFIELD.  
 PROJ. LGTH.= 0.319 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	M6181 (PL)EARTHWORK	1.000	LSUM
205	M7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	100.000	M
223	M2802 TEMPORARY SILT FENCE	640.000	M
230(A)	M2806 SOLID SLAB SODDING	5,837.000	M2
230(G)	M2812 WATERING	2,218.000	KL
233(A)	M2817 VEGETATIVE MULCHING	0.600	HA
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	462.000	T
613(CC)	M7188 TYPE C4 CULVERT END TREATMENT	1.000	EA
613(CC)	M7190 TYPE E4 CULVERT END TREATMENT	2.000	EA
613(D)	M5236 1390MM X 970MM CORR. GALV. ST. PIPE ARCH		20.000 M
613(D)	M5723 750MM CORR. GALV. STEEL PIPE	32.000	M
850(A)	M8215 SHEET ALUMINUM SIGNS	1.500	M2
851(C)	M8597 FLANGE CHANNEL POSTS (5.95 KG/M)	12.800	M
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	72.000	M3
501(D)	M6353 UNCLASSIFIED BACKFILL	30.000	M3
503(B)	M6144 PRESTRESSED CONCRETE DOUBLE TEE	150.200	M
504(E)	M1380 CONCRETE RAIL (TR1)	89.500	M
509(A)	M1326 CLASS AA CONCRETE	68.700	M3
509(E)	M1332 CLASS S CONCRETE	47.400	M3
511(A)	M1332 REINFORCING STEEL	10,876.000	KG
514(A)	M6011 PILES, FURNISHED (HP 250X62)	100.000	M
514(B)	M6292 PILES, DRIVEN (HP 250X62)	100.000	M
516(A)	M6092 DRILLED SHAFTS 900MM DIAMETER	40.000	M
601A-1	M1353 TYPE I-A PLAIN RIPRAP	920.000	T
601A-2	M1355 TYPE I-A FILTER BLANKET	235.000	T
619(D)	M1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	M6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	M1399 MOBILIZATION	1.000	LSUM
642	M0098 STAKING	1.000	LSUM



LNTCIQA

FEDERAL PROJECT

PAGE 55

SECTION NO. 0002

X081-BRIDGE 'A'

880(J) M6145

(PL)CONSTRUCTION TRAFFIC CONTROL

1.000

LSUM

LNTCIQA  
 CALL ORDER : 340  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: TULSA

FEDERAL PROJECT  
 CONTRACT ID : 000269  
 PCN : 1367404

PAGE 56

PROJECTS : STPY-72B(448)  
 DBE/WBE GOALS: 8.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 22.01  
 RES. ENG.: 84SS  
 CAL. DAYS: 420 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN AND SURFACE(ASPHALT)  
 FROM US-64/129TH WEST AVE. JCT. (IN SAND SPRINGS) NORTH  
 TO SH-97 IN OSAGE COUNTY  
 PROJ. LGTH.= 5.423 KM.  
 FLEX. ESALS= 0.58 MILLION  
 ASPH. GRADE= 64-22 OK, 64-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	605,809.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	203,803.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210	M0121 OBLITERATING ABANDONED ROAD	3.900	STA
223	M2802 TEMPORARY SILT FENCE	7,085.000	M
224	M2803 TEMPORARY SEDIMENT FILTER	18.000	EA
227	M0100 TEMPORARY SILT DIKE	595.000	M
230(A)	M2806 SOLID SLAB SODDING	38,739.000	M2
230(B)	M2807 MULCH SODDING	137,000.000	M2
230(G)	M2812 WATERING	141,590.000	KL
232(A)	M2813 SEEDING METHOD A	13.700	HA
233(A)	M2817 VEGETATIVE MULCHING	61.700	HA
241	M2832 MOWING	61.700	HA
317(A)	M4252 (SP)FLY ASH	1,975.000	T
317(B)	M4254 SUBGRADE MODIFICATION	77,596.000	M2
317(C)	M4253 LIME	659.000	T
317(D)	M4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	77,596.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	976.000	T
407	M0250 TACK COAT	30,920.000	L
408	M5774 PRIME COAT	52,559.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	24,670.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,330.000	T
413(A)	M4861 RUMBLE STRIP-METHOD AC-CON	10,907.000	M
414(A)	M0261 225MM P.C. CONCRETE PAVEMENT	625.000	M2
417	M4267 COLD MILLING BITUMINOUS PAVEMENT	376.000	M2
509(C)	M0322 CLASS "A" CONC. FOR SMALL STR.	11.500	M3
509(E)	M0325 CLASS "C" CONC.	310.000	M3
511(A)	M0332 REINFORCING STEEL	1,861.000	KG
601(D)	M1390 TYPE IV GROUTED RIPRAP	597.000	M2
610(B)	M0399 150 MM CONCRETE DRIVEWAY (H.E.S.)	158.000	M2
611(E)	M6002 INLET (SMD-TYPE 2)	1.000	EA
611(E)	M6004 INLET (SMD-TYPE 2A)	3.000	EA

SECTION NO. 0001		I000-ROADWAY		
611(E)	M6006	INLET (SMD-TYPE 2B)	7.000	EA
613(B)	M0409	600MM R.C.PIPE CLASS III	32.000	M
613(B)	M0413	750MM R.C.PIPE CLASS III	110.000	M
613(B)	M0415	900MM R.C.PIPE CLASS III	358.000	M
613(B)	M0417	1050MM R.C.PIPE CLASS III	163.000	M
613(B)	M0423	1500MM R.C.PIPE CLASS III	80.000	M
613(D)	M0690	600MM CORR. GALV. STEEL PIPE	286.000	M
613(G)	M0761	600MM GALV. STEEL CULVERT END SECT. RND.		30.000 EA
613(M)	M0898	600MM PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M)	M0899	750MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	M0900	900MM PREFAB. CULVERT END SEC., ROUND	12.000	EA
613(M)	M0980	1050MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	M0983	1500MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	M1089	100MM PERFORATED PIPE UNDERDRAIN ROUND	500.000	M
613(Q)	M1094	100 MM NON-PERF. PIPE UNDERDRAIN RND	100.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	56.000	M3
613(S)	M1180	TRENCH EXCAVATION	4,897.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	1,556.000	M3
619(B)	M4725	REMOVAL OF FENCE	804.000	M
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	470.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	3,779.000	M2
619(B)	M6128	REMOVAL OF GUARD RAIL	73.000	M
619(C)	M0924	SAWING PAVEMENT	268.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	3,398.000	M
623(D)	M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	18.000	EA
624(B)	M4462	GATES-STYLE WWF(1350MM HI X 3600MM LONG)		17.000 EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	11,445.000	M
625(D)	M1254	REMOVE AND RECONSTRUCT GUARD RAIL	61.000	M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002		Y000-TRAFFIC		
850(A)	M8110	SHEET ALUMINUM SIGNS	56.000	M2
851(B)	M3218	75MM @ 11.28 G.STL.PIPE POST	12.000	M
851(B)	M3220	100 MM @ 16.06 GALV.STL.PIPE POST	41.000	M
851(C)	M8327	57 MM SQUARE TUBE POST	236.000	M
853	M9033	DELINEATORS(TYPE 2, CODE 1)	58.000	EA
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	22,332.000	M
855(B)	M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	6.000	EA
855(B)	M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	3.000	EA
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	2,600.000	M
859(A)	M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	200.000	M
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	1,800.000	SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	2,400.000	SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	1,200.000	SD
880(B)	M8827	CONSTRUCTION SIGNS 3.07 M2 & OVER	5,400.000	SD
880(C)	M8842	BARRICEDES(TYPE III)	2,400.000	SD
880(C)	M8848	WING BARRICADES	1,200.000	SD
880(D)	M8854	VERTICAL PANELS	21,000.000	SD
880(M)	M8024	TYPE A LIGHT	5,400.000	SD
880(O)	M8026	TYPE C LIGHT	27,000.000	SD

LNTCIQA

FEDERAL PROJECT

PAGE 58

SECTION NO. 0002	Y000-TRAFFIC		
880(P) M8027	DRUMS	6,000.000	SD
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 380  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: TULSA

FEDERAL PROJECT  
 CONTRACT ID : 000270  
 PCN : 1729104M

PAGE 59

PROJECTS : BHFY-NBIP(99)/BHFY-NBIP(100)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 3.76  
 RES. ENG.: 84SS  
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE PAINTING  
 US-64 OVER SH-151 APPROXIMATELY 0.3 MILE SOUTHEAST OF THE  
 TULSA/OSAGE COUNTY LINE; US-75 OVER SOUTHWEST BLVD. AND  
 UNION RAILWAY IN TULSA.  
 PROJ. LGTH.= 0.0 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X231-BRIDGE 'A' BHFY-NBIP(99)		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X231-BRIDGE 'B' BHFY-NBIP(99)		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
SECTION NO. 0003	X531-BRIDGE 'A' BHFY-NBIP(100)		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 450  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: WASHITA

FEDERAL PROJECT  
 CONTRACT ID : 000273  
 PCN : 1754804

PAGE 60

PROJECTS : IMG-40-2(122)042TR  
 DBE/WBE GOALS: 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 4.30  
 RES. ENG.: 51CLI  
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 GUARDRAIL  
 I-40 FROM BECKHAM COUNTY LINE TO THE CADDO COUNTY LINE  
 PROJ. LGTH.= 0.00 MILES  
 ASPH. GREDE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y002-TRAFFIC CONTROL		
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0002	SFTY-GUARDRAIL		
202(E) 0184	UNCLASSIFIED BORROW	10,000.000	CY
209 5911	(PL)MACHINE GRADING	18,880.000	LF
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,035.400	TON
509(E) 0325	CLASS "C" CONC.	69.960	CY
511(A) 0332	REINFORCING STEEL	2,000.000	LB
619(B) 4780	REMOVAL OF GUARD RAIL	6,875.000	LF
619(C) 0924	SAWING PAVEMENT	500.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	10,462.500	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	3.000	EA
623(H) 8571	G.E.T. GUARD RAIL END SECTION	72.000	EA
641 2917	MOBILIZATION	1.000	LSUM
853(G) 8246	GUARDRAIL DELINEATORS TYPE 4	768.000	EA
870(A) 8011	SAND FILLED IMP. ATTENU. MODULE	418.000	EA
SECTION NO. 0003	NON-PARTICIPATING		
870(B) 8012	IMPACT ATTENU.MODULE(REPLACEMT)	146.000	EA

LNTCIQA  
 CALL ORDER : 460  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: BLAINE

STATE PROJECT  
 CONTRACT ID : 000276  
 PCN : 1835104

PAGE 61

PROJECTS : MC-106C(29) PT.1  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 51CLI  
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 BEGIN AT THE JCT. OF SH-58/SH-51 WEST OF CANTON AND EXTEND  
 NORTH TO SH-58A  
 PROJ. LGTH.= 3.48 MILES  
 FLEX. ESALS= 2.13 MILLION  
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-106C(29) PT 1		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	313.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	4,830.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 470  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: BLAINE

STATE PROJECT  
 CONTRACT ID : 000277  
 PCN : 1835105

PAGE 62

PROJECTS : MC-106C(29) PT.2  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 51CLI  
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 BEGIN AT THE JCT. OF SH-58/SH-58A AND EXTEND NORTH TO THE  
 MAJOR COUNTY LINE ON SH-58  
 PROJ. LGTH.= 5.83 MILES  
 FLEX. ESALS= 2.13 MILLION  
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-106C(29) PT 2		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	525.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,537.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM



LNTCIQA  
 CALL ORDER : 480  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: BLAINE

STATE PROJECT  
 CONTRACT ID : 000278  
 PCN : 1835106

PAGE 63

PROJECTS : MC-106C(29) PT.3  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 51CLI  
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 BEGIN AT THE JCT. OF SH-51/SH-58A WEST OF CANTON AND EXTEND  
 NORTHEAST TO THE JCT. SH-58A/SH-58  
 PROJ. LGTH.= 5.34 MILES  
 FLEX. ESALS= 2.13 MILLION  
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-106C(29) PT 3		
411(C) 5280	(SP)ASPH.CONC.TYPE C(PATCH)(PG 64-22 OK)	481.000	TON
411(C) 6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	6,343.000	TON
417 5267	COLD MILLING PAVEMENT	3,391.000	SY
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 490  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: BLAINE

STATE PROJECT  
 CONTRACT ID : 000279  
 PCN : 1835104C

PAGE 64

PROJECTS : MC-106C(29) PT 1,2,& 3  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 51CLI  
 CAL. DAYS: 45 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

RESURFACE(ASPHALT)  
 BEGIN AT THE JCT. SH-51/SH-58 EXTEND NORTH TO MAJOR C/L  
 AND BEGIN AT JCT. SH-51/SH-58A EXTEND N.E. TO SH-58 ON  
 SH-58A  
 PROJ. LGTH.= 14.65 MILES  
 FLEX. ESALS= 2.13 MILLION  
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY MC-106C(29) PT 1			
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	313.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	4,830.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 I000-ROADWAY MC-106C(29) PT 2			
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	525.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,537.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 I000-ROADWAY MC-106C(29) PT 3			
411(C) 5280	(SP)ASPH.CONC.TYPE C(PATCH)(PG 64-22 OK)	481.000	TON
411(C) 6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	6,343.000	TON
417 5267	COLD MILLING PAVEMENT	3,391.000	SY
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
CALL ORDER : 500  
LETTING DATE : June 22, 2000  
LETTING TIME : 10:30 A.M.  
COUNTIES: CRAIG

STATE PROJECT  
CONTRACT ID : 000280  
PCN : 1837004

PAGE 65

PROJECTS : MC-118C(22)  
DBE/WBE GOALS: 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE: \$ 0.00  
RES. ENG.: 83CLA  
CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
ARMOR COAT  
BEGIN 5.6 MILES WEST OF THE JCT. OF SH-10/US-59  
AND EXTEND EAST ON SH-10  
PROJ. LGTH.= 5.6 MILES  
FLEX. ESALS= 1.0 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
402 5205	(PL)ARMOR COAT	78,850.000	SY

LNTCIQA  
 CALL ORDER : 510  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: CUSTER

STATE PROJECT  
 CONTRACT ID : 000281  
 PCN : 1835204

PAGE 66

PROJECTS : MC-120N(36)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 51CLI  
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 BEGIN 4.03 MILES SOUTH OF SH-33W EXTEND NORTH ON US-183  
 PROJ. LGTH.= 6.35 MILES  
 FLEX. ESALS= 3.2 MILLION  
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)	572.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	13,965.000	TON
417 5267	COLD MILLING PAVEMENT	3,556.000	SY
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 640  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: MAYES

STATE PROJECT  
 CONTRACT ID : 000294  
 PCN : 1836504

PAGE 67

PROJECTS : MC-149B(41)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 83CLA  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 ARMOR COAT  
 BEGIN AT JCT. OF SH-20/SH-82 AND EXTEND EAST ON SH-20  
 PROJ. LGTH.= 2.5 MILES  
 FLEX. ESALS= 1.0 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ROADWAY MC-149B(41)		
402 5205	(PL)ARMOR COAT	35,200.000	SY

LNTCIQA  
 CALL ORDER : 650  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: MAYES

STATE PROJECT  
 CONTRACT ID : 000295  
 PCN : 1836604

PAGE 68

PROJECTS : MC-149B(42)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 83CLA  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 ARMOR COAT  
 BEGIN AT THE JCT. OF SH-82/SH-20 AND EXTEND NORTH ON  
 SH-82  
 PROJ. LGTH.= 5.5 MILES  
 FLEX. ESALS= 1.0 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ARMOR COAT		
402 5205	(PL)ARMOR COAT	77,440.000	SY

LNTCIQA  
 CALL ORDER : 660  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: MAYES

STATE PROJECT  
 CONTRACT ID : 000296  
 PCN : 1836504C

PAGE 69

PROJECTS : MC-149B(41)/MC149B(42)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 83CLA  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT  
 BEGIN AT THE JCT. OF SH-82/SH-20 AND EXTEND NORTH ON SH-82  
 AND EAST ON SH-20  
 PROJ. LGTH.= 8.0 MILES  
 FLEX. ESALS= 1.0 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ROADWAY MC-149B(41)		
402 5205	(PL)ARMOR COAT	35,200.000	SY
SECTION NO. 0002	F000-ROADWAY MC-149B(42)		
402 5205	(PL)ARMOR COAT	77,440.000	SY

LNTCIQA  
 CALL ORDER : 680  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: OTTAWA

STATE PROJECT  
 CONTRACT ID : 000298  
 PCN : 1837304

PAGE 70

PROJECTS : CMC-158A(30)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 83CLA  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 BEGIN AT 4TH AVE. NW. ON US-69 AND EXTEND NORTH  
 PROJ. LGTH.= 5.00 MILES  
 FLEX. ESALS= 2.0 MILLION  
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-RESURFACE(ASPHALT)		
202(E) 1302	UNCLASSIFIED BORROW	100.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	50.000	TON
407 0250	TACK COAT	7,630.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,033.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	11,037.000	TON
417 5267	COLD MILLING PAVEMENT	105,600.000	SY



LNTCIQA  
 CALL ORDER : 700  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: ROGERS

STATE PROJECT  
 CONTRACT ID : 000300  
 PCN : 1836904

PAGE 71

PROJECTS : MC-166C(48)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 83CLA  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 BEGIN 1.4 MILES NORTH OF JUNCTION SH-66/SH-20 IN CLAREMONE  
 EXTEND NORTH ON SH-66  
 PROJ. LGTH.= 8.0 MILES  
 FLEX. ESALS= 2.0 MILLION  
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-RESURFACE(ASPHALT)		
202(E) 1302	UNCLASSIFIED BORROW	3,900.000	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	50.000	TON
407 0250	TACK COAT	11,476.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	6,060.000	TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	14,349.000	TON
417 5267	COLD MILLING PAVEMENT	1,500.000	SY