

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : May 26, 2000

LNTCNCA  
LETING

NOTICE TO CONTRACTORS -- June 22, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF June 22, 2000 , TO BE PUBLICALLY OPENED AT 2:00 P.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 2:00 P.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$23.07 PLUS \$1.93 TAX (OKLAHOMA TAX IS 8.375%) FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$7.38 PLUS \$.62 TAX. MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:



LNTCIQA  
 CALL ORDER : 010  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: CANADIAN

FEDERAL PROJECT  
 CONTRACT ID : 000252  
 PCN : 1726104  
 PROJECTS : BRF-109C(25)CO  
 DBE/WBE GOALS: 12.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 3.76  
 RES. ENG.: 42ELR  
 CAL. DAYS: 120

PAGE 1

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE & APPROACHES(ASPHALT)  
 CALUMET ROAD(NS-274) OVER AN UNNAMED CREEK APPROXIMATELY  
 2.41 KILOMETERS NORTH OF THE TOWN OF CALUMET.  
 PROJ. LGTH.= 0.239 KM.  
 FLEX. ESALS= 1.7 MILLION  
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(G)	M0185	EARTHWORK	1.000 LSUM
223	M2802	TEMPORARY SILT FENCE	460.000 M
227	M0100	(PL)TEMPORARY SILT DIKE	50.000 M
230(A)	M2806	SOLID SLAB SODDING	5,375.000 M2
233(A)	M2817	VEGETATIVE MULCHING	1.080 HA
407	M0250	TACK COAT	500.000 L
408	M5774	PRIME COAT	1,446.000 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	459.000 T
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	221.000 T
509(D)	M0325	CLASS C CONCRETE	19.000 M3
613(D)	M5719	450MM CORR. GALV. STEEL PIPE	11.600 M
613(M)	M5726	450MM PREFAB. CULVERT END SECTION, ROUND	2.000 EA
854(A)	M8800	TRAFFIC STRIPE(PAINT)(100MM WIDE)	960.000 M
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	75.000 M3
501(D)	M6353	UNCLASSIFIED BACKFILL	30.000 M3
503(B)	M6144	PRESTRESSED CONCRETE DOUBLE TEE	47.400 M
504(E)	M1380	CONCRETE RAIL (TR1)	37.500 M
509(A)	M1326	CLASS AA CONCRETE	23.000 M3
509(E)	M1332	CLASS S CONCRETE	22.400 M3
511(A)	M1332	REINFORCING STEEL	4,445.000 KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	98.400 M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	98.400 M
601A-1	M1353	TYPE I-A PLAIN RIPRAP	440.000 T
601A-2	M1355	TYPE I-A FILTER BLANKET	120.000 T
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(F)	M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	3.000 EA
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	3.000 EA
623(F)	M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	1.000 EA
641	M1399	MOBILIZATION	1.000 LSUM

LNTCIQA

FEDERAL PROJECT

PAGE 2

SECTION NO. 0002	X081-BRIDGE 'A'		
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 020  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: CARTER

STATE PROJECT  
 CONTRACT ID : 000340  
 PCN : 1700609

PAGE 3

PROJECTS : CIP-110N(41)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 14.50  
 RES. ENG.: 72ARD  
 CAL. DAYS: 210 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:  
 SURFACE(ASPHALT)  
 ON US-70 BEGINNING AT THE JUNCTION OF US-70/US-77 AND  
 EXTENDING EAST.  
 PROJ. LGTH.= 5.124 MI.  
 FLEX. ESALS= 2.4 MILLION  
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY(BASE BID ITEMS)			
223	2801 (PL)TEMPORARY SILT FENCE	3,500.000	LF
227	0100 (PL)TEMPORARY SILT DIKE	1,000.000	LF
230(A)	2806 SOLID SLAB SODDING	11,885.300	SY
230(G)	2812 WATERING	475.400	MGAL
241	2832 MOWING	30.000	AC
303	0192 AGGREGATE BASE	15,744.400	CY
307(A)	4233 LIME	1,700.400	TON
307(B)	4235 8" LIME TREATED SUBGRADE	94,466.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,225.000	TON
407	0250 TACK COAT	9,761.900	GAL
408	5774 (SU)PRIME COAT	14,642.400	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	21,412.300	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	9,639.800	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,604.800	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	6,558.100	TON
417	5267 COLD MILLING PAVEMENT	4,141.000	SY
609(B)	1526 2'-8"COMB.CRB.&GUT.(8"BAR.CURB)	254.000	LF
613(P)	1091 6" PERFORARED PIPE UNDERDRAIN ROUND	500.000	LF
613(Q)	1096 6"RND.NON-PERF.PIPE UNDERDRAIN	500.000	LF
613(R)	1100 PIPE UNDERDRAIN COVER MAT'L.	50.000	CY
613(S)	1180 TRENCH EXCAVATION	500.000	CY
619(B)	4727 REMOVAL OF CONCRETE PAVEMENT	77.800	SY
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	2,996.300	SY
619(B)	4780 REMOVAL OF GUARD RAIL	1,300.000	LF
623(A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	625.000	LF
623(F)	5686 GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	8571 (SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
629(A)	4958 (SU)MAILBOX INSTALLATION-SINGLE	5.000	EA
629(C)	4960 (SU)MAILBOX	5.000	EA
629(D)	4961 (SU)REMOVAL OF MAILBOX INSTALLATION	5.000	EA
641	1552 MOBILIZATION	1.000	LSUM
900.64	6181 (PL)EARTHWORK	1.000	LSUM
SECTION NO. 0002 I000-ROADWAY(ADD ALTERNATE 1)			

230(A)	2806	SOLID SLAB SODDING	326.100	SY
230(G)	2812	WATERING	13.100	MGAL
303	0192	AGGREGATE BASE	563.000	CY
307(A)	4233	LIME	60.800	TON
307(B)	4235	8" LIME TREATED SUBGRADE	3,377.700	SY
407	0250	TACK COAT	337.800	GAL
408	5774	(SU)PRIME COAT	506.600	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		663.300 TON
411(A)	6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)		408.200 TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		99.500 TON
411(B)	6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)		278.800 TON
900.64	6181	(PL)EARTHWORK	1.000	LSUM

## SECTION NO. 0003 I000-ROADWAY(ADD ALTERNATE 2)

230(A)	2806	SOLID SLAB SODDING	447.600	SY
230(G)	2812	WATERING	17.900	MGAL
303	0192	AGGREGATE BASE	804.800	CY
307(A)	4233	LIME	86.900	TON
307(B)	4235	8" LIME TREATED SUBGRADE	4,829.000	SY
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	200.000	TON
407	0250	TACK COAT	482.800	GAL
408	5774	(SU)PRIME COAT	724.300	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		1,002.600 TON
411(A)	6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)		540.700 TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		174.000 TON
411(B)	6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)		366.800 TON
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	5,346.300	SY
900.64	6181	(PL)EARTHWORK	1.000	LSUM

## SECTION NO. 0004 Y000-TRAFFIC(BASE BID ITEMS)

802(B)	8054	3" PVC SCH.40 PLASTIC CONDUIT BORED	350.000	LF
802(B)	8059	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	50.000	LF
803	8066	PULL BOX(SIZE II)	4.000	EA
804	2915	STRUCTURAL CONCRETE	12.800	CY
804	2916	REINFORCING STEEL	1,790.000	LB
806(A)	8428	32'MH POLE 40'TS&20'LMA(G.STL.)	2.000	EA
806(A)	8473	32'MH POLE 55'TS&15'LMA(G.STL.)	2.000	EA
809(A)	8097	ROADWAY LUMINAIRE(250 WATT HPS)	4.000	EA
811	8107	1/C NO.10 ELECT.COND.	1,500.000	LF
811	8109	1/C NO.6 ELECT.COND.	300.000	LF
827	8623	SOLID STATE FLASHER CONTROLLER(TYPE II)		1.000 EA
831	8175	1WAY1SEC.ADJ.SIG.HD.(MAM)S-22	10.000	EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	550.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	904.170	SF
850(C)	8525	MAST ARM MOUNTED SIGNS(ALUM.)	14.250	SF
851	8617	(PL) 2" SQUARE TUBE POST	873.000	LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	553.000	LF
851(B)	3217	2 1/2"@5.79GALV.STL.PIPE POSTS	31.000	LF
851(B)	3218	3" @ 7.58 GALV. STL.PIPE POSTS	104.000	LF
851(B)	3219	3 1/2"@9.11GALV.STL.PIPE POSTS	72.000	LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	97,103.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	9.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	12.000	EA
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	2,000.000	LF

SECTION NO. 0004	Y000-TRAFFIC(BASE BID ITEMS)		
859(A) 8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	45,775.000	LF
859(B) 8007	PAVEMENT MARKING REMOV.(ARROWS)	4.000	EA
859(C) 8008	PAVEMENT MARKING REMOV.(WORDS)	4.000	EA
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
960.23 8123	(PL)REM. OF TRAFFIC SIG. EQUIPMENT	1.000	LSUM
960.62 8315	(PL) REMOVAL OF EXISTING SIGNS	14.000	EA
961.42 8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	1,000.000	EA
SECTION NO. 0005	Y000-TRAFFIC(ADD ALTERNATE 1)		
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,588.000	LF
859(A) 8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	1,825.000	LF
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0006	Y000-TRAFFIC(ADD ALTERNATE 2)		
850(A) 8215	SHEET ALUMINUM SIGNS	21.250	SF
851 8642	(PL) 2 1/4" SQUARE TUBE POST	52.500	LF
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,806.000	LF
859(A) 8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	2,480.000	LF
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
960.62 8315	(PL) REMOVAL OF EXISTING SIGNS	1.000	EA
SECTION NO. 0007	STAK-STAKING(BASE BID)		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0008	STAK-STAKING(ADD ALTERNATE 1)		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0009	STAK-STAKING(ADD ALTERNATE 2)		
642 0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 075  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: HUGHES

STATE PROJECT  
 CONTRACT ID : 000143  
 PCN : 1045009  
 PROJECTS : CIP-132B(20)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 21.48  
 RES. ENG.: 31ADA  
 CAL. DAYS: 300

PAGE 6

LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:  
 GRADE, DRAIN & SURFACE(ASPHALT)  
 ON US-75 BEGINNING APPROXIMATELY 1.7 MILE SOUTH OF THE  
 JUNCTION OF US-75/SH-9 AND EXTENDING NORTN.  
 PROJ. LGTH.= 2.164 MILES  
 FLEX ESALS = 2.7 MILLION  
 ASPH GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY ITEMS (PART 1)		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	8,467.000	CY
202(E)	0184 UNCLASSIFIED BORROW	2,734.000	CY
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	596.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	1,760.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	10.000	EA
225	2804 TEMPORARY SEDIMENT BASIN	6.000	EA
230(A)	2806 SOLID SLAB SODDING	19,340.000	SY
230(G)	2812 WATERING	1,235.000	MGAL
232(B)	2814 SEEDING METHOD B	5.800	AC
233(A)	2817 VEGETATIVE MULCHING	15.300	AC
234(A)	2824 FERTILIZING (10-20-10)	2.650	TON
234(A)	4406 FERTILIZING (0-46-0)	0.720	TON
241	2832 MOWING	9.500	AC
303	0192 AGGREGATE BASE	2,212.000	CY
317(A)	4252 FLY ASH	1,012.000	TON
317(C)	4254 SUBGRADE MODIFICATION	20,830.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	991.000	TON
407	0250 TACK COAT	2,116.000	GAL
408	5774 (SU)PRIME COAT	5,686.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	3,332.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,677.000	TON
411(C)	6560 (SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	250.000	TON
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	24.000	CY
509(B)	0321 CLASS A CONCRETE	109.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	44.000	CY
509(E)	0325 CLASS "C" CONC.	33.000	CY
511(A)	0332 REINFORCING STEEL	12,650.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	10.000	TON
602(A)	4154 GABIONS	325.000	CY
602(B)	5266 FILTER FABRIC (GABIONS)	528.000	SY
609(B)	1511 1'-8"COMB.CRB&GUTTER(4"MNT.CRB)	278.000	LF



SECTION NO. 0001		I000-ROADWAY ITEMS (PART 1)	
609(B)	1525	2'-8" COMB. CRB. & GUT. (6" BAR. CURB)	3,400.000 LF
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	212.000 SY
611(A)	2657	MANHOLE (4' DIA.)	2.000 EA
611(A)	2658	MANHOLE (5' DIA.)	1.000 EA
611(B)	2681	ADD'L DEPTH IN MANHOLE (5' DIA.)	5.300 VF
611(D)	4215	MANHOLE FRAME & COVER	3.000 EA
611(E)	5315	INLET CICI DES. 2 (STD)	5.000 EA
611(E)	5316	INLET CICI DES. 2 (B)	3.000 EA
611(F)	5362	INLET CICI DES. 2 (STD, ADD'L DEPTH)	1.130 VF
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	16.000 EA
611(K)	4488	CAST IRON CURB INLETS	22.000 EA
611(L)	4209	DROP INLET GRATE (SMD-TYPE 1)	8.000 EA
613(B)	0491	18" R.C.PIPE CLASS III	1,113.000 LF
613(B)	0492	24" R.C.PIPE CLASS III	76.000 LF
613(B)	0493	30" R.C.PIPE CLASS III	8.000 LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	45.000 EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	595.000 LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	868.000 LF
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	3.000 EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	800.000 LF
613(Q)	1096	6" RND.NON-PERF.PIPE UNDERDRAIN	200.000 LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	240.000 CY
613(S)	1180	TRENCH EXCAVATION	639.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	534.000 CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	0291	REMOVAL OF HEADWALL	18.000 EA
619(B)	4725	REMOVAL OF FENCE	2,181.000 LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	500.000 SY
619(C)	0924	SAWING PAVEMENT	4,400.000 LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	288.000 LF
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	1.000 EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,311.000 LF
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	18.000 EA
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE	2.000 EA
629(C)	4960	(SU)MAILBOX	23.000 EA
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	23.000 EA
640	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	10.000 EA
SECTION NO. 0002		I000-ROADWAY ITEMS (PART 2 ADD ALTERNATE)	
201	0102	CLEARING AND GRUBBING	1.000 LSUM
202(C)	0183	UNCLASSIFIED EXCAVATION	407.000 CY
202(H)	0111	LINEAR GRADING	23.550 STA
205	7174	(PL)TOPSOIL - LUMP SUM	1.000 LSUM
222	2801	TEMPORARY BALE BARRIER	200.000 LF
223	2801	(PL)TEMPORARY SILT FENCE	500.000 LF
224	2803	TEMPORARY SEDIMENT FILTER	10.000 EA
225	2804	TEMPORARY SEDIMENT BASIN	1.000 EA
230(A)	2806	SOLID SLAB SODDING	8,614.000 SY
230(G)	2812	WATERING	345.000 MGAL
233(A)	2817	VEGETATIVE MULCHING	1.690 AC
234(A)	2824	FERTILIZING (10-20-10)	0.860 TON

SECTION NO.	0002	I000-ROADWAY ITEMS (PART 2 ADD ALTERNATE)		
234(A)	4406	FERTILIZING (0-46-0)	0.130	TON
241	2832	MOWING	1.690	AC
310(B)	0149	SUBGRADE, METHOD B	3,173.000	SY
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	860.000	TON
407	0250	TACK COAT	866.000	GAL
408	5774	(SU)PRIME COAT	476.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,136.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	708.000	TON
411(C)	6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	416.000	TON
417	5267	COLD MILLING PAVEMENT	6,878.000	SY
506(A)	6005	STRUCTURAL STEEL A36	2,470.000	LB
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	88.200	CY
509(E)	0325	CLASS "C" CONC.	5.000	CY
511(A)	0332	REINFORCING STEEL	11,588.000	LB
601(A)	0297	TYPE I PLAIN RIPRAP	10.000	TON
609(B)	1523	2'-8"COMB.CRB.&GUT.(4"MNT.CURB)	4,731.000	LF
610(A)	0602	4" CONCRETE SIDEWALK	78.000	SY
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	358.000	SY
611(D)	4215	MANHOLE FRAME & COVER	12.000	EA
611(E)	5305	INLET CICI DES. 1 (STD)	1.000	EA
611(E)	5315	INLET CICI DES. 2 (STD)	1.000	EA
611(E)	5316	INLET CICI DES. 2 (B)	1.000	EA
611(E)	5317	INLET CICI DES. 2 (D)	8.000	EA
611(F)	5352	INLET CICI DES. 1 (STD, ADD'L DEPTH)	0.080	VF
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	55.000	EA
611(K)	4488	CAST IRON CURB INLETS	89.000	EA
611(L)	4209	DROP INLET GRATE (SMD-TYPE 1)	1.000	EA
612(A)	0641	MANHOLES ADJUST TO GRADE	5.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	260.000	LF
613(B)	0493	30" R.C.PIPE CLASS III	341.000	LF
613(B)	0494	36" R.C.PIPE CLASS III	208.000	LF
613(B)	0495	42" R.C.PIPE CLASS III	935.000	LF
613(B)	0496	48" R.C.PIPE CLASS III	279.000	LF
613(B)	4520	19" X 30" R.C.PIPE ELL. CLASS HE-IV	379.000	LF
613(B)	5162	12" R.C.PIPE CLASS III	83.000	LF
613(M)	0981	48" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	800.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	200.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	240.000	CY
613(S)	1180	TRENCH EXCAVATION	2,583.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	1,807.000	CY
619(B)	4726	REMOVAL OF CURB AND GUTTER	4,709.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	948.000	SY
619(C)	0924	SAWING PAVEMENT	6,564.000	LF
SECTION NO.	0003	Y060-WATER LINE (PART 1)		
616(B)	5197	4" POLYVINYL CHLORIDE (PVC) PIPE	590.000	LF
616(B)	5199	8" POLYVINYL CHLORIDE (PVC) PIPE	20.000	LF
616(B)	5215	1" POLYVINYL CHLORIDE (PVC) PIPE	250.000	LF
616(B)	5218	2" POLYVINYL CHLORIDE (PVC) PIPE	354.000	LF
616(D)	0862	8" VALVES	1.000	EA
616(F)	5204	(PL)METER INSTALLATION 5/8"	15.000	EA
616(I)	0020	8" SOLID SLEEVE	1.000	EA

SECTION NO. 0003		Y060-WATER LINE (PART 1)	
616(K)	0044	8" 45 DEGREE FITTING	2.000 EA
616(L)	0072	8" X 4" REDUCER	1.000 EA
616(N)	0090	SERVICE CONNECTION (SHORT)	9.000 EA
616(N)	0092	SERVICE CONNECTION (LONG)	6.000 EA
616(N)	0093	WET CONNECTION	2.000 EA
617(A)	1014	TEST SYSTEM	1.000 EA
617(A)	1015	WATER SAMPLE ANALYSIS	1.000 EA
SECTION NO. 0004		Y060-WATER LINE (PART 2 ADD ALTERNATE)	
616(B)	5197	4" POLYVINYL CHLORIDE (PVC) PIPE	1,280.000 LF
616(B)	5199	8" POLYVINYL CHLORIDE (PVC) PIPE	40.000 LF
616(D)	0860	4" VALVES	3.000 EA
616(D)	0862	8" VALVES	2.000 EA
616(F)	5204	(PL)METER INSTALLATION 5/8"	8.000 EA
616(I)	0020	8" SOLID SLEEVE	2.000 EA
616(J)	0026	8" X 8" X 6" TEE	1.000 EA
616(K)	0044	8" 45 DEGREE FITTING	4.000 EA
616(L)	0072	8" X 4" REDUCER	2.000 EA
616(N)	0090	SERVICE CONNECTION (SHORT)	3.000 EA
616(N)	0092	SERVICE CONNECTION (LONG)	5.000 EA
616(N)	0093	WET CONNECTION	3.000 EA
617(A)	1014	TEST SYSTEM	1.000 EA
617(A)	1015	WATER SAMPLE ANALYSIS	1.000 EA
SECTION NO. 0005		Y000-TRAFFIC ITEMS (PART 1)	
804	2915	STRUCTURAL CONCRETE	5.120 CY
850(A)	8215	SHEET ALUMINUM SIGNS	166.000 SF
851	8616	(PL) 1 3/4" SQUARE TUBE POST	10.000 LF
851	8617	(PL) 2" SQUARE TUBE POST	57.000 LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	247.000 LF
853(D)	3313	DELINEATORS TYPE 2 CODE 1	32.000 EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	33,600.000 LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	2,000.000 LF
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	1,000.000 LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	100.000 LF
960.16	8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
960.18	8142	(PL)REMOVAL OF EXISTING SIGNS	1.000 LSUM
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2	8,000.000 EA
SECTION NO. 0006		Y000-TRAFFIC ITEMS (PART 2 ADD ALTERNATE)	
804	2915	STRUCTURAL CONCRETE	4.220 CY
850(A)	8215	SHEET ALUMINUM SIGNS	147.000 SF
851	8616	(PL) 1 3/4" SQUARE TUBE POST	22.000 LF
851	8617	(PL) 2" SQUARE TUBE POST	49.000 LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	218.000 LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6,095.000 LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	2,000.000 LF
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	1,000.000 LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	100.000 LF
960.16	8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
960.18	8142	(PL)REMOVAL OF EXISTING SIGNS	1.000 LSUM

SECTION NO. 0006	Y000-TRAFFIC ITEMS (PART 2 ADD ALTERNATE)		
961.43 8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2	2,000.000	EA
SECTION NO. 0007	STAK-STAKING (PART 1)		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0008	STAK-STAKING (PART 2 ADD ALTERNATE)		
642 0098	STAKING	1.000	LSUM

LNTCIQA  
CALL ORDER : 080  
LETTING DATE : June 22, 2000  
LETTING TIME : 2:00 P.M.  
COUNTIES: KINGFISHER

FEDERAL PROJECT  
CONTRACT ID : 000255  
PCN : 1623904  
PROJECTS : BRFY-NBIP(63)  
DBE/WBE GOALS: 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE: \$ 1.61  
RES. ENG.: 41PER  
CAL. DAYS: 90

PAGE 11

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
BRIDGE PAINTING  
SH-51 OVER SKELETON CREEK, 11.3 MILES EAST OF JCT.  
US-81/SH-51  
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE 'A'		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 131  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: MCCURTAIN

STATE PROJECT  
 CONTRACT ID : 000304  
 PCN : 1840904

PAGE 12

PROJECTS : SAP-145N(40)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 21ANT  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 BEGIN AT THE JCT. OF SH-70 TRUCK ROUTE AND EXTEND NORTH  
 ON US-259  
 PROJ. LGTH.= 0.75 MILES  
 FLEX. ESALS= 9.2 MILLION  
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-RESURFACE(ASPHALT)		
407 0250	TACK COAT	1,144.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,922.000	TON
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	11,000.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	1.000	EA

LNTCIQA  
 CALL ORDER : 170  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: NOBLE

FEDERAL PROJECT  
 CONTRACT ID : 000159  
 PCN : 1624204M

PAGE 13

PROJECTS : STPY-NBIP(66)/IMY-NBIP-0(101)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 3.22  
 RES. ENG.: 41PER  
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

BRIDGE PAINTING  
 US-64 OVER COW CREEK APPROXIMATELY 0.7 MILE EAST OF THE  
 JUNCTION OF US-64/US-77 IN PERRY; I-35 OVER RED ROCK CREEK  
 APPROXIMATELY 5.0 MILE NORTH OF THE JUNCTION OF I-35/US-412.  
 PROJ. LGTH.= 0.0 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X041-BRIDGE 'A' STPY-NBIP(66)		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X041-BRIDGE 'A' & 'B' IMY-NBIP-0(101)000 IR		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 180  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: NOBLE

FEDERAL PROJECT  
 CONTRACT ID : 000160  
 PCN : 1624205M

PAGE 14

PROJECTS : IMY03504(177)199IR/STPY-152B(3)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 7.52  
 RES. ENG.: 41PER  
 CAL. DAYS: 45 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

JOINT SEAL  
 I-35 OVER RED ROCK CREEK, 21.8 MI. NORTH OF PAYNE COUNTY  
 LINE AND BRIDGE OVER COW CREEK, 0.7 MI. EAST OF JCT.  
 US-77/US-64 IN PERRY  
 PROJ. LGTH.= 0.00 MILES  
 FLEX. ESALS= 17.5 MILLION  
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 X041-BRIDGE 'A' AND 'B'			
407	0250 TACK COAT	310.000	GAL
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	510.000	TON
417	5267 COLD MILLING PAVEMENT	3,070.000	SY
504(H)	6390 RAPID CURE JOINT SEALANT	242.500	LF
504(I)	6389 ELASTOMERIC MORTAR	59.100	CF
505	6139 (PL) MEMBRANE	3,070.000	SY
505(B)	6019 CLASS B BRIDGE DECK REPAIR	50.000	SY
505(C)	6020 CLASS C BRIDGE DECK REPAIR	50.000	SY
509(A)	1326 CLASS AA CONCRETE	28.000	CY
511(A)	1332 REINFORCING STEEL	8,720.000	LB
619(D)	5156 (PL)REMOVAL OF EXISTING BRIDGE ITEMS	1.000	LSUM
641	1399 MOBILIZATION	1.000	LSUM
SECTION NO. 0002 Y002-TRAFFIC			
855(A)	3318 TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,700.000	LF
857	8243 PAV. MARKERS CLASS C TYPE 2-C	8.000	EA
876(C)	8482 (PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(K)	8908 SURVEILLANCE TRAFFIC CONTROL	60.000	SD
882(A)	8306 PORTABLE CHANGEABLE MESSAGE SIGN	60.000	SD
890	7702 (PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0003 X041-BRIDGE 'A'			
419	4152 CONCRETE JOINT REHABILITATION	72.000	LF
504(H)	6390 RAPID CURE JOINT SEALANT	75.200	LF
504(I)	6389 ELASTOMERIC MORTAR	4.050	CF
509(A)	1326 CLASS AA CONCRETE	4.400	CY
511(A)	1332 REINFORCING STEEL	990.000	LB
619(B)	6284 REMOVAL OF EXPANSION SHOES	7.000	EA
619(B)	6353 REMOVAL OF FIXED SHOES	9.000	EA
619(D)	5156 (PL)REMOVAL OF EXISTING BRIDGE ITEMS	1.000	LSUM



SECTION NO. 0003		X041-BRIDGE 'A'		
641	1399	MOBILIZATION	1.000	LSUM
900.22	6145	(PL) CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
900.51	6174	(PL) FALSEWORK AND JACKING	1.000	LSUM
901.97	6423	(PL) BEAM REPAIR	7.000	EA

LNTCIQA  
 CALL ORDER : 190  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: OKFUSKEE

STATE PROJECT  
 CONTRACT ID : 000022  
 PCN : 1050411  
 PROJECTS : CIP-154C(17)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 31.14  
 RES. ENG.: 33WEW  
 CAL. DAYS: 270

PAGE 16

LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:  
 GRADE, DRAIN & SURFACE(ASPHALT)  
 ON SH-27 BEGINNING APPROXIMATELY 6.9 MILE SOUTH OF THE  
 CITY OF OKEMAH AND EXTENDING NORTH.  
 PROJ. LGTH.= 6.6434 MI.  
 FLEX. ESALS= 0.81 MILLION  
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	8,819.000	CY
202(E)	0184 UNCLASSIFIED BORROW	11,075.000	CY
202(H)	0111 LINEAR GRADING	44.700	STA
222	2801 TEMPORARY BALE BARRIER	750.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	800.000	LF
230(A)	2806 SOLID SLAB SODDING	4,222.000	SY
230(G)	2812 WATERING	323.000	MGAL
232(B)	2814 SEEDING METHOD B	2.860	AC
233(A)	2817 VEGETATIVE MULCHING	6.980	AC
234(A)	2824 FERTILIZING (10-20-10)	0.490	TON
241	2832 MOWING	3.490	AC
303	0192 AGGREGATE BASE	182.000	CY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,661.000	TON
407	0250 TACK COAT	307.000	GAL
408	5774 (SU)PRIME COAT	298.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	467.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	480.000	TON
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	317.000	CY
509(B)	0321 CLASS A CONCRETE	996.490	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	107.950	CY
509(E)	0325 CLASS "C" CONC.	85.000	CY
511(A)	0332 REINFORCING STEEL	158,304.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	100.000	TON
611(E)	5390 INLET CDI RCB(90SK) DES. 4	1.000	EA
611(E)	5393 INLET CDI RCB(90SK) DES. 7	1.000	EA
611(E)	5397 INLET CDI RCB(90SK) DES. 11	1.000	EA
613(B)	0492 24" R.C.PIPE CLASS III	20.000	LF
613(B)	0494 36" R.C.PIPE CLASS III	120.000	LF
613(CC)	7186 TYPE A4 CULVERT END TREATMENT	1.000	EA
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	1.000	EA
613(D)	0689 18" CORR. GALV. STEEL PIPE	80.000	LF
613(D)	0690 24" CORR. GALV. STEEL PIPE	60.000	LF

SECTION NO. 0001		I000-ROADWAY	
613(D)	0692	36" CORR. GALV. STEEL PIPE	64.000 LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	38.000 LF
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND	4.000 EA
613(M)	4636	21" X 15" PREFAB. CULVERT END SEC., ARCH	1.000 EA
613(S)	1180	TRENCH EXCAVATION	147.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	75.000 CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	869.000 SY
619(C)	0924	SAWING PAVEMENT	616.000 LF
622(A)	4746	PIPE RAILING	57.000 LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	150.000 LF
623(F)	4446	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000 EA
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000 EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	6,907.000 LF
640	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM
SECTION NO. 0002		Y000-TRAFFIC	
854	3316	TRAFFIC STRIPE (PAINT)(4" WIDE)	6,591.000 LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	1,155.000 LF
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	1,000.000 LF
960.16	8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2	4,000.000 EA
SECTION NO. 0003		STAK-STAKING	
642	0098	STAKING	1.000 LSUM

LNTCIQA  
 CALL ORDER : 200  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: OKLAHOMA

STATE PROJECT  
 CONTRACT ID : 000041  
 PCN : 1698108

PAGE 18

PROJECTS : CIP-155A(186)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 460KC  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

RESURFACE  
 ON US-62(N.E. 23RD STREET) BEGINNING AT THE JUNCTION OF  
 US-62/I-35 AND EXTENDING EAST.  
 PROJ. LGTH.= 1.9 MI.  
 FLEX. ESALS= 2.3 MILLION  
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	I000-ROADWAY		
205 5209	(PL)TOPSOIL	100.000	CY
303 0192	AGGREGATE BASE	200.000	CY
407 0250	TACK COAT	3,000.000	GAL
411(A) 5269	(PL)ASPHALT CONCRETE TYPE A (PATCHING)	985.000	TON
411(BH) 6690	(SP)ASPHALT CONCRETE TYPE BH(PG70-28OK)	6,200.000	TON
414(BB) 5757	8" H.E.S. DOWEL JOINTED CONCRETE PAV	660.000	SY
417 5267	COLD MILLING PAVEMENT	4,800.000	SY
419 4152	CONCRETE JOINT REHABILITATION	3,200.000	LF
612(A) 0641	MANHOLES ADJUST TO GRADE	16.000	EA
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	660.000	SY
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	1,712.000	SY
SECTION NO. 0002	Y002-TRAFFIC SIGNING & STRIPING		
828(B) 8494	LOOP DETECTOR WIRE	700.000	LF
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	47,000.000	LF
855(B) 3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
855(C) 3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA
859(A) 8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	3,000.000	LF
859(B) 8007	PAVEMENT MARKING REMOV.(ARROWS)	4.000	EA
859(C) 8008	PAVEMENT MARKING REMOV. (WORDS)	2.000	EA
SECTION NO. 0003	Y008-CONST.TRAFFIC CONTROL		
880(C) 8015	ADVANCE WARNING DEVICE (TYPE C)	70.000	SD
880(D) 8016	SIGNS 0 TO 6.25 SF	200.000	SD
880(E) 8017	SIGNS 6.26 TO 15.99 SF	200.000	SD
880(F) 8018	SIGNS 16.0 SF TO 32.99 SF	500.000	SD
880(I) 8020	BARRICADES(TYPE II)	500.000	SD
880(J) 8021	BARRICADES(TYPE III)	100.000	SD
880(K) 8022	WING BARRICADES	300.000	SD
880(M) 8024	TYPE A LIGHT	1,000.000	SD
880(O) 8026	TYPE C LIGHT	500.000	SD

SECTION NO. 0003      Y008-CONST.TRAFFIC CONTROL

880(P)	8027	DRUMS	500.000	SD
880(T)	8615	(PL)CONES(LARGE)	1,000.000	SD

LNTCIQA  
 CALL ORDER : 210  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: OKLAHOMA

STATE PROJECT  
 CONTRACT ID : 000042  
 PCN : 1740904

PAGE 20

PROJECTS : CIP-155N(159)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 150.33  
 RES. ENG.: 44EDM  
 CAL. DAYS: 520 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGES & SURFACE  
 ON BROADWAY EXTENSION(US-77) BEGINNING APPROXIMATELY 0.966  
 KILOMETERS SOUTH OF HEFNER ROAD AND EXTENDING NORTH.  
 PROJ. LGTH.= 2.569 KM.  
 FLEX. ESALS= 34.1 MILLION  
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	J000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	70,023.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	30,498.000	M3
202(C)	M4781 UNCLASSIFIED BORROW (TOPSOIL)	7,500.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	M2802 TEMPORARY SILT FENCE	4,850.000	M
224	M2803 TEMPORARY SEDIMENT FILTER	38.000	EA
227	M0100 (PL)TEMPORARY SILT DIKE	172.000	M
230(A)	M2806 SOLID SLAB SODDING	149,086.000	M2
230(F)	M2812 WATERING	40,199.000	KL
232(B)	M2814 SEEDING METHOD B	14.520	HA
232(D)	M2816 WATERING	26,136.000	KL
233(A)	M2817 VEGETATIVE MULCHING	14.520	HA
234(A)	M2824 FERTILIZING (10-20-10)	15.990	T
235(B)	M0101 (PL)ROCK FILTER DAM, TYPE 2	18.000	M3
310(B)	M0149 SUBGRADE, METHOD B	5,000.000	M2
317(A)	M4252 FLY ASH	7,051.000	T
317(B)	M4254 SUBGRADE MODIFICATION	133,566.000	M2
317(C)	M4253 LIME	1,411.000	T
317(D)	M4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	133,566.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	T
407	M0250 TACK COAT	21,446.000	L
408	M5774 PRIME COAT	118,878.000	L
411(A)	M5269 (PL)ASPHALT CONCRETE TYPE A (PATCHING)	2,465.000	T
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	28,397.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	21,220.000	T
414(A1)	M5754 225MM P.C. DOWEL JOINTED CONCRETE PAV	40,935.000	M2
414(A1)	M5757 275MM P.C. DOWEL JOINTED CONCRETE PAV	106,598.000	M2
417	M4267 COLD MILLING BITUMINOUS PAVEMENT	58,576.000	M2
417	M4659 (PL) FOG SEAL	26,358.000	L
501(A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	209.000	M3
501(G)	M6309 CLSM BACKFILL	104.200	M3
504(F)	M1381 CONCRETE PARAPET	1,418.000	M

SECTION NO. 0001

J000-ROADWAY

509(A)	M1326	CLASS AA CONCRETE	730.160	M3
509(B)	M0321	CLASS A CONCRETE	532.600	M3
509(B)	M4153	CLASS A CONCRETE (MED.BAR.DES.1-A)	635.470	M3
509(C)	M0322	CLASS A CONCRETE FOR SMALL STRUCTURES	59.670	M3
509(D)	M0325	CLASS C CONCRETE	74.720	M3
510(A)	M6333	RETAINING WALL	1,460.200	M2
511(A)	M0332	REINFORCING STEEL	134,534.000	KG
601(D)	M1390	TYPE IV GROUTED RIPRAP	302.000	M2
609(A)	M0299	CONC.CURB(100 MM MNTBLE-INTEGRAL)	2,199.000	M
609(A)	M0300	CONC.CURB(150 MM BARRIER-INTEGRAL)	4,521.000	M
609(B)	M1525	800 MM COMB.CRB.&GUT.(150 MM BAR.CURB)	2,785.000	M
610(A)	M0602	100 MM CONCRETE SIDEWALK	2,294.000	M2
610(A)	M0605	150 MM CONCRETE SIDEWALK	173.000	M2
610(B)	M0399	150 MM CONCRETE DRIVEWAY (H.E.S.)	1,692.000	M2
610(C)	M0609	150 MM CONCRETE DIVIDING STRIP	5,418.000	M2
610(G)	M4475	BIT. DRIVEWAY (150 MM)	323.000	M2
611(A)	M2657	MANHOLE (1200MM DIA.)	17.000	EA
611(A)	M2659	MANHOLE (1800MM DIA.)	11.000	EA
611(B)	M0483	ADD'L.DEPTH IN MANHOLE (1800MM DIA.)	8.508	M
611(B)	M2680	ADD'L.DEPTH IN MANHOLE (1200MM DIA.)	10.646	M
611(D)	M4215	MANHOLE FRAME & COVER	35.000	EA
611(E)	M5112	INLET CICI DES. 2 (STD)	29.000	EA
611(E)	M5113	INLET CICI DES. 2 (B)	8.000	EA
611(E)	M5115	INLET CICI DES. 2 (D)	22.000	EA
611(E)	M5117	INLET CICI DES. 2 (2B)	1.000	EA
611(E)	M5119	INLET CICI DES. 2 (2D)	1.000	EA
611(E)	M5122	INLET CICI DES. 3 (D)	3.000	EA
611(E)	M5327	INLET GPI TYPE 1 (DES. 1)	4.000	EA
611(E)	M5328	INLET GPI TYPE 1 (DES. 2)	1.000	EA
611(E)	M5329	INLET GPI TYPE 1 (DES. 3)	2.000	EA
611(E)	M5332	INLET GPI TYPE 1 (DES. 6)	2.000	EA
611(E)	M5338	INLET GPI TYPE 2 (DES. 12)	4.000	EA
611(E)	M5339	INLET GPI TYPE 2 (DES. 13)	2.000	EA
611(E)	M5393	INLET CDI RCB(90SK) DES. 7	1.000	EA
611(E)	M6000	INLET (SMD-TYPE 1)	5.000	EA
611(E)	M6002	INLET (SMD-TYPE 2)	2.000	EA
611(F)	M5273	INLET (DES. 2, CICI, ADD'L. DEPTH)	10.962	M
611(F)	M5275	INLET (DES. 2B, CICI, ADD'L. DEPTH)	4.442	M
611(F)	M5277	INLET (DES. 2D, CICI, ADD'L. DEPTH)	8.920	M
611(F)	M5306	INLET CICI DES. 2 (2B, ADD'L DEPTH)	0.515	M
611(F)	M5308	INLET CICI DES. 2 (2D, ADD'L DEPTH)	0.515	M
611(F)	M5311	INLET CICI DES. 3 (D, ADD'L DEPTH)	2.467	M
611(F)	M5374	INLET GPI TYPE 1 (ADD'L DEPTH)	0.785	M
611(F)	M5542	INLET CDI RCB(90SK) DES. 7, (ADD'L DEPTH)	0.350	M
611(G)	M4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	178.000	EA
611(J)	M0487	JUNCTION BOXES	14.710	M3
611(K)	M4488	CAST IRON CURB INLETS	266.000	EA
612(E)	M0645	INLETS ADJUST TO GRADE	6.000	EA
613(B)	M0405	450MM R.C.PIPE CLASS III	1,212.600	M
613(B)	M0409	600MM R.C.PIPE CLASS III	949.700	M
613(B)	M0413	750MM R.C.PIPE CLASS III	288.100	M
613(B)	M0415	900MM R.C.PIPE CLASS III	125.200	M
613(B)	M0419	1200MM R.C.PIPE CLASS III	437.500	M
613(B)	M4475	975MM X 1535MM R.C.PIPE ELL. CL. HE-III	66.100	M

SECTION NO.	DESCRIPTION	QUANTITY	UNIT
0001	J000-ROADWAY		
613(C) M4373	SP. END SECTION OF 450MM RCP ROUND	22.000	EA
613(C) M4375	SP. END SECTION OF 600MM RCP ROUND	1.000	EA
613(C) M4379	SP. END SECTION OF 900MM RCP ROUND	3.000	EA
613(C) M4383	SP. END SECTION OF 1200MM RCP ROUND	4.000	EA
613(C) M5182	SP. END SECT. OF 975MM X 1535MM RCP ELL.	1.000	EA
613(D) M0688	300MM CORR. GALV. STEEL PIPE	30.000	M
613(D) M0689	450MM CORR. GALV. STEEL PIPE	51.000	M
613(D) M0691	750MM CORR. GALV. STEEL PIPE	14.000	M
613(P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	300.000	M
613(R) M1100	PIPE UNDERDRAIN COVER MAT'L.	115.000	M3
613(S) M1180	TRENCH EXCAVATION	7,095.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	3,012.600	M3
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) M4726	REMOVAL OF CURB AND GUTTER	3,405.000	M
619(B) M4727	REMOVAL OF CONCRETE PAVEMENT	32,424.000	M2
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	75,428.000	M2
619(B) M4915	REMOVAL OF CONCRETE MEDIAN BARRIER	351.000	M
619(C) M0924	SAWING PAVEMENT	5,861.000	M
624(D) M4292	FENCE-STYLE CLF (1800MM HIGH, CLASS A)	1,754.000	M
627(I) M4317	CONCRETE MEDIAN BARRIER, DESIGN 1	1,441.000	M
640 M1426	FIELD OFFICE	1.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
930.03 M4663	(PL) SLOTTED DRAIN	638.200	M

SECTION NO.	DESCRIPTION	QUANTITY	UNIT
0002	X281-BRIDGE 'A'		
202(D) M1303	SELECT BORROW	80.000	M3
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	292.000	M3
501(G) M6309	CLSM BACKFILL	571.600	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,238.440	M
504(A) M1304	APPROACH SLAB	686.400	M2
504(C) M6276	SEALED EXPANSION JOINTS	38.120	M
504(F) M1381	CONCRETE PARAPET	393.800	M
506(A) M1322	STRUCTURAL STEEL	9,880.000	KG
509(A) M1326	CLASS AA CONCRETE	780.200	M3
509(E) M1332	CLASS S CONCRETE	571.400	M3
510 M6350	(PL)STEEL SHEET PILING	451.000	M2
510(C) M6135	SLOPE WALL (125MM)	1,606.000	M2
511(A) M1332	REINFORCING STEEL	53,550.000	KG
511(B) M6010	EPOXY COATED REINF. STEEL	97,470.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	825.800	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	825.800	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	72.000	EA
514(G) M6310	METAL PILE SHOES	72.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	1,764.000	M2
516(A) M6098	DRILLED SHAFTS 1800MM DIAMETER	61.600	M
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	180.800	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	76.000	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION NO.	DESCRIPTION	QUANTITY	UNIT
0003	X281-BRIDGE 'B'		
202(A) M0103	COMMON EXCAVATION	300.000	M3
202(D) M1303	SELECT BORROW	220.000	M3



SECTION NO.	DESCRIPTION	QUANTITY	UNIT
SECTION NO. 0003	X281-BRIDGE 'B'		
501(B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	395.000	M3
503(A)	M1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	152.100	M
504(A)	M1304 APPROACH SLAB	155.400	M2
504(C)	M6383 (PL) SILICONE EXPANSION JOINT	13.400	M
504(C)	M6389 (PL) RAPID CURE JOINT SEALANT	97.500	M
504(F)	M1381 CONCRETE PARAPET	180.400	M
505(A)	M6018 CLASS A BRIDGE DECK REPAIR	20.000	M2
505(B)	M6019 CLASS B BRIDGE DECK REPAIR	14.000	M2
505(C)	M6020 CLASS C BRIDGE DECK REPAIR	14.000	M2
506(A)	M1322 STRUCTURAL STEEL	1,090.000	KG
509(A)	M1326 CLASS AA CONCRETE	93.400	M3
509(E)	M1332 CLASS S CONCRETE	393.500	M3
510(C)	M6135 SLOPE WALL (125MM)	490.000	M2
511(A)	M1332 REINFORCING STEEL	13,360.000	KG
511(B)	M6010 EPOXY COATED REINF. STEEL	42,140.000	KG
512(A)	M1323 PAINTING EXISTING STRUCTURES	1.000	LSUM
514(A)	M6011 PILES, FURNISHED (HP 250X62)	162.400	M
514(B)	M6292 PILES, DRIVEN (HP 250X62)	162.400	M
514(G)	M6310 METAL PILE SHOES	20.000	EA
515(A)	M6013 WATER REPELLENT (VISUALLY INSPECTED)	441.000	M2
520(A)	M6058 PREP. OF CRACKS ABOVE WATER	86.000	M
520(C)	M6060 EPOXY RESIN ABOVE WATER	16.000	L
535	M6185 (PL)SUBSTRUCTURE CONCRETE REPAIR	4.000	M2
613(P)	M6204 150MM PERFORATED PIPE UNDERDRAIN ROUND	99.000	M
613(Q)	M6207 150 MM RND.NON-PERF.PIPE UNDERDRAIN	52.000	M
619(B)	M4792 REMOVAL OF SIDEWALK	144.000	M2
619(B)	M6243 REMOVAL OF CONCRETE SLOPE WALL	360.000	M2
619(B)	M6252 REMOVAL OF EXISTING PARAPET	90.200	M
619(B)	M6319 REMOVAL OF DECK	40.000	M2
SECTION NO. 0004	Y000-TRAFFIC		
627(G)	M8120 RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	8,477.000	M
627(H)	M8125 DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	29,300.000	M
802(B)	M8338 38MM PVC SCH.40 P.C.TR.	170.000	M
802(B)	M8342 50MM PVC SCH.40 P.C.TR.	2,395.000	M
802(B)	M8346 75MM PVC SCH.40 P.C.TR.	420.000	M
803	M8065 PULL BOX(SIZE I)	33.000	EA
803	M8066 PULL BOX(SIZE II)	1.000	EA
803	M8067 PULL BOX(SIZE III)	9.000	EA
804(A)	M2915 STRUCTURAL CONCRETE	190.900	M3
804(B)	M2916 REINFORCING STEEL	8,225.000	KG
806(A)	M8329 9.7M MH POLE 15.2M TS&4.6M LMA(G.STL.)	1.000	EA
806(A)	M8473 9.7M MH POLE 16.8M TS& 4.6M LMA(G.STL.)	1.000	EA
806(A)	M8554 9.7M MTG.HT.POLE & 4.6M LMA (G.STL.)	4.000	EA
806(A)	M8579 9.7M MHP.10.7M,9.1M T.S.&4.6M LMA(G.STL)	2.000	EA
806(B)	M8369 3.7M MTG.HT.T.S.PED.POLE(G.STL.)	2.000	EA
809(A)	M8097 ROADWAY LUMINAIRE(250 WATT HPS)	8.000	EA
810(A)	M3118 SERVICE POLE	1.000	EA
811	M8044 1/C NO.10 ELECT.COND.	1,710.000	M
825	M8550 VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A)	M8135 SOL.STE.DIGITAL IND.VEH.LP.DET.	6.000	EA
828(B)	M8494 LOOP DETECTOR WIRE	454.000	M
830	M8000 PEDESTRIAN PUSH BUTTON	12.000	EA

## SECTION NO. 0004

## Y000-TRAFFIC

831	M8170	1WAY3S AD.SG.HD.(MAM)S-6	12.000	EA
831	M8171	1WAY3S AD.SG.HD.(MAM)S-9	2.000	EA
831	M8194	1WAY2SAD.PD.SG.HD.(CM)S-20	12.000	EA
831	M8302	1WAY1SEC.ADJ.SG.HD.(CM)S-22	4.000	EA
833	M3041	200MM BACKPLATE (300MM HDS)(B-1)	14.000	EA
834(A)	M8207	5/C TRAF.SIG.ELECT.CABLE	1,970.000	M
834(A)	M8208	7/C TRAF.SIG.ELECT.CABLE	350.000	M
834(A)	M8210	12/C TRAF.SIG.ELECT.CABLE	690.000	M
834(B)	M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1,140.000	M
850(A)	M8110	SHEET ALUMINUM SIGNS	111.500	M2
850(B)	M8112	EXTRUDED ALUMINIUM PANEL SIGNS	220.210	M2
850(C)	M8118	MAST ARM MOUNTED SIGNS(ALUM.)	10.320	M2
851	M8642	(PL) 57.2MM SQUARE TUBE POST	282.980	M
851(A)	M3206	100MM @ 19.3 G.STL.WD.FLANGE BM.POST	39.530	M
851(A)	M3207	150MM @ 22.3 GALV.STL.WD.FLANGE BM.POST	11.220	M
851(A)	M3209	150MM @ 37.2 GALV.STL.WD.FLANGE BM.POST	23.140	M
851(A)	M3210	200MM @ 46.1 GALV.STL.WD.FLANGE BM.POST	27.970	M
851(B)	M3216	50 MM @ 5.43 GALV. STL.PIPE POST	19.320	M
851(B)	M3217	64 MM @ 8.62 GALV.STL.PIPE POST	48.390	M
851(B)	M3218	75MM @ 11.28 G.STL.PIPE POST	47.870	M
852	M8603	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	174.060	M
852	M8604	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-EXTERNAL	142.720	M
852A/B	M8958	OVHD.SN.STR.TYPE C-1 ALUM./G.STL. 22.9 M	1.000	EA
852A/B	M8964	OVHD.SN.STR.TYPE C-1 ALUM./G.STL. 24.4 M	4.000	EA
852A/B	M9015	OVHD.SN.STR.TYPE E-1 ALUM./G.STL.	8.000	EA
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	50,671.000	M
855(B)	M3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	48.000	EA
855(C)	M3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	28.000	EA
856(A)	M3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	32,250.000	M
857	M8234	PAV. MARKERS CLASS A TYPE 2-C	61.000	EA
857	M8243	PAV. MARKERS CLASS C TYPE 2-C	889.000	EA
859(A)	M8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	15,450.000	M
870(A)	M8011	SAND FILLED IMP. ATTENU. MODULE	220.000	EA
870(A)	M8485	SAND FILLED IMP.ATN.MODULE	17,765.000	SD
870(B)	M8012	IMPACT ATTENU.MODULE(REPLACMT)	80.000	EA
876(C)	M8482	(PL)TRUCK MOUNTED ATTENUATOR	260.000	SD
880(A)	M8812	ARROW DISPLAY(TYPE C)	701.000	SD
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	33,469.000	SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	28,558.000	SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	3,790.000	SD
880(B)	M8827	CONSTRUCTION SIGNS 3.07 M2 & OVER	4,430.000	SD
880(C)	M8842	BARRICADES(TYPE III)	18,302.000	SD
880(C)	M8848	WING BARRICADES	3,240.000	SD
880(D)	M8854	VERTICAL PANELS	27,619.000	SD
880(E)	M8860	WARNING LIGHTS(TYPE A)	50,021.000	SD
880(E)	M8872	WARNING LIGHTS(TYPE C)	141,948.000	SD
880(F)	M8878	DRUMS	114,689.000	SD
880(G)	M8884	TUBE CHANNELIZERS	72,200.000	SD
880(L)	M8911	TRAFFIC SURVEILLANCE, POLICE	3,120.000	HOURL
880(R)	M8511	(SU)PORTABLE MODULAR GLARE SCREEN UNIT	210.000	EA
882(B)	M8306	PORT.CHANGEABLE MESSAGE SIGN	2,160.000	SD
890(A)	M8712	(PL)REMOVAL OF LIGHT POLE	7.000	EA
890(A)	M8724	(PL)REMOVAL OF EXISTING SIGNS	132.000	EA
961.42	M8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	3,985.000	EA

## SECTION NO. 0005

## STAK-STAKING

LNTCIQA

STATE PROJECT

PAGE 25

642	M0098	STAKING	1.000	LSUM
SECTION NO. 0006		I000-TIME 'B' BID		
644	M7211	(SP)TIME (B) BID	7,500.000	DAY
SECTION NO. 0007		I000-TIME 'C' BID		
644	M7212	(SP)TIME (C) BID	2,500.000	DAY

LNTCIQA  
 CALL ORDER : 230  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: OKMULGEE

FEDERAL PROJECT  
 CONTRACT ID : 000261  
 PCN : 1728804

PAGE 26

PROJECTS : IMY-NBIP-0(96)000IR  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 2.15  
 RES. ENG.: 11MUS  
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE PAINTING  
 I-40 OVER COAL CREEK 5.9 MILES EAST OF OKFUSKEE  
 COUNTY LINE  
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	MAIN-BRIDGE 'A'		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	MAIN-BRIDGE 'B'		
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM

LNTCIQA  
 CALL ORDER : 240  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: OKMULGEE

FEDERAL PROJECT  
 CONTRACT ID : 000262  
 PCN : 1728805

PAGE 27

PROJECTS : IMY-40-6(266)239IR  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 2.68  
 RES. ENG.: 11MUS  
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 JOINT SEAL  
 I-40 OVER COAL CREEK 5.9 MILES EAST OF OKFUSKEE  
 COUNTY LINE  
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	MAIN-BRIDGE 'A'		
504(H) 6390	RAPID CURE JOINT SEALANT	270.000	LF
504(I) 6389	ELASTOMERIC MORTAR	15.000	CF
506(A) 1322	STRUCTURAL STEEL	2,850.000	LB
641 1399	MOBILIZATION	1.000	LSUM
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	MAIN-BRIDGE 'B'		
504(H) 6390	RAPID CURE JOINT SEALANT	270.000	LF
504(I) 6389	ELASTOMERIC MORTAR	15.000	CF
506(A) 1322	STRUCTURAL STEEL	2,850.000	LB

LNTCIQA  
 CALL ORDER : 300  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: PONTOTOC

STATE PROJECT  
 CONTRACT ID : 000274  
 PCN : 1832404  
 PROJECTS : SAP-162B(58)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 31ADA  
 CAL. DAYS: 45

PAGE 28

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

BRIDGE REPAIR  
 JACK FORK CREEK 3.5 MILES SOUTH OF JCT. SH-3/US-377 AND  
 OVER BLUE RIVER 6.4 MILES NORTH OF SH-7/SH-99 ON SH-99  
 AND 2.6 MILES EAST OF SH-99 ON SH-7  
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE 'A'		
535 6325	(PL)REPAIR TRUSS CROSSFRAME	9.000	EA
535 6326	(PL)REPLACE EXISTING PORTAL	6.000	EA
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 320  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: STEPHENS

FEDERAL PROJECT  
 CONTRACT ID : 000267  
 PCN : 1774404  
 PROJECTS : BRO-169D(30)CO  
 DBE/WBE GOALS: 12.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 3.22  
 RES. ENG.: 71DUN  
 CAL. DAYS: 120

PAGE 29

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE AND APPROACHES  
 COUNTY BRIDGE OVER MUD CREEK, LOCATED APPROX. 16.093 KM.  
 EAST AND 1.609 KM. SOUTH OF JCT. US-81/SH-53  
 PROJ. LGTH.= 0.389 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	1,170.000	M
227 M0100	TEMPORARY SILT DIKE	130.000	M
230(A) M2806	SOLID SLAB SODDING	3,400.000	M2
230(B) M2807	MULCH SODDING	7,000.000	M2
233(A) M2817	VEGETATIVE MULCHING	2.200	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	825.500	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(D) M0690	600MM CORR. GALV. STEEL PIPE	24.000	M
613(D) M5206	525MM X 375MM CORR. GALV. ST. PIPE ARCH	11.400	M
613(M) M0898	600MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) M4504	525MM X 375MM PREFAB.CULV.END SEC., ARCH		2.000 EA
850(A) M8110	SHEET ALUMINUM SIGNS	0.920	M2
851(D) M8597	FLANGE CHANNEL POSTS (5.95 KG/M)	9.000	M
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	102.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	48.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	111.000	M
504(E) M1380	CONCRETE RAIL (TR1)	75.500	M
506(A) M1322	STRUCTURAL STEEL	665.000	KG
509(A) M1326	CLASS AA CONCRETE	51.300	M3
509(E) M1332	CLASS S CONCRETE	45.000	M3
511(A) M1332	REINFORCING STEEL	10,485.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	208.380	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	208.380	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,282.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	251.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		

LNTCIQA

FEDERAL PROJECT

PAGE 30

642 M0098

STAKING

1.000 LSUM



LNTCIQA  
 CALL ORDER : 350  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: TULSA

FEDERAL PROJECT  
 CONTRACT ID : 000179  
 PCN : 1708504  
 PROJECTS : MA-NHY-15N(18)  
 DBE/WBE GOALS: 8.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 79.99  
 RES. ENG.: 81TUL  
 CAL. DAYS: 500

PAGE 31

LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)  
 ON SH-51(BROKEN ARROW EXPRESSWAY) BEGINNING AT US-169(MINGO  
 VALLEY EXPRESSWAY) AND EXTENDING EAST.  
 PROJ. LGTH.= 1.051 MI.  
 FLEX. ESALS= 16.1 MILLION  
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	41,645.000	CY
202(C)	0184 UNCLASSIFIED BORROW	171,945.000	CY
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
221	2800 TEMPORARY SLOPE DRAINS	200.000	LF
222	2801 TEMPORARY BALE BARRIER	570.000	LF
223	2802 TEMPORARY SILTATION SCREEN	11,730.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	20.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	500.000	CY
230(A)	2806 SOLID SLAB SODDING	122,718.000	SY
232	7185 (PL)TEMPORARY SEEDING	200.000	LB
233(A)	2817 VEGETATIVE MULCHING	25.360	AC
241	2832 MOWING	50.000	AC
303	0192 AGGREGATE BASE	47,892.000	CY
317(C)	4253 LIME	1,700.000	TON
317(D)	4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TR	20,000.000	SY
319	5200 (SP)OPEN GRADED BIT. BASE (PG 64-22 OK)	22,575.000	TON
325	5271 SEPARATOR FABRIC	120,232.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON
408	5774 PRIME COAT	16,724.000	GAL
411(A)	5269 (PL)ASPHALT CONCRETE TYPE A (PATCHING)	50.000	TON
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	45,911.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	10,675.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	12,154.000	TON
411(B)	6550 (SP)ASPHALT CONCRETE TYPE B(PG 76-28 OK)	6,160.000	TON
414(A)	0260 8" P.C. CONCRETE PAVEMENT	2,173.000	SY
414(AA)	5753 8" P.C. DOWEL JOINTED CONCRETE PAVEMENT	9,954.000	SY
414(AA)	5754 9" P.C. DOWEL JOINTED CONCRETE PAVEMENT	17,491.000	SY
414(B)	4150 9" H.E.S. CONCRETE (PATCHING)	210.000	SY
414(B1)	5757 8" H.E.S. DOWEL JOINTED CONCRETE PAV	300.000	SY
417	4267 COLD MILLING BITUMINOUS PAVEMENT	3,710.000	SY
509(B)	0321 CLASS A CONCRETE	122.400	CY
509(B)	4153 CLASS A CONCRETE (MED.BAR.DES.1-A)	54.000	CY

SECTION NO. 0001

I000-ROADWAY

509(B)	4214	CLASS A CONCRETE (MED.BAR:DES1A,ES,TS)	82.000	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	43.900	CY
509(E)	0325	CLASS "C" CONC.	417.000	CY
510	6350	(PL)STEEL SHEET PILING	3,400.000	SY
510(C)	6136	SLOPE WALL (6")	2,500.000	SY
511(A)	0332	REINFORCING STEEL	57,303.000	LB
602(B)	5266	FILTER FABRIC (GABIONS)	11,000.000	SY
609(A)	0288	CONC.CURB(6" MNTBLE-INTEGRAL)	2,152.000	LF
609(A)	0299	CONC.CURB(4" MNTBLE-INTEGRAL)	782.000	LF
609(A)	0300	CONC.CURB(6" BARRIER-INTEGRAL)	880.000	LF
609(A)	0380	CONC.CURB(8" BARRIER-INTEGRAL)	2,620.000	LF
609(B)	1511	1'-8" COMB.CURB & GUTTER (4" MNT.)	178.000	LF
610(A)	0602	4" CONCRETE SIDEWALK	2,076.000	SY
610(A)	0650	(PL) 4" DECORATIVE CONCRETE SIDEWALK	122.000	SY
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	770.000	SY
610(C)	0609	6" CONCRETE DIVIDING STRIP	1,683.000	SY
611(A)	2659	MANHOLE (6' DIA.)	2.000	EA
611(B)	0483	ADD'L.DEPTH IN MANHOLE (6' DIA.)	3.000	VF
611(D)	4215	MANHOLE FRAME & COVER	15.000	EA
611(E)	5316	INLET CICI DES. 2 (B)	1.000	EA
611(E)	5317	INLET CICI DES. 2 (D)	5.000	EA
611(E)	5318	INLET CICI DES. 2 (2B)	1.000	EA
611(E)	5337	INLET GPI TYPE 2 (DES. 11)	2.000	EA
611(E)	5692	INLET MED. BAR. DES. 2	4.000	EA
611(E)	5810	INLET W/SMALL JCT.BOX,CICI-JB-1,DES 2(B)	1.000	EA
611(E)	5812	INLET W/LRG.JCT.BOX,CICI-JB-1,DES 2(D)	1.000	EA
611(E)	6000	INLET (SMD-TYPE 1)	12.000	EA
611(E)	6006	INLET (SMD-TYPE 2B)	1.000	EA
611(E)	7134	BARRIER INLET, TYPE II, DES. I	16.000	EA
611(F)	5363	INLET CICI DES. 2 (B, ADD'L DEPTH)	1.200	VF
611(F)	5364	INLET CICI DES. 2 (D, ADD'L DEPTH)	14.850	VF
611(F)	5365	INLET CICI DES. 2 (2B, ADD'L DEPTH)	3.600	VF
611(F)	5375	INLET GPI TYPE 2 (ADD'L DEPTH)	3.100	VF
611(F)	5697	INLET MED. BAR. DES. 2 (ADD'L DEPTH)	10.680	VF
611(F)	5820	INLET W/SJB,CICI-JB-1,DES 2(ADD'L DEP.)	3.860	VF
611(F)	5821	INLET W/LJB,CICI-JB-1,DES 2(ADD'L DEP.)	4.900	VF
611(F)	7135	BARRIER INLET,TYPE II,DES.I(ADD'L DEPTH)	39.970	VF
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	156.000	EA
611(J)	0487	JUNCTION BOXES	608.400	CF
611(K)	4488	CAST IRON CURB INLETS	58.000	EA
611(L)	4207	DROP INLET GRATE (GPI-TYPE A)	4.000	EA
611(L)	4208	DROP INLET GRATE (GPI-TYPE B)	2.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	4,637.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	1,402.000	LF
613(B)	0493	30" R.C.PIPE CLASS III	606.000	LF
613(B)	0494	36" R.C.PIPE CLASS III	1,250.000	LF
613(B)	0495	42" R.C.PIPE CLASS III	472.000	LF
613(B)	0496	48" R.C.PIPE CLASS III	226.000	LF
613(B)	4505	24" X 38" R.C.PIPE ELL. CLASS HE-III	337.000	LF
613(C)	4373	SP. END SECTION OF 18" RCP ROUND	6.000	EA
613(C)	4375	SP. END SECTION OF 24" RCP ROUND	2.000	EA
613(C)	4377	SP. END SECTION OF 30" RCP ROUND	1.000	EA
613(C)	4379	SP. END SECTION OF 36" RCP ROUND	3.000	EA
613(C)	5100	SP. END SECTION OF 24" X 38" RCP ELL.	1.000	EA

SECTION NO. 0001	I000-ROADWAY		
613(D) 0688	12" CORR. GALV. STEEL PIPE	377.000	LF
613(D) 0689	18" CORR. GALV. STEEL PIPE	525.000	LF
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	680.000	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	320.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	800.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	9,350.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	50,550.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	180.000	SY
619(B) 4782	REMOVAL OF CONCRETE CURB	67.000	LF
619(B) 5149	REMOVAL OF 4" DIVIDING STRIP	270.000	SY
619(C) 0924	SAWING PAVEMENT	3,920.000	LF
624(D) 4290	FENCE-STYLE CLF (5'HIGH, CLASS A)	3,845.000	LF
624(E) 4300	GATES-STYLE CLF (5'HIGH X 8'LONG)	1.000	EA
628(A) 4317	CONCRETE MEDIAN BARRIER DESIGN 1	7,177.000	LF
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(A) 5915	EDGE DRAIN CONDUIT-PERFORATED	19,703.000	LF
653(B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	810.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	54.000	EA
930.03 4663	(PL) SLOTTED DRAIN	820.000	LF
SECTION NO. 0002	X900-RETAINING WALL 'A'		
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	1,390.000	CY
505(C) 1319	STEEL HANDRAILING (2-RAIL)	275.600	LF
509(B) 1328	CLASS A CONCRETE	357.000	CY
510(C) 6135	SLOPE WALL (5")	79.000	SY
511(A) 1439	REINFORCING STEEL (GRADE 60)	45,190.000	LB
SECTION NO. 0003	X900-RETAINING WALL 'B'		
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	1,380.000	CY
505(C) 1319	STEEL HANDRAILING (2-RAIL)	269.800	LF
509(B) 1328	CLASS A CONCRETE	351.100	CY
510(C) 6135	SLOPE WALL (5")	79.000	SY
511(A) 1439	REINFORCING STEEL (GRADE 60)	44,320.000	LB
SECTION NO. 0004	X900-RETAINING WALL 'C'		
508 6333	(SP) RETAINING WALL	9,069.000	SY
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	727.000	LF
613(R) 1395	PIPE UNDERDRAIN COVER MAT'L.	631.000	CY
624(D) 4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	775.000	LF
SECTION NO. 0005	X281-BRIDGE 'L'		
414(C) 1304	APPROACH SLABS	898.000	SY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	550.000	CY
501(G) 6309	CLSM BACKFILL	936.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	2,587.000	LF
504(C) 6276	(PL) SEALED EXPANSION JOINTS	100.400	LF
505(B) 1381	CONCRETE PARAPET	576.600	LF

SECTION NO. 0005		X281-BRIDGE 'L'	
506(A)	1322	STRUCTURAL STEEL	16,410.000 LB
509(A)	1326	CLASS AA CONCRETE	533.400 CY
509(B)	1328	CLASS A CONCRETE	590.600 CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	43,810.000 LB
511(B)	6009	EPOXY COATED REINF. STEEL (GR 60)	120,450.000 LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	1,766.000 LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	1,766.000 LF
515(A)	6020	WATER REPELLENT	1,252.000 SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	86.000 LF
516(A)	6098	DRILLED SHAFTS 72" DIAMETER	34.000 LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	198.000 LF
613(Q)	6207	6" RND.NON-PERF.PIPE UNDERDRAIN	55.000 LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	28.000 CY
613(S)	1396	TRENCH EXCAVATION	20.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	20.000 CY
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
SECTION NO. 0006		X281-BRIDGE 'M'	
414(C)	1304	APPROACH SLABS	736.000 SY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	425.000 CY
501(G)	6309	CLSM BACKFILL	918.000 CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	2,189.000 LF
504(C)	6276	(PL) SEALED EXPANSION JOINTS	87.300 LF
505(B)	1381	CONCRETE PARAPET	566.300 LF
506(A)	1322	STRUCTURAL STEEL	13,910.000 LB
509(A)	1326	CLASS AA CONCRETE	465.400 CY
509(B)	1328	CLASS A CONCRETE	514.300 CY
510(C)	6135	SLOPE WALL (5")	1,875.000 SY
511(A)	1439	REINFORCING STEEL (GRADE 60)	38,290.000 LB
511(B)	6009	EPOXY COATED REINF. STEEL (GR 60)	106,300.000 LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	1,610.000 LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	1,610.000 LF
515(A)	6020	WATER REPELLENT	1,193.000 SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	129.000 LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	592.000 LF
613(Q)	6207	6" RND.NON-PERF.PIPE UNDERDRAIN	186.000 LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	287.000 CY
613(S)	1396	TRENCH EXCAVATION	100.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	20.000 CY
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
SECTION NO. 0007		Y000-TRAFFIC	
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	7,100.000 LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	12,920.000 LF
802(B)	8053	2" PVC SCH.40 PLASTIC CONDUIT BORED	300.000 LF
802(B)	8054	3" PVC SCH.40 PLASTIC CONDUIT BORED	100.000 LF
802(B)	8058	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	8,250.000 LF
802(B)	8059	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1,340.000 LF
803	8065	PULL BOX(SIZE I)	15.000 EA
803	8066	PULL BOX(SIZE II)	6.000 EA
804	2915	STRUCTURAL CONCRETE	70.070 CY
804	2916	REINFORCING STEEL	8,083.000 LB

SECTION NO. 0007		Y000-TRAFFIC		
811	8038	1/C NO.4 ELECT.COND.	1,960.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	471.010	SF
850(B)	3204	EXTRUDED ALUMINUM PANEL SIGNS	326.000	SF
850(B)	3205	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	208.000	SF
851	8617	(PL) 2" SQUARE TUBE POST	176.330	LF
851	8642	(PL) 2.25" SQUARE TUBE POST	204.750	LF
851(A)	3206	4" @ 13 G.STL.WD.FLANGE BM.POST	132.500	LF
851(A)	3212	8" @ 40 GALV.STL.WD.FLANGE BM.POST	30.000	LF
851(B)	3217	2.5" @ 5.79 GALV.STL.PIPE POST	179.670	LF
851(B)	3218	3" @ 7.58 G.STL.PIPE POST	85.000	LF
852	8604	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-EXTERNA		40.000 LF
852(D)	3309	OVHD.SN.STR. SP.BR.MT GALST	2.000	EA
852A/B	3304	OVHD.SN.STR. TYP. E1 AL./ G.STL	2.000	EA
854(A)	8800	TRAF.STR.(PAINT)(4" WIDE)	4,960.000	LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	110,785.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	21.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	11.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	119,380.000	LF
856(B)	8005	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1,000.000	LF
857	8243	PAV. MARKERS CLASS C TYPE 2-C	1,185.000	EA
857(B)	8962	REMOVE & RESET CLASS C PAVE. MARKERS	150.000	EA
857(F)	8244	PAV. MARKERS CLASS C TYPE 2-D	110.000	EA
859(A)	8006	PAVE.MRKNG.REMOV.(TRAF.STRP)	129,000.000	LF
870(A)	8011	SAND FILLED IMP. ATTENU. MODULE	155.000	EA
874(A)	5200	CONSTRUCTION ZONE G.R.E.A.T.	2.000	EA
876(C)	8482	(PL)TRUCK MOUNTED ATTENUATOR	1,000.000	SD
880(C)	8015	ADVANCE WARNING DEVICE (TYPE C)	3,120.000	SD
880(D)	8016	SIGNS 0 TO 6.25 SF	96,300.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	33,600.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	32,175.000	SD
880(G)	8510	SIGNS 33.0 SF & OVER	675.000	SD
880(I)	8020	BARRICADES(TYPE II)	4,500.000	SD
880(J)	8021	BARRICADES(TYPE III)	14,850.000	SD
880(K)	8022	WING BARRICADES	8,400.000	SD
880(L)	8023	VERTICAL PANELS	21,000.000	SD
880(M)	8024	TYPE A LIGHT	69,900.000	SD
880(O)	8026	TYPE C LIGHT	267,600.000	SD
880(P)	8027	DRUMS	264,000.000	SD
880(R)	8511	(SU)PORTABLE MODULAR GLARE SCREEN UNIT	240.000	EA
960.10	8136	(PL)REMOVE & RESET LIGHT POLE	4.000	EA
960.62	8315	(PL) REMOVAL OF EXISTING SIGNS	23.000	EA
961.04	8441	(PL) REMOVE AND RESET OVHD.SIGN STR.	1.000	EA
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE	1,000.000	EA
SECTION NO. 0008		STAK-STAKING		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0009		Y060-NON-PARTICIPATING(WATERLINE)		
615(F)	6129	TRENCH EXCAVATION	1,134.000	CY
616	0118	12" PLUG	2.000	EA
616(A)	5124	12" DUCTILE IRON PIPE	1,458.000	LF
616(I)	0024	12" SOLID SLEEVE	2.000	EA

SECTION NO. 0009 Y060-NON-PARTICIPATING(WATERLINE)

616(I)	5270	(PL)24" STEEL CASING	665.000	LF
616(K)	0044	8" 45 DEGREE FITTING	10.000	EA

LNTCIQA  
 CALL ORDER : 390  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: TULSA

FEDERAL PROJECT  
 CONTRACT ID : 000271  
 PCN : 1729105M

PAGE 37

PROJECTS : BHFY-19N(52)/BHFY-14N(17)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 4.50  
 RES. ENG.: 81TUL  
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

JOINT SEAL  
 ON US-64 OVER SH-151 0.3 MI. SOUTHEAST OF OSATE COUNTY LINE  
 AND US-74 OVER SOUTHWEST BLVD. AND UNION RAILWAY, 2.2 MILES  
 NORTH OF I-44  
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	MAIN-BRIDGE 'A' STPY-19N(52)		
504(H) 6390	RAPID CURE JOINT SEALANT	162.000	LF
504(I) 6389	ELASTOMERIC MORTAR	11.000	CF
506(A) 1322	STRUCTURAL STEEL	2,100.000	LB
641 1399	MOBILIZATION	1.000	LSUM
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	MAIN-BRIDGE 'B' STPY-19N(52)		
504(H) 6390	RAPID CURE JOINT SEALANT	162.000	LF
504(I) 6389	ELASTOMERIC MORTAR	11.000	CF
506(A) 1322	STRUCTURAL STEEL	2,100.000	LB
535 6191	(PL)REPAIR CONCRETE PIER	1.000	EA
SECTION NO. 0003	MAIN-BRIDGE 'A' STPY-14N(17)		
504(H) 6390	RAPID CURE JOINT SEALANT	530.000	LF
504(I) 6389	ELASTOMERIC MORTAR	8.000	CF
506(A) 1322	STRUCTURAL STEEL	1,430.000	LB
641 1399	MOBILIZATION	1.000	LSUM
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 410  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: TULSA

FEDERAL PROJECT  
 CONTRACT ID : 000303  
 PCN : 1755204

PAGE 38

PROJECTS : NHG-30N(26)TR  
 DBE/WBE GOALS: 9.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 23.62  
 RES. ENG.: 81TUL  
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 SIGNING  
 FROM SOUTH 61ST STREET NORTH TO NORTH 66TH IN TULSA  
 ON US-169  
 PROJ. LGTH.= 4.25 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 Y008-TRAFFIC CONTROL			
876(A) 8646	(PL)IMPACT ATTENUATOR	240.000	SD
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
961.25 8509	(PL) TRAFFIC SURVEILLANCE,POLICE	24.000	HOURL
SECTION NO. 0002 Y002-SIGNING			
509(E) 0325	CLASS "C" CONC.	70.140	CY
641 1552	MOBILIZATION	1.000	LSUM
802(B) 8053	2" PVC SCH.40 PLASTIC CONDUIT BORED	100.000	LF
802(B) 8058	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1,400.000	LF
802(C) 8062	0.75" ALUM.CONDUIT (EXPOSED)	1,089.000	LF
803 8065	PULL BOX(SIZE I)	23.000	EA
804 2915	STRUCTURAL CONCRETE	128.110	CY
804 2916	REINFORCING STEEL	16,171.600	LB
809(D) 8104	OVERHEAD SIGN LUM.(175 WATT MV)	58.000	EA
811 8106	1/C NO.12 ELECT.COND.	3,102.000	LF
811 8110	1/C NO.4 ELECT.COND.	2,800.000	LF
850(A) 8215	SHEET ALUMINUM SIGNS	2,394.630	SF
850(B) 3204	EXTRUDED ALUMINUM PANEL SIGNS	578.000	SF
850(B) 3205	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	1,814.500	SF
851 8616	(PL) 1.75" SQUARE TUBE POST	728.000	LF
851 8617	(PL) 2" SQUARE TUBE POST	764.000	LF
851 8642	(PL) 2.25" SQUARE TUBE POST	682.000	LF
851(A) 3206	4" @ 13 G.STL.WD.FLANGE BM.POST	360.000	LF
851(A) 3209	6" @ 25 GALV.STL.WD.FLANGE BM.POST	43.000	LF
851(B) 3217	2.5" @ 5.79 GALV.STL.PIPE POST	28.000	LF
851(B) 3218	3" @ 7.58 G.STL.PIPE POST	891.000	LF
851(B) 3219	3.5" @ 9.11 GALV.STL.PIPE POST	480.000	LF
852 8603	(PL)OVHD.SN.STR.WLKWY&HANDRAIL-INTERNA	882.000	LF
852 8604	(PL)OVHD.SN.STR.WLKWY&HANDRAIL-EXTERNA	985.000	LF
852A/B 3304	OVHD.SN.STR. TYP. E1 AL./ G.STL	11.000	EA
870(A) 8011	SAND FILLED IMP. ATTENU. MODULE	166.000	EA
960.62 8315	(PL) REMOVAL OF EXISTING SIGNS	228.000	EA
SECTION NO. 0003 Y002-NON-PARTICIPATING			



LNTCIQA

FEDERAL PROJECT

PAGE 39

SECTION NO. 0003

Y002-NON-PARTICIPATING

870(B) 8012

IMPACT ATTENU.MODULE(REPLACEMT)

53.000

EA

LNTCIQA  
 CALL ORDER : 420  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: WAGONER

STATE PROJECT  
 CONTRACT ID : 000044  
 PCN : 1000409

PAGE 40

PROJECTS : CIP-173B(18)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 59.06  
 RES. ENG.: 11MUS  
 CAL. DAYS: 330 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:  
 BRIDGE & APPROACHES  
 ON SH-51 OVER THE VERDIGRIS RIVER.  
 PROJ. LGTH.= 0.163 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-BRIDGE 'A' CIP-173B(18)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
414(C)	1304 APPROACH SLABS	273.400	SY
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	248.000	CY
503(A)	1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	758.700	LF
504	6253 (PL)DECK DRAIN COLLECTION SYSTEM	26.000	EA
504(A)	1314 CLASS AA CONCRETE	838.100	CY
505(B)	1381 CONCRETE PARAPET	1,727.400	LF
506(A)	1322 STRUCTURAL STEEL	1,123,810.000	LB
509(B)	1328 CLASS A CONCRETE	701.600	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	53,650.000	LB
511(B)	6009 EPOXY COATED REINF. STEEL (GR 60)	208,490.000	LB
514(E)	6010 STEEL PILING (HP 10X42)	350.000	LF
514(E)	6011 STEEL PILING (HP 12X53)	1,492.000	LF
515(A)	6387 (SP) PENETRAT WATER REPELL TR.CONC.SUR.	1,547.400	SY
516(A)	6098 DRILLED SHAFTS 72" DIAMETER	98.000	LF
516(A)	6105 DRILLED SHAFTS 96" DIAMETER	398.000	LF
516(C)	6200 CROSSHOLE SONIC LOGGING	8.000	EA
516(D)	6400 CSL ACCESS TUBES	3,536.000	LF
529	6309 (SU)LOW STRENGTH BACKFILL MATERIAL	184.000	CY
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	3,180.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	820.000	TON
613(P)	6204 6" PERFORATED PIPE UNDERDRAIN ROUND	82.000	LF
613(Q)	6207 6"RND.NON-PERF.PIPE UNDERDRAIN	50.000	LF
613(R)	1395 PIPE UNDERDRAIN COVER MAT'L.	12.000	CY
613(S)	1396 TRENCH EXCAVATION	16.000	CY
613(T)	1181 STANDARD BEDDING MATERIAL	16.000	CY
640	1398 FIELD OFFICE	1.000	EA
641	1399 MOBILIZATION	1.000	LSUM
655	7200 (SP) PIER PROTECTION CELL	2.000	EA
901.00	6238 (PL) BRIDGE NAVIGATION LIGHTING	1.000	LSUM
901.14	6264 (PL) SEALED EXPANSION JOINT	82.000	LF
SECTION NO. 0002	STAK-STAKING CIP-173B(18)IP		
642	0098 STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 430  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: WAGONER

STATE PROJECT  
 CONTRACT ID : 000045  
 PCN : 1000413

PAGE 41

PROJECTS : CIP-173B(29)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 59.06  
 RES. ENG.: 11MUS  
 CAL. DAYS: 450 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGES(RCB) & SURFACE(ASPHALT)  
 ON SH-51 BEGINNING APPROXIMATELY 7.0 MILE WEST OF THE TOWN  
 OF WAGONER AND EXTENDING EAST.  
 PROJ. LGTH.= 6.791 MI.  
 FLEX. ESALS= 4.6 MILLION  
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-173B(29)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	241,934.000	CY
202(E)	0184 UNCLASSIFIED BORROW	498,159.000	CY
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
221	2800 TEMPORARY SLOPE DRAINS	770.000	LF
222	2801 TEMPORARY BALE BARRIER	2,068.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	32.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	340.000	CY
229	4318 DITCH LINER PROTECTION	809.000	LF
230(A)	2806 SOLID SLAB SODDING	39,615.000	SY
230(B)	2807 MULCH SODDING	371,855.000	SY
232(B)	2814 SEEDING METHOD B	122.000	AC
233(A)	2817 VEGETATIVE MULCHING	122.000	AC
234(A)	2824 FERTILIZING (10-20-10)	49.000	TON
235(B)	0101 (PL)ROCK FILTER DAM, TYPE 2	70.000	CY
235(C)	0102 (PL)ROCK FILTER DAM, TYPE 3	104.000	CY
238	0300 (PL)TEMPORARY SEDIMENT TRAP	27.000	EA
241	2832 MOWING	102.000	AC
303	0192 AGGREGATE BASE	32,533.000	CY
325	5271 (SU)SEPARATOR FABRIC	1,322.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,630.000	TON
407	0250 TACK COAT	26,570.000	GAL
408	5774 (SU)PRIME COAT	60,696.000	GAL
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	74,133.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	22,756.000	TON
413(A)	4861 (SU) RUMBLE STRIP-METHOD AC-CON	72,258.000	LF
417	5268 COLD MILLING PAVEMENT (2")	25,992.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	242.000	CY
509(B)	0321 CLASS A CONCRETE	781.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	25.000	CY
509(E)	0325 CLASS "C" CONC.	305.000	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	115,991.000	LB
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	89.000	TON

SECTION NO.	0001	I000-ROADWAY	CIP-173B(29)IP		
601(E)	6312	FILTER FABRIC (RIPRAP)		177.000	SY
609(B)	1512	1'-8" COMB. CRB&GUTTER (6" MNT. CRB)		400.000	LF
609(B)	1513	1'-8" COMB. CRB&GUTTER (6" BAR. CRB)		1,361.000	LF
610(B)	0604	6" CONCRETE DRIVEWAY		266.000	SY
611(A)	2657	MANHOLE (4' DIA.)		1.000	EA
611(A)	2658	MANHOLE (5' DIA.)		6.000	EA
611(B)	2680	ADD'L. DEPTH IN MANHOLE (4' DIA.)		1.000	VF
611(B)	2681	ADD'L. DEPTH IN MANHOLE (5' DIA.)		3.000	VF
611(D)	4215	MANHOLE FRAME & COVER		7.000	EA
611(D)	4276	MANHOLE COVER GRATE		1.000	EA
611(E)	5316	INLET CICI DES. 2 (B)		4.000	EA
611(F)	5363	INLET CICI DES. 2 (B, ADD'L DEPTH)		4.000	VF
611(G)	4204	INLT FRM&GRT (SSIF2FRM, CIG GRT)		8.000	EA
611(K)	4488	CAST IRON CURB INLETS		16.000	EA
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)		31.000	EA
613(B)	0491	18" R.C. PIPE CLASS III		212.000	LF
613(B)	0492	24" R.C. PIPE CLASS III		136.000	LF
613(B)	0493	30" R.C. PIPE CLASS III		702.000	LF
613(B)	0494	36" R.C. PIPE CLASS III		678.000	LF
613(B)	4496	28" X 18" R.C. PIPE ARCH CLASS A-III		86.000	LF
613(C)	4849	SP. END SECTION OF 28" X 18" RCP ARCH		4.000	EA
613(CC)	7186	TYPE A4 CULVERT END TREATMENT		30.000	EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT		16.000	EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT		4.000	EA
613(CC)	7189	TYPE D4 CULVERT END TREATMENT		4.000	EA
613(CC)	7193	TYPE CC4 CULVERT END TREATMENT		4.000	EA
613(CC)	7194	TYPE DD4 CULVERT END TREATMENT		6.000	EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT		3.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE		2,914.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE		708.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE		358.000	LF
613(D)	0692	36" CORR. GALV. STEEL PIPE		128.000	LF
613(D)	0693	42" CORR. GALV. STEEL PIPE		120.000	LF
613(D)	1260	22" X 13" CORR. GALV. STEEL PIPE ARCH		122.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH		70.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH		54.000	LF
613(D)	4529	35" X 24" CORR. GALV. STEEL PIPE ARCH		94.000	LF
613(D)	4531	49" X 33" CORR. GALV. STEEL PIPE ARCH		100.000	LF
613(D)	4533	64" X 43" CORR. GALV. STEEL PIPE ARCH		230.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND		19.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND		14.000	EA
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND		5.000	EA
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND		5.000	EA
613(M)	0987	22" X 13" PREFAB. CULVERT END SEC., ARCH		14.000	EA
613(M)	4636	21" X 15" PREFAB. CULVERT END SEC., ARCH		2.000	EA
613(M)	4637	28" X 20" PREFAB. CULVERT END SEC., ARCH		4.000	EA
613(M)	4638	35" X 24" PREFAB. CULVERT END SEC., ARCH		6.000	EA
613(M)	4640	49" X 33" PREFAB. CULVERT END SEC., ARCH		4.000	EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND		1,400.000	LF
613(Q)	1096	6" RND. NON-PERF. PIPE UNDERDRAIN		500.000	LF
613(S)	1180	TRENCH EXCAVATION		3,387.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL		1,405.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	4725	REMOVAL OF FENCE		29,073.000	LF

SECTION NO. 0001	I000-ROADWAY	CIP-173B(29)IP		
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	22,118.000	SY
619(B)	4766	REMOVAL OF CONCRETE DRIVEWAY	398.000	SY
619(B)	4780	REMOVAL OF GUARD RAIL	2,132.000	LF
619(B)	6235	REMOVAL OF WING	10.000	EA
619(B)	8305	REMOVAL OF SIGNS	50.000	EA
619(C)	0924	SAWING PAVEMENT	19,051.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,737.500	LF
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	9.000	EA
624(A)	4281	FENCE-STYLE WWF	3,961.000	LF
624(B)	4793	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	3.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	15,242.000	LF
624(D)	4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	502.000	LF
624(E)	5851	GATES-STYLE CLF (4'HIGH X 16'LONG)	3.000	EA
625(D)	1254	REMOVE AND RECONSTRUCT GUARD RAIL	400.000	LF
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	22.000	EA
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE	3.000	EA
629(C)	4960	(SU)MAILBOX	28.000	EA
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	28.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
653(A)	5915	(SP)EDGE DRAIN CONDUIT-PERFORATED	1,400.000	LF
653(B)	5916	(SP)EDGE DRAIN OUTLET LATERAL-NONPERF.	859.000	LF
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	1.000	EA
930.22	4682	(PL) PLUGGING ABANDONED PIPE	2.000	EA
931.97	7011	(PL) TEMPORARY SILT FENCE	1,705.000	LF
932.11	7072	(PL) COARSE AGGREGATE NO 57	560.000	CY
SECTION NO. 0002	X028-BRIDGE 'B'	CIP-173B(29)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	1,470.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	1,185.000	CY
509(B)	1328	CLASS A CONCRETE	629.900	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	132,210.000	LB
619(B)	4780	REMOVAL OF GUARD RAIL	375.000	LF
619(B)	6235	REMOVAL OF WING	2.000	EA
SECTION NO. 0003	X028-BRIDGE 'C'	CIP-173B(29)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	1,092.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	152.000	CY
509(B)	1328	CLASS A CONCRETE	429.300	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	82,430.000	LB
619(B)	1383	REMOVAL OF HEADWALL	1.000	EA
619(B)	4780	REMOVAL OF GUARD RAIL	365.000	LF
SECTION NO. 0004	Y008-CONST.TRAFFIC CONTROL	CIP-173B(29)IP		
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	2,360.000	LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	280.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	4,720.000	LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	45,950.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	121,525.000	LF
859(B)	8007	PAVEMENT MARKING REMOV.(ARROWS)	3.000	EA

SECTION NO. 0004		Y008-CONST.TRAFFIC CONTROL	CIP-173B(29)IP	
859(C)	8008	PAVEMENT MARKING REMOV. (WORDS)	1.000	EA
871	8705	(PL) CONSTR. ZONE QUADGUARD IMP. ATTN.		3.000 EA
880(C)	8015	ADVANCE WARNING DEVICE (TYPE C)	270.000	SD
880(D)	8016	SIGNS 0 TO 6.25 SF	4,970.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	81,080.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	32,875.000	SD
880(J)	8021	BARRICADES(TYPE III)	48,690.000	SD
880(K)	8022	WING BARRICADES	3,450.000	SD
880(L)	8023	VERTICAL PANELS	136,245.000	SD
880(M)	8024	TYPE A LIGHT	88,065.000	SD
880(O)	8026	TYPE C LIGHT	136,245.000	SD
880(P)	8027	DRUMS	49,480.000	SD
880(Q)	8145	TUBE CHANNELIZERS	1,710.000	SD
880(R)	8511	(SU)PORTABLE MODULAR GLARE SCREEN UNIT	180.000	EA
960.20	8144	(PL)RELOC. OF CONST. ZONE IMPACT ATN.	1.000	EA
961.30	8550	(PL) FLAGGER	35.000	DAY
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1		17.000 EA
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1		4,500.000 EA
SECTION NO. 0005		Y002-TRAFFIC SIGNING & STRIPING	CIP-173B(18)IP	
850(A)	8215	SHEET ALUMINUM SIGNS	807.500	SF
851	8616	(PL) 1 3/4" SQUARE TUBE POST	104.000	LF
851	8617	(PL) 2" SQUARE TUBE POST	60.000	LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	1,663.000	LF
853(B)	3311	DELINEATORS TYPE 1 CODE 2	15.000	EA
853(D)	3313	DELINEATORS TYPE 2 CODE 1	18.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2	54.000	EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	177,046.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	88.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	18.000	EA
961.33	8580	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA
SECTION NO. 0006		STAK-STAKING	CIP-173B(29)IP	
642	0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 440  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: WAGONER

STATE PROJECT  
 CONTRACT ID : 000046  
 PCN : 1000409C

PAGE 45

PROJECTS : CIP-173B(18)IP/CIP-173B(29)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 59.06  
 RES. ENG.: 11MUS  
 CAL. DAYS: 450 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)  
 ON SH-51 BEGINNING APPROXIMATELY 7.0 MILE WEST OF THE TOWN  
 WAGONER AND EXTENDING EAST.  
 PROJ. LGTH.= 6.954 MI.  
 FLEX. ESALS= 4.6 MILLION  
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-173B(29)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	241,934.000	CY
202(E)	0184 UNCLASSIFIED BORROW	498,159.000	CY
205	7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
221	2800 TEMPORARY SLOPE DRAINS	770.000	LF
222	2801 TEMPORARY BALE BARRIER	2,068.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	32.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	340.000	CY
229	4318 DITCH LINER PROTECTION	809.000	LF
230(A)	2806 SOLID SLAB SODDING	39,615.000	SY
230(B)	2807 MULCH SODDING	371,855.000	SY
232(B)	2814 SEEDING METHOD B	122.000	AC
233(A)	2817 VEGETATIVE MULCHING	122.000	AC
234(A)	2824 FERTILIZING (10-20-10)	49.000	TON
235(B)	0101 (PL)ROCK FILTER DAM, TYPE 2	70.000	CY
235(C)	0102 (PL)ROCK FILTER DAM, TYPE 3	104.000	CY
238	0300 (PL)TEMPORARY SEDIMENT TRAP	27.000	EA
241	2832 MOWING	102.000	AC
303	0192 AGGREGATE BASE	32,533.000	CY
325	5271 (SU)SEPARATOR FABRIC	1,322.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,630.000	TON
407	0250 TACK COAT	26,570.000	GAL
408	5774 (SU)PRIME COAT	60,696.000	GAL
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	74,133.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	22,756.000	TON
413(A)	4861 (SU) RUMBLE STRIP-METHOD AC-CON	72,258.000	LF
417	5268 COLD MILLING PAVEMENT (2")	25,992.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	242.000	CY
509(B)	0321 CLASS A CONCRETE	781.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	25.000	CY
509(E)	0325 CLASS "C" CONC.	305.000	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	115,991.000	LB
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	89.000	TON

SECTION NO.	0001	I000-ROADWAY	CIP-173B(29)IP		
601(E)	6312	FILTER FABRIC (RIPRAP)		177.000	SY
609(B)	1512	1'-8" COMB. CRB&GUTTER (6" MNT. CRB)		400.000	LF
609(B)	1513	1'-8" COMB. CRB&GUTTER (6" BAR. CRB)		1,361.000	LF
610(B)	0604	6" CONCRETE DRIVEWAY		266.000	SY
611(A)	2657	MANHOLE (4' DIA.)		1.000	EA
611(A)	2658	MANHOLE (5' DIA.)		6.000	EA
611(B)	2680	ADD'L. DEPTH IN MANHOLE (4' DIA.)		1.000	VF
611(B)	2681	ADD'L. DEPTH IN MANHOLE (5' DIA.)		3.000	VF
611(D)	4215	MANHOLE FRAME & COVER		7.000	EA
611(D)	4276	MANHOLE COVER GRATE		1.000	EA
611(E)	5316	INLET CICI DES. 2 (B)		4.000	EA
611(F)	5363	INLET CICI DES. 2 (B, ADD'L DEPTH)		4.000	VF
611(G)	4204	INLT FRM&GRT (SSIF2FRM, CIG GRT)		8.000	EA
611(K)	4488	CAST IRON CURB INLETS		16.000	EA
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)		31.000	EA
613(B)	0491	18" R.C. PIPE CLASS III		212.000	LF
613(B)	0492	24" R.C. PIPE CLASS III		136.000	LF
613(B)	0493	30" R.C. PIPE CLASS III		702.000	LF
613(B)	0494	36" R.C. PIPE CLASS III		678.000	LF
613(B)	4496	28" X 18" R.C. PIPE ARCH CLASS A-III		86.000	LF
613(C)	4849	SP. END SECTION OF 28" X 18" RCP ARCH		4.000	EA
613(CC)	7186	TYPE A4 CULVERT END TREATMENT		30.000	EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT		16.000	EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT		4.000	EA
613(CC)	7189	TYPE D4 CULVERT END TREATMENT		4.000	EA
613(CC)	7193	TYPE CC4 CULVERT END TREATMENT		4.000	EA
613(CC)	7194	TYPE DD4 CULVERT END TREATMENT		6.000	EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT		3.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE		2,914.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE		708.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE		358.000	LF
613(D)	0692	36" CORR. GALV. STEEL PIPE		128.000	LF
613(D)	0693	42" CORR. GALV. STEEL PIPE		120.000	LF
613(D)	1260	22" X 13" CORR. GALV. STEEL PIPE ARCH		122.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH		70.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH		54.000	LF
613(D)	4529	35" X 24" CORR. GALV. STEEL PIPE ARCH		94.000	LF
613(D)	4531	49" X 33" CORR. GALV. STEEL PIPE ARCH		100.000	LF
613(D)	4533	64" X 43" CORR. GALV. STEEL PIPE ARCH		230.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND		19.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND		14.000	EA
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND		5.000	EA
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND		5.000	EA
613(M)	0987	22" X 13" PREFAB. CULVERT END SEC., ARCH		14.000	EA
613(M)	4636	21" X 15" PREFAB. CULVERT END SEC., ARCH		2.000	EA
613(M)	4637	28" X 20" PREFAB. CULVERT END SEC., ARCH		4.000	EA
613(M)	4638	35" X 24" PREFAB. CULVERT END SEC., ARCH		6.000	EA
613(M)	4640	49" X 33" PREFAB. CULVERT END SEC., ARCH		4.000	EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND		1,400.000	LF
613(Q)	1096	6" RND. NON-PERF. PIPE UNDERDRAIN		500.000	LF
613(S)	1180	TRENCH EXCAVATION		3,387.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL		1,405.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	4725	REMOVAL OF FENCE		29,073.000	LF



SECTION NO. 0001		I000-ROADWAY	CIP-173B(29)IP		
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	22,118.000	SY	
619(B)	4766	REMOVAL OF CONCRETE DRIVEWAY	398.000	SY	
619(B)	4780	REMOVAL OF GUARD RAIL	2,132.000	LF	
619(B)	6235	REMOVAL OF WING	10.000	EA	
619(B)	8305	REMOVAL OF SIGNS	50.000	EA	
619(C)	0924	SAWING PAVEMENT	19,051.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,737.500	LF	
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA	
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	9.000	EA	
624(A)	4281	FENCE-STYLE WWF	3,961.000	LF	
624(B)	4793	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	3.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	15,242.000	LF	
624(D)	4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	502.000	LF	
624(E)	5851	GATES-STYLE CLF (4'HIGH X 16'LONG)	3.000	EA	
625(D)	1254	REMOVE AND RECONSTRUCT GUARD RAIL	400.000	LF	
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	22.000	EA	
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE	3.000	EA	
629(C)	4960	(SU)MAILBOX	28.000	EA	
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	28.000	EA	
640	1426	FIELD OFFICE	1.000	EA	
641	1552	MOBILIZATION	1.000	LSUM	
653(A)	5915	(SP)EDGE DRAIN CONDUIT-PERFORATED	1,400.000	LF	
653(B)	5916	(SP)EDGE DRAIN OUTLET LATERAL-NONPERF.	859.000	LF	
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	1.000	EA	
930.22	4682	(PL) PLUGGING ABANDONED PIPE	2.000	EA	
931.97	7011	(PL) TEMPORARY SILT FENCE	1,705.000	LF	
932.11	7072	(PL) COARSE AGGREGATE NO 57	560.000	CY	
SECTION NO. 0002		X081-BRIDGE 'A'	CIP-173B(18)IP		
201	0102	CLEARING AND GRUBBING	1.000	LSUM	
414(C)	1304	APPROACH SLABS	273.400	SY	
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	248.000	CY	
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	758.700	LF	
504	6253	(PL)DECK DRAIN COLLECTION SYSTEM	26.000	EA	
504(A)	1314	CLASS AA CONCRETE	838.100	CY	
505(B)	1381	CONCRETE PARAPET	1,727.400	LF	
506(A)	1322	STRUCTURAL STEEL	1,123,810.000	LB	
509(B)	1328	CLASS A CONCRETE	701.600	CY	
511(A)	1439	REINFORCING STEEL (GRADE 60)	53,650.000	LB	
511(B)	6009	EPOXY COATED REINF. STEEL (GR 60)	208,490.000	LB	
514(E)	6010	STEEL PILING (HP 10X42)	350.000	LF	
514(E)	6011	STEEL PILING (HP 12X53)	1,492.000	LF	
515(A)	6387	(SP) PENETRAT WATER REPELL TR.CONC.SUR.	1,547.400	SY	
516(A)	6098	DRILLED SHAFTS 72" DIAMETER	98.000	LF	
516(A)	6105	DRILLED SHAFTS 96" DIAMETER	398.000	LF	
516(C)	6200	CROSSHOLE SONIC LOGGING	8.000	EA	
516(D)	6400	CSL ACCESS TUBES	3,536.000	LF	
529	6309	(SU)LOW STRENGTH BACKFILL MATERIAL	184.000	CY	
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	3,180.000	TON	
601(A-2)	1355	TYPE I-A FILTER BLANKET	820.000	TON	
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	82.000	LF	
613(Q)	6207	6"RND.NON-PERF.PIPE UNDERDRAIN	50.000	LF	
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	12.000	CY	

SECTION NO. 0002	X081-BRIDGE 'A'	CIP-173B(18)IP		
613(S)	1396	TRENCH EXCAVATION	16.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	16.000	CY
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
655	7200	(SP) PIER PROTECTION CELL	2.000	EA
901.00	6238	(PL) BRIDGE NAVIGATION LIGHTING	1.000	LSUM
901.14	6264	(PL) SEALED EXPANSION JOINT	82.000	LF
SECTION NO. 0003	X028-BRIDGE 'B'	CIP-173B(29)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	1,470.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	1,185.000	CY
509(B)	1328	CLASS A CONCRETE	629.900	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	132,210.000	LB
619(B)	4780	REMOVAL OF GUARD RAIL	375.000	LF
619(B)	6235	REMOVAL OF WING	2.000	EA
SECTION NO. 0004	X028-BRIDGE 'C'	CIP-173B(29)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	1,092.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	152.000	CY
509(B)	1328	CLASS A CONCRETE	429.300	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	82,430.000	LB
619(B)	1383	REMOVAL OF HEADWALL	1.000	EA
619(B)	4780	REMOVAL OF GUARD RAIL	365.000	LF
SECTION NO. 0005	Y008-CONST.TRAFFIC CONTROL	CIP-173B(29)IP		
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	2,360.000	LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	280.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	4,720.000	LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	45,950.000	LF
859(A)	8006	PAVEMNT MRKNG REMOV.(TRAF.STRP)	121,525.000	LF
859(B)	8007	PAVEMENT MARKING REMOV.(ARROWS)	3.000	EA
859(C)	8008	PAVEMENT MARKING REMOV. (WORDS)	1.000	EA
871	8705	(PL) CONSTR. ZONE QUADGUARD IMP. ATTN.	3.000	EA
880(C)	8015	ADVANCE WARNING DEVICE (TYPE C)	270.000	SD
880(D)	8016	SIGNS 0 TO 6.25 SF	4,970.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	81,080.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	32,875.000	SD
880(J)	8021	BARRICADES(TYPE III)	48,690.000	SD
880(K)	8022	WING BARRICADES	3,450.000	SD
880(L)	8023	VERTICAL PANELS	136,245.000	SD
880(M)	8024	TYPE A LIGHT	88,065.000	SD
880(O)	8026	TYPE C LIGHT	136,245.000	SD
880(P)	8027	DRUMS	49,480.000	SD
880(Q)	8145	TUBE CHANNELIZERS	1,710.000	SD
880(R)	8511	(SU)PORTABLE MODULAR GLARE SCREEN UNIT	180.000	EA
960.20	8144	(PL)RELOC. OF CONST. ZONE IMPACT ATN.	1.000	EA
961.30	8550	(PL) FLAGGER	35.000	DAY
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	17.000	EA
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	4,500.000	EA
SECTION NO. 0006	Y002-TRAFFIC SIGNING & STRIPING	CIP-173B(18)IP		

SECTION NO. 0006	Y002-TRAFFIC SIGNING & STRIPING	CIP-173B(18)IP		
850(A)	8215	SHEET ALUMINUM SIGNS	807.500	SF
851	8616	(PL) 1 3/4" SQUARE TUBE POST	104.000	LF
851	8617	(PL) 2" SQUARE TUBE POST	60.000	LF
851	8642	(PL) 2 1/4" SQUARE TUBE POST	1,663.000	LF
853(B)	3311	DELINEATORS TYPE 1 CODE 2	15.000	EA
853(D)	3313	DELINEATORS TYPE 2 CODE 1	18.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2	54.000	EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	177,046.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	88.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	18.000	EA
961.33	8580	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA
SECTION NO. 0007	STAK-STAKING	CIP-173B(18)IP		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0008	STAK-STAKING	CIP-173B(29)IP		
642	0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 445  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: WASHINGTON

FEDERAL PROJECT  
 CONTRACT ID : 000135  
 PCN : 1756704  
 PROJECTS : BRO-174D(11)CO  
 DBE/WBE GOALS: 4.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 3.76  
 RES. ENG.: 81TUL  
 CAL. DAYS: 120 LIQ. DAM: \$ 500

PAGE 50

CONTRACT DESCRIPTION:  
 BRIDGE AND APPROACHES  
 COUNTY BRIDGE OVER UNNAMED CREEK, 1.609 KM. SOUTH AND  
 3.219 KM. EAST OF JCT. US-75/SH-10  
 PROJ. LGTH.= 0.159 KM.  
 FLEX. ESALS= 0.10 MILLION  
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M6181	(PL)EARTHWORK	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	320.000	M
227 M0100	(PL)TEMPORARY SILT DIKE	59.000	M
230(A) M2806	SOLID SLAB SODDING	1,569.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.320	HA
303 M0192	AGGREGATE BASE	256.000	M3
408 M5774	PRIME COAT	2,904.000	L
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		291.000 T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(CC)M7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
613(D) M5216	700MM X 500MM CORR. GALV. ST. PIPE ARCH		58.200 M
SECTION NO. 0002 X028-BRIDGE 'A'			
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	45.500	M3
509(E) M1332	CLASS S CONCRETE	124.500	M3
511(A) M1332	REINFORCING STEEL	9,461.000	KG
601A-1 M1353	TYPE I-A PLAIN RIPRAP	240.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	25.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 M0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 454  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: WOODS

STATE PROJECT  
 CONTRACT ID : 000301  
 PCN : 1813804  
 PROJECTS : SAP-176D(34)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 61BUF  
 CAL. DAYS: LIQ. DAM: \$ 500

PAGE 51

CONTRACT DESCRIPTION:  
 SURFACE(ASPHALT)  
 LITTLE SAHARA STATE PARK, 2 MILES NORTH ON CAMPGROUND ROAD  
 PROJ. LGTH.= 1.5 MILES  
 FLEX. ESALS= 1 MILLION  
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(G) 0185	EARTHWORK	1.000	LSUM
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,996.000	TON
411(B) 5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)	250.000	TON

LNTCIQA  
 CALL ORDER : 456  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: WOODWARD

STATE PROJECT  
 CONTRACT ID : 000302  
 PCN : 1679904

PAGE 52

PROJECTS : SAP-177D(9)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 61BUF  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 SH-50A; POOL & PARKING LOTS AT BATHHOUSE & POOL WITHIN  
 THE LIMITS OF ALABASTER CAVERNS STATE PARK SOUTH OF FREEDOM  
 PROJ. LGTH.= 0.61 MILES  
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	100.000	TON
411(C) 6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	435.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 520  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: DELAWARE

STATE PROJECT  
 CONTRACT ID : 000282  
 PCN : 1836704

PAGE 53

PROJECTS : MC-121B(51)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 83CLA  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT  
 BEGIN 3.30 MILES EAST OF THE DELAWARE/MAYES COUNTY LINE  
 AND EXTEND EAST ON SH-20  
 PROJ. LGTH.= 8.0 MILES  
 FLEX. ESALS= 1.0 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ROADWAY MC-121B(51)		
402 5205	(PL)ARMOR COAT	112,640.000	SY

LNTCIQA  
CALL ORDER : 530  
LETTING DATE : June 22, 2000  
LETTING TIME : 2:00 P.M.  
COUNTIES: DELAWARE

STATE PROJECT  
CONTRACT ID : 000283  
PCN : 1837204

PAGE 54

PROJECTS : MC-121B(52)  
DBE/WBE GOALS: 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE: \$ 0.00  
RES. ENG.: 83CLA  
CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT  
BEGIN AT THE DELAWARE/MAYES COUNTY LINE AND EXTEND EAST  
ON SH-20  
PROJ. LGTH.= 3.30 MILES  
FLEX. ESALS= 1.0 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ROADWAY MC-121B(52)		
402 5205	(PL)ARMOR COAT	46,464.000	SY



LNTCIQA  
 CALL ORDER : 540  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: DELAWARE

STATE PROJECT  
 CONTRACT ID : 000284  
 PCN : 1836704C

PAGE 55

PROJECTS : MC-121B(51)(52)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 83CLA  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 ARMOR COAT  
 BEGIN AT THE DELAWARE/MAYES COUNTY LINE AND EXTEND  
 EAST ON SH-20  
 PROJ. LGTH.= 11.3 MILES  
 FLEX. ESALS= 1.0 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ROADWAY MC-121B(51)		
402 5205	(PL)ARMOR COAT	112,640.000	SY
SECTION NO. 0002	F000-ROADWAY MC-121B(52)		
402 5205	(PL)ARMOR COAT	46,464.000	SY

LNTCIQA  
CALL ORDER : 550  
LETTING DATE : June 22, 2000  
LETTING TIME : 2:00 P.M.  
COUNTIES: HASKELL

STATE PROJECT  
CONTRACT ID : 000285  
PCN : 1837704

PAGE 56

PROJECTS : MC-131B(28)PT.1  
DBE/WBE GOALS: 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE: \$ 0.00  
RES. ENG.: 11MUS  
CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT  
BEGIN AT THE JCT. OF SH-9/SH-71 AND EXTEND EAST ON SH-9  
PROJ. LGTH.= 7.80 MILES  
FLEX. ESALS= 1.1 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ROADWAY		
402 5205	(PL)ARMOR COAT	137,280.000	SY

LNTCIQA  
CALL ORDER : 560  
LETTING DATE : June 22, 2000  
LETTING TIME : 2:00 P.M.  
COUNTIES: HASKELL

STATE PROJECT  
CONTRACT ID : 000286  
PCN : 1837705

PAGE 57

PROJECTS : MC-131B(28) PT.2  
DBE/WBE GOALS: 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE: \$ 0.00  
RES. ENG.: 11MUS  
CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT  
BEGIN 7.8 MILES EAST OF THE JCT. SH-9/SH-71 AND EXTEND  
EAST ON SH-9  
PROJ. LGTH.= 7.85 MILES  
FLEX. ESALS= 1.1 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ROADWAY MC-131B(28) PT 2		
402 5205	(PL)ARMOR COAT	132,411.000	SY

LNTCIQA  
 CALL ORDER : 570  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: HASKELL

STATE PROJECT  
 CONTRACT ID : 000287  
 PCN : 1837704C

PAGE 58

PROJECTS : MC-131B(28)PT 1,2  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 11MUS  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT  
 BEGIN AT THE JCT. OF SH-9/SH-71 AND EXTEND EAST ON SH-9  
 PROJ. LGTH.= 14.65 MILES  
 FLEX. ESALS= 1.1 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	F000-ROADWAY MC-131B(28) PT 1		
402 5205	(PL)ARMOR COAT	137,280.000	SY
SECTION NO. 0002	F000-ROADWAY MC-131B(28) PT 2		
402 5205	(PL)ARMOR COAT	132,411.000	SY

LNTCIQA  
 CALL ORDER : 580  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: KAY

STATE PROJECT  
 CONTRACT ID : 000288  
 PCN : 1836804

PAGE 59

PROJECTS : MC-136B(46)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 41PER  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 WIDEN AND RESURFACE(ASPHALT)  
 BEGIN AT KAY/GRANT COUNTY LINE AND EXTEND EAST ON SH-11  
 PROJ. LGTH.= 6.554 MILES  
 FLEX. ESALS= 2.7 MILLION  
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
209	0120 MACHINE GRADING	345.000	STA
303	0192 AGGREGATE BASE	100.000	CY
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	8,200.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,500.000	TON
411(D)	6590 (SP)ASPHALT CONC. TYPE D (PG 64-22 OK)	1,000.000	TON
417	5267 COLD MILLING PAVEMENT	400.000	SY
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	15,200.000	SY
619(B)	4763 REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	300.000	SY
960.16	8140 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 590  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: MAJOR

STATE PROJECT  
 CONTRACT ID : 000289  
 PCN : 1835304

PAGE 60

PROJECTS : MC-147B(65) PT.1  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 61BUF  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 BEGIN AT THE JCT. OF SH-58/SH-8 EAST OF FAIRVIEW AND  
 EXTEND NORTH ON SH-58  
 PROJ. LGTH.= 4.895 MILES  
 FLEX. ESALS= 4.7 MILLION  
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(C) 6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	7,725.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 600  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: MAJOR

STATE PROJECT  
 CONTRACT ID : 000290  
 PCN : 1835305

PAGE 61

PROJECTS : MC-147B(65) PT.2  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 61BUF  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 BEGIN 4.895 MILES NORTH OF JCT. SH-58/SH-8 EAST OF FAIRVIEW  
 AND EXTEND NORTH ON SH-58 TO US-412  
 PROJ. LGTH.= 4.895 MILES  
 FLEX. ESALS= 4.7 MILLION  
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(C) 6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	7,725.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
CALL ORDER : 610  
LETTING DATE : June 22, 2000  
LETTING TIME : 2:00 P.M.  
COUNTIES: MAJOR

STATE PROJECT  
CONTRACT ID : 000291  
PCN : 1835404

PAGE 62

PROJECTS : MC-147C(66) PT.1  
DBE/WBE GOALS: 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE: \$ 0.00  
RES. ENG.: 61BUF  
CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
REFURFACE(ASPHALT)  
BEGIN AT BLAINE COUNTY LINE AND EXTEND NORTH ON SH-8  
PROJ. LGTH.= 4.06 MILES  
FLEX. ESALS= 3.7 MILLION  
ASHP. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(C) 6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	4,005.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM



LNTCIQA  
 CALL ORDER : 620  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: MAJOR

STATE PROJECT  
 CONTRACT ID : 000292  
 PCN : 1835405

PAGE 63

PROJECTS : MC-147C(66) PT.2  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 61BUF  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 BEGIN 4.06 MILES NORTH OF BLAINE COUNTY LINE AND EXTEND  
 NORTH ON SH-8 TO JCT. SH-58/SH-8  
 PROJ. LGHT.= 4.06 MILES  
 FLEX. ESALS=3.7 MILLION  
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(C) 6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	4,005.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
 CALL ORDER : 630  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: MAJOR

STATE PROJECT  
 CONTRACT ID : 000293  
 PCN : 1835304C

PAGE 64

PROJECTS : MC-147B(65)PT 1,2/MC-146C(66)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 61BUF  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 BEGIN AT BLAINE COUNTY LINE AND EXTEND NORTH ON SH-8  
 TO US-412  
 PROJ. LGTH.= 17.91 MILES  
 FLEX. ESALS= 4.7 MILLION  
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-147B(65) PT 1		
411(C) 6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	7,725.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY MC-147B(65) PT 2		
411(C) 6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	7,725.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	I000-ROADWAY MC-147C(66) PT 1		
411(C) 6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	4,005.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004	I000-ROADWAY MC-147C(66) PT 2		
411(C) 6560	(SP)ASPHALT CONC. TYPE C (PG 64-22 OK)	4,005.000	TON
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA  
CALL ORDER : 670  
LETTING DATE : June 22, 2000  
LETTING TIME : 2:00 P.M.  
COUNTIES: NOWATA

STATE PROJECT  
CONTRACT ID : 000297  
PCN : 1837104

PAGE 65

PROJECTS : MC-153C(19)  
DBE/WBE GOALS: 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE: \$ 0.00  
RES. ENG.: 83CLA  
CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
RESURFACE(ARMOR COAT)  
BEGIN AT THE JCT. OF SH-10/US-169 AND EXTEND EAST ON SH-10  
PROJ. LGTH.= 5.3 MILES  
FLEX. ESALS= 1.0 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
402 5205	(PL)ARMOR COAT	74,624.000	SY

LNTCIQA  
 CALL ORDER : 690  
 LETTING DATE : June 22, 2000  
 LETTING TIME : 2:00 P.M.  
 COUNTIES: PAYNE

STATE PROJECT  
 CONTRACT ID : 000299  
 PCN : 1836404

PAGE 66

PROJECTS : CMC-160B(58)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 45STL  
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT)  
 BEGIN WEST OF COUNTRY CLUB ROAD ON SH-51 AND EXTEND EAST  
 PROJ. LGTH.= 5.00 MILES  
 FLEX. EASLS= 4.5 MILLION  
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	RESURFACE(ASPHALT)		
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,500.000	TON
411(BH) 6690	(SP)ASPHALT CONCRETE TYPE BH(PG70-28OK)	10,000.000	TON
417 5267	COLD MILLING PAVEMENT	85,000.000	SY
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	70,000.000	LF
857 8243	PAV. MARKERS CLASS C TYPE 2-C	10.000	EA
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
961.06 8444	(PL) REMOVAL OF CLASS C PAVEMENT MARKER	300.000	EA
961.44 8608	(PL)REMOVE&RESET CLASS C PAVE. MARKERS	300.000	EA