

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : June 23, 2000

LNTCNCA
LETING

NOTICE TO CONTRACTORS -- July 27, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF July 27, 2000 , TO BE PUBLICALLY OPENED AT 10:30 A.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$23.07 PLUS \$1.93 TAX (OKLAHOMA TAX IS 8.375%) FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$7.38 PLUS \$.62 TAX. MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

LNTCIQA
 CALL ORDER : 010
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: BECKHAM

FEDERAL PROJECT
 CONTRACT ID : 000305
 PCN : 1832704

PAGE 1

PROJECTS : STPY-105A(46)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 51CLI
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 TRAFFIC SIGNALS AT INTERSECTION OF I-40B/SH-6 IN ELK CITY
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y031-FLASHING SIGNALS		
641	2917 MOBILIZATION	1.000	LSUM
802(B)	8332 1" PVC SCH.40 PLASTIC CONDUIT BORED	110.000	LF
802(B)	8334 1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	220.000	LF
804(A)	2915 STRUCTURAL CONCRETE	1.750	CY
804(B)	2916 REINFORCING STEEL	135.000	LB
806(A)	8518 15' MTG.HT.H.L. PED. POLE(G.STL.)	5.000	EA
810(A)	3118 SERVICE POLE	3.000	EA
811	8044 1/C NO.10 ELECT.COND.	726.000	LF
827	8623 SOLID STATE FLASHER CONTROLLER(TYPE II)		3.000 EA
831	8303 1WAY1SEC.ADJ.SIG.HD.(CM)S-8	10.000	EA
850(A)	8110 SHEET ALUMINUM SIGNS	20.000	SF
855(A)	8812 TRAFFIC STRIPE(PLASTIC)(4" WIDE)	21,098.000	LF
859(A)	8006 PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	10,000.000	LF
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A)	8722 (PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM

LNTCIQA
CALL ORDER : 020
LETTING DATE : July 27, 2000
LETTING TIME : 10:30 A.M.
COUNTIES: BRYAN

STATE PROJECT
CONTRACT ID : 000327
PCN : 1824404

PAGE 2

PROJECTS : SAP-107C(42)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 23MAD
CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

SURFACE(ASPHALT)
BEGIN APPROX. 3.8 MILES EAST OF ROOSEVELT BRIDGE ON US-70
AT NEWBERRY CREEK, EXTEND NORTH
PROJ. LGTH.= 1.7 MILES
FLEX. ESALS= 1 MILLION
ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
407 0250	TACK COAT	2,095.000	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,900.000	TON

LNTCIQA
 CALL ORDER : 040
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CADDO

FEDERAL PROJECT
 CONTRACT ID : 000307
 PCN : 1740504

PAGE 3

PROJECTS : BRFY-108C(43)
 DBE/WBE GOALS: 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 16.64
 RES. ENG.: 73ANA
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 BRIDGE OVER PUNJO CREEK 6.920 KM. NORTH OF JCT
 SH-9/SH-146
 PROJ. LGTH.= 1.010 KM.
 FLEX. ESALS= 1.1 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	X900-DETOUR STRUCTURE		
509(B) M1328	CLASS A CONCRETE	10.300	M3
511(A) M1439	REINFORCING STEEL (GRADE 420)	300.000	KG
613(D) M0698	1800MM CORR. GALV. STEEL PIPE	75.000	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0002 I000-ROADWAY			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	67,914.000	M3
202(C) M0184	UNCLASSIFIED BORROW	1,036.000	M3
205 M7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	50.000	M
223 M2802	TEMPORARY SILT FENCE	500.000	M
226 M2805	TEMPORARY SEDIMENT REMOVAL	25.000	M3
227 M0100	TEMPORARY SILT DIKE	50.000	M
230(A) M2806	SOLID SLAB SODDING	15,450.000	M2
230(B) M2807	MULCH SODDING	19,800.000	M2
232(B) M2814	SEEDING METHOD B	11.190	HA
233(A) M2817	VEGETATIVE MULCHING	12.100	HA
234(A) M4406	FERTILIZING (0-46-0)	1.250	T
241 M2832	MOWING	7.360	HA
317(A) M4252	(SP)FLY ASH	480.000	T
317(B) M4254	SUBGRADE MODIFICATION	8,311.000	M2
403(A) M0217	TRAFFIC BOUND SURFACE COURSE TYPE A	164.000	T
407 M0250	TACK COAT	9,785.000	L
408 M5774	PRIME COAT	15,773.000	L
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	6,013.000	T
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,196.000	T
509(D) M0325	CLASS C CONCRETE	20.000	M3
611(E) M5329	INLET GPI TYPE 1 (DES. 3)	1.000	EA
611(E) M6000	INLET (SMD-TYPE 1)	1.000	EA
613(B) M0502	600MM R.C.PIPE CLASS IV	10.000	M
613(B) M0506	900MM R.C.PIPE CLASS IV	12.000	M

SECTION NO. 0002	I000-ROADWAY		
613(CC)M7196	TYPE A6 CULVERT END TREATMENT	2.000	EA
613(CC)M7197	TYPE B6 CULVERT END TREATMENT	8.000	EA
613(CC)M7202	TYPE BB6 CULVERT END TREATMENT	2.000	EA
613(D) M5205	510MM X 380MM CORR. GALV. ST. PIPE ARCH		30.100 M
613(D) M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH		56.000 M
613(D) M5721	600MM CORR. GALV. STEEL PIPE	137.200	M
613(P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND		70.000 M
613(Q) M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.		25.000 M
613(R) M1100	PIPE UNDERDRAIN COVER MAT'L.	18.000	M3
613(S) M1180	TRENCH EXCAVATION	104.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	24.000	M3
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	7,326.000	M2
619(C) M0924	SAWING PAVEMENT	206.000	M
623(A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	100.000	M
623(F) M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	2.000	EA
624(C) M7180	FENCE-STYLE SWF (5 BARBED WIRE)	2,063.000	M
629(A) M4958	MAILBOX INSTALLATION-SINGLE	7.000	EA
629(C) M4960	MAILBOX	7.000	EA
629(D) M4961	REMOVAL OF MAILBOX INSTALLATION	7.000	EA
SECTION NO. 0003	X028-BRIDGE 'A'		
202(A) M1301	UNCLASSIFIED EXCAVATION	84,540.000	M3
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	780.000	M3
509(B) M1328	CLASS A CONCRETE	1,710.500	M3
511(A) M1439	REINFORCING STEEL (GRADE 420)	142,450.000	KG
601A-1 M1353	TYPE I-A PLAIN RIPRAP	8,640.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000 LSUM
641 M1399	MOBILIZATION		1.000 LSUM
SECTION NO. 0004	Y008-TRAFFIC CONTROL		
890 M7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0005	Y002-SIGNING & STRIPING		
855(A) M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)		4,389.000 M

LNTCIQA
 CALL ORDER : 050
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CARTER

FEDERAL PROJECT
 CONTRACT ID : 000308
 PCN : 1761804
 PROJECTS : BRO-110D(47)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 71DUN
 CAL. DAYS: 120

PAGE 5

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER CADDO CREEK, 7.564 KM. SOUTH AND 1.607 KM
 WEST OF SH-7/SH-76 JCT.
 PROJ. LGTH.= 0.399 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	1,200.000	M
227 M0100	TEMPORARY SILT DIKE	100.000	M
230(A) M2806	SOLID SLAB SODDING	2,000.000	M2
230(B) M2807	MULCH SODDING	8,000.000	M2
233(A) M2817	VEGETATIVE MULCHING	2.100	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	835.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
SECTION NO. 0002	X081-BRIDGE "A"		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	96.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	32.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	95.000	M
504(E) M1380	CONCRETE RAIL (TR1)	65.700	M
506(A) M1322	STRUCTURAL STEEL	614.000	KG
509(A) M1326	CLASS AA CONCRETE	43.800	M3
509(B) M0321	CLASS A CONCRETE	42.000	M3
511(A) M1332	REINFORCING STEEL	9,192.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	341.800	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	341.800	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	480.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	113.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 060
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CHEROKEE

FEDERAL PROJECT
 CONTRACT ID : 000309
 PCN : 1830804

PAGE 6

PROJECTS : STPY-111B(37)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.22
 RES. ENG.: 11MUS
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 SIGNALS AT INTERSECTION OF SH-82 AND ALLEN ROAD IN TAHLEQUAH
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 YO32-TRAFFIC SIGNALS			
641	2917 MOBILIZATION	1.000	LSUM
802(B)	8054 3" PVC SCH.40 PLASTIC CONDUIT BORED	285.000	LF
802(B)	8058 2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	60.000	LF
802(B)	8059 3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	40.000	LF
802(B)	8265 1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	110.000	LF
802(B)	8266 1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	1,240.000	LF
802(B)	8332 1" PVC SCH.40 PLASTIC CONDUIT BORED	155.000	LF
803	8065 PULL BOX(SIZE I)	3.000	EA
803	8066 PULL BOX(SIZE II)	1.000	EA
803	8067 PULL BOX(SIZE III)	6.000	EA
804	2915 STRUCTURAL CONCRETE	11.400	CY
804	2916 REINFORCING STEEL	1,746.300	LB
806(A)	8150 POLE & 35'T.S.MST.ARM(G.STL.)	1.000	EA
806(A)	8324 32' MH POLE 45' TS&15' LMA(G.STL.)	1.000	EA
806(A)	8325 32' MH POLE 40' TS&15' LMA(G.STL.)	1.000	EA
806(A)	8334 32' MH POLE 35' TS&15' LMA(G.STL.)	1.000	EA
809(A)	8097 ROADWAY LUMINAIRE(250 WATT HPS)	3.000	EA
811	8107 1/C NO.10 ELECT.COND.	1,400.000	LF
811	8109 1/C NO.6 ELECT.COND.	200.000	LF
825	3009 TRAF.VEH.ACT.SOL.ST.SIG.CON.ASM	1.000	EA
828(A)	3012 SOL.STE.DIGITAL IND.VEH.LP.DET.	12.000	EA
828(B)	8494 LOOP DETECTOR WIRE	4,350.000	LF
831	8170 1WAY3SEC.ADJ.SIG.HD.(MAM)S-6	8.000	EA
831	8171 1WAY3SEC.ADJ.SIG.HD.(MAM)S-9	4.000	EA
833	3038 5" BACKPLATE(12" HDS)(B-2)	12.000	EA
834(A)	8207 5/C TRAF.SIG.EL.CABLE	610.000	LF
834(A)	8209 9/C TRAF.SIG.EL.CABLE	530.000	LF
834(B)	8214 2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	2,700.000	LF
850(A)	8215 SHEET ALUMINUM SIGNS	18.000	SF
850(C)	8525 MAST ARM MOUNTED SIGNS(ALUM.)	61.500	SF
851	8642 (PL)2 1/4" SQUARE TUBE POST	26.000	LF
855(A)	3318 TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,700.000	LF
855(B)	3320 TRAFFIC STRIPE(PLASTIC)(ARROWS)	8.000	EA
855(C)	3321 TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA
859(A)	8006 PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1,000.000	LF
859(B)	8007 PAVEMENT MARKING REMOVAL(ARROWS)	4.000	EA

SECTION NO. 0001		YO32-TRAFFIC SIGNALS		
859(C)	8008	PAVEMENT MARKING REMOVAL(WORDS)	2.000	EA
960.16	8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
960.18	8142	(PL)REMOVAL OF EXISTING SIGNS	2.000	LSUM
SECTION NO. 0002		STAK-STAKING		
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 080
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CLEVELAND

FEDERAL PROJECT
 CONTRACT ID : 000310
 PCN : 1705304
 PROJECTS : STP-114C(16)AG
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 10.20
 RES. ENG.: 32PUR
 CAL. DAYS: 150

PAGE 8

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION AND TRAFFIC SIGNAL
 INTERSECTION OF ROCK CREEK ROAD AND STUBBEMAN IN NORMAN
 PROJ. LGTH.= 0.415 KM.
 FLEX. ESALS=11.6 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 J000-ROADWAY			
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(C)	M0183	UNCLASSIFIED EXCAVATION	3,705.000 M3
205	M7174	(PL)TOPSOIL - LUMP SUM	1.000 LSUM
223	M2802	TEMPORARY SILT FENCE	500.000 M
227	M0100	TEMPORARY SILT DIKE	100.000 M
230(A)	M2806	SOLID SLAB SODDING	3,616.000 M2
232(D)	M2816	WATERING	651.000 KL
233(A)	M2817	VEGETATIVE MULCHING	0.360 HA
234(A)	M2824	FERTILIZING (10-20-10)	0.400 T
307(A)	M4233	LIME	131.900 T
307(B)	M4234	150MM LIME TREATED SUBGRADE	6,431.000 M2
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	100.000 T
407	M0250	TACK COAT	1,461.000 L
408	M5774	PRIME COAT	5,323.300 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,800.000 T
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	56.400 T
414(AA)	M5753	200MM P.C. DOWEL JOINTED CONCRETE PAV	5,922.000 M2
417	M4267	COLD MILLING BITUMINOUS PAVEMENT	274.000 M2
509(E)	M0325	CLASS "C" CONC.	10.000 M3
609(A)	M0380	CONC.CURB(200MM BARRIER-INTEGRAL)	987.000 M
610(A)	M0602	100MM CONCRETE SIDEWALK	331.000 M2
610(B)	M0399	150 MM CONCRETE DRIVEWAY (H.E.S.)	202.000 M2
611(A)	M2657	MANHOLE (1200MM DIA.)	3.000 EA
611(B)	M2680	ADD'L.DEPTH IN MANHOLE (1200MM DIA.)	0.550 M
611(D)	M4215	MANHOLE FRAME & COVER	3.000 EA
611(E)	M5316	INLET CICI DES. 2 (B)	4.000 EA
611(F)	M5363	INLET CICI DES. 2 (B, ADD'L DEPTH)	0.254 M
611(K)	M4488	CAST IRON CURB INLETS	16.000 EA
613(B)	M0491	450MM R.C.PIPE CLASS III	273.500 M
613(C)	M4373	SP. END SECTION OF 450MM RCP ROUND	1.000 EA
613(S)	M1180	TRENCH EXCAVATION	303.000 M3
613(T)	M1181	STANDARD BEDDING MATERIAL	134.000 M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	595.000 M2

SECTION NO. 0001	J000-ROADWAY		
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	2,154.000	M2
619(B) M4766	REMOVAL OF CONCRETE DRIVEWAY	313.000	M2
619(B) M4792	REMOVAL OF SIDEWALK	174.000	M2
619(C) M0924	SAWING PAVEMENT	1,235.000	M
640 M1398	FIELD OFFICE	1.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	Y031-TRAFFIC		
802(A) M8304	25MM G.STL.ELECT.COND.TR.	73.000	M
802(A) M8308	32MM G.STL.ELECT.COND.TR.	229.000	M
802(A) M8314	50MM G.STL.ELECT.COND.TR.	13.000	M
802(A) M8318	75MM G.STL.ELECT.COND.P.OR B.	51.000	M
802(A) M8320	75MM G.STL.ELECT.COND.TR.	59.000	M
803 M8065	PULL BOX(SIZE I)	3.000	EA
803 M8066	PULL BOX(SIZE II)	1.000	EA
803 M8067	PULL BOX(SIZE III)	5.000	EA
804 M2915	STRUCTURAL CONCRETE	7.450	M3
804 M2916	REINFORCING STEEL	636.300	KG
806(A) M8794	9.7M MHP 12.2M TS & 3.7M LMA(G.STL.)	1.000	EA
806(A) M8820	9.7M MHP 15.2M TS & 4.6M LMA(G.STL.)	2.000	EA
806(B) M8896	3.7M MTG.HT.TS PED.POLE(G.STL.)	1.000	EA
809(A) M8204	ROADWAY LUMINAIRE(250 WATT HPS)	3.000	EA
811 M8040	1/C NO.6 ELECT.COND.	110.000	M
811 M8044	1/C NO.10 ELECT.COND.	343.000	M
825 M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A) M8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	15.000	EA
828(B) M8138	LOOP DETECTOR WIRE	1,332.000	M
830 M8000	PEDESTRIAN PUSH BUTTON	4.000	EA
831 M8239	1WAY3SEC.ADJ.SIG.HD.(MAM)S-6	7.000	EA
831 M8290	1WAY5SEC.ADJ.SIG.HD.(MAM)S-19	2.000	EA
831 M8296	1WAY2SEC.ADJ.PED.SIG.HD.(CM)S-20	4.000	EA
833 M3038	127MM BACKPLATE(300MM HDS)(B-2)	9.000	EA
834(A) M8207	5/C TRAF.SIG.EL.CABLE	254.000	M
834(A) M8208	7/C TRAF.SIG.EL.CABLE	156.000	M
834(B) M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	948.000	M
840(A) M8592	(PL)E.P.S. OPTICAL EMITTER	1.000	EA
840(B) M8593	(PL)E.P.S. OPTICAL DETECTOR	3.000	EA
840(C) M8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	165.000	M
840(D) M8595	(PL)E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(A) M8215	SHEET ALUMINUM SIGNS	2.960	M2
850(C) M8525	MAST ARM MOUNTED SIGNS (ALUM.)	8.000	M2
851(B) M3216	50MM@5.43 GALV.STL.PIPE POST	17.550	M
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	3,165.800	M
855(B) M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	10.000	EA
855(B) M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	6.000	EA
856(A) M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	1,100.000	M
856(C) M8851	REM.PAVEMENT MARKING TAPE(100MM WIDE)	1,500.000	M
856(G) M8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	760.000	EA
857(A) M8947	PAVE.MARKERS CLASS C TYPE 2-C	33.000	EA
857(A) M8950	PAVE.MARKERS CLASS C TYPE 2-D	134.000	EA
859(A) M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	800.000	M
880(B) M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	4,800.000	SD
880(B) M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	3,200.000	SD

SECTION NO. 0002	Y031-TRAFFIC		
880(B) M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	3,200.000	SD
880(C) M8836	BARRICADES(TYPE II)	960.000	SD
880(C) M8842	BARRICEDES(TYPE III)	1,600.000	SD
880(C) M8848	WING BARRICADES	1,280.000	SD
880(D) M8854	VERTICAL PANELS	15,360.000	SD
880(E) M8860	WARNING LIGHTS(TYPE A)	7,360.000	SD
880(E) M8872	WARNING LIGHTS(TYPE C)	14,080.000	SD
880(F) M8878	DRUMS	6,400.000	SD
890(A) M8724	(PL)REMOVAL OF EXISTING SIGNS	13.000	EA
890(A) M8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT		1.000 LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM
SECTION NO. 0004	Y060-NON-PARTICIPATING		
612(G) M0647	VALVE BOXES ADJUST TO GRADE	4.000	EA
612(H) M0648	METER BOXES ADJUST TO GRADE	1.000	EA

LNTCIQA
 CALL ORDER : 110
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: COAL

FEDERAL PROJECT
 CONTRACT ID : 000311
 PCN : 1748404
 PROJECTS : STP-115C(10)CO
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.83
 RES. ENG.: 31ADA
 CAL. DAYS: 30 LIQ. DAM: \$ 500

PAGE 11

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 COUNTY ROAD(NS-382): BEGIN APPROX. 2.84 KM NORTH AND
 0.48 KM EAST OF COALGATE AND EXTEND NORTH TO EW-167.
 PROJ. LGTH.= 3.22 KM
 ASPH GRADE = 64-22 OK
 FLEX ESALS = .66 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) M0183	UNCLASSIFIED EXCAVATION	500.000	M3
202(C) M0184	UNCLASSIFIED BORROW	522.000	M3
230(A) M2806	SOLID SLAB SODDING	6,440.000	M2
317(A) M4252	(SP)FLY ASH	1,261.000	T
317(B) M4254	SUBGRADE MODIFICATION	21,746.000	M2
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3,051.000	T
408 M5774	PRIME COAT	24,231.000	L
411(BH)M6680	(SP)ASPHALT CONCRETE TYPE BH(PG 64-22 OK	4,595.000	T
641 M1552	MOBILIZATION	1.000	LSUM
853(F) M3315	DELINEATORS TYPE 2 CODE 3	10.000	EA
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	12,880.000	M
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 120
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: COTTON

FEDERAL PROJECT
 CONTRACT ID : 000312
 PCN : 1736404
 PROJECTS : BRO-117D(10)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 71DUN
 CAL. DAYS: 120

PAGE 12

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER SNAKE CREEK 3.219 KM. WEST AND 5.633 KM.
 NORTH OF JCT. SH-53/SH-5 IN WALTERS
 PROJ. LGTH.= 0.369 KM.
 FLEX. ESALS= 0.4 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(G)	M0185	EARTHWORK	1.000 LSUM
223	M2802	TEMPORARY SILT FENCE	750.000 M
227	M0100	(PL)TEMPORARY SILT DIKE	200.000 M
230(A)	M2806	SOLID SLAB SODDING	1,050.000 M2
230(B)	M2807	MULCH SODDING	10,500.000 M2
233(A)	M2817	VEGETATIVE MULCHING	2.400 HA
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	215.000 T
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	602.000 T
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	295.000 T
509(D)	M0325	CLASS C CONCRETE	54.000 M3
613(D)	M0693	1050MM CORR. GALV. STEEL PIPE	20.000 M
854(A)	M8800	TRAFFIC STRIPE(PAINT)(100MM WIDE)	1,480.000 M
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000 M3
501(D)	M6353	UNCLASSIFIED BACKFILL	32.000 M3
503(A)	M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	95.000 M
504(E)	M1380	CONCRETE RAIL (TR1)	63.900 M
506(A)	M1322	STRUCTURAL STEEL	614.000 KG
509(A)	M1326	CLASS AA CONCRETE	43.700 M3
509(E)	M1332	CLASS S CONCRETE	41.400 M3
511(A)	M1332	REINFORCING STEEL	9,086.000 KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	239.580 M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	239.580 M
601A-1	M1353	TYPE I-A PLAIN RIPRAP	990.000 T
601A-2	M1355	TYPE I-A FILTER BLANKET	260.000 T
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(F)	M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000 EA
641	M1399	MOBILIZATION	1.000 LSUM
880(J)	M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
SECTION NO. 0003	STAK-STAKING		

LNTCIQA

FEDERAL PROJECT

PAGE 13

642 M0098

STAKING

1.000 LSUM

LNTCIQA
 CALL ORDER : 131
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CUSTER

STATE PROJECT
 CONTRACT ID : 000342
 PCN : 1841304

PAGE 14

PROJECTS : SAP-120N(40)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 51CLI
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE REPAIR
 BRIDGE OVER I-40 AT AIRPORT ROAD 4.3 MILES EAST OF SH-54
 IN WEATHERFORD
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X231-BRIDGE 'A'		
502(A) 6173	ENGINEERED FALSEWORK	1.000	LSUM
502(B) 6174	FALSEWORK ENGINEERING SERVICES	1.000	LSUM
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA
 CALL ORDER : 150
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: HUGHES

STATE PROJECT
 CONTRACT ID : 000331
 PCN : 1830004

PAGE 15

PROJECTS : SAP-132C(34)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 33WEW
 CAL. DAYS: 45 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE REPAIR
 OVERFLOW BRIDGE OVER LITTLE WEWOKA CREEK 8.5 MILES EAST
 OF SEMINOLE COUNTY LINE ON SH-9
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE 'A'		
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
540 4505	(PL)REPAIR BRIDGE ITEMS	44.000	EA
641 1399	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA
 CALL ORDER : 160
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: JACKSON

FEDERAL PROJECT
 CONTRACT ID : 000313
 PCN : 1677504

PAGE 16

PROJECTS : STPY-133E(14)EH
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 10.20
 RES. ENG.: 52ALT
 CAL. DAYS: 210 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 ENHANCEMENT
 STREETSCAPE ENHANCEMENT IN THE CITY OF ALTUS.
 PROJ. LGTH.= 1.28 MI.

 *
 * PREQUALIFICATION FOR THIS PROJECT WILL BE WAIVED *
 *

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y051-ENHANCEMENT		
202(C) 4349	(PL)UNCLASSIFIED EXCAVATION	1.000	LSUM
205 7174	(PL)TOPSOIL-LUMP SUM	1.000	LSUM
233(H) 5928	(PL)PINE BARK MULCH	14.800	CY
303 0192	AGGREGATE BASE	115.160	CY
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	12.000	TON
411(C) 6560	(SP)ASPHALT CONC.TYPE C(PG 64-22 OK)	2.500	TON
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	30.900	CY
510(D) 0100	(PL) DECORATIVE WALL	33.000	LF
609(B) 0395	2'-8" COMB.CURB & GUTTER (6" B.C.-NOTCH)	3,367.500	LF
609(C) 4472	CONC. HEADER CURB.(6" X 16")	179.000	LF
610 4015	(PL) CONCRETE PAVING UNIT	687.200	SY
610(A) 0604	5" CONCRETE SIDEWALK	4,492.800	SY
610(B) 0399	6" CONCRETE DRIVEWAY (H.E.S.)	878.800	SY
612(H) 0648	METER BOXES ADJUST TO GRADE	7.000	EA
616(B) 5197	4" POLYVINYL CHLORIDE (PVC) PIPE	3,670.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	859.700	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	92.500	SY
619(B) 4782	REMOVAL OF CONCRETE CURB	3,312.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	5,618.900	SY
619(C) 0924	SAWING PAVEMENT	5,370.600	LF
629(F) 5100	(PL)SITE AMENITIES	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM
802(B) 8053	2" PVC SCH.40 PLASTIC CONDUIT BORED	210.000	LF
802(B) 8056	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	760.000	LF
802(B) 8058	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	4,280.000	LF
803 8065	PULL BOX(SIZE I)	60.000	EA
960.08 8134	(PL)REMOVE LIGHT POLE	41.000	EA
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
960.74 8359	(PL)JUNCTION BOX	8.000	EA

SECTION NO. 0001	Y051-ENHANCEMENT		
961.33 8580	(PL)REMOVE & RESET EXISTING SIGNS	19.000	EA
SECTION NO. 0002	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 251
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: MURRAY

STATE PROJECT
 CONTRACT ID : 000380
 PCN : 1824604

PAGE 18

PROJECTS : SAP-150B(21)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 72ARD
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 INTERSECTION IMPROVEMENTS AT THE INTERSECTION OF US-177
 AND GODDARD ROAD(GODDARD YOUTH CAMP) NORTH OF DRAKE.
 PROJ. LGTH.= 0.0 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
209 0120	MACHINE GRADING	9.150	STA
311(C) 0153	PROCESS EXISTING BASE & SURFACE,METHOD C		6.700 STA
408 5774	PRIME COAT	470.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		600.000 TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		300.000 TON
854 3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	1,830.000	LF

LNTCIQA
 CALL ORDER : 260
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: MUSKOGEE

FEDERAL PROJECT
 CONTRACT ID : 000319
 PCN : 1661604
 PROJECTS : BRO-151D(25)CO
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 11MUS
 CAL. DAYS: 150 LIQ. DAM: \$ 500

PAGE 19

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER DIRTY CREEK TRIBUTARYS 3.219 KM. NORTH
 AND 2.414 KM. WEST OF WARNER
 PROJ. LGTH.= 0.199 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	E000-ROADWAY		
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
227 M0100	TEMPORARY SILT DIKE	150.000	M
230(A) M2806	SOLID SLAB SODDING	2,390.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.460	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	355.000	T
509(E) M1331	CLASS C CONCRETE	10.000	M3
SECTION NO. 0002	X028-BRIDGE 'A'		
202(C) M1301	UNCLASSIFIED EXCAVATION	1,063.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	76.500	M3
504(F) M1381	CONCRETE PARAPET	23.400	M
509(B) M1328	CLASS A CONCRETE	163.800	M3
511(A) M1332	REINFORCING STEEL	15,695.000	KG
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 270
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: MUSKOGEE

FEDERAL PROJECT
 CONTRACT ID : 000320
 PCN : 1672204

PAGE 20

PROJECTS : STPY-151A(30)TR
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 12.89
 RES. ENG.: 11MUS
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 AT THE JCTS. OF US-62B AND 12TH ST., MAIN ST., BROADWAY AVE,
 COURT ST. AND DENISON ST. IN MUSKOGEE
 PROJ. LGTH.= 0.508 KM.
 FLEX. ESALS= 6.0 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y031-TRAFFIC SIGNALS		
202(A) M0183	UNCLASSIFIED EXCAVATION	202.400	M3
303 M0192	AGGREGATE BASE	46.000	M3
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		50.000 T
414(B) M0288	150MM H.E.S. CONCRETE PAVEMENT	53.300	M2
414(B) M0290	200MM H.E.S. CONCRETE PAVEMENT	444.000	M2
609(A) M5947	CONC.CURB(150MM BARR-INTEGRAL)NOTCHED	116.000	M
609(B) M1524	800MM COMB.CRB.&GUT.(150MM MNT.CURB)	32.000	M
610(A) M0602	100MM CONCRETE SIDEWALK	705.800	M2
611(D) M4215	MANHOLE FRAME & COVER	5.000	EA
611(E) M5305	INLET CICI DES. 1 (STD)	5.000	EA
611(J) M0487	JUNCTION BOXES	10.750	M3
613(B) M0405	450MM R.C.PIPE CLASS III	22.330	M
613(S) M1180	TRENCH EXCAVATION	31.430	M3
613(T) M1181	STANDARD BEDDING MATERIAL	21.770	M3
619(B) M4726	REMOVAL OF CURB AND GUTTER	61.000	M
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	257.000	M2
619(B) M4782	REMOVAL OF CONCRETE CURB	75.000	M
619(B) M4792	REMOVAL OF SIDEWALK	582.000	M2
619(B) M4964	REMOVAL OF 150MM CONCRETE DIVIDING STRIP		3.000 M2
619(C) M0924	SAWING PAVEMENT	254.000	M
641 M2917	MOBILIZATION	1.000	LSUM
802(B) M8332	25MM PVC SCH.40 P.C.BORED	134.000	M
802(B) M8336	38MM PVC SCH.40 P.C.BORED	41.000	M
802(B) M8338	38MM PVC SCH.40 P.C.TR.	353.000	M
802(B) M8340	50MM PVC SCH.40 P.C.BORED	85.000	M
802(B) M8342	50MM PVC SCH.40 P.C.TR.	313.000	M
802(B) M8344	75MM PVC SCH.40 P.C.BORED	302.000	M
802(B) M8346	75MM PVC SCH.40 P.C.TR.	52.000	M
803 M8065	PULL BOX(SIZE I)	15.000	EA
803 M8066	PULL BOX(SIZE II)	4.000	EA
803 M8067	PULL BOX(SIZE III)	8.000	EA
804(A) M2915	STRUCTURAL CONCRETE	35.700	M3
804(B) M2916	REINFORCING STEEL	3,212.000	KG

SECTION NO. 0001		Y031-TRAFFIC SIGNALS		
806(A)	M8728	POLE & 9.1M TS MST.ARM(G.STL.)	2.000	EA
806(A)	M8730	POLE & 10.7M TS MST.ARM(G.STL.)	7.000	EA
806(A)	M8736	POLE & 15.2M TS MST.ARM(G.STL.)	1.000	EA
806(A)	M8758	9.7M MHP 7.6M TS & 3.0M LMA(G.STL.)	1.000	EA
806(A)	M8768	9.7M MHP 9.1M TS & 3.0M LMA(G.STL.)	2.000	EA
806(A)	M8780	9.7M MHP 10.7M TS & 3.0M LMA(G.STL.)	1.000	EA
806(A)	M8792	9.7M MHP 12.2M TS & 3.0M LMA(G.STL.)	3.000	EA
809(A)	M8204	ROADWAY LUMINAIRE(250 WATT HPS)	7.000	EA
811	M8040	1/C NO.6 ELECT.COND.	100.000	M
811	M8044	1/C NO.10 ELECT.COND.	625.000	M
824	M8340	(PL)MASTER CONTROLLER	1.000	EA
824	M8348	(PL)CENTRAL OFFICE FACILITIES	1.000	EA
825	M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	5.000	EA
828(A)	M8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	41.000	EA
828(B)	M8138	LOOP DETECTOR WIRE	6,450.000	M
830	M8000	PEDESTRIAN PUSH BUTTON	30.000	EA
831	M8239	1WAY3SEC.ADJ.SIG.HD.(MAM)S-6	41.000	EA
831	M8290	1WAY5SEC.ADJ.SIG.HD.(MAM)S-19	4.000	EA
831	M8296	1WAY2SEC.ADJ.PED.SIG.HD.(CM)S-20	30.000	EA
833	M3038	127MM BACKPLATE(300MM HDS)(B-2)	45.000	EA
834(A)	M8207	5/C TRAF.SIG.EL.CABLE	1,475.000	M
834(A)	M8208	7/C TRAF.SIG.EL.CABLE	250.000	M
834(A)	M8209	9/C TRAF.SIG.EL.CABLE	15.000	M
834(A)	M8210	12/C TRAF.SIG.EL.CABLE	60.000	M
834(A)	M8211	15/C TRAF.SIG.EL.CABLE	505.000	M
834(B)	M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	2,025.000	M
834(C)	M8358	(PL)UNDERGROUND COMMUNICATION CABLE	850.000	M
840(A)	M8592	(PL)E.P.S. OPTICAL EMITTER	5.000	EA
840(B)	M8593	(PL)E.P.S. OPTICAL DETECTOR	18.000	EA
840(C)	M8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	1,005.000	M
840(D)	M8595	(PL)E.P.S. 2 CHANNEL PHASE SELECTOR	8.000	EA
850(A)	M8110	SHEET ALUMINUM SIGNS	1.960	M2
850(C)	M8118	MAST ARM MOUNTED SIGNS(ALUM.)	23.070	M2
851(C)	M8321	44MM SQUARE TUBE POST	38.500	M
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	5,860.000	M
855(B)	M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	14.000	EA
855(B)	M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	12.000	EA
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	3,175.000	M
880(J)	M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A)	M8712	(PL)REMOVAL OF LIGHT POLE	1.000	EA
890(A)	M8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
SECTION NO. 0002		STAK-STAKING		
642	M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 310
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: OKLAHOMA

FEDERAL PROJECT
 CONTRACT ID : 000324
 PCN : 1814604
 PROJECTS : STPG-155F(225)AG
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 44EDM
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 SIGNING AND PAVEMENT PAVEMENT MARKINGS
 SECTION LINE ROADS AT VARIOUS LOCATIONS THROUGHOUT CHOCTAW
 PROJ. LGTH.= 0.00 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	SFTY-TRAFFIC		
641 M1552	MOBILIZATION	1.000	LSUM
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	36,525.000	M
855(A) M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)	298,616.000	M
859(A) M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	36,525.000	M
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 340
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: OKLAHOMA

FEDERAL PROJECT
 CONTRACT ID : 000339
 PCN : 1532607

PAGE 23

PROJECTS : STPY-55E(204)EH
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 15.57
 RES. ENG.: 46OKC
 CAL. DAYS: LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 ENHANCEMENT
 OIL WELL SITE AND PARKING LOT AESTHETIC IMPROVEMENTS
 AROUND THE STATE CAPITOL.
 PROJ. LGTH.= 0.0 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y003-OIL WELL SITES 'C' & 'G'		
201	0181 SELECTIVE CLEARING	1.000	LSUM
202(C)	0184 UNCLASSIFIED BORROW	1,250.000	CY
205	5823 (PL)SELECT TOPSOIL	1,712.000	CY
223	2801 TEMPORARY SILT FENCE	1,300.000	LF
230(A)	2806 SOLID SLAB SODDING	645.000	SY
231(E)	5900 (PL)ESTABLISHMENT PERIOD	1.000	LSUM
231(G)	4500 (PL)LANDSCAPING	1.000	LSUM
303	5912 AGGREGATE BASE	795.000	TON
307(A)	4233 LIME	15.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	1,113.000	SY
325	5271 SEPARATOR FABRIC	694.000	SY
402(B)	4399 (PL)NO.3-C COVER AGGREGATE	95.000	TON
407	0250 TACK COAT	60.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		242.000 TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		118.000 TON
414(A)	0260 8" P.C. CONCRETE PAVEMENT	355.000	SY
506(C)	6300 (SP) COLLECTION AND HANDLING OF WASTE		1.000 LSUM
509(B)	1328 CLASS A CONCRETE	24.000	CY
509(D)	0325 CLASS C CONCRETE	12.000	CY
510(D)	0100 (PL) DECORATIVE WALL	417.000	LF
512(A)	1323 PAINTING EXISTING STRUCTURES	1.000	LSUM
515(A)	6013 WATER REPELLENT (VISUALLY INSPECTED)	354.000	SY
535	6332 (PL)REPAIR CONCRETE DECK	328.000	SY
602(C)	4155 FILTER FABRIC	1,713.000	SY
609(A)	0300 CONC.CURB(6" BARRIER-INTEGRAL)	63.000	LF
609(B)	1525 2'-8" COMB.CURB & GUTTER (6" BAR.CURB)	700.000	LF
609(C)	4472 CONC. HEADER CURB.(6" X 16")	701.000	LF
609(E)	0150 (PL)SPECIALTY CURB	281.000	LF
610(A)	0604 5" CONCRETE SIDEWALK	1,095.000	SY
610(A)	0652 (PL) 5" DECORATIVE CONCRETE SIDEWALK	177.000	SY
610(B)	0604 6" CONCRETE DRIVEWAY	90.000	SY
610(E)	0400 BRICK OR STONE SIDEWALK	189.000	SY
611(A)	2657 MANHOLE (4' DIA.)	1.000	EA
611(E)	4012 (PL)SPECIAL INLET DRAIN	2.000	EA
611(E)	5112 INLET CICI DES. 2 (STD)	2.000	EA

SECTION NO. 0001		Y003-OIL WELL SITES 'C' & 'G'	
611(E)	6000	INLET (SMD-TYPE 1)	2.000 EA
613(B)	0405	18" R.C.PIPE CLASS III	100.000 LF
613(O)	1080	6" P.V.C. PIPE ROUND	50.000 LF
613(O)	1081	12" P.V.C. PIPE ROUND	149.000 LF
616(I)	1000	(PL)IRRIGATION SYSTEM	1.000 LSUM
619(B)	4726	REMOVAL OF CURB AND GUTTER	836.000 LF
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	244.000 SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	1,529.000 SY
619(B)	5874	(SP)REMOVAL OF CONTAMINATED SOIL	1,700.000 CY
623(M)	6500	(PL)STATIONARY BOLLARD	12.000 EA
624	5910	(PL)ORNAMENTAL FENCE	807.000 LF
641	1552	MOBILIZATION	1.000 LSUM
643	5100	(PL)SITE AMENITIES	1.000 LSUM
809	8091	(PL) ENHANCEMENT LIGHTING (COMPLETE)	1.000 LSUM
854	3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	703.000 LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
SECTION NO. 0002		Y003-PARKING LOT SITE 'E'	
223	2801	TEMPORARY SILT FENCE	150.000 LF
230(A)	2806	SOLID SLAB SODDING	112.000 SY
307(A)	4233	LIME	4.000 TON
307(B)	4234	6" LIME TREATED SUBGRADE	293.000 SY
609(A)	0300	CONC.CURB(6" BARRIER-INTEGRAL)	109.000 LF
610(A)	0602	4" CONCRETE SIDEWALK	66.000 SY
610(B)	0604	6" CONCRETE DRIVEWAY	281.000 SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	350.000 SY
619(B)	4782	REMOVAL OF CONCRETE CURB	20.000 LF
619(B)	4792	REMOVAL OF SIDEWALK	66.000 SY
619(C)	0924	SAWING PAVEMENT	115.000 LF
854	3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	232.000 LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
SECTION NO. 0003		Y003-PARKING LOT SITE 'F'	
223	2801	TEMPORARY SILT FENCE	150.000 LF
230(A)	2806	SOLID SLAB SODDING	9.000 SY
307(A)	4233	LIME	17.000 TON
307(B)	4234	6" LIME TREATED SUBGRADE	1,225.000 SY
609(A)	0300	CONC.CURB(6" BARRIER-INTEGRAL)	225.000 LF
610(B)	0604	6" CONCRETE DRIVEWAY	1,225.000 SY
611(E)	5112	INLET CICI DES. 2 (STD)	1.000 EA
611(E)	6000	INLET (SMD-TYPE 1)	1.000 EA
619(B)	4782	REMOVAL OF CONCRETE CURB	202.000 LF
619(C)	0924	SAWING PAVEMENT	223.000 LF
854	3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	873.000 LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
SECTION NO. 0004		Y003-PARKING LOT SITE 'H'	
223	2801	TEMPORARY SILT FENCE	150.000 LF
230(A)	2806	SOLID SLAB SODDING	93.000 SY
307(A)	4233	LIME	1.000 TON
307(B)	4234	6" LIME TREATED SUBGRADE	844.000 SY

SECTION NO. 0004	Y003-PARKING LOT SITE 'H'		
609(A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	384.000	LF
609(B) 1525	2'-8" COMB.CURB & GUTTER (6" BAR.CURB)	40.000	LF
610(B) 0604	6" CONCRETE DRIVEWAY	797.000	SY
619(B) 4725	REMOVAL OF FENCE	323.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	114.000	SY
619(B) 4782	REMOVAL OF CONCRETE CURB	125.000	LF
619(C) 0924	SAWING PAVEMENT	139.000	LF
624(D) 5297	FENCE-STYLE CLF (6'HIGH BARR)	174.000	LF
854 3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	360.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0005	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 350
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: OSAGE

STATE PROJECT
 CONTRACT ID : 000334
 PCN : 1567504

PAGE 26

PROJECTS : CR-57(374)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 84SS
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE(ASPHALT)
 RECONSTRUCT 0.486 KM. OF CEMETERY ROAD 7.242 KM. SOUTH AND
 3.219 KM. WEST OF SKIATOOK
 PROJ. LGTH.= 0.486 KM.
 FLEX. ESALS= 1.3 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-RAODWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M1301 UNCLASSIFIED EXCAVATION	2,160.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	9,020.000	M3
205	M7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
210	M0121 OBLITERATING ABANDONED ROAD	0.486	STA
222	M2801 TEMPORARY BALE BARRIER	100.000	M
223	M2802 TEMPORARY SILT FENCE	1,000.000	M
226	M2805 TEMPORARY SEDIMENT REMOVAL	385.000	M3
230(A)	M2806 SOLID SLAB SODDING	11,300.000	M2
232(A)	M2813 SEEDING METHOD A	2.260	HA
233(A)	M2817 VEGETATIVE MULCHING	4.520	HA
303	M0192 AGGREGATE BASE	1,620.000	M3
403(E)	M0224 TRAFFIC BOUND SURFACE COURSE TYPE E	450.000	M3
407	M0250 TACK COAT	920.000	L
408	M5774 PRIME COAT	8,025.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		865.000 T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		450.000 T
509(C)	M1330 CLASS A CONCRETE, SMALL STRUCTURES	10.000	M3
509(D)	M1331 CLASS C CONCRETE	20.000	M3
511(A)	M0332 REINFORCING STEEL	674.000	KG
601A-1	M1353 TYPE I-A PLAIN RIPRAP	720.000	T
601A-2	M1355 TYPE I-A FILTER BLANKET	219.000	T
613(B)	M0419 1200MM R.C.PIPE CLASS III	15.000	M
613(B)	M0423 1500MM R.C.PIPE CLASS III	21.000	M
613(D)	M0690 600MM CORR. GALV. STEEL PIPE	20.400	M
613(M)	M0898 600MM PREFAB. CULVERT END SEC., ROUND		4.000 EA
613(M)	M5738 1200MM PREFAB. CULVERT END SECTION,ROUND		2.000 EA
613(M)	M5742 1500MM PREFAB. CULVERT END SECTION,ROUND		2.000 EA
619(A)	M0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000 LSUM
619(B)	M4779 REMOVAL OF HEADWALLS	1.000	EA
619(C)	M0924 SAWING PAVEMENT	14.000	M
623(B)	M3201 BEAM TYPE GUARD RAIL (SINGLE)	75.000	M
623(D)	M4446 GUARD RAIL ANCHOR UNIT (TYPE A)	2.000	EA

SECTION NO. 0001	I000-RAODWAY		
629(A) M4958	MAILBOX INSTALLATION-SINGLE	3.000	EA
629(C) M4960	MAILBOX	3.000	EA
629(D) M4961	REMOVAL OF MAILBOX INSTALLATION	3.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	Y000-TRAFFIC		
850(A) M8110	SHEET ALUMINUM SIGNS	3.480	M2
851(D) M8597	FLANGE CHANNEL POSTS(5.95 KG/M)	24.184	M
854(A) M8800	TRAFFIC STRIPE(PAINT)(100MM WIDE)	2,212.000	M
960.16 M8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 370
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: STEPHENS

STATE PROJECT
 CONTRACT ID : 000118
 PCN : 1700505M

PAGE 28

PROJECTS : CIP-169N(10)IP/CIP-169N(18)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 40.26
 RES. ENG.: 71DUN
 CAL. DAYS: 450 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)
 NEW ALIGNMENT OF SH-7 BEGINNING APPROXIMATELY 0.5 MILE SOUTH
 OF PLATO ROAD IN DUNCAN AND EXTENDING NORTH TO SH-7.
 PROJ. LGTH.= 4.989 MI.
 FLEX. ESALS= 10.7 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-169N(10)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	471,646.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
221	2800 TEMPORARY SLOPE DRAINS	303.000	LF
222	2801 TEMPORARY BALE BARRIER	1,230.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	19,600.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	4.000	EA
225	2804 TEMPORARY SEDIMENT BASIN	8.000	EA
227	0100 (PL)TEMPORARY SILT DIKE	1,230.000	LF
228	4170 (SU)PVC EROSION CONTROL MAT	1,224.000	SY
229	4318 DITCH LINER PROTECTION	29,527.000	LF
230(A)	2806 SOLID SLAB SODDING	20,552.000	SY
230(B)	2807 MULCH SODDING	223,184.000	SY
232(B)	2814 SEEDING METHOD B	22.000	AC
233(A)	2817 VEGETATIVE MULCHING	89.000	AC
241	2832 MOWING	250.000	AC
307(A)	4233 LIME	200.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	23,725.000	SY
317(A)	4252 FLY ASH	2,967.000	TON
317(C)	4254 SUBGRADE MODIFICATION	158,156.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	536.000	TON
408	5774 (SU)PRIME COAT	21,342.000	GAL
411(AH)	6650 (SP)ASPHALT CONC.TYPE AH(PG 64-22 OK)	39,214.000	TON
411(AH)	6660 (SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	17,220.000	TON
411(BH)	6680 (SP)ASPHALT CONCRETE TYPE BH(PG64-22OK)	6,268.000	TON
411(BH)	6690 (SP)ASPHALT CONCRETE TYPE BH(PG70-28OK)	8,610.000	TON
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	1,182.000	CY
509(B)	0321 CLASS A CONCRETE	797.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	3.100	CY
509(E)	0325 CLASS "C" CONC.	151.000	CY
511(A)	0332 REINFORCING STEEL	123,042.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	261.000	TON
601(A-1)	0536 TYPE I-A PLAIN RIPRAP	254.000	TON

SECTION NO. 0001	I000-ROADWAY	CIP-169N(10)IP		
601(A-2)0538	TYPE I-A FILTER BLANKET		64.000	TON
613(B) 0491	18" R.C.PIPE CLASS III		366.000	LF
613(B) 0492	24" R.C.PIPE CLASS III		293.000	LF
613(B) 0493	30" R.C.PIPE CLASS III		103.000	LF
613(B) 0494	36" R.C.PIPE CLASS III		546.000	LF
613(B) 0495	42" R.C.PIPE CLASS III		331.000	LF
613(B) 0498	60" R.C.PIPE CLASS III		138.000	LF
613(CC) 7196	TYPE A6 CULVERT END TREATMENT		5.000	EA
613(CC) 7198	TYPE C6 CULVERT END TREATMENT		2.000	EA
613(CC) 7199	TYPE D6 CULVERT END TREATMENT		2.000	EA
613(D) 0691	30" CORR. GALV. STEEL PIPE		106.000	LF
613(D) 0692	36" CORR. GALV. STEEL PIPE		195.000	LF
613(M) 0897	18" PREFAB. CULVERT END SEC., ROUND		1.000	EA
613(M) 0898	24" PREFAB. CULVERT END SEC., ROUND		4.000	EA
613(M) 0899	30" PREFAB. CULVERT END SEC., ROUND		2.000	EA
613(M) 0900	36" PREFAB. CULVERT END SEC., ROUND		14.000	EA
613(M) 0980	42" PREFAB. CULVERT END SEC., ROUND		4.000	EA
613(M) 0983	60" PREFAB. CULVERT END SEC., ROUND		2.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND		1,500.000	LF
613(Q) 1096	6"RND.NON-PERF.PIPE UNDERDRAIN		500.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	15,805.000		LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	8,502.000		SY
619(C) 0924	SAWING PAVEMENT	2,218.000		LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,300.000		LF
623(F) 4446	GUARD RAIL ANCHOR UNIT (TYPE A)	3.000		EA
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000		EA
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	8.000		EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	6.000		EA
624(A) 4281	FENCE-STYLE WWF	57,673.000		LF
640 1426	FIELD OFFICE	1.000		EA
641 1552	MOBILIZATION	1.000		LSUM
643 0100	(PL)NESHAP PREDEM. INSP. & NOTIFICATION		10.000	EA
SECTION NO. 0002	X081-BRIDGE 'A'	CIP-169N(18)IP		
414(C) 1304	APPROACH SLABS		378.000	SY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON		200.000	CY
501(D) 6352	(SU) GRANULAR BACKFILL		140.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)		682.000	LF
504(A) 1314	CLASS AA CONCRETE		230.500	CY
505(A) 6239	CONCRETE RAIL (13"X17")		511.100	LF
506(A) 6005	STRUCTURAL STEEL A36		5,670.000	LB
509(B) 1328	CLASS A CONCRETE		162.300	CY
511(A) 1439	REINFORCING STEEL (GRADE 60)		11,780.000	LB
511(B) 6009	EPOXY COATED REINF. STEEL (GR 60)		68,080.000	LB
514(A) 6023	(SP) PILES, FURNISHED		1,181.000	LF
514(B) 6304	(SP) PILES, DRIVEN		1,181.000	LF
515 6013	PENETRAT WATER REPELL SURF.TR.		1,024.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER		232.000	LF
516(C) 6107	CORRUGATED GALV. STEEL PIPE 48" DIA.		196.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP		940.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET		320.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND		98.000	LF

SECTION NO. 0002	X081-BRIDGE 'A'	CIP-169N(18)IP		
613(Q) 6207	6"RND.NON-PERF.PIPE UNDERDRAIN		40.000	LF
613(R) 1395	PIPE UNDERDRAIN COVER MAT'L.		14.000	CY
613(S) 1396	TRENCH EXCAVATION		12.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL		12.000	CY
641 1399	MOBILIZATION		1.000	LSUM
901.14 6264	(PL) SEALED EXPANSION JOINT		48.000	LF
SECTION NO. 0003	X781-BRIDGE 'B'	CIP-169N(18)IP		
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON		160.000	CY
501(D) 6352	(SU) GRANULAR BACKFILL		120.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)		1,365.800	LF
504(A) 1314	CLASS AA CONCRETE		302.200	CY
505(B) 1381	CONCRETE PARAPET		624.300	LF
506(A) 6005	STRUCTURAL STEEL A36		8,830.000	LB
509(B) 1328	CLASS A CONCRETE		234.600	CY
511(A) 1439	REINFORCING STEEL (GRADE 60)		11,060.000	LB
511(B) 6009	EPOXY COATED REINF. STEEL (GR 60)		92,630.000	LB
514(A) 6023	(SP) PILES, FURNISHED		319.000	LF
514(B) 6304	(SP) PILES, DRIVEN		319.000	LF
515 6013	PENETRAT WATER REPELL SURF.TR.		1,330.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER		60.000	LF
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND		84.000	LF
613(Q) 6207	6"RND.NON-PERF.PIPE UNDERDRAIN		40.000	LF
613(R) 1395	PIPE UNDERDRAIN COVER MAT'L.		12.000	CY
613(S) 1396	TRENCH EXCAVATION		12.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL		12.000	CY
900.03 6134	(PL)4" CONCRETE SLOPE WALL		582.000	SY
901.14 6264	(PL) SEALED EXPANSION JOINT		42.700	LF
SECTION NO. 0004	Y000-TRAFFIC	CIP-169N(10)IP		
850(A) 8215	SHEET ALUMINUM SIGNS		433.000	SF
851 8642	(PL)2 1/4" SQUARE TUBE POST		531.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POSTS		284.000	LF
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)		107,750.000	LF
855(B) 3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)		12.000	EA
855(C) 3321	TRAFFIC STRIPE(PLASTIC)(WORDS)		6.000	EA
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL		1.000	LSUM
SECTION NO. 0005	STAK-STAKING	CIP-169N(10)IP		
642 0098	STAKING		1.000	LSUM
SECTION NO. 0006	STAK-STAKING	CIP-169N(18)IP		
642 0098	STAKING		1.000	LSUM

LNTCIQA
 CALL ORDER : 381
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: TULSA

FEDERAL PROJECT
 CONTRACT ID : 000269
 PCN : 1367404

PAGE 31

PROJECTS : STPY-72B(448)
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 22.01
 RES. ENG.: 84SS
 CAL. DAYS: 420 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE(ASPHALT)
 FROM US-64/129TH WEST AVE. JCT. (IN SAND SPRINGS) NORTH
 TO SH-97 IN OSAGE COUNTY
 PROJ. LGTH.= 5.423 KM.
 FLEX. ESALS= 0.58 MILLION
 ASPH. GRADE= 64-22 OK, 64-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(A)	M0183	UNCLASSIFIED EXCAVATION	605,809.000 M3
202(C)	M0184	UNCLASSIFIED BORROW	203,803.000 M3
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000 LSUM
210	M0121	OBLITERATING ABANDONED ROAD	3.900 STA
223	M2802	TEMPORARY SILT FENCE	7,085.000 M
224	M2803	TEMPORARY SEDIMENT FILTER	18.000 EA
227	M0100	TEMPORARY SILT DIKE	595.000 M
230(A)	M2806	SOLID SLAB SODDING	38,739.000 M2
230(B)	M2807	MULCH SODDING	137,000.000 M2
230(G)	M2812	WATERING	141,590.000 KL
232(A)	M2813	SEEDING METHOD A	13.700 HA
233(A)	M2817	VEGETATIVE MULCHING	61.700 HA
241	M2832	MOWING	61.700 HA
317(A)	M4252	(SP)FLY ASH	1,975.000 T
317(B)	M4254	SUBGRADE MODIFICATION	77,596.000 M2
317(C)	M4253	LIME	659.000 T
317(D)	M4254	SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	77,596.000 M2
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	976.000 T
407	M0250	TACK COAT	30,920.000 L
408	M5774	PRIME COAT	52,559.000 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	24,670.000 T
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,330.000 T
413(A)	M4861	RUMBLE STRIP-METHOD AC-CON	10,907.000 M
414(A)	M0261	225MM P.C. CONCRETE PAVEMENT	625.000 M2
417	M4267	COLD MILLING BITUMINOUS PAVEMENT	376.000 M2
509(C)	M0322	CLASS "A" CONC. FOR SMALL STR.	11.500 M3
509(E)	M0325	CLASS "C" CONC.	310.000 M3
511(A)	M0332	REINFORCING STEEL	1,861.000 KG
601(D)	M1390	TYPE IV GROUTED RIPRAP	597.000 M2
610(B)	M0399	150 MM CONCRETE DRIVEWAY (H.E.S.)	158.000 M2
611(E)	M6002	INLET (SMD-TYPE 2)	1.000 EA
611(E)	M6004	INLET (SMD-TYPE 2A)	3.000 EA

SECTION NO. 0001		I000-ROADWAY	
611(E)	M6006	INLET (SMD-TYPE 2B)	7.000 EA
613(B)	M0409	600MM R.C.PIPE CLASS III	32.000 M
613(B)	M0413	750MM R.C.PIPE CLASS III	110.000 M
613(B)	M0415	900MM R.C.PIPE CLASS III	358.000 M
613(B)	M0417	1050MM R.C.PIPE CLASS III	163.000 M
613(B)	M0423	1500MM R.C.PIPE CLASS III	80.000 M
613(D)	M0690	600MM CORR. GALV. STEEL PIPE	286.000 M
613(G)	M0761	600MM GALV. STEEL CULVERT END SECT. RND.	30.000 EA
613(M)	M0898	600MM PREFAB. CULVERT END SEC., ROUND	1.000 EA
613(M)	M0899	750MM PREFAB. CULVERT END SEC., ROUND	2.000 EA
613(M)	M0900	900MM PREFAB. CULVERT END SEC., ROUND	12.000 EA
613(M)	M0980	1050MM PREFAB. CULVERT END SEC., ROUND	4.000 EA
613(M)	M0983	1500MM PREFAB. CULVERT END SEC., ROUND	2.000 EA
613(P)	M1089	100MM PERFORATED PIPE UNDERDRAIN ROUND	500.000 M
613(Q)	M1094	100 MM NON-PERF. PIPE UNDERDRAIN RND	100.000 M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	56.000 M3
613(S)	M1180	TRENCH EXCAVATION	4,897.000 M3
613(T)	M1181	STANDARD BEDDING MATERIAL	1,556.000 M3
619(B)	M4725	REMOVAL OF FENCE	804.000 M
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	470.000 M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	3,779.000 M2
619(B)	M6128	REMOVAL OF GUARD RAIL	73.000 M
619(C)	M0924	SAWING PAVEMENT	268.000 M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	3,398.000 M
623(D)	M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	18.000 EA
624(B)	M4462	GATES-STYLE WWF(1350MM HI X 3600MM LONG)	17.000 EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	11,445.000 M
625(D)	M1254	REMOVE AND RECONSTRUCT GUARD RAIL	61.000 M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	2.000 EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	2.000 EA
640	M1426	FIELD OFFICE	1.000 EA
641	M1552	MOBILIZATION	1.000 LSUM
SECTION NO. 0002		Y000-TRAFFIC	
850(A)	M8110	SHEET ALUMINUM SIGNS	56.000 M2
851(B)	M3218	75MM@11.28 GALV.STL.PIPE POST	12.000 M
851(B)	M3220	100MM@16.06 GALV.STL.PIPE POST	41.000 M
851(C)	M8327	57MM SQUARE TUBE POST	236.000 M
853	M9033	DELINEATORS(TYPE 2, CODE 1)	58.000 EA
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	22,332.000 M
855(B)	M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	6.000 EA
855(B)	M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	3.000 EA
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	2,600.000 M
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	200.000 M
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	1,800.000 SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	2,400.000 SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	1,200.000 SD
880(B)	M8827	CONSTRUCTION SIGNS 3.07 M2 & OVER	5,400.000 SD
880(C)	M8842	BARRICEDES(TYPE III)	2,400.000 SD
880(C)	M8848	WING BARRICADES	1,200.000 SD
880(D)	M8854	VERTICAL PANELS	21,000.000 SD
880(M)	M8024	TYPE A LIGHT	5,400.000 SD
880(O)	M8026	TYPE C LIGHT	27,000.000 SD

LNTCIQA

FEDERAL PROJECT

PAGE 33

SECTION NO. 0002	Y000-TRAFFIC		
880(P) M8027	DRUMS	6,000.000	SD
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 390
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: WOODS

FEDERAL PROJECT
 CONTRACT ID : 000326
 PCN : 1648204

PAGE 34

PROJECTS : BRO-176D(7)CO
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 61BUF
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE 9.656 KM. NORTH OF SH-45 AND 2.736 KM.
 WEST OF US-281
 PROJ. LGTH.= 0.300 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	500.000	M
223 M2802	TEMPORARY SILT FENCE	500.000	M
230(A) M2806	SOLID SLAB SODDING	6,540.000	M2
230(F) M2812	WATERING	2,355.000	KL
233(A) M2817	VEGETATIVE MULCHING	1.400	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	490.000	T
509(E) M0325	CLASS "C" CONC.	20.000	M3
613(D) M5719	450MM CORR. GALV. STEEL PIPE	30.000	M
613(M) M5726	450MM PREFAB. CULVERT END SECTION, ROUND		2.000 EA
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	98.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	48.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	119.000	M
504(E) M1380	CONCRETE RAIL (TR1)	78.300	M
506(A) M1322	STRUCTURAL STEEL	665.000	KG
509(A) M1326	CLASS AA CONCRETE	54.500	M3
509(E) M1332	CLASS S CONCRETE	44.600	M3
511(A) M1332	REINFORCING STEEL	11,230.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	204.400	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	204.400	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,050.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	240.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 470
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: GARVIN

STATE PROJECT
 CONTRACT ID : 000346
 PCN : 1843704

PAGE 35

PROJECTS : CMC-125C(60)PT.1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 PATCHING & LEVELING
 ON US-77 BEGINNING AT THE RAILROAD TRACKS IN WYNNEWOOD AND
 EXTENDING NORTH.
 PROJ. LGTH.= 6.03 MI.
 FLEX. ESALS= 2.9 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-LEVEL PATCHING	CMC-125C(60)PT.1	
407 0250	TACK COAT	1,792.500	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	2,760.000	TON

LNTCIQA
 CALL ORDER : 480
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: GARVIN

STATE PROJECT
 CONTRACT ID : 000347
 PCN : 1843705

PAGE 36

PROJECTS : CMC-125A(60)PT.2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 PATCHING & LEVELING
 ON US-77 BEGINNING AT THE RAILROAD TRACKS IN PAUL'S VALLEY
 AND EXTENDING NORTH.
 PROJ. LGTH.= 6.43 MI.
 FLEX. ESALS= 2.9 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-LEVEL PATCHING CMC-125A(60)PT.2		
407 0250	TACK COAT	596.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)		918.000 TON

LNTCIQA
 CALL ORDER : 490
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: GARVIN

STATE PROJECT
 CONTRACT ID : 000348
 PCN : 1843706

PAGE 37

PROJECTS : CMC-125C(60)PT.3
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 PATCHING & LEVELING
 ON US-77 BEGINNING AT THE JUNCTION OF US-77/SH-145 AND
 EXTENDING NORTH TO THE GARVIN/MCCLAIN COUNTY LINE.
 PROJ. LGTH.= 2.9 MI.
 FLEX. ESALS= 2.9 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-LEVEL PATCHING CMC-125C(60)PT.3		
407 0250	TACK COAT	267.500	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)		412.000 TON

LNTCIQA
 CALL ORDER : 500
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: GARVIN

STATE PROJECT
 CONTRACT ID : 000349
 PCN : 1843704C

PAGE 38

PROJECTS : CMC-125C(60)PT.1&3/CMC-125A(60)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 PATCHING & LEVELING
 ON US-77 BEGINNING AT THE RAILROAD TRACKS IN WYNNEWOOD AND
 EXTENDING NORTH TO THE GARVIN/MCCLAIN COUNTY LINE.
 PROJ. LGTH.= 15.36 MI.
 FLEX. ESALS= 2.9 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-LEVEL PATCHING CMC-125C(60)PT.1		
407 0250	TACK COAT	1,792.500	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	2,760.000	TON
SECTION NO. 0002	I000-LEVEL PATCHING CMC-125A(60)PT.2		
407 0250	TACK COAT	596.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	918.000	TON
SECTION NO. 0003	I000-LEVEL PATCHING CMC-125C(60)PT.3		
407 0250	TACK COAT	267.500	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	412.000	TON

LNTCIQA
 CALL ORDER : 550
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: MCCLAIN

STATE PROJECT
 CONTRACT ID : 000354
 PCN : 1843904

PAGE 39

PROJECTS : MC-144C(35)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 PATCHING & LEVELING
 ON US-77 BEGINNING AT THE MCCLAIN/GARVIN COUNTY LINE AND
 EXTENDING NORTH.
 PROJ. LGTH.= 5.13 MI.
 FLEX. ESALS= 1.6 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-LEVEL PATCHING		
407 0250	TACK COAT	470.500	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)		725.000 TON

LNTCIQA
 CALL ORDER : 560
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PONTOTOC

STATE PROJECT
 CONTRACT ID : 000355
 PCN : 1843604

PAGE 40

PROJECTS : CMC-162A(61)PT.1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 31ADA
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT THE JCT. OF SH-1/SH-99 AND EXTEND SOUTH TO A POINT
 0.09 MILE NORTH OF STADIUM DRIVE IN ADA
 PROJ. LGTH.= 1.64 MILES
 FLEX. ESALS= 5.9 MILLION
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-162A(61)PT.1		
407 0250	TACK COAT	2,844.000	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	6,371.000	TON
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	637.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	60,104.000	SY

LNTCIQA
 CALL ORDER : 570
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PONTOTOC

STATE PROJECT
 CONTRACT ID : 000356
 PCN : 1843605

PAGE 41

PROJECTS : CMC-162A(61)PT.2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 31ADA
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT POINT .09 MILE NORTH OF STADIUM DRIVE EXTEND SOUTH
 TO RICHARDSON LOOP ON SH-99
 PROJ. LGTH.= 0.83 MILE
 FLEX. ESALS= 5.9 MILLION
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-162A(61)PT.2		
407 0250	TACK COAT	1,369.000	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,300.000	TON
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	230.000	TON

LNTCIQA
 CALL ORDER : 580
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PONTOTOC

STATE PROJECT
 CONTRACT ID : 000357
 PCN : 1843606

PAGE 42

PROJECTS : CMC-162A(61)PT.3
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 31ADA
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 INTERSECTION OF BROADWAY AND RICHARDSON LOOP IN ADA
 PROJ. LGTH.= 0.00 MILES
 FLEX. ESALS= 5.9 MILLION
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-162A(61)PT.3		
407	0250 TACK COAT	270.000	GAL
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	605.000	TON
411(C)	5282 (SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	60.000	TON
417	4267 COLD MILLING BITUMINOUS PAVEMENT	5,400.000	SY

LNTCIQA
 CALL ORDER : 590
 LETTING DATE : July 27, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PONTOTOC

STATE PROJECT
 CONTRACT ID : 000358
 PCN : 1843604C

PAGE 43

PROJECTS : CMC-162A(61)PT.1,2 & 3
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 31ADA
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT THE JCT. OF SH-1/SH-99 AND EXTEND SOUTH AND THE
 INTERSECTION OF BROADWAY AND RICHARDSON LOOP IN ADA
 PROJ. LGTH.= 2.47 MILES
 FLEX. ESALS= 5.9 MILLION
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY CMC-162A(61)PT.1		
407 0250	TACK COAT	2,844.000	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	6,371.000	TON
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	637.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	60,104.000	SY
SECTION NO. 0002	I000-ROADWAY CMC-162A(61)PT.2		
407 0250	TACK COAT	1,369.000	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,300.000	TON
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	230.000	TON
SECTION NO. 0003	I000-ROADWAY CMC-162A(61)PT.3		
407 0250	TACK COAT	270.000	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	605.000	TON
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	60.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	5,400.000	SY