

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : June 23, 2000

LNTCNCA
LETING

NOTICE TO CONTRACTORS -- July 27, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF July 27, 2000 , TO BE PUBLICALLY OPENED AT 2:00 P.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 2:00 P.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$23.07 PLUS \$1.93 TAX (OKLAHOMA TAX IS 8.375%) FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$7.38 PLUS \$.62 TAX. MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

LNTCIQA
 CALL ORDER : 030
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CADDO

FEDERAL PROJECT
 CONTRACT ID : 000306
 PCN : 1259004

PAGE 1

PROJECTS : BRO-8D(297)CO
 DBE/WBE GOALS: 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.83
 RES. ENG.: 73ANA
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE 0.4 MILE NORTH AND 1.4 MILES EAST OF CEMENT
 PROJ. LGTH.= 0.218 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	6181 EARTHWORK	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	160.000	LF
223	2801 TEMPORARY SILT FENCE	2,145.000	LF
230(A)	2806 SOLID SLAB SODDING	925.000	SY
233(A)	2817 VEGETATIVE MULCHING	0.550	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	962.000	TON
509(E)	0325 CLASS "C" CONC.	25.000	CY
613(D)	0691 30" CORR. GALV. STEEL PIPE	136.600	LF
613(G)	0762 30" GALV. STEEL CULVERT END SEC. RND.	8.000	EA
SECTION NO. 0002 X021-BRIDGE "A"			
202(C)	1302 UNCLASSIFIED BORROW	180.000	CY
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	120.000	CY
503(A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	296.170	LF
504(A)	1314 CLASS AA CONCRETE	58.500	CY
504(E)	1380 CONCRETE RAIL (TR1)	239.170	LF
506(A)	1322 STRUCTURAL STEEL	1,800.000	LB
509(B)	1328 CLASS A CONCRETE	98.600	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	24,280.000	LB
514(A)	6010 PILES, FURNISHED (HP 10X42)	160.000	LF
514(A)	6011 PILES, FURNISHED (HP 12X53)	696.000	LF
514(B)	6292 PILES, DRIVEN (HP 10X42)	160.000	LF
514(B)	6294 PILES, DRIVEN (HP 12X53)	696.000	LF
601A-1	1353 TYPE I-A PLAIN RIPRAP	595.000	TON
601A-2	1355 TYPE I-A FILTER BLANKET	135.000	TON
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	75.000	LF
623(F)	5686 GUARD RAIL ANCHOR UNIT (TYPE D-BF)	1.000	EA
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	3.000	EA
641	1399 MOBILIZATION	1.000	LSUM
880(J)	6145 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			

LNTCIQA

FEDERAL PROJECT

PAGE 2

SECTION NO. 0003

STAK-STAKING

642 0098

STAKING

1.000 LSUM

LNTCIQA
CALL ORDER : 070
LETTING DATE : July 27, 2000
LETTING TIME : 2:00 P.M.
COUNTIES: CIMARRON

STATE PROJECT
CONTRACT ID : 000328
PCN : 1789604
PROJECTS : SAP-113D(15)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 62GUY
CAL. DAYS: 30

PAGE 3

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
RESURFACE(ASPHALT)
LAKE ACCESS ROAD TO SERVE LAKE ETLING BOAT RAMPS AND PUBLIC
USE FACILITIES (BLACK MESA STATE PARK)
PROJ. LGTH.= 1.35 MILES
FLEX. ESALS= 1 MILLION
ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		5,100.000 TON

LNTCIQA
 CALL ORDER : 090
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CLEVELAND

STATE PROJECT
 CONTRACT ID : 000330
 PCN : 1818904

PAGE 4

PROJECTS : SAP-114D(42)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 SURFACE(ASPHALT)
 SOUTH DAM ROAD AND PARKING LOTS FOR LAKE THUNDERBIRD
 PROJ. LGTH.= 0.17 KILOMETER
 FLEX. ESALS= 0.3 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
407 M0250	TACK COAT	1,476.000	L
408 M5774	PRIME COAT	1,227.000	L
411(B) M5280	(SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)		40.000 T
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		1,173.000 T

LNTCIQA
 CALL ORDER : 100
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CLEVELAND

STATE PROJECT
 CONTRACT ID : 000114
 PCN : 1439107

PAGE 5

PROJECTS : CIP-114B(12)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 11.27
 RES. ENG.: 32PUR
 CAL. DAYS: 180 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON TECUMSEH ROAD, IN NORMAN, BEGINNING AT US-77 AND
 EXTENDING EAST.
 PROJ. LGTH.= 0.437 MI.
 FLEX. ESALS= 1.3 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	3,482.000	CY
202(E)	0184 UNCLASSIFIED BORROW	17,547.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	24.000	LF
223	2801 TEMPORARY SILT FENCE	1,425.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	8.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	50.000	CY
229	4318 DITCH LINER PROTECTION	170.000	LF
230(A)	2806 SOLID SLAB SODDING	12,439.000	SY
232(D)	2816 WATERING	746.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	4.500	AC
234(A)	2824 FERTILIZING (10-20-10)	1.240	TON
307(A)	4233 LIME	314.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	14,541.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,108.000	TON
407	0250 TACK COAT	1,853.000	GAL
408	5774 PRIME COAT	2,320.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	5,850.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,422.000	TON
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	126.000	CY
509(B)	0321 CLASS A CONCRETE	266.000	CY
509(E)	0325 CLASS "C" CONC.	14.000	CY
511(A)	0332 REINFORCING STEEL	38,343.000	LB
609(B)	1525 2'-8" COMB.CURB & GUTTER (6" BAR.CURB)	4,303.000	LF
610(A)	0602 4" CONCRETE SIDEWALK	778.000	SY
610(B)	0399 6" CONCRETE DRIVEWAY (H.E.S.)	424.000	SY
610(B)	5898 8" CONCRETE DRIVEWAY(H.E.S.)	434.000	SY
610(G)	4475 BIT. DRIVEWAY (6")	165.000	SY
611(A)	2657 MANHOLE (4' DIA.)	3.000	EA
611(A)	2658 MANHOLE (5' DIA.)	2.000	EA
611(B)	2680 ADD'L.DEPTH IN MANHOLE (4' DIA.)	6.000	VF
611(B)	2681 ADD'L.DEPTH IN MANHOLE (5' DIA.)	7.000	VF

SECTION NO. 0001		I000-ROADWAY	
611(D)	4215	MANHOLE FRAME & COVER	5.000 EA
611(E)	5315	INLET CICI DES. 2 (STD)	1.000 EA
611(E)	5316	INLET CICI DES. 2 (B)	3.000 EA
611(E)	5317	INLET CICI DES. 2 (D)	2.000 EA
611(E)	5318	INLET CICI DES. 2 (2B)	2.000 EA
611(E)	5322	INLET CICI DES. 3 (B)	1.000 EA
611(E)	5323	INLET CICI DES. 3 (D)	2.000 EA
611(E)	5326	INLET CICI DES. 3 (2D)	1.000 EA
611(F)	5362	INLET CICI DES. 2 (STD, ADD'L DEPTH)	17.000 VF
611(F)	5368	INLET CICI DES. 3 (STD, ADD'L DEPTH)	7.000 VF
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	32.000 EA
611(K)	4488	CAST IRON CURB INLETS	72.000 EA
611(L)	4480	DROP INLET GRATE (30" SPDI)	1.000 EA
612(A)	0641	MANHOLES ADJUST TO GRADE	3.000 EA
612(B)	0642	MANHOLES REBUILT	1.000 EA
613(B)	0491	18" R.C.PIPE CLASS III	712.000 LF
613(B)	0492	24" R.C.PIPE CLASS III	356.000 LF
613(B)	0493	30" R.C.PIPE CLASS III	118.000 LF
613(B)	0494	36" R.C.PIPE CLASS III	340.000 LF
613(B)	0496	48" R.C.PIPE CLASS III	112.000 LF
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND	1.000 EA
613(M)	0981	48" PREFAB. CULVERT END SEC., ROUND	2.000 EA
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	450.000 LF
613(Q)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.	150.000 LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	135.000 CY
613(S)	1180	TRENCH EXCAVATION	1,979.000 CY
613(T)	1181	STANDARD BEDDING MATERIAL	823.000 CY
619(B)	4725	REMOVAL OF FENCE	2,158.000 LF
619(B)	4726	REMOVAL OF CURB AND GUTTER	1,973.000 LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	10,699.000 SY
619(B)	4766	REMOVAL OF CONCRETE DRIVEWAY	842.000 SY
619(B)	4792	REMOVAL OF SIDEWALK	540.000 SY
619(C)	0924	SAWING PAVEMENT	245.000 LF
622(A)	4746	PIPE RAILING	212.000 LF
624(B)	5165	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	1.000 EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,804.000 LF
624(D)	4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	142.000 LF
624(E)	5174	GATES-STYLE CLF (4'HIGH X 14'LONG)	1.000 EA
629(A)	4958	MAILBOX INSTALLATION-SINGLE	1.000 EA
629(C)	4960	MAILBOX	1.000 EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM
930.97	4974	(PL) REM. OF STRS. AND OBSTRS.	1.000 LSUM
SECTION NO. 0002		Y000-TRAFFIC	
850(A)	8215	SHEET ALUMINUM SIGNS	62.890 SF
851	8642	(PL)2 1/4" SQUARE TUBE POST	137.000 LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	8,345.000 LF
855(D)	3322	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	4.000 EA
960.16	8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
960.18	8142	(PL)REMOVAL OF EXISTING SIGNS	1.000 LSUM
SECTION NO. 0003		STAK-STAKING	

LNTCIQA

STATE PROJECT

PAGE 7

SECTION NO. 0003

STAK-STAKING

642 0098

STAKING

1.000 LSUM

LNTCIQA
 CALL ORDER : 170
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: JACKSON

FEDERAL PROJECT
 CONTRACT ID : 000314
 PCN : 1780004

PAGE 8

PROJECTS : BRF-133C(27) CO
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 52ALT
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 OVER CREEK APPROX. 9.656 KM. EAST AND 1.287 KM. SOUTH OF
 US-62/US-283 JCT.
 PROJ. LGTH.= 0.280 KM.
 FLEX. ESALS= 3.2 MILLION
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(G)	M0185	EARTHWORK	1.000 LSUM
205	M7174	(PL)TOPSOIL - LUMP SUM	1.000 LSUM
222	M2801	TEMPORARY BALE BARRIER	100.000 M
223	M2802	TEMPORARY SILT FENCE	560.000 M
230(A)	M2806	SOLID SLAB SODDING	4,196.000 M2
233(A)	M2817	VEGETATIVE MULCHING	0.500 HA
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	200.000 T
407	M0250	TACK COAT	500.000 L
408	M5853	PRIME COAT	2,300.000 L
411(A)	M6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	470.000 T
411(B)	M6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	230.000 T
509(D)	M0325	CLASS C CONCRETE	20.000 M3
854	M3316	TRAFFIC STRIPE(PAINT)(100MM WIDE)	635.000 M
SECTION NO. 0002	X028-BRIDGE 'A'		
202(A)	M0183	UNCLASSIFIED EXCAVATION	1,415.000 M3
501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	117.000 M3
509(B)	M0321	CLASS A CONCRETE	233.000 M3
511(A)	M0332	REINFORCING STEEL	26,879.000 KG
601A-1	M0536	TYPE I-A PLAIN RIPRAP	270.000 T
601A-2	M0538	TYPE I-A FILTER BLANKET	68.000 T
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
641	M1552	MOBILIZATION	1.000 LSUM
880(J)	M8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
SECTION NO. 0003	STAK-STAKING		
642	M0098	STAKING	1.000 LSUM

LNTCIQA
 CALL ORDER : 200
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: LOGAN

FEDERAL PROJECT
 CONTRACT ID : 000317
 PCN : 1747204
 PROJECTS : STP-142C(20)CO
 DBE/WBE GOALS: 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.61
 RES. ENG.: 45STL
 CAL. DAYS: 45 LIQ. DAM: \$ 500

PAGE 9

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 COUNTY ROAD(NS-310): BEGIN APPROX. 5 MILE SOUTH OF SH-33
 AND APPROX. 3.5 MILE WEST OF I-35, EXTEND NORTH.
 PROJ. LGTH.= 4.286
 ASPH GRADE = 64-22OK
 FLEX ESALS =

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY(ASPHALT)		
202(E) 0184	UNCLASSIFIED BORROW	500.000	CY
407 0250	TACK COAT	5,706.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	10,268.140	TON
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	50.000	LF
623(F) 6032	GUARD RAIL ANCHOR UNIT (TYPE I)	4.000	EA
850(A) 8215	SHEET ALUMINUM SIGNS	108.000	SF
851(C) 8597	FLANGE CHANNEL POSTS(4.0 LB./FT.)	196.000	LF
854 3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	22,924.000	LF
900.20 6143	(PL)TUBULAR METAL TRAFFIC RAIL	325.000	LF
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 210
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: LOVE

STATE PROJECT
 CONTRACT ID : 000332
 PCN : 1818604

PAGE 10

PROJECTS : SAP-143D(20)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 72ARD
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 LAKE ACCESS, BEGIN AT SH-77S AND EXTEND SOUTH TO LAKE MURRAY
 MARINA/BEACH AREA
 PROJ. LGTH.= 1.42 MILES
 PLEX. ESALS= 2 MILLION
 ASPHALT GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
407 0250	TACK COAT	1,300.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,730.000	TON
420(A) 4242	FABRIC REINFORCEMENT	8,750.000	SY
420(B) 4268	BITUMINOUS BINDER	4,375.000	GAL
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 220
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: MCCLAIN

FEDERAL PROJECT
 CONTRACT ID : 000318
 PCN : 1685904

PAGE 11

PROJECTS : STPY-144C(15)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 32PUR
 CAL. DAYS: 45 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 AT THE INTERSECTION OF US-77/SH-74 AND US-77/ CHANDLER
 PARK ROAD IN PURCELL
 PROJ. LGTH.= 0.00 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y031-TRAFFIC SIGNALS		
610(C) M0609	150 MM CONCRETE DIVIDING STRIP	83.400	M2
641 M1552	MOBILIZATION	1.000	LSUM
802(B) M8332	25MM PVC SCH.40 P.C.BORED	25.000	M
802(B) M8336	38MM PVC SCH.40 P.C.BORED	35.000	M
802(B) M8338	38MM PVC SCH.40 P.C.TR.	283.700	M
802(B) M8342	50MM PVC SCH.40 P.C.TR.	6.400	M
802(B) M8344	75MM PVC SCH.40 P.C.BORED	69.200	M
802(B) M8346	75MM PVC SCH.40 P.C.TR.	2.500	M
803 M8065	PULL BOX(SIZE I)	3.000	EA
803 M8066	PULL BOX(SIZE II)	1.000	EA
803 M8067	PULL BOX(SIZE III)	7.000	EA
804(A) M2915	STRUCTURAL CONCRETE	8.400	M3
804(B) M2916	REINFORCING STEEL	755.800	KG
806(A) M8746	9.7M MHP 6.1M TS & 2.4M LMA(G.STL.)	2.000	EA
806(A) M8788	9.7M MHP 12.2M TS & 1.8M LMA(G.STL.)	2.000	EA
809(A) M8098	ROADWAY LUMINAIRE(400 WATT HPS)	4.000	EA
811 M8107	1/C NO.10 ELECT.COND.	145.000	M
811 M8109	1/C NO.6 ELECT.COND.	30.000	M
825 M3009	TRAF.VEH.ACT.SOL.ST.SIG.CON.ASM	1.000	EA
828(A) M3012	SOL.STE.DIGITAL IND.VEH.LP.DET.	9.000	EA
828(B) M8494	LOOP DETECTOR WIRE	1,294.000	M
831 M8239	1WAY3SEC.ADJ.SIG.HD.(MAM)S-6	8.000	EA
831 M8257	1WAY3SEC.ADJ.SIG.HD.(MAM)S-9	2.000	EA
833 M3038	127MM BACKPLATE(300MM HDS)(B-2)	10.000	EA
834(A) M8207	5/C TRAF.SIG.EL.CABLE	160.000	M
834(A) M8209	9/C TRAF.SIG.EL.CABLE	150.000	M
834(B) M8214	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	824.000	M
840(B) M8593	(PL)E.P.S. OPTICAL DETECTOR	4.000	EA
840(C) M8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	206.000	M
840(D) M8595	(PL)E.P.S. 2 CHANNEL PHASE SELECTOR	1.000	EA
850(C) M8525	MAST ARM MOUNTED SIGNS (ALUM.)	1.860	M2
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	114.000	M
855(B) M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	5.000	EA
855(B) M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	3.000	EA
859(A) M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	120.000	M

LNTCIQA

FEDERAL PROJECT

PAGE 12

SECTION NO. 0001

Y031-TRAFFIC SIGNALS

880(J) M8905

CONSTRUCTION TRAFFIC CONTROL

1.000

LSUM

LNTCIQA
 CALL ORDER : 230
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: MURRAY

STATE PROJECT
 CONTRACT ID : 000115
 PCN : 1700804

PAGE 13

PROJECTS : CIP-150B(008)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 17.72
 RES. ENG.: 72ARD
 CAL. DAYS: 240 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)
 ON US-177 BEGINNING AT THE JUNCTION OF US-177/SH-7 IN
 SULPHUR AND EXTENDING NORTH.
 PROJ. LGTH.= 4.159 MI.
 FLEX. ESALS= 2.8 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-150B(008)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	33,705.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
223	2801 (PL)TEMPORARY SILT FENCE	8,180.000	LF
225	2804 TEMPORARY SEDIMENT BASIN	7.000	EA
227	0100 (PL)TEMPORARY SILT DIKE	1,782.000	LF
230(A)	2806 SOLID SLAB SODDING	14,850.000	SY
230(B)	2807 MULCH SODDING	72,155.000	SY
230(G)	2812 WATERING	2,905.000	MGAL
232(B)	2814 SEEDING METHOD B	7.000	AC
303	0192 AGGREGATE BASE	9,844.000	CY
310(B)	0149 SUBGRADE, METHOD B	54,529.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	188.000	TON
407	0250 TACK COAT	4,852.000	GAL
408	5774 (SU)PRIME COAT	6,845.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	8,943.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	448.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	10,409.000	TON
414(A)	0260 8" P.C. CONCRETE PAVEMENT	63.000	SY
417	5268 COLD MILLING PAVEMENT (2")	7,266.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	70.000	CY
509(B)	0321 CLASS A CONCRETE	272.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	22.000	CY
509(E)	0325 CLASS "C" CONC.	622.000	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	36,484.000	LB
529	6309 (SU)LOW STRENGTH BACKFILL MATERIAL	10.000	CY
601(A-1)	1352 TYPE I-A PLAIN RIPRAP	447.000	CY
601(A-2)	1354 TYPE I-A FILTER BLANKET	171.000	CY
609(B)	1513 1'-8" COMB. CRB&GUTTER (6" BAR. CRB)	1,327.000	LF
610(A)	0602 4" CONCRETE SIDEWALK	78.000	SY
610(B)	0399 6" CONCRETE DRIVEWAY (H.E.S.)	233.000	SY
611(E)	5322 INLET CICI DES. 3 (B)	4.000	EA
613(B)	0491 18" R.C. PIPE CLASS III	108.000	LF

SECTION NO. 0001	I000-ROADWAY	CIP-150B(008)IP		
613(B) 0492	24" R.C.PIPE CLASS III		56.000	LF
613(B) 0493	30" R.C.PIPE CLASS III		9.000	LF
613(B) 0494	36" R.C.PIPE CLASS III		76.000	LF
613(CC) 7196	TYPE A6 CULVERT END TREATMENT		94.000	EA
613(CC) 7197	TYPE B6 CULVERT END TREATMENT		2.000	EA
613(CC) 7198	TYPE C6 CULVERT END TREATMENT		2.000	EA
613(D) 0689	18" CORR. GALV. STEEL PIPE		2,352.000	LF
613(M) 0897	18" PREFAB. CULVERT END SEC., ROUND		4.000	EA
613(M) 0898	24" PREFAB. CULVERT END SEC., ROUND		1.000	EA
613(T) 1181	STANDARD BEDDING MATERIAL		61.000	CY
619(B) 0291	REMOVAL OF HEADWALL		20.000	EA
619(B) 4725	REMOVAL OF FENCE		3,603.000	LF
619(B) 4726	REMOVAL OF CURB AND GUTTER		1,327.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT		54.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT		856.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS		2.000	EA
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY		222.000	SY
619(B) 4773	REMOVAL OF CGSP 18" RND.		422.000	LF
619(B) 4778	REMOVAL OF EXISTING STRUCTURES		6.000	EA
619(B) 4792	REMOVAL OF SIDEWALK		140.000	SY
619(B) 4858	REMOVAL OF CGSP 36" RND.		56.000	LF
619(B) 5857	REMOVAL OF CGSP 12" RND.		384.000	LF
619(C) 0924	SAWING PAVEMENT		44.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)		2,917.000	LF
629(E) 5048	(SU)REMOVE AND RESET MAILBOX		23.000	EA
640	FIELD OFFICE		1.000	EA
641	MOBILIZATION		1.000	LSUM
851	(PL)2 1/4" SQUARE TUBE POST		41.000	LF
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)		66,772.000	LF
890(A/B)8756	(PL)REMOVE & RESET EXISTING SIGNS		41.000	EA
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL		1.000	LSUM
SECTION NO. 0002	X028-BRIDGE 'A'	CIP-150B(008)IP		
202(C) 1301	UNCLASSIFIED EXCAVATION		5.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED		24.000	CY
509(B) 1328	CLASS A CONCRETE		143.000	CY
511(A) 1332	REINFORCING STEEL		1,974.000	LB
601(A-1)1352	TYPE I-A PLAIN RIPRAP		143.000	CY
601(A-2)1354	TYPE I-A FILTER BLANKET		48.000	CY
619(B) 1383	REMOVAL OF HEADWALL		2.000	EA
SECTION NO. 0003	STAK-STAKING	CIP-150B(008)IP		
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 240
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: MURRAY

STATE PROJECT
 CONTRACT ID : 000116
 PCN : 1700805

PAGE 15

PROJECTS : CIP-150B(009)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 15.57
 RES. ENG.: 72ARD
 CAL. DAYS: 240 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)
 ON US-177 BEGINNING APPROXIMATELY 5.0 MILE NORTH OF THE
 JUNCTION OF US-177/SH-7 IN SULPHUR AND EXTENDING NORTH.
 PROJ. LGTH.= 3.998 MI.
 FLEX. ESALS= 2.8 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-150B(009)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	44,668.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
223	2801 (PL)TEMPORARY SILT FENCE	6,680.000	LF
225	2804 TEMPORARY SEDIMENT BASIN	13.000	EA
227	0100 (PL)TEMPORARY SILT DIKE	1,908.000	LF
230(A)	2806 SOLID SLAB SODDING	15,145.000	SY
230(B)	2807 MULCH SODDING	67,761.000	SY
230(G)	2812 WATERING	3,213.000	MGAL
232(B)	2814 SEEDING METHOD B	7.000	AC
303	0192 AGGREGATE BASE	10,233.000	CY
310(B)	0149 SUBGRADE, METHOD B	56,590.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	280.000	TON
407	0250 TACK COAT	4,695.000	GAL
408	5774 (SU)PRIME COAT	7,115.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	9,517.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	478.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	10,126.000	TON
417	5268 COLD MILLING PAVEMENT (2")	560.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	22.000	CY
509(B)	0321 CLASS A CONCRETE	60.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	25.000	CY
509(E)	0325 CLASS "C" CONC.	765.000	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	12,893.000	LB
529	6309 (SU)LOW STRENGTH BACKFILL MATERIAL	10.000	CY
601(A-1)	1352 TYPE I-A PLAIN RIPRAP	318.000	CY
601(A-2)	1354 TYPE I-A FILTER BLANKET	106.000	CY
611(L)	4210 DROP INLET GRATE (SMD-TYPE 2)	1.000	EA
611(L)	5118 DROP INLET GRATE (SMD TYPE 2B)	2.000	EA
613(B)	0491 18" R.C.PIPE CLASS III	70.000	LF
613(B)	0492 24" R.C.PIPE CLASS III	194.000	LF
613(CC)	7196 TYPE A6 CULVERT END TREATMENT	76.000	EA
613(CC)	7197 TYPE B6 CULVERT END TREATMENT	8.000	EA

SECTION NO. 0001	I000-ROADWAY	CIP-150B(009)IP		
613(D)	0689	18" CORR. GALV. STEEL PIPE	2,086.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	52.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	7.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(T)	1181	STANDARD BEDDING MATERIAL	60.000	CY
619(B)	0291	REMOVAL OF HEADWALL	19.000	EA
619(B)	4725	REMOVAL OF FENCE	4,570.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	1,141.000	SY
619(B)	4766	REMOVAL OF CONCRETE DRIVEWAY	142.000	SY
619(B)	4773	REMOVAL OF CGSP 18" RND.	279.000	LF
619(B)	4774	REMOVAL OF CGSP 24" RND.	69.000	LF
619(B)	4778	REMOVAL OF EXISTING STRUCTURES	3.000	EA
619(B)	4780	REMOVAL OF GUARD RAIL	504.000	LF
619(B)	5857	REMOVAL OF CGSP 12" RND.	472.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,563.000	LF
623(F)	4446	GUARD RAIL ANCHOR UNIT (TYPE A)	3.000	EA
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	3.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	5,310.000	LF
629(C)	4960	(SU)MAILBOX	1.000	EA
629(E)	5048	(SU)REMOVE AND RESET MAILBOX	26.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
851	8642	(PL)2 1/4" SQUARE TUBE POST	22.000	LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	72,831.000	LF
890(A/B)	8756	(PL)REMOVE & RESET EXISTING SIGNS	22.000	EA
960.16	8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X128-BRIDGE 'A'	CIP-150B(009)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	40.000	CY
601(A-1)	1352	TYPE I-A PLAIN RIPRAP	214.000	CY
601(A-2)	1354	TYPE I-A FILTER BLANKET	72.000	CY
SECTION NO. 0003	STAK-STAKING	CIP-150B(009)IP		
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 250
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: MURRAY

STATE PROJECT
 CONTRACT ID : 000117
 PCN : 1700804C

PAGE 17

PROJECTS : CIP-150B(008)IP/CIP-150B(009)I
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 33.29
 RES. ENG.: 72ARD
 CAL. DAYS: 420 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)
 ON US-177 BEGINNING AT THE JUNCTION OF US-177/SH-7 IN
 SULPHUR AND EXTENDING NORTH TO THE MURRAY/GARVIN COUNTY LINE
 PROJ. LGTH.= 8.157 MI.
 FLEX. ESALS= 2.8 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-150B(008)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	33,705.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
223	2801 (PL)TEMPORARY SILT FENCE	8,180.000	LF
225	2804 TEMPORARY SEDIMENT BASIN	7.000	EA
227	0100 (PL)TEMPORARY SILT DIKE	1,782.000	LF
230(A)	2806 SOLID SLAB SODDING	14,850.000	SY
230(B)	2807 MULCH SODDING	72,155.000	SY
230(G)	2812 WATERING	2,905.000	MGAL
232(B)	2814 SEEDING METHOD B	7.000	AC
303	0192 AGGREGATE BASE	9,844.000	CY
310(B)	0149 SUBGRADE, METHOD B	54,529.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	188.000	TON
407	0250 TACK COAT	4,852.000	GAL
408	5774 (SU)PRIME COAT	6,845.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	8,943.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	448.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	10,409.000	TON
414(A)	0260 8" P.C. CONCRETE PAVEMENT	63.000	SY
417	5268 COLD MILLING PAVEMENT (2")	7,266.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	70.000	CY
509(B)	0321 CLASS A CONCRETE	272.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	22.000	CY
509(E)	0325 CLASS "C" CONC.	622.000	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	36,484.000	LB
529	6309 (SU)LOW STRENGTH BACKFILL MATERIAL	10.000	CY
601(A-1)	1352 TYPE I-A PLAIN RIPRAP	447.000	CY
601(A-2)	1354 TYPE I-A FILTER BLANKET	171.000	CY
609(B)	1513 1'-8"COMB.CRB&GUTTER(6"BAR.CRB)	1,327.000	LF
610(A)	0602 4" CONCRETE SIDEWALK	78.000	SY
610(B)	0399 6" CONCRETE DRIVEWAY (H.E.S.)	233.000	SY
611(E)	5322 INLET CICI DES. 3 (B)	4.000	EA
613(B)	0491 18" R.C.PIPE CLASS III	108.000	LF

SECTION NO. 0001	I000-ROADWAY	CIP-150B(008)IP		
613(B)	0492	24" R.C.PIPE CLASS III	56.000	LF
613(B)	0493	30" R.C.PIPE CLASS III	9.000	LF
613(B)	0494	36" R.C.PIPE CLASS III	76.000	LF
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	94.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	2.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	2,352.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(T)	1181	STANDARD BEDDING MATERIAL	61.000	CY
619(B)	0291	REMOVAL OF HEADWALL	20.000	EA
619(B)	4725	REMOVAL OF FENCE	3,603.000	LF
619(B)	4726	REMOVAL OF CURB AND GUTTER	1,327.000	LF
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	54.000	SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	856.000	SY
619(B)	4741	REMOVAL OF DRAINAGE INLETS	2.000	EA
619(B)	4766	REMOVAL OF CONCRETE DRIVEWAY	222.000	SY
619(B)	4773	REMOVAL OF CGSP 18" RND.	422.000	LF
619(B)	4778	REMOVAL OF EXISTING STRUCTURES	6.000	EA
619(B)	4792	REMOVAL OF SIDEWALK	140.000	SY
619(B)	4858	REMOVAL OF CGSP 36" RND.	56.000	LF
619(B)	5857	REMOVAL OF CGSP 12" RND.	384.000	LF
619(C)	0924	SAWING PAVEMENT	44.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,917.000	LF
629(E)	5048	(SU)REMOVE AND RESET MAILBOX	23.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
851	8642	(PL)2 1/4" SQUARE TUBE POST	41.000	LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	66,772.000	LF
890(A/B)	8756	(PL)REMOVE & RESET EXISTING SIGNS	41.000	EA
960.16	8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY	CIP-150B(009)IP		
201	0102	CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183	UNCLASSIFIED EXCAVATION	44,668.000	CY
205	7174	(PL)TOPSOIL-LUMP SUM	1.000	LSUM
223	2801	(PL)TEMPORARY SILT FENCE	6,680.000	LF
225	2804	TEMPORARY SEDIMENT BASIN	13.000	EA
227	0100	(PL)TEMPORARY SILT DIKE	1,908.000	LF
230(A)	2806	SOLID SLAB SODDING	15,145.000	SY
230(B)	2807	MULCH SODDING	67,761.000	SY
230(G)	2812	WATERING	3,213.000	MGAL
232(B)	2814	SEEDING METHOD B	7.000	AC
303	0192	AGGREGATE BASE	10,233.000	CY
310(B)	0149	SUBGRADE, METHOD B	56,590.000	SY
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	280.000	TON
407	0250	TACK COAT	4,695.000	GAL
408	5774	(SU)PRIME COAT	7,115.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	9,517.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	478.000	TON
411(B)	6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	10,126.000	TON
417	5268	COLD MILLING PAVEMENT (2")	560.000	SY
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	22.000	CY

SECTION NO. 0002	I000-ROADWAY	CIP-150B(009)IP		
509(B)	0321	CLASS A CONCRETE	60.000	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	25.000	CY
509(E)	0325	CLASS "C" CONC.	765.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	12,893.000	LB
529	6309	(SU)LOW STRENGTH BACKFILL MATERIAL	10.000	CY
601(A-1)	1352	TYPE I-A PLAIN RIPRAP	318.000	CY
601(A-2)	1354	TYPE I-A FILTER BLANKET	106.000	CY
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	1.000	EA
611(L)	5118	DROP INLET GRATE (SMD TYPE 2B)	2.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	70.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	194.000	LF
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	76.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	8.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	2,086.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	52.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	7.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(T)	1181	STANDARD BEDDING MATERIAL	60.000	CY
619(B)	0291	REMOVAL OF HEADWALL	19.000	EA
619(B)	4725	REMOVAL OF FENCE	4,570.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	1,141.000	SY
619(B)	4766	REMOVAL OF CONCRETE DRIVEWAY	142.000	SY
619(B)	4773	REMOVAL OF CGSP 18" RND.	279.000	LF
619(B)	4774	REMOVAL OF CGSP 24" RND.	69.000	LF
619(B)	4778	REMOVAL OF EXISTING STRUCTURES	3.000	EA
619(B)	4780	REMOVAL OF GUARD RAIL	504.000	LF
619(B)	5857	REMOVAL OF CGSP 12" RND.	472.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,563.000	LF
623(F)	4446	GUARD RAIL ANCHOR UNIT (TYPE A)	3.000	EA
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	3.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	5,310.000	LF
629(C)	4960	(SU)MAILBOX	1.000	EA
629(E)	5048	(SU)REMOVE AND RESET MAILBOX	26.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
851	8642	(PL)2 1/4" SQUARE TUBE POST	22.000	LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	72,831.000	LF
890(A/B)	8756	(PL)REMOVE & RESET EXISTING SIGNS	22.000	EA
960.16	8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	X028-BRIDGE 'A'	CIP-150B(008)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	5.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	24.000	CY
509(B)	1328	CLASS A CONCRETE	143.000	CY
511(A)	1332	REINFORCING STEEL	1,974.000	LB
601(A-1)	1352	TYPE I-A PLAIN RIPRAP	143.000	CY
601(A-2)	1354	TYPE I-A FILTER BLANKET	48.000	CY
619(B)	1383	REMOVAL OF HEADWALL	2.000	EA
SECTION NO. 0004	X128-BRIDGE 'A'	CIP-150B(009)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	40.000	CY
601(A-1)	1352	TYPE I-A PLAIN RIPRAP	214.000	CY

SECTION NO. 0004	X128-BRIDGE 'A'	CIP-150B(009)IP		
601(A-2)1354	TYPE I-A FILTER BLANKET		72.000	CY
SECTION NO. 0005	STAK-STAKING	CIP-150B(008)IP		
642 0098	STAKING		1.000	LSUM
SECTION NO. 0006	STAK-STAKING	CIP-150B(009)IP		
642 0098	STAKING		1.000	LSUM

LNTCIQA
 CALL ORDER : 300
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA

FEDERAL PROJECT
 CONTRACT ID : 000323
 PCN : 1826704

PAGE 21

PROJECTS : STPG-155B(238)AG
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 460KC
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 AT MIDWEST BLVD. AND MATIONAL AVE. IN MIDWEST CITY
 PROJ. LGTH.= 0.00 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	Y031-TRAFFIC		
641	M2917 MOBILIZATION	1.000	LSUM
802(B)	M8332 25MM PVC SCH.40 P.C.BORED	28.000	M
802(B)	M8336 38MM PVC SCH.40 P.C.BORED	25.000	M
802(B)	M8338 38MM PVC SCH.40 P.C.TR.	145.000	M
802(B)	M8342 50MM PVC SCH.40 P.C.TR.	20.000	M
803	M8067 PULL BOX(SIZE III)	4.000	EA
804(A)	M2915 STRUCTURAL CONCRETE	8.000	M3
804(B)	M2916 REINFORCING STEEL	719.000	KG
806(A)	M8726 POLE & 7.6M TS MST.ARM(G.STL.)	1.000	EA
806(A)	M8730 POLE & 10.7M TS MST.ARM(G.STL.)	1.000	EA
806(A)	M8754 9.7M MHP 7.6M TS & 1.8M LMA(G.STL.)	1.000	EA
806(A)	M8776 9.7M MHP 10.7M TS & 1.8M LMA(G.STL.)	1.000	EA
809(A)	M8204 ROADWAY LUMINAIRE(250 WATT HPS)	2.000	EA
811	M8040 1/C NO.6 ELECT.COND.	50.000	M
811	M8044 1/C NO.10 ELECT.COND.	270.000	M
825	M8550 VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A)	M8135 SOL.STE.DIGITAL IND.VEH.LP.DET.	10.000	EA
828(B)	M8138 LOOP DETECTOR WIRE	1,330.000	M
830	M8000 PEDESTRIAN PUSH BUTTON	8.000	EA
831	M8239 1WAY3SEC.ADJ.SIG.HD.(MAM)S-6	8.000	EA
831	M8290 1WAY5SEC.ADJ.SIG.HD.(MAM)S-19	4.000	EA
831	M8296 1WAY2SEC.ADJ.PED.SIG.HD.(CM)S-20	8.000	EA
833	M3038 127MM BACKPLATE(300MM HDS)(B-2)	12.000	EA
834(A)	M8207 5/C TRAF.SIG.EL.CABLE	290.000	M
834(A)	M8208 7/C TRAF.SIG.EL.CABLE	65.000	M
834(A)	M8211 15/C TRAF.SIG.EL.CABLE	160.000	M
834(B)	M8220 2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	535.000	M
834(C)	M8358 (PL)UNDERGROUND COMMUNICATION CABLE	40.000	M
840(A)	M8592 (PL)E.P.S. OPTICAL EMITTER	5.000	EA
840(B)	M8593 (PL)E.P.S. OPTICAL DETECTOR	4.000	EA
840(C)	M8594 (PL)E.P.S. OPTICAL DETECTOR CABLE	230.000	M
840(D)	M8595 (PL)E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(C)	M8118 MAST ARM MOUNTED SIGNS(ALUM.)	6.920	M2
855(A)	M8812 TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	1,065.000	M
859(A)	M8006 PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	500.000	M
880(J)	M8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA

FEDERAL PROJECT

PAGE 22

SECTION NO. 0001

Y031-TRAFFIC

890(A) M8724

(PL)REMOVAL OF EXISTING SIGNS

2.000

EA

LNTCIQA
 CALL ORDER : 320
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CLEVELAND
 MCCLAIN
 OKLAHOMA
 OTHERS

STATE PROJECT
 CONTRACT ID : 000333
 PCN : 1841204
 PROJECTS : SAP-155N(243)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 46OKC
 CAL. DAYS: 30

PAGE 23

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 SIGNING
 REVISION TO EXISTING SIGNS AND INSTALLATION OF NEW SIGNS
 IN NORMAN, OKC. AND TULSA
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y002-SIGNING		
641	2917 MOBILIZATION	1.000	LSUM
804(A)	2915 STRUCTURAL CONCRETE	13.080	CY
804(B)	2916 REINFORCING STEEL	2,812.000	LB
850(B)	3204 EXTRUDED ALUMINUM PANEL SIGNS	1,128.000	SF
850(B)	3205 EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	240.000	SF
851(A)	3208 6"@20 GALV.STL.WD.FLANGE BM.POST	300.000	LF
851(A)	3210 8"@31 GALV.STL.WD.FLANGE BM.POST	97.000	LF
960.16	8140 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
961.25	8509 (PL)TRAFFIC SURVEILLANCE,POLICE	4.000	HOURL

LNTCIQA
 CALL ORDER : 341
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA

FEDERAL PROJECT
 CONTRACT ID : 000260
 PCN : 1822604

PAGE 24

PROJECTS : IMY-235-1(85)004
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.30
 RES. ENG.: 44EDM
 CAL. DAYS: 45 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE REPAIR
 BRIDGE REPAIR OF NORTHWEST 50TH STREET OVER I-235(BROADWAY
 EXTENSION) IN OKLAHOMA CITY.
 PROJ. LGTH.= 0.0 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X971-BRIDGE 'A'		
502(A) 6173	ENGINEERED FALSEWORK	1.000	LSUM
502(B) 6174	FALSEWORK ENGINEERING SERVICES	1.000	LSUM
509 6386	(PL) SILICONE CONSTRUCTION JOINT	112.000	LF
509(B) 1328	CLASS A CONCRETE	29.900	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(B) 6010	EPOXY COATED REINF. STEEL	6,670.000	LB
520(A) 6058	PREP. OF CRACKS ABOVE WATER	400.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	30.000	GAL
540 4501	(PL)REPAIR BRIDGE ITEMS	54.000	SY
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	10.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	10.000	EA
619(B) 2515	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	10.000	EA
619(B) 2525	(PL)REMOVAL OF BRIDGE ITEM (TYPE B)	10.000	EA
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL		
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	80.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	30.000	SD
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA
 CALL ORDER : 360
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: ROGER MILLS

FEDERAL PROJECT
 CONTRACT ID : 000325
 PCN : 1753504
 PROJECTS : BRO-165D(13)CO
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 51CLI
 CAL. DAYS: 120

PAGE 25

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 BRIDGE OVER HAY CREEK, 11.265 KM. SOUTH AND 4.023 KM.
 EAST OF ANGORA
 PROJ. LGTH.= 0.209 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
202(G) M0185	EARTHWORK	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	150.000	M
227 M0100	TEMPORARY SILT DIKE	100.000	M
229 M4318	DITCH LINER PROTECTION	60.000	M
230(A) M2806	SOLID SLAB SODDING	2,680.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.270	HA
234(A) M2824	FERTILIZING (10-20-10)	0.300	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	650.000	T
408 M5774	PRIME COAT	1,625.000	L
509(D) M0325	CLASS C CONCRETE	10.000	M3
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	46.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	176.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	79.250	M
504(E) M1380	CONCRETE RAIL (TR1)	32.900	M
509(A) M1326	CLASS AA CONCRETE	32.400	M3
509(B) M0321	CLASS A CONCRETE	55.800	M3
511(A) M1439	REINFORCING STEEL (GRADE 420)	5,242.000	KG
514(A) M6013	PILES, FURNISHED (HP 310X79)	142.500	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	142.500	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	645.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	175.000	T
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) M1418	BEAM GUARD RAIL-W-BEAM-SINGLE	22.800	M
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	2.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
CALL ORDER : 380
LETTING DATE : July 27, 2000
LETTING TIME : 2:00 P.M.
COUNTIES: TULSA

FEDERAL PROJECT
CONTRACT ID : 000341
PCN : 0637441

PAGE 26

PROJECTS : NHIY-44-2(389)229RW
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 81TUL
CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROWA-RIGHT-OF-WAY CLEARANCE		
643 0094	(PL)RIGHT-OF-WAY CLEARANCE	1.000	LSUM
643 0100	(PL)NESHAP PREDEM. INSP. & NOTIFICATION		6.000 EA

LNTCIQA
 CALL ORDER : 400
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: ADAIR

STATE PROJECT
 CONTRACT ID : 000336
 PCN : 1873604

PAGE 27

PROJECTS : MC-101A(42)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 11MUS
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN 4.98 MILES SOUTH OF THE JCT. OF US-59/SH-100 AND
 EXTEND NORTH ON US-59
 PROJ. LGTH.= 4.78 MILES
 FLEX. ESALS= 0.94 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(E) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
407 0250	TACK COAT	6,800.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	12,675.000	TON
417 5267	COLD MILLING PAVEMENT	720.000	SY
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	85,000.000	LF
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 410
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: BEAVER

STATE PROJECT
 CONTRACT ID : 000217
 PCN : 1839204

PAGE 28

PROJECTS : MC-104B(15)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 62GUY
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 WIDEN AND RESURFACE(ASPHALT)
 BEGIN AT THE JCT. OF US-64/US-83, 3 MILES NORTH OF TURPIN
 AND EXTEND EAST ON US-64
 PROJ. LGTH.= 7.0 MILES
 FLEX. ESALS= 1.6 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY(ASPHALT)		
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	5,235.000	TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	10,600.000	TON
641 2917	MOBILIZATION	1.000	LSUM
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 430
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CARTER

STATE PROJECT
 CONTRACT ID : 000337
 PCN : 1844004

PAGE 29

PROJECTS : MC-110C(65)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 72ARD
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 PATCHING & LEVELING
 SH-76 BEGINNING APPROXIMATELY 0.33 MILE NORTH OF THE
 JUNCTION OF SH-76/SH-7 AND EXTENDING NORTH TO THE
 CARTER/GARVIN COUNTY LINE.
 PROJ. LGTH.= 3.67 MI.
 FLEX. ESALS= 0.9 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-LEVEL PATCHING		
407 0250	TACK COAT	3,520.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)		5,421.000 TON

LNTCIQA
 CALL ORDER : 440
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: GARVIN

STATE PROJECT
 CONTRACT ID : 000343
 PCN : 1843804

PAGE 30

PROJECTS : MC-125C(61)PT.1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 PATCHING & LEVELING
 ON SH-76 BEGINNING AT THE GARVIN/CARTER COUNTY LINE AND
 EXTENDING NORTH TO THE JUNCTION OF SH-76/SH-29.
 PROJ. LGTH.= 8.00 MI.
 FLEX. ESALS= 0.9 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-LEVEL PATCHING MC-125C(61)PT.1		
407 0250	TACK COAT	640.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)		985.600 TON

LNTCIQA
 CALL ORDER : 450
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: GARVIN

STATE PROJECT
 CONTRACT ID : 000344
 PCN : 1843805

PAGE 31

PROJECTS : MC-125C(61)PT.2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 PATCHING & LEVELING
 ON SH-29A BEGINNING AT THE END OF THE HIGHWAY AND EXTENDING
 NORTH TO THE JUNCTION OF SH-29A/SH-29.
 PROJ. LGTH.= 0.48 MI.
 FLEX. ESALS= 0.9 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-LEVEL PATCHING MC-125C(61)PT.2		
407 0250	TACK COAT	64.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)		99.000 TON

LNTCIQA
 CALL ORDER : 460
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: GARVIN

STATE PROJECT
 CONTRACT ID : 000345
 PCN : 1843804C

PAGE 32

PROJECTS : MC-125C(61)PT.1&2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

PATCHING & LEVELING
 SH-76 BEGINNING AT THE GARVIN/CARTER COUNTY LINE AND
 EXTENDING NORTH THE THE JUNCTION OF SH-76/SH-29; ON SH-29A
 BEGINNING AT THE END OF THE HIGHWAY AND EXTENDING NORTH TO
 THE JUNCTION OF SH-29A/SH-29.
 PROJ. LGTH.= 8.48 MI.
 FLEX. ESALS= 0.9 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-LEVEL PATCHING MC-125C(61)PT.1		
407 0250	TACK COAT	640.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)		985.600 TON
SECTION NO. 0002	I000-LEVEL PATCHING MC-125C(61)PT.2		
407 0250	TACK COAT	64.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)		99.000 TON

LNTCIQA
 CALL ORDER : 510
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: HUGHES

STATE PROJECT
 CONTRACT ID : 000350
 PCN : 1844104

PAGE 33

PROJECTS : CMC-132C(36)PT.1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 33WEW
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT JCT. OF US-75/SH-9 IN WETUMKA, EXTEND EAST
 ON SH-9
 PROJ. LGTH.= 0.48 MILES
 FLEX. ESALS= 0.8 MILLION
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-132C(36)PT.1		
407 0250	TACK COAT	680.500	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,756.000	TON
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	136.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	13,608.000	SY

LNTCIQA
 CALL ORDER : 520
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: HUGHES

STATE PROJECT
 CONTRACT ID : 000351
 PCN : 1844105

PAGE 34

PROJECTS : CMC-132C(36)PT.2
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 33WEW
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN 0.48 MILES EAST OF THE JCT. US-75/SH-9 IN WETUMKA
 AND EXTEND EAST ON SH-9
 PROJ. LGTH.= 7.68 MILES
 FLEX. ESALS= 0.8 MILLION
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-132C(36)PT. 2		
407 0250	TACK COAT	5,406.500	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)		606.000 TON
411(C) 6570	(SP)ASPHALT CONC.TYPE C(PG 70-28 OK)	6,056.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	108,134.000	SY

LNTCIQA
 CALL ORDER : 530
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: HUGHES

STATE PROJECT
 CONTRACT ID : 000352
 PCN : 1844106

PAGE 35

PROJECTS : CMC-132C(36)PT.3
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 33WEW
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN 8.16 MILES EAST OF THE JCT. OF US-75/SH-9 IN WETUMKA
 AND EXTEND EAST ON SH-9
 PROJ. LGTH.= 7.98 MILES
 FLEX. ESALS= 08 MILLION
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-132C(36)PT.3		
407 0250	TACK COAT	5,611.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	628.000	TON
411(C) 6570	(SP)ASPHALT CONC.TYPE C(PG 70-28 OK)	6,284.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	112,218.000	SY

LNTCIQA
 CALL ORDER : 540
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: HUGHES

STATE PROJECT
 CONTRACT ID : 000353
 PCN : 1844104C

PAGE 36

PROJECTS : CMC-132C(36)PT.1,2 & 3
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 33WEW
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT THE JCT. OF US-75/SH-9 IN WETUMKA AND EXTEND
 EAST ON SH-9
 PROJ. LGTH.= 16.13 MILES
 FLEX. ESALS= 0.8 MILLION
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-132C(36)PT.1		
407 0250	TACK COAT	680.500	GAL
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,756.000	TON
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	136.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	13,608.000	SY
SECTION NO. 0002	I000-ROADWAY CMC-132C(36)PT. 2		
407 0250	TACK COAT	5,406.500	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	606.000	TON
411(C) 6570	(SP)ASPHALT CONC.TYPE C(PG 70-28 OK)	6,056.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	108,134.000	SY
SECTION NO. 0003	I000-ROADWAY CMC-132C(36)PT.3		
407 0250	TACK COAT	5,611.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	628.000	TON
411(C) 6570	(SP)ASPHALT CONC.TYPE C(PG 70-28 OK)	6,284.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	112,218.000	SY

LNTCIQA
 CALL ORDER : 551
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CARTER
 GARVIN
 MCCLAIN

STATE PROJECT
 CONTRACT ID : 000359
 PCN : 1843704SC

PAGE 37

PROJECTS : MC-110C(65)/MC-125C(61)PT1&2/M
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 PATCHING & LEVELING
 PATCHING AND LEVELING AT VARIOUS LOCATIONS ALONG US-77,
 SH-76 AND SH-29A IN DIVISION 3 AND DIVISION 7.
 PROJ. LGTH.= 32.64 MI.
 FLEX. ESALS= 2.9 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-LEVEL PATCHING MC-110(65)		
407 0250	TACK COAT	3,520.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	5,421.000	TON
SECTION NO. 0002	I000-LEVEL PATCHING MC-125C(61)PT.1		
407 0250	TACK COAT	640.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	985.600	TON
SECTION NO. 0003	I000-LEVEL PATCHING MC-125C(61)PT.2		
407 0250	TACK COAT	64.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	99.000	TON
SECTION NO. 0004	I000-LEVEL PATCHING CMC-125C(60)PT.1		
407 0250	TACK COAT	1,792.500	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	2,760.000	TON
SECTION NO. 0005	I000-LEVEL PATCHING CMC-125A(60)PT.2		
407 0250	TACK COAT	596.000	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	918.000	TON
SECTION NO. 0006	I000-LEVEL PATCHING CMC-125C(60)PT.3		
407 0250	TACK COAT	267.500	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	412.000	TON
SECTION NO. 0007	I000-LEVEL PATCHING MC-144(35)		
407 0250	TACK COAT	470.500	GAL
411(C) 5282	(SP)ASPH.CONC.TYPE C(PATCH)(PG 70-28 OK)	725.000	TON

LNTCIQA
 CALL ORDER : 600
 LETTING DATE : July 27, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: STEPHENS

STATE PROJECT
 CONTRACT ID : 000338
 PCN : 1841004

PAGE 38

PROJECTS : CMC-169N(46)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 71DUN
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN AT THE JCT. OF SH-29/US-81,(IN MARLOW) EXTEND EAST ON
 SH-29, PROJECT INCLUDES 0.08 MILE OF US-81 AT JCT.
 PROJ. LGTH.=0.23 MILE
 FLEX. ESALS= 3 MILLION
 ASPH. GRADE= 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,215.000	TON
417 5268	COLD MILLING PAVEMENT (2")	9,505.000	SY
828 8494	DETECTOR LOOPS	2,900.000	LF
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	10,220.000	LF
855(B) 3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM