

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : July 31, 2000

LNTCNCA
LETTING

NOTICE TO CONTRACTORS -- August 24, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF August 24, 2000 , TO BE PUBLICALLY OPENED AT 10:30 A.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$23.07 PLUS \$1.93 TAX (OKLAHOMA TAX IS 8.375%) FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$7.38 PLUS \$.62 TAX. MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : July 31, 2000

NOTICE TO CONTRACTORS -- August 24, 2000

LNTCNCA
LETTING

CALL
ORDER FEDERAL/STATE PROJECT NUMBER JOB PIECE PROPOSAL PRICE PLANS PRICE PAGE

*** NO PROPOSALS IN LETTING FOR SPECIFIED PUBLICATION DATE ***

LNTCIQA
 CALL ORDER : 010
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: ALFALFA

STATE PROJECT
 CONTRACT ID : 000407
 PCN : 1859604

PAGE 1

PROJECTS : E-SAP-102B(30)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.62
 RES. ENG.: 61BUF
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE REPAIR
 ON SH-11 OVER THE SALT FORK RIVER OVERFLOW APPROXIMATELY
 3.5 MILE EAST OF THE JUNCTION OF SH-11/SH-38.
 PROJ. LGTH.= 0.0 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X031-BRIDGE 'A'		
202(G) 6181	EARTHWORK	1.000	LSUM
506(A) 1322	STRUCTURAL STEEL	23,300.000	LB
509(B) 1328	CLASS A CONCRETE	8.200	CY
511(A) 1332	REINFORCING STEEL	910.000	LB
514(A) 6012	PILES, FURNISHED (HP 14X73)	540.000	LF
514(B) 6296	PILES, DRIVEN (HP 14X73)	540.000	LF
619(B) 4725	REMOVAL OF FENCE	200.000	LF
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	200.000	LF
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 015
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: BEAVER

FEDERAL PROJECT
 CONTRACT ID : 000381
 PCN : 1675704

PAGE 2

PROJECTS : BRF-104C(006)CO
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 6.98
 RES. ENG.: 61BUF
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER CLEAR CREEK, 8 MILES NORTH OF US-270 AND
 4 MILES EAST OF SH-23
 PROJ. LGTH.= 0.539 KM.
 FLEX. ESALS= 0.2 MILLION
 ASHP. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	M0185 EARTHWORK	1.000	LSUM
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	150.000	M
223	M2802 TEMPORARY SILT FENCE	1,080.000	M
230(A)	M2806 SOLID SLAB SODDING	9,687.000	M2
230(F)	M2812 WATERING	1,744.000	KL
233(C)	M2819 ASPHALT MULCHING	13,561.000	L
234(A)	M2824 FERTILIZING (10-20-10)	1.070	T
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	12.000	T
407	M0250 TACK COAT	856.000	L
408	M5774 PRIME COAT	2,635.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		845.000 T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		414.000 T
509(E)	M0325 CLASS C CONCRETE	10.000	M3
613(CC)	M7187 TYPE B4 CULVERT END TREATMENT	4.000	EA
613(D)	M0690 600MM CORR. GALV. STEEL PIPE	37.800	M
853(D)	M3313 DELINEATORS TYPE 2 CODE 1	26.000	EA
854	M3316 TRAFFIC STRIPE(PAINT)(100MM WIDE)	1,080.000	M
856(A)	M3323 CONSTRUCTION TRAFFIC STRIPE(PAINT)	1,080.000	M
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	110.000	M3
501(D)	M6353 UNCLASSIFIED BACKFILL	50.000	M3
503(A)	M1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	356.520	M
504(C)	M6250 SEALED EXPANSION JOINT-COUNTY	19.570	M
504(E)	M1380 CONCRETE RAIL (TR1)	199.140	M
506(A)	M1322 STRUCTURAL STEEL	2,070.000	KG
509(A)	M1326 CLASS AA CONCRETE	161.100	M3
509(E)	M1332 CLASS S CONCRETE	82.200	M3
511(A)	M1332 REINFORCING STEEL	28,775.000	KG
514(A)	M6011 PILES, FURNISHED (HP 250X62)	269.900	M

SECTION NO. 0002	X081-BRIDGE 'A'		
514(B) M6292	PILES, DRIVEN (HP 250X62)	269.900	M
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	78.400	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,130.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	310.000	T
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
850(A) M8110	SHEET ALUMINUM SIGNS	2.660	M2
851(D) M8597	FLANGE CHANNEL POSTS(5.95 KG/M)	22.000	M
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 020
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: BECKHAM
 CADDO
 CANADIAN

 OTHERS

FEDERAL PROJECT
 CONTRACT ID : 000112
 PCN : 1827304

PAGE 4

PROJECTS : SBSIY-40-1(69)000TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.83

RES. ENG.: 51CLI
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 SAFETY IMPROVEMENT
 RUMBLE STRIP ALONG I-40 FROM TEXAS STATE LINE TO OKLA. CO.
 LINE & I-35 IN MCCLAIN CO. AT MULTIPLE LOCATIONS
 PROJ. LGTH.= 432.15 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	SFTY-TRAFFIC (BASE BID)		
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	1,207,765.000	LF
413(D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	102,910.000	LF
641 1552	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0002	SFTY-TRAFFIC (ADD ALTERNATE 1)		
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	314,954.000	LF
641 1552	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0003	SFTY-TRAFFIC (ADD ALTERNATE 2)		
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	686,244.000	LF
641 1552	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0004	SFTY-TRAFFIC (ADD ALTERNATE 3)		
413(A) 4861	RUMBLE STRIP-METHOD AC-CON	971,099.000	LF
641 1552	MOBILIZATION	1.000	LSUM
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA
 CALL ORDER : 023
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: BLAINE

FEDERAL PROJECT
 CONTRACT ID : 000382
 PCN : 1782504

PAGE 5

PROJECTS : BRO-106D(22)CO
 DBE/WBE GOALS: 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.22
 RES. ENG.: 51CLI
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER CEDER CREEK, APPROX. 9.0 MILES EAST
 AND 4.1 MILES NORTH OF US-270/SH-8 JCT. IN WATONGA
 PROJ. LGTH.= 0.122 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	6181 EARTHWORK	1.000	LSUM
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	300.000	LF
223	2802 TEMPORARY SILTATION SCREEN	1,300.000	LF
230(A)	2806 SOLID SLAB SODDING	2,167.000	SY
233(A)	2817 VEGETATIVE MULCHING	0.500	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	365.000	TON
509(D)	0325 CLASS C CONCRETE	10.000	CY
SECTION NO. 0002	X028-BRIDGE 'A'		
202(A)	1301 UNCLASSIFIED EXCAVATION	1,100.000	CY
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	87.000	CY
509(B)	1328 CLASS A CONCRETE	192.000	CY
511(A)	1332 REINFORCING STEEL	23,028.000	LB
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J)	6145 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642	0098 STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 030
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CADDO

FEDERAL PROJECT
 CONTRACT ID : 000172
 PCN : 1744004
 PROJECTS : STP-108C(47)CO
 DBE/WBE GOALS: 12.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 73ANA
 CAL. DAYS: 60 LIQ. DAM: \$ 500

PAGE 6

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION
 COUNTY ROAD 9.656 KM. NORTH AND 4.828 KM. EAST OF
 SH-19/SH-8 IN CYRIL
 PROJ. LGTH.= 0.36 KM.
 FLEX. ESALS= 0.7 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0181 SELECTIVE CLEARING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	12,704.000	M3
202(D)	M0186 SELECT BORROW	1,066.000	M3
223	M2802 TEMPORARY SILT FENCE	1,200.000	M
227	M0100 TEMPORARY SILT DIKE	160.000	M
230(A)	M2806 SOLID SLAB SODDING	960.000	M2
230(B)	M2807 MULCH SODDING	11,500.000	M2
233(A)	M2817 VEGETATIVE MULCHING	2.500	HA
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	439.000	T
408	M5774 PRIME COAT	2,191.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		752.000 T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		590.000 T
509(D)	M0325 CLASS C CONCRETE	93.500	M3
613(D)	M4527 525MM X 375MM CORR. GALV. ST. PIPE ARCH		36.000 M
613(D)	M4528 700MM X 500MM CORR. GALV. ST. PIPE ARCH		28.200 M
613(M)	M4504 525MM X 375MM PREFAB.CULV.END SEC., ARCH		8.000 EA
613(M)	M4516 700MM X 500MM PREFAB.CULV.END SEC., ARCH		4.000 EA
641	M1552 MOBILIZATION	1.000	LSUM
850(A)	M8110 SHEET ALUMINUM SIGNS	1.160	M2
851(D)	M8597 FLANGE CHANNEL POSTS(5.95 KG/M)	9.000	M
854(A)	M8800 TRAFFIC STRIPE(PAINT)(100MM WIDE)	1,440.000	M
880(J)	M8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	STAK-STAKING		
642	M0098 STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 050
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: COMANCHE

STATE PROJECT
 CONTRACT ID : 000067
 PCN : 1700404

PAGE 7

PROJECTS : CIP-116B(19)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 16.50
 RES. ENG.: 71DUN
 CAL. DAYS: 240 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON US-62: BEGIN APPROXIMATELY 0.8 MILE NORTH OF THE JCT.
 OF US-62/I-44 AND EXTEND NORTH TO PORTER HILL.
 PROJ. LGTH.= 2.940 MILES
 ASPH GRADE = 64-22OK, 70-28OK & 76-28OK
 FLEX ESALS = 5.0 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	143,238.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	1,170.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	9,000.000	LF
225	2804 TEMPORARY SEDIMENT BASIN	6.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	100.000	CY
227	0100 (PL)TEMPORARY SILT DIKE	4,600.000	LF
229	4318 DITCH LINER PROTECTION	2,301.000	LF
230(A)	2806 SOLID SLAB SODDING	6,513.000	SY
230(B)	2807 MULCH SODDING	50,112.000	SY
230(G)	2812 WATERING	4,530.000	MGAL
232(B)	2814 SEEDING METHOD B	10.200	AC
233(A)	2817 VEGETATIVE MULCHING	48.200	AC
241	2832 MOWING	50.000	AC
310(B)	0149 SUBGRADE, METHOD B	5,326.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	366.000	TON
407	0250 TACK COAT	6,837.000	GAL
408	5774 (SU)PRIME COAT	7,553.000	GAL
411(A)	5280 (SP)ASPH.CONC.TYPE A(PATCH)(PG 64-22 OK)	250.000	TON
411(AH)	6650 (SP)ASPHALT CONC.TYPE AH(PG 64-22 OK)	16,340.000	TON
411(AH)	6660 (SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	4,553.000	TON
411(BH)	6680 (SP)ASPHALT CONCRETE TYPE BH(PG64-22OK)	2,154.000	TON
411(BH)	6690 (SP)ASPHALT CONCRETE TYPE BH(PG70-28OK)	2,318.000	TON
414(AA)	5756 12" P.C. DOWEL JOINTED CONCRETE PAVEMENT	57.000	SY
417	5267 COLD MILLING PAVEMENT	271.000	SY
425	5195 DIAMOND GRINDING CONCRETE PAVEMENT	670.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	88.000	CY
509(B)	0321 CLASS A CONCRETE	116.300	CY
509(E)	1331 CLASS C CONCRETE	398.500	CY
511(A)	0332 REINFORCING STEEL	15,490.000	LB
601(A-1)	0536 TYPE I-A PLAIN RIPRAP	125.000	TON
601(A-2)	0538 TYPE I-A FILTER BLANKET	55.000	TON

SECTION NO. 0001		I000-ROADWAY		
609(C)	4475	CONCRETE HEADER CURB (12"X 22")(R/R)	130.000	LF
611(E)	5335	INLET GPI TYPE 2 (DES. 9)	1.000	EA
613(B)	0493	30" R.C.PIPE CLASS III	224.000	LF
613(B)	0495	42" R.C.PIPE CLASS III	84.000	LF
613(B)	4498	43" X 26" R.C.PIPE ARCH CLASS A-III	32.000	LF
613(B)	4502	73" X 45" R.C.PIPE ARCH CLASS A-III	22.000	LF
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	10.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	6.000	EA
613(CC)	7201	TYPE AA6 CULVERT END TREATMENT	2.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	477.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	238.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	60.000	LF
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	0980	42" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	0990	43" X 27" PREFAB. CULVERT END SEC., ARCH	1.000	EA
613(M)	4648	73" X 45" PREFAB. CULVERT END SEC., ARCH	1.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	400.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	400.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	100.000	CY
613(S)	1180	TRENCH EXCAVATION	545.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	187.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	4.000	EA
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	27,158.000	SY
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	50.000	LF
624(A)	4281	FENCE-STYLE WWF	270.000	LF
624(B)	4793	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	1.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	9,853.000	LF
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	1,350.000	LF
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	5.000	EA
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C)	4960	(SU)MAILBOX	7.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
851	8616	(PL)1 3/4" SQUARE TUBE POST	62.000	LF
851	8642	(PL)2 1/4" SQUARE TUBE POST	269.000	LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	27,446.000	LF
855(D)	3322	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	25,970.000	LF
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	12,000.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	24.000	EA
890(A/B)	8756	(PL)REMOVE & RESET EXISTING SIGNS	19.000	EA
900.22	6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
930.56	4729	(PL) REMOVE AND RESET CATTLE GUARD	1.000	EA
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2	800.000	EA
SECTION NO. 0002		STAK-STAKING		
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 060
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CRAIG

FEDERAL PROJECT
 CONTRACT ID : 000181
 PCN : 1784504
 PROJECTS : BRF-118C(19)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 83CLA
 CAL. DAYS: 150

PAGE 9

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER LITTLE CABIN CREEK, 4.8 MILES EAST AND
 4.2 MILES NORTH OF VINITA
 PROJ. LGTH.= 0.232 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	14,312.000	CY
202(E)	0184 UNCLASSIFIED BORROW	2,560.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	2,500.000	LF
230(A)	2806 SOLID SLAB SODDING	5,250.000	SY
233(A)	2817 VEGETATIVE MULCHING	2.170	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	830.000	TON
509(E)	0325 CLASS C CONCRETE	10.000	CY
613(D)	0689 18" CORR. GALV. STEEL PIPE	92.000	LF
613(M)	0897 18" PREFAB. CULVERT END SEC., ROUND	6.000	EA
SECTION NO. 0002 E000-BRIDGE 'A'			
202(C)	1302 UNCLASSIFIED BORROW	150.000	CY
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	110.000	CY
503(A)	1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,028.500	LF
504(A)	1304 APPROACH SLAB	121.100	SY
504(C)	6250 SEALED EXPANSION JOINT-COUNTY	40.500	LF
504(E)	1380 CONCRETE RAIL (TR1)	593.200	LF
506(A)	1322 STRUCTURAL STEEL	5,700.000	LB
509(A)	1326 CLASS AA CONCRETE	238.500	CY
509(B)	1328 CLASS A CONCRETE	153.600	CY
511(A)	1332 REINFORCING STEEL	75,840.000	LB
514(A)	6010 PILES, FURNISHED (HP 10X42)	374.700	LF
514(B)	6292 PILES, DRIVEN (HP 10X42)	374.700	LF
516(A)	6093 DRILLED SHAFTS 42" DIAMETER	66.000	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	4,000.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	830.000	TON
613(P)	6204 6" PERFORATED PIPE UNDERDRAIN ROUND	76.000	LF
613(Q)	6207 6" RND.NON-PERF.PIPE UNDERDRAIN	40.000	LF
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
640	1398 FIELD OFFICE	1.000	EA
641	1399 MOBILIZATION	1.000	LSUM

SECTION NO. 0002	E000-BRIDGE 'A'		
880(J) 6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
CALL ORDER : 080
LETTING DATE : August 24, 2000
LETTING TIME : 10:30 A.M.
COUNTIES: GRADY

FEDERAL PROJECT
CONTRACT ID : 000322
PCN : 0817008

PAGE 11

PROJECTS : STPY-126B(40)RW
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 73ANA
CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
RIGHT OF WAY CLEARANCE
US-62 BEGIN AT VERDEN AND EXTEND EAST TO THE 4-LANE SECTION
NEAR THE US-81 JCT. NORTHWEST OF CHICKASHA
PROJ. LGTH.= 9.180 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROWA-RIGHT OF WAY CLEARANCE		
643 M0094	(PL)RIGHT-OF-WAY CLEARANCE	1.000	LSUM
643 M0100	(PL)NESHAP PREDEM. INSP. & NOTIFICATION		11.000 EA

LNTCIQA
 CALL ORDER : 100
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: GRANT

FEDERAL PROJECT
 CONTRACT ID : 000360
 PCN : 1722504

PAGE 12

PROJECTS : STPY-127C(15) CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.61
 RES. ENG.: 41PER
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 COUNTY ROAD FROM THE JCT. US-64/US-81 WEST OF POND CREEK,
 EXTEND NORTN ON FED HILL ROAD
 PROJ. LGTH.=7.744 KM.
 FLEX. ESALS=0.20 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202(C) M0184	UNCLASSIFIED BORROW	814.000	M3
317(A) M4252	(SP)FLY ASH	3,960.000	T
317(C) M4254	SUBGRADE MODIFICATION	56,565.000	M2
407 M0250	TACK COAT	13,383.000	L
408 M5774	PRIME COAT	42,422.000	L
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	16,613.000	T
411(B) M6550	(SP)ASPHALT CONCRETE TYPE B(PG 76-28 OK)	6,377.000	T
641 M1552	MOBILIZATION	1.000	LSUM
854(A) M8800	TRAFFIC STRIPE(PAINT)(100MM WIDE)	23,754.000	M
960.16 M8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 120
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: HARMON

FEDERAL PROJECT
 CONTRACT ID : 000361
 PCN : 1768904

PAGE 13

PROJECTS : BRO-129D(007)CO
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 52ALT
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 OVER TURKEY CREEK, APPROX. 4.828 KM. NORTH AND 3.380 KM.
 EAST OF GOULD
 PROJ. LGTH.= 0.179 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	E000-ROADWAY		
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	25.000	M
223 M2802	TEMPORARY SILT FENCE	360.000	M
230(A) M2806	SOLID SLAB SODDING	2,200.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.300	HA
509(E) M0325	CLASS C CONCRETE	5.000	M3
SECTION NO. 0002	X028-BRIDGE 'A'		
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	40.000	M3
509(B) M1328	CLASS A CONCRETE	138.300	M3
511(A) M1332	REINFORCING STEEL	12,450.000	KG
601A-1 M1353	TYPE I-A PLAIN RIPRAP	22.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	7.200	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 130
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: JEFFERSON

FEDERAL PROJECT
 CONTRACT ID : 000362
 PCN : 1771104
 PROJECTS : BRO-134D(14)CO
 DBE/WBE GOALS: 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.22
 RES. ENG.: 72ARD
 CAL. DAYS: 150

PAGE 14

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER CREEK APPROX. 8.690 KM. WEST AND
 7.5A64 KM. SOUTH OF US-70/SH-89 EAST OF WAURIKA
 PROJ. LGTH.-0.239 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	480.000	M
227 M0100	TEMPORARY SILT DIKE	101.000	M
230(A) M2806	SOLID SLAB SODDING	2,540.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.510	HA
303 M0192	AGGREGATE BASE	329.000	M3
408 M5774	PRIME COAT	3,731.000	L
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(D) M5216	700MM X 500MM CORR. GALV. ST. PIPE ARCH		9.000 M
613(M) M4516	700MM X 500MM PREFAB.CULV.END SEC., ARCH		2.000 EA
SECTION NO. 0002	X028-BRIDGE "A"		
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	123.000	M3
509(B) M1328	CLASS A CONCRETE	246.800	M3
511(A) M1332	REINFORCING STEEL	28,105.000	KG
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 140
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: KINGFISHER

FEDERAL PROJECT
 CONTRACT ID : 000363
 PCN : 1115404

PAGE 15

PROJECTS : BRO-37D(113) CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.30
 RES. ENG.: 42ELR
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY ROAD(EW-83) OVER DEAD INDIAN CREEK APPROXIMATELY 3.2
 MILE WEST AND 3.3 MILE SOUTH OF THE JUNCTION OF US-81/SH-33
 IN KINGFISHER.
 PROJ. LGTH.= 0.283 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	5,209.000	CY
202(E)	0184 UNCLASSIFIED BORROW	11,166.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	500.000	LF
229	4318 DITCH LINER PROTECTION	900.000	LF
230(B)	2807 MULCH SODDING	11,058.000	SY
233(A)	2817 VEGETATIVE MULCHING	2.290	AC
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	641.000	TON
509(E)	0325 CLASS C CONCRETE	50.000	CY
613(CC)	4906 24" CULVERT END TREATMENT(RS-NG)	6.000	EA
613(D)	0690 24" CORR. GALV. STEEL PIPE	140.000	LF
629(A)	4958 (SU)MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C)	4960 (SU)MAILBOX	1.000	EA
629(D)	4961 (SU)REMOVAL OF MAILBOX INSTALLATION	1.000	EA
SECTION NO. 0002	X081-BRIDGE 'A'		
202(E)	0184 UNCLASSIFIED BORROW	35.000	CY
230(A)	2806 SOLID SLAB SODDING	450.000	SY
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
503(A)	1311 PRESTRESSED CONCRETE BEAMS (TYPE II)	392.300	LF
503(A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	276.200	LF
504(A)	1314 CLASS AA CONCRETE	127.400	CY
505(A)	1380 CONCRETE RAIL	405.200	LF
506(A)	1322 STRUCTURAL STEEL	2,340.000	LB
509(B)	0321 CLASS A CONCRETE	94.300	CY
511(A)	0332 REINFORCING STEEL	42,410.000	LB
514(E)	6010 STEEL PILING (HP 10X42)	613.000	LF
516(A)	6093 DRILLED SHAFTS 42" DIAMETER	150.000	LF
516(C)	6106 CORRUGATED GALV. STEEL PIPE 42" DIA.	122.000	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	1,100.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	310.000	TON
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION NO. 0002	X081-BRIDGE 'A'		
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	150.000	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F) 6029	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
900.22 6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
900.24 6147	(PL)2 1/2"COMPRESSION JT. W/ANGLE	65.600	LF
SECTION NO. 0003	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 160
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: LINCOLN

STATE PROJECT
 CONTRACT ID : 000233
 PCN : 1253915

PAGE 17

PROJECTS : CIP-141N(27)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 23.73
 RES. ENG.: 33WEW
 CAL. DAYS: 270 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:

GRADE, DRAIN & SURFACE(ASPHALT)
 ON SH-99 BEGINNING APPROXIMATELY 1.0 MILE NORTH OF THE
 JUNCTION OF SH-99/US-62, IN PRAGUE, AND EXTENDING NORTH.
 PROJ. LGTH.= 3.645 MILE
 FLEX. ESALS= 3.64 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-141N(27)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	213,085.060	CY
202(E)	0184 UNCLASSIFIED BORROW	1,100.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	1,140.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	38,072.560	LF
225	2804 TEMPORARY SEDIMENT BASIN	6.000	EA
230(A)	2806 SOLID SLAB SODDING	15,393.960	SY
230(B)	2807 MULCH SODDING	156,081.000	SY
233(A)	2817 VEGETATIVE MULCHING	34.900	AC
234(A)	2824 FERTILIZING (10-20-10)	16.890	TON
234(A)	4406 FERTILIZING (0-46-0)	2.620	TON
241	2832 MOWING	34.900	AC
303	0192 AGGREGATE BASE	10,040.810	CY
307(A)	4233 LIME	694.390	TON
307(B)	4234 6" LIME TREATED SUBGRADE	49,598.000	SY
317(A)	4252 FLY ASH	1,901.770	TON
317(C)	4254 SUBGRADE MODIFICATION	44,022.390	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,019.380	TON
407	0250 TACK COAT	10,754.220	GAL
408	5774 (SU)PRIME COAT	22,805.620	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	21,399.250	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	17,943.870	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	10,206.150	TON
413(B)	4862 (SU)RUMBLE STRIP-METHOD AC-CYC (GROUP)	426.000	EAGP
420(A)	4242 FABRIC REINFORCEMENT	5,362.850	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	524.460	CY
509(B)	0321 CLASS A CONCRETE	1,452.090	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	37.340	CY
509(E)	0325 CLASS C CONCRETE	452.310	CY
511(A)	0332 REINFORCING STEEL	218,330.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	50.000	TON
609(B)	1511 1'-8" COMB.CRB.& GUT.(4" MNTBLE)	2,893.330	LF

SECTION NO. 0001		I000-ROADWAY	CIP-141N(27)IP		
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	280.550	SY	
611(A)	2657	MANHOLE (4' DIA.)	2.000	EA	
611(D)	4215	MANHOLE FRAME & COVER	2.000	EA	
611(E)	5315	INLET CICI DES. 2 (STD)	7.000	EA	
611(E)	5338	INLET GPI TYPE 2 (DES. 12)	5.000	EA	
611(F)	6010	INLET (SMD-DOUBLE-TYPE 1) ADD'L DEPTH	0.300	VF	
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	14.000	EA	
611(K)	4488	CAST IRON CURB INLETS	14.000	EA	
611(L)	4209	DROP INLET GRATE (SMD-TYPE 1)	7.000	EA	
613(B)	0491	18" R.C.PIPE CLASS III	1,334.000	LF	
613(B)	0492	24" R.C.PIPE CLASS III	747.500	LF	
613(B)	0493	30" R.C.PIPE CLASS III	94.000	LF	
613(B)	0494	36" R.C.PIPE CLASS III	170.000	LF	
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	24.000	EA	
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7204	TYPE DD6 CULVERT END TREATMENT	2.000	EA	
613(D)	0689	18" CORR. GALV. STEEL PIPE	50.000	LF	
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	502.000	LF	
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	211.000	LF	
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	1,500.000	LF	
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	300.000	LF	
613(S)	1180	TRENCH EXCAVATION	1,301.050	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	863.220	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	0291	REMOVAL OF HEADWALL	12.000	EA	
619(B)	4725	REMOVAL OF FENCE	22,241.000	LF	
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	86.000	SY	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	1,236.000	SY	
619(B)	4766	REMOVAL OF CONCRETE DRIVEWAY	86.000	SY	
619(B)	5918	REMOVAL OF EXISTING PIPE	763.000	LF	
619(C)	0924	SAWING PAVEMENT	12,922.890	LF	
624(B)	4456	GATES-STYLE WWF (4.5'HIGH X 6'LONG)	5.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	17,819.600	LF	
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	500.000	LF	
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	11.000	EA	
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE	2.000	EA	
629(C)	4960	(SU)MAILBOX	15.000	EA	
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	15.000	EA	
640	1426	FIELD OFFICE	1.000	EA	
641	1552	MOBILIZATION	1.000	LSUM	
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	10.000	EA	
SECTION NO. 0002		Y000-TRAFFIC	CIP-141N(27)IP		
804	2915	STRUCTURAL CONCRETE	5.280	CY	
850(A)	8215	SHEET ALUMINUM SIGNS	530.000	SF	
851	8642	(PL)2 1/4" SQUARE TUBE POST	986.120	LF	
851	8643	(PL)2 1/2" SQUARE TUBE POST	264.000	LF	
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	93,700.000	LF	
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	20.000	EA	
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	8,000.000	LF	
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	500.000	LF	
857(E)	8239	PAVE.MARKERS CLASS C TYPE 1-A	385.000	EA	
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	10,000.000	LF	

SECTION NO. 0002	Y000-TRAFFIC	CIP-141N(27)IP		
960.16	8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
960.18	8142	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2		240.000 EA
SECTION NO. 0003	STAK-STAKING	CIP-141N(27)IP		
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 170
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: LINCOLN

FEDERAL PROJECT
 CONTRACT ID : 000234
 PCN : 1253916

PAGE 20

PROJECTS : ACHPP-NH-424(001)HP
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 55.02
 RES. ENG.: 33WEW
 CAL. DAYS: 450 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)
 ON SH-99 BEGINNING APPROXIMATELY 4.5 MILE NORTH OF THE
 JUNCTION OF SH-99/US-62, IN PRAGUE, AND EXTENDING NORTH.
 PROJ. LGTH.= 6.918 MILE
 FLEX. ESALS= 4.3 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY ACHPP-NH-424(001)HP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	590,564.000	CY
202(E)	0184 UNCLASSIFIED BORROW	3,000.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	3,660.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	3,130.000	LF
225	2804 TEMPORARY SEDIMENT BASIN	13.000	EA
230(A)	2806 SOLID SLAB SODDING	26,244.000	SY
230(B)	2807 MULCH SODDING	354,091.000	SY
233(A)	2817 VEGETATIVE MULCHING	79.000	AC
241	2832 MOWING	92.000	AC
303	0192 AGGREGATE BASE	34,486.000	CY
307(A)	4233 LIME	895.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	58,521.000	SY
310(B)	0149 SUBGRADE, METHOD B	13,059.000	SY
317(A)	4252 FLY ASH	6,420.000	TON
317(C)	4254 SUBGRADE MODIFICATION	153,948.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,160.000	TON
407	0250 TACK COAT	26,708.000	GAL
408	5774 (SU)PRIME COAT	61,229.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	59,456.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	25,818.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	9,753.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	12,784.000	TON
413(B)	4862 (SU)RUMBLE STRIP-METHOD AC-CYC (GROUP)	1,590.000	EAGP
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	1,082.000	CY
509(B)	0321 CLASS A CONCRETE	3,362.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	16.000	CY
509(E)	0325 CLASS C CONCRETE	322.000	CY
511(A)	0332 REINFORCING STEEL	541,152.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	100.000	TON
609(B)	1511 1'-8" COMB.CRB.& GUT.(4" MNTBLE)	12,870.000	LF
610(C)	5824 DECORATIVE MEDIAN CONCRETE	53,730.000	SF

SECTION NO. 0001	I000-ROADWAY	ACHPP-NH-424(001)HP		
611(E)	5306	INLET CICI DES. 1 (A)	3.000	EA
611(F)	5353	INLET CICI DES. 1 (A, ADD'L DEPTH)	2.500	VF
611(G)	2668	INLT FRM&GRT(SSIF1FRM,SSG1 GRT)	3.000	EA
611(K)	4488	CAST IRON CURB INLETS	6.000	EA
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	13.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	991.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	107.000	LF
613(B)	0493	30" R.C.PIPE CLASS III	50.000	LF
613(B)	0494	36" R.C.PIPE CLASS III	50.000	LF
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	14.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613(CC)	7203	TYPE CC6 CULVERT END TREATMENT	2.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	1,363.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	228.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE	202.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	29.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	9.000	EA
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	1,500.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	400.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	8.000	EA
619(B)	4725	REMOVAL OF FENCE	36,179.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	43,046.000	SY
619(C)	0924	SAWING PAVEMENT	120.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	23,346.000	LF
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	500.000	LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	500.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	500.000	LF
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	2.000	EA
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C)	4960	(SU)MAILBOX	4.000	EA
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	3.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	6.000	EA
SECTION NO. 0002	I000-ROADWAY(ADD ALT. 1)	ACHPP-NH-424(001)HP		
201	0102	CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183	UNCLASSIFIED EXCAVATION	47,665.000	CY
202(E)	0184	UNCLASSIFIED BORROW	1,000.000	CY
205	7174	(PL)TOPSOIL-LUMP SUM	1.000	LSUM
222	2801	TEMPORARY BALE BARRIER	470.000	LF
223	2801	(PL)TEMPORARY SILT FENCE	500.000	LF
225	2804	TEMPORARY SEDIMENT BASIN	1.000	EA
230(A)	2806	SOLID SLAB SODDING	2,732.000	SY
230(B)	2807	MULCH SODDING	36,081.000	SY
233(A)	2817	VEGETATIVE MULCHING	8.000	AC
241	2832	MOWING	17.000	AC
303	0192	AGGREGATE BASE	3,093.000	CY
307(A)	4233	LIME	75.000	TON
307(B)	4234	6" LIME TREATED SUBGRADE	280.000	SY

SECTION NO.	0002	I000-ROADWAY(ADD ALT. 1)	ACHPP-NH-424(001)HP		
310(B)	0149	SUBGRADE, METHOD B	1,983.000	SY	
317(A)	4252	FLY ASH	788.000	TON	
317(C)	4254	SUBGRADE MODIFICATION	19,313.000	SY	
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	206.000	TON	
407	0250	TACK COAT	1,878.000	GAL	
408	5774	(SU)PRIME COAT	5,599.000	GAL	
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	5,718.000	TON	
411(A)	6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,445.000	TON	
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,307.000	TON	
411(B)	6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,179.000	TON	
413(B)	4862	(SU)RUMBLE STRIP-METHOD AC-CYC (GROUP)	135.000	EAGP	
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	82.000	CY	
509(B)	0321	CLASS A CONCRETE	225.000	CY	
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	4.000	CY	
509(E)	0325	CLASS C CONCRETE	15.000	CY	
511(A)	0332	REINFORCING STEEL	29,563.000	LB	
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	3.000	EA	
613(B)	0491	18" R.C.PIPE CLASS III	170.000	LF	
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	1.000	EA	
613(D)	0689	18" CORR. GALV. STEEL PIPE	150.000	LF	
613(D)	0690	24" CORR. GALV. STEEL PIPE	44.000	LF	
613(D)	0691	30" CORR. GALV. STEEL PIPE	90.000	LF	
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA	
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA	
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND	4.000	EA	
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	250.000	LF	
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	50.000	LF	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	0291	REMOVAL OF HEADWALL	3.000	EA	
619(B)	4725	REMOVAL OF FENCE	4,045.000	LF	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,245.000	LF	
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	1.000	EA	
629(C)	4960	(SU)MAILBOX	1.000	EA	
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	1.000	EA	
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	2.000	EA	
SECTION NO.	0003	I000-ROADWAY(ADD ALT. 2)	ACHPP-NH-424(001)HP		
201	0102	CLEARING AND GRUBBING	1.000	LSUM	
202(C)	0183	UNCLASSIFIED EXCAVATION	27,847.000	CY	
202(E)	0184	UNCLASSIFIED BORROW	1,000.000	CY	
205	7174	(PL)TOPSOIL-LUMP SUM	1.000	LSUM	
222	2801	TEMPORARY BALE BARRIER	570.000	LF	
223	2801	(PL)TEMPORARY SILT FENCE	1,550.000	LF	
225	2804	TEMPORARY SEDIMENT BASIN	1.000	EA	
230(A)	2806	SOLID SLAB SODDING	3,813.000	SY	
230(B)	2807	MULCH SODDING	37,997.000	SY	
233(A)	2817	VEGETATIVE MULCHING	9.000	AC	
241	2832	MOWING	19.000	AC	
303	0192	AGGREGATE BASE	4,585.000	CY	
307(A)	4233	LIME	100.000	TON	
307(B)	4234	6" LIME TREATED SUBGRADE	370.000	SY	
317(A)	4252	FLY ASH	1,169.000	TON	
317(C)	4254	SUBGRADE MODIFICATION	28,819.000	SY	

SECTION NO. 0003	I000-ROADWAY(ADD ALT. 2)	ACHPP-NH-424(001)HP		
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	396.000	TON
407	0250	TACK COAT	2,543.000	GAL
408	5774	(SU)PRIME COAT	8,352.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	7,531.000	TON
411(A)	6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	3,311.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,323.000	TON
411(B)	6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,659.000	TON
413(B)	4862	(SU)RUMBLE STRIP-METHOD AC-CYC (GROUP)	210.000	EAGP
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	120.000	CY
509(B)	0321	CLASS A CONCRETE	316.000	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	1.400	CY
509(E)	0325	CLASS C CONCRETE	23.000	CY
511(A)	0332	REINFORCING STEEL	42,015.000	LB
601(A)	0297	TYPE I PLAIN RIPRAP	50.000	TON
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	3.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	102.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	124.000	LF
613(D)	0689	18" CORR. GALV. STEEL PIPE	86.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	40.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	3.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	250.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	50.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	2.000	EA
619(B)	4725	REMOVAL OF FENCE	7,738.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,088.000	LF
624(D)	4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	269.000	LF
624(E)	4298	GATES-STYLE CLF (4'HIGH X 12'LONG)	2.000	EA
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C)	4960	(SU)MAILBOX	2.000	EA
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	1.000	EA
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	2.000	EA
932.16	7126	(PL) TOP RAIL (CLF)	269.000	LF
SECTION NO. 0004	X028-BRIDGE 'B'	ACHPP-NH-424(001)HP		
202(C)	1301	UNCLASSIFIED EXCAVATION	716.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	80.000	CY
509(B)	1328	CLASS A CONCRETE	250.000	CY
511(A)	0332	REINFORCING STEEL	36,674.000	LB
619(B)	1383	REMOVAL OF HEADWALL	2.000	EA
SECTION NO. 0005	X028-BRIDGE 'A'(ADD ALT. 2)	ACHPP-NH-424(001)HP		
202(C)	1301	UNCLASSIFIED EXCAVATION	1,615.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	104.000	CY
509(B)	1328	CLASS A CONCRETE	399.000	CY
511(A)	0332	REINFORCING STEEL	59,071.000	LB
619(B)	1383	REMOVAL OF HEADWALL	1.000	EA
SECTION NO. 0006	Y000-TRAFFIC	ACHPP-NH-424(001)HP		
850(A)	8215	SHEET ALUMINUM SIGNS	1,215.000	SF

SECTION NO. 0006		Y000-TRAFFIC	ACHPP-NH-424(001)HP		
851	8642	(PL)2 1/4" SQUARE TUBE POST	2,251.000	LF	
851	8643	(PL)2 1/2" SQUARE TUBE POST	597.000	LF	
853(A)	3310	DELINEATORS TYPE 1 CODE 1	45.000	EA	
853(D)	3313	DELINEATORS TYPE 2 CODE 1	26.000	EA	
853(E)	3314	DELINEATORS TYPE 2 CODE 2	52.000	EA	
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	136,900.000	LF	
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	46.000	EA	
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	23.000	EA	
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	58,000.000	LF	
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	4,000.000	LF	
857(F)	8243	PAVE.MARKERS CLASS C TYPE 2-C	576.000	EA	
857(F)	8244	PAVE.MARKERS CLASS C TYPE 2-D	140.000	EA	
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	18,000.000	LF	
880(D)	8016	SIGNS 0 TO 6.25 SF	4,590.000	SD	
880(E)	8017	SIGNS 6.26 TO 15.99 SF	5,710.000	SD	
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	1,650.000	SD	
880(I)	8317	BARRICADES(TYPE II)	2,150.000	EA	
880(J)	8021	BARRICADES(TYPE III)	3,870.000	SD	
880(K)	8022	WING BARRICADES	490.000	SD	
880(L)	8023	VERTICAL PANELS	6,020.000	SD	
880(M)	8024	TYPE A LIGHT	11,540.000	SD	
880(O)	8026	TYPE C LIGHT	13,300.000	SD	
880(P)	8027	DRUMS	7,280.000	SD	
880(Q)	8145	TUBE CHANNELIZERS	6,020.000	SD	
880(T)	8615	(PL)CONES(LARGE)	10,750.000	SD	
960.18	8142	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM	
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2	8,000.000	EA	

SECTION NO. 0007		Y000-TRAFFIC(ADD ALT. 1)	ACHPP-NH-424(001)HP		
850(A)	8215	SHEET ALUMINUM SIGNS	56.000	SF	
851	8642	(PL)2 1/4" SQUARE TUBE POST	120.000	LF	
851	8643	(PL)2 1/2" SQUARE TUBE POST	33.000	LF	
853(D)	3313	DELINEATORS TYPE 2 CODE 1	2.000	EA	
853(E)	3314	DELINEATORS TYPE 2 CODE 2	4.000	EA	
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	17,100.000	LF	
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA	
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA	
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	20,000.000	LF	
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	1,000.000	LF	
857(F)	8243	PAVE.MARKERS CLASS C TYPE 2-C	80.000	EA	
857(F)	8244	PAVE.MARKERS CLASS C TYPE 2-D	70.000	EA	
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	2,000.000	LF	
880(D)	8016	SIGNS 0 TO 6.25 SF	1,080.000	SD	
880(E)	8017	SIGNS 6.26 TO 15.99 SF	960.000	SD	
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	360.000	SD	
880(I)	8317	BARRICADES(TYPE II)	120.000	EA	
880(J)	8021	BARRICADES(TYPE III)	720.000	SD	
880(K)	8022	WING BARRICADES	120.000	SD	
880(L)	8023	VERTICAL PANELS	1,680.000	SD	
880(M)	8024	TYPE A LIGHT	1,920.000	SD	
880(O)	8026	TYPE C LIGHT	3,360.000	SD	
880(P)	8027	DRUMS	1,680.000	SD	
880(Q)	8145	TUBE CHANNELIZERS	1,680.000	SD	

SECTION NO. 0007	Y000-TRAFFIC(ADD ALT. 1)	ACHPP-NH-424(001)HP		
880(T) 8615	(PL)CONES(LARGE)		3,000.000	SD
960.18 8142	(PL)REMOVAL OF EXISTING SIGNS		1.000	LSUM
961.43 8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2		1,000.000	EA
SECTION NO. 0008	Y000-TRAFFIC(ADD ALT. 2)	ACHPP-NH-424(001)HP		
850(A) 8215	SHEET ALUMINUM SIGNS		149.000	SF
851 8642	(PL)2 1/4" SQUARE TUBE POST		274.000	LF
851 8643	(PL)2 1/2" SQUARE TUBE POST		75.000	LF
853(D) 3313	DELINEATORS TYPE 2 CODE 1		4.000	EA
853(E) 3314	DELINEATORS TYPE 2 CODE 2		8.000	EA
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)		23,200.000	LF
855(B) 3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)		8.000	EA
855(C) 3321	TRAFFIC STRIPE(PLASTIC)(WORDS)		4.000	EA
856(A) 3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)		20,000.000	LF
856(B) 8005	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)		1,000.000	LF
857(F) 8243	PAVE.MARKERS CLASS C TYPE 2-C		100.000	EA
857(F) 8244	PAVE.MARKERS CLASS C TYPE 2-D		70.000	EA
859(A) 8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)		2,000.000	LF
880(D) 8016	SIGNS 0 TO 6.25 SF		1,080.000	SD
880(E) 8017	SIGNS 6.26 TO 15.99 SF		960.000	SD
880(F) 8018	SIGNS 16.0 SF TO 32.99 SF		360.000	SD
880(I) 8317	BARRICADES(TYPE II)		120.000	EA
880(J) 8021	BARRICADES(TYPE III)		720.000	SD
880(K) 8022	WING BARRICADES		120.000	SD
880(L) 8023	VERTICAL PANELS		1,680.000	SD
880(M) 8024	TYPE A LIGHT		1,920.000	SD
880(O) 8026	TYPE C LIGHT		3,360.000	SD
880(P) 8027	DRUMS		1,680.000	SD
880(Q) 8145	TUBE CHANNELIZERS		1,680.000	SD
880(T) 8615	(PL)CONES(LARGE)		3,000.000	SD
960.18 8142	(PL)REMOVAL OF EXISTING SIGNS		1.000	LSUM
961.43 8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2		1,000.000	EA
SECTION NO. 0009	STAK-STAKING	ACHPP-NH-424(001)HP		
642 0098	STAKING		1.000	LSUM

LNTCIQA
 CALL ORDER : 180
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: LINCOLN

FEDERAL PROJECT
 CONTRACT ID : 000235
 PCN : 1253915C

PAGE 26

PROJECTS : CIP-141N(27)IP/ACHPP-NH-424(1)
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 78.75
 RES. ENG.: 33WEW
 CAL. DAYS: 540 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:

GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)
 ON SH-99 BEGINNING APPROXIMATELY 1.0 MILE NORTH OF THE
 JUNCTION OF SH-99/US-62, IN PRAGUE, AND EXTENDING NORTH.
 PROJ. LGTH.= 10.563 MILE
 FLEX. ESALS= 4.3 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-141N(27)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	213,085.060	CY
202(E)	0184 UNCLASSIFIED BORROW	1,100.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	1,140.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	38,072.560	LF
225	2804 TEMPORARY SEDIMENT BASIN	6.000	EA
230(A)	2806 SOLID SLAB SODDING	15,393.960	SY
230(B)	2807 MULCH SODDING	156,081.000	SY
233(A)	2817 VEGETATIVE MULCHING	34.900	AC
234(A)	2824 FERTILIZING (10-20-10)	16.890	TON
234(A)	4406 FERTILIZING (0-46-0)	2.620	TON
241	2832 MOWING	34.900	AC
303	0192 AGGREGATE BASE	10,040.810	CY
307(A)	4233 LIME	694.390	TON
307(B)	4234 6" LIME TREATED SUBGRADE	49,598.000	SY
317(A)	4252 FLY ASH	1,901.770	TON
317(C)	4254 SUBGRADE MODIFICATION	44,022.390	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,019.380	TON
407	0250 TACK COAT	10,754.220	GAL
408	5774 (SU)PRIME COAT	22,805.620	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	21,399.250	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	17,943.870	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	10,206.150	TON
413(B)	4862 (SU)RUMBLE STRIP-METHOD AC-CYC (GROUP)	426.000	EAGP
420(A)	4242 FABRIC REINFORCEMENT	5,362.850	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	524.460	CY
509(B)	0321 CLASS A CONCRETE	1,452.090	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	37.340	CY
509(E)	0325 CLASS C CONCRETE	452.310	CY
511(A)	0332 REINFORCING STEEL	218,330.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	50.000	TON
609(B)	1511 1'-8" COMB.CRB.& GUT.(4" MNTBLE)	2,893.330	LF

SECTION NO.	0001	I000-ROADWAY	CIP-141N(27)IP		
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	280.550	SY	
611(A)	2657	MANHOLE (4' DIA.)	2.000	EA	
611(D)	4215	MANHOLE FRAME & COVER	2.000	EA	
611(E)	5315	INLET CICI DES. 2 (STD)	7.000	EA	
611(E)	5338	INLET GPI TYPE 2 (DES. 12)	5.000	EA	
611(F)	6010	INLET (SMD-DOUBLE-TYPE 1) ADD'L DEPTH	0.300	VF	
611(G)	4204	INLT FRM&GRT(SSIF2FRM,CIG GRT)	14.000	EA	
611(K)	4488	CAST IRON CURB INLETS	14.000	EA	
611(L)	4209	DROP INLET GRATE (SMD-TYPE 1)	7.000	EA	
613(B)	0491	18" R.C.PIPE CLASS III	1,334.000	LF	
613(B)	0492	24" R.C.PIPE CLASS III	747.500	LF	
613(B)	0493	30" R.C.PIPE CLASS III	94.000	LF	
613(B)	0494	36" R.C.PIPE CLASS III	170.000	LF	
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	24.000	EA	
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7204	TYPE DD6 CULVERT END TREATMENT	2.000	EA	
613(D)	0689	18" CORR. GALV. STEEL PIPE	50.000	LF	
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	502.000	LF	
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	211.000	LF	
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	1,500.000	LF	
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	300.000	LF	
613(S)	1180	TRENCH EXCAVATION	1,301.050	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	863.220	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	0291	REMOVAL OF HEADWALL	12.000	EA	
619(B)	4725	REMOVAL OF FENCE	22,241.000	LF	
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	86.000	SY	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	1,236.000	SY	
619(B)	4766	REMOVAL OF CONCRETE DRIVEWAY	86.000	SY	
619(B)	5918	REMOVAL OF EXISTING PIPE	763.000	LF	
619(C)	0924	SAWING PAVEMENT	12,922.890	LF	
624(B)	4456	GATES-STYLE WWF (4.5'HIGH X 6'LONG)	5.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	17,819.600	LF	
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	500.000	LF	
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	11.000	EA	
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE	2.000	EA	
629(C)	4960	(SU)MAILBOX	15.000	EA	
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	15.000	EA	
640	1426	FIELD OFFICE	1.000	EA	
641	1552	MOBILIZATION	1.000	LSUM	
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	10.000	EA	
SECTION NO.	0002	I000-ROADWAY	ACHPP-NH-424(001)HP		
201	0102	CLEARING AND GRUBBING	1.000	LSUM	
202(C)	0183	UNCLASSIFIED EXCAVATION	590,564.000	CY	
202(E)	0184	UNCLASSIFIED BORROW	3,000.000	CY	
205	7174	(PL)TOPSOIL-LUMP SUM	1.000	LSUM	
222	2801	TEMPORARY BALE BARRIER	3,660.000	LF	
223	2801	(PL)TEMPORARY SILT FENCE	3,130.000	LF	
225	2804	TEMPORARY SEDIMENT BASIN	13.000	EA	
230(A)	2806	SOLID SLAB SODDING	26,244.000	SY	
230(B)	2807	MULCH SODDING	354,091.000	SY	
233(A)	2817	VEGETATIVE MULCHING	79.000	AC	

SECTION NO.	0002	I000-ROADWAY	ACHPP-NH-424(001)HP		
241	2832	MOWING		92.000	AC
303	0192	AGGREGATE BASE		34,486.000	CY
307(A)	4233	LIME		895.000	TON
307(B)	4234	6" LIME TREATED SUBGRADE		58,521.000	SY
310(B)	0149	SUBGRADE, METHOD B		13,059.000	SY
317(A)	4252	FLY ASH		6,420.000	TON
317(C)	4254	SUBGRADE MODIFICATION		153,948.000	SY
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E		2,160.000	TON
407	0250	TACK COAT		26,708.000	GAL
408	5774	(SU)PRIME COAT		61,229.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		59,456.000	TON
411(A)	6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)		25,818.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		9,753.000	TON
411(B)	6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)		12,784.000	TON
413(B)	4862	(SU)RUMBLE STRIP-METHOD AC-CYC (GROUP)		1,590.000	EAGP
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED		1,082.000	CY
509(B)	0321	CLASS A CONCRETE		3,362.000	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES		16.000	CY
509(E)	0325	CLASS C CONCRETE		322.000	CY
511(A)	0332	REINFORCING STEEL		541,152.000	LB
601(A)	0297	TYPE I PLAIN RIPRAP		100.000	TON
609(B)	1511	1'-8" COMB.CRB.& GUT.(4" MNTBLE)		12,870.000	LF
610(C)	5824	DECORATIVE MEDIAN CONCRETE		53,730.000	SF
611(E)	5306	INLET CICI DES. 1 (A)		3.000	EA
611(F)	5353	INLET CICI DES. 1 (A, ADD'L DEPTH)		2.500	VF
611(G)	2668	INLT FRM&GRT(SSIF1FRM,SSG1 GRT)		3.000	EA
611(K)	4488	CAST IRON CURB INLETS		6.000	EA
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)		13.000	EA
613(B)	0491	18" R.C.PIPE CLASS III		991.000	LF
613(B)	0492	24" R.C.PIPE CLASS III		107.000	LF
613(B)	0493	30" R.C.PIPE CLASS III		50.000	LF
613(B)	0494	36" R.C.PIPE CLASS III		50.000	LF
613(CC)	7196	TYPE A6 CULVERT END TREATMENT		14.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT		2.000	EA
613(CC)	7203	TYPE CC6 CULVERT END TREATMENT		2.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE		1,363.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE		228.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE		202.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND		29.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND		9.000	EA
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND		4.000	EA
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND		2.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND		1,500.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN		400.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL		8.000	EA
619(B)	4725	REMOVAL OF FENCE		36,179.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT		43,046.000	SY
619(C)	0924	SAWING PAVEMENT		120.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)		23,346.000	LF
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE		500.000	LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR		500.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR		500.000	LF
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE		2.000	EA

SECTION NO. 0002	I000-ROADWAY	ACHPP-NH-424(001)HP		
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C)	4960	(SU)MAILBOX	4.000	EA
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	3.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	6.000	EA
SECTION NO. 0003	I000-ROADWAY(ADD ALT. 1)	ACHPP-NH-424(001)HP		
201	0102	CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183	UNCLASSIFIED EXCAVATION	47,665.000	CY
202(E)	0184	UNCLASSIFIED BORROW	1,000.000	CY
205	7174	(PL)TOPSOIL-LUMP SUM	1.000	LSUM
222	2801	TEMPORARY BALE BARRIER	470.000	LF
223	2801	(PL)TEMPORARY SILT FENCE	500.000	LF
225	2804	TEMPORARY SEDIMENT BASIN	1.000	EA
230(A)	2806	SOLID SLAB SODDING	2,732.000	SY
230(B)	2807	MULCH SODDING	36,081.000	SY
233(A)	2817	VEGETATIVE MULCHING	8.000	AC
241	2832	MOWING	17.000	AC
303	0192	AGGREGATE BASE	3,093.000	CY
307(A)	4233	LIME	75.000	TON
307(B)	4234	6" LIME TREATED SUBGRADE	280.000	SY
310(B)	0149	SUBGRADE, METHOD B	1,983.000	SY
317(A)	4252	FLY ASH	788.000	TON
317(C)	4254	SUBGRADE MODIFICATION	19,313.000	SY
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	206.000	TON
407	0250	TACK COAT	1,878.000	GAL
408	5774	(SU)PRIME COAT	5,599.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	5,718.000	TON
411(A)	6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,445.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,307.000	TON
411(B)	6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,179.000	TON
413(B)	4862	(SU)RUMBLE STRIP-METHOD AC-CYC (GROUP)	135.000	EAGP
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	82.000	CY
509(B)	0321	CLASS A CONCRETE	225.000	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	4.000	CY
509(E)	0325	CLASS C CONCRETE	15.000	CY
511(A)	0332	REINFORCING STEEL	29,563.000	LB
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	3.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	170.000	LF
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	1.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	150.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	44.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE	90.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	250.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	50.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	3.000	EA
619(B)	4725	REMOVAL OF FENCE	4,045.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,245.000	LF

SECTION NO. 0003		I000-ROADWAY(ADD ALT. 1)	ACHPP-NH-424(001)HP	
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C)	4960	(SU)MAILBOX	1.000	EA
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	1.000	EA
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	2.000	EA
SECTION NO. 0004		I000-ROADWAY(ADD ALT. 2)	ACHPP-NH-424(001)HP	
201	0102	CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183	UNCLASSIFIED EXCAVATION	27,847.000	CY
202(E)	0184	UNCLASSIFIED BORROW	1,000.000	CY
205	7174	(PL)TOPSOIL-LUMP SUM	1.000	LSUM
222	2801	TEMPORARY BALE BARRIER	570.000	LF
223	2801	(PL)TEMPORARY SILT FENCE	1,550.000	LF
225	2804	TEMPORARY SEDIMENT BASIN	1.000	EA
230(A)	2806	SOLID SLAB SODDING	3,813.000	SY
230(B)	2807	MULCH SODDING	37,997.000	SY
233(A)	2817	VEGETATIVE MULCHING	9.000	AC
241	2832	MOWING	19.000	AC
303	0192	AGGREGATE BASE	4,585.000	CY
307(A)	4233	LIME	100.000	TON
307(B)	4234	6" LIME TREATED SUBGRADE	370.000	SY
317(A)	4252	FLY ASH	1,169.000	TON
317(C)	4254	SUBGRADE MODIFICATION	28,819.000	SY
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	396.000	TON
407	0250	TACK COAT	2,543.000	GAL
408	5774	(SU)PRIME COAT	8,352.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	7,531.000	TON
411(A)	6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	3,311.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,323.000	TON
411(B)	6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,659.000	TON
413(B)	4862	(SU)RUMBLE STRIP-METHOD AC-CYC (GROUP)	210.000	EAGP
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	120.000	CY
509(B)	0321	CLASS A CONCRETE	316.000	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	1.400	CY
509(E)	0325	CLASS C CONCRETE	23.000	CY
511(A)	0332	REINFORCING STEEL	42,015.000	LB
601(A)	0297	TYPE I PLAIN RIPRAP	50.000	TON
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	3.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	102.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	124.000	LF
613(D)	0689	18" CORR. GALV. STEEL PIPE	86.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	40.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	3.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	250.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	50.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	2.000	EA
619(B)	4725	REMOVAL OF FENCE	7,738.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,088.000	LF
624(D)	4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	269.000	LF
624(E)	4298	GATES-STYLE CLF (4'HIGH X 12'LONG)	2.000	EA
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C)	4960	(SU)MAILBOX	2.000	EA

SECTION NO. 0004		I000-ROADWAY(ADD ALT. 2)	ACHPP-NH-424(001)HP	
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	1.000	EA
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	2.000	EA
932.16	7126	(PL) TOP RAIL (CLF)	269.000	LF
SECTION NO. 0005		X028-BRIDGE 'B'	ACHPP-NH-424(001)HP	
202(C)	1301	UNCLASSIFIED EXCAVATION	716.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	80.000	CY
509(B)	1328	CLASS A CONCRETE	250.000	CY
511(A)	0332	REINFORCING STEEL	36,674.000	LB
619(B)	1383	REMOVAL OF HEADWALL	2.000	EA
SECTION NO. 0006		X028-BRIDGE 'A'(ADD ALT. 2)	ACHPP-NH-424(001)HP	
202(C)	1301	UNCLASSIFIED EXCAVATION	1,615.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	104.000	CY
509(B)	1328	CLASS A CONCRETE	399.000	CY
511(A)	0332	REINFORCING STEEL	59,071.000	LB
619(B)	1383	REMOVAL OF HEADWALL	1.000	EA
SECTION NO. 0007		Y000-TRAFFIC	CIP-141N(27)IP	
804	2915	STRUCTURAL CONCRETE	5.280	CY
850(A)	8215	SHEET ALUMINUM SIGNS	530.000	SF
851	8642	(PL)2 1/4" SQUARE TUBE POST	986.120	LF
851	8643	(PL)2 1/2" SQUARE TUBE POST	264.000	LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	93,700.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	20.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	8,000.000	LF
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	500.000	LF
857(E)	8239	PAVE.MARKERS CLASS C TYPE 1-A	385.000	EA
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	10,000.000	LF
960.16	8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
960.18	8142	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2	240.000	EA
SECTION NO. 0008		Y000-TRAFFIC	ACHPP-NH-424(001)HP	
850(A)	8215	SHEET ALUMINUM SIGNS	1,215.000	SF
851	8642	(PL)2 1/4" SQUARE TUBE POST	2,251.000	LF
851	8643	(PL)2 1/2" SQUARE TUBE POST	597.000	LF
853(A)	3310	DELINEATORS TYPE 1 CODE 1	45.000	EA
853(D)	3313	DELINEATORS TYPE 2 CODE 1	26.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2	52.000	EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	136,900.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	46.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	23.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	58,000.000	LF
856(B)	8005	REMOVABLE PAVEMENT MARKNIG TAPE(4" WIDE)	4,000.000	LF
857(F)	8243	PAVE.MARKERS CLASS C TYPE 2-C	576.000	EA
857(F)	8244	PAVE.MARKERS CLASS C TYPE 2-D	140.000	EA
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	18,000.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	4,590.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	5,710.000	SD

SECTION NO. 0008		Y000-TRAFFIC	ACHPP-NH-424(001)HP		
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF		1,650.000	SD
880(I)	8317	BARRICADES(TYPE II)		2,150.000	EA
880(J)	8021	BARRICADES(TYPE III)		3,870.000	SD
880(K)	8022	WING BARRICADES		490.000	SD
880(L)	8023	VERTICAL PANELS		6,020.000	SD
880(M)	8024	TYPE A LIGHT		11,540.000	SD
880(O)	8026	TYPE C LIGHT		13,300.000	SD
880(P)	8027	DRUMS		7,280.000	SD
880(Q)	8145	TUBE CHANNELIZERS		6,020.000	SD
880(T)	8615	(PL)CONES(LARGE)		10,750.000	SD
960.18	8142	(PL)REMOVAL OF EXISTING SIGNS		1.000	LSUM
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2		8,000.000	EA
SECTION NO. 0009		Y000-TRAFFIC(ADD ALT. 1)	ACHPP-NH-424(001)HP		
850(A)	8215	SHEET ALUMINUM SIGNS		56.000	SF
851	8642	(PL)2 1/4" SQUARE TUBE POST		120.000	LF
851	8643	(PL)2 1/2" SQUARE TUBE POST		33.000	LF
853(D)	3313	DELINEATORS TYPE 2 CODE 1		2.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2		4.000	EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)		17,100.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)		4.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)		2.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)		20,000.000	LF
856(B)	8005	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)		1,000.000	LF
857(F)	8243	PAVE.MARKERS CLASS C TYPE 2-C		80.000	EA
857(F)	8244	PAVE.MARKERS CLASS C TYPE 2-D		70.000	EA
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)		2,000.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF		1,080.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF		960.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF		360.000	SD
880(I)	8317	BARRICADES(TYPE II)		120.000	EA
880(J)	8021	BARRICADES(TYPE III)		720.000	SD
880(K)	8022	WING BARRICADES		120.000	SD
880(L)	8023	VERTICAL PANELS		1,680.000	SD
880(M)	8024	TYPE A LIGHT		1,920.000	SD
880(O)	8026	TYPE C LIGHT		3,360.000	SD
880(P)	8027	DRUMS		1,680.000	SD
880(Q)	8145	TUBE CHANNELIZERS		1,680.000	SD
880(T)	8615	(PL)CONES(LARGE)		3,000.000	SD
960.18	8142	(PL)REMOVAL OF EXISTING SIGNS		1.000	LSUM
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2		1,000.000	EA
SECTION NO. 0010		Y000-TRAFFIC(ADD ALT. 2)	ACHPP-NH-424(001)HP		
850(A)	8215	SHEET ALUMINUM SIGNS		149.000	SF
851	8642	(PL)2 1/4" SQUARE TUBE POST		274.000	LF
851	8643	(PL)2 1/2" SQUARE TUBE POST		75.000	LF
853(D)	3313	DELINEATORS TYPE 2 CODE 1		4.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2		8.000	EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)		23,200.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)		8.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)		4.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)		20,000.000	LF

SECTION NO. 0010	Y000-TRAFFIC(ADD ALT. 2)	ACHPP-NH-424(001)HP		
856(B)	8005	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1,000.000	LF
857(F)	8243	PAVE.MARKERS CLASS C TYPE 2-C	100.000	EA
857(F)	8244	PAVE.MARKERS CLASS C TYPE 2-D	70.000	EA
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	2,000.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	1,080.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	960.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	360.000	SD
880(I)	8317	BARRICADES(TYPE II)	120.000	EA
880(J)	8021	BARRICADES(TYPE III)	720.000	SD
880(K)	8022	WING BARRICADES	120.000	SD
880(L)	8023	VERTICAL PANELS	1,680.000	SD
880(M)	8024	TYPE A LIGHT	1,920.000	SD
880(O)	8026	TYPE C LIGHT	3,360.000	SD
880(P)	8027	DRUMS	1,680.000	SD
880(Q)	8145	TUBE CHANNELIZERS	1,680.000	SD
880(T)	8615	(PL)CONES(LARGE)	3,000.000	SD
960.18	8142	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 2	1,000.000	EA
SECTION NO. 0011	STAK-STAKING	CIP-141N(27)IP		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0012	STAK-STAKING	ACHPP-NH-424(001)HP		
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 244
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: MAJOR

STATE PROJECT
 CONTRACT ID : 000038
 PCN : 1739504

PAGE 34

PROJECTS : CIP-147N(39)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 58.52
 RES. ENG.: 61BUF
 CAL. DAYS: 300 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)
 AT VARIOUS LOCATIONS ALONG US-412 BETWEEN THE TOWN OF
 ORIENTA AND THE JUNCTION OF US-412/US-281.
 PROJ. LGTH.= 3.011 MI.
 FLEX. ESALS= 6.6 MILLION
 ASPH. GRADE= 64-22OK, 70-28OK & 76-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY(BASE BID)	CIP-147N(39)IP	
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	158,161.000	CY
202(E)	0184 UNCLASSIFIED BORROW	54,588.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	53.000	STA
222	2801 TEMPORARY BALE BARRIER	10,276.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	5,620.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	423.000	CY
228	5709 (SU)PVC EROSION CONTROL MAT	13,423.000	SY
230(A)	2806 SOLID SLAB SODDING	11,201.000	SY
230(G)	2812 WATERING	7,030.000	MGAL
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	25.000	EA
231(A)	4567 TREES	25.000	EA
231(B)	4568 SHRUBS	30.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(E)	5929 (PL)PLANT ESTABLISHMENT PERIOD (TREES)	170.000	EA
231(F)	7023 (PL)PLANT ESTABLISHMT PERIOD (SHRB & GC)	110.000	EA
232(B)	2814 SEEDING METHOD B	62.000	AC
232(B)	7183 TEMPORARY SEEDING - METHOD B	6.000	AC
233(A)	2817 VEGETATIVE MULCHING	6.000	AC
233(C)	2819 ASPHALT MULCHING	93,462.000	GAL
234(A)	2824 FERTILIZING (10-20-10)	16.000	TON
234(A)	4406 FERTILIZING (0-46-0)	5.000	TON
241	2832 MOWING	124.000	AC
303	0192 AGGREGATE BASE	13,591.000	CY
307(A)	4233 LIME	1,378.000	TON
310(B)	0149 SUBGRADE, METHOD B	13,815.000	SY
317(A)	4252 FLY ASH	4,025.000	TON
317(C)	4254 SUBGRADE MODIFICATION	73,496.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	130.000	TON

SECTION NO.	0001	I000-ROADWAY(BASE BID)	CIP-147N(39)IP		
407	0250	TACK COAT	13,463.000	GAL	
408	5774	(SU)PRIME COAT	10,948.000	GAL	
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	16,624.000	TON	
411(AH)	6660	(SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	23,827.000	TON	
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,372.000	TON	
411(BH)	6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	5,554.000	TON	
411(D)	6590	(SP)ASPHALT CONC.TYPE D(PG 64-22 OK)	326.000	TON	
413(A)	4861	(SU)RUMBLE STRIP-METHOD AC-CON	31,794.000	LF	
413(C)	4867	RUMBLE STRIP METHOD PCC-CYC (PER GROUP)	78.000	EA	
414(AA)	5755	10" P.C. DOWEL JOINTED CONCRETE PAVEMENT	11,167.000	SY	
417	5267	COLD MILLING PAVEMENT	16,679.000	SY	
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	57.000	CY	
509(B)	0321	CLASS A CONCRETE	156.000	CY	
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	5.000	CY	
509(E)	1331	CLASS C CONCRETE	50.000	CY	
511(A)	0332	REINFORCING STEEL	27,415.000	LB	
529	6309	(SU)LOW STRENGTH BACKFILL MATERIAL	25.000	CY	
601(B)	0539	TYPE II SP. PLAIN RIPRAP	7,024.000	CY	
601(E)	6312	FILTER FABRIC (RIPRAP)	6,172.000	SY	
610(C)	0609	6" CONCRETE DIVIDING STRIP	65.000	SY	
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	7.000	EA	
613(B)	0491	18" R.C.PIPE CLASS III	686.000	LF	
613(B)	0492	24" R.C.PIPE CLASS III	193.000	LF	
613(B)	0494	36" R.C.PIPE CLASS III	613.000	LF	
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	20.000	EA	
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7199	TYPE D6 CULVERT END TREATMENT	10.000	EA	
613(D)	0689	18" CORR. GALV. STEEL PIPE	220.000	LF	
613(D)	0690	24" CORR. GALV. STEEL PIPE	720.000	LF	
613(D)	0691	30" CORR. GALV. STEEL PIPE	134.000	LF	
613(D)	0692	36" CORR. GALV. STEEL PIPE	419.000	LF	
613(D)	4819	96" CORR. GALV. STEEL PIPE	648.000	LF	
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	7.000	EA	
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA	
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND	4.000	EA	
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	550.000	LF	
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	130.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY	
613(S)	1180	TRENCH EXCAVATION	1,154.000	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	596.000	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	0291	REMOVAL OF HEADWALL	2.000	EA	
619(B)	4725	REMOVAL OF FENCE	26,795.000	LF	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	57,942.000	SY	
619(B)	4780	REMOVAL OF GUARD RAIL	3,224.000	LF	
619(B)	5918	REMOVAL OF EXISTING PIPE	1,048.000	LF	
619(B)	8305	REMOVAL OF SIGNS	72.000	EA	
619(C)	0924	SAWING PAVEMENT	3,203.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	575.000	LF	
623(F)	4449	GUARD RAIL ANCHOR UNIT (TYPE D)	4.000	EA	
623(G)	0936	GUIDE POSTS	87.000	EA	
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	26,905.000	LF	

SECTION NO. 0001	I000-ROADWAY(BASE BID)	CIP-147N(39)IP		
629(E)	5048	(SU)REMOVE AND RESET MAILBOX	6.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	4.000	EA
804	2915	STRUCTURAL CONCRETE	12.000	CY
804	2916	REINFORCING STEEL	1,368.000	LB
SECTION NO. 0002	I000-ROADWAY(ADD ALTERNATE 1)	CIP-147N(43)IP		
210	0121	OBLITERATING ABANDONED ROAD	9.300	STA
230(A)	2806	SOLID SLAB SODDING	3,748.000	SY
230(G)	2812	WATERING	10.000	MGAL
303	0192	AGGREGATE BASE	2,927.000	CY
307(A)	4233	LIME	422.000	TON
317(A)	4252	FLY ASH	1,215.000	TON
317(C)	4254	SUBGRADE MODIFICATION	22,707.000	SY
407	0250	TACK COAT	2,375.000	GAL
408	5774	(SU)PRIME COAT	3,328.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	3,083.000	TON
411(AH)	6660	(SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	5,584.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	387.000	TON
411(BH)	6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	1,395.000	TON
413(A)	4861	(SU)RUMBLE STRIP-METHOD AC-CON	6,402.000	LF
413(C)	4863	(SU)RUMBLE STRIP-METHOD PCC-CYC1	77.000	SY
414(AA)	5755	10" P.C. DOWEL JOINTED CONCRETE PAVEMENT	9,016.000	SY
804	2915	STRUCTURAL CONCRETE	7.000	CY
804	2916	REINFORCING STEEL	664.000	LB
SECTION NO. 0003	X900-BRIDGE REM. & CONST.(BASE BID)	CIP-147N(39)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	445.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	94.000	CY
509(B)	1328	CLASS A CONCRETE	225.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	31,780.000	LB
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004	X900-BRIDGE REM. & CONST.(ADD ALTERNATE 1)	CIP-147N(39)IP		
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0005	X900-BRIDGE REM. & CONST.(ADD ALTERNATE 2)	CIP-147N(39)IP		
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0006	X900-BRIDGE REM. & CONST.(ADD ALTERNATE 3)	CIP-147N(39)IP		
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0007	Y000-TRAFFIC(BASE BID)	CIP-147N(39)IP		
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	275.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	275.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	592.000	SF

SECTION NO. 0007		Y000-TRAFFIC(BASE BID)	CIP-147N(39)IP		
851(B)	3216	2"@3.65 GALV.STL.PIPE POSTS	152.000	LF	
851(B)	3217	2 1/2"@5.79 GALV.STL.PIPE POSTS	334.000	LF	
851(B)	3218	3"@7.58 GALV. STL.PIPE POSTS	282.000	LF	
851(C)	8597	FLANGE CHANNEL POSTS(4.0 LB./FT.)	27.000	LF	
854	3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	8,644.000	LF	
855(A)	3320	TRAFFIC STRIPE(THERMOPLASTIC)(4" WIDE)	44,515.000	LF	
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	77,600.000	LF	
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	45,600.000	LF	
874(A)	8036	(SU)G-RAIL IM.AT.G-R-E-A-T CZ	1.000	EA	
880(E)	8017	SIGNS 6.26 TO 15.99 SF	7,275.000	SD	
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	10,380.000	SD	
880(J)	8021	BARRICADES(TYPE III)	10,650.000	SD	
880(J)	8318	BARRICADES(TYPE III)	28.000	EA	
880(L)	8023	VERTICAL PANELS	16,875.000	SD	
880(M)	8024	TYPE A LIGHT	4,650.000	SD	
880(O)	8026	TYPE C LIGHT	27,525.000	SD	
880(P)	8323	DRUMS	10,650.000	EA	
930.56	4729	(PL) REMOVE AND RESET CATTLE GUARD	1.000	EA	
960.20	8144	(PL)RELOC. OF CONST. ZONE IMPACT ATN.	1.000	EA	
SECTION NO. 0008		Y000-TRAFFIC(ADD ALTERNATE 1)	CIP-147N(39)IP		
850(A)	8215	SHEET ALUMINUM SIGNS	496.000	SF	
851(B)	3216	2"@3.65 GALV.STL.PIPE POSTS	291.000	LF	
851(B)	3217	2 1/2"@5.79 GALV.STL.PIPE POSTS	284.000	LF	
851(B)	3218	3"@7.58 GALV. STL.PIPE POSTS	25.000	LF	
853(B)	3311	DELINEATORS TYPE 1 CODE 2	6.000	EA	
853(E)	3314	DELINEATORS TYPE 2 CODE 2	16.000	EA	
854	3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	4,428.000	LF	
855(A)	3320	TRAFFIC STRIPE(THERMOPLASTIC)(4" WIDE)	10,396.000	LF	
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA	
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA	
855(F)	8002	TRAFFIC STRIPE(PLASTIC)(TAPE)ARROW	15.000	EA	
855(G)	8003	TRAFFIC STRIPE(PLASTIC)(TAPE)WORDS	9.000	EA	
SECTION NO. 0009		STAK-STAKING	CIP-147N(39)IP		
642	0098	STAKING	1.000	LSUM	

LNTCIQA
 CALL ORDER : 245
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: MAJOR

STATE PROJECT
 CONTRACT ID : 000039
 PCN : 1739508

PAGE 38

PROJECTS : CIP-147N(43)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 10.20
 RES. ENG.: 61BUF
 CAL. DAYS: 150 LIQ. DAM: \$ 800

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 ON US-412 OVER COTTONWOOD CREEK APPROXIMATELY 1.0 MILE
 WEST OF THE TOWN OF ORIENTA.
 PROJ. LGTH.= 0.09 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-BRIDGE 'A' CIP-147N(43)IP		
202(F) 0186	SELECT BORROW	40.000	CY
230(A) 2806	SOLID SLAB SODDING	300.000	SY
230(G) 2812	WATERING	10.000	MGAL
234(A) 2824	FERTILIZING (10-20-10)	0.500	TON
414(C) 0309	APPROACH SLABS	294.000	SY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,125.000	LF
504(A) 1314	CLASS AA CONCRETE	292.000	CY
505(A) 1380	CONCRETE RAIL	428.000	LF
506(A) 6005	STRUCTURAL STEEL A36	5,443.000	LB
509(B) 1328	CLASS A CONCRETE	112.000	CY
509(E) 1331	CLASS C CONCRETE	14.000	CY
511(A) 1439	REINFORCING STEEL (GRADE 60)	17,126.000	LB
511(B) 6009	EPOXY COATED REINFORCING STEEL (GR 60)	54,308.000	LB
514(E) 6011	STEEL PILING (HP 12X53)	456.000	LF
515 6013	PENETRATING WATER REPELLENT SURF. TRTMT.	675.000	SY
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	258.000	LF
516(C) 6106	CORRUGATED GALV. STEEL PIPE 42" DIA.	120.000	LF
601(A-1)0536	TYPE I-A PLAIN RIPRAP	626.000	TON
601(A-2)0538	TYPE I-A FILTER BLANKET	210.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	88.000	LF
613(Q) 6207	6"RND.NON-PERF.PIPE UNDERDRAIN	80.000	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	34.000	CY
613(S) 1180	TRENCH EXCAVATION	10.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	10.000	CY
641 1399	MOBILIZATION	1.000	L SUM
SECTION NO. 0002	STAK-STAKING CIP-147N(43)IP		
642 0098	STAKING	1.000	L SUM

LNTCIQA
 CALL ORDER : 246
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: MAJOR

STATE PROJECT
 CONTRACT ID : 000040
 PCN : 1739504C

PAGE 39

PROJECTS : CIP-147N(39)IP/CIP-147N(43)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 68.72
 RES. ENG.: 61BUF
 CAL. DAYS: 400 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)
 AT VARIOUS LOCATIONS ALONG US-412 BETWEEN THE TOWN OF
 ORIENTA AND THE JUNCTION OF US-412/US-281.
 PROJ. LGTH.= 3.101 MI.
 FLEX. ESALS= 6.6 MILLION
 ASPH. GRADE= 64-22OK, 70-28OK & 76-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY(BASE BID)	CIP-147N(39)IP	
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	158,161.000	CY
202(E)	0184 UNCLASSIFIED BORROW	54,588.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	53.000	STA
222	2801 TEMPORARY BALE BARRIER	10,276.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	5,620.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	423.000	CY
228	5709 (SU)PVC EROSION CONTROL MAT	13,423.000	SY
230(A)	2806 SOLID SLAB SODDING	11,201.000	SY
230(G)	2812 WATERING	7,030.000	MGAL
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	25.000	EA
231(A)	4567 TREES	25.000	EA
231(B)	4568 SHRUBS	30.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(E)	5929 (PL)PLANT ESTABLISHMENT PERIOD (TREES)	170.000	EA
231(F)	7023 (PL)PLANT ESTABLISHMT PERIOD (SHRB & GC)	110.000	EA
232(B)	2814 SEEDING METHOD B	62.000	AC
232(B)	7183 TEMPORARY SEEDING - METHOD B	6.000	AC
233(A)	2817 VEGETATIVE MULCHING	6.000	AC
233(C)	2819 ASPHALT MULCHING	93,462.000	GAL
234(A)	2824 FERTILIZING (10-20-10)	16.000	TON
234(A)	4406 FERTILIZING (0-46-0)	5.000	TON
241	2832 MOWING	124.000	AC
303	0192 AGGREGATE BASE	13,591.000	CY
307(A)	4233 LIME	1,378.000	TON
310(B)	0149 SUBGRADE, METHOD B	13,815.000	SY
317(A)	4252 FLY ASH	4,025.000	TON
317(C)	4254 SUBGRADE MODIFICATION	73,496.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	130.000	TON

SECTION NO.	0001	I000-ROADWAY(BASE BID)	CIP-147N(39)IP		
407	0250	TACK COAT	13,463.000	GAL	
408	5774	(SU)PRIME COAT	10,948.000	GAL	
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	16,624.000	TON	
411(AH)	6660	(SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	23,827.000	TON	
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,372.000	TON	
411(BH)	6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	5,554.000	TON	
411(D)	6590	(SP)ASPHALT CONC.TYPE D(PG 64-22 OK)	326.000	TON	
413(A)	4861	(SU)RUMBLE STRIP-METHOD AC-CON	31,794.000	LF	
413(C)	4867	RUMBLE STRIP METHOD PCC-CYC (PER GROUP)	78.000	EA	
414(AA)	5755	10" P.C. DOWEL JOINTED CONCRETE PAVEMENT	11,167.000	SY	
417	5267	COLD MILLING PAVEMENT	16,679.000	SY	
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	57.000	CY	
509(B)	0321	CLASS A CONCRETE	156.000	CY	
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	5.000	CY	
509(E)	1331	CLASS C CONCRETE	50.000	CY	
511(A)	0332	REINFORCING STEEL	27,415.000	LB	
529	6309	(SU)LOW STRENGTH BACKFILL MATERIAL	25.000	CY	
601(B)	0539	TYPE II SP. PLAIN RIPRAP	7,024.000	CY	
601(E)	6312	FILTER FABRIC (RIPRAP)	6,172.000	SY	
610(C)	0609	6" CONCRETE DIVIDING STRIP	65.000	SY	
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)	7.000	EA	
613(B)	0491	18" R.C.PIPE CLASS III	686.000	LF	
613(B)	0492	24" R.C.PIPE CLASS III	193.000	LF	
613(B)	0494	36" R.C.PIPE CLASS III	613.000	LF	
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	20.000	EA	
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7199	TYPE D6 CULVERT END TREATMENT	10.000	EA	
613(D)	0689	18" CORR. GALV. STEEL PIPE	220.000	LF	
613(D)	0690	24" CORR. GALV. STEEL PIPE	720.000	LF	
613(D)	0691	30" CORR. GALV. STEEL PIPE	134.000	LF	
613(D)	0692	36" CORR. GALV. STEEL PIPE	419.000	LF	
613(D)	4819	96" CORR. GALV. STEEL PIPE	648.000	LF	
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	7.000	EA	
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA	
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND	4.000	EA	
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	550.000	LF	
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	130.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY	
613(S)	1180	TRENCH EXCAVATION	1,154.000	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	596.000	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	0291	REMOVAL OF HEADWALL	2.000	EA	
619(B)	4725	REMOVAL OF FENCE	26,795.000	LF	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	57,942.000	SY	
619(B)	4780	REMOVAL OF GUARD RAIL	3,224.000	LF	
619(B)	5918	REMOVAL OF EXISTING PIPE	1,048.000	LF	
619(B)	8305	REMOVAL OF SIGNS	72.000	EA	
619(C)	0924	SAWING PAVEMENT	3,203.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	575.000	LF	
623(F)	4449	GUARD RAIL ANCHOR UNIT (TYPE D)	4.000	EA	
623(G)	0936	GUIDE POSTS	87.000	EA	
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	26,905.000	LF	

SECTION NO. 0001		I000-ROADWAY(BASE BID)	CIP-147N(39)IP	
629(E)	5048	(SU)REMOVE AND RESET MAILBOX	6.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	4.000	EA
804	2915	STRUCTURAL CONCRETE	12.000	CY
804	2916	REINFORCING STEEL	1,368.000	LB
SECTION NO. 0002		I000-ROADWAY(ADD ALTERNATE 1)	CIP-147N(43)IP	
210	0121	OBLITERATING ABANDONED ROAD	9.300	STA
230(A)	2806	SOLID SLAB SODDING	3,748.000	SY
230(G)	2812	WATERING	10.000	MGAL
303	0192	AGGREGATE BASE	2,927.000	CY
307(A)	4233	LIME	422.000	TON
317(A)	4252	FLY ASH	1,215.000	TON
317(C)	4254	SUBGRADE MODIFICATION	22,707.000	SY
407	0250	TACK COAT	2,375.000	GAL
408	5774	(SU)PRIME COAT	3,328.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	3,083.000	TON
411(AH)	6660	(SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	5,584.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	387.000	TON
411(BH)	6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	1,395.000	TON
413(A)	4861	(SU)RUMBLE STRIP-METHOD AC-CON	6,402.000	LF
413(C)	4863	(SU)RUMBLE STRIP-METHOD PCC-CYC1	77.000	SY
414(AA)	5755	10" P.C. DOWEL JOINTED CONCRETE PAVEMENT	9,016.000	SY
804	2915	STRUCTURAL CONCRETE	7.000	CY
804	2916	REINFORCING STEEL	664.000	LB
SECTION NO. 0003		X900-BRIDGE REM. & CONST.(BASE BID)	CIP-147N(39)IP	
202(C)	1301	UNCLASSIFIED EXCAVATION	445.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	94.000	CY
509(B)	1328	CLASS A CONCRETE	225.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	31,780.000	LB
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004		X900-BRIDGE REM. & CONST.(ADD ALTERNATE 1)	CIP-147N(39)IP	
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0005		X900-BRIDGE REM. & CONST.(ADD ALTERNATE 2)	CIP-147N(39)IP	
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0006		X900-BRIDGE REM. & CONST.(ADD ALTERNATE 3)	CIP-147N(39)IP	
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0007		X081-BRIDGE 'A'	CIP-147N(43)IP	
202(F)	0186	SELECT BORROW	40.000	CY
230(A)	2806	SOLID SLAB SODDING	300.000	SY
230(G)	2812	WATERING	10.000	MGAL

SECTION NO. 0007		X081-BRIDGE 'A' CIP-147N(43)IP		
234(A)	2824	FERTILIZING (10-20-10)	0.500	TON
414(C)	0309	APPROACH SLABS	294.000	SY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	CY
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,125.000	LF
504(A)	1314	CLASS AA CONCRETE	292.000	CY
505(A)	1380	CONCRETE RAIL	428.000	LF
506(A)	6005	STRUCTURAL STEEL A36	5,443.000	LB
509(B)	1328	CLASS A CONCRETE	112.000	CY
509(E)	1331	CLASS C CONCRETE	14.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	17,126.000	LB
511(B)	6009	EPOXY COATED REINFORCING STEEL (GR 60)	54,308.000	LB
514(E)	6011	STEEL PILING (HP 12X53)	456.000	LF
515	6013	PENETRATING WATER REPELLENT SURF.TRTMT.	675.000	SY
516(A)	6093	DRILLED SHAFTS 42" DIAMETER	258.000	LF
516(C)	6106	CORRUGATED GALV. STEEL PIPE 42" DIA.	120.000	LF
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	626.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	210.000	TON
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	88.000	LF
613(Q)	6207	6"RND.NON-PERF.PIPE UNDERDRAIN	80.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	34.000	CY
613(S)	1180	TRENCH EXCAVATION	10.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	10.000	CY
641	1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0008		Y000-TRAFFIC(BASE BID) CIP-147N(39)IP		
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	275.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	275.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	592.000	SF
851(B)	3216	2"@3.65 GALV.STL.PIPE POSTS	152.000	LF
851(B)	3217	2 1/2"@5.79 GALV.STL.PIPE POSTS	334.000	LF
851(B)	3218	3"@7.58 GALV. STL.PIPE POSTS	282.000	LF
851(C)	8597	FLANGE CHANNEL POSTS(4.0 LB./FT.)	27.000	LF
854	3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	8,644.000	LF
855(A)	3320	TRAFFIC STRIPE(THERMOPLASTIC)(4" WIDE)	44,515.000	LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	77,600.000	LF
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	45,600.000	LF
874(A)	8036	(SU)G-RAIL IM.AT.G-R-E-A-T CZ	1.000	EA
880(E)	8017	SIGNS 6.26 TO 15.99 SF	7,275.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	10,380.000	SD
880(J)	8021	BARRICADES(TYPE III)	10,650.000	SD
880(J)	8318	BARRICADES(TYPE III)	28.000	EA
880(L)	8023	VERTICAL PANELS	16,875.000	SD
880(M)	8024	TYPE A LIGHT	4,650.000	SD
880(O)	8026	TYPE C LIGHT	27,525.000	SD
880(P)	8323	DRUMS	10,650.000	EA
930.56	4729	(PL) REMOVE AND RESET CATTLE GUARD	1.000	EA
960.20	8144	(PL)RELOC. OF CONST. ZONE IMPACT ATN.	1.000	EA
SECTION NO. 0009		Y000-TRAFFIC(ADD ALTERNATE 1) CIP-147N(39)IP		
850(A)	8215	SHEET ALUMINUM SIGNS	496.000	SF
851(B)	3216	2"@3.65 GALV.STL.PIPE POSTS	291.000	LF
851(B)	3217	2 1/2"@5.79 GALV.STL.PIPE POSTS	284.000	LF

SECTION NO. 0009	Y000-TRAFFIC(ADD ALTERNATE 1) CIP-147N(39)IP		
851(B) 3218	3"@7.58 GALV. STL.PIPE POSTS	25.000	LF
853(B) 3311	DELINEATORS TYPE 1 CODE 2	6.000	EA
853(E) 3314	DELINEATORS TYPE 2 CODE 2	16.000	EA
854 3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	4,428.000	LF
855(A) 3320	TRAFFIC STRIPE(THERMOPLASTIC)(4" WIDE)	10,396.000	LF
855(B) 3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
855(C) 3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA
855(F) 8002	TRAFFIC STRIPE(PLASTIC)(TAPE)ARROW	15.000	EA
855(G) 8003	TRAFFIC STRIPE(PLASTIC)(TAPE)WORDS	9.000	EA
SECTION NO. 0010	STAK-STAKING CIP-147N(39)IP		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0011	STAK-STAKING CIP-147N(43)IP		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 291
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: OKLAHOMA

FEDERAL PROJECT
 CONTRACT ID : 000385
 PCN : 1785004

PAGE 44

PROJECTS : IMG-44-1(48)113TR
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 6.44
 RES. ENG.: 460KC
 CAL. DAYS: 150 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 SAFETY IMPROVEMENTS
 SAFETY IMPROVEMENTS ALONG I-44 FROM THE OKLAHOMA/CLEVELAND
 COUNTY LINE, EXTENDING NORTH AND EAST TO THE JUNCTION OF
 I-35/I-44.
 PROJ. LGTH.= 0.00 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y008-TRAFFIC CONTROL		
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	260.000	SD
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0002	SFTY-GUARDRAIL		
202(E) 0184	UNCLASSIFIED BORROW	3,000.000	CY
209 5911	(PL)MACHINE GRADING	20,485.000	LF
230(A) 2806	SOLID SLAB SODDING	1,000.000	SY
308 1423	SAND CUSHION	83.000	CY
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		74.000 TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		3,821.780 TON
509(B) 0321	CLASS A CONCRETE	310.200	CY
509(E) 0325	CLASS C CONCRETE	61.500	CY
511(A) 0332	REINFORCING STEEL	11,514.000	LB
611(L) 4210	DROP INLET GRATE (SMD-TYPE 2)	1.000	EA
619(B) 4780	REMOVAL OF GUARD RAIL	22,921.500	LF
619(C) 0924	SAWING PAVEMENT	28,724.500	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	17,987.000	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	28.000	EA
623(F) 4453	GUARD RAIL ANCHOR UNIT (TYPE GE)	23.000	EA
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	37.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	73.000	EA
641 2917	MOBILIZATION	1.000	LSUM
853(G) 8246	GUARD RAIL DELINEATORS TYPE 4	370.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	171.000	EA
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	45.000	EA

LNTCIQA
 CALL ORDER : 340
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: POTTAWATOMIE

FEDERAL PROJECT
 CONTRACT ID : 000370
 PCN : 1686005
 PROJECTS : STPY-163B(62)TR
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 18.79
 RES. ENG.: 33WEW
 CAL. DAYS: 90

PAGE 45

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION AND TRAFFIC SIGNALS
 TRAFFIC SIGNALS AT THE INTERSECTION OF US-177 AND
 INDEPENDENCE STREET TO LEO IN SHAWNEE
 PROJ. LGTH.= 0.833 MILES
 FLEX. ESALS= 20.7 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	11,813.400	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	1,800.000	LF
223	2801 TEMPORARY SILT FENCE	6,190.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	2.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	520.000	CY
227	0100 TEMPORARY SILT DIKE	360.000	LF
229	4318 DITCH LINER PROTECTION	2,950.000	LF
230(A)	2806 SOLID SLAB SODDING	6,867.100	SY
230(B)	2807 MULCH SODDING	31,837.200	SY
232(A)	2813 SEEDING METHOD A	6.400	AC
233(A)	2817 VEGETATIVE MULCHING	12.800	AC
317(A)	4252 (SP)FLY ASH	573.000	TON
317(B)	4254 SUBGRADE MODIFICATION	11,412.000	SY
317(C)	4253 LIME	2,077.000	TON
317(D)	4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	2,855.000	SY
408	5774 PRIME COAT	1,606.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	2,352.000	TON
414(A1)	5754 9" P.C. DOWEL JOINTED CONCRETE PAVEMENT	7,784.000	SY
414(A1)	5755 10" P.C. DOWEL JOINTED CONCRETE PAVEMENT	2,900.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	24.300	CY
509(B)	0321 CLASS A CONCRETE	280.500	CY
509(D)	0325 CLASS C CONCRETE	58.800	CY
511(A)	0332 REINFORCING STEEL	18,514.000	LB
609(A)	0288 CONC.CURB(6" MNTBLE-INTEGRAL)	3,980.500	LF
613(B)	0492 24" R.C.PIPE CLASS III	100.900	LF
613(CC)	7197 TYPE B6 CULVERT END TREATMENT	3.000	EA
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4727 REMOVAL OF CONCRETE PAVEMENT	2,955.000	SY
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	4,997.000	SY
623(A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	212.000	LF
623(H)	8571 (SP)G.E.T. GUARD RAIL END SECTION	2.000	EA

SECTION NO. 0001		I000-ROADWAY		
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	75.000	LF
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
890(A)	8714	(PL)REMOVAL OF WINGWALLS	4.000	EA
SECTION NO. 0002		NON-PARTICIPATING		
201	0102	CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183	UNCLASSIFIED EXCAVATION	1.000	CY
230(A)	2806	SOLID SLAB SODDING	1,112.000	SY
232(A)	2813	SEEDING METHOD A	1.040	AC
233(A)	2817	VEGETATIVE MULCHING	2.080	AC
310(B)	0149	SUBGRADE, METHOD B	1,112.000	SY
407	0250	TACK COAT	613.600	GAL
408	5774	PRIME COAT	1,666.600	GAL
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,222.400	TON
SECTION NO. 0003		Y031-TRAFFIC SIGNALS		
802(B)	8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	760.000	LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	809.000	LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	320.000	LF
802(B)	8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	102.000	LF
803	8065	PULL BOX(SIZE I)	6.000	EA
803	8066	PULL BOX(SIZE II)	5.000	EA
804(A)	2915	STRUCTURAL CONCRETE	17.100	CY
804(B)	2916	REINFORCING STEEL	2,712.000	LB
806(A)	8329	32' MH POLE 50' TS&15' LMA(G.STL.)	1.000	EA
806(A)	8333	32' MH POLE 40' TS&15' LMA(G.STL.)	1.000	EA
806(A)	8343	32' MHP 40',35' T.S.& 12' LMA(G.STL.)	1.000	EA
809(A)	8090	(PL)ROADWAY LUMINAIRE	3.000	EA
811	8040	1/C NO.6 ELECT.COND.	70.000	LF
811	8044	1/C NO.10 ELECT.COND.	560.000	LF
825	8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A)	8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	1.000	EA
828(B)	8138	LOOP DETECTOR WIRE	912.000	LF
831	8231	1WAY3SEC.ADJ.SIG.HD.S-6	8.000	EA
831	8252	1WAY3SEC.ADJ.SIG.HD.S-9	2.000	EA
831	8277	1WAY5SEC.ADJ.SIG.HD.S-17	2.000	EA
833	3030	BACKPLATE	12.000	EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	481.000	LF
834(A)	8208	7/C TRAF.SIG.EL.CABLE	70.000	LF
834(A)	8211	15/C TRAF.SIG.EL.CABLE	260.000	LF
834(A)	8212	18/C TRAF.SIG.EL.CABLE	182.000	LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	2,250.000	LF
840(A)	8592	(PL)E.P.S. OPTICAL EMITTER	5.000	EA
840(B)	8593	(PL)E.P.S. OPTICAL DETECTOR	4.000	EA
840(C)	8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	820.000	LF
840(D)	8595	(PL)E.P.S. 2 CHANNEL PHASE SELECTOR	1.000	EA
850(A)	8110	SHEET ALUMINUM SIGNS	407.970	SF
850(C)	8525	MAST ARM MOUNTED SIGNS(ALUM.)	51.000	SF
851	8642	(PL)2 1/4" SQUARE TUBE POST	420.100	LF
851(B)	3219	3 1/2"@9.11 GALV.STL.PIPE POST	222.900	LF
855(A)	3255	TRAFFIC STRIPE(PLASTIC)(4" WIDE)(WHITE)	48,444.000	LF

SECTION NO. 0003	Y031-TRAFFIC SIGNALS		
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	8.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	3,000.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2,000.000	LF
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
890(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	6.000	EA
SECTION NO. 0004	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 355
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: TILLMAN

FEDERAL PROJECT
 CONTRACT ID : 000387
 PCN : 1770904
 PROJECTS : BRO-171D(41)CO
 DBE/WBE GOALS: 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.30
 RES. ENG.: 52ALT
 CAL. DAYS: 150

PAGE 48

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE APPROX. 1.609 KM. SOUTH AND 1.770 KM. WEST
 OF SH-5/US-183 JCT. IN FREDRICK
 PROJ. LGTH.= 0.529 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	100.000	M
223 M2802	TEMPORARY SILT FENCE	960.000	M
230(A) M2806	SOLID SLAB SODDING	7,200.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.700	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	777.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(D) M0690	600MM CORR. GALV. STEEL PIPE	33.000	M
613(G) M0761	600MM GALV. STEEL CULVERT END SECT. RND.		6.000 EA
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	102.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	48.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	119.000	M
504(E) M1380	CONCRETE RAIL (TR1)	79.500	M
506(A) M1322	STRUCTURAL STEEL	580.000	KG
509(A) M1326	CLASS AA CONCRETE	54.500	M3
509(B) M1328	CLASS A CONCRETE	45.000	M3
511(A) M1332	REINFORCING STEEL	10,553.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	111.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	111.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	530.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	150.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 X028-BRIDGE 'B'			
202(A) M1301	UNCLASSIFIED EXCAVATION	800.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	130.000	M3

SECTION NO. 0003	X028-BRIDGE 'B'		
509(B) M1328	CLASS A CONCRETE	204.000	M3
511(A) M1332	REINFORCING STEEL	24,761.000	KG
SECTION NO. 0004	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 371
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: WASHITA

FEDERAL PROJECT
 CONTRACT ID : 000415
 PCN : 1754804

PAGE 50

PROJECTS : IMG-40-2(122)042TR
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.30
 RES. ENG.: 51CLI
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GUARDRAIL
 I-40 FROM THE WASHITA/BECKHAM COUNTY LINE EXTENDING EAST TO
 THE WASHITA/CADDO COUNTY LINE.
 PROJ. LGTH.= 0.0 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 Y002-TRAFFIC CONTROL			
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0002 SFTY-GUARDRAIL			
202(E) 0184	UNCLASSIFIED BORROW	10,000.000	CY
209 5911	(PL)MACHINE GRADING	18,880.000	LF
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,035.400	TON
509(E) 0325	CLASS C CONCRETE	69.960	CY
511(A) 0332	REINFORCING STEEL	2,000.000	LB
619(B) 4780	REMOVAL OF GUARD RAIL	6,875.000	LF
619(C) 0924	SAWING PAVEMENT	500.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	10,462.500	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	3.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	72.000	EA
641 2917	MOBILIZATION	1.000	LSUM
853(G) 8246	GUARD RAIL DELINEATORS TYPE 4	768.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	418.000	EA
SECTION NO. 0003 NON-PARTICIPATING			
870(B) 8012	IMPACT ATTEN.MODULE(REPLACEMENT)	146.000	EA

LNTCIQA
 CALL ORDER : 400
 LETTING DATE : August 24, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: TULSA

STATE PROJECT
 CONTRACT ID : 000374
 PCN : 1854304M

PAGE 51

PROJECTS : CMC-172N(164)PT.1,2 & 3
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 81TUL
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(WEARING COURSE)
 LEWIS OVERPASS ON SH-51, 0.25 MILES WEST OF LEWIS OVERPASS
 ON I-244 AND AT THE JCT. OF I-244/US-69 ON I-244
 PROJ. LGTH.= 1.5 MILES
 FLEX. ESALS= 2.5 MILLION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CMC-172N(164)PT.1		
411 4280	(SP)ULTRATHIN BONDED WEARING COURSE	28,160.000	SY
417 5267	COLD MILLING PAVEMENT	64.000	SY
SECTION NO. 0002	I000-ROADWAY CMC-172N(164)PT.2		
411 4280	(SP)ULTRATHIN BONDED WEARING COURSE	28,160.000	SY
417 5267	COLD MILLING PAVEMENT	64.000	SY
SECTION NO. 0003	I000-ROADWAY CMC-172N(164)PT.3		
411 4280	(SP)ULTRATHIN BONDED WEARING COURSE	14,696.000	SY
417 5267	COLD MILLING PAVEMENT	64.000	SY