

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : July 31, 2000

LNTCNCA
LETTING

NOTICE TO CONTRACTORS -- August 24, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF August 24, 2000 , TO BE PUBLICALLY OPENED AT 2:00 P.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 2:00 P.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$23.07 PLUS \$1.93 TAX (OKLAHOMA TAX IS 8.375%) FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$7.38 PLUS \$.62 TAX. MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

LNTCIQA
 CALL ORDER : 024
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: BLAINE

FEDERAL PROJECT
 CONTRACT ID : 000383
 PCN : 1782604
 PROJECTS : BRO-106D(23)CO
 DBE/WBE GOALS: 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 51CLI
 CAL. DAYS: 150

PAGE 1

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER CREEK APPROX. 2.575 KM. SOUTH AND
 0.322 KM. WEST OF SH-51/SH-58 IN CANTON
 PROJ. LGTH.= 0.239

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M6181	EARTHWORK	1.000	LSUM
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	100.000	M
223 M2802	TEMPORARY SILT FENCE	480.000	M
230(A) M2806	SOLID SLAB SODDING	3,744.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.400	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	355.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(D) M0689	450MM CORR. GALV. STEEL PIPE	12.000	M
613(M) M0897	450MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
SECTION NO. 0002	X028-BRIDGE 'A'		
202(A) M1301	UNCLASSIFIED EXCAVATION	2,130.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	139.000	M3
509(B) M1328	CLASS A CONCRETE	271.000	M3
511(A) M1332	REINFORCING STEEL	31,040.000	KG
601A-1 M1353	TYPE I-A PLAIN RIPRAP	630.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	150.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 040
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: COMANCHE

FEDERAL PROJECT
 CONTRACT ID : 000180
 PCN : 1757504
 PROJECTS : BRO-116D(29)CO
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.22
 RES. ENG.: 71DUN
 CAL. DAYS: 150

PAGE 2

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER BLUE BEAVER CREEK, APPROX. 2.3 MILES
 NORTH OF FAXTON
 PROJ LGTH.= 0.314 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	550.000	M
227 M0100	TEMPORARY SILT DIKE	100.000	M
230(B) M2807	MULCH SODDING	4,400.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.880	HA
303 M0192	AGGREGATE BASE	379.000	M3
408 M5774	PRIME COAT	3,515.000	L
509(D) M0325	CLASS C CONCRETE	10.000	M3
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	112.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	32.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	142.200	M
504(E) M1380	CONCRETE RAIL (TR1)	88.700	M
509(A) M1326	CLASS AA CONCRETE	65.900	M3
509(B) M1328	CLASS A CONCRETE	54.300	M3
511(A) M1332	REINFORCING STEEL	11,961.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	104.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	104.000	M
516(A) M6092	DRILLED SHAFTS 900MM DIAMETER	36.520	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	914.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	185.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 070
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: GARVIN

FEDERAL PROJECT
 CONTRACT ID : 000321
 PCN : 1615704

PAGE 3

PROJECTS : STP-125D(002)CO
 DBE/WBE GOALS: 6.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.33
 RES. ENG.: 31ADA
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE; AT LITTLE CANADIAN SANDY CREEK, 9.656 KM.
 SOUTH AND 2.736 KM. EAST OF STRATFORD
 PROJ. LGTH.= 0.270 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
227 M0100	(PL)TEMPORARY SILT DIKE	500.000	M
230(A) M2806	SOLID SLAB SODDING	3,568.000	M2
233(A) M2817	VEGETATIVE MULCHING	1.000	HA
234(A) M2824	FERTILIZING (10-20-10)	0.390	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	580.000	T
509(D) M0325	CLASS C CONCRETE	40.000	M3
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	98.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	48.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	119.000	M
504(E) M1380	CONCRETE RAIL (TR1)	78.300	M
506(A) M1322	STRUCTURAL STEEL	665.000	KG
509(A) M1326	CLASS AA CONCRETE	54.600	M3
509(E) M1332	CLASS S CONCRETE	44.600	M3
511(A) M1332	REINFORCING STEEL	10,895.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	226.300	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	226.300	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	388.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	105.000	T
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 110
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: GRADY

STATE PROJECT
 CONTRACT ID : 000232
 PCN : 1695812
 PROJECTS : CIP-126D(31)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 12.89
 RES. ENG.: 73ANA
 CAL. DAYS: 210

PAGE 4

LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 SURFACING(ASPHALT)
 SH-4(MUSTANG ROAD) BEGINNING APPROXIMATELY 0.5 MILE NORTH
 OF I-44(H.E.BAILEY TURNPIKE) AND EXTENDING NORTH.
 PROJ. LGTH.= 3.635 MI.
 FLEX. ESALS= 3.5 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
205	5209 (PL)TOPSOIL	1,000.000	CY
222	2801 TEMPORARY BALE BARRIER	1,000.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	1,000.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	100.000	CY
230(A)	2806 SOLID SLAB SODDING	14,697.000	SY
230(B)	2807 MULCH SODDING	55,340.000	SY
230(G)	2812 WATERING	4,142.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	20.000	AC
241	2832 MOWING	120.000	AC
317(A)	4252 FLY ASH	5,665.000	TON
317(C)	4254 SUBGRADE MODIFICATION	104,903.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	435.000	TON
408	5774 (SU)PRIME COAT	11,303.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	10,077.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	10,224.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,511.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	7,041.000	TON
509(E)	1331 CLASS C CONCRETE	100.000	CY
613(CC)	7198 TYPE C6 CULVERT END TREATMENT	2.000	EA
613(D)	0691 30" CORR. GALV. STEEL PIPE	68.000	LF
613(P)	1091 6" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF
613(Q)	1096 6"RND.NON-PERF.PIPE UNDERDRAIN	500.000	LF
613(R)	1100 PIPE UNDERDRAIN COVER MAT'L.	200.000	CY
613(S)	1180 TRENCH EXCAVATION	100.000	CY
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	725.000	LF
623(F)	5686 GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F)	6029 GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
629(A)	4958 (SU)MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C)	4960 (SU)MAILBOX	2.000	EA
641	1399 MOBILIZATION	1.000	LSUM
850(A)	8215 SHEET ALUMINUM SIGNS	199.000	SF
854	3316 TRAFFIC STRIPE(PAINT)(4" WIDE)	59,081.000	LF

SECTION NO. 0001	I000-ROADWAY		
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,560.000	LF
900.22 6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
900.64 6181	(PL)EARTHWORK	1.000	LSUM
SECTION NO. 0002	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 125
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: HARPER

FEDERAL PROJECT
 CONTRACT ID : 000384
 PCN : 1654604
 PROJECTS : STP-130C(10)CO
 DBE/WBE GOALS: 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 7.52
 RES. ENG.: 61BUF
 CAL. DAYS: 150

PAGE 6

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER SLEEPING BEAR CREEK, 9.0 MILES SOUTH
 AND 1.0 MILE EAST OF THE JCT. US-64/SH-34
 PROJ. LGTH. 0.217 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	2,300.000	LF
227	0100 TEMPORARY SILT DIKE	700.000	LF
230(A)	2806 SOLID SLAB SODDING	9,562.000	SY
233(A)	2817 VEGETATIVE MULCHING	1.980	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	484.000	TON
509(D)	0325 CLASS C CONCRETE	51.000	CY
SECTION NO. 0002 X081-BRIDGE "A"			
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D)	6353 UNCLASSIFIED BACKFILL	65.000	CY
503(A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	770.000	LF
504(E)	1380 CONCRETE RAIL (TR1)	447.000	LF
506(A)	1322 STRUCTURAL STEEL	4,420.000	LB
509(A)	1326 CLASS AA CONCRETE	150.900	CY
509(B)	1328 CLASS A CONCRETE	112.200	CY
511(A)	1332 REINFORCING STEEL	48,240.000	LB
514(A)	6010 PILES, FURNISHED (HP 10X42)	537.000	LF
514(B)	6292 PILES, DRIVEN (HP 10X42)	537.000	LF
514(N)	6300 (PL)PAINTING PILING	100.000	LF
516(A)	6094 DRILLED SHAFTS 48" DIAMETER	148.000	LF
601A-1	1353 TYPE I-A PLAIN RIPRAP	2,630.000	TON
601A-2	1355 TYPE I-A FILTER BLANKET	680.000	TON
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399 MOBILIZATION	1.000	LSUM
850(A)	8215 SHEET ALUMINUM SIGNS	10.000	SF
851(C)	8597 FLANGE CHANNEL POSTS(4.0 LB./FT.)	29.340	LF
880(J)	6145 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642	0098 STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 150
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: LINCOLN

FEDERAL PROJECT
 CONTRACT ID : 000364
 PCN : 1719904
 PROJECTS : BRO-141D(18)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 7.52
 RES. ENG.: 32PUR
 CAL. DAYS: 120

PAGE 7

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER BRANCH OF DEEP FORK RIVER 8.690 KM.
 SOUTH AND 1.287 KM. WEST OF CHANDLER
 PROJ. LGTH.= 0.459 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	920.000	M
227 M0100	TEMPORARY SILT DIKE	200.000	M
230(A) M2806	SOLID SLAB SODDING	8,761.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.880	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	680.000	T
509(D) M0325	CLASS C CONCRETE	73.000	M3
613(CC)M5042	1800MM CULVERT END TREATMENT(RC-NG)	2.000	EA
613(CC)M7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(CC)M7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
613(D) M0690	600MM CORR. GALV. STEEL PIPE	36.000	M
613(D) M0692	900MM CORR. GALV. STEEL PIPE	26.800	M
613(D) M0698	1800MM CORR. GALV. STEEL PIPE	34.800	M
613(S) M1180	TRENCH EXCAVATION	222.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	124.000	M3
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
932.05 M7033	(PL) 900MM AUTOMATIC FLAP GATE	2.000	EA
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	40.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	94.840	M
504(E) M1380	CONCRETE RAIL (TR1)	63.540	M
506(A) M1322	STRUCTURAL STEEL	695.000	KG
509(A) M1326	CLASS AA CONCRETE	44.300	M3
509(B) M1328	CLASS A CONCRETE	43.900	M3
511(A) M1332	REINFORCING STEEL	9,265.000	KG
516(A) M6091	DRILLED SHAFTS 750MM DIAMETER	34.500	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,660.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	360.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA

SECTION NO. 0002	X081-BRIDGE 'A'		
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 190
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: LINCOLN

STATE PROJECT
 CONTRACT ID : 000335
 PCN : 1840804

PAGE 9

PROJECTS : SAP-141B(76)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 11.27
 RES. ENG.: 32PUR
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE REPAIR
 OVER DEEP FORK RIVER AND SPRING CREEK 0.75 MILES SOUTH OF
 WARWICK ON US-177
 PROJ. LGTH.= 0.00 MILES
 FLEX. ESALS= 3 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
202(C) 0184	UNCLASSIFIED BORROW	1,125.000	CY
223 2801	TEMPORARY SILT FENCE	1,785.000	LF
230(A) 2806	SOLID SLAB SODDING	1,190.000	SY
407 0250	TACK COAT	530.000	GAL
408 5774	PRIME COAT	263.000	GAL
411(B) 5282	(SP)ASPH.CONC.TYPE B(PATCH)(PG 70-28 OK)		100.000 TON
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		192.000 TON
411(B) 6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)		1,430.000 TON
619(B) 4780	REMOVAL OF GUARD RAIL	411.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	562.500	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	7.000	EA
SECTION NO. 0002	X031-BRIDGE "A"		
417 5267	COLD MILLING PAVEMENT	300.000	SY
504(F) 1381	CONCRETE PARAPET	282.700	LF
504(H) 6390	RAPID CURE JOINT SEALANT	154.000	LF
505(C) 6020	CLASS C BRIDGE DECK REPAIR	10.000	SY
509(A) 1326	CLASS AA CONCRETE	73.800	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	12,290.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	142.000	SY
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	40.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	3.000	GAL
616(A) 5120	4" DUCTILE IRON PIPE	113.000	LF
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0003	X031-BRIDGE "B"		
417 5267	COLD MILLING PAVEMENT	300.000	SY
504(F) 1381	CONCRETE PARAPET	534.900	LF
504(H) 6390	RAPID CURE JOINT SEALANT	367.000	LF
505(C) 6020	CLASS C BRIDGE DECK REPAIR	20.000	SY

SECTION NO. 0003	X031-BRIDGE "B"		
509(A)	1326	CLASS AA CONCRETE	134.000 CY
511(B)	6010	EPOXY COATED REINFORCING STEEL	32,530.000 LB
512(A)	1323	PAINTING EXISTING STRUCTURES	1.000 LSUM
512(B)	6303	COLLECTION & HANDLING OF WASTE	1.000 LSUM
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	302.000 SY
520(A)	6058	PREPARATION OF CRACKS ABOVE WATER	110.000 LF
520(C)	6060	EPOXY RESIN ABOVE WATER	9.500 GAL
540	4505	(PL)REPAIR BRIDGE ITEMS	1.000 EA
545	4805	(PL)REPLACE BRIDGE ITEMS	2.000 EA
616(A)	5120	4" DUCTILE IRON PIPE	146.000 LF
SECTION NO. 0004	Y000-TRAFFIC		
855(A)	8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	300.000 LF
890	7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000 LSUM

LNTCIQA
 CALL ORDER : 200
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: LOGAN

FEDERAL PROJECT
 CONTRACT ID : 000316
 PCN : 1702304
 PROJECTS : STP-142B(15)UR
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 14.50
 RES. ENG.: 44EDM
 CAL. DAYS: 180

PAGE 11

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE(ASPHALT)
 BEGIN AT THE INTERSECTION OF US-77/INDUSTRIAL ROAD EXT.
 EAST TO PINE STREET THEN NORTH TO UNIVERSITY AVE.
 PROJ. LGTH.= 3.191 KM.
 FLEX. ESALS= 2.8 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(A)	M0183	UNCLASSIFIED EXCAVATION	6,025.000 M3
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000 LSUM
222	M2801	TEMPORARY BALE BARRIER	132.000 M
223	M2802	TEMPORARY SILT FENCE	390.000 M
230(A)	M2806	SOLID SLAB SODDING	5,471.000 M2
233(A)	M2817	VEGETATIVE MULCHING	0.550 HA
311(B)	M0152	PROCESS EXISTING BASE & SURFACE, METHOD B	3.230 STA
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	282.000 T
407	M0250	TACK COAT	13,159.000 L
408	M5774	PRIME COAT	19,952.000 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	9,505.000 T
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	3,722.000 T
509(D)	M0325	CLASS C CONCRETE	178.000 M3
609(B)	M1526	800MM COMB.CRB.& GUT.(200MM BAR.)	102.000 M
610(B)	M0399	150MM CONCRETE DRIVEWAY (H.E.S.)	175.000 M2
610(G)	M4475	BITUMINOUS DRIVEWAY (150MM)	119.000 M2
613(D)	M5205	510MM X 380MM CORR. GALV. ST. PIPE ARCH	244.300 M
613(D)	M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH	28.200 M
613(G)	M7024	510MM X 380MM GALV.STL.CULV.END SEC.ARCH	48.000 EA
613(G)	M7036	680MM X 500MM GALV.STL.CULV.END SEC.ARCH	4.000 EA
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	20,951.000 M2
619(B)	M4766	REMOVAL OF CONCRETE DRIVEWAY	194.000 M2
619(C)	M0924	SAWING PAVEMENT	24.000 M
629(E)	M5048	REMOVE AND RESET MAILBOX	10.000 EA
641	M1552	MOBILIZATION	1.000 LSUM
850(A)	M8110	SHEET ALUMINUM SIGNS	5.600 M2
851(C)	M8324	50MM SQUARE TUBE POST	38.000 M
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	12,564.000 M
880(J)	M8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
890A/B	M8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	6.000 EA
SECTION NO. 0002	STAK-STAKING		

LNTCIQA

FEDERAL PROJECT

PAGE 12

SECTION NO. 0002

STAK-STAKING

642 M0098

STAKING

1.000

LSUM

LNTCIQA
 CALL ORDER : 220
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: MCCLAIN

FEDERAL PROJECT
 CONTRACT ID : 000365
 PCN : 1317404

PAGE 13

PROJECTS : BRO-44D(291)CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: DISTRICT 3 (ADA)
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER TURKEY CREEK, 2.9 MILES SOUTH AND
 3.7 MILES WEST OF THE JCT. SH-74/US-77
 PROJ. LGTH.= 0.122 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY BRO-44D(291)CO		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	500.000	LF
230(A)	2806 SOLID SLAB SODDING	1,123.000	SY
230(B)	2807 MULCH SODDING	5,556.000	SY
233(A)	2817 VEGETATIVE MULCHING	2.400	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	340.000	TON
509(E)	0325 CLASS C CONCRETE	10,000.000	CY
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	8.000	EA
613(D)	0690 24" CORR. GALV. STEEL PIPE	244.000	LF
SECTION NO. 0002	BRIDGE 'A' BRO-44D(291)CO		
202(C)	1302 UNCLASSIFIED BORROW	125.000	CY
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	95.000	CY
503(A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	316.170	LF
504(E)	1380 CONCRETE RAIL (TR1)	225.000	LF
506(A)	1322 STRUCTURAL STEEL	1,550.000	LB
509(A)	1326 CLASS AA CONCRETE	62.000	CY
509(B)	1328 CLASS A CONCRETE	75.100	CY
511(A)	1332 REINFORCING STEEL	22,720.000	LB
514(A)	6010 PILES, FURNISHED (HP 10X42)	1,153.000	LF
514(B)	6292 PILES, DRIVEN (HP 10X42)	1,153.000	LF
601A-1	1353 TYPE I-A PLAIN RIPRAP	700.000	TON
601A-2	1355 TYPE I-A FILTER BLANKET	190.000	TON
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399 MOBILIZATION	1.000	LSUM
880(J)	6145 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING BRO-44D(291)CO		
642	0098 STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 230
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: POTTAWATOMIE

FEDERAL PROJECT
 CONTRACT ID : 000366
 PCN : 1610204

PAGE 14

PROJECTS : BRO-163D(002) CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.91
 RES. ENG.: 32PUR
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE AT SALT CREEK, 3.7 MILES NORTH AND 4.2 MILES
 WEST OF ASHER
 PROJ. LGTH.= 0.278 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY BRO-163(002)CO			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M6181	EARTHWORK	1.000	LSUM
205 M7174	(PL)TOPSOIL - LUMP SUM	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	500.000	M
223 M2802	TEMPORARY SILT FENCE	900.000	M
230(A) M2806	SOLID SLAB SODDING	7,288.000	M2
233(A) M2817	VEGETATIVE MULCHING	2.800	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	663.000	T
509(B) M0321	CLASS A CONCRETE	141.000	M3
509(D) M0325	CLASS C CONCRETE	10.000	M3
511(A) M0332	REINFORCING STEEL	6,575.000	KG
613(D) M0690	600MM CORR. GALV. STEEL PIPE	11.600	M
613(D) M5205	510MM X 380MM CORR. GALV. ST. PIPE ARCH		16.800 M
613(M) M4502	510MM X 380MM PREFAB.CULV.END SEC., ARCH		4.000 EA
613(M) M5730	600MM PREFAB. CULVERT END SECTION, ROUND		2.000 EA
850(A) M8110	SHEET ALUMINUM SIGNS	0.580	M2
851(C) M8327	57MM SQUARE TUBE POST	3.700	M
SECTION NO. 0002 X081-BRIDGE "A" BRO-163(002)CO			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	50.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	237.680	M
504(C) M6250	SEALED EXPANSION JOINT	9.810	M
505(A) M1380	CONCRETE RAIL	142.140	M
506(A) M1322	STRUCTURAL STEEL	1,410.000	KG
509(A) M1326	CLASS AA CONCRETE	107.800	M3
509(B) M1328	CLASS A CONCRETE	67.400	M3
511(A) M1439	REINFORCING STEEL (GRADE 420)	19,515.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	97.000	M
514(A) M6013	PILES, FURNISHED (HP 310X79)	327.500	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	97.000	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	327.500	M
516(A) M8121	DRILLED SHAFTS 1200MM DIAMETER	44.850	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,120.000	T

SECTION NO. 0002	X081-BRIDGE "A" BRO-163(002)CO		
601A-2 M1355	TYPE I-A FILTER BLANKET	250.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
623(F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
900.22 M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING BRO-163(002)CO		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 250
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: MARSHALL

STATE PROJECT
 CONTRACT ID : 000236
 PCN : 1674604

PAGE 16

PROJECTS : CIP-148N(008)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 14.56
 RES. ENG.: 23MAD
 CAL. DAYS: 210 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON US-70 BEGINNING APPROXIMATELY 3.3 MILE EAST OF THE
 JUNCTION OF US-70/SH-70A IN KINGSTON AND EXTENDING EAST.
 PROJ. LGTH.= 1.28 MI.
 FLEX. ESALS= 6.6 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	27,505.000	CY
202(E)	0184 UNCLASSIFIED BORROW	5,000.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	12,171.500	CY
227	0100 (PL)TEMPORARY SILT DIKE	9,524.100	LF
229	4318 DITCH LINER PROTECTION	1,835.500	LF
230(A)	2806 SOLID SLAB SODDING	6,188.900	SY
230(E)	2810 BROADCAST SPRIGGING (METHOD A)	58,945.400	SY
230(G)	2812 WATERING	2,605.400	MGAL
233(A)	2817 VEGETATIVE MULCHING	13.500	AC
234(A)	2824 FERTILIZING (10-20-10)	6.500	TON
234(A)	4406 FERTILIZING (0-46-0)	1.000	TON
241	2832 MOWING	13.500	AC
303	0192 AGGREGATE BASE	10,590.300	CY
307(A)	4233 LIME	307.600	TON
317(A)	4252 FLY ASH	2,768.400	TON
317(C)	4254 SUBGRADE MODIFICATION	64,286.900	SY
325	5271 (SU)SEPARATOR FABRIC	66,345.800	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	380.400	TON
407	0250 TACK COAT	5,928.500	GAL
408	5774 (SU)PRIME COAT	14,903.800	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	774.500	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	15,463.500	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	302.300	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	6,369.600	TON
413(A)	4861 (SU)RUMBLE STRIP-METHOD AC-CON	8,318.000	LF
417	5267 COLD MILLING PAVEMENT	2,033.400	SY
420(A)	4242 FABRIC REINFORCEMENT	3,645.100	SY
420(B)	4268 BITUMINOUS BINDER	911.300	GAL
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	78.300	CY
508	6335 (SP)GEOSYNTHETIC REINFORCED SRW	8,792.700	SF
509(B)	1328 CLASS A CONCRETE	176.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	1.500	CY

SECTION NO. 0001		I000-ROADWAY	
509(E)	0325	CLASS C CONCRETE	329.800 CY
511(A)	0332	REINFORCING STEEL	26,327.800 LB
601(A)	0533	TYPE I PLAIN RIPRAP	360.000 CY
610(B)	0604	6" CONCRETE DRIVEWAY	126.700 SY
611(L)	4209	DROP INLET GRATE (SMD-TYPE 1)	2.000 EA
613(B)	0492	24" R.C.PIPE CLASS III	98.000 LF
613(B)	0493	30" R.C.PIPE CLASS III	38.000 LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	6.000 EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	440.000 LF
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	4.000 EA
613(M)	0899	30" PREFAB. CULVERT END SEC., ROUND	1.000 EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	1,100.000 LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	250.000 LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	223.000 CY
613(S)	1180	TRENCH EXCAVATION	241.700 CY
615(G)	6131	STANDARD BEDDING MATERIAL	86.700 CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	4725	REMOVAL OF FENCE	4,235.000 LF
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	794.300 SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	32,427.100 SY
619(C)	0924	SAWING PAVEMENT	1,597.100 LF
624(A)	4281	FENCE-STYLE WWF	4,843.000 LF
624(B)	5165	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	1.000 EA
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	2.000 EA
629(C)	4960	(SU)MAILBOX	2.000 EA
629(D)	4961	(SU)REMOVAL OF MAILBOX INSTALLATION	2.000 EA
640	1398	FIELD OFFICE	1.000 EA
641	1399	MOBILIZATION	1.000 LSUM
653(A)	5915	(SP)EDGE DRAIN CONDUIT-PERFORATED	7,500.000 LF
653(B)	5916	(SP)EDGE DRAIN OUTLET LATERAL-NONPERF.	1,250.000 LF
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	15.000 EA
SECTION NO. 0002		ROWA-RIGHT-OF-WAY CLEARANCE	
643	0100	(PL)NESHAP PREDEM. INSP. & NOTIFICATION	7.000 EA
999.95	0094	(PL)RIGHT-OF-WAY CLEARANCE	1.000 LSUM
SECTION NO. 0003		Y000-TRAFFIC	
804	2915	STRUCTURAL CONCRETE	1.400 CY
804	2916	REINFORCING STEEL	144.000 LB
850(A)	8215	SHEET ALUMINUM SIGNS	116.000 SF
851	8616	(PL)1 3/4" SQUARE TUBE POST	22.000 LF
851	8617	(PL)2" SQUARE TUBE POST	22.000 LF
851	8642	(PL)2 1/4" SQUARE TUBE POST	66.000 LF
853(F)	3315	DELINEATORS TYPE 2 CODE 3	8.000 EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	26,820.000 LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	46.000 EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	6.000 EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	20,890.100 LF
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	6,964.000 LF
880(D)	8016	SIGNS 0 TO 6.25 SF	450.000 SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	990.000 SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	1,980.000 SD

SECTION NO. 0003	Y000-TRAFFIC		
880(I) 8020	BARRICADES(TYPE II)	360.000	SD
880(J) 8021	BARRICADES(TYPE III)	5,040.000	SD
880(L) 8023	VERTICAL PANELS	14,580.000	SD
880(M) 8024	TYPE A LIGHT	12,240.000	SD
880(O) 8026	TYPE C LIGHT	14,580.000	SD
961.42 8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1		260.000 EA
SECTION NO. 0004	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 300
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OSAGE

FEDERAL PROJECT
 CONTRACT ID : 000368
 PCN : 1711604
 PROJECTS : BRF-157C(18)CO
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.30
 RES. ENG.: 84SS
 CAL. DAYS: 150

PAGE 19

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY ROAD(NS-354) OVER GRAY HORSE CREEK APPROXIMATELY
 2.414 KILOMETERS EAST AND 1.61 KILOMETERS SOUTH OF THE
 JUNCTION OF SH-20/SH-18 SOUTH OF FAIRFAX.
 PROJ. LGTH.= 0.419 KM.
 FLEX. ESALS= 0.06 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY			
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	M0185 EARTHWORK	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	50.000	M
223	M2802 TEMPORARY SILT FENCE	840.000	M
230(A)	M2806 SOLID SLAB SODDING	5,238.000	M2
233(A)	M2817 VEGETATIVE MULCHING	1.050	HA
303	M0192 AGGREGATE BASE	555.000	M3
407	M0250 TACK COAT	557.000	L
408	M5774 PRIME COAT	4,728.000	L
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		504.000 T
509(D)	M0325 CLASS C CONCRETE	23.890	M3
613(B)	M0409 600MM R.C.PIPE CLASS III	10.200	M
613(D)	M0690 600MM CORR. GALV. STEEL PIPE	12.600	M
613(D)	M0691 750MM CORR. GALV. STEEL PIPE	13.800	M
613(M)	M0898 600MM PREFAB. CULVERT END SEC., ROUND		4.000 EA
613(M)	M0899 750MM PREFAB. CULVERT END SEC., ROUND		2.000 EA
850(A)	M8110 SHEET ALUMINUM SIGNS	2.790	M2
851(D)	M8597 FLANGE CHANNEL POSTS(5.95 KG/M)	23.650	M
854(A)	M8800 TRAFFIC STRIPE(PAINT)(100MM WIDE)	1,677.620	M
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	76.000	M3
501(D)	M6353 UNCLASSIFIED BACKFILL	30.000	M3
503(B)	M6144 PRESTRESSED CONCRETE DOUBLE TEE	237.750	M
504(A)	M1304 APPROACH SLAB	58.000	M2
504(E)	M1380 CONCRETE RAIL (TR1)	110.900	M
509(A)	M1326 CLASS AA CONCRETE	85.300	M3
509(B)	M1328 CLASS A CONCRETE	49.900	M3
511(A)	M1332 REINFORCING STEEL	13,740.000	KG
514(A)	M6011 PILES, FURNISHED (HP 250X62)	44.000	M
514(B)	M6292 PILES, DRIVEN (HP 250X62)	44.000	M

SECTION NO. 0002	X081-BRIDGE 'A'		
516(A) M6092	DRILLED SHAFTS 900MM DIAMETER	26.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	860.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	210.000	T
613(P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND		17.200 M
613(Q) M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.		10.000 M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000 LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	3.000	EA
623(F) M6034	GUARD RAIL ANCHOR UNIT (TYPE III)	1.000	EA
640 M1398	FIELD OFFICE	1.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 310
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OTTAWA

STATE PROJECT
 CONTRACT ID : 000251
 PCN : 1815404
 PROJECTS : CIP-158C(24)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 18.25
 RES. ENG.: 83CLA
 CAL. DAYS: 150

PAGE 21

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON SH-125 BEGINNING APPROXIMATELY 1.0 MILE NORTH OF
 FAIRLAND AND EXTENDING NORTH.
 PROJ. LGTH.= 3.002 MILES
 FLEX. ESALS= 7.2 MILLION
 ASPH. GRADE= 64-22OK, 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	12,063.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	1,105.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	7.000	EA
230(A)	2806 SOLID SLAB SODDING	5,437.000	SY
230(B)	2807 MULCH SODDING	33,245.000	SY
232	7185 (PL)TEMPORARY SEEDING	67.000	LB
232(D)	2816 WATERING	2,321.000	MGAL
241	2832 MOWING	30.000	AC
307(A)	4233 LIME	650.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	30,114.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON
407	0250 TACK COAT	9,925.000	GAL
408	5774 PRIME COAT	4,913.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	10,713.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	11,274.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	7,670.000	TON
417	5267 COLD MILLING PAVEMENT	732.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	171.000	CY
509(B)	1328 CLASS A CONCRETE	146.000	CY
511(A)	1332 REINFORCING STEEL	25,855.000	LB
601(A)	0533 TYPE I PLAIN RIPRAP	58.000	CY
612(G)	0647 VALVE BOXES ADJUST TO GRADE	2.000	EA
613(B)	0491 18" R.C.PIPE CLASS III	43.000	LF
613(B)	0493 30" R.C.PIPE CLASS III	101.000	LF
613(B)	0494 36" R.C.PIPE CLASS III	101.000	LF
613(D)	0689 18" CORR. GALV. STEEL PIPE	779.000	LF
613(D)	0690 24" CORR. GALV. STEEL PIPE	82.000	LF
613(M)	0897 18" PREFAB. CULVERT END SEC., ROUND	74.000	EA
613(M)	0898 24" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M)	0899 30" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	0900 36" PREFAB. CULVERT END SEC., ROUND	2.000	EA

SECTION NO. 0001		I000-ROADWAY		
613(S)	1180	TRENCH EXCAVATION	120.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	126.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	3,009.000	SY
619(B)	4780	REMOVAL OF GUARD RAIL	254.000	LF
619(C)	0924	SAWING PAVEMENT	30,481.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	710.000	LF
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
629(A)	4958	MAILBOX INSTALLATION-SINGLE	15.000	EA
629(C)	4960	MAILBOX	15.000	EA
641	2917	MOBILIZATION	1.000	LSUM
884(A)	8400	(PL)BR.G.RAIL RETROFIT TYPE I	220.000	LF
SECTION NO. 0002		Y000-TRAFFIC		
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	2,400.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	1,200.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	10.000	SF
851	8617	(PL)2" SQUARE TUBE POST	26.000	LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	50,880.000	LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	63,410.000	LF
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	32,000.000	LF
876(C)	8482	(PL)TRUCK MOUNTED ATTENUATOR	800.000	SD
880(D)	8016	SIGNS 0 TO 6.25 SF	5,000.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	1,500.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	1,000.000	SD
880(G)	8510	SIGNS 33.0 SF & OVER	1,000.000	SD
880(J)	8021	BARRICADES(TYPE III)	1,000.000	SD
880(K)	8022	WING BARRICADES	800.000	SD
880(L)	8023	VERTICAL PANELS	30,000.000	SD
880(M)	8024	TYPE A LIGHT	1,000.000	SD
880(O)	8026	TYPE C LIGHT	30,000.000	SD
880(P)	8027	DRUMS	30,000.000	SD
SECTION NO. 0003		STAK-STAKING		
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 330
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: PONTOTOC

FEDERAL PROJECT
 CONTRACT ID : 000369
 PCN : 1837804

PAGE 23

PROJECTS : STPY-162B(59)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.61
 RES. ENG.: 31ADA
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 SCHOOL ZONE MESSAGE SIGNS WITH FLASHING LIGHTS ON SH-19
 IN PICKETT
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y031-TRAFFIC SIGNALS		
641	1552 MOBILIZATION	1.000	LSUM
802(B)	8332 1" PVC SCH.40 PLASTIC CONDUIT BORED	40.000	LF
802(B)	8334 1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	70.000	LF
803	8065 PULL BOX(SIZE I)	3.000	EA
804(A)	2915 STRUCTURAL CONCRETE	1.000	CY
804(B)	2916 REINFORCING STEEL	52.600	LB
806(B)	8898 15' MTG.HT.TS PED.POLE(G.STL.)	2.000	EA
811	8107 1/C NO.10 ELECT.COND.	330.000	LF
827	8623 SOLID STATE FLASHER CONTROLLER(TYPE II)	2.000	EA
831	8477 1WAY1SEC.ADJ.SIG.HD.(CM)S-22	4.000	EA
850(A)	8110 SHEET ALUMINUM SIGNS	36.000	SF
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A)	8722 (PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM

LNTCIQA
 CALL ORDER : 360
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: TULSA

FEDERAL PROJECT
 CONTRACT ID : 000269
 PCN : 1367404

PAGE 24

PROJECTS : STPY-72B(448)
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 22.01
 RES. ENG.: 84SS
 CAL. DAYS: 420 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE(ASPHALT)
 FROM US-64/129TH WEST AVE. JCT. (IN SAND SPRINGS) NORTH
 TO SH-97 IN OSAGE COUNTY
 PROJ. LGTH.= 5.423 KM.
 FLEX. ESALS= 0.58 MILLION
 ASPH. GRADE= 64-22 OK, 64-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	605,809.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	203,803.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210	M0121 OBLITERATING ABANDONED ROAD	3.900	STA
223	M2802 TEMPORARY SILT FENCE	7,085.000	M
224	M2803 TEMPORARY SEDIMENT FILTER	18.000	EA
227	M0100 TEMPORARY SILT DIKE	595.000	M
230(A)	M2806 SOLID SLAB SODDING	38,739.000	M2
230(B)	M2807 MULCH SODDING	137,000.000	M2
230(G)	M2812 WATERING	141,590.000	KL
232(A)	M2813 SEEDING METHOD A	13.700	HA
233(A)	M2817 VEGETATIVE MULCHING	61.700	HA
241	M2832 MOWING	61.700	HA
317(A)	M4252 (SP)FLY ASH	1,975.000	T
317(B)	M4254 SUBGRADE MODIFICATION	77,596.000	M2
317(C)	M4253 LIME	659.000	T
317(D)	M4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	77,596.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	976.000	T
407	M0250 TACK COAT	30,920.000	L
408	M5774 PRIME COAT	52,559.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	24,670.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,330.000	T
413(A)	M4861 RUMBLE STRIP-METHOD AC-CON	10,907.000	M
414(A)	M0261 225MM P.C. CONCRETE PAVEMENT	625.000	M2
417	M4267 COLD MILLING BITUMINOUS PAVEMENT	376.000	M2
509(C)	M0322 CLASS A CONCRETE FOR SMALL STRUCTURES	11.500	M3
509(E)	M0325 CLASS C CONCRETE	310.000	M3
511(A)	M0332 REINFORCING STEEL	1,861.000	KG
601(D)	M1390 TYPE IV GROUTED RIPRAP	597.000	M2
610(B)	M0399 150MM CONCRETE DRIVEWAY (H.E.S.)	158.000	M2
611(E)	M6002 INLET (SMD-TYPE 2)	1.000	EA
611(E)	M6004 INLET (SMD-TYPE 2A)	3.000	EA

SECTION NO. 0001		I000-ROADWAY	
611(E)	M6006	INLET (SMD-TYPE 2B)	7.000 EA
613(B)	M0409	600MM R.C.PIPE CLASS III	32.000 M
613(B)	M0413	750MM R.C.PIPE CLASS III	110.000 M
613(B)	M0415	900MM R.C.PIPE CLASS III	358.000 M
613(B)	M0417	1050MM R.C.PIPE CLASS III	163.000 M
613(B)	M0423	1500MM R.C.PIPE CLASS III	80.000 M
613(D)	M0690	600MM CORR. GALV. STEEL PIPE	286.000 M
613(G)	M0761	600MM GALV. STEEL CULVERT END SECT. RND.	30.000 EA
613(M)	M0898	600MM PREFAB. CULVERT END SEC., ROUND	1.000 EA
613(M)	M0899	750MM PREFAB. CULVERT END SEC., ROUND	2.000 EA
613(M)	M0900	900MM PREFAB. CULVERT END SEC., ROUND	12.000 EA
613(M)	M0980	1050MM PREFAB. CULVERT END SEC., ROUND	4.000 EA
613(M)	M0983	1500MM PREFAB. CULVERT END SEC., ROUND	2.000 EA
613(P)	M1089	100MM PERFORATED PIPE UNDERDRAIN ROUND	500.000 M
613(Q)	M1094	100 MM NON-PERF. PIPE UNDERDRAIN RND	100.000 M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	56.000 M3
613(S)	M1180	TRENCH EXCAVATION	4,897.000 M3
613(T)	M1181	STANDARD BEDDING MATERIAL	1,556.000 M3
619(B)	M4725	REMOVAL OF FENCE	804.000 M
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	470.000 M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	3,779.000 M2
619(B)	M6128	REMOVAL OF GUARD RAIL	73.000 M
619(C)	M0924	SAWING PAVEMENT	268.000 M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	3,398.000 M
623(D)	M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	18.000 EA
624(B)	M4462	GATES-STYLE WWF(1350MM HI X 3600MM LONG)	17.000 EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	11,445.000 M
625(D)	M1254	REMOVE AND RECONSTRUCT GUARD RAIL	61.000 M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	2.000 EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	2.000 EA
640	M1426	FIELD OFFICE	1.000 EA
641	M1552	MOBILIZATION	1.000 LSUM
SECTION NO. 0002		Y000-TRAFFIC	
850(A)	M8110	SHEET ALUMINUM SIGNS	56.000 M2
851(B)	M3218	75MM@11.28 GALV.STL.PIPE POST	12.000 M
851(B)	M3220	100MM@16.06 GALV.STL.PIPE POST	41.000 M
851(C)	M8327	57MM SQUARE TUBE POST	236.000 M
853	M9033	DELINEATORS(TYPE 2, CODE 1)	58.000 EA
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	22,332.000 M
855(B)	M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	6.000 EA
855(B)	M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	3.000 EA
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	2,600.000 M
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	200.000 M
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	1,800.000 SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	2,400.000 SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	1,200.000 SD
880(B)	M8827	CONSTRUCTION SIGNS 3.07 M2 & OVER	5,400.000 SD
880(C)	M8842	BARRICEDES(TYPE III)	2,400.000 SD
880(C)	M8848	WING BARRICADES	1,200.000 SD
880(D)	M8854	VERTICAL PANELS	21,000.000 SD
880(M)	M8024	TYPE A LIGHT	5,400.000 SD
880(O)	M8026	TYPE C LIGHT	27,000.000 SD

LNTCIQA

FEDERAL PROJECT

PAGE 26

SECTION NO. 0002	Y000-TRAFFIC		
880(P) M8027	DRUMS	6,000.000	SD
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 370
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: WASHITA

FEDERAL PROJECT
 CONTRACT ID : 000371
 PCN : 1758904
 PROJECTS : STP-175C(19)CO
 DBE/WBE GOALS: 15.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.61
 RES. ENG.: 51CLI
 CAL. DAYS: 30 LIQ. DAM: \$ 500

PAGE 27

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE(ASPHALT)
 COUNTY ROAD BEGIN 0.5 MILE EAST AND 3.0 MILES SOUTH OF JCT.
 US-183/SH-152 AND EXTEND NORTH
 PROJ. LGTH.= 2.933 MILES
 FLEX. ESALS=0.2 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
407 0250	TACK COAT	3,561.000	GAL
411(A) 6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	8,615.000	TON
411(C) 6560	(SP)ASPHALT CONC.TYPE C(PG 64-22 OK)	3,515.000	TON
641 1552	MOBILIZATION	1.000	LSUM
854 3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	14,500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 375
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: WOODWARD

STATE PROJECT
 CONTRACT ID : 000388
 PCN : 1816104

PAGE 28

PROJECTS : CR-177C(29)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.61
 RES. ENG.: 61BUF
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 COUNTY ROAD BEGIN 8.5 MILES EAST AND 2.0 MILES SOUTH OF
 US-412/SH-50 IN MOORELAND AND EXTEND NORTH
 PROJ. LGTH.= 1.992 MILES
 FLEX. ESALS=0.3 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,929.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	31,056.000	LF
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 380
 LETTING DATE : August 24, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CANADIAN

STATE PROJECT
 CONTRACT ID : 000372
 PCN : 1847704

PAGE 29

PROJECTS : MC-109C(47)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 42ELR
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 BEGIN 2.0 MILES EAST OF CANADIAN/BLAINE COUNTY LINE AND
 EXTEND EAST ON US-270
 PROJ. LGTH.= 6.4 MILES
 FLEX. ESALS= 2.0 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
303 0192	AGGREGATE BASE	11,800.000	CY
411(A) 5280	(SP)ASPH.CONC.TYPE A(PATCH)(PG 64-22 OK)	1,000.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 390
LETTING DATE : August 24, 2000
LETTING TIME : 2:00 P.M.
COUNTIES: LOGAN

STATE PROJECT
CONTRACT ID : 000373
PCN : 1847004
PROJECTS : IMC-142N(53)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 44EDM
CAL. DAYS: 30

PAGE 30

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
BRIDGE REPAIR
I-35, APPROX. 2.0 MILES NORTH OF SH-33, GUTHRIE EXIT
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X028-BRIDGE 'A'		
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM