

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : August 28, 2000

LNTCNCA  
LETTING

NOTICE TO CONTRACTORS -- September 21, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF September 21, 2000 , TO BE PUBLICALLY OPENED AT 10:30 A.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS IS \$25.00 PLUS TAX FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 PLUS TAX, OR 1996 METRIC STD SPEC \$7.00 + TAX OR 1999 METRIC AND ENGLISH STD SPEC \$55.00 + TAX. (OKLAHOMA TAX IS 7.875%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : August 28, 2000

NOTICE TO CONTRACTORS -- September 21, 2000

LNTCNCA  
LETTING

-----  
CALL  
ORDER FEDERAL/STATE PROJECT NUMBER JOB PIECE PROPOSAL PRICE PLANS PRICE PAGE  
-----

\*\*\* NO PROPOSALS IN LETTING FOR SPECIFIED PUBLICATION DATE \*\*\*

LNTCIQA FEDERAL PROJECT PAGE 1  
 CALL ORDER : 020 CONTRACT ID : 000386  
 LETTING DATE : September 21, 2000 PCN : 1752504  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: BECKHAM PROJECTS : BRO-105D(36)CO  
 DBE/WBE GOALS: 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 3.76  
 RES. ENG.: 51CLI  
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE AND APPROACHES  
 COUNTY BRIDGE OVER MIDDLE BUFFALO CREEK, 3.5 MILES EAST  
 AND 2.0 MILES SOUTH OF SWEETWATER  
 PROJ. LGTH.= 0.160 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	E000-ROADWAY		
202(G) 0185	EARTHWORK	1.000	LSUM
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2802	TEMPORARY SILTATION SCREEN	500.000	LF
227 0100	TEMPORARY SILT DIKE	300.000	LF
229 4318	DITCH LINER PROTECTION	200.000	LF
230(B) 2807	MULCH SODDING	5,890.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.400	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	700.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(D) 0690	24" CORR. GALV. STEEL PIPE	58.000	LF
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	360.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	356.680	LF
504(E) 1380	CONCRETE RAIL (TR1)	182.160	LF
506(A) 1322	STRUCTURAL STEEL	1,810.000	LB
509(A) 1326	CLASS AA CONCRETE	76.800	CY
509(B) 1328	CLASS A CONCRETE	74.000	CY
511(A) 1332	REINFORCING STEEL	21,470.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	658.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	658.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	420.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	240.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARD RAIL-W-BEAM-SINGLE	62.500	LF
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	3.000	EA
623(F) 6029	GUARD RAIL ANCHOR UNIT (TYPE A)	3.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		

LNTCIQA

FEDERAL PROJECT

PAGE 2

SECTION NO. 0003

STAK-STAKING

642 0098

STAKING

1.000 LSUM

LNTCIQA STATE PROJECT PAGE 3  
 CALL ORDER : 030 CONTRACT ID : 000228  
 LETTING DATE : September 21, 2000 PCN : 1674404  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: BRYAN PROJECTS : CIP-107N(006)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 12.35  
 RES. ENG.: 23MAD  
 CAL. DAYS: 200 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN & SURFACE(ASPHALT)  
 ON US-70 BEGINNING APPROXIMATELY 1.5 MILE WEST OF THE  
 JUNCTION OF US-70/US-69, IN DURANT, AND EXTENDING EAST.  
 PROJ. LGTH.= 1.331 MI.  
 FLEX. ESALS= 11.3 MILLION  
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-107N(006)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	17,203.200	CY
202(E)	0184 UNCLASSIFIED BORROW	21,394.000	CY
202(F)	0186 SELECT BORROW	3,000.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	10,066.000	CY
227	0100 (PL)TEMPORARY SILT DIKE	9,358.000	LF
229	4318 DITCH LINER PROTECTION	500.000	LF
230(A)	2806 SOLID SLAB SODDING	3,333.000	SY
230(E)	2810 BROADCAST SPRIGGING (METHOD A)	41,524.000	SY
230(G)	2812 WATERING	1,794.300	MGAL
232(B)	2814 SEEDING METHOD B	15.000	AC
233(A)	2817 VEGETATIVE MULCHING	9.300	AC
234(A)	2824 FERTILIZING (10-20-10)	4.500	TON
234(A)	4406 FERTILIZING (0-46-0)	0.600	TON
241	2832 MOWING	8.600	AC
303	0192 AGGREGATE BASE	5,665.000	CY
307(A)	4233 LIME	149.900	TON
317(A)	4252 FLY ASH	2,538.600	TON
317(C)	4254 SUBGRADE MODIFICATION	44,212.800	SY
317(D)	4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	8,617.000	SY
325	5271 (SU)SEPARATOR FABRIC	45,597.800	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	142.400	TON
407	0250 TACK COAT	3,833.600	GAL
408	5774 (SU)PRIME COAT	5,937.500	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,544.500	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	9,786.700	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	838.500	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	4,861.400	TON
413(A)	4861 (SU)RUMBLE STRIP-METHOD AC-CON	14,800.000	LF
417	5268 COLD MILLING PAVEMENT (2")	18,133.000	SY
420(A)	4242 FABRIC REINFORCEMENT	32,600.300	SY
420(B)	4268 BITUMINOUS BINDER	8,150.100	GAL
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	69.800	CY

SECTION NO. 0001	I000-ROADWAY	CIP-107N(006)IP		
509(B)	0321	CLASS A CONCRETE	60.800	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES	138.000	CY
509(E)	0325	CLASS C CONCRETE	65.700	CY
511(A)	1332	REINFORCING STEEL	17,365.600	LB
601(A)	0297	TYPE I PLAIN RIPRAP	42.000	TON
609(B)	1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	7,946.700	LF
610(B)	0604	6" CONCRETE DRIVEWAY	287.200	SY
611(D)	4215	MANHOLE FRAME & COVER	14.000	EA
611(G)	1391	INLET FRAME AND GRATE	28.000	EA
611(K)	4488	CAST IRON CURB INLETS	84.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	2,672.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	358.000	LF
613(B)	4496	28" X 18" R.C.PIPE ARCH CLASS A-III	66.000	LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	6.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	259.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE	73.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	5.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND	500.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN	200.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	103.000	CY
613(S)	1180	TRENCH EXCAVATION	1,240.400	CY
613(T)	1181	STANDARD BEDDING MATERIAL	678.500	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	28.000	EA
619(B)	4725	REMOVAL OF FENCE	4,369.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	12,524.000	SY
619(C)	0924	SAWING PAVEMENT	6,860.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,170.000	LF
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	1.000	EA
624(A)	4281	FENCE-STYLE WWF	4,630.000	LF
624(B)	5165	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	1.000	EA
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE	12.000	EA
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE	2.000	EA
629(C)	4960	(SU)MAILBOX	18.000	EA
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(A)	5915	(SP)EDGE DRAIN CONDUIT-PERFORATED	7,160.000	LF
653(B)	5916	(SP)EDGE DRAIN OUTLET LATERAL-NONPERF.	1,432.000	LF
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	60.000	EA
SECTION NO. 0002	Y000-TRAFFIC	CIP-107N(006)IP		
509(B)	0321	CLASS A CONCRETE	37.600	CY
850(A)	8215	SHEET ALUMINUM SIGNS	311.100	SF
851	8616	(PL)1 3/4" SQUARE TUBE POST	55.000	LF
851	8617	(PL)2" SQUARE TUBE POST	308.000	LF
851	8642	(PL)2 1/4" SQUARE TUBE POST	154.000	LF
853(A)	3310	DELINEATORS TYPE 1 CODE 1	18.000	EA
853(F)	3315	DELINEATORS TYPE 2 CODE 3	10.000	EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	24,046.700	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA

SECTION NO. 0002	Y000-TRAFFIC	CIP-107N(006)IP		
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	18,200.000	LF
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	14,800.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	400.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	1,920.500	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	2,550.500	SD
880(I)	8020	BARRICADES(TYPE II)	270.000	SD
880(J)	8021	BARRICADES(TYPE III)	7,110.000	SD
880(K)	8022	WING BARRICADES	760.000	SD
880(L)	8023	VERTICAL PANELS	13,960.000	SD
880(M)	8024	TYPE A LIGHT	16,370.000	SD
880(O)	8026	TYPE C LIGHT	17,760.000	SD
880(P)	8027	DRUMS	3,800.000	SD
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1		100.000 EA
SECTION NO. 0003	STAK-STAKING	CIP-107N(006)IP		
642	0098	STAKING	1.000	LSUM

LNTCIQA  
 CALL ORDER : 040  
 LETTING DATE : September 21, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: BRYAN

STATE PROJECT  
 CONTRACT ID : 000229  
 PCN : 1674407

PAGE 6

PROJECTS : CIP-107N(009)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 25.23  
 RES. ENG.: 23MAD  
 CAL. DAYS: 540 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:

GRADE, DRAIN, BRIDGE & SURFACE(ASPHALT)  
 ON US-70 BEGINNING APPROXIMATELY 6.7 MILE WEST OF THE  
 JUNCTION OF US-70/US-69, IN DURANT, AND EXTENDING EAST.  
 PROJ. LGTH.= 0.313 MI.  
 FLEX. ESALS= 11.3 MILLION  
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-107N(009)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	35,051.000	CY
202(F)	0186 SELECT BORROW	1,000.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	27,489.000	CY
224	2803 TEMPORARY SEDIMENT FILTER	1.000	EA
227	0100 (PL)TEMPORARY SILT DIKE	320.000	LF
229	4318 DITCH LINER PROTECTION	550.000	LF
230(A)	2806 SOLID SLAB SODDING	734.000	SY
230(E)	2810 BROADCAST SPRIGGING (METHOD A)	19,091.000	SY
230(G)	2812 WATERING	793.000	MGAL
232(B)	2814 SEEDING METHOD B	2.000	AC
233(A)	2817 VEGETATIVE MULCHING	4.100	AC
234(A)	2824 FERTILIZING (10-20-10)	2.000	TON
234(A)	4406 FERTILIZING (0-46-0)	0.300	TON
241	2832 MOWING	3.900	AC
303	0192 AGGREGATE BASE	2,940.000	CY
304	0100 (SP)RAILROAD BALLAST	5,727.000	TON
317(A)	4252 FLY ASH	744.100	TON
317(C)	4254 SUBGRADE MODIFICATION	12,960.000	SY
325	5271 (SU)SEPARATOR FABRIC	17,914.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	20.000	TON
407	0250 TACK COAT	1,564.100	GAL
408	5774 (SU)PRIME COAT	879.200	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,492.900	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,879.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	812.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,318.000	TON
413(A)	4861 (SU)RUMBLE STRIP-METHOD AC-CON	3,300.000	LF
417	5268 COLD MILLING PAVEMENT (2")	4,033.000	SY
420(A)	4242 FABRIC REINFORCEMENT	1,401.000	SY
420(B)	4268 BITUMINOUS BINDER	350.300	GAL
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	45.100	CY
509(B)	0321 CLASS A CONCRETE	24.300	CY



SECTION NO.	DESCRIPTION	QUANTITY	UNIT
SECTION NO. 0001	I000-ROADWAY CIP-107N(009)IP		
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	81.000	CY
509(E)	0325 CLASS C CONCRETE	71.100	CY
511(A)	1332 REINFORCING STEEL	7,050.000	LB
609(B)	1526 2'-8" COMB.CRB.& GUT.(8" BARRIER)	3,300.000	LF
610(B)	0604 6" CONCRETE DRIVEWAY	43.000	SY
611(D)	4215 MANHOLE FRAME & COVER	12.000	EA
611(E)	5336 INLET GPI TYPE 2 (DES. 10)	1.000	EA
611(F)	5697 INLET MED. BAR. DES. 2 (ADD'L DEPTH)	13.000	VF
611(G)	1391 INLET FRAME AND GRATE	24.000	EA
611(K)	4488 CAST IRON CURB INLETS	72.000	EA
611(L)	4210 DROP INLET GRATE (SMD-TYPE 2)	3.000	EA
613(B)	0491 18" R.C.PIPE CLASS III	1,132.000	LF
613(B)	0492 24" R.C.PIPE CLASS III	433.000	LF
613(B)	0493 30" R.C.PIPE CLASS III	64.000	LF
613(B)	0494 36" R.C.PIPE CLASS III	270.000	LF
613(CC)	7186 TYPE A4 CULVERT END TREATMENT	2.000	EA
613(D)	0689 18" CORR. GALV. STEEL PIPE	108.000	LF
613(M)	0900 36" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(P)	1091 6" PERFORATED PIPE UNDERDRAIN ROUND	400.000	LF
613(Q)	1096 6"RND.NON-PERF.PIPE UNDERDRAIN	100.000	LF
613(R)	1100 PIPE UNDERDRAIN COVER MAT'L.	74.000	CY
613(S)	1180 TRENCH EXCAVATION	1,186.400	CY
613(T)	1181 STANDARD BEDDING MATERIAL	566.800	CY
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291 REMOVAL OF HEADWALL	11.000	EA
619(B)	4725 REMOVAL OF FENCE	4,783.000	LF
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	8,388.000	SY
619(C)	0924 SAWING PAVEMENT	3,356.000	LF
624(A)	4281 FENCE-STYLE WWF	4,939.000	LF
624(B)	5165 GATES-STYLE WWF (4.5'HIGH X 14'LONG)	4.000	EA
629(A)	4958 (SU)MAILBOX INSTALLATION-SINGLE	4.000	EA
629(C)	4960 (SU)MAILBOX	4.000	EA
640	1398 FIELD OFFICE	1.000	EA
641	1399 MOBILIZATION	1.000	LSUM
643	0087 (SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(A)	5915 (SP)EDGE DRAIN CONDUIT-PERFORATED	3,300.000	LF
653(B)	5916 (SP)EDGE DRAIN OUTLET LATERAL-NONPERF.	660.000	LF
653(C)	5946 (SP)OUTLET LATERAL HEADWALL	16.000	EA
SECTION NO. 0002	X631-BRIDGE 'A' CIP-107N(009)IP		
414(C)	1304 APPROACH SLABS	30.600	SY
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	369.000	CY
501(G)	6309 (SP)CLSM BACKFILL	44.000	CY
506(A)	1322 STRUCTURAL STEEL	608,360.000	LB
509(A)	1326 CLASS AA CONCRETE	124.400	CY
509(B)	1328 CLASS A CONCRETE	400.300	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	66,060.000	LB
514(A)	6023 (SP)PILES, FURNISHED	620.000	LF
514(B)	6304 (SP)PILES, DRIVEN	620.000	LF
516(A)	6096 DRILLED SHAFTS 60" DIAMETER	180.000	LF
606(A)	0298 WATERPROOFING TYPE A	300.000	SF
613(P)	6204 6" PERFORATED PIPE UNDERDRAIN ROUND	755.000	LF
613(Q)	6207 6"RND.NON-PERF.PIPE UNDERDRAIN	76.000	LF

SECTION NO. 0002		X631-BRIDGE 'A' CIP-107N(009)IP		
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	129.000	CY
613(S)	1396	TRENCH EXCAVATION	45.000	CY
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
900.04	6135	(PL)5" CONCRETE SLOPE WALL	779.300	SY
900.17	6126	(PL)BRIDGE DECK WATERPROOFING	3,682.000	SF
900.19	6128	(PL)DAMPROOFING	680.000	SF
900.25	6148	(PL)3" COMPRESSION JOINT W/ANGLE	28.200	LF
SECTION NO. 0003		Y000-TRAFFIC CIP-107N(009)IP		
509(B)	0321	CLASS A CONCRETE	4.800	CY
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	1,100.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	1,100.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	42.000	SF
851	8642	(PL)2 1/4" SQUARE TUBE POST	50.000	LF
853(F)	3315	DELINEATORS TYPE 2 CODE 3	8.000	EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,060.000	LF
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	13,600.000	LF
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	13,600.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	4,095.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	9,360.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	12,870.000	SD
880(I)	8020	BARRICADES(TYPE II)	7,020.000	SD
880(J)	8021	BARRICADES(TYPE III)	5,070.000	SD
880(K)	8022	WING BARRICADES	2,340.000	SD
880(L)	8023	VERTICAL PANELS	14,040.000	SD
880(M)	8024	TYPE A LIGHT	7,020.000	SD
880(O)	8026	TYPE C LIGHT	18,720.000	SD
880(P)	8027	DRUMS	23,400.000	SD
961.30	8550	(PL)FLAGGER	30.000	DAY
961.42	8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1	2,720.000	EA
SECTION NO. 0004		STAK-STAKING CIP-107N(009)IP		
642	0098	STAKING	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 9  
 CALL ORDER : 050 CONTRACT ID : 000230  
 LETTING DATE : September 21, 2000 PCN : 1674404C  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: BRYAN PROJECTS : CIP-107N(006)IP/CIP-107N(009)I  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 37.58  
 RES. ENG.: 23MAD  
 CAL. DAYS: 540 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGE & SURFACE(ASPHALT)  
 TWO LOCATIONS ALONG US-70 APPROXIMATELY 6.7 MILE AND 1.5  
 MILE WEST OF THE JUNCTION OF US-70/US-69, IN DURANT.  
 PROJ. LGTH.= 1.644 MI.  
 FLEX. ESALS= 11.3 MILLION  
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-107N(006)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	17,203.200	CY
202(E)	0184 UNCLASSIFIED BORROW	21,394.000	CY
202(F)	0186 SELECT BORROW	3,000.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	10,066.000	CY
227	0100 (PL)TEMPORARY SILT DIKE	9,358.000	LF
229	4318 DITCH LINER PROTECTION	500.000	LF
230(A)	2806 SOLID SLAB SODDING	3,333.000	SY
230(E)	2810 BROADCAST SPRIGGING (METHOD A)	41,524.000	SY
230(G)	2812 WATERING	1,794.300	MGAL
232(B)	2814 SEEDING METHOD B	15.000	AC
233(A)	2817 VEGETATIVE MULCHING	9.300	AC
234(A)	2824 FERTILIZING (10-20-10)	4.500	TON
234(A)	4406 FERTILIZING (0-46-0)	0.600	TON
241	2832 MOWING	8.600	AC
303	0192 AGGREGATE BASE	5,665.000	CY
307(A)	4233 LIME	149.900	TON
317(A)	4252 FLY ASH	2,538.600	TON
317(C)	4254 SUBGRADE MODIFICATION	44,212.800	SY
317(D)	4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	8,617.000	SY
325	5271 (SU)SEPARATOR FABRIC	45,597.800	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	142.400	TON
407	0250 TACK COAT	3,833.600	GAL
408	5774 (SU)PRIME COAT	5,937.500	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,544.500	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	9,786.700	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	838.500	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	4,861.400	TON
413(A)	4861 (SU)RUMBLE STRIP-METHOD AC-CON	14,800.000	LF
417	5268 COLD MILLING PAVEMENT (2")	18,133.000	SY
420(A)	4242 FABRIC REINFORCEMENT	32,600.300	SY
420(B)	4268 BITUMINOUS BINDER	8,150.100	GAL
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	69.800	CY

SECTION NO. 0001		I000-ROADWAY	CIP-107N(006)IP		
509(B)	0321	CLASS A CONCRETE		60.800	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES		138.000	CY
509(E)	0325	CLASS C CONCRETE		65.700	CY
511(A)	1332	REINFORCING STEEL		17,365.600	LB
601(A)	0297	TYPE I PLAIN RIPRAP		42.000	TON
609(B)	1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)		7,946.700	LF
610(B)	0604	6" CONCRETE DRIVEWAY		287.200	SY
611(D)	4215	MANHOLE FRAME & COVER		14.000	EA
611(G)	1391	INLET FRAME AND GRATE		28.000	EA
611(K)	4488	CAST IRON CURB INLETS		84.000	EA
613(B)	0491	18" R.C.PIPE CLASS III		2,672.000	LF
613(B)	0492	24" R.C.PIPE CLASS III		358.000	LF
613(B)	4496	28" X 18" R.C.PIPE ARCH CLASS A-III		66.000	LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT		6.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE		259.000	LF
613(D)	0691	30" CORR. GALV. STEEL PIPE		73.000	LF
613(M)	0897	18" PREFAB. CULVERT END SEC., ROUND		1.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND		5.000	EA
613(P)	1091	6" PERFORARED PIPE UNDERDRAIN ROUND		500.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN		200.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.		103.000	CY
613(S)	1180	TRENCH EXCAVATION		1,240.400	CY
613(T)	1181	STANDARD BEDDING MATERIAL		678.500	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL		28.000	EA
619(B)	4725	REMOVAL OF FENCE		4,369.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT		12,524.000	SY
619(C)	0924	SAWING PAVEMENT		6,860.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE		1,170.000	LF
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION		1.000	EA
624(A)	4281	FENCE-STYLE WWF		4,630.000	LF
624(B)	5165	GATES-STYLE WWF (4.5'HIGH X 14'LONG)		1.000	EA
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE		12.000	EA
629(B)	4959	(SU)MAILBOX INSTALLATION-MULTIPLE		2.000	EA
629(C)	4960	(SU)MAILBOX		18.000	EA
640	1398	FIELD OFFICE		1.000	EA
641	1399	MOBILIZATION		1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL		1.000	LSUM
653(A)	5915	(SP)EDGE DRAIN CONDUIT-PERFORATED		7,160.000	LF
653(B)	5916	(SP)EDGE DRAIN OUTLET LATERAL-NONPERF.		1,432.000	LF
653(C)	5946	(SP)OUTLET LATERAL HEADWALL		60.000	EA
SECTION NO. 0002		I000-ROADWAY	CIP-107N(009)IP		
201	0102	CLEARING AND GRUBBING		1.000	LSUM
202(C)	0183	UNCLASSIFIED EXCAVATION		35,051.000	CY
202(F)	0186	SELECT BORROW		1,000.000	CY
205	4230	TYPE A-SALVAGED TOPSOIL		27,489.000	CY
224	2803	TEMPORARY SEDIMENT FILTER		1.000	EA
227	0100	(PL)TEMPORARY SILT DIKE		320.000	LF
229	4318	DITCH LINER PROTECTION		550.000	LF
230(A)	2806	SOLID SLAB SODDING		734.000	SY
230(E)	2810	BROADCAST SPRIGGING (METHOD A)		19,091.000	SY
230(G)	2812	WATERING		793.000	MGAL

SECTION NO.	0002	I000-ROADWAY	CIP-107N(009)IP		
232(B)	2814	SEEDING METHOD B		2.000	AC
233(A)	2817	VEGETATIVE MULCHING		4.100	AC
234(A)	2824	FERTILIZING (10-20-10)		2.000	TON
234(A)	4406	FERTILIZING (0-46-0)		0.300	TON
241	2832	MOWING		3.900	AC
303	0192	AGGREGATE BASE		2,940.000	CY
304	0100	(SP)RAILROAD BALLAST		5,727.000	TON
317(A)	4252	FLY ASH		744.100	TON
317(C)	4254	SUBGRADE MODIFICATION		12,960.000	SY
325	5271	(SU)SEPARATOR FABRIC		17,914.000	SY
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E		20.000	TON
407	0250	TACK COAT		1,564.100	GAL
408	5774	(SU)PRIME COAT		879.200	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		1,492.900	TON
411(A)	6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)		2,879.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		812.000	TON
411(B)	6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)		1,318.000	TON
413(A)	4861	(SU)RUMBLE STRIP-METHOD AC-CON		3,300.000	LF
417	5268	COLD MILLING PAVEMENT (2")		4,033.000	SY
420(A)	4242	FABRIC REINFORCEMENT		1,401.000	SY
420(B)	4268	BITUMINOUS BINDER		350.300	GAL
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED		45.100	CY
509(B)	0321	CLASS A CONCRETE		24.300	CY
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES		81.000	CY
509(E)	0325	CLASS C CONCRETE		71.100	CY
511(A)	1332	REINFORCING STEEL		7,050.000	LB
609(B)	1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)		3,300.000	LF
610(B)	0604	6" CONCRETE DRIVEWAY		43.000	SY
611(D)	4215	MANHOLE FRAME & COVER		12.000	EA
611(E)	5336	INLET GPI TYPE 2 (DES. 10)		1.000	EA
611(F)	5697	INLET MED. BAR. DES. 2 (ADD'L DEPTH)		13.000	VF
611(G)	1391	INLET FRAME AND GRATE		24.000	EA
611(K)	4488	CAST IRON CURB INLETS		72.000	EA
611(L)	4210	DROP INLET GRATE (SMD-TYPE 2)		3.000	EA
613(B)	0491	18" R.C.PIPE CLASS III		1,132.000	LF
613(B)	0492	24" R.C.PIPE CLASS III		433.000	LF
613(B)	0493	30" R.C.PIPE CLASS III		64.000	LF
613(B)	0494	36" R.C.PIPE CLASS III		270.000	LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT		2.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE		108.000	LF
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND		1.000	EA
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND		400.000	LF
613(Q)	1096	6"RND.NON-PERF.PIPE UNDERDRAIN		100.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.		74.000	CY
613(S)	1180	TRENCH EXCAVATION		1,186.400	CY
613(T)	1181	STANDARD BEDDING MATERIAL		566.800	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL		11.000	EA
619(B)	4725	REMOVAL OF FENCE		4,783.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT		8,388.000	SY
619(C)	0924	SAWING PAVEMENT		3,356.000	LF
624(A)	4281	FENCE-STYLE WWF		4,939.000	LF
624(B)	5165	GATES-STYLE WWF (4.5'HIGH X 14'LONG)		4.000	EA
629(A)	4958	(SU)MAILBOX INSTALLATION-SINGLE		4.000	EA

SECTION NO. 0002	I000-ROADWAY	CIP-107N(009)IP		
629(C)	4960	(SU)MAILBOX	4.000	EA
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(A)	5915	(SP)EDGE DRAIN CONDUIT-PERFORATED	3,300.000	LF
653(B)	5916	(SP)EDGE DRAIN OUTLET LATERAL-NONPERF.	660.000	LF
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	16.000	EA
SECTION NO. 0003	X631-BRIDGE 'A'	CIP-107N(009)IP		
414(C)	1304	APPROACH SLABS	30.600	SY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	369.000	CY
501(G)	6309	(SP)CLSM BACKFILL	44.000	CY
506(A)	1322	STRUCTURAL STEEL	608,360.000	LB
509(A)	1326	CLASS AA CONCRETE	124.400	CY
509(B)	1328	CLASS A CONCRETE	400.300	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	66,060.000	LB
514(A)	6023	(SP)PILES, FURNISHED	620.000	LF
514(B)	6304	(SP)PILES, DRIVEN	620.000	LF
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	180.000	LF
606(A)	0298	WATERPROOFING TYPE A	300.000	SF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	755.000	LF
613(Q)	6207	6"RND.NON-PERF.PIPE UNDERDRAIN	76.000	LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	129.000	CY
613(S)	1396	TRENCH EXCAVATION	45.000	CY
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
900.04	6135	(PL)5" CONCRETE SLOPE WALL	779.300	SY
900.17	6126	(PL)BRIDGE DECK WATERPROOFING	3,682.000	SF
900.19	6128	(PL)DAMPROOFING	680.000	SF
900.25	6148	(PL)3" COMPRESSION JOINT W/ANGLE	28.200	LF
SECTION NO. 0004	Y000-TRAFFIC	CIP-107N(006)IP		
509(B)	0321	CLASS A CONCRETE	37.600	CY
850(A)	8215	SHEET ALUMINUM SIGNS	311.100	SF
851	8616	(PL)1 3/4" SQUARE TUBE POST	55.000	LF
851	8617	(PL)2" SQUARE TUBE POST	308.000	LF
851	8642	(PL)2 1/4" SQUARE TUBE POST	154.000	LF
853(A)	3310	DELINEATORS TYPE 1 CODE 1	18.000	EA
853(F)	3315	DELINEATORS TYPE 2 CODE 3	10.000	EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	24,046.700	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
855(C)	3321	TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	18,200.000	LF
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	14,800.000	LF
880(D)	8016	SIGNS 0 TO 6.25 SF	400.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	1,920.500	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	2,550.500	SD
880(I)	8020	BARRICADES(TYPE II)	270.000	SD
880(J)	8021	BARRICADES(TYPE III)	7,110.000	SD
880(K)	8022	WING BARRICADES	760.000	SD
880(L)	8023	VERTICAL PANELS	13,960.000	SD
880(M)	8024	TYPE A LIGHT	16,370.000	SD
880(O)	8026	TYPE C LIGHT	17,760.000	SD

SECTION NO. 0004	Y000-TRAFFIC	CIP-107N(006)IP		
880(P) 8027	DRUMS		3,800.000	SD
961.42 8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1			100.000 EA
SECTION NO. 0005	Y000-TRAFFIC	CIP-107N(009)IP		
509(B) 0321	CLASS A CONCRETE		4.800	CY
627(G) 4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR		1,100.000	LF
627(H) 5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR		1,100.000	LF
850(A) 8215	SHEET ALUMINUM SIGNS		42.000	SF
851 8642	(PL)2 1/4" SQUARE TUBE POST		50.000	LF
853(F) 3315	DELINEATORS TYPE 2 CODE 3		8.000	EA
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)		5,060.000	LF
856(A) 3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)		13,600.000	LF
859(A) 8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)		13,600.000	LF
880(D) 8016	SIGNS 0 TO 6.25 SF		4,095.000	SD
880(E) 8017	SIGNS 6.26 TO 15.99 SF		9,360.000	SD
880(F) 8018	SIGNS 16.0 SF TO 32.99 SF		12,870.000	SD
880(I) 8020	BARRICADES(TYPE II)		7,020.000	SD
880(J) 8021	BARRICADES(TYPE III)		5,070.000	SD
880(K) 8022	WING BARRICADES		2,340.000	SD
880(L) 8023	VERTICAL PANELS		14,040.000	SD
880(M) 8024	TYPE A LIGHT		7,020.000	SD
880(O) 8026	TYPE C LIGHT		18,720.000	SD
880(P) 8027	DRUMS		23,400.000	SD
961.30 8550	(PL)FLAGGER		30.000	DAY
961.42 8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1			2,720.000 EA
SECTION NO. 0006	STAK-STAKING	CIP-107N(006)IP		
642 0098	STAKING		1.000	LSUM
SECTION NO. 0007	STAK-STAKING	CIP-107N(009)IP		
642 0098	STAKING		1.000	LSUM

LNTCIQA STATE PROJECT PAGE 14  
 CALL ORDER : 060 CONTRACT ID : 000413  
 LETTING DATE : September 21, 2000 PCN : 1674418  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: BRYAN PROJECTS : CIP-107N(48)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 0.00  
 RES. ENG.: 23MAD  
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 RIGHT-OF-WAY CLEARANCE  
 RIGHT-OF-WAY CLEARANCE ALONG US-70 BEGINNING APPROXIMATELY  
 6.7 MILE WEST OF THE JUNCTION OF US-70/US-69 IN DURANT AND  
 EXTENDING EAST.  
 PROJ. LGTH.= 4.981 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y004-RIGHT-OF-WAY CLEARANCE		
643 0094	(PL)RIGHT-OF-WAY CLEARANCE	1.000	LSUM
643 0100	(PL)NESHAP PREDEM. INSP. & NOTIFICATION		9.000 EA





LNTCIQA FEDERAL PROJECT PAGE 16  
 CALL ORDER : 100 CONTRACT ID : 000392  
 LETTING DATE : September 21, 2000 PCN : 1745504  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: ELLIS PROJECTS : STP-123C(15) CO  
 DBE/WBE GOALS: 8.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 5.91  
 RES. ENG.: 61BUF  
 CAL. DAYS: 180 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE AND APPROACHES  
 BRIDGE OVER RED BLUFF CREEK, 7.5 MILES SOUTH AND 4.8 MILES  
 WEST OF THE JCT. OF US-60/US-283  
 PROJ. LGTH.= 0.228 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	E000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	2,400.000	LF
227	0100 TEMPORARY SILT DIKE	500.000	LF
230(A)	2806 SOLID SLAB SODDING	5,938.000	SY
233(A)	2817 VEGETATIVE MULCHING	1.240	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	531.000	TON
509(D)	0325 CLASS C CONCRETE	66.000	CY
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	4.000	EA
613(D)	0690 24" CORR. GALV. STEEL PIPE	86.000	LF
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(D)	6353 UNCLASSIFIED BACKFILL	40.000	CY
503(B)	6144 PRESTRESSED CONCRETE DOUBLE TEE	1,090.000	LF
504(E)	1380 CONCRETE RAIL (TR1)	485.000	LF
506(A)	1322 STRUCTURAL STEEL	3,930.000	LB
509(A)	1326 CLASS AA CONCRETE	149.100	CY
509(B)	1328 CLASS A CONCRETE	52.500	CY
511(A)	1332 REINFORCING STEEL	33,880.000	LB
514(A)	6011 PILES, FURNISHED (HP 12X53)	1,330.000	LF
514(B)	6294 PILES, DRIVEN (HP 12X53)	1,330.000	LF
514(N)	6300 (PL)PAINTING PILING	316.000	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	510.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	110.000	TON
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399 MOBILIZATION	1.000	LSUM
880(J)	6145 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642	0098 STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 17  
 CALL ORDER : 120 CONTRACT ID : 000394  
 LETTING DATE : September 21, 2000 PCN : 0817004  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: GRADY PROJECTS : STPY-26B(240)  
 DBE/WBE GOALS: 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 54.48  
 RES. ENG.: 73ANA  
 CAL. DAYS: 360 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN AND BRIDGE  
 FROM VERDEN EAST TO 4 LANE SECTION NEAR US-81 NORTHWEST OF  
 CHICKASHA ON US-62  
 PROJ. LGTH.= 9.718 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	C000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	352,106.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	50.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	200.000	M
223	M2802 TEMPORARY SILT FENCE	400.000	M
224	M2803 TEMPORARY SEDIMENT FILTER	10.000	EA
226	M2805 TEMPORARY SEDIMENT REMOVAL	400.000	M3
227	M0100 TEMPORARY SILT DIKE	400.000	M
229	M4318 DITCH LINER PROTECTION	6,182.000	M
230(A)	M2806 SOLID SLAB SODDING	600.000	M2
230(B)	M2807 MULCH SODDING	273,400.000	M2
230(F)	M2812 WATERING	49,324.000	KL
232(B)	M2814 SEEDING METHOD B	58.360	HA
233(A)	M2817 VEGETATIVE MULCHING	58.360	HA
234(A)	M2824 FERTILIZING (10-20-10)	5.270	T
234(A)	M4406 FERTILIZING (0-46-0)	4.300	T
241	M2832 MOWING	42.880	HA
403(A)	M0217 TRAFFIC BOUND SURFACE COURSE TYPE A	1,665.000	T
408	M5774 PRIME COAT	122,844.000	L
501(A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	50.000	M3
509(B)	M0321 CLASS A CONCRETE	338.000	M3
509(C)	M0322 CLASS A CONCRETE FOR SMALL STRUCTURES	18.000	M3
509(D)	M0325 CLASS C CONCRETE	980.000	M3
511(A)	M0332 REINFORCING STEEL	19,116.000	KG
601(A)	M0297 TYPE I PLAIN RIPRAP	1,035.000	T
601(B)	M0540 TYPE II SP. PLAIN RIPRAP	1,391.000	T
611(E)	M6000 INLET (SMD-TYPE 1)	1.000	EA
611(E)	M6002 INLET (SMD-TYPE 2)	1.000	EA
613(B)	M0405 450MM R.C.PIPE CLASS III	45.000	M
613(B)	M0409 600MM R.C.PIPE CLASS III	173.000	M
613(B)	M0415 900MM R.C.PIPE CLASS III	14.000	M
613(B)	M0508 1050MM R.C.PIPE CLASS IV	172.000	M
613(B)	M4419 1110MM X 675MM R.C.PIPE ARCH CLASS A-III	80.800	M
613(CC)	M7187 TYPE B4 CULVERT END TREATMENT	5.000	EA

SECTION NO. 0001	C000-ROADWAY		
613(CC)M7194	TYPE DD4 CULVERT END TREATMENT	2.000	EA
613(CC)M7197	TYPE B6 CULVERT END TREATMENT	3.000	EA
613(CC)M7204	TYPE DD6 CULVERT END TREATMENT	2.000	EA
613(D) M0689	450MM CORR. GALV. STEEL PIPE	294.000	M
613(D) M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH		74.000 M
613(D) M5226	1030MM X 740MM CORR. GALV. ST. PIPE ARCH		80.000 M
613(D) M5252	1880MM X 1260MM CORR. GALV. ST. PIPE ARC		608.000 M
613(M) M0897	450MM PREFAB. CULVERT END SEC., ROUND	37.000	EA
613(M) M0898	600MM PREFAB. CULVERT END SEC., ROUND	7.000	EA
613(M) M4534	1110MM X 675MM PREFAB.CULV.END SEC.,ARCH		4.000 EA
613(MM)M7501	TYPE B4 SLOPED CONCRETE END SECTION	6.000	EA
613(MM)M7503	TYPE D4 SLOPED CONCRETE END SECTION	1.000	EA
613(MM)M7520	TYPE A6 SLOPED CONCRETE END SECTION	1.000	EA
613(MM)M7521	TYPE B6 SLOPED CONCRETE END SECTION	1.000	EA
613(P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND		722.000 M
613(Q) M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.	240.000	M
613(R) M1395	PIPE UNDERDRAIN COVER MAT'L.	543.000	M3
613(S) M1180	TRENCH EXCAVATION	7,308.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	3,512.000	M3
613(U) M4510	1500MM JACKED CONDUIT	61.000	M
613(U) M4995	1050MM JACKED CONDUIT	32.000	M
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
624(A) M4281	FENCE-STYLE WWF	2,216.000	M
624(B) M4464	GATES-STYLE WWF(1350MM HI X 4200MM LONG)		5.000 EA
624(B) M4468	GATES-STYLE WWF(1350MM HI X 6000MM LONG)		1.000 EA
624(C) M4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,937.000	M
624(D) M4292	FENCE-STYLE CLF (1800MM HIGH, CLASS A)	319.000	M
624(E) M5960	GATES-STYLE CLF(1800MM HI X 3600MM LONG)		3.000 EA
640 M1426	FIELD OFFICE	1.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
932.06 M7034	(PL) 1050MM AUTOMATIC FLAP GATE	2.000	EA
SECTION NO. 0002	X900-BRIDGE 'A' DRIVEWAY STRUCTURE		
202(A) M1301	UNCLASSIFIED EXCAVATION	495.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	15.000	M3
509(B) M1328	CLASS A CONCRETE	23.700	M3
511(A) M1332	REINFORCING STEEL	1,190.000	KG
613(D) M5252	1880MM X 1260MM CORR. GALV. ST. PIPE ARC		88.000 M
SECTION NO. 0003	X900-BRIDGE 'B' DRIVEWAY STRUCTURE		
202(A) M1301	UNCLASSIFIED EXCAVATION	750.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	15.000	M3
509(B) M1328	CLASS A CONCRETE	23.700	M3
511(A) M1332	REINFORCING STEEL	1,190.000	KG
613(D) M5252	1880MM X 1260MM CORR. GALV. ST. PIPE ARC		88.000 M
SECTION NO. 0004	X028-BRIDGE 'C' RCB		
202(A) M1301	UNCLASSIFIED EXCAVATION	1,310.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	255.000	M3
509(B) M1328	CLASS A CONCRETE	546.300	M3
511(A) M1332	REINFORCING STEEL	45,970.000	KG
SECTION NO. 0005	X028-BRIDGE 'D' RCB		

202(A) M1301	UNCLASSIFIED EXCAVATION	890.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	217.000	M3
509(B) M1328	CLASS A CONCRETE	511.500	M3
511(A) M1332	REINFORCING STEEL	35,630.000	KG
619(B) M0291	REMOVAL OF HEADWALL	1.000	EA
SECTION NO. 0006 X028-BRIDGE 'E' RCB			
202(A) M1301	UNCLASSIFIED EXCAVATION	400.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	135.000	M3
509(B) M1328	CLASS A CONCRETE	323.500	M3
511(A) M1332	REINFORCING STEEL	25,020.000	KG
619(B) M0291	REMOVAL OF HEADWALL	1.000	EA
SECTION NO. 0007 Y008-TRAFFIC CONTROL			
880(C) M8845	BARRICADES(TYPE III)	54.000	EA
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0008 STAK-STAKING			
642 M0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 20  
 CALL ORDER : 160 CONTRACT ID : 000378  
 LETTING DATE : September 21, 2000 PCN : 1736704  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: LOGAN PROJECTS : BRF-142C(19)CO  
 DBE/WBE GOALS: 8.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 7.52  
 RES. ENG.: 44EDM  
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE AND APPROACHES  
 COUNTY BRIDGE OVER BEAR CREEK, 3.540 KM. SOUTH OF SH-105  
 AND 9.656 KM. WEST OF THE LINCOLN COUNTY LINE  
 PROJ. LGTH.= 0.493 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	200.000	M
223 M2802	TEMPORARY SILT FENCE	1,000.000	M
230(A) M2806	SOLID SLAB SODDING	11,655.000	M2
233(A) M2817	VEGETATIVE MULCHING	1.166	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	741.000	T
509(D) M0325	CLASS C CONCRETE	96.100	M3
613(CC)M7187	TYPE B4 CULVERT END TREATMENT	8.000	EA
613(D) M0690	600MM CORR. GALV. STEEL PIPE	96.300	M
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	35.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	237.750	M
504(E) M1380	CONCRETE RAIL (TR1)	112.300	M
509(A) M1326	CLASS AA CONCRETE	83.500	M3
509(E) M1332	CLASS S CONCRETE	89.000	M3
511(A) M1332	REINFORCING STEEL	16,685.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	221.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	221.000	M
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	63.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	3,320.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	970.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA STATE PROJECT PAGE 21  
 CALL ORDER : 190 CONTRACT ID : 000237  
 LETTING DATE : September 21, 2000 PCN : 0948907M  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: NOWATA PROJECTS : CIP-153N(007)IP/CIP-153N(15)IP  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 59.60  
 RES. ENG.: 83CLA  
 CAL. DAYS: 630 LIQ. DAM: \$ 3000

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)  
 ON US-169 BEGINNING AT THE NOWATA/ROGERS COUNTY LINE AND  
 EXTENDING NORTH.  
 PROJ. LGTH.= 5.41 MILE  
 FLEX. ESALS= 6.5 MILLION  
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-153N(007)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	48,308.000	CY
202(C)	0184 UNCLASSIFIED BORROW	141,089.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	166.000	STA
222	2801 TEMPORARY BALE BARRIER	400.000	LF
223	2801 TEMPORARY SILT FENCE	18,985.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	200.000	CY
229	4318 DITCH LINER PROTECTION	68.000	LF
230(A)	2806 SOLID SLAB SODDING	35,257.000	SY
230(B)	2807 MULCH SODDING	211,861.000	SY
230(F)	2812 WATERING	9,886.000	MGAL
232(A)	2813 SEEDING METHOD A	51.000	AC
233(A)	2817 VEGETATIVE MULCHING	51.000	AC
234(A)	2824 FERTILIZING (10-20-10)	24.710	TON
234(A)	4406 FERTILIZING (0-46-0)	3.840	TON
241	2832 MOWING	51.000	AC
307(A)	4233 LIME	420.000	TON
317(A)	4252 (SP)FLY ASH	5,039.000	TON
317(B)	4254 SUBGRADE MODIFICATION	77,779.000	SY
317(D)	4254 SCARIFY, BLADE MIX OF SUBGRADE W/LIME TRT	23,334.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	250.000	TON
407	0250 TACK COAT	4,550.000	GAL
408	5774 PRIME COAT	13,650.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	26,810.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	7,706.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	5,220.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	5,980.000	TON
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	237.000	CY
509(B)	0321 CLASS A CONCRETE	731.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	0.500	CY
509(D)	0325 CLASS C CONCRETE	35.000	CY
511(A)	0332 REINFORCING STEEL	107,722.000	LB

SECTION NO. 0001	I000-ROADWAY	CIP-153N(007)IP		
601(A)	0533	TYPE I PLAIN RIPRAP	18.000	CY
613(B)	0492	24" R.C.PIPE CLASS III	468.000	LF
613(D)	0688	12" CORR. GALV. STEEL PIPE	36.000	LF
613(D)	0692	36" CORR. GALV. STEEL PIPE	30.000	LF
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	20.000	EA
613(S)	1180	TRENCH EXCAVATION	426.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	199.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(C)	0924	SAWING PAVEMENT	1,605.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,376.000	LF
623(F)	4446	GUARD RAIL ANCHOR UNIT (TYPE A)	2.000	EA
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	6.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	24,025.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE	5.000	EA
629(C)	4960	MAILBOX	5.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	5.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY	CIP-153N(15)IP		
201	0102	CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183	UNCLASSIFIED EXCAVATION	34,347.000	CY
202(C)	0184	UNCLASSIFIED BORROW	1,032.000	CY
205	4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210	0121	OBLITERATING ABANDONED ROAD	118.000	STA
222	2801	TEMPORARY BALE BARRIER	160.000	LF
223	2801	TEMPORARY SILT FENCE	11,900.000	LF
226	2805	TEMPORARY SEDIMENT REMOVAL	200.000	CY
230(A)	2806	SOLID SLAB SODDING	20,378.000	SY
230(B)	2807	MULCH SODDING	133,711.000	SY
230(F)	2812	WATERING	6,164.000	MGAL
232(A)	2813	SEEDING METHOD A	32.000	AC
233(A)	2817	VEGETATIVE MULCHING	32.000	AC
234(A)	2824	FERTILIZING (10-20-10)	15.410	TON
234(A)	4406	FERTILIZING (0-46-0)	2.390	TON
241	2832	MOWING	32.000	AC
307(A)	4233	LIME	307.000	TON
317(A)	4252	(SP)FLY ASH	3,681.000	TON
317(B)	4254	SUBGRADE MODIFICATION	56,816.000	SY
317(D)	4254	SCARIFY, BLADE MIX OF SUBGRADE W/LIME TRT	17,045.000	SY
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	250.000	TON
407	0250	TACK COAT	2,994.000	GAL
408	5774	PRIME COAT	8,984.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	17,159.000	TON
411(A)	6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	5,486.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,851.000	TON
411(B)	6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	3,659.000	TON
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	191.000	CY
509(B)	0321	CLASS A CONCRETE	578.000	CY
509(D)	0325	CLASS C CONCRETE	25.000	CY



SECTION NO. 0002	I000-ROADWAY	CIP-153N(15)IP		
511(A)	0332	REINFORCING STEEL	84,018.000	LB
613(B)	0413	30" R.C.PIPE CLASS III	118.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	87.000	LF
613(CC)	7193	TYPE CC4 CULVERT END TREATMENT	2.000	EA
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(S)	1180	TRENCH EXCAVATION	122.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	81.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(C)	0924	SAWING PAVEMENT	48.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	10,660.000	LF
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	2.000	EA
629(C)	4960	MAILBOX	4.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0003	X028-BRIDGE 'A'	CIP-153N(007)IP		
509(B)	1328	CLASS A CONCRETE	327.700	CY
511(A)	1332	REINFORCING STEEL	39,890.000	LB
SECTION NO. 0004	X081-BRIDGE 'B'	CIP-153N(007)IP		
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	285.000	CY
501(G)	6309	CLSM BACKFILL	127.600	CY
503(A)	1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	874.000	LF
504(A)	1304	APPROACH SLAB	525.000	SY
504(C)	6276	(PL)SEALED EXPANSION JOINTS	60.400	LF
504(F)	1381	CONCRETE PARAPET	509.700	LF
506(A)	1322	STRUCTURAL STEEL	8,230.000	LB
509(A)	1326	CLASS AA CONCRETE	189.800	CY
509(B)	1328	CLASS A CONCRETE	242.700	CY
511(A)	1332	REINFORCING STEEL	20,590.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	49,140.000	LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	691.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	691.000	LF
514(G)	6310	METAL PILE SHOES	26.000	EA
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	843.000	SY
516(A)	6095	DRILLED SHAFTS 54" DIAMETER	102.000	LF
516(C)	6101	CORRUGATED GALV. STEEL PIPE 12" DIA.	126.000	LF
535	6138	(PL)INLET AND BASIN	2.000	EA
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	2,220.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	795.000	TON
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	128.000	LF
613(Q)	6207	6" RND.NON-PERF.PIPE UNDERDRAIN	72.000	LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	48.000	CY
613(S)	1396	TRENCH EXCAVATION	12.000	CY
SECTION NO. 0005	X081-BRIDGE 'C'	CIP-153N(007)		
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	190.000	CY
501(G)	6309	CLSM BACKFILL	106.600	CY
503(A)	1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	885.000	LF

SECTION NO. 0005		X081-BRIDGE 'C' CIP-153N(007)		
504(A)	1304	APPROACH SLAB	308.600	SY
504(C)	6276	(PL)SEALED EXPANSION JOINTS	43.000	LF
504(F)	1381	CONCRETE PARAPET	423.300	LF
506(A)	1322	STRUCTURAL STEEL	7,730.000	LB
509(A)	1326	CLASS AA CONCRETE	191.300	CY
509(B)	1328	CLASS A CONCRETE	175.600	CY
511(A)	1332	REINFORCING STEEL	22,730.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	38,070.000	LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	428.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	428.000	LF
514(G)	6310	METAL PILE SHOES	22.000	EA
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	688.000	SY
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	80.000	LF
516(C)	6101	CORRUGATED GALV. STEEL PIPE 12" DIA.	60.000	LF
535	6138	(PL)INLET AND BASIN	1.000	EA
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	2,080.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	645.000	TON
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	90.000	LF
613(Q)	6207	6" RND.NON-PERF.PIPE UNDERDRAIN	86.000	LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	34.000	CY
613(S)	1396	TRENCH EXCAVATION	12.000	CY
SECTION NO. 0006		Y000-TRAFFIC CIP-153N(007)IP		
850(A)	8110	SHEET ALUMINUM SIGNS	202.000	SF
851(C)	8327	2 1/4" SQUARE TUBE POST	321.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	54,190.000	LF
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	6,000.000	LF
856(G)	8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1,000.000	EA
857(A)	8902	PAVE.MARKERS CLASS A TYPE 2	100.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1,000.000	LF
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	420.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,680.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	7,140.000	SD
880(C)	8830	BARRICADES(TYPE I)	1,000.000	SD
880(C)	8836	BARRICADES(TYPE II)	9,660.000	SD
880(C)	8845	BARRICADES(TYPE III)	1.000	EA
880(C)	8848	WING BARRICADES	840.000	SD
880(D)	8854	VERTICAL PANELS	21,000.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	5,460.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	36,960.000	SD
880(F)	8878	DRUMS	4,200.000	SD
890	7700	(PL)TRAFFIC ITEMS	1.000	LSUM
SECTION NO. 0007		Y000-TRAFFIC CIP-153N(15)IP		
850(A)	8110	SHEET ALUMINUM SIGNS	100.390	SF
851(C)	8327	2 1/4" SQUARE TUBE POST	132.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	36,715.000	LF
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	6,000.000	LF
856(G)	8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1,000.000	EA
857(A)	8902	PAVE.MARKERS CLASS A TYPE 2	100.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1,000.000	LF
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	420.000	SD

SECTION NO. 0007	Y000-TRAFFIC	CIP-153N(15)IP		
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,680.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,120.000	SD
880(C)	8830	BARRICADES(TYPE I)	1,000.000	SD
880(C)	8842	BARRICADES(TYPE III)	15,120.000	SD
880(C)	8845	BARRICADES(TYPE III)	3.000	EA
880(C)	8848	WING BARRICADES	840.000	SD
880(D)	8854	VERTICAL PANELS	7,140.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	5,460.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	22,680.000	SD
880(F)	8878	DRUMS	6,300.000	SD
890	7700	(PL)TRAFFIC ITEMS	1.000	LSUM
SECTION NO. 0008	STAK-STAKING	CIP-153N(007)IP		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0009	STAK-STAKING	CIP-153N(15)IP		
642	0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 26  
 CALL ORDER : 240 CONTRACT ID : 000379  
 LETTING DATE : September 21, 2000 PCN : 1639904  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: PAYNE PROJECTS : BRF-160C(007)CO  
 DBE/WBE GOALS: 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 7.52  
 RES. ENG.: 45STL  
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE & APPROACHES  
 COUNTY ROAD(EW-69.5) OVER EUCHEE CREEK APPROXIMATELY 2.414  
 KILOMETERS NORTH OF THE JUNCTION OF SH-99/SH-33 AND 3.22  
 KILOMETERS WEST OF THE PAYNE/CREEK COUNTY LINE.  
 PROJ. LGTH.= 0.519 KILOMETERS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	200.000	M
223 M2802	TEMPORARY SILT FENCE	1,000.000	M
230(A) M2806	SOLID SLAB SODDING	8,733.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.873	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	760.000	T
509(D) M0325	CLASS C CONCRETE	77.100	M3
613(CC)M7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(CC)M7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
613(CC)M7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(D) M0689	450MM CORR. GALV. STEEL PIPE	12.000	M
613(D) M0690	600MM CORR. GALV. STEEL PIPE	58.200	M
613(D) M0691	750MM CORR. GALV. STEEL PIPE	20.400	M
613(S) M1180	TRENCH EXCAVATION	30.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	19.000	M3
629(A) M4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) M4960	MAILBOX	1.000	EA
629(D) M4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	30.000	M3
503(A) M1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	94.000	M
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	95.000	M
504(E) M1380	CONCRETE RAIL (TR1)	111.900	M
506(A) M1322	STRUCTURAL STEEL	1,575.000	KG
509(A) M1326	CLASS AA CONCRETE	85.600	M3
509(E) M1332	CLASS S CONCRETE	74.700	M3
511(A) M1332	REINFORCING STEEL	17,660.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	98.700	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	98.700	M
516(A) M6091	DRILLED SHAFTS 750MM DIAMETER	17.100	M

SECTION NO. 0002	X081-BRIDGE 'A'		
516(A) M6093	DRILLED SHAFTS 1050MM DIAMETER	10.000	M
516(A) M6095	DRILLED SHAFTS 1350MM DIAMETER	20.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	640.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	180.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM
SECTION NO. 0004	X081-NON-PARTICIPATING		
900.53 M6176	(PL)INSERTS	20.000	EA



LNTCIQA  
 CALL ORDER : 280  
 LETTING DATE : September 21, 2000  
 LETTING TIME : 10:30 A.M.  
 COUNTIES: TULSA

FEDERAL PROJECT  
 CONTRACT ID : 000411  
 PCN : 1602604M

PAGE 29

PROJECTS : STP-172B(002)IG/STPG-172B(120)  
 DBE/WBE GOALS: 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE: \$ 31.14  
 RES. ENG.: 81TUL  
 CAL. DAYS: 210 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:  
 INTERSECTION MODIFICATION & TRAFFIC SIGNALS  
 INTERSECTION MODIFICATION AND TRAFFIC SIGNALS AT ELM STREET  
 AND MAIN STREET IN THE CITY OF JENKS.  
 PROJ. LGTH.= 0.516 KM.  
 FLEX. ESALS= 4.4 MILLION  
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY STP-172B(002)IG		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M1301 UNCLASSIFIED EXCAVATION	3,174.100	M3
202(D)	M0186 SELECT BORROW	177.700	M3
222	M2801 TEMPORARY BALE BARRIER	12.000	M
226	M2805 TEMPORARY SEDIMENT REMOVAL	40.500	M3
230(A)	M2806 SOLID SLAB SODDING	2,379.000	M2
303	M0192 AGGREGATE BASE	1,549.000	M3
317(C)	M4253 LIME	88.000	T
317(D)	M4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	6,470.000	M2
411(A)	M6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,051.000	T
411(B)	M6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,023.000	T
414(B1)	M5758 225MM H.E.S. DOWEL JOINTED CONCRETE PAV	1,898.000	M2
417	M5267 COLD MILLING PAVEMENT	2,973.000	M2
420(A)	M4242 FABRIC REINFORCEMENT	9,083.000	M2
501(A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	287.000	M3
509(B)	M0321 CLASS A CONCRETE	323.100	M3
509(C)	M0322 CLASS A CONCRETE FOR SMALL STRUCTURES	31.830	M3
511(A)	M0332 REINFORCING STEEL	40,729.000	KG
609(A)	M0300 CONC.CURB(150MM BARRIER-INTEGRAL)	56.000	M
609(A)	M0380 CONC.CURB(200MM BARRIER-INTEGRAL)	91.000	M
609(B)	M0393 800MM COMB.CRB.& GUT.(100MM MTBLE-NOTCH)		362.000 M
610(A)	M0602 100MM CONCRETE SIDEWALK	516.000	M2
610(B)	M0399 150MM CONCRETE DRIVEWAY (H.E.S.)	839.000	M2
611(A)	M2658 MANHOLE (1500MM DIA.)	4.000	EA
611(D)	M4215 MANHOLE FRAME & COVER	9.000	EA
611(E)	M5106 INLET CICI DES. 1 (2A)	2.000	EA
611(E)	M5112 INLET CICI DES. 2 (STD)	1.000	EA
611(E)	M5120 INLET CICI DES. 3 (STD)	1.000	EA
611(G)	M4488 INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	78.000	EA
611(J)	M0487 JUNCTION BOXES	6.660	M3
611(K)	M4488 CAST IRON CURB INLETS	14.000	EA
613(B)	M0403 375MM R.C.PIPE CLASS III	79.500	M
613(B)	M0405 450MM R.C.PIPE CLASS III	50.500	M

SECTION NO. 0001	I000-ROADWAY	STP-172B(002)IG		
613(B)	M0409	600MM R.C.PIPE CLASS III	293.000	M
613(B)	M0413	750MM R.C.PIPE CLASS III	76.000	M
613(O)	M1075	100MM P.V.C. PIPE ROUND	11.000	M
613(O)	M1085	250MM P.V.C. PIPE ROUND	28.000	M
613(S)	M1180	TRENCH EXCAVATION	413.700	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	330.900	M3
619(B)	M0291	REMOVAL OF HEADWALL	1.000	EA
619(B)	M4726	REMOVAL OF CURB AND GUTTER	163.000	M
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	1,245.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	3,153.000	M2
619(C)	M0924	SAWING PAVEMENT	1,360.000	M
624(D)	M4288	FENCE-STYLE CLF (1200MM HIGH, CLASS A)	12.750	M
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	Y000-TRAFFIC	STPG-172B(120)IG		
802(B)	M8334	25MM PVC SCH.40 P.C.TR.	33.200	M
802(B)	M8338	38MM PVC SCH.40 P.C.TR.	36.300	M
802(B)	M8342	50MM PVC SCH.40 P.C.TR.	358.800	M
802(B)	M8346	75MM PVC SCH.40 P.C.TR.	133.300	M
803	M8065	PULL BOX(SIZE I)	18.000	EA
803	M8066	PULL BOX(SIZE II)	3.000	EA
804(A)	M2915	STRUCTURAL CONCRETE	8.800	M3
804(B)	M2916	REINFORCING STEEL	786.000	KG
806(A)	M8734	POLE & 13.7M TS MST.ARM(G.STL.)	1.000	EA
806(A)	M8768	9.7M MHP 9.1M TS & 3.0M LMA(G.STL.)	1.000	EA
806(A)	M8792	9.7M MHP 12.2M TS & 3.0M LMA(G.STL.)	2.000	EA
809(A)	M8090	(PL)ROADWAY LUMINAIRE	3.000	EA
811	M8040	1/C NO.6 ELECT.COND.	35.900	M
811	M8044	1/C NO.10 ELECT.COND.	911.400	M
825	M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(B)	M8138	LOOP DETECTOR WIRE	1,158.000	M
830	M8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831	M8231	1WAY3SEC.ADJ.SIG.HD.S-6	7.000	EA
831	M8277	1WAY5SEC.ADJ.SIG.HD.S-17	1.000	EA
831	M8286	1WAY5SEC.ADJ.SIG.HD.S-19	4.000	EA
831	M8295	1WAY2SEC.ADJ.SIG.HD.S-20	8.000	EA
833	M3038	127MM BACKPLATE(300MM HDS)(B-2)	3.000	EA
834(A)	M8207	5/C TRAF.SIG.EL.CABLE	353.500	M
834(A)	M8208	7/C TRAF.SIG.EL.CABLE	84.700	M
834(A)	M8211	15/C TRAF.SIG.EL.CABLE	147.700	M
834(A)	M8212	18/C TRAF.SIG.EL.CABLE	74.100	M
834(B)	M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	725.100	M
850(A)	M8110	SHEET ALUMINUM SIGNS	0.700	M2
850(C)	M8118	MAST ARM MOUNTED SIGNS(ALUM.)	12.300	M2
851(C)	M8327	57MM SQUARE TUBE POST	2.130	M
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	4,235.000	M
855(B)	M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	13.000	EA
855(B)	M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	7.000	EA
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	664.000	M
856(C)	M8851	REM.PAVEMENT MARKING TAPE(100MM WIDE)	3,070.000	M
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	3,250.000	M
880(A)	M8806	ARROW DISPLAY(TYPE B)	660.000	SD



SECTION NO. 0002	Y000-TRAFFIC	STPG-172B(120)IG		
880(B) M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2		23,520.000	SD
880(B) M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2		9,600.000	SD
880(C) M8842	BARRICEDES(TYPE III)		5,970.000	SD
880(C) M8848	WING BARRICADES		2,160.000	SD
880(E) M8860	WARNING LIGHTS(TYPE A)		26,260.000	SD
880(E) M8872	WARNING LIGHTS(TYPE C)		32,190.000	SD
880(F) M8878	DRUMS		31,650.000	SD
880(G) M8884	TUBE CHANNELIZERS		7,560.000	SD
890(A) M8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT			1.000 LSUM
SECTION NO. 0003	STAK-STAKING	STP-172B(002)IG		
642 M0098	STAKING		1.000	LSUM
SECTION NO. 0004	Y060-NON-PARTICIPATING(WATER & SEWER LINE)	STP-172B(002)IG		
615(E) M0300	SANITARY SEWER SERVICE LINE		1.000	M
616(I) M0150	(PL)INSTALL WATER LINE		1.000	LSUM