

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : August 28, 2000

LNTCNCA
LETTING

NOTICE TO CONTRACTORS -- September 21, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF September 21, 2000 , TO BE PUBLICALLY OPENED AT 2:00 P.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 2:00 P.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS IS \$25.00 PLUS TAX FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 PLUS TAX, OR 1996 METRIC STD SPEC \$7.00 + TAX OR 1999 METRIC AND ENGLISH STD SPEC \$55.00 + TAX. (OKLAHOMA TAX IS 7.875%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : August 28, 2000

NOTICE TO CONTRACTORS -- September 21, 2000

LNTCNCA
LETTING

CALL ORDER FEDERAL/STATE PROJECT NUMBER JOB PIECE PROPOSAL PRICE PLANS PRICE PAGE

*** NO PROPOSALS IN LETTING FOR SPECIFIED PUBLICATION DATE ***

LNTCIQA FEDERAL PROJECT PAGE 1
 CALL ORDER : 010 CONTRACT ID : 000367
 LETTING DATE : September 21, 2000 PCN : 0790004
 LETTING TIME : 2:00 P.M.
 COUNTIES: ALFALFA PROJECTS : BRO-2D(151)CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 61BUF
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE AT WEST CLAY CREEK, 3.0 MILES NORTH AND
 4.2 MILES EAST OF CARMAN
 PROJ. LGTH.= 0.207 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201	0102 CLEARING AND GRUBBING	1.000	LSUM
205	4230 TYPE A-SALVAGED TOPSOIL	1,210.000	CY
222	2801 TEMPORARY BALE BARRIER	100.000	LF
230(A)	2806 SOLID SLAB SODDING	7,450.000	SY
233(A)	2817 VEGETATIVE MULCHING	1.500	AC
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	580.000	TON
509(E)	0325 CLASS C CONCRETE	30.000	CY
613(D)	0689 18" CORR. GALV. STEEL PIPE	80.000	LF
613(M)	0897 18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
900.64	6181 (PL)EARTHWORK	1.000	LSUM
931.97	7011 (PL) TEMPORARY SILT FENCE	100.000	LF
SECTION NO. 0002 X081-BRIDGE 'A'			
202(E)	1302 UNCLASSIFIED BORROW	76.000	CY
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
503(A)	1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	396.170	LF
504(A)	1314 CLASS AA CONCRETE	75.400	CY
505(A)	1380 CONCRETE RAIL	273.170	LF
506(A)	1322 STRUCTURAL STEEL	1,610.000	LB
509(B)	1328 CLASS A CONCRETE	62.600	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	25,820.000	LB
514(E)	6010 STEEL PILING (HP 10X42)	937.000	LF
601(A-1)	1352 TYPE I-A PLAIN RIPRAP	300.000	CY
601(A-2)	1354 TYPE I-A FILTER BLANKET	100.000	CY
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	1418 BEAM GUARD RAIL-W-BEAM-SINGLE	150.000	LF
623(F)	4446 GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
623(F)	5686 GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
641	1399 MOBILIZATION	1.000	LSUM
850(A)	8215 SHEET ALUMINUM SIGNS	18.250	SF
851(B)	3215 1 1/2"@2.72 GALV.STL.PIPE POSTS	48.000	LF
900.22	6145 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
900.24	6147 (PL)2 1/2"COMPRESSION JT. W/ANGLE	35.000	LF
SECTION NO. 0003 STAK-STAKING			

LNTCIQA

FEDERAL PROJECT

PAGE 2

642

0098

STAKING

1.000

LSUM

LNTCIQA STATE PROJECT PAGE 3
 CALL ORDER : 065 CONTRACT ID : 000417
 LETTING DATE : September 21, 2000 PCN : 1818904
 LETTING TIME : 2:00 P.M.
 COUNTIES: CLEVELAND PROJECTS : SAP-114D(42)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 32PUR
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 SURFACE(ASPHALT)
 SOUTH DAM ROAD AND PARKING LOTS FOR LAKE THUNDERBIRD.
 PROJ. LGTH.= 0.17 KILOMETERS
 FLEX. ESALS= 0.3 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
407	M0250 TACK COAT	1,476.000	L
408	M5774 PRIME COAT	1,227.000	L
411(B)	M5280 (SP)ASPH.CONC.TYPE B(PATCH)(PG 64-22 OK)		40.000 T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		1,173.000 T

LNTCIQA FEDERAL PROJECT PAGE 4
 CALL ORDER : 070 CONTRACT ID : 000389
 LETTING DATE : September 21, 2000 PCN : 1819304
 LETTING TIME : 2:00 P.M.
 COUNTIES: COMANCHE PROJECTS : BRO-116D(41)CO
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 73ANA
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER POST OAK CREEK, 5.2 MILES NORTH AND
 0.3 MILE WEST OF INDIAHOMA
 PROJ. LGTH.= 0.219 KM.
 FLEX. ESALS= 0.85 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	M0185 EARTHWORK	1.000	LSUM
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	M2802 TEMPORARY SILT FENCE	380.000	M
227	M0100 TEMPORARY SILT DIKE	100.000	M
230(B)	M2807 MULCH SODDING	800.000	M2
233(A)	M2817 VEGETATIVE MULCHING	0.300	HA
303	M0192 AGGREGATE BASE	265.000	M3
407	M0250 TACK COAT	318.000	L
408	M5774 PRIME COAT	1,444.000	L
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		307.000 T
509(D)	M0325 CLASS C CONCRETE	10.000	M3
613(D)	M4527 525MM X 375MM CORR. GALV. ST. PIPE ARCH		15.000 M
613(M)	M4504 525MM X 375MM PREFAB.CULV.END SEC., ARCH		2.000 EA
850(A)	M8110 SHEET ALUMINUM SIGNS	0.580	M2
851(D)	M8597 FLANGE CHANNEL POSTS(5.95 KG/M)	4.570	M
854(A)	M8800 TRAFFIC STRIPE(PAINT)(100MM WIDE)	442.000	M
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	108.000	M3
501(D)	M6353 UNCLASSIFIED BACKFILL	50.000	M3
503(A)	M1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	110.840	M
504(E)	M1380 CONCRETE RAIL (TR1)	74.800	M
506(A)	M1322 STRUCTURAL STEEL	754.000	KG
509(A)	M1326 CLASS AA CONCRETE	51.400	M3
509(B)	M1328 CLASS A CONCRETE	50.000	M3
511(A)	M1332 REINFORCING STEEL	10,794.000	KG
514(A)	M6011 PILES, FURNISHED (HP 250X62)	106.180	M
514(B)	M6292 PILES, DRIVEN (HP 250X62)	106.180	M
601A-1	M1353 TYPE I-A PLAIN RIPRAP	576.000	T
601A-2	M1355 TYPE I-A FILTER BLANKET	110.000	T
619(D)	M1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION NO. 0002	X081-BRIDGE 'A'		
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	3.000	EA
623(F) M6034	GUARD RAIL ANCHOR UNIT (TYPE III)	1.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 6
 CALL ORDER : 110 CONTRACT ID : 000393
 LETTING DATE : September 21, 2000 PCN : 1747104
 LETTING TIME : 2:00 P.M.
 COUNTIES: GARFIELD PROJECTS : BRO-124D(19)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 41PER
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER UNNAMED CREEK, 1.5 MILES EAST OF US-60
 AND 2.0 MILES SOUTH OF GRANT COUNTY LINE
 PROJ. LGTH.= 0.212 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	2,250.000	LF
227	0100 TEMPORARY SILT DIKE	400.000	LF
230(A)	2806 SOLID SLAB SODDING	7,240.000	SY
233(A)	2817 VEGETATIVE MULCHING	1.500	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	555.000	TON
509(D)	0325 CLASS C CONCRETE	10.000	CY
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	2.000	EA
613(D)	0690 24" CORR. GALV. STEEL PIPE	42.000	LF
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(D)	6353 UNCLASSIFIED BACKFILL	40.000	CY
503(B)	6144 PRESTRESSED CONCRETE DOUBLE TEE	198.000	LF
504(E)	1380 CONCRETE RAIL (TR1)	145.000	LF
509(A)	1326 CLASS AA CONCRETE	35.000	CY
509(B)	1328 CLASS A CONCRETE	28.200	CY
511(A)	1332 REINFORCING STEEL	10,020.000	LB
514(A)	6010 PILES, FURNISHED (HP 10X42)	175.000	LF
514(B)	6292 PILES, DRIVEN (HP 10X42)	175.000	LF
601A-1	1353 TYPE I-A PLAIN RIPRAP	600.000	TON
601A-2	1355 TYPE I-A FILTER BLANKET	120.000	TON
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399 MOBILIZATION	1.000	LSUM
900.22	6145 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642	0098 STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 7
 CALL ORDER : 130 CONTRACT ID : 000395
 LETTING DATE : September 21, 2000 PCN : 1609004
 LETTING TIME : 2:00 P.M.
 COUNTIES: GREER PROJECTS : BRO-128D(003)CO
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 52ALT
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER ROOT CREEK, 5.0 MILES NORTH AND 4.8 MILES
 WEST OF REED
 PROJ. LGTH.= 0.189 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	250.000	M
232(A) M2813	SEEDING METHOD A	0.450	HA
233(A) M2817	VEGETATIVE MULCHING	0.900	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	275.000	T
509(D) M0325	CLASS C CONCRETE	20.000	M3
SECTION NO. 0002 E000-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	46.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	176.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	79.300	M
504(E) M1380	CONCRETE RAIL (TR1)	32.900	M
509(A) M1326	CLASS AA CONCRETE	32.400	M3
509(B) M1328	CLASS A CONCRETE	52.400	M3
511(A) M1332	REINFORCING STEEL	4,995.000	KG
516(A) M6092	DRILLED SHAFTS 900MM DIAMETER	30.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	450.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	70.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 M0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 8
 CALL ORDER : 140 CONTRACT ID : 000396
 LETTING DATE : September 21, 2000 PCN : 1780104
 LETTING TIME : 2:00 P.M.
 COUNTIES: JACKSON PROJECTS : BRF-133C(28)CO
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 52ALT
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER CREEK APPROX. 5.0 MILES NORTH AND
 2.4 MILES EAST OF JCT. US-62/US-283 IN ALTUS
 PROJ. LGTH.= 0.269 KM.
 FLEX. ESALS=1.2 MILLION
 ASPH. GRADE= 64.22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(G)	M6181	EARTHWORK	1.000 LSUM
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000 LSUM
222	M2801	TEMPORARY BALE BARRIER	100.000 M
223	M2802	TEMPORARY SILT FENCE	540.000 M
230(A)	M2806	SOLID SLAB SODDING	4,500.000 M2
233(A)	M2817	VEGETATIVE MULCHING	0.500 HA
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	47.000 T
407	M0250	TACK COAT	494.000 L
408	M5774	PRIME COAT	2,198.000 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	466.000 T
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	246.000 T
501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	12.000 M3
509(B)	M0321	CLASS A CONCRETE	23.000 M3
509(D)	M0325	CLASS C CONCRETE	10.000 M3
511(A)	M0332	REINFORCING STEEL	2,378.000 KG
610(B)	M0604	150MM CONCRETE DRIVEWAY	105.000 M2
613(D)	M0689	450MM CORR. GALV. STEEL PIPE	27.400 M
613(D)	M5226	1030MM X 740MM CORR. GALV. ST. PIPE ARCH	15.300 M
613(M)	M0897	450MM PREFAB. CULVERT END SEC., ROUND	2.000 EA
613(M)	M0990	1075MM X 675MM PREFAB.CULV.END SEC.,ARCH	4.000 EA
619(B)	M0291	REMOVAL OF HEADWALL	2.000 EA
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	1.000 EA
854(A)	M8800	TRAFFIC STRIPE(PAINT)(100MM WIDE)	615.000 M
SECTION NO. 0002 X028-BRIDGE 'A'			
202(A)	M1301	UNCLASSIFIED EXCAVATION	555.000 M3
501(A)	M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	103.000 M3
509(B)	M1328	CLASS A CONCRETE	212.000 M3
511(A)	M1332	REINFORCING STEEL	24,430.000 KG
601A-1	M1353	TYPE I-A PLAIN RIPRAP	210.000 T
601A-2	M1355	TYPE I-A FILTER BLANKET	40.000 T

SECTION NO. 0002	X028-BRIDGE 'A'		
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 10
 CALL ORDER : 150 CONTRACT ID : 000397
 LETTING DATE : September 21, 2000 PCN : 1795904
 LETTING TIME : 2:00 P.M.
 COUNTIES: LINCOLN PROJECTS : STPY-141C(71)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 32PUR
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 TRAFFIC SIGNALS AT THE INTERSECTION OF SH-66/SH-102 WEST
 OF WELLSTON
 PROJ. LGTH.= 0.00 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y031-TRAFFIC SIGNAL		
641 M1552	MOBILIZATION	1.000	LSUM
802(B) M8342	50MM PVC SCH.40 P.C.TR.	3.000	M
802(B) M8344	75MM PVC SCH.40 P.C.BORED	12.000	M
802(B) M8346	75MM PVC SCH.40 P.C.TR.	118.000	M
803 M8065	PULL BOX(SIZE I)	3.000	EA
804(A) M2915	STRUCTURAL CONCRETE	4.200	M3
804(B) M2916	REINFORCING STEEL	374.800	KG
806(A) M8768	9.7M MHP 9.1M TS & 3.0M LMA(G.STL.)	1.000	EA
806(A) M8780	9.7M MHP 10.7M TS & 3.0M LMA(G.STL.)	1.000	EA
809(A) M8090	(PL)ROADWAY LUMINAIRE	2.000	EA
810(A) M3118	SERVICE POLE	1.000	EA
811 M8040	1/C NO.6 ELECT.COND.	110.000	M
811 M8044	1/C NO.10 ELECT.COND.	78.000	M
827 M8620	SOLID STATE FLASHER CONTROLLER(TYPE I)		1.000 EA
831 M8301	1WAY1SEC.ADJ.SIG.HD.S-22	8.000	EA
833 M3030	BACKPLATE	8.000	EA
834(A) M8207	5/C TRAF.SIG.EL.CABLE	150.000	M
850(A) M8110	SHEET ALUMINUM SIGNS	4.740	M2
851(C) M8327	57MM SQUARE TUBE POST	27.000	M
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	296.000	M
890 M7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 11
 CALL ORDER : 170 CONTRACT ID : 000399
 LETTING DATE : September 21, 2000 PCN : 1784804
 LETTING TIME : 2:00 P.M.
 COUNTIES: MARSHALL PROJECTS : STPG-148C(20)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.15
 RES. ENG.: 23MAD
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 FLASHING STOP SIGNALS AT THE JUNCTION OF SH-99/US-77 AND
 SH-32 APPROXIMATELY 4.0 MILE WEST OF THE TOWN OF KINGSTON.
 PROJ. LGTH.= 0.00 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y008-CONST.TRAFFIC CONTROL		
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0002	Y031-TRAFFIC SIGNAL		
641 2917	MOBILIZATION	1.000	LSUM
802(B) 8054	3" PVC SCH.40 PLASTIC CONDUIT BORED	255.000	LF
802(B) 8059	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	205.000	LF
803 8065	PULL BOX(SIZE I)	5.000	EA
804(A) 2915	STRUCTURAL CONCRETE	10.800	CY
804(B) 2916	REINFORCING STEEL	1,665.000	LB
806(A) 8331	32' MH POLE 35' TS&12' LMA(G.STL.)	4.000	EA
809(A) 8097	ROADWAY LUMINAIRE(250 WATT HPS)	4.000	EA
811 8107	1/C NO.10 ELECT.COND.	1,500.000	LF
811 8109	1/C NO.6 ELECT.COND.	100.000	LF
827 8620	SOLID STATE FLASHER CONTROLLER(TYPE I)	1.000	EA
831 8175	1WAY1SEC.ADJ.SIG.HD.(MAM)S-22	8.000	EA
834(A) 8207	5/C TRAF.SIG.EL.CABLE	1,120.000	LF
850(C) 8525	MAST ARM MOUNTED SIGNS(ALUM.)	24.000	SF

LNTCIQA FEDERAL PROJECT PAGE 12
 CALL ORDER : 230 CONTRACT ID : 000405
 LETTING DATE : September 21, 2000 PCN : 1832904
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA PROJECTS : IMG-240-1(347)000TR
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.76
 RES. ENG.: 460KC
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GUARDRAIL
 ALONG I-240 BEGINNING AT THE JUNCTION OF I-240/I-44 AND
 EXTENDING EAST TO THE JUNCTION OF I-240/I-40.
 PROJ. LGTH.= 0.0 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	Y008-CONST.TRAFFIC CONTROL		
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM

SECTION NO. 0002	SFTY-GUARDRAIL		
202(C) 0184	UNCLASSIFIED BORROW	600.000	CY
209 0120	MACHINE GRADING	95.300	STA
230(A) 2806	SOLID SLAB SODDING	55.000	SY
308 1423	SAND CUSHION	24.000	CY
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,235.000	TON
509(B) 0321	CLASS A CONCRETE	75.420	CY
509(D) 0325	CLASS C CONCRETE	204.150	CY
511(A) 0332	REINFORCING STEEL	12,787.000	LB
610(C) 0608	4" CONCRETE DIVIDING STRIP	78.000	SY
613(B) 0492	24" R.C.PIPE CLASS III	12.000	LF
619(B) 4780	REMOVAL OF GUARD RAIL	12,862.500	LF
619(C) 0924	SAWING PAVEMENT	9,510.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	6,475.000	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	8.000	EA
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	6.000	EA
623(G) 0940	GUARD RAIL BLOCKOUT REPLACEMENT	1,700.000	LF
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	29.000	EA
641 1552	MOBILIZATION	1.000	LSUM
853(G) 8246	GUARD RAIL DELINEATORS TYPE 4	177.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	855.000	EA
930.01 4400	(PL) SP. WELDED STEEL GRATE(30" SQ)	36.000	EA

LNTCIQA
 CALL ORDER : 231
 LETTING DATE : September 21, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA

FEDERAL PROJECT
 CONTRACT ID : 000416
 PCN : 1822604

PAGE 13

PROJECTS : IMY-235-1(85)004
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.30
 RES. ENG.: 44EDM
 CAL. DAYS: 45 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE REPAIR
 BRIDGE REPAIR OF NORTHWEST 50TH STREET OVER I-235(BROADWAY
 EXTENSION) IN OKLAHOMA CITY.
 PROJ. LGTH.= 0.0 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X971-BRIDGE 'A'		
502(A) 6173	ENGINEERED FALSEWORK	1.000	LSUM
502(B) 6174	FALSEWORK ENGINEERING SERVICES	1.000	LSUM
509 6386	(PL)SILICONE CONSTRUCTION JOINT	112.000	LF
509(B) 1328	CLASS A CONCRETE	29.900	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	6,670.000	LB
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	400.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	30.000	GAL
540 4501	(PL)REPAIR BRIDGE ITEMS	54.000	SY
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	10.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	10.000	EA
619(B) 2515	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	10.000	EA
619(B) 2525	(PL)REMOVAL OF BRIDGE ITEM (TYPE B)	10.000	EA
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL		
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	80.000	HOURL
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	30.000	SD
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA	FEDERAL PROJECT	PAGE 14
CALL ORDER : 250	CONTRACT ID : 000369	
LETTING DATE : September 21, 2000	PCN : 1837804	
LETTING TIME : 2:00 P.M.		
COUNTIES: PONTOTOC	PROJECTS : STPY-162B(59)TR	
	DBE/WBE GOALS: 0.00	
	GUARANTY : 5% OF BID TOTAL	
	PLAN PRICE: \$ 1.61	
	RES. ENG.: 31ADA	
	CAL. DAYS: 30	LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
TRAFFIC SIGNALS
SCHOOL ZONE MESSAGE SIGNS WITH FLASHING LIGHTS ON SH-19
IN PICKETT
PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y031-TRAFFIC SIGNALS		
641	1552 MOBILIZATION	1.000	LSUM
802(B)	8332 1" PVC SCH.40 PLASTIC CONDUIT BORED	40.000	LF
802(B)	8334 1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	70.000	LF
803	8065 PULL BOX(SIZE I)	3.000	EA
804(A)	2915 STRUCTURAL CONCRETE	1.000	CY
804(B)	2916 REINFORCING STEEL	52.600	LB
806(B)	8898 15' MTG.HT.TS PED.POLE(G.STL.)	2.000	EA
811	8107 1/C NO.10 ELECT.COND.	330.000	LF
827	8623 SOLID STATE FLASHER CONTROLLER(TYPE II)	2.000	EA
831	8477 1WAY1SEC.ADJ.SIG.HD.(CM)S-22	4.000	EA
850(A)	8110 SHEET ALUMINUM SIGNS	36.000	SF
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A)	8722 (PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 15
 CALL ORDER : 260 CONTRACT ID : 000408
 LETTING DATE : September 21, 2000 PCN : 0225708
 LETTING TIME : 2:00 P.M.
 COUNTIES: PUSHMATAHA PROJECTS : NHY-17N(31)
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 25.89
 RES. ENG.: 21ANT
 CAL. DAYS: 410 LIQ. DAM: \$ 2000

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 SH-3 BEGINNING APPROXIMATELY 0.805 KILOMETERS WEST OF THE
 ATOKA/PUSHMATAHA COUNTY LINE AND EXTENDING EAST TO THE
 INDIAN NATION TURNPIKE.
 PROJ. LGTH.= 12.150 KM.
 FLEX. ESALS= 5.2 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	M0183 UNCLASSIFIED EXCAVATION	99,087.000	M3
202(E)	M0184 UNCLASSIFIED BORROW	13,852.000	M3
205	M7174 (PL)TOPSOIL - LUMP SUM	1.000	LSUM
210	M0121 OBLITERATING ABANDONED ROAD	46.000	STA
226	M2805 TEMPORARY SEDIMENT REMOVAL	1,000.000	M3
227	M0100 TEMPORARY SILT DIKE	450.000	M
229	M4318 DITCH LINER PROTECTION	219.000	M
230(A)	M2806 SOLID SLAB SODDING	6,090.000	M2
232(A)	M2813 SEEDING METHOD A	17.760	HA
233(A)	M2817 VEGETATIVE MULCHING	16.890	HA
234(A)	M2824 FERTILIZING (10-20-10)	3.600	T
234(A)	M4406 FERTILIZING (0-46-0)	1.600	T
241	M2832 MOWING	55.000	HA
246(A)	M7045 (PL)GEOGRID EARTH REINF. PRIMARY TYPE A	5,000.000	M2
303	M0192 AGGREGATE BASE	32,000.000	M3
317(A)	M4252 (SP)FLY ASH	11,870.000	T
317(B)	M4254 SUBGRADE MODIFICATION	201,197.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	6,101.000	T
407	M0250 TACK COAT	78,874.000	L
408	M5774 PRIME COAT	294,770.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	35,469.000	T
411(A)	M6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	26,385.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	9,714.000	T
411(B)	M6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	12,362.000	T
417	M5267 COLD MILLING PAVEMENT	210.000	M2
501(A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	49.400	M3
509(B)	M0321 CLASS A CONCRETE	145.360	M3
509(E)	M0325 CLASS C CONCRETE	80.510	M3
511(A)	M0332 REINFORCING STEEL	12,556.000	KG
601(A)	M1351 TYPE I PLAIN RIPRAP	125.000	T
613(B)	M0409 600MM R.C.PIPE CLASS III	39.000	M

SECTION NO.	0001	I000-ROADWAY			
613(B)	M0413	750MM R.C.PIPE CLASS III	11.600	M	
613(B)	M0415	900MM R.C.PIPE CLASS III	37.000	M	
613(CC)	M7196	TYPE A6 CULVERT END TREATMENT	20.000	EA	
613(CC)	M7197	TYPE B6 CULVERT END TREATMENT	10.000	EA	
613(D)	M5719	450MM CORR. GALV. STEEL PIPE	250.900	M	
613(D)	M5721	600MM CORR. GALV. STEEL PIPE	166.700	M	
613(D)	M5725	900MM CORR. GALV. STEEL PIPE	48.000	M	
613(M)	M5730	600MM PREFAB. CULVERT END SECTION, ROUND		2.000	EA
613(M)	M5732	750MM PREFAB. CULVERT END SECTION, ROUND		1.000	EA
613(M)	M5734	900MM PREFAB. CULVERT END SECTION, ROUND		2.000	EA
613(P)	M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND		150.000	M
613(Q)	M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.		50.000	M
613(S)	M1180	TRENCH EXCAVATION	212.000	M3	
613(T)	M1181	STANDARD BEDDING MATERIAL	113.000	M3	
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	12,643.000	M2	
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
623(A)	M1418	BEAM GUARD RAIL-W-BEAM-SINGLE	95.280	M	
623(D)	M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	2.000	EA	
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	6.000	EA	
623(H)	M8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA	
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	280.000	M	
625(B)	M1252	REMOVE AND RECONSTRUCT FENCE	640.000	M	
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	12.000	EA	
629(B)	M4959	MAILBOX INSTALLATION-MULTIPLE	5.000	EA	
629(C)	M4960	MAILBOX	23.000	EA	
640	M1426	FIELD OFFICE	1.000	EA	
641	M1552	MOBILIZATION	1.000	LSUM	
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM	
850(A)	M8110	SHEET ALUMINUM SIGNS	29.930	M2	
851(C)	M8321	44MM SQUARE TUBE POST	58.520	M	
851(C)	M8327	57MM SQUARE TUBE POST	193.270	M	
855(A)	M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)	47,000.000	M	
855(B)	M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	6.000	EA	
855(B)	M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	3.000	EA	
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	4,840.000	M	
856(C)	M8851	REM.PAVEMENT MARKING TAPE(100MM WIDE)	2,000.000	M	
856(G)	M8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	2,000.000	EA	
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2,000.000	M	
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	6,300.000	SD	
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	28,700.000	SD	
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	17,500.000	SD	
880(C)	M8836	BARRICADES(TYPE II)	3,000.000	SD	
880(C)	M8842	BARRICEDES(TYPE III)	24,500.000	SD	
880(C)	M8845	BARRICADES(TYPE III)	3.000	EA	
880(C)	M8848	WING BARRICADES	2,100.000	SD	
880(D)	M8854	VERTICAL PANELS	26,500.000	SD	
880(E)	M8860	WARNING LIGHTS(TYPE A)	61,600.000	SD	
880(E)	M8872	WARNING LIGHTS(TYPE C)	105,000.000	SD	
880(P)	M8027	DRUMS	31,500.000	SD	
SECTION NO.	0002	STAK-STAKING			
642	M0098	STAKING	1.000	LSUM	

LNTCIQA STATE PROJECT PAGE 17
 CALL ORDER : 265 CONTRACT ID : 000240
 LETTING DATE : September 21, 2000 PCN : 1696704
 LETTING TIME : 2:00 P.M.
 COUNTIES: ROGERS PROJECTS : CIP-166C(16)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 54.22
 RES. ENG.: 83CLA
 CAL. DAYS: 300 LIQ. DAM: \$ 2000

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)
 ON SH-266 BEGINNING AT THE JUNCTION OF SH-266/SH-66 AND
 EXTENDING EAST TO I-44.
 PROJ. LGTH.= 0.85 MI.
 FLEX. ESALS= 4.4 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	19,814.000	CY
202(E)	0184 UNCLASSIFIED BORROW	356,101.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	500.000	LF
223	2801 TEMPORARY SILT FENCE	11,140.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	1,500.000	CY
230(A)	2806 SOLID SLAB SODDING	11,237.000	SY
230(B)	2807 MULCH SODDING	77,933.000	SY
230(F)	2812 WATERING	5.400	MGAL
232	7185 (PL)TEMPORARY SEEDING	1,800.000	LB
233(A)	2817 VEGETATIVE MULCHING	15.000	AC
303	0192 AGGREGATE BASE	9,867.000	CY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	200.000	TON
407	0250 TACK COAT	1,670.000	GAL
408	5774 PRIME COAT	5,149.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	7,397.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	3,720.000	TON
417	5267 COLD MILLING PAVEMENT	200.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	865.000	CY
509(B)	0321 CLASS A CONCRETE	516.000	CY
511(A)	0332 REINFORCING STEEL	115,304.000	LB
610(C)	0609 6" CONCRETE DIVIDING STRIP	1,312.000	SY
613(B)	0491 18" R.C.PIPE CLASS III	284.000	LF
613(B)	0493 30" R.C.PIPE CLASS III	397.000	LF
613(D)	4528 28" X 20" CORR. GALV. STEEL PIPE ARCH	894.000	LF
613(M)	0897 18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	0899 30" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M)	4637 28" X 20" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(P)	1091 6" PERFORATED PIPE UNDERDRAIN ROUND	1,500.000	LF
613(Q)	1096 6" NON-PERF.PIPE UNDERDRAIN RND.	200.000	LF
613(R)	1100 PIPE UNDERDRAIN COVER MAT'L.	322.000	CY
613(S)	1180 TRENCH EXCAVATION	1,336.000	CY

SECTION NO. 0001		I000-ROADWAY		
613(T)	1181	STANDARD BEDDING MATERIAL	403.300	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	4,747.000	SY
619(C)	0924	SAWING PAVEMENT	3,798.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	294.000	LF
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	5.000	EA
624(A)	4281	FENCE-STYLE WWF	3,708.000	LF
624(C)	4458	FENCE-STYLE SWF (4 BARBED WIRE)	2,875.000	LF
628(A)	4317	CONCRETE MEDIAN BARRIER DESIGN 1	149.500	LF
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
653(C)	5946	OUTLET LATERAL HEADWALL	2.000	EA
SECTION NO. 0002		X531-BRIDGE 'A'		
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	70.000	CY
501(G)	6309	CLSM BACKFILL	68.800	CY
504(A)	1304	APPROACH SLAB	69.000	SY
504(F)	1381	CONCRETE PARAPET	402.700	LF
506(A)	1322	STRUCTURAL STEEL	187,510.000	LB
509(A)	1326	CLASS AA CONCRETE	143.200	CY
509(B)	1328	CLASS A CONCRETE	77.400	CY
510(C)	6135	SLOPE WALL (5")	200.000	SY
511(A)	1332	REINFORCING STEEL	4,100.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	35,680.000	LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	384.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	384.000	LF
514(G)	6310	METAL PILE SHOES	6.000	EA
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	361.000	SY
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	70.000	LF
516(C)	6101	CORRUGATED GALV. STEEL PIPE 12" DIA.	220.000	LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	24.000	LF
613(Q)	6207	6" RND.NON-PERF.PIPE UNDERDRAIN	50.000	LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	16.000	CY
613(S)	1396	TRENCH EXCAVATION	8.000	CY
619(B)	6319	REMOVAL OF DECK	120.000	SY
900.07	6138	(PL)INLET AND BASIN	2.000	EA
SECTION NO. 0003		X281-BRIDGE 'B'		
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	195.000	CY
501(G)	6309	CLSM BACKFILL	229.300	CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,489.300	LF
504(A)	1304	APPROACH SLAB	366.600	SY
504(C)	6276	(PL)SEALED EXPANSION JOINTS	53.000	LF
504(F)	1381	CONCRETE PARAPET	549.700	LF
506(A)	1322	STRUCTURAL STEEL	7,160.000	LB
509(A)	1326	CLASS AA CONCRETE	339.700	CY
509(B)	1328	CLASS A CONCRETE	194.000	CY
510(C)	6135	SLOPE WALL (5")	606.000	SY
511(A)	1332	REINFORCING STEEL	19,470.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	63,530.000	LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	1,674.000	LF

SECTION NO. 0003		X281-BRIDGE 'B'	
514(B)	6294	PILES, DRIVEN (HP 12X53)	1,674.000 LF
514(G)	6310	METAL PILE SHOES	34.000 EA
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	977.000 SY
516(A)	6095	DRILLED SHAFTS 54" DIAMETER	123.000 LF
516(C)	6101	CORRUGATED GALV. STEEL PIPE 12" DIA.	370.000 LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	112.000 LF
613(Q)	6207	6" RND.NON-PERF.PIPE UNDERDRAIN	208.000 LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	42.000 CY
613(S)	1396	TRENCH EXCAVATION	32.000 CY
900.07	6138	(PL)INLET AND BASIN	4.000 EA
SECTION NO. 0004		Y000-TRAFFIC	
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	21,200.000 LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	5,300.000 LF
804	2915	STRUCTURAL CONCRETE	18.500 CY
804	2916	REINFORCING STEEL	5,190.000 LB
850(A)	8215	SHEET ALUMINUM SIGNS	183.900 SF
850(B)	3204	EXTRUDED ALUMINUM PANEL SIGNS	1,712.500 SF
851	8616	(PL)1 3/4" SQUARE TUBE POST	22.300 LF
851	8642	(PL)2 1/4" SQUARE TUBE POST	111.500 LF
851(A)	3206	4"@13 GALV.STL.WD.FLANGE BM.POST	61.800 LF
851(A)	3208	6"@20 GALV.STL.WD.FLANGE BM.POST	38.900 LF
851(A)	3210	8"@31 GALV.STL.WD.FLANGE BM.POST	250.000 LF
851(A)	3211	8"@35 GALV.STL.WD.FLANGE BM.POST	112.300 LF
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	9.800 LF
851(B)	3217	2 1/2"@5.79 GALV.STL.PIPE POST	62.300 LF
851(B)	3218	3"@7.58 GALV.STL.PIPE POST	34.200 LF
854	3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	1,000.000 LF
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	34,484.000 LF
856(B)	8005	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	6,000.000 LF
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1,200.000 LF
871	8709	(PL)CONST.ZONE QUADGUARD IMPACT ATTEN.	120.000 SD
880(C)	8015	ADVANCE WARNING DEVICE(TYPE C)	1,460.000 SD
880(D)	8016	SIGNS 0 TO 6.25 SF	4,600.000 SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	2,000.000 SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	1,100.000 SD
880(I)	8020	BARRICADES(TYPE II)	1,000.000 SD
880(J)	8021	BARRICADES(TYPE III)	3,000.000 SD
880(K)	8022	WING BARRICADES	3,000.000 SD
880(L)	8023	VERTICAL PANELS	3,000.000 SD
880(M)	8024	TYPE A LIGHT	6,000.000 SD
880(O)	8026	TYPE C LIGHT	50,000.000 SD
880(P)	8027	DRUMS	50,000.000 SD
961.43	8607	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE	1,000.000 EA
SECTION NO. 0005		STAK-STAKING	
642	0098	STAKING	1.000 LSUM

LNTCIQA STATE PROJECT PAGE 20
 CALL ORDER : 290 CONTRACT ID : 000412
 LETTING DATE : September 21, 2000 PCN : 1846904
 LETTING TIME : 2:00 P.M.
 COUNTIES: TULSA PROJECTS : SAP-172N(154)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.78
 RES. ENG.: 81TUL
 CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE REPAIR
 US-64; OVERHEIGHT VEHICLE DAMAGE ON US-64 UNDER
 65TH WEST AVE.
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X231-BRIDGE REPAIR		
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	1.000	GAL
535 6163	(PL)REMOVE & REINSTALL DIAPHRAMS	1.000	EA
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	Y008-TRAFFIC CONTROL		
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	16.000	HOURL
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 21
 CALL ORDER : 300 CONTRACT ID : 000410
 LETTING DATE : September 21, 2000 PCN : 1790604
 LETTING TIME : 2:00 P.M.
 COUNTIES: WASHITA PROJECTS : BRO-175D(22)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.22
 RES. ENG.: 51CLI
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY ROAD(NS-222) OVER SOUTH BOGGY CREEK APPROXIMATELY
 2.5 MILE WEST AND 1.0 MILE SOUTH OF THE TOWN OF BESSIE.
 PROJ. LGTH.= 0.151 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
202(G) 0185	EARTHWORK	1.000	LSUM
222 2801	TEMPORARY BALE BARRIER	300.000	LF
223 2802	TEMPORARY SILTATION SCREEN	500.000	LF
230(A) 2806	SOLID SLAB SODDING	5,600.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.160	AC
403(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	332.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(D) 0690	24" CORR. GALV. STEEL PIPE	88.000	LF
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	356.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	245.000	LF
506(A) 1322	STRUCTURAL STEEL	1,810.000	LB
509(A) 1326	CLASS AA CONCRETE	69.800	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	23,127.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	1,252.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1,252.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1,020.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	290.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 0098	STAKING	1.000	LSUM