

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : September 25, 2000

LNTCNCA
LETTING

NOTICE TO CONTRACTORS -- October 19, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF October 19, 2000 , TO BE PUBLICALLY OPENED AT 2:00 P.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 2:00 P.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS IS \$25.00 PLUS TAX FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 PLUS TAX, OR 1996 METRIC STD SPEC \$27.00 + TAX OR 1999 METRIC AND ENGLISH STD SPEC \$55.00 + TAX. (OKLAHOMA TAX IS 7.875%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

LNTCIQA
 CALL ORDER : 042
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: BRYAN

FEDERAL PROJECT
 CONTRACT ID : 000457
 PCN : 1676404

PAGE 1

PROJECTS : STPY-22N(29)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.93
 RES. ENG.: 23MAD
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 DURANT, TRAFFIC SIGNAL SYSTEM ON US-70 AT THE INTERSECTIONS
 OF NORTH 1ST STREET AND NORTH 3RD STREET
 PROJ. LGTH.= 0.00 KM.
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y008-TRAFFIC SIGNALS		
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1.400	T
414(A) M0260	200MM P.C. CONCRETE PAVEMENT	6.000	M2
609(B) M1514	500MM COMB.CRB.& GUT.(200MM BAR.)	44.000	M
610(A) M0602	100MM CONCRETE SIDEWALK	99.600	M2
610(B) M0399	150MM CONCRETE DRIVEWAY (H.E.S.)	30.600	M2
610(C) M0609	150MM CONCRETE DIVIDING STRIP	14.800	M2
619(B) M4727	REMOVAL OF CONCRETE PAVEMENT	143.300	M2
619(C) M0924	SAWING PAVEMENT	173.100	M
641 M1552	MOBILIZATION	1.000	LSUM
802(B) M8340	50MM PVC SCH.40 P.C.BORED	35.000	M
802(B) M8344	75MM PVC SCH.40 P.C.BORED	115.000	M
803 M8065	PULL BOX(SIZE I)	6.000	EA
803 M8066	PULL BOX(SIZE II)	2.000	EA
804(A) M2915	STRUCTURAL CONCRETE	16.100	M3
804(B) M2916	REINFORCING STEEL	1,418.300	KG
806(A) M8762	9.7M MHP 7.6M TS & 4.6M LMA(G.STL.)	2.000	EA
806(A) M8772	9.7M MHP 9.1M TS & 4.6M LMA(G.STL.)	1.000	EA
806(A) M8784	9.7M MHP 10.7M TS & 4.6M LMA(G.STL.)	1.000	EA
806(A) M8796	9.7M MHP 12.2M TS & 4.6M LMA(G.STL.)	3.000	EA
806(B) M8892	2.4M MTG.HT.TS PED.POLE(G.STL.)	1.000	EA
809(A) M8090	(PL)ROADWAY LUMINAIRE	7.000	EA
811 M8040	1/C NO.6 ELECT.COND.	20.000	M
811 M8044	1/C NO.10 ELECT.COND.	700.000	M
825 M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	2.000	EA
828 M8132	(PL)DETECTION SYSTEM(VIDEO)	1.000	LSUM
830 M8000	PEDESTRIAN PUSH BUTTON	14.000	EA
831 M8231	1WAY3SEC.ADJ.SIG.HD.S-6	12.000	EA
831 M8286	1WAY5SEC.ADJ.SIG.HD.S-19	2.000	EA
831 M8295	1WAY2SEC.ADJ.SIG.HD.S-20	14.000	EA
833 M3038	127MM BACKPLATE(300MM HDS)(B-2)	14.000	EA
834(A) M8207	5/C TRAF.SIG.EL.CABLE	850.000	M
834(A) M8208	7/C TRAF.SIG.EL.CABLE	130.000	M
834(A) M8209	9/C TRAF.SIG.EL.CABLE	350.000	M
834(B) M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	15.000	M

SECTION NO.	0001	Y008-TRAFFIC SIGNALS		
850(A)	M8110	SHEET ALUMINUM SIGNS	8.980	M2
850(C)	M8118	MAST ARM MOUNTED SIGNS(ALUM.)	7.030	M2
851(B)	M3220	100MM@16.06 GALV.STL.PIPE POST	36.000	M
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	2,586.200	M
855(B)	M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	10.000	EA
855(B)	M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	6.000	EA
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	850.000	M
880(J)	M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A)	M8724	(PL)REMOVAL OF EXISTING SIGNS	1.000	EA
890(A)	M8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT		1.000 LSUM

LNTCIQA
 CALL ORDER : 050
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CANADIAN

FEDERAL PROJECT
 CONTRACT ID : 000421
 PCN : 1830904

PAGE 3

PROJECTS : STPY-109B(44)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.32
 RES. ENG.: 42ELR
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 SIGNALS AT THE INTERSECTION OF SH-4 AND SW 59TH
 IN MUSTANG
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y031-TRAFFIC SIGNALS		
641	1552 MOBILIZATION	1.000	LSUM
802(B)	8334 1" PVC SCH.40 PLASTIC CONDUIT TRENCHED		70.000 LF
802(B)	8336 1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED		60.000 LF
802(B)	8338 1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH		1,090.000 LF
802(B)	8342 2" PVC SCH.40 PLASTIC CONDUIT TRENCHED		40.000 LF
802(B)	8344 3" PVC SCH.40 PLASTIC CONDUIT BORED	315.000	LF
802(B)	8346 3" PVC SCH.40 PLASTIC CONDUIT TRENCHED		15.000 LF
803	8065 PULL BOX(SIZE I)	3.000	EA
803	8066 PULL BOX(SIZE II)	1.000	EA
803	8067 PULL BOX(SIZE III)	8.000	EA
804(A)	2915 STRUCTURAL CONCRETE	12.200	CY
804(B)	2916 REINFORCING STEEL	1,867.900	LB
806(A)	8328 32' MH POLE 40' TS&12' LMA(G.STL.)	1.000	EA
806(A)	8330 32' MH POLE 45' TS&12' LMA(G.STL.)	3.000	EA
809(A)	8090 (PL)ROADWAY LUMINAIRE	4.000	EA
811	8040 1/C NO.6 ELECT.COND.	250.000	LF
811	8044 1/C NO.10 ELECT.COND.	1,509.000	LF
825	8550 VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A)	8135 SOL.STE.DIGITAL IND.VEH.LP.DET.	12.000	EA
828(B)	8138 LOOP DETECTOR WIRE	5,760.000	LF
830	8000 PEDESTRIAN PUSH BUTTON	8.000	EA
831	8170 1WAY3SEC.ADJ.SIG.HD.(MAM)S-6	8.000	EA
831	8171 1WAY3SEC.ADJ.SIG.HD.(MAM)S-9	4.000	EA
831	8194 1WAY2SEC.ADJ.PED.SIG.HD.(CM)S-20	8.000	EA
833	3038 5" BACKPLATE(12" HDS)(B-2)	12.000	EA
834(A)	8207 5/C TRAF.SIG.EL.CABLE	1,384.000	LF
834(A)	8210 12/C TRAF.SIG.EL.CABLE	544.000	LF
834(B)	8220 2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE		2,712.000 LF
840(A)	8592 (PL)E.P.S. OPTICAL EMITTER	5.000	EA
840(B)	8593 (PL)E.P.S. OPTICAL DETECTOR	4.000	EA
840(C)	8594 (PL)E.P.S. OPTICAL DETECTOR CABLE	150.000	LF
840(D)	8595 (PL)E.P.S. 2 CHANNEL PHASE SELECTOR	1.000	EA
850(C)	8118 MAST ARM MOUNTED SIGNS(ALUM.)	52.520	SF
855(A)	8812 TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,168.000	LF
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA

FEDERAL PROJECT

PAGE 4

SECTION NO. 0001

Y031-TRAFFIC SIGNALS

890(A) 8722

(PL)REMOVAL OF EXISTING SIGNS

1.000

LSUM

LNTCIQA
 CALL ORDER : 060
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CHEROKEE

FEDERAL PROJECT
 CONTRACT ID : 000422
 PCN : 0170404

PAGE 5

PROJECTS : STP-11B(370)UR
 DBE/WBE GOALS: 12.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 8.63
 RES. ENG.: 11MUS
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE & SURFACE(ASPHALT)
 ON 4TH STREET, IN THE CITY OF TAHLEQUAH, BEGINNING AT GUINN
 AVENUE AND EXTENDING EAST TO KINDLE AVENUE.
 PROJ. LGTH.= 0.226 MILE
 FLEX. ESALS= 3.2 MILLION
 ASPH. GRADE= 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	1,384.000	CY
202(E)	0184 UNCLASSIFIED BORROW	15,037.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	1,000.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	400.000	CY
230(A)	2806 SOLID SLAB SODDING	7,700.000	SY
233(A)	2817 VEGETATIVE MULCHING	6.000	AC
234(A)	2824 FERTILIZING (10-20-10)	0.770	TON
234(A)	4406 FERTILIZING (0-46-0)	0.300	TON
307(B)	4234 6" LIME TREATED SUBGRADE	5,026.500	SY
317(B)	4253 LIME	91.000	TON
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	850.000	TON
407	0250 TACK COAT	522.000	GAL
408	5774 (SU)PRIME COAT	1,011.000	GAL
411(A)	6520 (SP)ASPHALT CONCRETE TYPE A(PG 76-28 OK)	2,274.100	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	680.500	TON
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	0.320	CY
509(E)	0325 CLASS C CONCRETE	11.000	CY
609(B)	1514 1'-8" COMB.CRB.& GUT.(8" BARRIER)	2,944.000	LF
610(A)	0602 4" CONCRETE SIDEWALK	543.000	SY
610(B)	0399 6" CONCRETE DRIVEWAY (H.E.S.)	198.000	SY
611(E)	5315 INLET CICI DES. 2 (STD)	1.000	EA
611(E)	5347 INLET SSI DES. 6	1.000	EA
611(G)	4488 INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	4.000	EA
611(K)	4488 CAST IRON CURB INLETS	2.000	EA
612(A)	0641 MANHOLES ADJUST TO GRADE	3.000	EA
613(B)	4495 22" X 13" R.C.PIPE ARCH CLASS A-III	22.000	LF
613(B)	4497 36" X 22" R.C.PIPE ARCH CLASS A-III	78.000	LF
613(CC)	7186 TYPE A4 CULVERT END TREATMENT	1.000	EA
613(D)	4527 21" X 15" CORR. GALV. STEEL PIPE ARCH	20.000	LF
613(D)	4528 28" X 20" CORR. GALV. STEEL PIPE ARCH	42.000	LF
613(M)	0989 36" X 22" PREFAB. CULVERT END SEC., ARCH	2.000	EA

SECTION NO. 0001	I000-ROADWAY		
613(M) 4637	28" X 20" PREFAB. CULVERT END SEC., ARCH	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(C) 0924	SAWING PAVEMENT	315.000	LF
850(A) 8215	SHEET ALUMINUM SIGNS	28.750	SF
851 8642	(PL)2 1/4" SQUARE TUBE POST	55.000	LF
855(A) 3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,658.000	LF
931.97 7011	(PL) TEMPORARY SILT FENCE	3,000.000	LF
SECTION NO. 0002	X071-BRIDGE 'A'		
202(E) 1302	UNCLASSIFIED BORROW	53.100	CY
414(C) 1304	APPROACH SLABS	138.000	SY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	263.600	CY
501(C) 1308	SUBSTRUCTURE EXCAVATION ROCK	63.500	CY
504(A) 1314	CLASS AA CONCRETE	235.600	CY
505(A) 1380	CONCRETE RAIL	777.000	LF
506(A) 1322	STRUCTURAL STEEL	217,360.000	LB
506(A) 6007	STRUCTURAL STEEL A588	530.000	LB
509(B) 1328	CLASS A CONCRETE	199.500	CY
511(A) 1439	REINFORCING STEEL (GRADE 60)	51,555.000	LB
511(B) 6009	EPOXY COATED REINFORCING STEEL (GR 60)	28,015.000	LB
516(A) 6090	DRILLED SHAFTS 24" DIAMETER	58.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	144.000	LF
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	68.000	LF
613(Q) 6207	6"RND.NON-PERF.PIPE UNDERDRAIN	40.000	LF
613(R) 1395	PIPE UNDERDRAIN COVER MAT'L.	51.200	CY
613(S) 1396	TRENCH EXCAVATION	32.000	CY
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F) 6029	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM
901.14 6264	(PL) SEALED EXPANSION JOINT	75.700	LF
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 090
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CLEVELAND

FEDERAL PROJECT
 CONTRACT ID : 000425
 PCN : 1747404
 PROJECTS : BRF-114C(26)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.85
 RES. ENG.: 32PUR
 CAL. DAYS: 90

PAGE 7

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER BUCKHEAD CREEK 4.828 KM. SOUTH AND
 11.909 KM. EAST OF LEXINGTON
 PROJ. LGTH.= 0.309 KM.
 FLEX. ESALS= 0.2 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(G)	M0185	EARTHWORK	1.000 LSUM
205	M7174	(PL)TOPSOIL - LUMP SUM	1.000 LSUM
222	M2801	TEMPORARY BALE BARRIER	126.000 M
223	M2802	TEMPORARY SILT FENCE	260.000 M
230(A)	M2806	SOLID SLAB SODDING	7,110.000 M2
233(A)	M2817	VEGETATIVE MULCHING	1.224 HA
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	200.000 T
407	M0250	TACK COAT	458.000 L
408	M5774	PRIME COAT	1,952.000 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	440.000 T
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	384.000 T
509(D)	M0325	CLASS C CONCRETE	10.000 M3
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	1,240.000 M
SECTION NO. 0002	X081-BRIDGE "A"		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	98.000 M3
501(F)	M6352	GRANULAR BACKFILL	48.000 M3
503(A)	M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	127.000 M
504(E)	M1380	CONCRETE RAIL (TR1)	82.300 M
506(A)	M1322	STRUCTURAL STEEL	665.000 KG
509(A)	M1326	CLASS AA CONCRETE	57.900 M3
509(E)	M1332	CLASS S CONCRETE	44.600 M3
511(A)	M1332	REINFORCING STEEL	11,360.000 KG
514(A)	M6013	PILES, FURNISHED (HP 310X79)	373.800 M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	373.800 M
601(D)	M1390	TYPE IV GROUTED RIPRAP	1,867.000 M2
601A-1	M1353	TYPE I-A PLAIN RIPRAP	656.000 T
601A-2	M1355	TYPE I-A FILTER BLANKET	125.000 T
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(A)	M1418	BEAM GUARD RAIL-W-BEAM-SINGLE	213.360 M
623(F)	M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000 EA

SECTION NO. 0002	X081-BRIDGE "A"		
623(F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 120
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: CUSTER

FEDERAL PROJECT
 CONTRACT ID : 000427
 PCN : 1747504
 PROJECTS : BRO-120D(23)CO
 DBE/WBE GOALS: 12.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.78
 RES. ENG.: 51CLI
 CAL. DAYS: 120

PAGE 9

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER DEER CREEK, 9.656 KM. WEST AND 1.207 KM.
 SOUTH OF THOMAS
 PROJ. LGTH.= 0.340 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
202(G) M6181	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	100.000	M
223 M2802	TEMPORARY SILT FENCE	500.000	M
229 M4318	DITCH LINER PROTECTION	60.000	M
230(B) M2807	MULCH SODDING	8,860.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.890	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	464.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
SECTION NO. 0002 X081-BRIDGE 'A'			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	70.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	200.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	127.000	M
504(E) M1380	CONCRETE RAIL (TR1)	65.500	M
506(A) M1322	STRUCTURAL STEEL	670.000	KG
509(A) M1326	CLASS AA CONCRETE	60.000	M3
509(B) M0321	CLASS A CONCRETE	49.400	M3
511(A) M1332	REINFORCING STEEL	10,527.000	KG
516(A) M6092	DRILLED SHAFTS 900MM DIAMETER	56.800	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	530.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	150.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 130
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: GARVIN

FEDERAL PROJECT
 CONTRACT ID : 000428
 PCN : 1722804
 PROJECTS : BRF-125C(28)CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.39
 RES. ENG.: 31ADA
 CAL. DAYS: 150

PAGE 10

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER ROCK CREEK, 5.472 KM. SOUTH AND 2.414 KM.
 EAST OF ELMORE CITY
 PROJ. LGTH.= 0.359 KM.
 FLEX. ESALS= 0.095 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
227 M0100	TEMPORARY SILT DIKE	700.000	M
230(A) M2806	SOLID SLAB SODDING	7,550.000	M2
233(A) M2817	VEGETATIVE MULCHING	1.500	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	30.000	T
407 M0250	TACK COAT	620.000	L
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	696.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(B) M0409	600MM R.C.PIPE CLASS III	21.000	M
613(D) M0690	600MM CORR. GALV. STEEL PIPE	26.000	M
613(G) M0761	600MM GALV. STEEL CULVERT END SECT. RND.	6.000	EA
613(M) M0898	600MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
SECTION NO. 0002	X081-BRIDGE "A"		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	76.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	32.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	207.750	M
504(E) M1380	CONCRETE RAIL (TR1)	98.900	M
509(A) M1326	CLASS AA CONCRETE	74.450	M3
509(B) M1328	CLASS A CONCRETE	54.420	M3
511(A) M1332	REINFORCING STEEL	12,921.000	KG
514(A) M6013	PILES, FURNISHED (HP 310X79)	106.910	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	106.910	M
516(A) M6093	DRILLED SHAFTS 1050MM DIAMETER	36.660	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,189.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	340.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		

LNTCIQA

FEDERAL PROJECT

PAGE 11

642 M0098

STAKING

1.000 LSUM

LNTCIQA FEDERAL PROJECT PAGE 12
 CALL ORDER : 140 CONTRACT ID : 000429
 LETTING DATE : October 19, 2000 PCN : 1761304
 LETTING TIME : 2:00 P.M.
 COUNTIES: GRADY PROJECTS : BRO-126D(26)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.70
 RES. ENG.: 71DUN
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER BUCKHORN CREEK, 10.460 KM. SOUTH AND
 3.219 KM. WEST OF THE JCT. OF SH-17 AND US-81
 PROJ. LGTH.= 0.279 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	900.000	M
227 M0100	TEMPORARY SILT DIKE	80.000	M
230(A) M2806	SOLID SLAB SODDING	2,200.000	M2
230(B) M2807	MULCH SODDING	3,500.000	M2
233(A) M2817	VEGETATIVE MULCHING	1.300	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	600.000	T
509(D) M0325	CLASS C CONCRETE	68.000	M3
613(D) M1263	1075MM X 675MM CORR. GALV. ST. PIPE ARCH		13.200 M
613(D) M4528	700MM X 500MM CORR. GALV. ST. PIPE ARCH		37.800 M
613(M) M0990	1075MM X 675MM PREFAB.CULV.END SEC.,ARCH		2.000 EA
613(M) M4516	700MM X 500MM PREFAB.CULV.END SEC., ARCH		6.000 EA
850(A) M8110	SHEET ALUMINUM SIGNS	0.920	M2
851(D) M8597	FLANGE CHANNEL POSTS(5.95 KG/M)	9.000	M
SECTION NO. 0002	X081-BRIDGE "A"		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	50.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	126.840	M
504(E) M1380	CONCRETE RAIL (TR1)	86.140	M
506(A) M1322	STRUCTURAL STEEL	754.000	KG
509(A) M1326	CLASS AA CONCRETE	58.500	M3
509(B) M1328	CLASS A CONCRETE	51.200	M3
511(A) M1332	REINFORCING STEEL	11,748.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	48.860	M
514(A) M6013	PILES, FURNISHED (HP 310X79)	154.670	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	48.860	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	154.670	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,443.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	283.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM

SECTION NO. 0002	X081-BRIDGE "A"		
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 210
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: KIOWA

FEDERAL PROJECT
 CONTRACT ID : 000435
 PCN : 1786904
 PROJECTS : STP-138C(24)CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.62
 RES. ENG.: 52ALT
 CAL. DAYS: 45 LIQ. DAM: \$ 500

PAGE 14

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON COUNTY ROAD(EW-138)(OZARK TRAIL) BEGINNING AT US-183
 AND EXTENDING EAST.
 PROJ. LGTH.= 5.484 MILE
 FLEX. ESALS= 1.75 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY STP-138C(24)CO		
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	211.000	TON
407 0250	TACK COAT	3,738.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	14,793.000	TON
417 5267	COLD MILLING PAVEMENT	489.000	SY
641 1552	MOBILIZATION	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	73.750	SF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	116,160.000	LF
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 220
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: KIOWA

FEDERAL PROJECT
 CONTRACT ID : 000436
 PCN : 1787004

PAGE 15

PROJECTS : STP-138C(25)CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.62
 RES. ENG.: 52ALT
 CAL. DAYS: 45 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON COUNTY ROAD(EW-138)(OZARK TRAIL) BEGINNING APPROXIMATELY
 5.5 MILE EAST OF US-183 AND EXTENDING EAST TO SH-54.
 PROJ. LGTH.= 5.501 MILE
 FLEX. ESALS= 1.75 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY STP-138C(25)CO		
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	87.000	TON
407 0250	TACK COAT	3,750.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	14,910.000	TON
417 5267	COLD MILLING PAVEMENT	489.000	SY
641 1552	MOBILIZATION	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	80.000	SF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	116,202.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 16
 CALL ORDER : 230 CONTRACT ID : 000437
 LETTING DATE : October 19, 2000 PCN : 1786904C
 LETTING TIME : 2:00 P.M.
 COUNTIES: KIOWA PROJECTS : STP-138C(24)CO/STP-138C(25)CO
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.24
 RES. ENG.: 52ALT
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 RESURFACE(ASPHALT)
 ON COUNTY ROAD(EW-138)(OZARK TRAIL) BEGINNING AT US-183
 AND EXTENDING EAST TO SH-54.
 PROJ. LGTH.= 10.985 MILE
 FLEX. ESALS= 1.75 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY STP-138C(24)CO		
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	211.000	TON
407 0250	TACK COAT	3,738.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	14,793.000	TON
417 5267	COLD MILLING PAVEMENT	489.000	SY
641 1552	MOBILIZATION	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	73.750	SF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	116,160.000	LF
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY STP-138C(25)CO		
403(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	87.000	TON
407 0250	TACK COAT	3,750.000	GAL
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	14,910.000	TON
417 5267	COLD MILLING PAVEMENT	489.000	SY
641 1552	MOBILIZATION	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	80.000	SF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	116,202.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
960.16 8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 240
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: LEFLORE

FEDERAL PROJECT
 CONTRACT ID : 000438
 PCN : 1766604
 PROJECTS : BRO-140D(48)CO
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.16
 RES. ENG.: 22HEV
 CAL. DAYS: 120 LIQ. DAM: \$ 500

PAGE 17

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY ROAD(NS-477) OVER A TRIBUTARY OF THE POTEAU RIVER
 APPROXIMATELY 0.8 KILOMETERS WEST AND 0.8 KILOMETERS SOUTH
 OF THE JUNCTION OF US-271/SH-9A.
 PROJ. LGTH.= 0.159 KILOMETERS
 FLEX. ESALS= 0.28 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY BRO-140D(48)CO		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
227 M0100	TEMPORARY SILT DIKE	300.000	M
230(A) M2806	SOLID SLAB SODDING	2,000.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.500	HA
303 M0192	AGGREGATE BASE	240.000	M3
407 M0250	TACK COAT	540.800	L
408 M5774	PRIME COAT	2,900.000	L
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		272.000 T
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		134.000 T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(D) M0689	450MM CORR. GALV. STEEL PIPE	8.400	M
613(M) M0897	450MM PREFAB. CULVERT END SEC., ROUND		2.000 EA
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	640.000	M
SECTION NO. 0002	X028-BRIDGE 'A' BRO-140D(48)CO		
202(A) M1301	UNCLASSIFIED EXCAVATION	340.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	62.000	M3
509(B) M1328	CLASS A CONCRETE	140.600	M3
511(A) M1332	REINFORCING STEEL	11,010.000	KG
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING BRO-140D(48)CO		
642 M0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 18
 CALL ORDER : 250 CONTRACT ID : 000439
 LETTING DATE : October 19, 2000 PCN : 1736604
 LETTING TIME : 2:00 P.M.
 COUNTIES: SEQUOYAH PROJECTS : BRO-168D(33)CO
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 1.62
 RES. ENG.: 12SAL
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 COUNTY ROAD(EW-107) OVER CAMP CREEK APPROXIMATELY 6.44
 KILOMETERS NORTH AND 4.35 KILOMETERS EAST OF THE JUNCTION
 OF US-64/SH-64B.
 PROJ. LGTH.= 0.190 KILOMETERS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY BRO-168D(33)CO		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	400.000	M
227 M0100	TEMPORARY SILT DIKE	30.000	M
230(A) M2806	SOLID SLAB SODDING	2,080.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.420	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	230.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
850(A) M8110	SHEET ALUMINUM SIGNS	1.060	M2
851(D) M8597	FLANGE CHANNEL POSTS(5.95 KG/M)	9.000	M
SECTION NO. 0002 X028-BRIDGE 'A' BRO-168D(33)CO			
202(A) M1301	UNCLASSIFIED EXCAVATION	702.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	77.000	M3
509(B) M1328	CLASS A CONCRETE	188.200	M3
511(A) M1332	REINFORCING STEEL	18,480.000	KG
601A-1 M1353	TYPE I-A PLAIN RIPRAP	115.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	30.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING BRO-168D(33)CO			
642 M0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 19
 CALL ORDER : 260 CONTRACT ID : 000440
 LETTING DATE : October 19, 2000 PCN : 1736604C
 LETTING TIME : 2:00 P.M.
 COUNTIES: LEFLORE PROJECTS : BRO-140D(48)CO/BRO-168D(33)CO
 SEQUOYAH DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.78
 RES. ENG.: 22HEV
 CAL. DAYS: 270 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGES & APPROACHES
 BRIDGE OVER POTEAU RIVER TRIBUTARY APPROXIMATELY 0.8 KM.
 WEST AND 0.8 KM. SOUTH OF THE JUNCTION OF US-271/SH-9A;
 BRIDGE OVER CAMP CREEK APPROXIMATELY 6.44 KM. NORTH AND
 4.35 KM. EAST OF THE JUNCTION OF US-64/SH-64B.
 PROJ. LGTH.= 0.349 KILOMETERS
 FLEX. ESALS= 0.28 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY BRO-168D(33)CO			
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	M0185 EARTHWORK	1.000	LSUM
223	M2802 TEMPORARY SILT FENCE	400.000	M
227	M0100 TEMPORARY SILT DIKE	30.000	M
230(A)	M2806 SOLID SLAB SODDING	2,080.000	M2
233(A)	M2817 VEGETATIVE MULCHING	0.420	HA
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	230.000	T
509(D)	M0325 CLASS C CONCRETE	10.000	M3
850(A)	M8110 SHEET ALUMINUM SIGNS	1.060	M2
851(D)	M8597 FLANGE CHANNEL POSTS(5.95 KG/M)	9.000	M
SECTION NO. 0002 I000-ROADWAY BRO-140D(48)CO			
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	M0185 EARTHWORK	1.000	LSUM
227	M0100 TEMPORARY SILT DIKE	300.000	M
230(A)	M2806 SOLID SLAB SODDING	2,000.000	M2
233(A)	M2817 VEGETATIVE MULCHING	0.500	HA
303	M0192 AGGREGATE BASE	240.000	M3
407	M0250 TACK COAT	540.800	L
408	M5774 PRIME COAT	2,900.000	L
411(A)	M6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	272.000	T
411(B)	M6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	134.000	T
509(D)	M0325 CLASS C CONCRETE	10.000	M3
613(D)	M0689 450MM CORR. GALV. STEEL PIPE	8.400	M
613(M)	M0897 450MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
855(A)	M8812 TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	640.000	M
SECTION NO. 0003 X028-BRIDGE 'A' BRO-168D(33)CO			
202(A)	M1301 UNCLASSIFIED EXCAVATION	702.000	M3

SECTION NO. 0003	X028-BRIDGE 'A'	BRO-168D(33)CO		
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED		77.000	M3
509(B) M1328	CLASS A CONCRETE		188.200	M3
511(A) M1332	REINFORCING STEEL		18,480.000	KG
601A-1 M1353	TYPE I-A PLAIN RIPRAP		115.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET		30.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
641 M1399	MOBILIZATION		1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL		1.000	LSUM
SECTION NO. 0004	X028-BRIDGE 'A'	BRO-140D(48)CO		
202(A) M1301	UNCLASSIFIED EXCAVATION		340.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED		62.000	M3
509(B) M1328	CLASS A CONCRETE		140.600	M3
511(A) M1332	REINFORCING STEEL		11,010.000	KG
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000	LSUM
641 M1399	MOBILIZATION		1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL		1.000	LSUM
SECTION NO. 0005	STAK-STAKING	BRO-168D(33)CO		
642 M0098	STAKING		1.000	LSUM
SECTION NO. 0006	STAK-STAKING	BRO-140D(48)CO		
642 M0098	STAKING		1.000	LSUM

LNTCIQA
 CALL ORDER : 265
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: MARSHALL

STATE PROJECT
 CONTRACT ID : 000236
 PCN : 1674604

PAGE 21

PROJECTS : CIP-148N(008)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 14.56
 RES. ENG.: 23MAD
 CAL. DAYS: 210 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON US-70 BEGINNING APPROXIMATELY 3.3 MILE EAST OF THE
 JUNCTION OF US-70/SH-70A IN KINGSTON AND EXTENDING EAST.
 PROJ. LGTH.= 1.28 MI.
 FLEX. ESALS= 6.6 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	92,341.000	CY
202(E)	0184 UNCLASSIFIED BORROW	5,000.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	12,633.500	CY
227	0100 (PL)TEMPORARY SILT DIKE	9,524.100	LF
229	4318 DITCH LINER PROTECTION	1,835.500	LF
230(A)	2806 SOLID SLAB SODDING	6,188.900	SY
230(E)	2810 BROADCAST SPRIGGING (METHOD A)	58,945.400	SY
230(G)	2812 WATERING	2,605.400	MGAL
233(A)	2817 VEGETATIVE MULCHING	13.500	AC
234(A)	2824 FERTILIZING (10-20-10)	6.500	TON
234(A)	4406 FERTILIZING (0-46-0)	1.000	TON
241	2832 MOWING	13.500	AC
303	0192 AGGREGATE BASE	10,396.900	CY
307(A)	4233 LIME	364.200	TON
317(A)	4252 FLY ASH	3,277.600	TON
317(C)	4254 SUBGRADE MODIFICATION	57,084.100	SY
317(D)	4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	19,028.000	SY
325	5271 (SU)SEPARATOR FABRIC	66,345.800	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	380.400	TON
407	0250 TACK COAT	5,928.500	GAL
408	5774 (SU)PRIME COAT	17,564.500	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1,027.500	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	15,463.500	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	403.300	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	6,369.600	TON
413(A)	4861 (SU)RUMBLE STRIP-METHOD AC-CON	8,318.000	LF
417	5267 COLD MILLING PAVEMENT	2,033.400	SY
420(A)	4242 FABRIC REINFORCEMENT	3,645.100	SY
420(B)	4268 BITUMINOUS BINDER	911.300	GAL
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	78.300	CY
508	6335 (SP)GEOSYNTHETIC REINFORCED SRW	8,792.700	SF
509(B)	1328 CLASS A CONCRETE	176.000	CY

SECTION NO.	DESCRIPTION	QUANTITY	UNIT
SECTION NO. 0001	I000-ROADWAY		
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	1.500	CY
509(E)	0325 CLASS C CONCRETE	329.800	CY
511(A)	0332 REINFORCING STEEL	26,327.800	LB
601(A)	0533 TYPE I PLAIN RIPRAP	360.000	CY
610(B)	0604 6" CONCRETE DRIVEWAY	126.700	SY
611(L)	4209 DROP INLET GRATE (SMD-TYPE 1)	2.000	EA
613(B)	0492 24" R.C.PIPE CLASS III	98.000	LF
613(B)	0493 30" R.C.PIPE CLASS III	38.000	LF
613(CC)	7186 TYPE A4 CULVERT END TREATMENT	6.000	EA
613(D)	0689 18" CORR. GALV. STEEL PIPE	440.000	LF
613(M)	0898 24" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	0899 30" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(P)	1091 6" PERFORARED PIPE UNDERDRAIN ROUND	1,100.000	LF
613(Q)	1096 6"RND.NON-PERF.PIPE UNDERDRAIN	250.000	LF
613(R)	1100 PIPE UNDERDRAIN COVER MAT'L.	223.000	CY
613(S)	1180 TRENCH EXCAVATION	241.700	CY
615(G)	6131 STANDARD BEDDING MATERIAL	86.700	CY
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4725 REMOVAL OF FENCE	3,634.000	LF
619(B)	4727 REMOVAL OF CONCRETE PAVEMENT	794.300	SY
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	33,081.200	SY
619(C)	0924 SAWING PAVEMENT	1,621.100	LF
624(A)	4281 FENCE-STYLE WWF	3,862.100	LF
624(B)	5165 GATES-STYLE WWF (4.5'HIGH X 14'LONG)	1.000	EA
629(A)	4958 (SU)MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C)	4960 (SU)MAILBOX	2.000	EA
629(D)	4961 (SU)REMOVAL OF MAILBOX INSTALLATION	2.000	EA
640	1398 FIELD OFFICE	1.000	EA
641	1399 MOBILIZATION	1.000	LSUM
653(A)	5915 (SP)EDGE DRAIN CONDUIT-PERFORATED	7,500.000	LF
653(B)	5916 (SP)EDGE DRAIN OUTLET LATERAL-NONPERF.	1,250.000	LF
653(C)	5946 (SP)OUTLET LATERAL HEADWALL	15.000	EA
SECTION NO. 0002	ROWA-RIGHT-OF-WAY CLEARANCE		
643	0100 (PL)NESHAP PREDEM. INSP. & NOTIFICATION	7.000	EA
999.95	0094 (PL)RIGHT-OF-WAY CLEARANCE	1.000	LSUM
SECTION NO. 0003	Y000-TRAFFIC		
804	2915 STRUCTURAL CONCRETE	1.400	CY
804	2916 REINFORCING STEEL	144.000	LB
850(A)	8215 SHEET ALUMINUM SIGNS	116.000	SF
851	8616 (PL)1 3/4" SQUARE TUBE POST	22.000	LF
851	8617 (PL)2" SQUARE TUBE POST	22.000	LF
851	8642 (PL)2 1/4" SQUARE TUBE POST	66.000	LF
853(F)	3315 DELINEATORS TYPE 2 CODE 3	8.000	EA
855(A)	3318 TRAFFIC STRIPE(PLASTIC)(4" WIDE)	26,820.000	LF
855(B)	3320 TRAFFIC STRIPE(PLASTIC)(ARROWS)	46.000	EA
855(C)	3321 TRAFFIC STRIPE(PLASTIC)(WORDS)	6.000	EA
856(A)	3323 CONSTRUCTION TRAFFIC STRIPE(PAINT)	21,600.100	LF
859(A)	8006 PAVEMNT MRKNG REMOVAL(TRAF.STRP)	7,674.000	LF
880(D)	8016 SIGNS 0 TO 6.25 SF	450.000	SD
880(E)	8017 SIGNS 6.26 TO 15.99 SF	990.000	SD

SECTION NO. 0003	Y000-TRAFFIC			
880(F) 8018	SIGNS 16.0 SF TO 32.99 SF	1,980.000	SD	
880(I) 8020	BARRICADES(TYPE II)	360.000	SD	
880(J) 8021	BARRICADES(TYPE III)	5,040.000	SD	
880(L) 8023	VERTICAL PANELS	14,580.000	SD	
880(M) 8024	TYPE A LIGHT	12,240.000	SD	
880(O) 8026	TYPE C LIGHT	14,580.000	SD	
961.42 8606	(PL)CONST.ZONEPAVE.MKRS.(FLEX TAB)TYPE 1			260.000 EA
SECTION NO. 0004	STAK-STAKING			
642 0098	STAKING	1.000	LSUM	

LNTCIQA FEDERAL PROJECT PAGE 24
 CALL ORDER : 280 CONTRACT ID : 000442
 LETTING DATE : October 19, 2000 PCN : 1739904
 LETTING TIME : 2:00 P.M.
 COUNTIES: MAYES PROJECTS : BRO-149D(29)CO
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.78
 RES. ENG.: 83CLA
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER UNNAMED CREEK, 3.701 KM. NORTH AND
 5.633 KM. WEST OF THE JCT. OF SH-20/US-69 IN PRYOR
 PROJ. LGTH.= 0.185 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	100.000	M
223 M2802	TEMPORARY SILT FENCE	380.000	M
230(A) M2806	SOLID SLAB SODDING	2,470.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.325	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	389.000	T
613(D) M4528	700MM X 500MM CORR. GALV. ST. PIPE ARCH		19.200 M
613(G) M7038	700MM X 500MM GALV.STL.CULV.END SEC.ARCH		4.000 EA
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	76.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	32.000	M3
503(B) M6144	PRESTRESSED CONCRETE DOUBLE TEE	142.200	M
504(E) M1380	CONCRETE RAIL (TR1)	86.900	M
509(A) M1326	CLASS AA CONCRETE	66.000	M3
509(B) M1328	CLASS A CONCRETE	45.000	M3
511(A) M1332	REINFORCING STEEL	10,950.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	38.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	38.000	M
516(A) M6092	DRILLED SHAFTS 900MM DIAMETER	14.600	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	475.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	142.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 290
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKFUSKEE

FEDERAL PROJECT
 CONTRACT ID : 000443
 PCN : 1722904
 PROJECTS : BRO-154D(15)CO
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.24
 RES. ENG.: 31ADA
 CAL. DAYS: 120

PAGE 25

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER COW CREEK, 9.978 KM. NORTH AND
 8.368 KM. EAST OF OKEMAH
 PROJ. LGTH.= 0.239 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	415.000	M
227 M0100	TEMPORARY SILT DIKE	50.000	M
230(A) M2806	SOLID SLAB SODDING	3,650.000	M2
230(F) M2812	WATERING	1,315.000	KL
233(A) M2817	VEGETATIVE MULCHING	0.720	HA
234(A) M2824	FERTILIZING (10-20-10)	0.400	T
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	412.000	T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(D) M0689	450MM CORR. GALV. STEEL PIPE	21.900	M
613(G) M0760	450MM GALV. STEEL CULVERT END SECT. RND.		4.000 EA
SECTION NO. 0002 X081-BRIDGE "A"			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	102.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	48.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	127.000	M
504(E) M1380	CONCRETE RAIL (TR1)	83.500	M
506(A) M1322	STRUCTURAL STEEL	665.000	KG
509(A) M1326	CLASS AA CONCRETE	58.000	M3
509(B) M1328	CLASS A CONCRETE	45.000	M3
511(A) M1332	REINFORCING STEEL	11,390.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	114.200	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	114.200	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	620.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	175.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 310
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA

FEDERAL PROJECT
 CONTRACT ID : 000444
 PCN : 1436204
 PROJECTS : STP-55A(799)AG
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 6.47
 RES. ENG.: 460KC
 CAL. DAYS: 120

PAGE 26

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

RESURFACE
 ON SOUTH WESTERN AVENUE BEGINNING AT SOUTHWEST 74TH STREET
 AND EXTENDING NORTH TO SOUTHWEST 59TH STREET IN OKLAHOMA
 CITY.
 PROJ. LGTH.= 1.148 KILOMETERS
 FLEX. ESALS= 15.0 MILLION
 ASPH. GRADE= 76-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	L000-ROADWAY		
230(A) M2806	SOLID SLAB SODDING	448.000	M2
310(B) M0149	SUBGRADE, METHOD B	6,736.000	M2
407 M0250	TACK COAT	6,448.000	L
411(BH)M6700	(SP)ASPHALT CONCRETE TYPE BH(PG 76-28 OK	1,670.000	T
414(B1)M5757	200MM H.E.S. DOWEL JOINTED CONCRETE PAV	6,658.000	M2
417 M5267	COLD MILLING PAVEMENT	13,971.000	M2
420(A) M4242	FABRIC REINFORCEMENT	1,250.000	M2
609(A) M0380	CONC.CURB(200MM BARRIER-INTEGRAL)	431.000	M
610(A) M0602	100MM CONCRETE SIDEWALK	130.000	M2
610(B) M0400	200MM CONCRETE DRIVEWAY (H.E.S.)	479.000	M2
611(E) M5113	INLET CICI DES. 2 (B)	2.000	EA
611(G) M4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	4.000	EA
611(K) M4488	CAST IRON CURB INLETS	8.000	EA
619(B) M4727	REMOVAL OF CONCRETE PAVEMENT	4,755.000	M2
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	1,906.000	M2
619(B) M4766	REMOVAL OF CONCRETE DRIVEWAY	479.000	M2
619(B) M4792	REMOVAL OF SIDEWALK	130.000	M2
619(C) M0924	SAWING PAVEMENT	237.000	M
641 M1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	Y000-TRAFFIC		
802(B) M8336	38MM PVC SCH.40 P.C.BORED	50.000	M
802(B) M8338	38MM PVC SCH.40 P.C.TR.	300.000	M
803 M8067	PULL BOX(SIZE III)	13.000	EA
828(B) M8138	LOOP DETECTOR WIRE	1,537.000	M
834(B) M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	900.000	M
854(A) M8800	TRAFFIC STRIPE(PAINT)(100MM WIDE)	300.000	M
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	2,788.000	M
855(B) M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	11.000	EA
855(B) M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	6.000	EA
856(G) M8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	1,590.000	EA

SECTION NO. 0002	Y000-TRAFFIC		
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 330
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA

FEDERAL PROJECT
 CONTRACT ID : 000402
 PCN : 1568504
 PROJECTS : STP-55A(938)AG
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 17.80
 RES. ENG.: 44EDM
 CAL. DAYS: 240

PAGE 28

LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION & TRAFFIC SIGNALS
 INTERSECTION MODIFICATION & TRAFFIC SIGNALS AT SECOND
 STREET AND COLTRANE IN THE CITY OF EDMOND.
 PROJ. LGTH.= 0.767 KILOMETERS
 FLEX. ESALS= 9.0 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	L000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(A)	M0183	UNCLASSIFIED EXCAVATION	4,221.000 M3
202(C)	M0184	UNCLASSIFIED BORROW	4,828.000 M3
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000 LSUM
222	M2801	TEMPORARY BALE BARRIER	175.000 M
223	M2802	TEMPORARY SILT FENCE	600.000 M
224	M2803	TEMPORARY SEDIMENT FILTER	2.000 EA
227	M0100	TEMPORARY SILT DIKE	315.000 M
230(A)	M2806	SOLID SLAB SODDING	6,739.000 M2
230(F)	M2812	WATERING	2,253.000 KL
232(B)	M2814	SEEDING METHOD B	0.050 HA
233(A)	M2817	VEGETATIVE MULCHING	2.000 HA
234(A)	M2824	FERTILIZING (10-20-10)	0.740 T
235(A)	M0100	(PL)ROCK FILTER DAM, TYPE 1	54.000 M3
241	M2832	MOWING	0.500 HA
303	M0192	AGGREGATE BASE	2,068.000 M3
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	197.000 T
407	M0250	TACK COAT	4,349.000 L
408	M5774	PRIME COAT	14,092.000 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	2,219.000 T
411(A)	M6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,204.000 T
411(B)	M6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,040.000 T
414(A1)	M5753	200MM P.C. DOWEL JOINTED CONCRETE PAV	5,051.000 M2
414(B1)	M5757	200MM H.E.S. DOWEL JOINTED CONCRETE PAV	1,000.000 M2
501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	33.000 M3
509(B)	M0321	CLASS A CONCRETE	167.000 M3
509(C)	M0322	CLASS A CONCRETE FOR SMALL STRUCTURES	7.000 M3
511(A)	M0332	REINFORCING STEEL	14,138.000 KG
602(B)	M5860	REVTMENT MATTRESSES	1,830.000 M2
609(A)	M0288	CONC.CURB(150MM MNTBLE-INTEGRAL)	214.000 M
609(A)	M0380	CONC.CURB(200MM BARRIER-INTEGRAL)	614.000 M
609(B)	M1501	500MM COMB.CRB.& GUT.(150MM MNTBLE)	465.000 M
609(B)	M1514	500MM COMB.CRB.& GUT.(200MM BAR.)	1,029.000 M

SECTION NO. 0001	L000-ROADWAY		
610(A)	M0602	100MM CONCRETE SIDEWALK	2,153.000 M2
610(B)	M0399	150MM CONCRETE DRIVEWAY (H.E.S.)	659.000 M2
611(A)	M2657	MANHOLE (1200MM DIA.)	2.000 EA
611(D)	M4215	MANHOLE FRAME & COVER	7.000 EA
611(E)	M5112	INLET CICI DES. 2 (STD)	5.000 EA
611(E)	M5113	INLET CICI DES. 2 (B)	10.000 EA
611(E)	M5115	INLET CICI DES. 2 (D)	4.000 EA
611(E)	M5122	INLET CICI DES. 3 (D)	2.000 EA
611(F)	M5325	INLET CICI DES 2 (ADD'L DEPTH)	7.130 M
611(F)	M5330	INLET CICI DES 3 (ADD'L DEPTH)	0.830 M
611(G)	M4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	46.000 EA
611(J)	M0487	JUNCTION BOXES	7.820 M3
611(K)	M4488	CAST IRON CURB INLETS	90.000 EA
613(B)	M0405	450MM R.C.PIPE CLASS III	246.400 M
613(B)	M0409	600MM R.C.PIPE CLASS III	34.200 M
613(B)	M0413	750MM R.C.PIPE CLASS III	153.400 M
613(B)	M0415	900MM R.C.PIPE CLASS III	83.900 M
613(D)	M0691	750MM CORR. GALV. STEEL PIPE	1.800 M
613(P)	M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	200.000 M
613(Q)	M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.	40.000 M
613(S)	M1180	TRENCH EXCAVATION	1,141.000 M3
613(T)	M1181	STANDARD BEDDING MATERIAL	420.500 M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	M4726	REMOVAL OF CURB AND GUTTER	1,917.000 M
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	11,002.000 M2
619(B)	M4766	REMOVAL OF CONCRETE DRIVEWAY	746.000 M2
619(B)	M4792	REMOVAL OF SIDEWALK	177.000 M2
619(C)	M0924	SAWING PAVEMENT	1,514.000 M
641	M1552	MOBILIZATION	1.000 LSUM
850(A)	M8110	SHEET ALUMINUM SIGNS	5.180 M2
851(B)	M3216	50MM@5.43 GALV.STL.PIPE POST	36.260 M
853	M9027	DELINEATORS(TYPE 1, CODE 2)	3.000 EA
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	3,940.000 M
855(B)	M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	8.000 EA
855(B)	M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000 EA
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	1,512.000 M
856(C)	M8851	REM.PAVEMENT MARKING TAPE(100MM WIDE)	1,512.000 M
856(G)	M8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1,000.000 EA
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1,512.000 M
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	4,320.000 SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	4,500.000 SD
880(C)	M8842	BARRICEDES(TYPE III)	2,340.000 SD
880(C)	M8848	WING BARRICADES	540.000 SD
880(D)	M8854	VERTICAL PANELS	1,080.000 SD
880(E)	M8860	WARNING LIGHTS(TYPE A)	6,120.000 SD
880(E)	M8872	WARNING LIGHTS(TYPE C)	7,920.000 SD
880(F)	M8878	DRUMS	8,280.000 SD
880(G)	M8884	TUBE CHANNELIZERS	11,160.000 SD
890A/B	M8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000 EA
SECTION NO. 0002	X028-BRIDGE 'A'		
202(A)	M1301	UNCLASSIFIED EXCAVATION	1,222.000 M3
501(A)	M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	1,074.000 M3

SECTION NO. 0002	X028-BRIDGE 'A'		
509(B) M1328	CLASS A CONCRETE	395.100	M3
511(A) M1332	REINFORCING STEEL	21,145.000	KG
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
622(A) M4746	PIPE RAILING	24.800	M
SECTION NO. 0003	X028-BRIDGE 'B'		
202(A) M1301	UNCLASSIFIED EXCAVATION	3,047.000	M3
501(A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	2,341.000	M3
509(B) M1328	CLASS A CONCRETE	579.700	M3
511(A) M1332	REINFORCING STEEL	37,710.000	KG
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
622(A) M4746	PIPE RAILING	33.200	M
SECTION NO. 0004	Y031-TRAFFIC SIGNALS		
501(G) M6309	CLSM BACKFILL	5.000	M3
802(A) M8310	50MM G.STL.ELECT.COND.EXP.	12.000	M
802(B) M8332	25MM PVC SCH.40 P.C.BORED	30.000	M
802(B) M8336	38MM PVC SCH.40 P.C.BORED	15.000	M
802(B) M8338	38MM PVC SCH.40 P.C.TR.	403.000	M
802(B) M8340	50MM PVC SCH.40 P.C.BORED	162.100	M
802(B) M8342	50MM PVC SCH.40 P.C.TR.	12.000	M
802(B) M8342	50MM PVC SCH.40 P.C.TR.	1,007.000	M
802(B) M8344	75MM PVC SCH.40 P.C.BORED	82.000	M
802(B) M8346	75MM PVC SCH.40 P.C.TR.	10.000	M
802(D) M8374	(PL)JUNCTION BOX(SPECIAL)	1.000	EA
803 M8065	PULL BOX(SIZE I)	1.000	EA
803 M8066	PULL BOX(SIZE II)	1.000	EA
803 M8067	PULL BOX(SIZE III)	8.000	EA
804(A) M2915	STRUCTURAL CONCRETE	9.200	M3
804(B) M2916	REINFORCING STEEL	829.200	KG
806(A) M8792	9.7M MHP 12.2M TS & 3.0M LMA(G.STL.)	2.000	EA
806(A) M8804	9.7M MHP 13.7M TS & 3.0M LMA(G.STL.)	2.000	EA
806(D) M8995	(PL)7.6 M MTG HT HL PST TP POLE(FIBERGLS)	15.000	EA
809(A) M8090	(PL)ROADWAY LUMINAIRE	4.000	EA
809(C) M8399	POST TOP LUMINAIRE	15.000	EA
811 M8038	1/C NO.4 ELECT.COND.	2,489.800	M
811 M8044	1/C NO.10 ELECT.COND.	425.000	M
811 M8046	1/C NO.12 ELECT.COND.	300.000	M
825 M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A) M8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	16.000	EA
828(B) M8138	LOOP DETECTOR WIRE	1,480.000	M
830 M8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831 M8231	1WAY3SEC.ADJ.SIG.HD.S-6	8.000	EA
831 M8252	1WAY3SEC.ADJ.SIG.HD.S-9	4.000	EA
831 M8295	1WAY2SEC.ADJ.SIG.HD.S-20	8.000	EA
833 M3038	127MM BACKPLATE(300MM HDS)(B-2)	12.000	EA
834 M8358	(PL)UNDERGROUND COMMUNICATION CABLE	50.000	M
834(A) M8207	5/C TRAF.SIG.EL.CABLE	220.000	M
834(A) M8210	12/C TRAF.SIG.EL.CABLE	150.000	M
834(B) M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1,133.000	M
840(B) M8593	(PL)E.P.S. OPTICAL DETECTOR	4.000	EA
840(C) M8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	215.000	M

SECTION NO. 0004	Y031-TRAFFIC SIGNALS		
840(D) M8595	(PL)E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(C) M8118	MAST ARM MOUNTED SIGNS(ALUM.)	4.920	M2
890(A) M8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
SECTION NO. 0005	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 360
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OKLAHOMA

FEDERAL PROJECT
 CONTRACT ID : 000404
 PCN : 1701304

PAGE 32

PROJECTS : STP-155B(111) AG
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 17.26
 RES. ENG.: 44EDM
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE(ASPHALT)
 EDMOND, DANFORTH BLVD. BETWEEN BRYANT AND CHOWNING AVENUE
 PROJ. LGTH.= 0.922 KM.
 FLEX. ESALS= 16.2 MILLION
 ASPH. GRADE= 70-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(A)	M0183	UNCLASSIFIED EXCAVATION	2,858.000 M3
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000 LSUM
227	M0100	TEMPORARY SILT DIKE	105.000 M
230(A)	M2806	SOLID SLAB SODDING	2,400.000 M2
235(A)	M0100	(PL)ROCK FILTER DAM, TYPE 1	110.000 M3
246(C)	M7043	(SP)FILTER FABRIC	2,623.000 M2
303	M5912	AGGREGATE BASE	832.000 T
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	700.000 T
407	M0250	TACK COAT	4,873.000 L
408	M5774	PRIME COAT	2,495.000 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	972.000 T
411(B)	M6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	1,978.000 T
414(B)	M0290	200MM H.E.S. CONCRETE PAVEMENT	1,720.000 M2
417	M5267	COLD MILLING PAVEMENT	13,250.000 M2
509(C)	M0322	CLASS A CONCRETE FOR SMALL STRUCTURES	1.660 M3
601A-1	M1353	TYPE I-A PLAIN RIPRAP	30.000 T
601A-2	M1355	TYPE I-A FILTER BLANKET	10.000 T
609(B)	M0388	500MM COMB.CRB.& GUT.(200MM BAR.-NOTCH)	764.000 M
610(A)	M0602	100MM CONCRETE SIDEWALK	1,064.000 M2
610(B)	M0399	150MM CONCRETE DRIVEWAY (H.E.S.)	627.000 M2
611(E)	M5113	INLET CICI DES. 2 (B)	1.000 EA
611(E)	M5118	INLET CICI DES. 2 (B-D)	1.000 EA
611(F)	M5325	INLET CICI DES 2 (ADD'L DEPTH)	3.950 M
611(G)	M4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	4.000 EA
611(K)	M4488	CAST IRON CURB INLETS	12.000 EA
612(E)	M0645	INLETS ADJUST TO GRADE	1.000 EA
612(F)	M0646	INLETS REBUILT	2.000 EA
613(B)	M0409	600MM R.C.PIPE CLASS III	16.400 M
613(B)	M0413	750MM R.C.PIPE CLASS III	19.500 M
613(CC)	M7188	TYPE C4 CULVERT END TREATMENT	1.000 EA
613(P)	M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	300.000 M
613(Q)	M1096	150 MM NON-PERF.PIPE UNDERDRAIN RND.	100.000 M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	220.000 M3

SECTION NO. 0001	I000-ROADWAY		
613(S) M1180	TRENCH EXCAVATION	126.000	M3
613(T) M1181	STANDARD BEDDING MATERIAL	43.000	M3
619(B) M4726	REMOVAL OF CURB AND GUTTER	910.000	M
619(B) M4727	REMOVAL OF CONCRETE PAVEMENT	1,720.000	M2
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	481.000	M2
619(B) M4792	REMOVAL OF SIDEWALK	198.000	M2
619(C) M0924	SAWING PAVEMENT	878.000	M
629(A) M4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(D) M4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
890A/B M8744	(PL)REMOVE & RESET LIGHT POLE	1.000	EA
SECTION NO. 0002	Y000-TRAFFIC		
802(B) M8332	25MM PVC SCH.40 P.C.BORED	50.000	M
802(B) M8338	38MM PVC SCH.40 P.C.TR.	143.000	M
802(B) M8340	50MM PVC SCH.40 P.C.BORED	20.000	M
802(B) M8342	50MM PVC SCH.40 P.C.TR.	10.500	M
802(B) M8344	75MM PVC SCH.40 P.C.BORED	90.000	M
802(B) M8346	75MM PVC SCH.40 P.C.TR.	10.000	M
803 M8065	PULL BOX(SIZE I)	3.000	EA
803 M8066	PULL BOX(SIZE II)	1.000	EA
803 M8067	PULL BOX(SIZE III)	4.000	EA
804(A) M2915	STRUCTURAL CONCRETE	8.620	M3
804(B) M2916	REINFORCING STEEL	62.280	KG
806(A) M8728	POLE & 9.1M TS MST.ARM(G.STL.)	1.000	EA
806(A) M8732	POLE & 12.2M TS MST.ARM(G.STL.)	1.000	EA
806(A) M8758	9.7M MHP 7.6M TS & 3.0M LMA(G.STL.)	1.000	EA
806(A) M8768	9.7M MHP 9.1M TS & 3.0M LMA(G.STL.)	1.000	EA
809(A) M8090	(PL)ROADWAY LUMINAIRE	2.000	EA
811 M8040	1/C NO.6 ELECT.COND.	61.000	M
811 M8044	1/C NO.10 ELECT.COND.	112.500	M
825 M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
828(A) M8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	9.000	EA
828(B) M8138	LOOP DETECTOR WIRE	1,010.000	M
830 M8000	PEDESTRIAN PUSH BUTTON	4.000	EA
831 M8231	1WAY3SEC.ADJ.SIG.HD.S-6	8.000	EA
831 M8252	1WAY3SEC.ADJ.SIG.HD.S-9	1.000	EA
831 M8295	1WAY2SEC.ADJ.SIG.HD.S-20	4.000	EA
833 M3038	127MM BACKPLATE(300MM HDS)(B-2)	9.000	EA
834 M8358	(PL)UNDERGROUND COMMUNICATION CABLE	915.000	M
834(A) M8207	5/C TRAF.SIG.EL.CABLE	307.000	M
834(A) M8208	7/C TRAF.SIG.EL.CABLE	8.000	M
834(A) M8209	9/C TRAF.SIG.EL.CABLE	34.000	M
834(A) M8210	12/C TRAF.SIG.EL.CABLE	59.000	M
834(B) M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	552.000	M
840(B) M8593	(PL)E.P.S. OPTICAL DETECTOR	1.000	EA
840(C) M8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	75.000	M
840(D) M8595	(PL)E.P.S. 2 CHANNEL PHASE SELECTOR	1.000	EA
850(A) M8110	SHEET ALUMINUM SIGNS	1.400	M2
850(C) M8118	MAST ARM MOUNTED SIGNS(ALUM.)	5.930	M2
851(B) M3217	64MM@8.62 GALV.STL.PIPE POST	7.500	M
855(A) M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	4,810.000	M
855(B) M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	28.000	EA

SECTION NO. 0002	Y000-TRAFFIC		
855(B) M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	7.000	EA
856(A) M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	1,850.000	M
856(C) M8851	REM.PAVEMENT MARKING TAPE(100MM WIDE)	5,920.000	M
859(A) M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2,960.000	M
880(B) M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	24,000.000	SD
880(B) M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	1,920.000	SD
880(C) M8842	BARRICEDES(TYPE III)	2,040.000	SD
880(C) M8848	WING BARRICADES	3,264.000	SD
880(E) M8860	WARNING LIGHTS(TYPE A)	9,984.000	SD
880(E) M8872	WARNING LIGHTS(TYPE C)	24,000.000	SD
880(F) M8878	DRUMS	24,000.000	SD
890(A) M8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT		1.000 LSUM
890A/B M8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM
SECTION NO. 0004	Y060-NON-PARTICIPATING (CITY)		
411(A) M5269	(PL)ASPHALT CONCRETE TYPE A(PATCHING)	1.000	T
411(B) M4930	(SP)ASPHALT CONCRETE TYPE B(PATCH)(PG)	3.000	T
612(J) M0650	FIRE HYDRANT RESET	2.000	EA
612(K) M0651	VALVES RESET	10.000	EA
612(L) M0652	WATER METERS RESET	3.000	EA
616(A) M5121	150MM DUCTILE IRON PIPE	8.500	M
616(A) M5124	300MM DUCTILE IRON PIPE	760.000	M
616(D) M0861	150MM VALVES	2.000	EA
616(D) M0862	200MM VALVES	2.000	EA
616(D) M0864	300MM VALVES	3.000	EA
616(F) M5209	METER INSTALLATION 20MM	3.000	EA
616(G) M1192	FIRE HYDRANTS	4.000	EA

LNTCIQA
 CALL ORDER : 390
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: OSAGE

STATE PROJECT
 CONTRACT ID : 000454
 PCN : 1567504

PAGE 35

PROJECTS : CR-57(374)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.68
 RES. ENG.: 84SS
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE(ASPHALT)
 RECONSTRUCT 0.486 KM. OF CEMETERY ROAD 7.242 KM. SOUTH AND
 3.219 KM. WEST OF SKIATOOK
 PROJ. LGTH. 00.486 KM.
 FLEX. ESALS= 1.3 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-RAODWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(A)	M1301	UNCLASSIFIED EXCAVATION	2,160.000 M3
202(C)	M0184	UNCLASSIFIED BORROW	9,020.000 M3
205	M7174	(PL)TOPSOIL - LUMP SUM	1.000 LSUM
210	M0121	OBLITERATING ABANDONED ROAD	0.486 STA
222	M2801	TEMPORARY BALE BARRIER	100.000 M
223	M2802	TEMPORARY SILT FENCE	1,000.000 M
226	M2805	TEMPORARY SEDIMENT REMOVAL	385.000 M3
230(A)	M2806	SOLID SLAB SODDING	11,300.000 M2
232(A)	M2813	SEEDING METHOD A	2.260 HA
233(A)	M2817	VEGETATIVE MULCHING	4.520 HA
303	M0192	AGGREGATE BASE	1,620.000 M3
403(E)	M0224	TRAFFIC BOUND SURFACE COURSE TYPE E	450.000 M3
407	M0250	TACK COAT	920.000 L
408	M5774	PRIME COAT	8,025.000 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	865.000 T
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	450.000 T
509(C)	M1330	CLASS A CONCRETE FOR SMALL STRUCTURES	10.000 M3
509(D)	M1331	CLASS C CONCRETE	20.000 M3
511(A)	M0332	REINFORCING STEEL	674.000 KG
601A-1	M1353	TYPE I-A PLAIN RIPRAP	720.000 T
601A-2	M1355	TYPE I-A FILTER BLANKET	219.000 T
613(B)	M0419	1200MM R.C.PIPE CLASS III	15.000 M
613(B)	M0423	1500MM R.C.PIPE CLASS III	21.000 M
613(D)	M0690	600MM CORR. GALV. STEEL PIPE	20.400 M
613(M)	M0898	600MM PREFAB. CULVERT END SEC., ROUND	4.000 EA
613(M)	M5738	1200MM PREFAB. CULVERT END SECTION,ROUND	2.000 EA
613(M)	M5742	1500MM PREFAB. CULVERT END SECTION,ROUND	2.000 EA
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B)	M4779	REMOVAL OF HEADWALLS	1.000 EA
619(C)	M0924	SAWING PAVEMENT	14.000 M
623(B)	M3201	BEAM TYPE GUARD RAIL (SINGLE)	75.000 M
623(D)	M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	2.000 EA

SECTION NO. 0001	I000-RAODWAY		
629(A) M4958	MAILBOX INSTALLATION-SINGLE	3.000	EA
629(C) M4960	MAILBOX	3.000	EA
629(D) M4961	REMOVAL OF MAILBOX INSTALLATION	3.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	Y000-TRAFFIC		
850(A) M8110	SHEET ALUMINUM SIGNS	3.480	M2
851(D) M8597	FLANGE CHANNEL POSTS(5.95 KG/M)	24.184	M
854(A) M8800	TRAFFIC STRIPE(PAINT)(100MM WIDE)	2,212.000	M
960.16 M8140	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 435
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: POTTAWATOMIE

FEDERAL PROJECT
 CONTRACT ID : 000459
 PCN : 1686005

PAGE 37

PROJECTS : STPY-163B(62)TR
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 18.79
 RES. ENG.: 33WEW
 CAL. DAYS: 180 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 INTERSECTION MODIFICATION & TRAFFIC SIGNALS
 TRAFFIC SIGNALS AT THE INTERSECTION OF US-177 AND
 INDEPENDENCE STREET TO LEO IN SHAWNEE.
 PROJ. LGTH.= 0.833 MILE
 FLEX. ESALS= 20.7 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	4349 (PL)UNCLASSIFIED EXCAVATION	1.000	LSUM
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	1,800.000	LF
223	2801 TEMPORARY SILT FENCE	6,190.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	2.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	520.000	CY
227	0100 TEMPORARY SILT DIKE	360.000	LF
229	4318 DITCH LINER PROTECTION	2,950.000	LF
230(A)	2806 SOLID SLAB SODDING	6,867.100	SY
230(B)	2807 MULCH SODDING	31,837.200	SY
232(A)	2813 SEEDING METHOD A	6.400	AC
233(A)	2817 VEGETATIVE MULCHING	12.800	AC
317(A)	4252 (SP)FLY ASH	573.000	TON
317(B)	4254 SUBGRADE MODIFICATION	11,412.000	SY
317(C)	4253 LIME	464.000	TON
317(D)	4254 SCARIFY, BLADE MIX OF SUBGRADE W/LIME TRT	12,531.000	SY
408	5774 PRIME COAT	1,606.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	2,352.000	TON
414(A1)	5754 9" P.C. DOWEL JOINTED CONCRETE PAVEMENT	7,784.000	SY
414(A1)	5755 10" P.C. DOWEL JOINTED CONCRETE PAVEMENT	2,900.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	24.300	CY
509(B)	0321 CLASS A CONCRETE	280.500	CY
509(D)	0325 CLASS C CONCRETE	58.800	CY
511(A)	0332 REINFORCING STEEL	18,514.000	LB
609(A)	0288 CONC.CURB(6" MNTBLE-INTEGRAL)	3,980.500	LF
613(B)	0492 24" R.C.PIPE CLASS III	100.900	LF
613(CC)	7197 TYPE B6 CULVERT END TREATMENT	3.000	EA
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4727 REMOVAL OF CONCRETE PAVEMENT	2,955.000	SY
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	4,997.000	SY
623(A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	212.000	LF
623(H)	8571 (SP)G.E.T. GUARD RAIL END SECTION	2.000	EA

SECTION NO. 0001		I000-ROADWAY	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	70.000 LF
640	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM
890(A)	8714	(PL)REMOVAL OF WINGWALLS	4.000 EA
SECTION NO. 0002		I000-ROADWAY(LEO STREET)	
201	0102	CLEARING AND GRUBBING	1.000 LSUM
202(A)	4349	(PL)UNCLASSIFIED EXCAVATION	1.000 LSUM
230(A)	2806	SOLID SLAB SODDING	1,112.000 SY
232(A)	2813	SEEDING METHOD A	1.040 AC
233(A)	2817	VEGETATIVE MULCHING	2.080 AC
310(B)	0149	SUBGRADE, METHOD B	1,112.000 SY
407	0250	TACK COAT	613.600 GAL
408	5774	PRIME COAT	1,666.600 GAL
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,222.400 TON
SECTION NO. 0003		Y031-TRAFFIC SIGNALS	
802(B)	8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	760.000 LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	50.000 LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	320.000 LF
802(B)	8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	102.000 LF
803	8065	PULL BOX(SIZE I)	6.000 EA
803	8066	PULL BOX(SIZE II)	5.000 EA
804(A)	2915	STRUCTURAL CONCRETE	9.200 CY
804(B)	2916	REINFORCING STEEL	1,431.300 LB
806(A)	8329	32' MH POLE 50' TS&15' LMA(G.STL.)	1.000 EA
806(A)	8333	32' MH POLE 40' TS&15' LMA(G.STL.)	1.000 EA
806(A)	8343	32' MHP 40',35' T.S.& 12' LMA(G.STL.)	1.000 EA
809(A)	8090	(PL)ROADWAY LUMINAIRE	3.000 EA
811	8040	1/C NO.6 ELECT.COND.	70.000 LF
811	8044	1/C NO.10 ELECT.COND.	1,362.000 LF
825	8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000 EA
828(A)	8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	8.000 EA
828(B)	8138	LOOP DETECTOR WIRE	2,948.000 LF
831	8231	1WAY3SEC.ADJ.SIG.HD.S-6	8.000 EA
831	8252	1WAY3SEC.ADJ.SIG.HD.S-9	2.000 EA
831	8277	1WAY5SEC.ADJ.SIG.HD.S-17	2.000 EA
833	3030	BACKPLATE	12.000 EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	171.000 LF
834(A)	8208	7/C TRAF.SIG.EL.CABLE	108.000 LF
834(A)	8211	15/C TRAF.SIG.EL.CABLE	244.000 LF
834(A)	8212	18/C TRAF.SIG.EL.CABLE	182.000 LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	2,250.000 LF
840(A)	8592	(PL)E.P.S. OPTICAL EMITTER	5.000 EA
840(B)	8593	(PL)E.P.S. OPTICAL DETECTOR	4.000 EA
840(C)	8594	(PL)E.P.S. OPTICAL DETECTOR CABLE	820.000 LF
840(D)	8595	(PL)E.P.S. 2 CHANNEL PHASE SELECTOR	1.000 EA
850(A)	8110	SHEET ALUMINUM SIGNS	407.970 SF
850(C)	8525	MAST ARM MOUNTED SIGNS(ALUM.)	51.000 SF
851	8642	(PL)2 1/4" SQUARE TUBE POST	420.100 LF
851(B)	3219	3 1/2"@9.11 GALV.STL.PIPE POST	222.900 LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	54,180.000 LF

SECTION NO. 0003	Y031-TRAFFIC SIGNALS		
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	8.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
890(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
SECTION NO. 0004	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 437
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: ROGERS

STATE PROJECT
 CONTRACT ID : 000240
 PCN : 1696704

PAGE 40

PROJECTS : CIP-166C(16)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 54.22
 RES. ENG.: 83CLA
 CAL. DAYS: 390 LIQ. DAM: \$ 2000

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(ASPHALT)
 ON SH-266 BEGINNING AT THE JUNCTION OF SH-266/SH-66 AND
 EXTENDING EAST TO I-44.
 PROJ. LGTH.= 0.85 MI.
 FLEX. ESALS= 4.4 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	28,301.000	CY
202(C)	0184 UNCLASSIFIED BORROW	428,417.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	500.000	LF
223	2801 TEMPORARY SILT FENCE	9,425.000	LF
225	2804 TEMPORARY SEDIMENT BASIN	3.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	1,500.000	CY
230(A)	2806 SOLID SLAB SODDING	9,215.000	SY
230(B)	2807 MULCH SODDING	77,933.000	SY
230(F)	2812 WATERING	5,229.000	MGAL
232(A)	2813 SEEDING METHOD A	15.000	AC
233(A)	2817 VEGETATIVE MULCHING	15.000	AC
303	5912 AGGREGATE BASE	51,239.500	TON
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,668.000	TON
407	0250 TACK COAT	7,258.000	GAL
408	5774 PRIME COAT	12,909.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	16,154.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	8,103.000	TON
417	5267 COLD MILLING PAVEMENT	1,471.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	872.000	CY
509(B)	0321 CLASS A CONCRETE	962.700	CY
509(D)	0325 CLASS C CONCRETE	211.000	CY
511(A)	0332 REINFORCING STEEL	122,458.000	LB
609(B)	1501 1'-8" COMB.CRB.& GUT.(6" MNTBLE)	292.600	LF
609(B)	1525 2'-8" COMB.CRB.& GUT.(6" BARRIER)	116.000	LF
610(C)	0609 6" CONCRETE DIVIDING STRIP	126.400	SY
611(E)	5100 INLET CICI DES. 1 (STD)	3.000	EA
611(F)	5320 INLET CICI DES. 1 (ADD'L DEPTH)	3.500	VF
611(G)	4488 INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	3.000	EA
611(K)	4488 CAST IRON CURB INLETS	3.000	EA
613(B)	0491 18" R.C.PIPE CLASS III	245.000	LF
613(B)	0492 24" R.C.PIPE CLASS III	46.000	LF

SECTION NO.	0001	I000-ROADWAY			
613(B)	0493	30" R.C.PIPE CLASS III	783.000	LF	
613(B)	0494	36" R.C.PIPE CLASS III	126.000	LF	
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	800.000	LF	
613(G)	4571	28" X 20" GALV. STEEL CULV. END SEC.ARCH		2.000	EA
613(M)	5726	18" PREFAB. CULVERT END SEC., ROUND	5.000	EA	
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA	
613(M)	5732	30" PREFAB. CULVERT END SEC., ROUND	14.000	EA	
613(M)	5734	36" PREFAB. CULVERT END SEC., ROUND	4.000	EA	
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	1,500.000	LF	
613(Q)	1096	6" NON-PERF.PIPE UNDERDRAIN RND.	200.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	322.000	CY	
613(S)	1180	TRENCH EXCAVATION	1,896.800	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	831.600	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	431.000	SY	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	16,593.000	SY	
619(C)	0924	SAWING PAVEMENT	7,965.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	361.500	LF	
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	5.000	EA	
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	6.000	EA	
624(A)	4281	FENCE-STYLE WWF	3,755.000	LF	
624(C)	4458	FENCE-STYLE SWF (4 BARBED WIRE)	3,476.000	LF	
625(B)	1252	REMOVE AND RECONSTRUCT FENCE	162.000	LF	
627(A)	4310	PRECAST CONCRETE MEDIAN BARRIER, TYPE I	150.000	LF	
640	1426	FIELD OFFICE	1.000	EA	
641	1552	MOBILIZATION	1.000	LSUM	
653(C)	5946	OUTLET LATERAL HEADWALL	2.000	EA	

SECTION NO.	0002	X531-BRIGDE 'A'			
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	70.000	CY	
501(G)	6309	CLSM BACKFILL	68.800	CY	
504(A)	1304	APPROACH SLAB	69.000	SY	
504(F)	1381	CONCRETE PARAPET	402.700	LF	
506(A)	1322	STRUCTURAL STEEL	187,510.000	LB	
509(A)	1326	CLASS AA CONCRETE	143.200	CY	
509(B)	1328	CLASS A CONCRETE	77.400	CY	
510(C)	6138	SLOPE WALL (5")	200.000	SY	
511(A)	1332	REINFORCING STEEL	4,100.000	LB	
511(B)	6010	EPOXY COATED REINFORCING STEEL	35,680.000	LB	
514(A)	6011	PILES, FURNISHED (HP 12X53)	384.000	LF	
514(B)	6294	PILES, DRIVEN (HP 12X53)	384.000	LF	
514(G)	6310	METAL PILE SHOES	6.000	EA	
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	361.000	SY	
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	70.000	LF	
535	6138	(PL)INLET AND BASIN	2.000	EA	
613(D)	0688	12" CORR. GALV. STEEL PIPE	220.000	LF	
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	24.000	LF	
613(Q)	6207	6" RND.NON-PERF.PIPE UNDERDRAIN	50.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	16.000	CY	
613(S)	1180	TRENCH EXCAVATION	8.000	CY	
619(B)	2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM	

SECTION NO. 0003 X281-BRIDGE 'B'

SECTION NO. 0003		X281-BRIDGE 'B'	
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	195.000 CY
501(G)	6309	CLSM BACKFILL	229.300 CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,489.300 LF
504(A)	1304	APPROACH SLAB	366.600 SY
504(C)	6276	(PL)SEALED EXPANSION JOINTS	53.000 LF
504(F)	1381	CONCRETE PARAPET	549.700 LF
506(A)	1322	STRUCTURAL STEEL	7,160.000 LB
509(A)	1326	CLASS AA CONCRETE	339.700 CY
509(B)	1328	CLASS A CONCRETE	194.000 CY
510(C)	6138	SLOPE WALL (5")	606.000 SY
511(A)	1332	REINFORCING STEEL	19,130.000 LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	59,970.000 LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	1,674.000 LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	1,674.000 LF
514(G)	6310	METAL PILE SHOES	34.000 EA
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	977.000 SY
516(A)	6095	DRILLED SHAFTS 54" DIAMETER	123.000 LF
535	6138	(PL)INLET AND BASIN	4.000 EA
613(D)	0688	12" CORR. GALV. STEEL PIPE	370.000 LF
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	110.000 LF
613(Q)	6207	6" RND.NON-PERF.PIPE UNDERDRAIN	208.000 LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	42.000 CY
613(S)	1180	TRENCH EXCAVATION	32.000 CY
SECTION NO. 0004		Y000-TRAFFIC	
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	21,200.000 LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	5,300.000 LF
804(A)	2915	STRUCTURAL CONCRETE	56.200 CY
804(B)	2916	REINFORCING STEEL	8,338.000 LB
850(A)	8110	SHEET ALUMINUM SIGNS	817.000 SF
850(B)	8112	EXTRUDED ALUMINUM PANEL SIGNS	2,800.800 SF
851(A)	3206	4"@13 GALV.STL.WD.FLANGE BM.POST	130.000 LF
851(A)	3208	6"@20 GALV.STL.WD.FLANGE BM.POST	45.000 LF
851(A)	3209	6"@25 GALV.STL.WD.FLANGE BM.POST	84.200 LF
851(A)	3210	8"@31 GALV.STL.WD.FLANGE BM.POST	457.800 LF
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	34.500 LF
851(B)	3217	2 1/2"@5.79 GALV.STL.PIPE POST	135.500 LF
851(B)	3218	3"@7.58 GALV.STL.PIPE POST	75.000 LF
851(C)	8321	1 3/4" SQUARE TUBE POST	108.000 LF
851(C)	8327	2 1/4" SQUARE TUBE POST	636.000 LF
852	8603	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	80.000 LF
852	8604	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-EXTERNAL	69.800 LF
852A/B	8964	OVHD.SN.STR.TYPE C-1 ALUM./G.STL.80'	1.000 EA
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	79,512.000 LF
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	1,000.000 LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	6,000.000 LF
856(G)	8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1,000.000 EA
857(A)	8902	PAVE.MARKERS CLASS A TYPE 2	344.000 EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1,200.000 LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	18.000 EA
870(B)	8012	IMPACT ATTEN.MODULE(REPLACEMENT)	8.000 EA
871	8709	(PL)CONST.ZONE QUADGUARD IMPACT ATTEN.	120.000 SD
880(A)	8812	ARROW DISPLAY(TYPE C)	1,460.000 SD

SECTION NO. 0004		Y000-TRAFFIC		
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4,600.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,000.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,100.000	SD
880(C)	8836	BARRICADES(TYPE II)	1,000.000	SD
880(C)	8842	BARRICADES(TYPE III)	3,000.000	SD
880(C)	8848	WING BARRICADES	3,000.000	SD
880(D)	8854	VERTICAL PANELS	3,000.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	6,000.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	50,000.000	SD
880(F)	8878	DRUMS	50,000.000	SD
SECTION NO. 0005		Y030-TRAFFIC LIGHTING		
802(A)	8300	3/4" GALV.STEEL ELECT.COND. EXPOSED	100.000	LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	120.000	LF
803	8065	PULL BOX(SIZE I)	1.000	EA
809(D)	8453	OVERHEAD SIGN LUMINAIRE	6.000	EA
810(A)	3118	SERVICE POLE	1.000	EA
811	8044	1/C NO.10 ELECT.COND.	500.000	LF
SECTION NO. 0006		STAK-STAKING		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0007		Y002-OTA TOLL PLAZA & SIGNS		
303	5912	AGGREGATE BASE	825.000	TON
414(D)	4368	10" P.C. CONCRETE PAVEMENT (CONT.REINF.)	1,100.000	SY
609(A)	0300	CONC.CURB(6" BARRIER-INTEGRAL)	584.000	LF
802(A)	8040	1 1/2" GALV.STEEL ELECT.COND. TRENCHED	250.000	LF
802(A)	8301	3/4" GALV.STL.ELECT.CONDUIT TRENCHED	200.000	LF
802(A)	8304	1" GALV.STEEL ELECT.COND. TRENCHED	450.000	LF
802(A)	8308	1 1/4" GALV.STEEL ELECT.COND. TRENCHED	700.000	LF
802(A)	8314	2" GALV.STEEL ELECT.COND. TRENCHED	3,990.000	LF
802(A)	8320	3" GALV.STEEL ELECT.COND. TRENCHED	350.000	LF
802(C)	8360	0.75" ALUM.COND.EXP.	170.000	LF
803	8065	PULL BOX(SIZE I)	2.000	EA
803	8066	PULL BOX(SIZE II)	22.000	EA
803	8067	PULL BOX(SIZE III)	20.000	EA
804(A)	2915	STRUCTURAL CONCRETE	51.900	CY
804(B)	2916	REINFORCING STEEL	3,199.000	LB
806(C)	8928	40'MHP & 15' H.L.MST.ARM(G.STL.)	2.000	EA
807	8092	BREAKAWAY BASE (DES. B)	2.000	EA
809(A)	8090	(PL)ROADWAY LUMINAIRE	2.000	EA
809(D)	8453	OVERHEAD SIGN LUMINAIRE	6.000	EA
811	8038	1/C NO.4 ELECT.COND.	12,000.000	LF
811	8044	1/C NO.10 ELECT.COND.	1,350.000	LF
811	8046	1/C NO.12 ELECT.COND.	3,700.000	LF
850(A)	8110	SHEET ALUMINUM SIGNS	107.000	SF
850(B)	8112	EXTRUDED ALUMINUM PANEL SIGNS	912.000	SF
851(A)	3208	6"@20 GALV.STL.WD.FLANGE BM.POST	282.000	LF
851(B)	3217	2 1/2"@5.79 GALV.STL.PIPE POST	61.000	LF
851(B)	3218	3"@7.58 GALV.STL.PIPE POST	59.000	LF
852	8603	(PL)OVHD.SN.STR.WLKWY&HANDRAIL-INTERNAL	100.000	LF

SECTION NO. 0007

Y002-OTA TOLL PLAZA & SIGNS

852	8604	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-EXTERNAL		73.500	LF
852A/B	3222	OVHD.SN.STR.TY.A1 AL/GA.STL.50'	2.000		EA
871	8701	(PL)QUADGUARD IMPACT ATTENUATOR	2.000		EA
895	6500	TOLL PLAZA ISLAND COIN MACHINE	2.000		EA
895	6510	ELECTRICAL TOLL EQUIPMENT	1.000		EA
895	6540	TOLL EQUIP.PAD RET.WALL & SCR.N.WALL		2.000	EA
895	6590	ADP CAVITY DOORS & FRAME	2.000		EA

LNTCIQA FEDERAL PROJECT PAGE 45
 CALL ORDER : 455 CONTRACT ID : 000432
 LETTING DATE : October 19, 2000 PCN : 1831604M
 LETTING TIME : 2:00 P.M.
 COUNTIES: STEPHENS PROJECTS : STP-169B(44)UR/STP-169B(45)UR
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 21.58
 RES. ENG.: 71DUN
 CAL. DAYS: 210 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON NORHT 29TH STREET BEGINNING AT BEECH AVENUE AND
 EXTENDING NORTH TO ELK AVENUE IN THE CITY OF DUNCAN.
 PROJ. LGTH.= 0.988 MILE
 FLEX. ESALS= 0.64 MILLION
 ASPH. GRADE= 64-22OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY STP-169B(44)UR		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	4,844.000	CY
202(C)	0184 UNCLASSIFIED BORROW	250.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	2,444.000	LF
223	2801 TEMPORARY SILT FENCE	2,358.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	2.000	EA
227	0100 TEMPORARY SILT DIKE	3,378.000	LF
230(A)	2806 SOLID SLAB SODDING	6,353.000	SY
233(A)	2817 VEGETATIVE MULCHING	3.700	AC
241	2832 MOWING	7.400	AC
307(A)	4233 LIME	226.900	TON
307(B)	4235 8" LIME TREATED SUBGRADE	15,755.300	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON
407	0250 TACK COAT	1,515.200	GAL
408	5774 PRIME COAT	2,736.700	GAL
411	4540 (PL)ASPHALT CONCRETE (6")	268.000	SY
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	5,261.200	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,629.500	TON
414(A)	0258 6" P.C. CONCRETE PAVEMENT	943.400	SY
417	4659 (PL)FOG SEAL	322.800	GAL
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	15.400	CY
509(D)	0325 CLASS C CONCRETE	10.000	CY
609(A)	0300 CONC.CURB(6" BARRIER-INTEGRAL)	599.800	LF
609(B)	1513 1'-8" COMB.CRB.& GUT.(6" BARRIER)	5,103.300	LF
610(A)	0602 4" CONCRETE SIDEWALK	112.000	SY
610(B)	0399 6" CONCRETE DRIVEWAY (H.E.S.)	1,163.600	SY
611(A)	2657 MANHOLE (4' DIA.)	1.000	EA
611(B)	2680 ADD'L.DEPTH IN MANHOLE (4' DIA.)	0.300	VF
611(D)	4215 MANHOLE FRAME & COVER	9.000	EA
611(D)	4274 MANHOLE FRAME (TYPE R)	1.000	EA
611(D)	4276 MANHOLE COVER GRATE	1.000	EA
611(E)	5112 INLET CICI DES. 2 (STD)	4.000	EA

SECTION NO. 0001		I000-ROADWAY	STP-169B(44)UR		
611(E)	5113	INLET CICI DES. 2 (B)	5.000	EA	
611(E)	5115	INLET CICI DES. 2 (D)	3.000	EA	
611(E)	5705	INLET CDI 24" RCP	1.000	EA	
611(E)	5706	INLET CDI 30" RCP	1.000	EA	
611(F)	5325	INLET CICI DES. 2 (ADD'L DEPTH)	22.400	VF	
611(F)	5790	INLET CDI 24" RCP,(ADD'L DEPTH)	0.500	VF	
611(F)	5791	INLET CDI 30" RCP,(ADD'L DEPTH)	1.120	VF	
611(G)	4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	24.000	EA	
611(J)	0487	JUNCTION BOXES	689.700	CF	
611(K)	4488	CAST IRON CURB INLETS	46.000	EA	
613(B)	0491	18" R.C.PIPE CLASS III	24.000	LF	
613(B)	0492	24" R.C.PIPE CLASS III	339.000	LF	
613(B)	0493	30" R.C.PIPE CLASS III	460.000	LF	
613(B)	0495	42" R.C.PIPE CLASS III	358.000	LF	
613(B)	0496	48" R.C.PIPE CLASS III	492.000	LF	
613(D)	0694	48" CORR. GALV. STEEL PIPE	600.000	LF	
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA	
613(M)	5738	48" PREFAB. CULVERT END SEC., ROUND	1.000	EA	
614	1185	RELAYING CULVERT PIPE(30" ROUND)	36.000	LF	
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	1,468.300	SY	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	10,174.000	SY	
619(C)	0924	SAWING PAVEMENT	3,678.000	LF	
629(E)	5048	REMOVE AND RESET MAILBOX	9.000	EA	
641	1552	MOBILIZATION	1.000	LSUM	
850(A)	8110	SHEET ALUMINUM SIGNS	55.700	SF	
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	198.000	LF	
854(A)	8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	13,660.000	LF	
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7,498.000	LF	
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	6.000	EA	
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	3.000	EA	
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1,400.000	LF	
856(G)	8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1,468.000	EA	
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	4,530.000	LF	
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM	
SECTION NO. 0002		I000-ROADWAY	STP-169B(45)UR		
201	0102	CLEARING AND GRUBBING	1.000	LSUM	
202(A)	0183	UNCLASSIFIED EXCAVATION	5,749.000	CY	
202(C)	0184	UNCLASSIFIED BORROW	6,860.000	CY	
205	4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM	
222	2801	TEMPORARY BALE BARRIER	875.000	LF	
223	2801	TEMPORARY SILT FENCE	2,800.000	LF	
224	2803	TEMPORARY SEDIMENT FILTER	5.000	EA	
227	0100	TEMPORARY SILT DIKE	4,425.000	LF	
230(A)	2806	SOLID SLAB SODDING	13,100.000	SY	
233(A)	2817	VEGETATIVE MULCHING	2.660	AC	
241	2832	MOWING	2.660	AC	
307(A)	4233	LIME	353.600	TON	
307(B)	4235	8" LIME TREATED SUBGRADE	17,858.600	SY	
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON	
407	0250	TACK COAT	1,635.400	GAL	
408	5774	PRIME COAT	3,644.000	GAL	
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	6,290.000	TON	

SECTION NO. 0002		I000-ROADWAY STP-169B(45)UR		
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,701.700	TON
414(A)	0258	6" P.C. CONCRETE PAVEMENT	251.300	SY
414(A1)	5753	8" P.C. DOWEL JOINTED CONCRETE PAVEMENT	341.800	SY
414(B)	0290	8" H.E.S. CONCRETE PAVEMENT	90.900	SY
417	4659	(PL)FOG SEAL	403.300	GAL
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	64.000	CY
509(B)	0321	CLASS A CONCRETE	168.800	CY
509(D)	0325	CLASS C CONCRETE	30.000	CY
511(A)	0332	REINFORCING STEEL	16,042.000	LB
609(A)	0300	CONC.CURB(6" BARRIER-INTEGRAL)	324.100	LF
609(B)	1513	1'-8" COMB.CRB.& GUT.(6" BARRIER)	5,419.200	LF
610(A)	0602	4" CONCRETE SIDEWALK	56.000	SY
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)	305.300	SY
611(E)	5112	INLET CICI DES. 2 (STD)	4.000	EA
611(E)	5113	INLET CICI DES. 2 (B)	3.000	EA
611(E)	5115	INLET CICI DES. 2 (D)	1.000	EA
611(E)	5704	INLET CDI 18" RCP	2.000	EA
611(E)	5706	INLET CDI 30" RCP	1.000	EA
611(F)	5325	INLET CICI DES. 2 (ADD'L DEPTH)	7.910	VF
611(G)	4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	16.000	EA
611(K)	4488	CAST IRON CURB INLETS	26.000	EA
613(B)	0491	18" R.C.PIPE CLASS III	314.000	LF
613(B)	0492	24" R.C.PIPE CLASS III	84.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	24.000	LF
613(M)	4504	21" X 15" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	1,247.500	SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	12,066.700	SY
619(C)	0924	SAWING PAVEMENT	2,923.500	LF
624(C)	4462	FENCE-STYLE SWF (5 SMOOTH WIRE)	1,500.000	LF
629(E)	5048	REMOVE AND RESET MAILBOX	4.000	EA
641	1552	MOBILIZATION	1.000	LSUM
850(A)	8110	SHEET ALUMINUM SIGNS	32.110	SF
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	151.000	LF
854(A)	8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	14,360.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	8,031.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
856(G)	8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1,780.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2,900.000	LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003		Y031-TRAFFIC SIGNALS STP-169B(44)UR		
802(B)	8332	1" PVC SCH.40 PLASTIC CONDUIT BORED	30.000	LF
802(B)	8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	20.000	LF
802(B)	8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	420.000	LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	30.000	LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	25.000	LF
802(B)	8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	35.000	LF
803	8065	PULL BOX(SIZE I)	1.000	EA
803	8066	PULL BOX(SIZE II)	1.000	EA
803	8067	PULL BOX(SIZE III)	2.000	EA
804(A)	2915	STRUCTURAL CONCRETE	6.040	CY

SECTION NO. 0003	Y031-TRAFFIC SIGNALS	STP-169B(44)UR		
804(B)	2916	REINFORCING STEEL	803.400	LB
806(A)	8351	32' MH POLE 25', TS & 10' LMA(G.STL.)	2.000	EA
806(B)	8896	12' MTG.HT.TS PED.POLE(G.STL.)	2.000	EA
809(A)	8090	(PL)ROADWAY LUMINAIRE	2.000	EA
811	8040	1/C NO.6 ELECT.COND.	100.000	LF
811	8044	1/C NO.10 ELECT.COND.	200.000	LF
825	8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
827	8620	SOLID STATE FLASHER CONTROLLER(TYPE I)	2.000	EA
828(A)	8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	2.000	EA
828(B)	8138	LOOP DETECTOR WIRE	480.000	LF
830	8000	PEDESTRIAN PUSH BUTTON	2.000	EA
831	8231	1WAY3SEC.ADJ.SIG.HD.S-6	4.000	EA
831	8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	2.000	EA
831	8301	1WAY1SEC.ADJ.SIG.HD.S-22	4.000	EA
833	3038	5" BACKPLATE(12" HDS)(B-2)	4.000	EA
834(A)	8207	5/C TRAF.SIG.EL.CABLE	200.000	LF
834(A)	8208	7/C TRAF.SIG.EL.CABLE	110.000	LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	560.000	LF
850(A)	8110	SHEET ALUMINUM SIGNS	52.000	SF
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	46.000	LF
SECTION NO. 0004	STAK-STAKING	STP-169B(44)UR		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0005	STAK-STAKING	STP-169B(45)UR		
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 470
 LETTING DATE : October 19, 2000
 LETTING TIME : 2:00 P.M.
 COUNTIES: TULSA

FEDERAL PROJECT
 CONTRACT ID : 000453
 PCN : 1586404

PAGE 49

PROJECTS : BRF-72C(601)CO
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.85
 RES. ENG.: 81TUL
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER POLECAT CREEK, AT 33RD W. AVE
 AND 101ST STREET WEST OF JENKS
 PROJ. LGTH.= 0.346 KM.
 FLEX. ESALS= 1.2 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
202(G) M6181	EARTHWORK	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	100.000	M
223 M2802	TEMPORARY SILT FENCE	400.000	M
230(A) M2806	SOLID SLAB SODDING	3,000.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.180	HA
233(D) M2820	WOOD CELLULOSE FIBER	0.180	HA
303 M0192	AGGREGATE BASE	612.700	M3
325 M5271	SEPARATOR FABRIC	3,255.800	M2
407 M0250	TACK COAT	585.100	L
408 M5774	PRIME COAT	5,698.000	L
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		559.400 T
411(B) M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		280.000 T
509(D) M0325	CLASS C CONCRETE	10.000	M3
613(B) M0405	450MM R.C.PIPE CLASS III	18.000	M
613(C) M4373	SP. END SECTION OF 450MM RCP ROUND	4.000	EA
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	1,734.000	M2
619(C) M0924	SAWING PAVEMENT	12.000	M
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	124.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	50.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	173.700	M
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	126.800	M
504(A) M1304	APPROACH SLAB	92.700	M2
504(E) M1380	CONCRETE RAIL (TR1)	173.500	M
504(H) M6390	RAPID CURE JOINT SEALANT	21.400	M
504(I) M6389	ELASTOMERIC MORTAR	0.160	M3
506(A) M1322	STRUCTURAL STEEL	2,015.000	KG
509(A) M1326	CLASS AA CONCRETE	174.900	M3
509(B) M1328	CLASS A CONCRETE	99.400	M3
511(A) M1332	REINFORCING STEEL	6,120.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	23,965.000	KG

SECTION NO. 0002	X081-BRIDGE 'A'		
514(A) M6011	PILES, FURNISHED (HP 250X62)	214.800	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	214.800	M
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	36.000	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,420.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	425.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	50.000	M
613(Q) M6207	150 MM RND.NON-PERF.PIPE UNDERDRAIN	50.000	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM