

OKLAHOMA DEPARTMENT OF TRANSPORTATION

DATE : November 20, 2000

LNTCNCA
LETTING

NOTICE TO CONTRACTORS -- December 21, 2000

LNTCNCA-D

NOTICE TO CONTRACTORS: SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OR WILL BE RECEIVED AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION ROOM IN THE THE OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105 FROM 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING OF December 21, 2000 , TO BE PUBLICALLY OPENED AT 10:30 A.M. FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 NORTHEAST 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS IS \$25.00 PLUS TAX FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 PLUS TAX, OR 1996 METRIC STD SPEC \$27.00 + TAX OR 1999 METRIC AND ENGLISH STD SPEC \$55.00 + TAX. (OKLAHOMA TAX IS 7.875%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE ON THE ABOVE COST. THE COST OF BIDDING DOCUMENT WILL BE BORNE BY PROSPECTIVE BIDDER.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT SHALL, WITHIN (14) WORKING DAYS FROM THE DATE THE CONTRACT IS RECEIVED, COMPLETE ITS EXECUTION OF THE CONTRACT AND RETURN A COPY OF THE EXECUTED CONTRACT TO THE SUCCESSFUL BIDDER.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

LNTCIQA FEDERAL PROJECT PAGE 1
 CALL ORDER : 005 CONTRACT ID : 000460
 LETTING DATE : December 21, 2000 PCN : 1252707M
 LETTING TIME : 10:30 A.M.
 COUNTIES: ATOKA PROJECTS : NHY-17N(23)/NHY-17N(37)
 DBE/WBE GOALS: 11.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 38.84
 RES. ENG.: 24MCA
 CAL. DAYS: 330 LIQ. DAM: \$ 3500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE AND SURFACE(SUPERPAVE)
 ON SH-3 BEGINNING APPROXIMATELY 3.22 KILOMETERS EAST OF THE
 JUNCTION OF SH-3/US-69, IN ATOKA, AND EXTENDING EAST
 PROJ. LGTH.= 8.4 KILOMETERS
 FLEX. ESALS= 7.6 MILLION
 ASPH. GRADE= 64-22 OK, 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY NHY-17N(23)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	350,345.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	2,000.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	M2802 TEMPORARY SILT FENCE	600.000	M
226	M2805 TEMPORARY SEDIMENT REMOVAL	50.000	M3
227	M0100 TEMPORARY SILT DIKE	2,300.000	M
229	M4318 DITCH LINER PROTECTION	1,398.000	M
230(A)	M2806 SOLID SLAB SODDING	23,695.000	M2
230(D)	M2810 BROADCAST SPRIGGING (METHOD A)	228,900.000	M2
230(F)	M2812 WATERING	45,467.000	KL
232(A)	M2813 SEEDING METHOD A	28.430	HA
233(A)	M2817 VEGETATIVE MULCHING	87.030	HA
234(A)	M2824 FERTILIZING (10-20-10)	35.480	T
234(A)	M4406 FERTILIZING (0-46-0)	7.600	T
241	M2832 MOWING	44.700	HA
303	M0192 AGGREGATE BASE	17,603.000	M3
317(A)	M4252 (SP)FLY ASH	8,940.000	T
317(B)	M4254 SUBGRADE MODIFICATION	155,032.000	M2
317(C)	M4253 LIME	745.000	T
317(D)	M4254 SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	38,758.000	M2
325	M5271 SEPARATOR FABRIC	121,094.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	19,750.000	T
407	M0250 TACK COAT	120,513.000	L
408	M5774 PRIME COAT	131,104.000	L
411(Q)	M5879 (SP)ASPH.CONC., 25MM NOM MAX(PG70-28OK)	12,785.000	T
411(Q)	M5880 (SP)ASPH.CONC., 25MM NOM MAX(PG64-22OK)	52,748.000	T
411(R)	M5882 (SP)ASPH.CONC., 19MM NOM MAX(PG70-28OK)	8,524.000	T
411(R)	M5883 (SP)ASPH.CONC., 19MM NOM MAX(PG64-22OK)	6,647.000	T
501(A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	142.000	M3
509(B)	M0321 CLASS A CONCRETE	387.000	M3
509(D)	M0325 CLASS C CONCRETE	754.000	M3
511(A)	M0332 REINFORCING STEEL	85,703.000	KG

SECTION NO. 0001	I000-ROADWAY	NHY-17N(23)		
613(B)	M0413	750MM R.C.PIPE CLASS III	89.000	M
613(B)	M0415	900MM R.C.PIPE CLASS III	105.000	M
613(B)	M0419	1200MM R.C.PIPE CLASS III	34.000	M
613(B)	M4403	560MM X 345MM R.C.PIPE ARCH CLASS A-III		24.000 M
613(B)	M4411	725MM X 460MM R.C.PIPE ARCH CLASS A-III		28.000 M
613(CC)	M7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(CC)	M7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(CC)	M7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(CC)	M7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
613(CC)	M7190	TYPE E4 CULVERT END TREATMENT	2.000	EA
613(D)	M0689	450MM CORR. GALV. STEEL PIPE	1,200.000	M
613(M)	M0897	450MM PREFAB. CULVERT END SEC., ROUND	114.000	EA
613(M)	M0899	750MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	M0900	900MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(P)	M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND		630.000 M
613(Q)	M1096	150MM NON-PERF.PIPE UNDERDRAIN RND.	210.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	158.000	M3
613(S)	M1180	TRENCH EXCAVATION	1,331.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	515.000	M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000 LSUM
619(B)	M0291	REMOVAL OF HEADWALL	6.000	EA
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	16,134.000	M2
619(C)	M0924	SAWING PAVEMENT	50.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	457.000	M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
623(H)	M8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	7,353.000	M
624(D)	M4288	FENCE-STYLE CLF (1200MM HIGH, CLASS A)		75.000 M
624(E)	M5847	GATES-STYLE CLF(1200MM HI X 3600MM LONG)		2.000 EA
624(E)	M5849	GATES-STYLE CLF(1200MM HI X 4200MM LONG)		1.000 EA
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	22.000	EA
629(B)	M4959	MAILBOX INSTALLATION-MULTIPLE	2.000	EA
629(C)	M4960	MAILBOX	27.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	14.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(C)	M5946	OUTLET LATERAL HEADWALL	10.000	EA
SECTION NO. 0002	X081-BRIDGE 'A'	NHY-17N(37)		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	150.000	M3
501(F)	M6352	GRANULAR BACKFILL	88.000	M3
503(A)	M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	206.800	M
504(A)	M1304	APPROACH SLAB	152.000	M2
504(E)	M6239	CONCRETE RAIL (TR3)	128.400	M
506(A)	M1322	STRUCTURAL STEEL	1,120.000	KG
509(A)	M1326	CLASS AA CONCRETE	166.600	M3
509(B)	M1328	CLASS A CONCRETE	85.800	M3
511(A)	M1332	REINFORCING STEEL	3,110.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	29,320.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	152.400	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	152.400	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	12.000	EA

SECTION NO. 0002	X081-BRIDGE 'A'	NHY-17N(37)		
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	605.600	M2
516(A)	M6096	DRILLED SHAFTS 1500MM DIAMETER	48.400	M
601A-1	M1353	TYPE I-A PLAIN RIPRAP	2,920.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	880.000	T
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	25.600	M
613(Q)	M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	16.000	M
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641	M1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0003	X081-BRIDGE 'B'	NHY-17N(37)		
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	75.000	M3
501(F)	M6352	GRANULAR BACKFILL	88.000	M3
503(A)	M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	103.600	M
504(A)	M1304	APPROACH SLAB	152.000	M2
504(E)	M6239	CONCRETE RAIL (TR3)	76.400	M
506(A)	M1322	STRUCTURAL STEEL	375.000	KG
509(A)	M1326	CLASS AA CONCRETE	93.400	M3
509(B)	M1328	CLASS A CONCRETE	41.000	M3
511(A)	M1332	REINFORCING STEEL	1,420.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	10,280.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	99.400	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	99.400	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	14.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	286.600	M2
601A-1	M1353	TYPE I-A PLAIN RIPRAP	1,170.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	250.000	T
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	25.600	M
613(Q)	M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	12.000	M
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004	Y008-CONST.TRAFFIC CONTROL	NHY-17N(23)		
856(A)	M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	34,000.000	M
856(C)	M8851	REM.PAVEMENT MARKING TAPE(100MM WIDE)	200.000	M
856(G)	M8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	100.000	EA
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	300.000	M
880(A)	M8812	ARROW DISPLAY(TYPE C)	365.000	SD
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	10,950.000	SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	9,490.000	SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	15,330.000	SD
880(C)	M8836	BARRICADES(TYPE II)	7,300.000	SD
880(C)	M8842	BARRICEDES(TYPE III)	8,760.000	SD
880(C)	M8845	BARRICADES(TYPE III)	16.000	EA
880(C)	M8848	WING BARRICADES	1,460.000	SD
880(D)	M8854	VERTICAL PANELS	18,250.000	SD
880(E)	M8860	WARNING LIGHTS(TYPE A)	40,150.000	SD
880(E)	M8872	WARNING LIGHTS(TYPE C)	29,200.000	SD
880(F)	M8878	DRUMS	10,950.000	SD
SECTION NO. 0005	Y002-TRAFFIC SIGNING & STRIPING	NHY-17N(23)		
804(A)	M2915	STRUCTURAL CONCRETE	1.620	M3
850(A)	M8110	SHEET ALUMINUM SIGNS	38.080	M2

SECTION NO. 0005	Y002-TRAFFIC SIGNING & STRIPING	NHY-17N(23)		
851(C) M8327	57MM SQUARE TUBE POST		225.840	M
855(A) M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)		34,000.000	M
SECTION NO. 0006	STAK-STAKING	NHY-17N(23)		
642 M0098	STAKING		1.000	LSUM
SECTION NO. 0007	STAK-STAKING	NHY-17N(37)		
642 M0098	STAKING		1.000	LSUM

LNTCIQA
 CALL ORDER : 010
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: BRYAN

FEDERAL PROJECT
 CONTRACT ID : 000493
 PCN : 1774804

PAGE 5

PROJECTS : BRO-107D(26)CO
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.32
 RES. ENG.: 21ANT
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER SULPHUR CREEK, 0.8 MILE NORTH AND
 1.9 MILES WEST OF BEGGINGTON
 PROJ. LGTH.= 0.219 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(G) M0185	EARTHWORK	1.000	LSUM
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
227 M0100	TEMPORARY SILT DIKE	488.000	M
230(A) M2806	SOLID SLAB SODDING	1,613.000	M2
233(A) M2817	VEGETATIVE MULCHING	0.320	HA
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	334.000	T
509(D) M0325	CLASS C CONCRETE	54.000	M3
SECTION NO. 0002	X081-BRIDGE 'A'		
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501(D) M6353	UNCLASSIFIED BACKFILL	32.000	M3
503(A) M1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	87.000	M
504(E) M1380	CONCRETE RAIL (TR1)	59.900	M
506(A) M1322	STRUCTURAL STEEL	614.000	KG
509(A) M1326	CLASS AA CONCRETE	40.900	M3
509(B) M1328	CLASS A CONCRETE	41.400	M3
511(A) M1332	REINFORCING STEEL	8,771.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	129.400	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	129.400	M
601A-1 M1353	TYPE I-A PLAIN RIPRAP	365.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	95.000	T
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 011
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: BRYAN

FEDERAL PROJECT
 CONTRACT ID : 000468
 PCN : 1676404

PAGE 6

PROJECTS : STPY-22N(29)TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 5.93
 RES. ENG.: 23MAD
 CAL. DAYS: 60 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 DURANT, TRAFFIC SIGNAL SYSTEM ON US-70 AT THE INTERSECTION
 OF NORTH 1ST STREET AND NORTH 3RD STREET
 PROJ. LGTH.= 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y008-TRAFFIC SIGNALS		
411(A) M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	1.400	T
414(A) M0260	200MM P.C. CONCRETE PAVEMENT	6.000	M2
609(B) M1514	500MM COMB.CRB.& GUT.(200MM BAR.)	44.000	M
610(A) M0602	100MM CONCRETE SIDEWALK	99.600	M2
610(B) M0399	150MM CONCRETE DRIVEWAY (H.E.S.)	30.600	M2
610(C) M0609	150MM CONCRETE DIVIDING STRIP	14.800	M2
619(B) M4727	REMOVAL OF CONCRETE PAVEMENT	143.300	M2
619(C) M0924	SAWING PAVEMENT	173.100	M
641 M1552	MOBILIZATION	1.000	LSUM
802(B) M8340	50MM PVC SCH.40 P.C.BORED	35.000	M
802(B) M8344	75MM PVC SCH.40 P.C.BORED	115.000	M
803 M8065	PULL BOX(SIZE I)	6.000	EA
803 M8066	PULL BOX(SIZE II)	2.000	EA
804(A) M2915	STRUCTURAL CONCRETE	16.100	M3
804(B) M2916	REINFORCING STEEL	1,418.300	KG
806(A) M8762	9.7M MHP 7.6M TS & 4.6M LMA(G.STL.)	2.000	EA
806(A) M8772	9.7M MHP 9.1M TS & 4.6M LMA(G.STL.)	1.000	EA
806(A) M8784	9.7M MHP 10.7M TS & 4.6M LMA(G.STL.)	1.000	EA
806(A) M8796	9.7M MHP 12.2M TS & 4.6M LMA(G.STL.)	3.000	EA
806(B) M8892	2.4M MTG.HT.TS PED.POLE(G.STL.)	1.000	EA
809(A) M8090	(PL)ROADWAY LUMINAIRE	7.000	EA
811 M8040	1/C NO.6 ELECT.COND.	20.000	M
811 M8044	1/C NO.10 ELECT.COND.	700.000	M
825 M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	2.000	EA
828 M8132	(PL)DETECTION SYSTEM(VIDEO)	1.000	LSUM
830 M8000	PEDESTRIAN PUSH BUTTON	14.000	EA
831 M8231	1WAY3SEC.ADJ.SIG.HD.S-6	12.000	EA
831 M8286	1WAY5SEC.ADJ.SIG.HD.S-19	2.000	EA
831 M8295	1WAY2SEC.ADJ.SIG.HD.S-20	14.000	EA
833 M3038	127MM BACKPLATE(300MM HDS)(B-2)	14.000	EA
834(A) M8207	5/C TRAF.SIG.EL.CABLE	850.000	M
834(A) M8208	7/C TRAF.SIG.EL.CABLE	130.000	M
834(A) M8209	9/C TRAF.SIG.EL.CABLE	350.000	M
834(B) M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	15.000	M
850(A) M8110	SHEET ALUMINUM SIGNS	8.980	M2

SECTION NO. 0001

Y008-TRAFFIC SIGNALS

850(C)	M8118	MAST ARM MOUNTED SIGNS(ALUM.)	7.030	M2
851(B)	M3220	100MM@16.06 GALV.STL.PIPE POST	36.000	M
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	2,586.200	M
855(B)	M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	10.000	EA
855(B)	M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	6.000	EA
859(A)	M8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	850.000	M
880(J)	M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A)	M8724	(PL)REMOVAL OF EXISTING SIGNS	1.000	EA
890(A)	M8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM

LNTCIQA
 CALL ORDER : 014
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CADDO

FEDERAL PROJECT
 CONTRACT ID : 000462
 PCN : 0615911

PAGE 8

PROJECTS : STPY-8B(310)
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 33.44
 RES. ENG.: 73ANA
 CAL. DAYS: 300 LIQ. DAM: \$ 2000

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(SUPERPAVE)
 ON US-281 BEGINNING AT THE TOWN OF LOOKEBA AND EXTENDING
 NORTH TO THE TOWN OF HINTON.
 PROJ. LGTH.= 10.08 KILOMETERS
 FLEX. ESALS= 2.9 MILLION
 ASPH. GRADE= 64-220K & 70-280K

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY STPY-8B(310)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	150,403.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	7,162.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	223.000	M
223	M2802 TEMPORARY SILT FENCE	2,570.000	M
224	M2803 TEMPORARY SEDIMENT FILTER	4.000	EA
225	M2804 TEMPORARY SEDIMENT BASIN	1.000	EA
226	M2805 TEMPORARY SEDIMENT REMOVAL	42.000	M3
227	M0100 TEMPORARY SILT DIKE	204.000	M
229	M4318 DITCH LINER PROTECTION	2,669.000	M
230(A)	M2806 SOLID SLAB SODDING	47,319.000	M2
230(C)	M2809 ROW SPRIGGING	177,897.000	M2
230(F)	M2812 WATERING	40,539.000	KL
232(A)	M2813 SEEDING METHOD A	21.640	HA
232(AA)	M7209 (PL)SOIL CONDITIONER	101.710	L
232(B)	M2814 SEEDING METHOD B	44.160	HA
233(A)	M2817 VEGETATIVE MULCHING	65.800	HA
234(A)	M2824 FERTILIZING (10-20-10)	32.040	T
234(A)	M4406 FERTILIZING (0-46-0)	7.510	T
235(A)	M0100 (PL)ROCK FILTER DAM, TYPE 1	84.000	M3
241	M2832 MOWING	44.160	HA
317(A)	M4252 (SP)FLY ASH	4,135.000	T
317(B)	M4254 SUBGRADE MODIFICATION	71,009.000	M2
403(A)	M0217 TRAFFIC BOUND SURFACE COURSE TYPE A	260.000	T
407	M0250 TACK COAT	64,842.000	L
408	M5774 PRIME COAT	69,378.000	L
411(R)	M5882 (SP)ASPH.CONC., 19MM NOM MAX(PG70-280K)	13,488.000	T
411(R)	M5883 (SP)ASPH.CONC., 19MM NOM MAX(PG64-220K)	22,072.000	T
411(S)	M5885 (SP)ASPH.CONC., 12.5MM NOM MAX(PG70-280K)	8,828.000	T
411(S)	M5886 (SP)ASPH.CONC., 12.5MM NOM MAX(PG64-220K)	7,283.000	T
420(A)	M4242 FABRIC REINFORCEMENT	10,633.000	M2
420(B)	M4268 BITUMINOUS BINDER	12,015.000	L

SECTION NO.	0001	I000-ROADWAY	STPY-8B(310)			
501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED		133.000	M3	
509(B)	M0321	CLASS A CONCRETE		335.000	M3	
509(D)	M0325	CLASS C CONCRETE		1,134.000	M3	
511(A)	M0332	REINFORCING STEEL		26,190.000	KG	
601(A)	M0297	TYPE I PLAIN RIPRAP		140.000	T	
609(B)	M1524	800MM COMB.CRB.& GUT.(150MM MNTBLE)		4,925.000	M	
610(B)	M0604	150MM CONCRETE DRIVEWAY		1,394.000	M2	
611(A)	M2657	MANHOLE (1200MM DIA.)		4.000	EA	
611(A)	M2658	MANHOLE (1500MM DIA.)		9.000	EA	
611(B)	M2680	ADD'L.DEPTH IN MANHOLE (1200MM DIA.)		1.000	VM	
611(B)	M2681	ADD'L.DEPTH IN MANHOLE (1500MM DIA.)		5.000	VM	
611(D)	M4215	MANHOLE FRAME & COVER		30.000	EA	
611(E)	M5115	INLET CICI DES. 2 (D)		1.000	EA	
611(E)	M5390	INLET CDI RCB DES. 4		1.000	EA	
611(E)	M5972	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(B)			3.000	EA
611(E)	M5974	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(D)			9.000	EA
611(E)	M5976	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(2B)			1.000	EA
611(E)	M5986	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.3(D)			4.000	EA
611(E)	M6000	INLET (SMD-TYPE 1)		2.000	EA	
611(E)	M6002	INLET (SMD-TYPE 2)		1.000	EA	
611(E)	M6004	INLET (SMD-TYPE 2A)		1.000	EA	
611(F)	M5325	INLET CICI DES 2 (ADD'L DEPTH)		3.000	M	
611(F)	M5539	INLET CDI RCB DES. 4,(ADD'L DEPTH)		2.000	M	
611(F)	M5972	INLET W/SJB,CICI-JB-1,DES 2(B,ADD DPTH)			4.000	M
611(F)	M5974	INLET W/SJB,CICI-JB-1,DES 2(D,ADD DPTH)			5.000	M
611(F)	M5976	INLET W/SJB,CICI-JB-1,DES 2(2B,ADD DPTH)			6.000	M
611(F)	M5986	INLET W/SJB,CICI-JB-1,DES 3(D,ADD DPTH)			2.000	M
611(G)	M4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)		42.000	EA	
611(K)	M4488	CAST IRON CURB INLETS		104.000	EA	
613(B)	M0405	450MM R.C.PIPE CLASS III		939.000	M	
613(B)	M0409	600MM R.C.PIPE CLASS III		25.000	M	
613(B)	M0413	750MM R.C.PIPE CLASS III		1,289.000	M	
613(B)	M0415	900MM R.C.PIPE CLASS III		42.000	M	
613(B)	M4419	1110MM X 675MM R.C.PIPE ARCH CLASS A-III			76.000	M
613(CC)	M7187	TYPE B4 CULVERT END TREATMENT		5.000	EA	
613(CC)	M7189	TYPE D4 CULVERT END TREATMENT		5.000	EA	
613(CC)	M7196	TYPE A6 CULVERT END TREATMENT		10.000	EA	
613(CC)	M7197	TYPE B6 CULVERT END TREATMENT		51.000	EA	
613(CC)	M7198	TYPE C6 CULVERT END TREATMENT		2.000	EA	
613(CC)	M7199	TYPE D6 CULVERT END TREATMENT		6.000	EA	
613(CC)	M7202	TYPE BB6 CULVERT END TREATMENT		8.000	EA	
613(D)	M0690	600MM CORR. GALV. STEEL PIPE		385.000	M	
613(D)	M0692	900MM CORR. GALV. STEEL PIPE		30.000	M	
613(D)	M5205	510MM X 380MM CORR. GALV. ST. PIPE ARCH		131.000	M	
613(D)	M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH		285.000	M	
613(D)	M5226	1030MM X 740MM CORR. GALV. ST. PIPE ARCH			32.000	M
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND			756.000	M
613(Q)	M1097	200MM NON-PERF.PIPE UNDERDRAIN RND.		252.000	M	
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.		189.000	M3	
613(S)	M1180	TRENCH EXCAVATION		5,321.000	M3	
613(T)	M1181	STANDARD BEDDING MATERIAL		2,509.000	M3	
619(B)	M0291	REMOVAL OF HEADWALL		25.000	EA	
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT		1,607.000	M2	
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT		766.000	M2	

SECTION NO. 0001	I000-ROADWAY	STPY-8B(310)		
619(B)	M4782	REMOVAL OF CONCRETE CURB	42.000	M
619(C)	M0924	SAWING PAVEMENT	592.000	M
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	7,275.000	M
624(D)	M4292	FENCE-STYLE CLF (1800MM HIGH, CLASS A)	60.000	M
624(E)	M5960	GATES-STYLE CLF(1800MM HI X 3600MM LONG)	1.000	EA
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	36.000	EA
629(C)	M4960	MAILBOX	36.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	36.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(C)	M5946	OUTLET LATERAL HEADWALL	10.000	EA
SECTION NO. 0002	Y008-CONST.TRAFFIC CONTROL	STPY-8B(310)		
880(J)	M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	Y003-TRAFFIC SIGNING	STPY-8B(310)		
804(A)	M2915	STRUCTURAL CONCRETE	1.600	M3
810(A)	M3118	SERVICE POLE	2.000	EA
850(A)	M8110	SHEET ALUMINUM SIGNS	16.350	M2
851(C)	M8327	57MM SQUARE TUBE POST	133.940	M
855(A)	M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)	35,290.000	M
890A/B	M8756	(PL)REMOVE & RESET EXISTING SIGNS	5.000	EA
SECTION NO. 0004	STAK-STAKING	STPY-8B(310)		
642	M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 015
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CADDO

FEDERAL PROJECT
 CONTRACT ID : 000463
 PCN : 1043504

PAGE 11

PROJECTS : STPY-8B(313)
 DBE/WBE GOALS: 7.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 43.15
 RES. ENG.: 73ANA
 CAL. DAYS: 180 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 BRIDGES & APPROACHES(SUPERPAVE)
 ON US-281 OVER HONEY CREEK APPROXIMATELY 0.8 KILOMETERS
 NORTH OF THE TOWN OF LOOKEBA.
 PROJ. LGTH.= 1.02 KILOMETERS
 FLEX. ESALS= 2.9 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY STPY-8B(313)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	31,128.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	748.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	44.000	M
223	M2802 TEMPORARY SILT FENCE	230.000	M
225	M2804 TEMPORARY SEDIMENT BASIN	1.000	EA
226	M2805 TEMPORARY SEDIMENT REMOVAL	4.000	M3
227	M0100 TEMPORARY SILT DIKE	61.000	M
229	M4318 DITCH LINER PROTECTION	910.000	M
230(A)	M2806 SOLID SLAB SODDING	4,047.000	M2
230(C)	M2809 ROW SPRIGGING	20,217.000	M2
230(F)	M2812 WATERING	4,368.000	KL
232(A)	M2813 SEEDING METHOD A	3.110	HA
232(AA)	M7209 (PL)SOIL CONDITIONER	14.620	L
232(B)	M2814 SEEDING METHOD B	5.530	HA
233(A)	M2817 VEGETATIVE MULCHING	9.400	HA
234(A)	M2824 FERTILIZING (10-20-10)	3.710	T
234(A)	M4406 FERTILIZING (0-46-0)	0.940	T
235(A)	M0100 (PL)ROCK FILTER DAM, TYPE 1	8.500	M3
241	M2832 MOWING	5.530	HA
317(A)	M4252 (SP)FLY ASH	698.000	T
317(B)	M4254 SUBGRADE MODIFICATION	12,100.000	M2
403(A)	M0217 TRAFFIC BOUND SURFACE COURSE TYPE A	216.000	T
407	M0250 TACK COAT	8,942.000	L
408	M5774 PRIME COAT	18,053.000	L
411(R)	M5882 (SP)ASPH.CONC.,19MM NOM MAX(PG70-28OK)	1,276.000	T
411(R)	M5883 (SP)ASPH.CONC.,19MM NOM MAX(PG64-22OK)	5,312.000	T
411(S)	M5885 (SP)ASPH.CONC.,12.5MM NOM MAX(PG70-28OK)	851.000	T
411(S)	M5886 (SP)ASPH.CONC.,12.5MM NOM MAX(PG64-22OK)	1,891.000	T
420(A)	M4242 FABRIC REINFORCEMENT	336.000	M2
420(B)	M4268 BITUMINOUS BINDER	380.000	L
501(A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	11.000	M3

SECTION NO. 0001	I000-ROADWAY	STPY-8B(313)		
509(B)	M0321	CLASS A CONCRETE	25.000	M3
509(D)	M0325	CLASS C CONCRETE	1,041.000	M3
511(A)	M0332	REINFORCING STEEL	2,078.000	KG
613(B)	M4427	1485MM X 915MM R.C.PIPE ARCH CLASS A-III		30.000 M
613(CC)	M7197	TYPE B6 CULVERT END TREATMENT	12.000	EA
613(CC)	M7199	TYPE D6 CULVERT END TREATMENT	4.000	EA
613(CC)	M7200	TYPE E6 CULVERT END TREATMENT	2.000	EA
613(D)	M0690	600MM CORR. GALV. STEEL PIPE	43.000	M
613(D)	M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH		180.000 M
613(D)	M5226	1030MM X 740MM CORR. GALV. ST. PIPE ARCH		53.000 M
613(D)	M5739	2100MM CORR. GALV. STEEL PIPE	29.000	M
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND		74.000 M
613(Q)	M1097	200MM NON-PERF.PIPE UNDERDRAIN RND.	25.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	19.000	M3
613(S)	M1180	TRENCH EXCAVATION	50.000	M3
619(B)	M0291	REMOVAL OF HEADWALL	2.000	EA
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	13,580.000	M2
619(B)	M4780	REMOVAL OF GUARD RAIL	261.000	M
619(C)	M0924	SAWING PAVEMENT	324.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	240.000	M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	M8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	771.000	M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	6.000	EA
629(C)	M4960	MAILBOX	6.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	6.000	EA
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(C)	M5946	OUTLET LATERAL HEADWALL	1.000	EA
SECTION NO. 0002	X028-BRIDGE 'A'	STPY-8B(313)		
202(A)	M1301	UNCLASSIFIED EXCAVATION	1,410.000	M3
501(A)	M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	70.000	M3
509(B)	M1328	CLASS A CONCRETE	192.400	M3
511(A)	M1332	REINFORCING STEEL	13,705.000	KG
619(B)	M2505	(PL)REMOVAL OF BRIDGE ITEMS	2.000	EA
SECTION NO. 0003	X081-BRIDGE 'B'	STPY-8B(313)		
202(A)	M1301	UNCLASSIFIED EXCAVATION	1,870.000	M3
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	67.000	M3
501(F)	M6352	GRANULAR BACKFILL	58.000	M3
503(A)	M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	95.600	M
504(A)	M1304	APPROACH SLAB	76.260	M2
504(E)	M6239	CONCRETE RAIL (TR3)	72.400	M
506(A)	M1322	STRUCTURAL STEEL	395.000	KG
509(A)	M1326	CLASS AA CONCRETE	101.200	M3
509(B)	M1328	CLASS A CONCRETE	44.400	M3
509(D)	M0325	CLASS C CONCRETE	16.000	M3
511(A)	M1332	REINFORCING STEEL	2,910.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	8,450.000	KG
514(A)	M6013	PILES, FURNISHED (HP 310X79)	480.000	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	480.000	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	16.000	EA

SECTION NO. 0003	X081-BRIDGE 'B' STPY-8B(313)		
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	209.200	M2
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,300.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	330.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	12.600	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	13.300	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 M1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0004	Y008-CONST.TRAFFIC CONTROL STPY-8B(313)		
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0005	Y002-TRAFFIC SIGNING STPY-8B(313)		
804(A) M2915	STRUCTURAL CONCRETE	0.250	M3
850(A) M8110	SHEET ALUMINUM SIGNS	2.500	M2
851(C) M8327	57MM SQUARE TUBE POST	20.550	M
855(A) M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)	6,800.000	M
890A/B M8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
SECTION NO. 0006	STAK-STAKING STPY-8B(313)		
642 M0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 016
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CADDO

FEDERAL PROJECT
 CONTRACT ID : 000464
 PCN : 1043505

PAGE 14

PROJECTS : BRFY-108B(50)
 DBE/WBE GOALS: 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 43.15
 RES. ENG.: 73ANA
 CAL. DAYS: 270 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 BRIDGES & APPROACHES(SUPERPAVE)
 ON US-281 OVER SUGAR CREEK AND OVERFLOW APPROXIMATELY 1.21
 KILOMETERS NORTH OF THE TOWN OF LOOKEBA.
 PROJ. LGTH.= 0.9 KILOMETERS
 FLEX. ESALS= 2.9 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY BRFY-108B(50)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	16,618.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	21,480.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	33.000	M
226	M2805 TEMPORARY SEDIMENT REMOVAL	4.000	M3
227	M0100 TEMPORARY SILT DIKE	35.000	M
229	M4318 DITCH LINER PROTECTION	160.000	M
230(A)	M2806 SOLID SLAB SODDING	4,584.000	M2
230(C)	M2809 ROW SPRIGGING	27,826.000	M2
230(F)	M2812 WATERING	5,834.990	KL
232(A)	M2813 SEEDING METHOD A	3.680	HA
232(AA)	M7209 (PL)SOIL CONDITIONER	17.300	L
232(B)	M2814 SEEDING METHOD B	6.920	HA
233(A)	M2817 VEGETATIVE MULCHING	11.270	HA
234(A)	M2824 FERTILIZING (10-20-10)	4.810	T
234(A)	M4406 FERTILIZING (0-46-0)	1.180	T
235(A)	M0100 (PL)ROCK FILTER DAM, TYPE 1	7.500	M3
241	M2832 MOWING	6.920	HA
317(A)	M4252 (SP)FLY ASH	616.000	T
317(B)	M4254 SUBGRADE MODIFICATION	10,666.000	M2
403(A)	M0217 TRAFFIC BOUND SURFACE COURSE TYPE A	159.000	T
407	M0250 TACK COAT	6,902.000	L
408	M5774 PRIME COAT	15,579.000	L
411(R)	M5882 (SP)ASPH.CONC.,19MM NOM MAX(PG70-28OK)	985.000	T
411(R)	M5883 (SP)ASPH.CONC.,19MM NOM MAX(PG64-22OK)	4,499.000	T
411(S)	M5885 (SP)ASPH.CONC.,12.5MM NOM MAX(PG70-28OK)	657.000	T
411(S)	M5886 (SP)ASPH.CONC.,12.5MM NOM MAX(PG64-22OK)	1,596.000	T
420(A)	M4242 FABRIC REINFORCEMENT	44.000	M2
420(B)	M4268 BITUMINOUS BINDER	50.000	L
509(D)	M0325 CLASS C CONCRETE	71.000	M3
613(CC)	M7197 TYPE B6 CULVERT END TREATMENT	6.000	EA
613(CC)	M7199 TYPE D6 CULVERT END TREATMENT	2.000	EA

SECTION NO. 0001	I000-ROADWAY	BRFY-108B(50)		
613(D)	M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH	140.000	M
613(D)	M5226	1030MM X 740MM CORR. GALV. ST. PIPE ARCH	24.000	M
613(D)	M5743	2400MM CORR. GALV. STEEL PIPE	93.000	M
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND	60.000	M
613(Q)	M1097	200MM NON-PERF. PIPE UNDERDRAIN RND.	20.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	15.000	M3
613(S)	M1180	TRENCH EXCAVATION	40.000	M3
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	12,563.000	M2
619(B)	M4780	REMOVAL OF GUARD RAIL	520.000	M
619(C)	M0924	SAWING PAVEMENT	44.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	610.000	M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
623(H)	M8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	334.000	M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C)	M4960	MAILBOX	1.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(C)	M5946	OUTLET LATERAL HEADWALL	1.000	EA
SECTION NO. 0002	X081-BRIDGE 'C'	BRFY-108B(50)		
202(A)	M1301	UNCLASSIFIED EXCAVATION	1,240.000	M3
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	150.000	M3
501(F)	M6352	GRANULAR BACKFILL	70.000	M3
503(A)	M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	95.600	M
504(A)	M1304	APPROACH SLAB	151.900	M2
504(E)	M6239	CONCRETE RAIL (TR3)	72.400	M
506(A)	M1322	STRUCTURAL STEEL	430.000	KG
509(A)	M1326	CLASS AA CONCRETE	101.200	M3
509(B)	M1328	CLASS A CONCRETE	43.400	M3
509(D)	M0325	CLASS C CONCRETE	16.000	M3
511(A)	M1332	REINFORCING STEEL	2,910.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	8,450.000	KG
514(A)	M6013	PILES, FURNISHED (HP 310X79)	544.000	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	544.000	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	16.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	255.000	M2
601A-1	M1353	TYPE I-A PLAIN RIPRAP	1,300.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	330.000	T
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	12.600	M
613(Q)	M6207	150MM NON-PERF. PIPE UNDERDRAIN RND.	13.300	M
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641	M1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0003	X081-BRIDGE 'D'	BRFY-108B(50)		
202(A)	M1301	UNCLASSIFIED EXCAVATION	2,910.000	M3
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	M3
501(F)	M6352	GRANULAR BACKFILL	90.000	M3
503(A)	M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	310.800	M
504(A)	M1304	APPROACH SLAB	320.400	M2

SECTION NO. 0003	X081-BRIDGE 'D'	BRFY-108B(50)		
504(C)	M6276	(PL)SEALED EXPANSION JOINTS	28.800	M
504(E)	M6239	CONCRETE RAIL (TR3)	208.400	M
506(A)	M1322	STRUCTURAL STEEL	2,930.000	KG
509(A)	M1326	CLASS AA CONCRETE	246.800	M3
509(B)	M1328	CLASS A CONCRETE	125.400	M3
509(D)	M0325	CLASS C CONCRETE	16.000	M3
511(A)	M1332	REINFORCING STEEL	35,810.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	29,890.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	494.700	M
514(A)	M6013	PILES, FURNISHED (HP 310X79)	494.700	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	121.000	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	121.000	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	821.700	M2
516(A)	M6096	DRILLED SHAFTS 1500MM DIAMETER	134.600	M
601A-1	M1353	TYPE I-A PLAIN RIPRAP	1,600.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	400.000	T
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	14.600	M
613(Q)	M6207	150MM NON-PERF.PIPES UNDERDRAIN RND.	13.300	M
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004	STAK-STAKING	BRFY-108B(50)		
642	M0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 17
 CALL ORDER : 017 CONTRACT ID : 000465
 LETTING DATE : December 21, 2000 PCN : 0615911C
 LETTING TIME : 10:30 A.M.
 COUNTIES: CADDO PROJECTS : STPY-8B(310)/STPY-8B(313)/BRFY
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 76.59
 RES. ENG.: 73ANA
 CAL. DAYS: 540 LIQ. DAM: \$ 2000

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES & SURFACE(SUPERPAVE)
 ON US-281 BEGINNING AT THE TOWN OF LOOKEBA AND EXTENDING
 NORTH TO THE TOWN OF HINTON.
 PROJ. LGTH.= 12.0 KILOMETERS
 FLEX. ESALS= 2.9 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY STPY-8B(310)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	150,403.000	M3
202(C)	M0184 UNCLASSIFIED BORROW	7,162.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	223.000	M
223	M2802 TEMPORARY SILT FENCE	2,570.000	M
224	M2803 TEMPORARY SEDIMENT FILTER	4.000	EA
225	M2804 TEMPORARY SEDIMENT BASIN	1.000	EA
226	M2805 TEMPORARY SEDIMENT REMOVAL	42.000	M3
227	M0100 TEMPORARY SILT DIKE	204.000	M
229	M4318 DITCH LINER PROTECTION	2,669.000	M
230(A)	M2806 SOLID SLAB SODDING	47,319.000	M2
230(C)	M2809 ROW SPRIGGING	177,897.000	M2
230(F)	M2812 WATERING	40,539.000	KL
232(A)	M2813 SEEDING METHOD A	21.640	HA
232(AA)	M7209 (PL)SOIL CONDITIONER	101.710	L
232(B)	M2814 SEEDING METHOD B	44.160	HA
233(A)	M2817 VEGETATIVE MULCHING	65.800	HA
234(A)	M2824 FERTILIZING (10-20-10)	32.040	T
234(A)	M4406 FERTILIZING (0-46-0)	7.510	T
235(A)	M0100 (PL)ROCK FILTER DAM, TYPE 1	84.000	M3
241	M2832 MOWING	44.160	HA
317(A)	M4252 (SP)FLY ASH	4,135.000	T
317(B)	M4254 SUBGRADE MODIFICATION	71,009.000	M2
403(A)	M0217 TRAFFIC BOUND SURFACE COURSE TYPE A	260.000	T
407	M0250 TACK COAT	64,842.000	L
408	M5774 PRIME COAT	69,378.000	L
411(R)	M5882 (SP)ASPH.CONC.,19MM NOM MAX(PG70-28OK)	13,488.000	T
411(R)	M5883 (SP)ASPH.CONC.,19MM NOM MAX(PG64-22OK)	22,072.000	T
411(S)	M5885 (SP)ASPH.CONC.,12.5MM NOM MAX(PG70-28OK)	8,828.000	T
411(S)	M5886 (SP)ASPH.CONC.,12.5MM NOM MAX(PG64-22OK)	7,283.000	T
420(A)	M4242 FABRIC REINFORCEMENT	10,633.000	M2
420(B)	M4268 BITUMINOUS BINDER	12,015.000	L

SECTION NO. 0001

I000-ROADWAY STPY-8B(310)

501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	133.000	M3
509(B)	M0321	CLASS A CONCRETE	335.000	M3
509(D)	M0325	CLASS C CONCRETE	1,134.000	M3
511(A)	M0332	REINFORCING STEEL	26,190.000	KG
601(A)	M0297	TYPE I PLAIN RIPRAP	140.000	T
609(B)	M1524	800MM COMB.CRB.& GUT.(150MM MNTBLE)	4,925.000	M
610(B)	M0604	150MM CONCRETE DRIVEWAY	1,394.000	M2
611(A)	M2657	MANHOLE (1200MM DIA.)	4.000	EA
611(A)	M2658	MANHOLE (1500MM DIA.)	9.000	EA
611(B)	M2680	ADD'L.DEPTH IN MANHOLE (1200MM DIA.)	1.000	VM
611(B)	M2681	ADD'L.DEPTH IN MANHOLE (1500MM DIA.)	5.000	VM
611(D)	M4215	MANHOLE FRAME & COVER	30.000	EA
611(E)	M5115	INLET CICI DES. 2 (D)	1.000	EA
611(E)	M5390	INLET CDI RCB DES. 4	1.000	EA
611(E)	M5972	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(B)		3.000 EA
611(E)	M5974	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(D)		9.000 EA
611(E)	M5976	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.2(2B)		1.000 EA
611(E)	M5986	INLET W/SMALL JCT.BOX,CICI-JB-1,DES.3(D)		4.000 EA
611(E)	M6000	INLET (SMD-TYPE 1)	2.000	EA
611(E)	M6002	INLET (SMD-TYPE 2)	1.000	EA
611(E)	M6004	INLET (SMD-TYPE 2A)	1.000	EA
611(F)	M5325	INLET CICI DES 2 (ADD'L DEPTH)	3.000	M
611(F)	M5539	INLET CDI RCB DES. 4,(ADD'L DEPTH)	2.000	M
611(F)	M5972	INLET W/SJB,CICI-JB-1,DES 2(B,ADD DPTH)		4.000 M
611(F)	M5974	INLET W/SJB,CICI-JB-1,DES 2(D,ADD DPTH)		5.000 M
611(F)	M5976	INLET W/SJB,CICI-JB-1,DES 2(2B,ADD DPTH)		6.000 M
611(F)	M5986	INLET W/SJB,CICI-JB-1,DES 3(D,ADD DPTH)		2.000 M
611(G)	M4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	42.000	EA
611(K)	M4488	CAST IRON CURB INLETS	104.000	EA
613(B)	M0405	450MM R.C.PIPE CLASS III	939.000	M
613(B)	M0409	600MM R.C.PIPE CLASS III	25.000	M
613(B)	M0413	750MM R.C.PIPE CLASS III	1,289.000	M
613(B)	M0415	900MM R.C.PIPE CLASS III	42.000	M
613(B)	M4419	1110MM X 675MM R.C.PIPE ARCH CLASS A-III		76.000 M
613(CC)	M7187	TYPE B4 CULVERT END TREATMENT	5.000	EA
613(CC)	M7189	TYPE D4 CULVERT END TREATMENT	5.000	EA
613(CC)	M7196	TYPE A6 CULVERT END TREATMENT	10.000	EA
613(CC)	M7197	TYPE B6 CULVERT END TREATMENT	51.000	EA
613(CC)	M7198	TYPE C6 CULVERT END TREATMENT	2.000	EA
613(CC)	M7199	TYPE D6 CULVERT END TREATMENT	6.000	EA
613(CC)	M7202	TYPE BB6 CULVERT END TREATMENT	8.000	EA
613(D)	M0690	600MM CORR. GALV. STEEL PIPE	385.000	M
613(D)	M0692	900MM CORR. GALV. STEEL PIPE	30.000	M
613(D)	M5205	510MM X 380MM CORR. GALV. ST. PIPE ARCH	131.000	M
613(D)	M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH	285.000	M
613(D)	M5226	1030MM X 740MM CORR. GALV. ST. PIPE ARCH		32.000 M
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND	756.000	M
613(Q)	M1097	200MM NON-PERF.PIPE UNDERDRAIN RND.	252.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	189.000	M3
613(S)	M1180	TRENCH EXCAVATION	5,321.000	M3
613(T)	M1181	STANDARD BEDDING MATERIAL	2,509.000	M3
619(B)	M0291	REMOVAL OF HEADWALL	25.000	EA
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	1,607.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	766.000	M2

SECTION NO. 0001	I000-ROADWAY	STPY-8B(310)		
619(B)	M4782	REMOVAL OF CONCRETE CURB	42.000	M
619(C)	M0924	SAWING PAVEMENT	592.000	M
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	7,275.000	M
624(D)	M4292	FENCE-STYLE CLF (1800MM HIGH, CLASS A)	60.000	M
624(E)	M5960	GATES-STYLE CLF(1800MM HI X 3600MM LONG)	1.000	EA
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	36.000	EA
629(C)	M4960	MAILBOX	36.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	36.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(C)	M5946	OUTLET LATERAL HEADWALL	10.000	EA
SECTION NO. 0002	I000-ROADWAY	STPY-8B(313)		
201	M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183	UNCLASSIFIED EXCAVATION	31,128.000	M3
202(C)	M0184	UNCLASSIFIED BORROW	748.000	M3
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	M2801	TEMPORARY BALE BARRIER	44.000	M
223	M2802	TEMPORARY SILT FENCE	230.000	M
225	M2804	TEMPORARY SEDIMENT BASIN	1.000	EA
226	M2805	TEMPORARY SEDIMENT REMOVAL	4.000	M3
227	M0100	TEMPORARY SILT DIKE	61.000	M
229	M4318	DITCH LINER PROTECTION	910.000	M
230(A)	M2806	SOLID SLAB SODDING	4,047.000	M2
230(C)	M2809	ROW SPRIGGING	20,217.000	M2
230(F)	M2812	WATERING	4,368.000	KL
232(A)	M2813	SEEDING METHOD A	3.110	HA
232(AA)	M7209	(PL)SOIL CONDITIONER	14.620	L
232(B)	M2814	SEEDING METHOD B	5.530	HA
233(A)	M2817	VEGETATIVE MULCHING	9.400	HA
234(A)	M2824	FERTILIZING (10-20-10)	3.710	T
234(A)	M4406	FERTILIZING (0-46-0)	0.940	T
235(A)	M0100	(PL)ROCK FILTER DAM, TYPE 1	8.500	M3
241	M2832	MOWING	5.530	HA
317(A)	M4252	(SP)FLY ASH	698.000	T
317(B)	M4254	SUBGRADE MODIFICATION	12,100.000	M2
403(A)	M0217	TRAFFIC BOUND SURFACE COURSE TYPE A	216.000	T
407	M0250	TACK COAT	8,942.000	L
408	M5774	PRIME COAT	18,053.000	L
411(R)	M5882	(SP)ASPH.CONC.,19MM NOM MAX(PG70-28OK)	1,276.000	T
411(R)	M5883	(SP)ASPH.CONC.,19MM NOM MAX(PG64-22OK)	5,312.000	T
411(S)	M5885	(SP)ASPH.CONC.,12.5MM NOM MAX(PG70-28OK)	851.000	T
411(S)	M5886	(SP)ASPH.CONC.,12.5MM NOM MAX(PG64-22OK)	1,891.000	T
420(A)	M4242	FABRIC REINFORCEMENT	336.000	M2
420(B)	M4268	BITUMINOUS BINDER	380.000	L
501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	11.000	M3
509(B)	M0321	CLASS A CONCRETE	25.000	M3
509(D)	M0325	CLASS C CONCRETE	1,041.000	M3
511(A)	M0332	REINFORCING STEEL	2,078.000	KG
613(B)	M4427	1485MM X 915MM R.C.PIPE ARCH CLASS A-III	30.000	M
613(CC)	M7197	TYPE B6 CULVERT END TREATMENT	12.000	EA
613(CC)	M7199	TYPE D6 CULVERT END TREATMENT	4.000	EA

SECTION NO. 0002		I000-ROADWAY STPY-8B(313)		
613(CC)	M7200	TYPE E6 CULVERT END TREATMENT	2.000	EA
613(D)	M0690	600MM CORR. GALV. STEEL PIPE	43.000	M
613(D)	M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH		180.000 M
613(D)	M5226	1030MM X 740MM CORR. GALV. ST. PIPE ARCH		53.000 M
613(D)	M5739	2100MM CORR. GALV. STEEL PIPE	29.000	M
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND		74.000 M
613(Q)	M1097	200MM NON-PERF.PIPE UNDERDRAIN RND.	25.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	19.000	M3
613(S)	M1180	TRENCH EXCAVATION	50.000	M3
619(B)	M0291	REMOVAL OF HEADWALL	2.000	EA
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	13,580.000	M2
619(B)	M4780	REMOVAL OF GUARD RAIL	261.000	M
619(C)	M0924	SAWING PAVEMENT	324.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	240.000	M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	M8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	771.000	M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	6.000	EA
629(C)	M4960	MAILBOX	6.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	6.000	EA
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(C)	M5946	OUTLET LATERAL HEADWALL	1.000	EA
SECTION NO. 0003		I000-ROADWAY BRFY-108B(50)		
201	M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183	UNCLASSIFIED EXCAVATION	16,618.000	M3
202(C)	M0184	UNCLASSIFIED BORROW	21,480.000	M3
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	M2801	TEMPORARY BALE BARRIER	33.000	M
226	M2805	TEMPORARY SEDIMENT REMOVAL	4.000	M3
227	M0100	TEMPORARY SILT DIKE	35.000	M
229	M4318	DITCH LINER PROTECTION	160.000	M
230(A)	M2806	SOLID SLAB SODDING	4,584.000	M2
230(C)	M2809	ROW SPRIGGING	27,826.000	M2
230(F)	M2812	WATERING	5,834.990	KL
232(A)	M2813	SEEDING METHOD A	3.680	HA
232(AA)	M7209	(PL)SOIL CONDITIONER	17.300	L
232(B)	M2814	SEEDING METHOD B	6.920	HA
233(A)	M2817	VEGETATIVE MULCHING	11.270	HA
234(A)	M2824	FERTILIZING (10-20-10)	4.810	T
234(A)	M4406	FERTILIZING (0-46-0)	1.180	T
235(A)	M0100	(PL)ROCK FILTER DAM, TYPE 1	7.500	M3
241	M2832	MOWING	6.920	HA
317(A)	M4252	(SP)FLY ASH	616.000	T
317(B)	M4254	SUBGRADE MODIFICATION	10,666.000	M2
403(A)	M0217	TRAFFIC BOUND SURFACE COURSE TYPE A	159.000	T
407	M0250	TACK COAT	6,902.000	L
408	M5774	PRIME COAT	15,579.000	L
411(R)	M5882	(SP)ASPH.CONC., 19MM NOM MAX(PG70-28OK)	985.000	T
411(R)	M5883	(SP)ASPH.CONC., 19MM NOM MAX(PG64-22OK)	4,499.000	T
411(S)	M5885	(SP)ASPH.CONC., 12.5MM NOM MAX(PG70-28OK)	657.000	T
411(S)	M5886	(SP)ASPH.CONC., 12.5MM NOM MAX(PG64-22OK)	1,596.000	T
420(A)	M4242	FABRIC REINFORCEMENT	44.000	M2

SECTION NO. 0003	I000-ROADWAY	BRFY-108B(50)		
420(B)	M4268	BITUMINOUS BINDER	50.000	L
509(D)	M0325	CLASS C CONCRETE	71.000	M3
613(CC)	M7197	TYPE B6 CULVERT END TREATMENT	6.000	EA
613(CC)	M7199	TYPE D6 CULVERT END TREATMENT	2.000	EA
613(D)	M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH		140.000 M
613(D)	M5226	1030MM X 740MM CORR. GALV. ST. PIPE ARCH		24.000 M
613(D)	M5743	2400MM CORR. GALV. STEEL PIPE	93.000	M
613(P)	M1092	200MM PERFORATED PIPE UNDERDRAIN ROUND		60.000 M
613(Q)	M1097	200MM NON-PERF. PIPE UNDERDRAIN RND.	20.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	15.000	M3
613(S)	M1180	TRENCH EXCAVATION	40.000	M3
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	12,563.000	M2
619(B)	M4780	REMOVAL OF GUARD RAIL	520.000	M
619(C)	M0924	SAWING PAVEMENT	44.000	M
623(A)	M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	610.000	M
623(F)	M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
623(H)	M8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	334.000	M
629(A)	M4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C)	M4960	MAILBOX	1.000	EA
629(D)	M4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
643	M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653(C)	M5946	OUTLET LATERAL HEADWALL	1.000	EA
SECTION NO. 0004	X028-BRIDGE 'A'	STPY-8B(313)		
202(A)	M1301	UNCLASSIFIED EXCAVATION	1,410.000	M3
501(A)	M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	70.000	M3
509(B)	M1328	CLASS A CONCRETE	192.400	M3
511(A)	M1332	REINFORCING STEEL	13,705.000	KG
619(B)	M2505	(PL)REMOVAL OF BRIDGE ITEMS	2.000	EA
SECTION NO. 0005	X081-BRIDGE 'B'	STPY-8B(313)		
202(A)	M1301	UNCLASSIFIED EXCAVATION	1,870.000	M3
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	67.000	M3
501(F)	M6352	GRANULAR BACKFILL	58.000	M3
503(A)	M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)		95.600 M
504(A)	M1304	APPROACH SLAB	76.260	M2
504(E)	M6239	CONCRETE RAIL (TR3)	72.400	M
506(A)	M1322	STRUCTURAL STEEL	395.000	KG
509(A)	M1326	CLASS AA CONCRETE	101.200	M3
509(B)	M1328	CLASS A CONCRETE	44.400	M3
509(D)	M0325	CLASS C CONCRETE	16.000	M3
511(A)	M1332	REINFORCING STEEL	2,910.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	8,450.000	KG
514(A)	M6013	PILES, FURNISHED (HP 310X79)	480.000	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	480.000	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	16.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	209.200	M2
601A-1	M1353	TYPE I-A PLAIN RIPRAP	1,300.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	330.000	T

SECTION NO. 0005	X081-BRIDGE 'B'	STPY-8B(313)		
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	12.600	M
613(Q)	M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	13.300	M
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641	M1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0006	X081-BRIDGE 'C'	BRFY-108B(50)		
202(A)	M1301	UNCLASSIFIED EXCAVATION	1,240.000	M3
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	150.000	M3
501(F)	M6352	GRANULAR BACKFILL	70.000	M3
503(A)	M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	95.600	M
504(A)	M1304	APPROACH SLAB	151.900	M2
504(E)	M6239	CONCRETE RAIL (TR3)	72.400	M
506(A)	M1322	STRUCTURAL STEEL	430.000	KG
509(A)	M1326	CLASS AA CONCRETE	101.200	M3
509(B)	M1328	CLASS A CONCRETE	43.400	M3
509(D)	M0325	CLASS C CONCRETE	16.000	M3
511(A)	M1332	REINFORCING STEEL	2,910.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	8,450.000	KG
514(A)	M6013	PILES, FURNISHED (HP 310X79)	544.000	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	544.000	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	16.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	255.000	M2
601A-1	M1353	TYPE I-A PLAIN RIPRAP	1,300.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	330.000	T
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	12.600	M
613(Q)	M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	13.300	M
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641	M1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0007	X081-BRIDGE 'D'	BRFY-108B(50)		
202(A)	M1301	UNCLASSIFIED EXCAVATION	2,910.000	M3
501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	M3
501(F)	M6352	GRANULAR BACKFILL	90.000	M3
503(A)	M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	310.800	M
504(A)	M1304	APPROACH SLAB	320.400	M2
504(C)	M6276	(PL)SEALED EXPANSION JOINTS	28.800	M
504(E)	M6239	CONCRETE RAIL (TR3)	208.400	M
506(A)	M1322	STRUCTURAL STEEL	2,930.000	KG
509(A)	M1326	CLASS AA CONCRETE	246.800	M3
509(B)	M1328	CLASS A CONCRETE	125.400	M3
509(D)	M0325	CLASS C CONCRETE	16.000	M3
511(A)	M1332	REINFORCING STEEL	35,810.000	KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	29,890.000	KG
514(A)	M6011	PILES, FURNISHED (HP 250X62)	494.700	M
514(A)	M6013	PILES, FURNISHED (HP 310X79)	494.700	M
514(B)	M6292	PILES, DRIVEN (HP 250X62)	121.000	M
514(B)	M6294	PILES, DRIVEN (HP 310X79)	121.000	M
514(F)	M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	821.700	M2
516(A)	M6096	DRILLED SHAFTS 1500MM DIAMETER	134.600	M
601A-1	M1353	TYPE I-A PLAIN RIPRAP	1,600.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	400.000	T

SECTION NO. 0007	X081-BRIDGE 'D' BRFY-108B(50)		
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	14.600	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	13.300	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0008	Y008-CONST.TRAFFIC CONTROL STPY-8B(310)		
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0009	Y008-CONST.TRAFFIC CONTROL STPY-8B(313)		
880(J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0010	Y003-TRAFFIC SIGNING STPY-8B(310)		
804(A) M2915	STRUCTURAL CONCRETE	1.600	M3
810(A) M3118	SERVICE POLE	2.000	EA
850(A) M8110	SHEET ALUMINUM SIGNS	16.350	M2
851(C) M8327	57MM SQUARE TUBE POST	133.940	M
855(A) M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)	35,290.000	M
890A/B M8756	(PL)REMOVE & RESET EXISTING SIGNS	5.000	EA
SECTION NO. 0011	Y002-TRAFFIC SIGNING STPY-8B(313)		
804(A) M2915	STRUCTURAL CONCRETE	0.250	M3
850(A) M8110	SHEET ALUMINUM SIGNS	2.500	M2
851(C) M8327	57MM SQUARE TUBE POST	20.550	M
855(A) M8815	TRAF.STR.(PLAST.)(THIN-LINE)(100MM WIDE)	6,800.000	M
890A/B M8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
SECTION NO. 0012	STAK-STAKING STPY-8B(310)		
642 M0098	STAKING	1.000	LSUM
SECTION NO. 0013	STAK-STAKING STPY-8B(313)		
642 M0098	STAKING	1.000	LSUM
SECTION NO. 0014	STAK-STAKING BRFY-108B(50)		
642 M0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 24
 CALL ORDER : 020 CONTRACT ID : 000486
 LETTING DATE : December 21, 2000 PCN : 1790304
 LETTING TIME : 10:30 A.M.
 COUNTIES: CLEVELAND PROJECTS : NCPDY-35-2(235)114DC
 DBE/WBE GOALS: 14.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 13.48
 RES. ENG.: 32PUR
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, SURFACE(ASPHALT) AND BRIDGE(RCB)
 ON I-35 BEGINNING APPROXIMATELY 0.4 MILE NORTH OF ROBINSON
 STREET, IN NORMAN AND EXTEND NORTH
 PROJ. LGTH.= 1.703 MILES
 FLEX. ESALS= 36.5 MILLION
 ASPH. GRADE= 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0003	Y008-TRAFFIC CONTROL		
509(D) 0325	CLASS C CONCRETE	19,195.100	CY
SECTION NO. 0001	I000-ROADWAY		
202(C) 0183	UNCLASSIFIED EXCAVATION	5,917.800	CY
202(E) 0184	UNCLASSIFIED BORROW	18,738.000	CY
202(F) 0186	SELECT BORROW	1,200.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
224 2803	TEMPORARY SEDIMENT FILTER	3.000	EA
227 0100	TEMPORARY SILT DIKE	440.000	LF
230(A) 2806	SOLID SLAB SODDING	28,707.000	SY
230(G) 2812	WATERING	1,148.300	MGAL
233(A) 2817	VEGETATIVE MULCHING	5.900	AC
234(A) 2824	FERTILIZING (10-20-10)	2.900	TON
234(A) 4406	FERTILIZING (0-46-0)	0.400	TON
241 2832	MOWING	5.900	AC
303 0192	AGGREGATE BASE	10,408.600	CY
325 5271	SEPARATOR FABRIC	40,735.300	SY
407 0250	TACK COAT	4,402.400	GAL
408 5774	PRIME COAT	4,813.800	GAL
411(A) 6520	(SP)ASPHALT CONCRETE TYPE A(PG 76-28 OK)	13,401.000	TON
411(B) 6550	(SP)ASPHALT CONCRETE TYPE B(PG 76-28 OK)	3,229.000	TON
417 5268	COLD MILLING PAVEMENT (2")	59,832.000	SY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	121.000	CY
509(B) 0321	CLASS A CONCRETE	391.700	CY
509(C) 0322	CLASS A CONCRETE FOR SMALL STRUCTURES	24.600	CY
511(A) 1332	REINFORCING STEEL	60,658.100	LB
611(A) 2657	MANHOLE (4' DIA.)	6.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)	15.400	VF
611(D) 4215	MANHOLE FRAME & COVER	6.000	EA
611(L) 4209	DROP INLET GRATE (SMD-TYPE 1)	1.000	EA
611(L) 4210	DROP INLET GRATE (SMD-TYPE 2)	2.000	EA
611(L) 5117	DROP INLET GRATE (SMD TYPE 2A)	1.000	EA

SECTION NO. 0001	I000-ROADWAY		
613(B) 0491	18" R.C.PIPE CLASS III	4.000	LF
613(B) 0492	24" R.C.PIPE CLASS III	2,228.000	LF
613(B) 0493	30" R.C.PIPE CLASS III	31.000	LF
613(CC) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(MM) 5045	24" SLOPED CONCRETE END SEC.(CD 6-GR)	1.000	EA
613(MM) 5705	24" SLOPED CONCRETE END SEC.(SD 6-GR)	2.000	EA
613(P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	100.000	LF
613(Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	600.000	CY
613(S) 1180	TRENCH EXCAVATION	1,822.500	CY
613(T) 1181	STANDARD BEDDING MATERIAL	808.700	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	3.000	EA
619(B) 4725	REMOVAL OF FENCE	2,100.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	14,660.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	1.000	EA
619(B) 4780	REMOVAL OF GUARD RAIL	340.000	LF
619(C) 0924	SAWING PAVEMENT	18,743.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	600.000	LF
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	1.000	EA
624(A) 4281	FENCE-STYLE WWF	2,142.000	LF
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM
653(A) 5915	EDGE DRAIN CONDUIT-PERFORATED	9,100.000	LF
653(B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	806.000	LF
653(C) 5946	OUTLET LATERAL HEADWALL	27.000	EA
SECTION NO. 0002	X028-BRIDGE 'A'		
202(C) 0183	UNCLASSIFIED EXCAVATION	930.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	100.000	CY
509(B) 0321	CLASS A CONCRETE	320.300	CY
511(A) 1439	REINFORCING STEEL (GRADE 60)	58,450.000	LB
520(A) 6058	PREPARATION OF CRACKS ABOVE WATER	60.000	LF
520(C) 6060	EPOXY RESIN ABOVE WATER	11.000	GAL
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0003	Y008-TRAFFIC CONTROL		
627(G) 4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	17,510.000	LF
627(H) 5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	10,200.000	LF
804(A) 2915	STRUCTURAL CONCRETE	14.000	CY
804(B) 2916	REINFORCING STEEL	805.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	84.000	SF
851(C) 8321	1 3/4" SQUARE TUBE POST	30.000	LF
851(C) 8324	2" SQUARE TUBE POST	88.000	LF
851(A) 3208	6"@20 GALV.STL.WD.FLANGE BM.POST	160.000	LF
852A/B 8970	OVHD.SN.STR.TYPE C-1 ALUM./G.STL.90'	1.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	32,482.800	LF
856(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	67,576.700	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	500.000	LF
856(G) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	200.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	93,811.300	LF
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	36.000	EA

SECTION NO. 0003	Y008-TRAFFIC CONTROL		
876(C)	8482	(PL)TRUCK MOUNTED ATTENUATOR	330.000 SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,970.000 SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4,158.000 SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,534.000 SD
880(B)	8827	CONSTRUCTION SIGNS 33.0 SF & OVER	50.000 SD
880(C)	8836	BARRICADES(TYPE II)	1,306.800 SD
880(C)	8842	BARRICADES(TYPE III)	2,346.300 SD
880(C)	8848	WING BARRICADES	1,306.800 SD
880(D)	8854	VERTICAL PANELS	3,267.000 SD
880(E)	8860	WARNING LIGHTS(TYPE A)	5,999.400 SD
880(E)	8872	WARNING LIGHTS(TYPE C)	23,845.800 SD
880(F)	8878	DRUMS	21,232.200 SD
SECTION NO. 0004	STAK-STAKING		
642	0098	STAKING	1.000 LSUM

LNTCIQA
 CALL ORDER : 021
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: CLEVELAND

FEDERAL PROJECT
 CONTRACT ID : 000426
 PCN : 1796404M

PAGE 27

PROJECTS : STPG-114B(36)AG/STPG-114B(37)A
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 7.02
 RES. ENG.: 32PUR
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 TRAFFIC SIGNALS
 TRAFFIC SIGNALS AT THE INTERSECTION OF NORTH 12TH STREET
 AND CITY AVENUE AND AT SOUTH 19TH STREET AND TOWER/BROADWAY
 IN THE CITY OF MOORE.
 PROJ. LGTH.= 0.00 MILE.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	SFTY-ROADWAY STPG-114B(37)AG		
609(B) 1514	1'-8" COMB.CRB.& GUT.(8" BARRIER)	165.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	46.700	SY
610(C) 0608	4" CONCRETE DIVIDING STRIP	125.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	149.000	SY
SECTION NO. 0002	Y031-TRAFFIC SIGNALS STPG-114B(36)AG		
610(A) 0602	4" CONCRETE SIDEWALK	24.000	SY
802(A) 8310	2" GALV.STEEL ELECT.COND. EXPOSED	115.000	LF
802(B) 8336	1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	115.000	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	435.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	440.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1,643.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	200.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	65.000	LF
803 8065	PULL BOX(SIZE I)	10.000	EA
803 8066	PULL BOX(SIZE II)	1.000	EA
803 8067	PULL BOX(SIZE III)	2.000	EA
804(A) 2915	STRUCTURAL CONCRETE	6.700	CY
804(B) 2916	REINFORCING STEEL	922.000	LB
806(A) 8740	(PL)POLE & TWIN TS MST.ARM(G.STL.)	2.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	4.000	EA
809(A) 8090	(PL)ROADWAY LUMINAIRE	2.000	EA
811 8040	1/C NO.6 ELECT.COND.	1,230.000	LF
811 8044	1/C NO.10 ELECT.COND.	368.000	LF
824 8340	(PL)MASTER CONTROLLER	1.000	EA
825 8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	3.000	EA
828(A) 8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	16.000	EA
828(B) 8138	LOOP DETECTOR WIRE	2,000.000	LF
830 8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831 8171	1WAY3SEC.ADJ.SIG.HD.(MAM)S-9	1.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	7.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	1.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	8.000	EA

SECTION NO. 0002		Y031-TRAFFIC SIGNALS	STPG-114B(36)AG		
833	3038	5" BACKPLATE(12" HDS)(B-2)	8.000	EA	
834	8358	(PL)UNDERGROUND COMMUNICATION CABLE	2,200.000	LF	
834(A)	8207	5/C TRAF.SIG.EL.CABLE	345.000	LF	
834(A)	8208	7/C TRAF.SIG.EL.CABLE	308.000	LF	
834(A)	8210	12/C TRAF.SIG.EL.CABLE	396.000	LF	
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE		25.000	LF
840(A)	8592	(PL)E.P.S. OPTICAL EMITTER	4.000	EA	
840(B)	8593	(PL)E.P.S. OPTICAL DETECTOR	8.000	EA	
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUM.)	48.000	SF	
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2,494.000	LF	
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	2.000	EA	
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA	
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	500.000	LF	
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM	
890	7706	(PL)TRAFFIC ITEMS(SIGNALS)	1.000	LSUM	
890(A)	8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT		1.000	LSUM
890(D)	8740	(PL)REHABILITATION OF EXIST.SIGNAL HEADS		46.000	EA

SECTION NO. 0003		Y031-TRAFFIC SIGNALS	STPG-114B(37)AG		
641	1552	MOBILIZATION	1.000	LSUM	
802(B)	8336	1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED		120.000	LF
802(B)	8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH		1,020.000	LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED		50.000	LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	300.000	LF	
802(B)	8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED		50.000	LF
803	8065	PULL BOX(SIZE I)	5.000	EA	
803	8066	PULL BOX(SIZE II)	1.000	EA	
803	8067	PULL BOX(SIZE III)	4.000	EA	
804(A)	2915	STRUCTURAL CONCRETE	8.300	CY	
804(B)	2916	REINFORCING STEEL	1,234.700	LB	
806(A)	8350	32' MH POLE,30' TS & 10' LMA(G.STL.)	1.000	EA	
806(A)	8352	32' MH POLE,20' TS & 10' LMA(G.STL.)	1.000	EA	
806(A)	8740	(PL)POLE & TWIN TS MST.ARM(G.STL.)	1.000	EA	
806(B)	8894	10' MTG.HT.TS PED.POLE(G.STL.)	3.000	EA	
809(A)	8090	(PL)ROADWAY LUMINAIRE	3.000	EA	
811	8040	1/C NO.6 ELECT.COND.	1,280.000	LF	
811	8044	1/C NO.10 ELECT.COND.	1,252.000	LF	
825	8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA	
828(A)	8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	8.000	EA	
828(B)	8138	LOOP DETECTOR WIRE	3,027.000	LF	
830	8000	PEDESTRIAN PUSH BUTTON	7.000	EA	
831	8231	1WAY3SEC.ADJ.SIG.HD.S-6	7.000	EA	
831	8286	1WAY5SEC.ADJ.SIG.HD.S-19	1.000	EA	
831	8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	7.000	EA	
833	3038	5" BACKPLATE(12" HDS)(B-2)	8.000	EA	
834(A)	8207	5/C TRAF.SIG.EL.CABLE	1,188.000	LF	
834(A)	8208	7/C TRAF.SIG.EL.CABLE	300.000	LF	
834(A)	8209	9/C TRAF.SIG.EL.CABLE	301.000	LF	
834(A)	8210	12/C TRAF.SIG.EL.CABLE	100.000	LF	
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE		22,130.000	LF
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUM.)	56.000	SF	
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,560.000	LF	
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA	

SECTION NO. 0003	Y031-TRAFFIC SIGNALS	STPG-114B(37)AG		
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)		4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL		1.000	LSUM
890(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS		4.000	LSUM
SECTION NO. 0004	STAK-STAKING	STPG-114B(36)AG		
642 0098	STAKING		1.000	LSUM
SECTION NO. 0005	STAK-STAKING	STPG-114B(37)AG		
642 0098	STAKING		1.000	LSUM

LNTCIQA
 CALL ORDER : 025
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: HARPER

FEDERAL PROJECT
 CONTRACT ID : 000479
 PCN : 1654604

PAGE 30

PROJECTS : STP-130C(10)CO
 DBE/WBE GOALS: 4.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 7.52
 RES. ENG.: 61BUF
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER SLEEPING BEAR CREEK, 9.0 MILES SOUTH AND
 1.0 MILES EAST OF THE JCT. OF US-64/SH-34
 PROJ. LGTH.= 0.217 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	2,300.000	LF
227	0100 TEMPORARY SILT DIKE	700.000	LF
230(A)	2806 SOLID SLAB SODDING	9,562.000	SY
233(A)	2817 VEGETATIVE MULCHING	1.980	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	484.000	TON
509(D)	0325 CLASS C CONCRETE	51.000	CY
SECTION NO. 0002 X081-BRIDGE "A"			
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(D)	6353 UNCLASSIFIED BACKFILL	65.000	CY
503(A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	770.000	LF
504(E)	1380 CONCRETE RAIL (TR1)	447.000	LF
506(A)	1322 STRUCTURAL STEEL	4,420.000	LB
509(A)	1326 CLASS AA CONCRETE	150.900	CY
509(B)	1328 CLASS A CONCRETE	112.200	CY
511(A)	1332 REINFORCING STEEL	48,240.000	LB
514(A)	6010 PILES, FURNISHED (HP 10X42)	537.000	LF
514(B)	6292 PILES, DRIVEN (HP 10X42)	537.000	LF
514(N)	6300 (PL)PAINTING PILING	100.000	LF
516(A)	6094 DRILLED SHAFTS 48" DIAMETER	148.000	LF
601A-1	1353 TYPE I-A PLAIN RIPRAP	2,630.000	TON
601A-2	1355 TYPE I-A FILTER BLANKET	680.000	TON
623(F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399 MOBILIZATION	1.000	LSUM
850(A)	8215 SHEET ALUMINUM SIGNS	10.000	SF
851(C)	8597 FLANGE CHANNEL POSTS(4.0 LB./FT.)	29.340	LF
880(J)	6145 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642	0098 STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 030
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: KIOWA

FEDERAL PROJECT
 CONTRACT ID : 000487
 PCN : 1816004

PAGE 31

PROJECTS : BRF-138C(27)CO
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 4.32
 RES. ENG.: 52ALT
 CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER ELK CREEK, APPROX. 7.0 MILES SOUTH AND
 3.0 MILES WEST OF THE JCT. OF US-183/SH-9
 PROJ. LGTH.= 0.189 MILES
 FLEX. ESALS= 0.24 MILLION
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	2,000.000	LF
227	0100 TEMPORARY SILT DIKE	200.000	LF
230(A)	2806 SOLID SLAB SODDING	2,112.000	SY
230(B)	2807 MULCH SODDING	5,167.000	SY
233(A)	2817 VEGETATIVE MULCHING	1.000	AC
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	67.000	TON
407	0250 TACK COAT	113.000	GAL
408	5774 PRIME COAT	342.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)		543.000 TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)		272.000 TON
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	2.000	CY
501(G)	6309 CLSM BACKFILL	31.400	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	15.000	CY
509(D)	0325 CLASS C CONCRETE	15.000	CY
511(A)	0332 REINFORCING STEEL	1,580.000	LB
613(CC)	7189 TYPE D4 CULVERT END TREATMENT	4.000	EA
613(CC)	7194 TYPE DD4 CULVERT END TREATMENT	2.000	EA
613(D)	0693 42" CORR. GALV. STEEL PIPE	288.000	LF
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	2,021.000	SY
854(A)	8800 TRAFFIC STRIPE(PAINT)(4" WIDE)	4,000.000	LF
SECTION NO. 0002 X081-BRIDGE 'A'			
202(C)	1302 UNCLASSIFIED BORROW	65.000	CY
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
503(A)	1311 PRESTRESSED CONCRETE BEAMS (TYPE II)	392.300	LF
503(A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	296.200	LF
504(C)	6250 SEALED EXPANSION JOINT	31.100	LF
504(E)	1380 CONCRETE RAIL (TR1)	415.200	LF
506(A)	1322 STRUCTURAL STEEL	4,610.000	LB
509(A)	1326 CLASS AA CONCRETE	133.500	CY

SECTION NO. 0002	X081-BRIDGE 'A'		
509(B) 1328	CLASS A CONCRETE	97.800	CY
511(A) 1332	REINFORCING STEEL	45,110.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	582.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	582.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	88.000	LF
601(A-1)1353	TYPE I-A PLAIN RIPRAP	1,560.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	560.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 033
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: LOGAN

FEDERAL PROJECT
 CONTRACT ID : 000470
 PCN : 0926604

PAGE 33

PROJECTS : STPY-42B(236)
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 33.98
 RES. ENG.: 44EDM
 CAL. DAYS: 270 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 GRADE & DRAIN
 SH-33(NEW ALIGNMENT) BEGINNING APPROXIMATELY 4.0 MILE WEST
 OF THE INDIAN MERIDIAN AND EXTENDING EAST.
 PROJ. LGTH.= 4.93 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	C000-ROADWAY STPY-42B(236)		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	556,842.000	CY
202(B)	0105 MUCK EXCAVATION	14,200.000	CY
202(C)	0184 UNCLASSIFIED BORROW	10,000.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	56,161.000	CY
222	2801 TEMPORARY BALE BARRIER	1,000.000	LF
223	2801 TEMPORARY SILT FENCE	11,850.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	174.000	CY
227	0100 TEMPORARY SILT DIKE	4,544.000	LF
229	4318 DITCH LINER PROTECTION	13,229.000	LF
230(A)	2806 SOLID SLAB SODDING	2,133.000	SY
230(B)	2807 MULCH SODDING	298,140.000	SY
230(F)	2812 WATERING	19,611.000	MGAL
232(A)	2813 SEEDING METHOD A	140.800	AC
233(A)	2817 VEGETATIVE MULCHING	202.800	AC
234(A)	2824 FERTILIZING (10-20-10)	51.700	TON
234(A)	4406 FERTILIZING (0-46-0)	6.300	TON
241	2832 MOWING	101.100	AC
243	0450 (PL)TEMPORARY INLET SEDIMENT FILTER	14.000	EA
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	5,706.000	TON
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	98.000	CY
509(B)	0321 CLASS A CONCRETE	272.000	CY
509(D)	0325 CLASS C CONCRETE	2,007.000	CY
511(A)	0332 REINFORCING STEEL	39,068.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	2,287.000	TON
601(E)	6312 FILTER FABRIC (RIPRAP)	3,322.000	SY
611(E)	5117 INLET CICI DES. 2 (2B)	2.000	EA
611(E)	5335 INLET GPI TYPE 2 (DES. 9)	1.000	EA
611(E)	6002 INLET (SMD-TYPE 2)	11.000	EA
611(F)	5325 INLET CICI DES. 2 (ADD'L DEPTH)	1.000	VF
611(F)	5375 INLET GPI TYPE 2 (ADD'L DEPTH)	1.000	VF
611(L)	4207 DROP INLET GRATE (GPI-TYPE A)	2.000	EA
611(L)	4208 DROP INLET GRATE (GPI-TYPE B)	1.000	EA
613(B)	0491 18" R.C.PIPE CLASS III	859.000	LF
613(B)	0492 24" R.C.PIPE CLASS III	495.000	LF

SECTION NO.	0001	C000-ROADWAY	STPY-42B(236)		
613(B)	0493	30" R.C.PIPE CLASS III		291.000	LF
613(B)	0497	54" R.C.PIPE CLASS III		182.000	LF
613(B)	0585	36" R.C.PIPE CLASS IV		526.000	LF
613(B)	4496	28" X 18" R.C.PIPE ARCH CLASS A-III		176.000	LF
613(B)	4497	36" X 22" R.C.PIPE ARCH CLASS A-III		86.000	LF
613(CC)	7192	TYPE BB4 CULVERT END TREATMENT		1.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT		100.000	EA
613(CC)	7202	TYPE BB6 CULVERT END TREATMENT		3.000	EA
613(D)	0690	24" CORR. GALV. STEEL PIPE		444.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH		3,875.000	LF
613(M)	5726	18" PREFAB. CULVERT END SEC., ROUND		10.000	EA
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND		6.000	EA
613(M)	5732	30" PREFAB. CULVERT END SEC., ROUND		6.000	EA
613(M)	5734	36" PREFAB. CULVERT END SEC., ROUND		4.000	EA
613(M)	5740	54" PREFAB. CULVERT END SEC., ROUND		2.000	EA
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND		2,500.000	LF
613(Q)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.		500.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.		100.000	CY
613(S)	1180	TRENCH EXCAVATION		3,153.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL		1,553.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
624(A)	4281	FENCE-STYLE WWF		1,500.000	LF
624(B)	4464	GATES-STYLE WWF (4.5'HIGH X 14'LONG)		8.000	EA
624(B)	4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)		20.000	EA
624(C)	4458	FENCE-STYLE SWF (4 BARBED WIRE)		2,000.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)		49,915.000	LF
624(D)	4288	FENCE-STYLE CLF (4'HIGH, CLASS A)		1,000.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE		10.000	EA
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE		10.000	EA
629(C)	4960	MAILBOX		20.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION		10.000	EA
640	1426	FIELD OFFICE		1.000	EA
641	1552	MOBILIZATION		1.000	LSUM

SECTION NO. 0002 Y002-TRAFFIC SIGNING STPY-42B(236)

804(A)	2915	STRUCTURAL CONCRETE		0.480	CY
850(A)	8110	SHEET ALUMINUM SIGNS		50.000	SF
851(B)	3216	2"@3.65 GALV.STL.PIPE POST		113.000	LF

SECTION NO. 0003 Y008-CONST.TRAFFIC CONTROL STPY-42B(236)

880(A)	8812	ARROW DISPLAY(TYPE C)		420.000	SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF		1,260.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF		1,260.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF		10,080.000	SD
880(C)	8836	BARRICADES(TYPE II)		3,150.000	SD
880(C)	8842	BARRICADES(TYPE III)		3,150.000	SD
880(D)	8854	VERTICAL PANELS		5,250.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)		6,300.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)		5,250.000	SD
880(F)	8878	DRUMS		5,250.000	SD

SECTION NO. 0004 STAK-STAKING STPY-42B(236)

SECTION NO. 0004 STAK-STAKING STPY-42B(236)

642 0098 STAKING 1.000 LSUM
LNTCIQA FEDERAL PROJECT PAGE 36

CALL ORDER : 034 CONTRACT ID : 000471
LETTING DATE : December 21, 2000 PCN : 1807308
LETTING TIME : 10:30 A.M.
COUNTIES: LOGAN

PROJECTS : STPY-142B(49)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 13.48
RES. ENG: 44EDM
CAL. DAYS: 150 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
BRIDGE & APPROACHES
SH-33(NEW ALIGNMENT) OVER FITZGERALD CREEK APPROXIMATELY
1.2 MILE WEST OF THE INDIAN MERIDIAN.
PROJ. LGTH.= 0.02 MILE

ITEM NO. DESCRIPTION QUANTITY UNITS

SECTION NO. 0001 X081-BRIDGE 'A' STPY-142B(49)

202(A)	1301	UNCLASSIFIED EXCAVATION	990.000	CY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	CY
501(F)	6352	GRANULAR BACKFILL	120.000	CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	624.000	LF
504(A)	1304	APPROACH SLAB	178.600	SY
504(E)	6239	CONCRETE RAIL (TR3)	290.000	LF
506(A)	1322	STRUCTURAL STEEL	1,230.000	LB
509(A)	1326	CLASS AA CONCRETE	144.100	CY
509(B)	1328	CLASS A CONCRETE	47.400	CY
511(A)	1332	REINFORCING STEEL	6,240.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	28,530.000	LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	920.000	LF
514(B)	6028	PILES, DRIVEN (HP 12X53)	920.000	LF
515(A)	6020	WATER REPELLENT	424.000	SY
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	1,460.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	370.000	TON
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	80.000	LF
613(Q)	1096	6" NON-PERF. PIPE UNDERDRAIN RND.	70.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	12.000	CY
613(S)	1180	TRENCH EXCAVATION	14.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	14.000	CY
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM

SECTION NO. 0002 X081-BRIDGE 'B' STPY-142B(49)

202(A)	1301	UNCLASSIFIED EXCAVATION	1,920.000	CY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	CY
501(F)	6352	GRANULAR BACKFILL	120.000	CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	624.000	LF
504(A)	1304	APPROACH SLAB	178.600	SY
504(E)	6239	CONCRETE RAIL (TR3)	290.000	LF
506(A)	1322	STRUCTURAL STEEL	1,230.000	LB
509(A)	1326	CLASS AA CONCRETE	144.100	CY
509(B)	1328	CLASS A CONCRETE	47.400	CY

SECTION NO. 0002	X081-BRIDGE 'B'	STPY-142B(49)		
511(A)	1332	REINFORCING STEEL	6,240.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	28,530.000	LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	920.000	LF
514(B)	6028	PILES, DRIVEN (HP 12X53)	920.000	LF
515(A)	6020	WATER REPELLENT	424.000	SY
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	1,990.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	495.000	TON
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	80.000	LF
613(Q)	1096	6" NON-PERF. PIPE UNDERDRAIN RND.	70.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	12.000	CY
613(S)	1180	TRENCH EXCAVATION	14.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	14.000	CY
SECTION NO. 0003	STAK-STAKING	STPY-142B(49)		
642	0098	STAKING	1.000	LSUM

LNTCIQA FEDERAL PROJECT PAGE 38
 CALL ORDER : 035 CONTRACT ID : 000472
 LETTING DATE : December 21, 2000 PCN : 0926604C
 LETTING TIME : 10:30 A.M.
 COUNTIES: LOGAN PROJECTS : STPY-42B(236)/STPY-142B(49)
 DBE/WBE GOALS: 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 47.46
 RES. ENG.: 44EDM
 CAL. DAYS: 270 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & BRIDGE
 SH-33(NEW ALIGNMENT) BEGINNING APPROXIMATELY 4.0 MILE WEST
 OF THE INDIAN MERIDIAN AND EXTENDING EAST.
 PROJ. LGTH.= 4.093 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	C000-ROADWAY STPY-42B(236)		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	556,842.000	CY
202(B)	0105 MUCK EXCAVATION	14,200.000	CY
202(C)	0184 UNCLASSIFIED BORROW	10,000.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	56,161.000	CY
222	2801 TEMPORARY BALE BARRIER	1,000.000	LF
223	2801 TEMPORARY SILT FENCE	11,850.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	174.000	CY
227	0100 TEMPORARY SILT DIKE	4,544.000	LF
229	4318 DITCH LINER PROTECTION	13,229.000	LF
230(A)	2806 SOLID SLAB SODDING	2,133.000	SY
230(B)	2807 MULCH SODDING	298,140.000	SY
230(F)	2812 WATERING	19,611.000	MGAL
232(A)	2813 SEEDING METHOD A	140.800	AC
233(A)	2817 VEGETATIVE MULCHING	202.800	AC
234(A)	2824 FERTILIZING (10-20-10)	51.700	TON
234(A)	4406 FERTILIZING (0-46-0)	6.300	TON
241	2832 MOWING	101.100	AC
243	0450 (PL)TEMPORARY INLET SEDIMENT FILTER	14.000	EA
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	5,706.000	TON
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	98.000	CY
509(B)	0321 CLASS A CONCRETE	272.000	CY
509(D)	0325 CLASS C CONCRETE	2,007.000	CY
511(A)	0332 REINFORCING STEEL	39,068.000	LB
601(A)	0297 TYPE I PLAIN RIPRAP	2,287.000	TON
601(E)	6312 FILTER FABRIC (RIPRAP)	3,322.000	SY
611(E)	5117 INLET CICI DES. 2 (2B)	2.000	EA
611(E)	5335 INLET GPI TYPE 2 (DES. 9)	1.000	EA
611(E)	6002 INLET (SMD-TYPE 2)	11.000	EA
611(F)	5325 INLET CICI DES. 2 (ADD'L DEPTH)	1.000	VF
611(F)	5375 INLET GPI TYPE 2 (ADD'L DEPTH)	1.000	VF
611(L)	4207 DROP INLET GRATE (GPI-TYPE A)	2.000	EA
611(L)	4208 DROP INLET GRATE (GPI-TYPE B)	1.000	EA
613(B)	0491 18" R.C.PIPE CLASS III	859.000	LF
613(B)	0492 24" R.C.PIPE CLASS III	495.000	LF

SECTION NO. 0001	C000-ROADWAY	STPY-42B(236)		
613(B)	0493	30" R.C.PIPE CLASS III	291.000	LF
613(B)	0497	54" R.C.PIPE CLASS III	182.000	LF
613(B)	0585	36" R.C.PIPE CLASS IV	526.000	LF
613(B)	4496	28" X 18" R.C.PIPE ARCH CLASS A-III	176.000	LF
613(B)	4497	36" X 22" R.C.PIPE ARCH CLASS A-III	86.000	LF
613(CC)	7192	TYPE BB4 CULVERT END TREATMENT	1.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	100.000	EA
613(CC)	7202	TYPE BB6 CULVERT END TREATMENT	3.000	EA
613(D)	0690	24" CORR. GALV. STEEL PIPE	444.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	3,875.000	LF
613(M)	5726	18" PREFAB. CULVERT END SEC., ROUND	10.000	EA
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M)	5732	30" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M)	5734	36" PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	5740	54" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	2,500.000	LF
613(Q)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.	500.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	100.000	CY
613(S)	1180	TRENCH EXCAVATION	3,153.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	1,553.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
624(A)	4281	FENCE-STYLE WWF	1,500.000	LF
624(B)	4464	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	8.000	EA
624(B)	4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	20.000	EA
624(C)	4458	FENCE-STYLE SWF (4 BARBED WIRE)	2,000.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	49,915.000	LF
624(D)	4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	1,000.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE	10.000	EA
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	10.000	EA
629(C)	4960	MAILBOX	20.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	10.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	X081-BRIDGE 'A'	STPY-142B(49)		
202(A)	1301	UNCLASSIFIED EXCAVATION	990.000	CY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	CY
501(F)	6352	GRANULAR BACKFILL	120.000	CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	624.000	LF
504(A)	1304	APPROACH SLAB	178.600	SY
504(E)	6239	CONCRETE RAIL (TR3)	290.000	LF
506(A)	1322	STRUCTURAL STEEL	1,230.000	LB
509(A)	1326	CLASS AA CONCRETE	144.100	CY
509(B)	1328	CLASS A CONCRETE	47.400	CY
511(A)	1332	REINFORCING STEEL	6,240.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	28,530.000	LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	920.000	LF
514(B)	6028	PILES, DRIVEN (HP 12X53)	920.000	LF
515(A)	6020	WATER REPELLENT	424.000	SY
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	1,460.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	370.000	TON
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	80.000	LF
613(Q)	1096	6" NON-PERF.PIPE UNDERDRAIN RND.	70.000	LF

SECTION NO. 0002	X081-BRIDGE 'A'	STPY-142B(49)		
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	12.000	CY
613(S)	1180	TRENCH EXCAVATION	14.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	14.000	CY
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0003	X081-BRIDGE 'B'	STPY-142B(49)		
202(A)	1301	UNCLASSIFIED EXCAVATION	1,920.000	CY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	110.000	CY
501(F)	6352	GRANULAR BACKFILL	120.000	CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	624.000	LF
504(A)	1304	APPROACH SLAB	178.600	SY
504(E)	6239	CONCRETE RAIL (TR3)	290.000	LF
506(A)	1322	STRUCTURAL STEEL	1,230.000	LB
509(A)	1326	CLASS AA CONCRETE	144.100	CY
509(B)	1328	CLASS A CONCRETE	47.400	CY
511(A)	1332	REINFORCING STEEL	6,240.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	28,530.000	LB
514(A)	6011	PILES, FURNISHED (HP 12X53)	920.000	LF
514(B)	6028	PILES, DRIVEN (HP 12X53)	920.000	LF
515(A)	6020	WATER REPELLENT	424.000	SY
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	1,990.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	495.000	TON
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	80.000	LF
613(Q)	1096	6" NON-PERF. PIPE UNDERDRAIN RND.	70.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	12.000	CY
613(S)	1180	TRENCH EXCAVATION	14.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	14.000	CY
SECTION NO. 0004	Y002-TRAFFIC SIGNING	STPY-42B(236)		
804(A)	2915	STRUCTURAL CONCRETE	0.480	CY
850(A)	8110	SHEET ALUMINUM SIGNS	50.000	SF
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	113.000	LF
SECTION NO. 0005	Y008-CONST.TRAFFIC CONTROL	STPY-42B(236)		
880(A)	8812	ARROW DISPLAY(TYPE C)	420.000	SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1,260.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,260.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	10,080.000	SD
880(C)	8836	BARRICADES(TYPE II)	3,150.000	SD
880(C)	8842	BARRICADES(TYPE III)	3,150.000	SD
880(D)	8854	VERTICAL PANELS	5,250.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	6,300.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	5,250.000	SD
880(F)	8878	DRUMS	5,250.000	SD
SECTION NO. 0006	STAK-STAKING	STPY-42B(236)		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0007	STAK-STAKING	STPY-142B(49)		

SECTION NO. 0007 STAK-STAKING STPY-142B(49)

642 0098 STAKING 1.000 LSUM
LNTCIQA FEDERAL PROJECT PAGE 42

CALL ORDER : 037 CONTRACT ID : 000473

LETTING DATE : December 21, 2000 PCN : 1744307

LETTING TIME : 10:30 A.M.

COUNTIES: MCINTOSH

PROJECTS : NHG-13N(65)TR

DBE/WBE GOALS: 10.00

GUARANTY : 5% OF BID TOTAL

PLAN PRICE: \$ 5.93

RES. ENG.: 11MUS

CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

GRADRAIL

US-69 UPGRADING OF GUAUDRAIL VARIOUS BRIDGE LOCATIONS IN
MCINTOSH COUNTY

PROJ. LGTH.= 0.00 MILES

ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y008-GUARDRAIL		
202(C) 0184	UNCLASSIFIED BORROW	2,034.750	CY
209 0120	MACHINE GRADING	20,347.500	STA
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	7,397.810	TON
417 5267	COLD MILLING PAVEMENT	22,322.220	SY
509(D) 0325	CLASS C CONCRETE	20.040	CY
511(A) 0332	REINFORCING STEEL	948.000	LB
619(B) 4780	REMOVAL OF GUARD RAIL	17,700.000	LF
619(C) 0924	SAWING PAVEMENT	20,347.500	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	15,300.000	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	5.000	EA
623(F) 4450	GUARD RAIL ANCHOR UNIT (TYPE E)	3.000	EA
623(F) 4453	GUARD RAIL ANCHOR UNIT (TYPE GE)	2.000	EA
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	14.000	EA
623(G) 0940	GUARD RAIL BLOCKOUT REPLACEMENT	2,200.000	LF
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	30.000	EA
641 1399	MOBILIZATION	1.000	LSUM
853(G) 8246	GUARD RAIL DELINEATORS TYPE 4	420.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	108.000	EA
871 8701	(PL)QUADGUARD IMPACT ATTENUATOR	4.000	EA
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(J) 6145	(PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 040
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: MAJOR

STATE PROJECT
 CONTRACT ID : 000489
 PCN : 1739504

PAGE 43

PROJECTS : CIP-147N(39)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 58.52
 RES. ENG.: 61BUF
 CAL. DAYS: 300 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE(RCB) & SURFACE(ASPHALT)
 ON US-412 BEGINNING APPROXIMATELY 2.0 MILE WEST OF THE TOWN
 OF ORIENTA AND EXTENDING EAST.
 PROJ. LGTH.= 3.108 MILES
 FLEX. ESALS= 3.9 MILLION
 ASPH. GRADE= 64-22OK, 70-28OK & 76-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-147N(39)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	145,915.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	53.000	STA
222	2801 TEMPORARY BALE BARRIER	10,512.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	5,570.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	423.000	CY
228	5709 (SU)PVC EROSION CONTROL MAT	13,423.000	SY
230(A)	2806 SOLID SLAB SODDING	10,861.000	SY
230(G)	2812 WATERING	6,300.000	MGAL
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	25.000	EA
231(A)	4567 TREES	25.000	EA
231(B)	4568 SHRUBS	30.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(E)	5929 (PL)PLANT ESTABLISHMENT PERIOD (TREES)	170.000	EA
231(F)	7023 (PL)PLANT ESTABLISHMT PERIOD (SHRB & GC)	110.000	EA
232(B)	2814 SEEDING METHOD B	58.000	AC
232(B)	7183 TEMPORARY SEEDING - METHOD B	6.000	AC
233(A)	2817 VEGETATIVE MULCHING	6.000	AC
233(C)	2819 ASPHALT MULCHING	87,725.000	GAL
234(A)	2824 FERTILIZING (10-20-10)	14.000	TON
234(A)	4406 FERTILIZING (0-46-0)	5.000	TON
241	2832 MOWING	116.000	AC
303	0192 AGGREGATE BASE	9.000	CY
310(B)	0149 SUBGRADE, METHOD B	13,815.000	SY
317(A)	4252 FLY ASH	4,122.000	TON
317(C)	4254 SUBGRADE MODIFICATION	76,293.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	130.000	TON
407	0250 TACK COAT	13,411.000	GAL
408	5774 (SU)PRIME COAT	14,576.000	GAL

SECTION NO.	0001	I000-ROADWAY	CIP-147N(39)IP		
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	12,789.000	TON	
411(AH)	6660	(SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	19,542.000	TON	
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,075.000	TON	
411(BH)	6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	16,505.000	TON	
411(D)	6590	(SP)ASPHALT CONC.TYPE D(PG 64-22 OK)	350.000	TON	
413(A)	4861	(SU)RUMBLE STRIP-METHOD AC-CON	30,775.000	LF	
417	5267	COLD MILLING PAVEMENT	16,679.000	SY	
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	33.000	CY	
509(B)	0321	CLASS A CONCRETE	91.000	CY	
509(E)	1331	CLASS C CONCRETE	50.000	CY	
511(A)	0332	REINFORCING STEEL	15,120.000	LB	
529	6309	(SU)LOW STRENGTH BACKFILL MATERIAL	25.000	CY	
601(B)	0539	TYPE II SP. PLAIN RIPRAP	7,024.000	CY	
601(E)	6312	FILTER FABRIC (RIPRAP)	6,172.000	SY	
610(C)	0609	6" CONCRETE DIVIDING STRIP	65.000	SY	
613(B)	0492	24" R.C.PIPE CLASS III	193.000	LF	
613(B)	0494	36" R.C.PIPE CLASS III	613.000	LF	
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	20.000	EA	
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7199	TYPE D6 CULVERT END TREATMENT	10.000	EA	
613(D)	0689	18" CORR. GALV. STEEL PIPE	220.000	LF	
613(D)	0690	24" CORR. GALV. STEEL PIPE	720.000	LF	
613(D)	0691	30" CORR. GALV. STEEL PIPE	134.000	LF	
613(D)	0692	36" CORR. GALV. STEEL PIPE	419.000	LF	
613(D)	4819	96" CORR. GALV. STEEL PIPE	648.000	LF	
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA	
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND	4.000	EA	
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	550.000	LF	
613(Q)	1096	6" NON-PERF.PIPE UNDERDRAIN RND.	130.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY	
613(S)	1180	TRENCH EXCAVATION	884.000	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	462.000	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	0291	REMOVAL OF HEADWALL	2.000	EA	
619(B)	4725	REMOVAL OF FENCE	26,795.000	LF	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	40,851.000	SY	
619(B)	4780	REMOVAL OF GUARD RAIL	650.000	LF	
619(B)	5918	REMOVAL OF EXISTING PIPE	1,048.000	LF	
619(B)	8305	REMOVAL OF SIGNS	72.000	EA	
619(C)	0924	SAWING PAVEMENT	3,203.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	575.000	LF	
623(F)	4449	GUARD RAIL ANCHOR UNIT (TYPE D)	4.000	EA	
623(G)	0936	GUIDE POSTS	87.000	EA	
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	26,905.000	LF	
629(E)	5048	(SU)REMOVE AND RESET MAILBOX	6.000	EA	
640	1426	FIELD OFFICE	1.000	EA	
641	1552	MOBILIZATION	1.000	LSUM	
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	4.000	EA	
804	2915	STRUCTURAL CONCRETE	12.000	CY	
804	2916	REINFORCING STEEL	1,352.000	LB	
SECTION NO.	0002	X900-BRIDGE REM. & CONST.	CIP-147N(39)IP		

SECTION NO. 0002	X900-BRIDGE REM. & CONST.	CIP-147N(39)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	445.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	94.000	CY
509(B)	1328	CLASS A CONCRETE	225.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	31,780.000	LB
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0003	Y000-TRAFFIC	CIP-147N(39)IP		
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	275.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	275.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	597.000	SF
851(B)	3216	2"@3.65 GALV.STL.PIPE POSTS	121.000	LF
851(B)	3217	2 1/2"@5.79 GALV.STL.PIPE POSTS	356.000	LF
851(B)	3218	3"@7.58 GALV. STL.PIPE POSTS	260.000	LF
851(C)	8597	FLANGE CHANNEL POSTS(4.0 LB./FT.)	27.000	LF
854	3316	TRAFFIC STRIPE(PAINT)(4" WIDE)	3,842.000	LF
855(A)	3320	TRAFFIC STRIPE(THERMOPLASTIC)(4" WIDE)	47,983.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	3.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE(PAINT)	77,600.000	LF
859(A)	8006	PAVEMNT MRKNG REMOVAL(TRAF.STRP)	45,600.000	LF
874(A)	8036	(SU)G-RAIL IM.AT.G-R-E-A-T CZ	1.000	EA
880(E)	8017	SIGNS 6.26 TO 15.99 SF	7,275.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	10,380.000	SD
880(J)	8021	BARRICADES(TYPE III)	10,650.000	SD
880(K)	8022	WING BARRICADES	1,080.000	SD
880(L)	8023	VERTICAL PANELS	16,875.000	SD
880(M)	8024	TYPE A LIGHT	4,650.000	SD
880(O)	8026	TYPE C LIGHT	27,525.000	SD
880(P)	8323	DRUMS	10,650.000	EA
930.56	4729	(PL) REMOVE AND RESET CATTLE GUARD	1.000	EA
960.20	8144	(PL)RELOC. OF CONST. ZONE IMPACT ATN.	1.000	EA
SECTION NO. 0004	STAK-STAKING	CIP-147N(39)IP		
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 050
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: MAJOR

STATE PROJECT
 CONTRACT ID : 000490
 PCN : 1739508

PAGE 46

PROJECTS : CIP-147N(43)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 10.20
 RES. ENG.: 61BUF
 CAL. DAYS: 150 LIQ. DAM: \$ 800

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 ON US-412 OVER COTTONWOOD CREEK APPROXIMATELY 1.0 MILE
 WEST OF THE TOWN OF ORIENTA
 PROJ. LGTH.= 0.09 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-BRIDGE 'A' CIP-147N(43)IP		
202(F) 0186	SELECT BORROW	40.000	CY
230(A) 2806	SOLID SLAB SODDING	300.000	SY
230(G) 2812	WATERING	10.000	MGAL
234(A) 2824	FERTILIZING (10-20-10)	0.500	TON
414(C) 0309	APPROACH SLABS	294.000	SY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,125.000	LF
504(A) 1314	CLASS AA CONCRETE	292.000	CY
505(A) 1380	CONCRETE RAIL	428.000	LF
506(A) 6005	STRUCTURAL STEEL A36	5,443.000	LB
509(B) 1328	CLASS A CONCRETE	112.000	CY
509(E) 1331	CLASS C CONCRETE	14.000	CY
511(A) 1439	REINFORCING STEEL (GRADE 60)	17,126.000	LB
511(B) 6009	EPOXY COATED REINFORCING STEEL (GR 60)	54,308.000	LB
514(E) 6011	STEEL PILING (HP 12X53)	456.000	LF
515 6013	PENETRATING WATER REPELLENT SURF. TRTMT.	675.000	SY
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	258.000	LF
516(C) 6106	CORRUGATED GALV. STEEL PIPE 42" DIA.	120.000	LF
601(A-1)0536	TYPE I-A PLAIN RIPRAP	626.000	TON
601(A-2)0538	TYPE I-A FILTER BLANKET	210.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	88.000	LF
613(Q) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	80.000	LF
613(R) 1100	PIPE UNDERDRAIN COVER MAT'L.	34.000	CY
613(S) 1180	TRENCH EXCAVATION	10.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	10.000	CY
641 1399	MOBILIZATION	1.000	L SUM
SECTION NO. 0002	STAK-STAKING CIP-147N(43)IP		
642 0098	STAKING	1.000	L SUM

LNTCIQA
 CALL ORDER : 060
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: MAJOR

STATE PROJECT
 CONTRACT ID : 000491
 PCN : 1739504C

PAGE 47

PROJECTS : CIP-147N(39)IP/CIP-147N(43)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 68.72
 RES. ENG.: 61BUF
 CAL. DAYS: 365 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES AND SURFACE(ASPHALT)
 ON US-412 BEGINNING APPROXIMATELY 2.0 MILE WEST OF THE TOWN
 OF ORIENTA AND EXTENDING EAST.
 PROJ. LGTH.= 3.198 MILE
 FLEX. ESALS= 3.9 MILLION
 ASPH. GRADE= 64-22OK, 70-28OK & 76-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-147N(39)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	145,915.000	CY
205	7174 (PL)TOPSOIL-LUMP SUM	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	53.000	STA
222	2801 TEMPORARY BALE BARRIER	10,512.000	LF
223	2801 (PL)TEMPORARY SILT FENCE	5,570.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	423.000	CY
228	5709 (SU)PVC EROSION CONTROL MAT	13,423.000	SY
230(A)	2806 SOLID SLAB SODDING	10,861.000	SY
230(G)	2812 WATERING	6,300.000	MGAL
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	60.000	EA
231(A)	4567 TREES	25.000	EA
231(A)	4567 TREES	25.000	EA
231(B)	4568 SHRUBS	30.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(B)	4568 SHRUBS	40.000	EA
231(E)	5929 (PL)PLANT ESTABLISHMENT PERIOD (TREES)	170.000	EA
231(F)	7023 (PL)PLANT ESTABLISHMT PERIOD (SHRB & GC)	110.000	EA
232(B)	2814 SEEDING METHOD B	58.000	AC
232(B)	7183 TEMPORARY SEEDING - METHOD B	6.000	AC
233(A)	2817 VEGETATIVE MULCHING	6.000	AC
233(C)	2819 ASPHALT MULCHING	87,725.000	GAL
234(A)	2824 FERTILIZING (10-20-10)	14.000	TON
234(A)	4406 FERTILIZING (0-46-0)	5.000	TON
241	2832 MOWING	116.000	AC
303	0192 AGGREGATE BASE	9.000	CY
310(B)	0149 SUBGRADE, METHOD B	13,815.000	SY
317(A)	4252 FLY ASH	4,122.000	TON
317(C)	4254 SUBGRADE MODIFICATION	76,293.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	130.000	TON
407	0250 TACK COAT	13,411.000	GAL
408	5774 (SU)PRIME COAT	14,576.000	GAL

SECTION NO.	0001	I000-ROADWAY	CIP-147N(39)IP		
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	12,789.000	TON	
411(AH)	6660	(SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	19,542.000	TON	
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	8,075.000	TON	
411(BH)	6700	(SP)ASPHALT CONCRETE TYPE BH(PG76-28OK)	16,505.000	TON	
411(D)	6590	(SP)ASPHALT CONC.TYPE D(PG 64-22 OK)	350.000	TON	
413(A)	4861	(SU)RUMBLE STRIP-METHOD AC-CON	30,775.000	LF	
417	5267	COLD MILLING PAVEMENT	16,679.000	SY	
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	33.000	CY	
509(B)	0321	CLASS A CONCRETE	91.000	CY	
509(E)	1331	CLASS C CONCRETE	50.000	CY	
511(A)	0332	REINFORCING STEEL	15,120.000	LB	
529	6309	(SU)LOW STRENGTH BACKFILL MATERIAL	25.000	CY	
601(B)	0539	TYPE II SP. PLAIN RIPRAP	7,024.000	CY	
601(E)	6312	FILTER FABRIC (RIPRAP)	6,172.000	SY	
610(C)	0609	6" CONCRETE DIVIDING STRIP	65.000	SY	
613(B)	0492	24" R.C.PIPE CLASS III	193.000	LF	
613(B)	0494	36" R.C.PIPE CLASS III	613.000	LF	
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	20.000	EA	
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	4.000	EA	
613(CC)	7199	TYPE D6 CULVERT END TREATMENT	10.000	EA	
613(D)	0689	18" CORR. GALV. STEEL PIPE	220.000	LF	
613(D)	0690	24" CORR. GALV. STEEL PIPE	720.000	LF	
613(D)	0691	30" CORR. GALV. STEEL PIPE	134.000	LF	
613(D)	0692	36" CORR. GALV. STEEL PIPE	419.000	LF	
613(D)	4819	96" CORR. GALV. STEEL PIPE	648.000	LF	
613(M)	0898	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA	
613(M)	0900	36" PREFAB. CULVERT END SEC., ROUND	4.000	EA	
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	550.000	LF	
613(Q)	1096	6" NON-PERF.PIPE UNDERDRAIN RND.	130.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY	
613(S)	1180	TRENCH EXCAVATION	884.000	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	462.000	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	0291	REMOVAL OF HEADWALL	2.000	EA	
619(B)	4725	REMOVAL OF FENCE	26,795.000	LF	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	40,851.000	SY	
619(B)	4780	REMOVAL OF GUARD RAIL	650.000	LF	
619(B)	5918	REMOVAL OF EXISTING PIPE	1,048.000	LF	
619(B)	8305	REMOVAL OF SIGNS	72.000	EA	
619(C)	0924	SAWING PAVEMENT	3,203.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	575.000	LF	
623(F)	4449	GUARD RAIL ANCHOR UNIT (TYPE D)	4.000	EA	
623(G)	0936	GUIDE POSTS	87.000	EA	
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	26,905.000	LF	
629(E)	5048	(SU)REMOVE AND RESET MAILBOX	6.000	EA	
640	1426	FIELD OFFICE	1.000	EA	
641	1552	MOBILIZATION	1.000	LSUM	
653(C)	5946	(SP)OUTLET LATERAL HEADWALL	4.000	EA	
804	2915	STRUCTURAL CONCRETE	12.000	CY	
804	2916	REINFORCING STEEL	1,352.000	LB	

SECTION NO. 0002 X900-BRIDGE REM. & CONST. CIP-147N(39)IP

SECTION NO. 0002	X900-BRIDGE REM. & CONST.	CIP-147N(39)IP		
202(C)	1301	UNCLASSIFIED EXCAVATION	445.000	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	94.000	CY
509(B)	1328	CLASS A CONCRETE	225.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	31,780.000	LB
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0003	X081-BRIDGE 'A'	CIP-147N(43)IP		
202(F)	0186	SELECT BORROW	40.000	CY
230(A)	2806	SOLID SLAB SODDING	300.000	SY
230(G)	2812	WATERING	10.000	MGAL
234(A)	2824	FERTILIZING (10-20-10)	0.500	TON
414(C)	0309	APPROACH SLABS	294.000	SY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	CY
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,125.000	LF
504(A)	1314	CLASS AA CONCRETE	292.000	CY
505(A)	1380	CONCRETE RAIL	428.000	LF
506(A)	6005	STRUCTURAL STEEL A36	5,443.000	LB
509(B)	1328	CLASS A CONCRETE	112.000	CY
509(E)	1331	CLASS C CONCRETE	14.000	CY
511(A)	1439	REINFORCING STEEL (GRADE 60)	17,126.000	LB
511(B)	6009	EPOXY COATED REINFORCING STEEL (GR 60)	54,308.000	LB
514(E)	6011	STEEL PILING (HP 12X53)	456.000	LF
515	6013	PENETRATING WATER REPELLENT SURF. TRTMT.	675.000	SY
516(A)	6093	DRILLED SHAFTS 42" DIAMETER	258.000	LF
516(C)	6106	CORRUGATED GALV. STEEL PIPE 42" DIA.	120.000	LF
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	626.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	210.000	TON
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	88.000	LF
613(Q)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	80.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	34.000	CY
613(S)	1180	TRENCH EXCAVATION	10.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	10.000	CY
641	1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0004	Y000-TRAFFIC	CIP-147N(39)IP		
627(G)	4316	RELOC. PORT. TYPE PRECAST CONC. MEDIAN BARR	275.000	LF
627(H)	5856	DEL. PORT. TYPE PREC. CONCRETE MEDIAN BARR	275.000	LF
850(A)	8215	SHEET ALUMINUM SIGNS	597.000	SF
851(B)	3216	2"@3.65 GALV. STL. PIPE POSTS	121.000	LF
851(B)	3217	2 1/2"@5.79 GALV. STL. PIPE POSTS	356.000	LF
851(B)	3218	3"@7.58 GALV. STL. PIPE POSTS	260.000	LF
851(C)	8597	FLANGE CHANNEL POSTS(4.0 LB./FT.)	27.000	LF
854	3316	TRAFFIC STRIPE (PAINT) (4" WIDE)	3,842.000	LF
855(A)	3320	TRAFFIC STRIPE (THERMOPLASTIC) (4" WIDE)	47,983.000	LF
855(B)	3320	TRAFFIC STRIPE (PLASTIC) (ARROWS)	3.000	EA
856(A)	3323	CONSTRUCTION TRAFFIC STRIPE (PAINT)	77,600.000	LF
859(A)	8006	PAVEMNT MRKNG REMOVAL (TRAF. STRP)	45,600.000	LF
874(A)	8036	(SU)G-RAIL IM. AT. G-R-E-A-T CZ	1.000	EA
880(E)	8017	SIGNS 6.26 TO 15.99 SF	7,275.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	10,380.000	SD
880(J)	8021	BARRICADES (TYPE III)	10,650.000	SD
880(K)	8022	WING BARRICADES	1,080.000	SD

SECTION NO. 0004	Y000-TRAFFIC	CIP-147N(39)IP		
880(L) 8023	VERTICAL PANELS		16,875.000	SD
880(M) 8024	TYPE A LIGHT		4,650.000	SD
880(O) 8026	TYPE C LIGHT		27,525.000	SD
880(P) 8323	DRUMS		10,650.000	EA
930.56 4729	(PL) REMOVE AND RESET CATTLE GUARD		1.000	EA
960.20 8144	(PL)RELOC. OF CONST. ZONE IMPACT ATN.		1.000	EA
SECTION NO. 0005	STAK-STAKING	CIP-147N(39)IP		
642 0098	STAKING		1.000	LSUM
SECTION NO. 0006	STAK-STAKING	CIP-147N(43)IP		
642 0098	STAKING		1.000	LSUM

LNTCIQA
 CALL ORDER : 065
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: OKLAHOMA

STATE PROJECT
 CONTRACT ID : 000315
 PCN : 1740804

PAGE 51

PROJECTS : CIP-155N(258)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 158.04
 RES. ENG.: 44EDM
 CAL. DAYS: 550 LIQ. DAM: \$ 7500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE & SURFACE
 US-77(BROADWAY EXTENSION) BEGINNING APPROXIMATELY 0.4
 KILOMETERS NORTH OF NORTHWEST 63RD STREET AND EXTENDING
 NORTH TO BRITTON ROAD.
 PROJ. LGTH.= 2.420 KILOMETERS
 FLEX. ESALS= 34.2 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	J000-ROADWAY		
201	M0102	CLEARING AND GRUBBING	1.000 LSUM
202(A)	M0183	UNCLASSIFIED EXCAVATION	184,761.000 M3
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000 LSUM
223	M2802	TEMPORARY SILT FENCE	4,725.000 M
224	M2803	TEMPORARY SEDIMENT FILTER	13.000 EA
227	M0100	TEMPORARY SILT DIKE	97.000 M
230(A)	M2806	SOLID SLAB SODDING	59,130.000 M2
232(B)	M2814	SEEDING METHOD B	15.770 HA
233(A)	M2817	VEGETATIVE MULCHING	15.770 HA
235(C)	M0102	(PL)ROCK FILTER DAM, TYPE 3	25.000 M3
235(D)	M0103	(PL)ROCK FILTER DAM, TYPE 4	5.000 M3
317(A)	M4252	(SP)FLY ASH	10,507.100 T
317(B)	M4254	SUBGRADE MODIFICATION	208,203.000 M2
317(C)	M4253	LIME	2,101.400 T
317(D)	M4254	SCARIFY,MIX BLADE OF SUBGRADE W/LIME TRT	208,203.000 M2
403(E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,000.000 T
408	M5774	PRIME COAT	155,203.700 L
411(A)	M6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	32,481.540 T
411(B)	M6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	14,234.500 T
411(BH)	M6690	(SP)ASPHALT CONCRETE TYPE BH(PG 70-28 OK)	5,402.300 T
414(A1)	M5754	225MM P.C. DOWEL JOINTED CONCRETE PAV	31,775.500 M2
414(A1)	M5757	275MM P.C. DOWEL JOINTED CONCRETE PAVE.	117,368.000 M2
501(A)	M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	6,090.000 M3
506(A)	M1322	STRUCTURAL STEEL	4,483.330 KG
509(B)	M0321	CLASS A CONCRETE	6,333.030 M3
509(C)	M0322	CLASS A CONCRETE FOR SMALL STRUCTURES	453.350 M3
509(D)	M0325	CLASS C CONCRETE	10.000 M3
510(A)	M6333	RETAINING WALL	15,797.000 M2
511(A)	M0332	REINFORCING STEEL	783,618.510 KG
601(A)	M0297	TYPE I PLAIN RIPRAP	1,456.000 T
601(E)	M6312	FILTER FABRIC (RIPRAP)	1,831.000 M2
609(A)	M0287	CONC.CURB(100MM MNTBLE-INTEGRAL)	2,449.400 M

SECTION NO. 0001

J000-ROADWAY

609(A)	M0300	CONC.CURB(150MM BARRIER-INTEGRAL)	3,556.000	M
609(B)	M1500	500MM COMB.CRB.& GUT.(100MM MNTBLE)	88.500	M
609(B)	M1525	800MM COMB.CRB.& GUT.(150MM BAR.)	5,959.100	M
610(A)	M0602	100MM CONCRETE SIDEWALK	136.700	M2
610(B)	M0399	150MM CONCRETE DRIVEWAY (H.E.S.)	3,979.830	M2
610(C)	M0609	150MM CONCRETE DIVIDING STRIP	17,914.400	M2
611(A)	M2657	MANHOLE (1200MM DIA.)	15.000	EA
611(A)	M2658	MANHOLE (1500MM DIA.)	13.000	EA
611(B)	M2680	ADD'L.DEPTH IN MANHOLE (1200MM DIA.)	12.040	VM
611(B)	M2681	ADD'L.DEPTH IN MANHOLE (1500MM DIA.)	6.210	VM
611(E)	M5112	INLET CICI DES. 2 (STD)	4.000	EA
611(E)	M5113	INLET CICI DES. 2 (B)	17.000	EA
611(E)	M5117	INLET CICI DES. 2 (2B)	11.000	EA
611(E)	M5329	INLET GPI TYPE 1 (DES. 3)	2.000	EA
611(E)	M6000	INLET (SMD-TYPE 1)	9.000	EA
611(F)	M5325	INLET CICI DES 2 (ADD'L DEPTH)	20.090	M
611(F)	M5374	INLET GPI TYPE 1 (ADD'L DEPTH)	0.770	M
612(A)	M0641	MANHOLES ADJUST TO GRADE	4.000	EA
612(E)	M0645	INLETS ADJUST TO GRADE	1.000	EA
612(G)	M0647	VALVE BOXES ADJUST TO GRADE	5.000	EA
612(J)	M0650	FIRE HYDRANT RESET	4.000	EA
612(L)	M0652	WATER METERS RESET	2.000	EA
613(B)	M0405	450MM R.C.PIPE CLASS III	2,314.900	M
613(B)	M0409	600MM R.C.PIPE CLASS III	2,179.500	M
613(B)	M0413	750MM R.C.PIPE CLASS III	1,325.600	M
613(B)	M0415	900MM R.C.PIPE CLASS III	1,936.200	M
613(C)	M4373	SP. END SECTION OF 450MM RCP ROUND	1.000	EA
613(D)	M0690	600MM CORR. GALV. STEEL PIPE	363.100	M
613(P)	M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	500.000	M
613(Q)	M1096	150MM NON-PERF.PIPE UNDERDRAIN RND.	100.000	M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	200.000	M3
619(A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	M0291	REMOVAL OF HEADWALL	3.000	EA
619(B)	M4726	REMOVAL OF CURB AND GUTTER	2,100.000	M
619(B)	M4727	REMOVAL OF CONCRETE PAVEMENT	60,423.000	M2
619(B)	M4728	REMOVAL OF ASPHALT PAVEMENT	61,388.000	M2
619(C)	M0924	SAWING PAVEMENT	861.000	M
624(C)	M4459	FENCE-STYLE SWF (5 BARBED WIRE)	400.000	M
624(D)	M4288	FENCE-STYLE CLF (1200MM HIGH, CLASS A)	2,097.000	M
624(D)	M4292	FENCE-STYLE CLF (1800MM HIGH, CLASS A)	782.000	M
624(E)	M5956	GATES-STYLE CLF(1800MM HI X 3000MM LONG)	2.000	EA
627(I)	M4317	CONCRETE MEDIAN BARRIER, DESIGN 1	2,292.800	M
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM

SECTION NO. 0002

X281-BRIDGE 'A'

501(B)	M1307	SUBSTRUCTURE EXCAVATION COMMON	6,002.000	M3
501(C)	M1308	SUBSTRUCTURE EXCAVATION ROCK	940.000	M3
501(G)	M6309	CLSM BACKFILL	13,314.000	M3
503(A)	M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,266.240	M
504(A)	M1304	APPROACH SLAB	2,191.030	M2
504(C)	M6276	(PL)SEALED EXPANSION JOINTS	45.250	M
504(F)	M1381	CONCRETE PARAPET	254.300	M

SECTION NO. 0002	X281-BRIDGE 'A'		
506(A)	M1322	STRUCTURAL STEEL	11,635.000 KG
509(A)	M1326	CLASS AA CONCRETE	843.500 M3
509(B)	M1328	CLASS A CONCRETE	3,427.100 M3
511(A)	M1332	REINFORCING STEEL	188,300.000 KG
511(B)	M6010	EPOXY COATED REINFORCING STEEL	113,360.000 KG
515(A)	M6013	WATER REPELLENT (VISUALLY INSPECTED)	2,513.000 M2
516(A)	M6096	DRILLED SHAFTS 1500MM DIAMETER	84.800 M
613(P)	M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	31.000 M
613(R)	M1100	PIPE UNDERDRAIN COVER MAT'L.	11.500 M3
619(D)	M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
627(I)	M4317	CONCRETE MEDIAN BARRIER, DESIGN 1	127.300 M
SECTION NO. 0003	Y000-TRAFFIC		
627(G)	M4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	10,203.000 M
627(H)	M5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	17,506.000 M
802(B)	M8338	38MM PVC SCH.40 P.C.TR.	200.000 M
802(B)	M8342	50MM PVC SCH.40 P.C.TR.	2,440.000 M
802(B)	M8346	75MM PVC SCH.40 P.C.TR.	260.000 M
803	M8065	PULL BOX(SIZE I)	16.000 EA
803	M8066	PULL BOX(SIZE II)	1.000 EA
803	M8067	PULL BOX(SIZE III)	9.000 EA
804(A)	M2915	STRUCTURAL CONCRETE	127.000 M3
804(B)	M2916	REINFORCING STEEL	5,621.000 KG
806(A)	M8772	9.7M MHP 9.1M TS & 4.6M LMA(G.STL.)	1.000 EA
806(A)	M8796	9.7M MHP 12.2M TS & 4.6M LMA(G.STL.)	2.000 EA
806(A)	M8808	9.7M MHP 13.7M TS & 4.6M LMA(G.STL.)	3.000 EA
806(B)	M8896	3.7M MTG.HT.TS PED.POLE(G.STL.)	1.000 EA
806(C)	M8918	10.7M MTG & 4.6M HLMA(G.STL.)	2.000 EA
809(A)	M8090	(PL)ROADWAY LUMINAIRE	8.000 EA
810(A)	M3118	SERVICE POLE	1.000 EA
811	M8044	1/C NO.10 ELECT.COND.	1,060.000 M
825	M8550	VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000 EA
828(A)	M8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	7.000 EA
828(B)	M8138	LOOP DETECTOR WIRE	504.000 M
830	M8000	PEDESTRIAN PUSH BUTTON	12.000 EA
831	M8231	1WAY3SEC.ADJ.SIG.HD.S-6	13.000 EA
831	M8286	1WAY5SEC.ADJ.SIG.HD.S-19	2.000 EA
831	M8295	1WAY2SEC.ADJ.SIG.HD.S-20	12.000 EA
831	M8301	1WAY1SEC.ADJ.SIG.HD.S-22	2.000 EA
833	M3038	127MM BACKPLATE(300MM HDS)(B-2)	15.000 EA
834(A)	M8207	5/C TRAF.SIG.EL.CABLE	1,140.000 M
834(A)	M8208	7/C TRAF.SIG.EL.CABLE	220.000 M
834(A)	M8209	9/C TRAF.SIG.EL.CABLE	180.000 M
834(A)	M8211	15/C TRAF.SIG.EL.CABLE	180.000 M
834(B)	M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1,010.000 M
850(A)	M8110	SHEET ALUMINUM SIGNS	78.000 M2
850(B)	M8112	EXTRUDED ALUMINUM PANEL SIGNS	150.000 M2
850(C)	M8118	MAST ARM MOUNTED SIGNS(ALUM.)	12.000 M2
851(A)	M3206	100MM@19.3 GALV.STL.WD.FLANGE BM.POST	27.000 M
851(B)	M3216	50MM@5.43 GALV.STL.PIPE POST	133.000 M
851(B)	M3217	64MM@8.62 GALV.STL.PIPE POST	63.000 M
851(B)	M3218	75MM@11.28 GALV.STL.PIPE POST	36.000 M
851(C)	M8327	57MM SQUARE TUBE POST	62.000 M

SECTION NO. 0003

Y000-TRAFFIC

852	M8603	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-INTERNAL	127.000	M
852	M8604	(PL)OVHD.SN.STR.WLKWAY&HANDRAIL-EXTERNAL	98.000	M
852A/B	M8964	OVHD.SN.STR.TYPE C-1 ALUM./G.STL.24.4M	2.000	EA
852A/B	M8973	OVHD.SN.STR.TYPE C-1 ALUM./G.STL.29.0M	2.000	EA
852A/B	M9015	OVHD.SN.STR.TYPE E-1 ALUM./G.STL.	3.000	EA
855(A)	M8812	TRAFFIC STRIPE(PLASTIC)(100MM WIDE)	33,383.000	M
855(B)	M8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	30.000	EA
855(B)	M8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	20.000	EA
856(C)	M8851	REM.PAVEMENT MARKING TAPE(100MM WIDE)	1,200.000	M
856(G)	M8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	19,160.000	EA
857(A)	M8911	PAVE.MARKERS CLASS A TYPE 2-C	28.000	EA
857(A)	M8947	PAVE.MARKERS CLASS C TYPE 2-C	652.000	EA
870(A)	M8011	SAND FILLED IMPACT ATTEN.MODULE	1.000	EA
870(A)	M8485	SAND FILLED IMPACT ATTEN.MODULE	1,480.000	SD
870(B)	M8012	IMPACT ATTEN.MODULE(REPLACEMENT)	8.000	EA
876(C)	M8482	(PL)TRUCK MOUNTED ATTENUATOR	200.000	SD
880(A)	M8812	ARROW DISPLAY(TYPE C)	1,000.000	SD
880(B)	M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	3,720.000	SD
880(B)	M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	42,830.000	SD
880(B)	M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	5,470.000	SD
880(B)	M8827	CONSTRUCTION SIGNS 3.07 M2 & OVER	3,120.000	SD
880(C)	M8842	BARRICEDES(TYPE III)	28,790.000	SD
880(C)	M8848	WING BARRICADES	3,560.000	SD
880(D)	M8854	VERTICAL PANELS	9,740.000	SD
880(E)	M8860	WARNING LIGHTS(TYPE A)	65,570.000	SD
880(E)	M8872	WARNING LIGHTS(TYPE C)	66,770.000	SD
880(F)	M8878	DRUMS	105,162.000	SD
880(L)	M8911	TRAFFIC SURVEILLANCE, POLICE	144.000	HOURL
882(B)	M8306	PORTABLE CHANGEABLE MESSAGE SIGN	1,000.000	SD
890(A)	M8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM

SECTION NO. 0004

STAK-STAKING

642	M0098	STAKING	1.000	LSUM
-----	-------	---------	-------	------

SECTION NO. 0005

TIME 'B' BID

644	M7211	(SP)TIME (B) BID	10,000.000	DAY
-----	-------	------------------	------------	-----

LNTCIQA
 CALL ORDER : 070
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PAYNE

STATE PROJECT
 CONTRACT ID : 000414
 PCN : 1699804

PAGE 55

PROJECTS : CIP-160B(14)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 36.14
 RES. ENG.: 45STL
 CAL. DAYS: 300 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON SH-51 BEGINNING APPROXIMATELY 4.0 MILE WEST OF THE
 JUNCTION OF SH-51/SH-108 AND EXTENDING EAST.
 PROJ. LGTH.= 2.87 MILE
 FLEX. ESALS= 9.54 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-160B(14)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	68,339.000	CY
202(C)	0184 UNCLASSIFIED BORROW	3,774.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	26,042.000	CY
222	2801 TEMPORARY BALE BARRIER	2,000.000	LF
223	2801 TEMPORARY SILT FENCE	9,800.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	8.000	EA
225	2804 TEMPORARY SEDIMENT BASIN	6.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	30.000	CY
229	4318 DITCH LINER PROTECTION	3,377.000	LF
230(A)	2806 SOLID SLAB SODDING	16,336.000	SY
230(B)	2807 MULCH SODDING	100,724.000	SY
230(F)	2812 WATERING	4,683.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	25.000	AC
234(A)	2824 FERTILIZING (10-20-10)	12.000	TON
234(A)	4406 FERTILIZING (0-46-0)	1.400	TON
241	2832 MOWING	16.000	AC
243	0450 (PL)TEMPORARY INLET SEDIMENT FILTER	22.000	EA
307(A)	4233 LIME	1,411.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	105,297.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	742.000	TON
407	0250 TACK COAT	23,431.000	GAL
408	5774 PRIME COAT	18,481.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	36,207.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	15,833.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,601.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	12,267.000	TON
413(A)	4861 RUMBLE STRIP-METHOD AC-CON	15,832.000	LF
417	5267 COLD MILLING PAVEMENT	35,817.000	SY
420(A)	4242 FABRIC REINFORCEMENT	41,184.000	SY
420(B)	4268 BITUMINOUS BINDER	10,296.000	GAL
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	127.000	CY
509(B)	0321 CLASS A CONCRETE	357.000	CY

SECTION NO.	0001	I000-ROADWAY	CIP-160B(14)IP		
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES		5.500	CY
509(D)	0325	CLASS C CONCRETE		593.000	CY
511(A)	0332	REINFORCING STEEL		38,918.000	LB
601(A)	0297	TYPE I PLAIN RIPRAP		4.200	TON
601(E)	6312	FILTER FABRIC (RIPRAP)		200.000	SY
609(B)	0385	1'-8" COMB.CRB.& GUT.(4" MNTBLE-NOTCH)		325.000	LF
609(B)	0386	1'-8" COMB.CRB.& GUT.(6" MNTBLE-NOTCH)		13,267.000	LF
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)		707.000	SY
611(A)	2657	MANHOLE (4' DIA.)		6.000	EA
611(A)	2658	MANHOLE (5' DIA.)		4.000	EA
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)		1.300	VF
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIA.)		4.900	VF
611(D)	4215	MANHOLE FRAME & COVER		10.000	EA
611(E)	5103	INLET CICI DES. 1 (C)		3.000	EA
611(E)	5115	INLET CICI DES. 2 (D)		4.000	EA
611(E)	5122	INLET CICI DES. 3 (D)		14.000	EA
611(E)	5124	INLET CICI DES. 3 (B-D)		1.000	EA
611(E)	6002	INLET (SMD-TYPE 2)		5.000	EA
611(E)	6004	INLET (SMD-TYPE 2A)		3.000	EA
611(F)	5320	INLET CICI DES. 1 (ADD'L DEPTH)		2.500	VF
611(F)	5325	INLET CICI DES. 2 (ADD'L DEPTH)		3.400	VF
611(F)	5330	INLET CICI DES. 3 (ADD'L DEPTH)		3.500	VF
611(G)	4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)		71.000	EA
611(K)	4488	CAST IRON CURB INLETS		158.000	EA
611(N)	3620	WELDED STEEL GRATE (42" SQ.)		8.000	EA
613(B)	0491	18" R.C.PIPE CLASS III		1,458.000	LF
613(B)	0492	24" R.C.PIPE CLASS III		960.000	LF
613(B)	0493	30" R.C.PIPE CLASS III		1,240.000	LF
613(B)	0494	36" R.C.PIPE CLASS III		1,632.000	LF
613(B)	0495	42" R.C.PIPE CLASS III		12.000	LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT		3.000	EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT		25.000	EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT		11.000	EA
613(CC)	7189	TYPE D4 CULVERT END TREATMENT		3.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT		24.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT		6.000	EA
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH		1,557.000	LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH		459.000	LF
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND		1,200.000	LF
613(Q)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.		800.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.		120.000	CY
613(S)	1180	TRENCH EXCAVATION		5,164.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL		2,692.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	4726	REMOVAL OF CURB AND GUTTER		2,905.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT		64,301.000	SY
619(C)	0924	SAWING PAVEMENT		23,950.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE		215.000	LF
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)		1.000	EA
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION		1.000	EA
624(A)	4281	FENCE-STYLE WWF		7,490.000	LF
624(B)	4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)		7.000	EA
624(C)	4458	FENCE-STYLE SWF (4 BARBED WIRE)		240.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)		7,509.000	LF

SECTION NO. 0001		I000-ROADWAY	CIP-160B(14)IP		
624(D)	4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	230.000	LF	
624(D)	4293	FENCE-STYLE CLF (6'HIGH, CLASS B)	274.000	LF	
624(E)	5960	GATES-STYLE CLF (6'HIGH X 12'LONG)	2.000	EA	
629(A)	4958	MAILBOX INSTALLATION-SINGLE	20.000	EA	
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	27.000	EA	
629(C)	4960	MAILBOX	132.000	EA	
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	132.000	EA	
640	1426	FIELD OFFICE	1.000	EA	
641	1552	MOBILIZATION	1.000	LSUM	
SECTION NO. 0002		Y002-TRAFFIC SIGNING & STRIPING	CIP-160B(14)IP		
850(A)	8110	SHEET ALUMINUM SIGNS	460.000	SF	
851(C)	8327	2 1/4" SQUARE TUBE POST	1,036.000	LF	
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	81,697.000	LF	
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	132.000	EA	
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	8.000	EA	
SECTION NO. 0003		Y008-CONST.TRAFFIC CONTROL	CIP-160B(14)IP		
627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	2,050.000	LF	
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	2,050.000	LF	
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	2,050.000	LF	
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	64,000.000	LF	
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2,000.000	LF	
856(G)	8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	4,200.000	EA	
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	35,600.000	LF	
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	180.000	EA	
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	32,000.000	SD	
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	64,000.000	SD	
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,000.000	SD	
880(C)	8836	BARRICADES(TYPE II)	14,000.000	SD	
880(C)	8842	BARRICADES(TYPE III)	14,000.000	SD	
880(C)	8848	WING BARRICADES	1,600.000	SD	
880(D)	8854	VERTICAL PANELS	4,500.000	SD	
880(E)	8860	WARNING LIGHTS(TYPE A)	34,000.000	SD	
880(E)	8872	WARNING LIGHTS(TYPE C)	160,000.000	SD	
880(F)	8878	DRUMS	160,000.000	SD	
880(G)	8884	TUBE CHANNELIZERS	80,000.000	SD	
SECTION NO. 0004		STAK-STAKING			
642	0098	STAKING	1.000	LSUM	

LNTCIQA
 CALL ORDER : 080
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PAYNE

STATE PROJECT
 CONTRACT ID : 000480
 PCN : 1699808

PAGE 58

PROJECTS : CIP-160B(51)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 30.21
 RES. ENG.: 45STL
 CAL. DAYS: 180 LIQ. DAM: \$ 1000

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES(ASPHALT)
 ON SH-51 OVER LITTLE STILLWATER CREEK APPROXIMATELY 1.0
 MILE WEST OF THE JUNCTION SH-51/SH-108.
 PROJ. LGTH.= 0.39 MILE
 FLEX. ESALS= 9.54 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-160B(51)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	7,189.000	CY
202(C)	0184 UNCLASSIFIED BORROW	6,200.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	540.000	LF
223	2801 TEMPORARY SILT FENCE	1,350.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	1.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	12.000	CY
229	4318 DITCH LINER PROTECTION	1,510.000	LF
230(A)	2806 SOLID SLAB SODDING	2,077.000	SY
230(B)	2807 MULCH SODDING	10,397.000	SY
230(F)	2812 WATERING	499.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	6.000	AC
234(A)	2824 FERTILIZING (10-20-10)	1.000	TON
234(A)	4406 FERTILIZING (0-46-0)	1.000	TON
241	2832 MOWING	5.000	AC
307(A)	4233 LIME	191.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	14,216.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	80.000	TON
407	0250 TACK COAT	4,906.000	GAL
408	5774 PRIME COAT	2,899.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	6,914.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,375.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,118.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,045.000	TON
413(A)	4861 RUMBLE STRIP-METHOD AC-CON	3,606.000	LF
417	5267 COLD MILLING PAVEMENT	5,184.000	SY
420(A)	4242 FABRIC REINFORCEMENT	6,048.000	SY
420(B)	4268 BITUMINOUS BINDER	1,513.000	GAL
509(D)	0325 CLASS C CONCRETE	250.000	CY
601(D)	1390 TYPE IV GROUTED RIPRAP	20.000	SY
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	1.000	EA
613(CC)	7188 TYPE C4 CULVERT END TREATMENT	4.000	EA

SECTION NO. 0001	I000-ROADWAY	CIP-160B(51)IP		
613(CC)	7192	TYPE BB4 CULVERT END TREATMENT	1.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	4.000	EA
613(CC)	7202	TYPE BB6 CULVERT END TREATMENT	1.000	EA
613(D)	4526	(PL)CORR. GALV. STEEL PIPE ARCH	168.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	156.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	150.000	LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	278.000	LF
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF
613(Q)	1097	8" NON-PERF. PIPE UNDERDRAIN RND.	300.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	659.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	8,460.000	SY
619(C)	0924	SAWING PAVEMENT	3,944.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,438.000	LF
623(F)	4446	GUARD RAIL ANCHOR UNIT (TYPE A)	2.000	EA
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	5.000	EA
624(A)	4281	FENCE-STYLE WWF	6,579.000	LF
624(B)	4460	GATES-STYLE WWF (4.5'HIGH X 10'LONG)	2.000	EA
624(B)	4462	GATES-STYLE WWF (4.5'HIGH X 12'LONG)	2.000	EA
624(B)	4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	5.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	4,946.000	LF
625(C)	1253	REMOVE AND STORE GUARD RAIL	1,150.000	LF
SECTION NO. 0002	X081-BRIDGE 'A'	CIP-160B(51)IP		
202(A)	1301	UNCLASSIFIED EXCAVATION	1,620.000	CY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(F)	6352	GRANULAR BACKFILL	155.000	CY
503(A)	1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	986.300	LF
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	821.300	LF
504(A)	1304	APPROACH SLAB	365.200	SY
504(E)	6239	CONCRETE RAIL (TR3)	412.000	LF
506(A)	1322	STRUCTURAL STEEL	11,000.000	LB
509(A)	1326	CLASS AA CONCRETE	411.800	CY
509(B)	1328	CLASS A CONCRETE	204.800	CY
511(A)	1332	REINFORCING STEEL	12,770.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	97,160.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	624.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	624.000	LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	849.000	SY
516(A)	6095	DRILLED SHAFTS 54" DIAMETER	216.000	LF
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	3,400.000	TON
601(A-2)	0538	TYPE I-A FILTER BLANKET	1,085.000	TON
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	166.000	LF
613(Q)	1096	6" NON-PERF. PIPE UNDERDRAIN RND.	81.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	26.000	CY
613(S)	1180	TRENCH EXCAVATION	17.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	12.000	CY
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640	1398	FIELD OFFICE	1.000	EA

SECTION NO. 0002	X081-BRIDGE 'A'	CIP-160B(51)IP		
641	1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0003	Y002-TRAFFIC SIGNING & STRIPING	CIP-160B(51)IP		
850(A)	8110	SHEET ALUMINUM SIGNS	100.000	SF
851(C)	8327	2 1/4" SQUARE TUBE POST	218.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	25,170.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	18.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
857(A)	8893	PAVE.MARKERS CLASS A TYPE 1	54.000	EA
SECTION NO. 0004	Y008-CONST.TRAFFIC CONTROL	CIP-160B(51)IP		
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	120.000	LF
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	4,800.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	13,200.000	LF
856(G)	8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	1,200.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	17,000.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	30.000	EA
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8,100.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	7,800.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,600.000	SD
880(C)	8842	BARRICADES(TYPE III)	5,400.000	SD
880(C)	8848	WING BARRICADES	1,200.000	SD
880(D)	8854	VERTICAL PANELS	200.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	4,800.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	30,000.000	SD
880(F)	8878	DRUMS	37,840.000	SD
880(G)	8884	TUBE CHANNELIZERS	18,920.000	SD
SECTION NO. 0005	STAK-STAKING			
642	0098	STAKING	1.000	LSUM

LNTCIQA
 CALL ORDER : 090
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PAYNE

STATE PROJECT
 CONTRACT ID : 000481
 PCN : 1699804C

PAGE 61

PROJECTS : CIP-160B(14)IP/CIP-160B(51)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 66.35
 RES. ENG.: 45STL
 CAL. DAYS: 330 LIQ. DAM: \$ 1500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE & SURFACE(ASPHALT)
 ON SH-51 BEGINNING APPROXIMATELY 4.0 MILE WEST OF THE
 JUNCTION OF SH-51/SH-108 AND EXTENDING EAST.
 PROJ. LGTH.= 3.26 MILE
 FLEX. ESALS= 9.54 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY CIP-160B(14)IP		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	68,339.000	CY
202(C)	0184 UNCLASSIFIED BORROW	3,774.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	26,042.000	CY
222	2801 TEMPORARY BALE BARRIER	2,000.000	LF
223	2801 TEMPORARY SILT FENCE	9,800.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	8.000	EA
225	2804 TEMPORARY SEDIMENT BASIN	6.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	30.000	CY
229	4318 DITCH LINER PROTECTION	3,377.000	LF
230(A)	2806 SOLID SLAB SODDING	16,336.000	SY
230(B)	2807 MULCH SODDING	100,724.000	SY
230(F)	2812 WATERING	4,683.000	MGAL
233(A)	2817 VEGETATIVE MULCHING	25.000	AC
234(A)	2824 FERTILIZING (10-20-10)	12.000	TON
234(A)	4406 FERTILIZING (0-46-0)	1.400	TON
241	2832 MOWING	16.000	AC
243	0450 (PL)TEMPORARY INLET SEDIMENT FILTER	22.000	EA
307(A)	4233 LIME	1,411.000	TON
307(B)	4234 6" LIME TREATED SUBGRADE	105,297.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	742.000	TON
407	0250 TACK COAT	23,431.000	GAL
408	5774 PRIME COAT	18,481.000	GAL
411(A)	6500 (SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	36,207.000	TON
411(A)	6510 (SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	15,833.000	TON
411(B)	6530 (SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	4,601.000	TON
411(B)	6540 (SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	12,267.000	TON
413(A)	4861 RUMBLE STRIP-METHOD AC-CON	15,832.000	LF
417	5267 COLD MILLING PAVEMENT	35,817.000	SY
420(A)	4242 FABRIC REINFORCEMENT	41,184.000	SY
420(B)	4268 BITUMINOUS BINDER	10,296.000	GAL
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	127.000	CY
509(B)	0321 CLASS A CONCRETE	357.000	CY

SECTION NO.	0001	I000-ROADWAY	CIP-160B(14)IP		
509(C)	0322	CLASS A CONCRETE FOR SMALL STRUCTURES		5.500	CY
509(D)	0325	CLASS C CONCRETE		593.000	CY
511(A)	0332	REINFORCING STEEL		38,918.000	LB
601(A)	0297	TYPE I PLAIN RIPRAP		4.200	TON
601(E)	6312	FILTER FABRIC (RIPRAP)		200.000	SY
609(B)	0385	1'-8" COMB.CRB.& GUT.(4" MNTBLE-NOTCH)		325.000	LF
609(B)	0386	1'-8" COMB.CRB.& GUT.(6" MNTBLE-NOTCH)		13,267.000	LF
610(B)	0399	6" CONCRETE DRIVEWAY (H.E.S.)		707.000	SY
611(A)	2657	MANHOLE (4' DIA.)		6.000	EA
611(A)	2658	MANHOLE (5' DIA.)		4.000	EA
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIA.)		1.300	VF
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIA.)		4.900	VF
611(D)	4215	MANHOLE FRAME & COVER		10.000	EA
611(E)	5103	INLET CICI DES. 1 (C)		3.000	EA
611(E)	5115	INLET CICI DES. 2 (D)		4.000	EA
611(E)	5122	INLET CICI DES. 3 (D)		14.000	EA
611(E)	5124	INLET CICI DES. 3 (B-D)		1.000	EA
611(E)	6002	INLET (SMD-TYPE 2)		5.000	EA
611(E)	6004	INLET (SMD-TYPE 2A)		3.000	EA
611(F)	5320	INLET CICI DES. 1 (ADD'L DEPTH)		2.500	VF
611(F)	5325	INLET CICI DES. 2 (ADD'L DEPTH)		3.400	VF
611(F)	5330	INLET CICI DES. 3 (ADD'L DEPTH)		3.500	VF
611(G)	4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)		71.000	EA
611(K)	4488	CAST IRON CURB INLETS		158.000	EA
611(N)	3620	WELDED STEEL GRATE (42" SQ.)		8.000	EA
613(B)	0491	18" R.C.PIPE CLASS III		1,458.000	LF
613(B)	0492	24" R.C.PIPE CLASS III		960.000	LF
613(B)	0493	30" R.C.PIPE CLASS III		1,240.000	LF
613(B)	0494	36" R.C.PIPE CLASS III		1,632.000	LF
613(B)	0495	42" R.C.PIPE CLASS III		12.000	LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT		3.000	EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT		25.000	EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT		11.000	EA
613(CC)	7189	TYPE D4 CULVERT END TREATMENT		3.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT		24.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT		6.000	EA
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH		1,557.000	LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH		459.000	LF
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND		1,200.000	LF
613(Q)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.		800.000	LF
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.		120.000	CY
613(S)	1180	TRENCH EXCAVATION		5,164.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL		2,692.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS		1.000	LSUM
619(B)	4726	REMOVAL OF CURB AND GUTTER		2,905.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT		64,301.000	SY
619(C)	0924	SAWING PAVEMENT		23,950.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE		215.000	LF
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)		1.000	EA
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION		1.000	EA
624(A)	4281	FENCE-STYLE WWF		7,490.000	LF
624(B)	4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)		7.000	EA
624(C)	4458	FENCE-STYLE SWF (4 BARBED WIRE)		240.000	LF
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)		7,509.000	LF

SECTION NO. 0001	I000-ROADWAY	CIP-160B(14)IP		
624(D)	4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	230.000	LF
624(D)	4293	FENCE-STYLE CLF (6'HIGH, CLASS B)	274.000	LF
624(E)	5960	GATES-STYLE CLF (6'HIGH X 12'LONG)	2.000	EA
629(A)	4958	MAILBOX INSTALLATION-SINGLE	20.000	EA
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	27.000	EA
629(C)	4960	MAILBOX	132.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	132.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY	CIP-160B(51)IP		
201	0102	CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183	UNCLASSIFIED EXCAVATION	7,189.000	CY
202(C)	0184	UNCLASSIFIED BORROW	6,200.000	CY
205	4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801	TEMPORARY BALE BARRIER	540.000	LF
223	2801	TEMPORARY SILT FENCE	1,350.000	LF
224	2803	TEMPORARY SEDIMENT FILTER	1.000	EA
226	2805	TEMPORARY SEDIMENT REMOVAL	12.000	CY
229	4318	DITCH LINER PROTECTION	1,510.000	LF
230(A)	2806	SOLID SLAB SODDING	2,077.000	SY
230(B)	2807	MULCH SODDING	10,397.000	SY
230(F)	2812	WATERING	499.000	MGAL
233(A)	2817	VEGETATIVE MULCHING	6.000	AC
234(A)	2824	FERTILIZING (10-20-10)	1.000	TON
234(A)	4406	FERTILIZING (0-46-0)	1.000	TON
241	2832	MOWING	5.000	AC
307(A)	4233	LIME	191.000	TON
307(B)	4234	6" LIME TREATED SUBGRADE	14,216.000	SY
403(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	80.000	TON
407	0250	TACK COAT	4,906.000	GAL
408	5774	PRIME COAT	2,899.000	GAL
411(A)	6500	(SP)ASPHALT CONCRETE TYPE A(PG 64-22 OK)	6,914.000	TON
411(A)	6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	2,375.000	TON
411(B)	6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	1,118.000	TON
411(B)	6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	2,045.000	TON
413(A)	4861	RUMBLE STRIP-METHOD AC-CON	3,606.000	LF
417	5267	COLD MILLING PAVEMENT	5,184.000	SY
420(A)	4242	FABRIC REINFORCEMENT	6,048.000	SY
420(B)	4268	BITUMINOUS BINDER	1,513.000	GAL
509(D)	0325	CLASS C CONCRETE	250.000	CY
601(D)	1390	TYPE IV GROUTED RIPRAP	20.000	SY
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(CC)	7188	TYPE C4 CULVERT END TREATMENT	4.000	EA
613(CC)	7192	TYPE BB4 CULVERT END TREATMENT	1.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
613(CC)	7198	TYPE C6 CULVERT END TREATMENT	4.000	EA
613(CC)	7202	TYPE BB6 CULVERT END TREATMENT	1.000	EA
613(D)	4526	(PL)CORR. GALV. STEEL PIPE ARCH	168.000	LF
613(D)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	156.000	LF
613(D)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	150.000	LF
613(D)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	278.000	LF
613(P)	1092	8" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF

SECTION NO. 0002		I000-ROADWAY	CIP-160B(51)IP		
613(Q)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.	300.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	50.000	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	659.000	CY	
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM	
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	8,460.000	SY	
619(C)	0924	SAWING PAVEMENT	3,944.000	LF	
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,438.000	LF	
623(F)	4446	GUARD RAIL ANCHOR UNIT (TYPE A)	2.000	EA	
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	1.000	EA	
623(F)	5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA	
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	5.000	EA	
624(A)	4281	FENCE-STYLE WWF	6,579.000	LF	
624(B)	4460	GATES-STYLE WWF (4.5'HIGH X 10'LONG)	2.000	EA	
624(B)	4462	GATES-STYLE WWF (4.5'HIGH X 12'LONG)	2.000	EA	
624(B)	4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	5.000	EA	
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	4,946.000	LF	
625(C)	1253	REMOVE AND STORE GUARD RAIL	1,150.000	LF	
SECTION NO. 0003		X081-BRIDGE 'A'	CIP-160B(51)IP		
202(A)	1301	UNCLASSIFIED EXCAVATION	1,620.000	CY	
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY	
501(F)	6352	GRANULAR BACKFILL	155.000	CY	
503(A)	1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	986.300	LF	
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	821.300	LF	
504(A)	1304	APPROACH SLAB	365.200	SY	
504(E)	6239	CONCRETE RAIL (TR3)	412.000	LF	
506(A)	1322	STRUCTURAL STEEL	11,000.000	LB	
509(A)	1326	CLASS AA CONCRETE	411.800	CY	
509(B)	1328	CLASS A CONCRETE	204.800	CY	
511(A)	1332	REINFORCING STEEL	12,770.000	LB	
511(B)	6010	EPOXY COATED REINFORCING STEEL	97,160.000	LB	
514(A)	6010	PILES, FURNISHED (HP 10X42)	624.000	LF	
514(B)	6292	PILES, DRIVEN (HP 10X42)	624.000	LF	
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	849.000	SY	
516(A)	6095	DRILLED SHAFTS 54" DIAMETER	216.000	LF	
601(A-1)	0536	TYPE I-A PLAIN RIPRAP	3,400.000	TON	
601(A-2)	0538	TYPE I-A FILTER BLANKET	1,085.000	TON	
613(P)	1091	6" PERFORATED PIPE UNDERDRAIN ROUND	166.000	LF	
613(Q)	1096	6" NON-PERF.PIPE UNDERDRAIN RND.	81.000	LF	
613(R)	1100	PIPE UNDERDRAIN COVER MAT'L.	26.000	CY	
613(S)	1180	TRENCH EXCAVATION	17.000	CY	
613(T)	1181	STANDARD BEDDING MATERIAL	12.000	CY	
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM	
640	1398	FIELD OFFICE	1.000	EA	
641	1399	MOBILIZATION	1.000	LSUM	
SECTION NO. 0004		Y002-TRAFFIC SIGNING & STRIPING	CIP-160B(14)IP		
850(A)	8110	SHEET ALUMINUM SIGNS	460.000	SF	
851(C)	8327	2 1/4" SQUARE TUBE POST	1,036.000	LF	
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	81,697.000	LF	
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	132.000	EA	
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	8.000	EA	
SECTION NO. 0005		Y002-TRAFFIC SIGNING & STRIPING	CIP-160B(51)IP		

850(A)	8110	SHEET ALUMINUM SIGNS	100.000	SF
851(C)	8327	2 1/4" SQUARE TUBE POST	218.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	25,170.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	18.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
857(A)	8893	PAVE.MARKERS CLASS A TYPE 1	54.000	EA

SECTION NO. 0006 Y008-CONST.TRAFFIC CONTROL CIP-160B(14)IP

627(E)	4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	2,050.000	LF
627(G)	4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	2,050.000	LF
627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	2,050.000	LF
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	64,000.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2,000.000	LF
856(G)	8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	4,200.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	35,600.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	180.000	EA
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	32,000.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	64,000.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,000.000	SD
880(C)	8836	BARRICADES(TYPE II)	14,000.000	SD
880(C)	8842	BARRICADES(TYPE III)	14,000.000	SD
880(C)	8848	WING BARRICADES	1,600.000	SD
880(D)	8854	VERTICAL PANELS	4,500.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	34,000.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	160,000.000	SD
880(F)	8878	DRUMS	160,000.000	SD
880(G)	8884	TUBE CHANNELIZERS	80,000.000	SD

SECTION NO. 0007 Y008-CONST.TRAFFIC CONTROL CIP-160B(51)IP

627(H)	5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	120.000	LF
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	4,800.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	13,200.000	LF
856(G)	8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	1,200.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	17,000.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	30.000	EA
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8,100.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	7,800.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,600.000	SD
880(C)	8842	BARRICADES(TYPE III)	5,400.000	SD
880(C)	8848	WING BARRICADES	1,200.000	SD
880(D)	8854	VERTICAL PANELS	200.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	4,800.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	30,000.000	SD
880(F)	8878	DRUMS	37,840.000	SD
880(G)	8884	TUBE CHANNELIZERS	18,920.000	SD

SECTION NO. 0008 STAK-STAKING

642	0098	STAKING	1.000	LSUM
-----	------	---------	-------	------

SECTION NO. 0009 STAK-STAKING

642	0098	STAKING	1.000	LSUM
-----	------	---------	-------	------

LNTCIQA
 CALL ORDER : 091
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PAYNE

FEDERAL PROJECT
 CONTRACT ID : 000474
 PCN : 1855604

PAGE 66

PROJECTS : IMG-35-4(186)166TR
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 2.70
 RES. ENG.: 41PER
 CAL. DAYS: 120 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 GUARDRAIL
 SAFETY IMPROVEMENT FROM LOGAN/PAYNE COUNTY LINE TO THE
 PAYNE/NOBLE COUNTY LINE ON I-35
 PROJ. LGTH.= 0.00 MILES
 ASPH. GRADE= 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y008-TRAFFIC CONTROL		
890 7702	(PL)TRAFFIC ITEMS(TRAFFIC CONTROL)	1.000	LSUM
SECTION NO. 0002	SFTY-GUARDRAIL		
202(C) 0184	UNCLASSIFIED BORROW	10,000.000	CY
209 0120	MACHINE GRADING	186.100	STA
411(B) 6530	(SP)ASPHALT CONCRETE TYPE B(PG 64-22 OK)	2,390.000	TON
509(D) 0325	CLASS C CONCRETE	16.700	CY
511(A) 0332	REINFORCING STEEL	790.000	LB
619(B) 4780	REMOVAL OF GUARD RAIL	10,675.000	LF
619(C) 0924	SAWING PAVEMENT	18,495.000	LF
623(A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	12,950.000	LF
623(F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	13.000	EA
623(F) 4452	GUARD RAIL ANCHOR UNIT (TYPE G)	8.000	EA
623(F) 5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	16.000	EA
623(G) 0940	GUARD RAIL BLOCKOUT REPLACEMENT	6,237.500	LF
623(H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	48.000	EA
641 1552	MOBILIZATION	1.000	LSUM
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	332.000	EA
870(A) 8011	SAND FILLED IMPACT ATTEN.MODULE	190.000	EA
884(B) 8421	(PL)CONC.BRIDGE PARAPET RETROFIT	692.000	LF
884(C) 8424	REMOVE BRIDGE RAIL & POSTS(CONC.)	692.000	LF

LNTCIQA
 CALL ORDER : 100
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: PONTOTOC

FEDERAL PROJECT
 CONTRACT ID : 000494
 PCN : 1349304

PAGE 67

PROJECTS : BRO-62D(243)CO
 DBE/WBE GOALS: 12.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 3.24
 RES. ENG.: 31ADA
 CAL. DAYS: 90 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES
 COUNTY BRIDGE OVER BLUE RIVER, 2.5 MILES SOUTH AND
 3.7 MILES WEST OF FITTSTOWN
 PROJ. LGTH.= 0.321 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(G)	0185 EARTHWORK	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	500.000	LF
223	2802 TEMPORARY SILTATION SCREEN	3,740.000	LF
230(A)	2806 SOLID SLAB SODDING	9,086.000	SY
233(A)	2817 VEGETATIVE MULCHING	3.750	AC
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	620.000	TON
509(D)	0325 CLASS C CONCRETE	15.000	CY
613(CC)	7186 TYPE A4 CULVERT END TREATMENT	2.000	EA
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	2.000	EA
613(D)	4527 21" X 15" CORR. GALV. STEEL PIPE ARCH	38.000	LF
613(D)	4529 35" X 24" CORR. GALV. STEEL PIPE ARCH	62.000	LF
SECTION NO. 0002 X081-BRIDGE 'A'			
202(E)	1302 UNCLASSIFIED BORROW	114.000	CY
501(B)	1307 SUBSTRUCTURE EXCAVATION COMMON	96.000	CY
503(A)	1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	356.170	LF
504(E)	1380 CONCRETE RAIL (TR1)	253.200	LF
506(A)	1322 STRUCTURAL STEEL	2,020.000	LB
509(A)	1326 CLASS AA CONCRETE	70.000	CY
509(B)	1328 CLASS A CONCRETE	63.800	CY
511(A)	1439 REINFORCING STEEL (GRADE 60)	24,600.000	LB
514(A)	6010 PILES, FURNISHED (HP 10X42)	124.000	LF
514(A)	6011 PILES, FURNISHED (HP 12X53)	364.000	LF
514(B)	6292 PILES, DRIVEN (HP 10X42)	124.000	LF
514(B)	6294 PILES, DRIVEN (HP 12X53)	364.000	LF
601(A-1)	1353 TYPE I-A PLAIN RIPRAP	430.000	TON
601(A-2)	1355 TYPE I-A FILTER BLANKET	100.000	TON
619(D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	1418 BEAM GUARD RAIL-W-BEAM-SINGLE	150.000	LF
623(F)	5686 GUARD RAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F)	6029 GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
641	1399 MOBILIZATION	1.000	LSUM
900.22	6145 (PL)CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
SECTION NO. 0003

FEDERAL PROJECT
STAK-STAKING

PAGE 68

642 0098

STAKING

1.000 LSUM

LNTCIQA
CALL ORDER : 110

FEDERAL PROJECT
CONTRACT ID : 000488

PAGE 69

LETTING DATE : December 21, 2000

PCN : 1253107

LETTING TIME : 10:30 A.M.

COUNTIES: SEQUOYAH

PROJECTS : STPY-168C(071) RW

DBE/WBE GOALS: 0.00

GUARANTY : 5% OF BID TOTAL

PLAN PRICE: \$ 0.00

RES. ENG.: 12SAL

CAL. DAYS: 30 LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

RIGHT-OF-WAY CLEARANCE

ALONG SH-100 FROM GORE NORTHEAST

PROJ. LGTJ.= 6.209 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROWA-RIGHT-OF-WAY CLEARANCE		
643 0094	(PL)RIGHT-OF-WAY CLEARANCE	1.000	LSUM
643 0100	(PL)NESHAP PREDEM. INSP. & NOTIFICATION	14.000	EA

LNTCIQA
 CALL ORDER : 111
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: SEQUOYAH
 LEFLORE

FEDERAL PROJECT
 CONTRACT ID : 000477
 PCN : 1746904

PAGE 70

PROJECTS : ACBRFY-168A(35)
 DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 83.60
 RES. ENG.: 12SAL
 CAL. DAYS: LIQ. DAM: \$ 4000

CONTRACT DESCRIPTION:
 GRADE, DRAIN & SURFACE(ASPHALT)
 ON US-59 BEGINNING APPROXIMATELY 4.7 MILE NORTH OF THE
 JUNCTION OF US-59/SH-9 AND EXTENDING NORTH.
 PROJ. LGTH.= 2.39 MILE
 FLEX. ESALS= 15.0 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY ACBRF-168A(35)		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	248,347.000	CY
202(D)	0105 MUCK EXCAVATION	16,920.000	CY
202(G)	0110 EMBANKMENTS	1,297,657.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	55,853.000	CY
221	2800 TEMPORARY SLOPE DRAINS	2,545.000	LF
222	2801 TEMPORARY BALE BARRIER	256.000	LF
223	2801 TEMPORARY SILT FENCE	17,153.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	1,250.000	CY
227	0100 TEMPORARY SILT DIKE	720.000	LF
229	4318 DITCH LINER PROTECTION	10,607.000	LF
230(A)	2806 SOLID SLAB SODDING	24,052.000	SY
230(E)	2811 BROADCAST SPRIGGING (METHOD B)	199,833.000	SY
232(A)	2813 SEEDING METHOD A	12.000	AC
233(A)	2817 VEGETATIVE MULCHING	50.000	AC
234(A)	2824 FERTILIZING (10-20-10)	0.400	TON
241	2832 MOWING	172.000	AC
317(A)	4252 (SP)FLY ASH	9,771.000	TON
317(C)	4254 SUBGRADE MODIFICATION	147,988.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,402.000	TON
407	0250 TACK COAT	16,656.000	GAL
408	5853 PRIME COAT	38,534.000	GAL
411(AH)	6650 (SP)ASPHALT CONC.TYPE AH(PG 64-22 OK)	51,959.000	TON
411(AH)	6660 (SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	13,382.000	TON
411(BH)	6680 (SP)ASPHALT CONCRETE TYPE BH(PG64-22OK)	4,471.000	TON
411(BH)	6690 (SP)ASPHALT CONCRETE TYPE BH(PG70-28OK)	8,925.000	TON
413(A)	4861 RUMBLE STRIP-METHOD AC-CON	41,248.000	LF
417	5267 COLD MILLING PAVEMENT	200.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	325.000	CY
509(B)	0321 CLASS A CONCRETE	1,197.000	CY
509(B)	4153 CLASS A CONCRETE (MED.BAR.DES.1-A)	11.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	6.500	CY
509(E)	0325 CLASS C CONCRETE	1,441.000	CY

SECTION NO. 0001	I000-ROADWAY	ACBRF-168A(35)		
511(A)	0332	REINFORCING STEEL	194,045.000	LB
601(A)	0297	TYPE I PLAIN RIPRAP	495.000	TON
601A-2	0538	TYPE I-A FILTER BLANKET	98.000	TON
609(B)	1501	1'-8" COMB.CRB.& GUT.(6" MNTBLE)	1,197.000	LF
611(E)	6000	INLET (SMD-TYPE 1)	4.000	EA
611(E)	6002	INLET (SMD-TYPE 2)	4.000	EA
613(B)	0405	18" R.C.PIPE CLASS III	789.000	LF
613(B)	0409	24" R.C.PIPE CLASS III	402.000	LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	8.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	8.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	348.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	263.000	LF
613(M)	5726	18" PREFAB. CULVERT END SEC., ROUND	16.000	EA
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(S)	1180	TRENCH EXCAVATION	174.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	395.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	60,810.000	SY
619(C)	0924	SAWING PAVEMENT	500.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	975.000	LF
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(F)	4449	GUARD RAIL ANCHOR UNIT (TYPE D)	4.000	EA
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA
624(A)	4281	FENCE-STYLE WWF	2,206.000	LF
624(B)	4284	GATES-STYLE WWF (4.5'HIGH X 12'LONG)	2.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,276.000	LF
628(A)	4317	CONCRETE MEDIAN BARRIER DESIGN 1	3,911.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE	3.000	EA
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C)	4960	MAILBOX	6.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	12.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002	Y002-TRAFFIC SIGNING	ACBRF-168A(35)		
804	2915	STRUCTURAL CONCRETE	3.500	CY
850(A)	8110	SHEET ALUMINUM SIGNS	591.000	SF
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	701.000	LF
853(A)	3310	DELINEATORS TYPE 1 CODE 1	128.000	EA
853(B)	3311	DELINEATORS TYPE 1 CODE 2	6.000	EA
853(C)	3312	DELINEATORS TYPE 1 CODE 3	12.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2	18.000	EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	77,000.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA
856(B)	8005	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	61,350.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	19.000	EA
880(D)	8016	SIGNS 0 TO 6.25 SF	9,000.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	29,850.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	31,200.000	SD
880(J)	8021	BARRICADES(TYPE III)	12,000.000	SD

SECTION NO. 0002	Y002-TRAFFIC SIGNING	ACBRF-168A(35)		
880(J) 8318	BARRICADES(TYPE III)		10.000	EA
880(K) 8022	WING BARRICADES		5,000.000	SD
880(M) 8024	TYPE A LIGHT		26,800.000	SD
880(M) 8330	(PL)SPEED MONITORING DEVICE		2.000	EA
880(O) 8026	TYPE C LIGHT		40,400.000	SD
880(P) 8027	DRUMS		40,400.000	SD
960.18 8142	(PL)REMOVAL OF EXISTING SIGNS		1.000	LSUM
SECTION NO. 0003	STAK-STAKING	ACBRF-168A(35)		
642 0098	STAKING		1.000	LSUM
SECTION NO. 0004	TIME 'B' BID			
644 7211	(SP)TIME (B) BID		4,000.000	DAY

LNTCIQA FEDERAL PROJECT PAGE 73
 CALL ORDER : 112 CONTRACT ID : 000484
 LETTING DATE : December 21, 2000 PCN : 1746907
 LETTING TIME : 10:30 A.M.
 COUNTIES: SEQUOYAH PROJECTS : ACBRFY-168A(70)
 LEFLORE DBE/WBE GOALS: 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 83.60
 RES. ENG.: 12SAL
 CAL. DAYS: LIQ. DAM: \$ 4000

CONTRACT DESCRIPTION:
 BRIDGE & APPROACHES
 ON US-59 OVER THE ARKANSAS RIVER AT THE SEQUOYAH/LEFLORE
 COUNTY LINE.
 PROJ. LGTH.= 0.356 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X071-BRIDGE 'A' ACBRF-168A(70)		
414(C) 1304	APPROACH SLABS	526.500	SY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	4,682.000	CY
501(G) 6309	CLSM BACKFILL	686.000	CY
503(A) 6281	PRESTRESSED CONCRETE BEAMS (72 BT)	5,197.900	LF
504(C) 6169	(PL)MODULAR EXPANSION JOINTS	162.000	LF
504(C) 6276	(PL)SEALED EXPANSION JOINTS	81.330	LF
504(F) 1381	CONCRETE PARAPET	3,876.560	LF
506(A) 6010	(PL)STRUCTURAL STEEL A709 GR50	2,878,884.000	LB
506(A) 6015	(PL)STRUCTURAL STEEL A709 GR70	3,968,678.000	LB
509(A) 1326	CLASS AA CONCRETE	9,918.000	CY
509(B) 1328	CLASS A CONCRETE	334.000	CY
510(C) 6138	SLOPE WALL (5")	2,086.000	SY
511(A) 1332	REINFORCING STEEL	571,737.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	1,436,908.000	LB
514(A) 6012	PILES, FURNISHED (HP 14X73)	5,000.000	LF
514(B) 6296	PILES, DRIVEN (HP 14X73)	5,000.000	LF
514(F) 6354	PILE LOAD TEST (DYNAMIC)	56.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	7,962.000	SY
516(A) 6126	DRILLED SHAFTS 108" DIAMETER	477.000	LF
516(A) 6135	DRILLED SHAFTS 144" DIAMETER	1,037.000	LF
516(C) 6200	CROSSHOLE SONIC LOGGING	3.000	EA
516(D) 6400	CSL ACCESS TUBES	13,673.000	LF
535 6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	32.000	EA
601(A-1)1353	TYPE I-A PLAIN RIPRAP	6,700.000	TON
601(A-2)1355	TYPE I-A FILTER BLANKET	1,977.000	TON
613(P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	386.000	LF
613(Q) 6207	6" NON-PERF.PIPES UNDERDRAIN RND.	116.000	LF
613(R) 1395	PIPE UNDERDRAIN COVER MAT'L.	346.800	CY
613(S) 1396	TRENCH EXCAVATION	30.000	CY
613(T) 1181	STANDARD BEDDING MATERIAL	30.000	CY
619(B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
627(I) 4317	CONCRETE MEDIAN BARRIER, DESIGN 1	1,938.280	LF
640 1398	FIELD OFFICE	1.000	EA

SECTION NO.	0001	X071-BRIDGE 'A'	ACBRF-168A(70)		
641	1399	MOBILIZATION		1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL		1.000	LSUM
801	6238	(PL)BRIDGE NAVIGATION LIGHTING		1.000	LSUM
SECTION NO.	0002	STAK-STAKING	ACBRF-168A(70)		
642	0098	STAKING		1.000	LSUM
SECTION NO.	0003	X071-NON-PARTICIPATING(5/8"INSERTS)	ACBRF-168A(70)		
504	6176	(PL)INSERTS		561.000	EA
SECTION NO.	0004	X071-NON-PARTICIPATING(3/4"INSERTS)	ACBRF-168A(70)		
504	6176	(PL)INSERTS		374.000	EA
SECTION NO.	0005	TIME 'B' BID			
644	7211	(SP)TIME (B) BID		4,000.000	DAY

LNTCIQA FEDERAL PROJECT PAGE 75
 CALL ORDER : 113 CONTRACT ID : 000485
 LETTING DATE : December 21, 2000 PCN : 1746904C
 LETTING TIME : 10:30 A.M.
 COUNTIES: SEQUOYAH PROJECTS : ACBRFY-168A(35)/ACBRFY-168A(70)
 LEFLORE DBE/WBE GOALS: 5.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 83.60
 RES. ENG.: 12SAL
 CAL. DAYS: LIQ. DAM: \$ 4000

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGE & SURFACE(ASPHALT)
 ON US-59 BEGINNING APPROXIMATELY 4.7 MILE NORTH OF THE
 JUNCTION OF US-59/SH-9 AND EXTENDING NORTH.
 PROJ. LGTH.= 2.746 MILE
 FLEX. ESALS= 15.0 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY ACBRF-168A(35)		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(C)	0183 UNCLASSIFIED EXCAVATION	248,347.000	CY
202(D)	0105 MUCK EXCAVATION	16,920.000	CY
202(G)	0110 EMBANKMENTS	1,297,657.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	55,853.000	CY
221	2800 TEMPORARY SLOPE DRAINS	2,545.000	LF
222	2801 TEMPORARY BALE BARRIER	256.000	LF
223	2801 TEMPORARY SILT FENCE	17,153.000	LF
226	2805 TEMPORARY SEDIMENT REMOVAL	1,250.000	CY
227	0100 TEMPORARY SILT DIKE	720.000	LF
229	4318 DITCH LINER PROTECTION	10,607.000	LF
230(A)	2806 SOLID SLAB SODDING	24,052.000	SY
230(E)	2811 BROADCAST SPRIGGING (METHOD B)	199,833.000	SY
232(A)	2813 SEEDING METHOD A	12.000	AC
233(A)	2817 VEGETATIVE MULCHING	50.000	AC
234(A)	2824 FERTILIZING (10-20-10)	0.400	TON
241	2832 MOWING	172.000	AC
317(A)	4252 (SP)FLY ASH	9,771.000	TON
317(C)	4254 SUBGRADE MODIFICATION	147,988.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,402.000	TON
407	0250 TACK COAT	16,656.000	GAL
408	5853 PRIME COAT	38,534.000	GAL
411(AH)	6650 (SP)ASPHALT CONC.TYPE AH(PG 64-22 OK)	51,959.000	TON
411(AH)	6660 (SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	13,382.000	TON
411(BH)	6680 (SP)ASPHALT CONCRETE TYPE BH(PG64-22OK)	4,471.000	TON
411(BH)	6690 (SP)ASPHALT CONCRETE TYPE BH(PG70-28OK)	8,925.000	TON
413(A)	4861 RUMBLE STRIP-METHOD AC-CON	41,248.000	LF
417	5267 COLD MILLING PAVEMENT	200.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	325.000	CY
509(B)	0321 CLASS A CONCRETE	1,197.000	CY
509(B)	4153 CLASS A CONCRETE (MED.BAR.DES.1-A)	11.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	6.500	CY
509(E)	0325 CLASS C CONCRETE	1,441.000	CY

SECTION NO. 0001	I000-ROADWAY	ACBRF-168A(35)		
511(A)	0332	REINFORCING STEEL	194,045.000	LB
601(A)	0297	TYPE I PLAIN RIPRAP	495.000	TON
601A-2	0538	TYPE I-A FILTER BLANKET	98.000	TON
609(B)	1501	1'-8" COMB.CRB.& GUT.(6" MNTBLE)	1,197.000	LF
611(E)	6000	INLET (SMD-TYPE 1)	4.000	EA
611(E)	6002	INLET (SMD-TYPE 2)	4.000	EA
613(B)	0405	18" R.C.PIPE CLASS III	789.000	LF
613(B)	0409	24" R.C.PIPE CLASS III	402.000	LF
613(CC)	7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(CC)	7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(CC)	7196	TYPE A6 CULVERT END TREATMENT	8.000	EA
613(CC)	7197	TYPE B6 CULVERT END TREATMENT	8.000	EA
613(D)	0689	18" CORR. GALV. STEEL PIPE	348.000	LF
613(D)	0690	24" CORR. GALV. STEEL PIPE	263.000	LF
613(M)	5726	18" PREFAB. CULVERT END SEC., ROUND	16.000	EA
613(M)	5730	24" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(S)	1180	TRENCH EXCAVATION	174.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	395.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	60,810.000	SY
619(C)	0924	SAWING PAVEMENT	500.000	LF
623(A)	0932	BEAM GUARD RAIL-W-BEAM-SINGLE	975.000	LF
623(F)	4447	GUARD RAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(F)	4449	GUARD RAIL ANCHOR UNIT (TYPE D)	4.000	EA
623(H)	8571	(SP)G.E.T. GUARD RAIL END SECTION	2.000	EA
624(A)	4281	FENCE-STYLE WWF	2,206.000	LF
624(B)	4284	GATES-STYLE WWF (4.5'HIGH X 12'LONG)	2.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,276.000	LF
628(A)	4317	CONCRETE MEDIAN BARRIER DESIGN 1	3,911.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE	3.000	EA
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C)	4960	MAILBOX	6.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	12.000	EA
640	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002	X071-BRIDGE 'A'	ACBRF-168A(70)		
414(C)	1304	APPROACH SLABS	526.500	SY
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	4,682.000	CY
501(G)	6309	CLSM BACKFILL	686.000	CY
503(A)	6281	PRESTRESSED CONCRETE BEAMS (72 BT)	5,197.900	LF
504(C)	6169	(PL)MODULAR EXPANSION JOINTS	162.000	LF
504(C)	6276	(PL)SEALED EXPANSION JOINTS	81.330	LF
504(F)	1381	CONCRETE PARAPET	3,876.560	LF
506(A)	6010	(PL)STRUCTURAL STEEL A709 GR50	2,878,884.000	LB
506(A)	6015	(PL)STRUCTURAL STEEL A709 GR70	3,968,678.000	LB
509(A)	1326	CLASS AA CONCRETE	9,918.000	CY
509(B)	1328	CLASS A CONCRETE	334.000	CY
510(C)	6138	SLOPE WALL (5")	2,086.000	SY
511(A)	1332	REINFORCING STEEL	571,737.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	1,436,908.000	LB
514(A)	6012	PILES, FURNISHED (HP 14X73)	5,000.000	LF

SECTION NO. 0002		X071-BRIDGE 'A' ACBRF-168A(70)		
514(B)	6296	PILES, DRIVEN (HP 14X73)	5,000.000	LF
514(F)	6354	PILE LOAD TEST (DYNAMIC)	56.000	EA
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	7,962.000	SY
516(A)	6126	DRILLED SHAFTS 108" DIAMETER	477.000	LF
516(A)	6135	DRILLED SHAFTS 144" DIAMETER	1,037.000	LF
516(C)	6200	CROSSHOLE SONIC LOGGING	3.000	EA
516(D)	6400	CSL ACCESS TUBES	13,673.000	LF
535	6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
535	6165	(PL)EXPANSION BEARING ASSEMBLY	32.000	EA
601(A-1)	1353	TYPE I-A PLAIN RIPRAP	6,700.000	TON
601(A-2)	1355	TYPE I-A FILTER BLANKET	1,977.000	TON
613(P)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	386.000	LF
613(Q)	6207	6" NON-PERF.PIPES UNDERDRAIN RND.	116.000	LF
613(R)	1395	PIPE UNDERDRAIN COVER MAT'L.	346.800	CY
613(S)	1396	TRENCH EXCAVATION	30.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	30.000	CY
619(B)	2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
627(I)	4317	CONCRETE MEDIAN BARRIER, DESIGN 1	1,938.280	LF
640	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
801	6238	(PL)BRIDGE NAVIGATION LIGHTING	1.000	LSUM
SECTION NO. 0003		Y002-TRAFFIC SIGNING ACBRF-168A(35)		
804	2915	STRUCTURAL CONCRETE	3.500	CY
850(A)	8110	SHEET ALUMINUM SIGNS	591.000	SF
851(B)	3216	2"@3.65 GALV.STL.PIPE POST	701.000	LF
853(A)	3310	DELINEATORS TYPE 1 CODE 1	128.000	EA
853(B)	3311	DELINEATORS TYPE 1 CODE 2	6.000	EA
853(C)	3312	DELINEATORS TYPE 1 CODE 3	12.000	EA
853(E)	3314	DELINEATORS TYPE 2 CODE 2	18.000	EA
855(A)	3318	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	77,000.000	LF
855(B)	3320	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000	EA
856(B)	8005	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	61,350.000	LF
870(A)	8011	SAND FILLED IMPACT ATTEN.MODULE	19.000	EA
880(D)	8016	SIGNS 0 TO 6.25 SF	9,000.000	SD
880(E)	8017	SIGNS 6.26 TO 15.99 SF	29,850.000	SD
880(F)	8018	SIGNS 16.0 SF TO 32.99 SF	31,200.000	SD
880(J)	8021	BARRICADES(TYPE III)	12,000.000	SD
880(J)	8318	BARRICADES(TYPE III)	10.000	EA
880(K)	8022	WING BARRICADES	5,000.000	SD
880(M)	8024	TYPE A LIGHT	26,800.000	SD
880(M)	8330	(PL)SPEED MONITORING DEVICE	2.000	EA
880(O)	8026	TYPE C LIGHT	40,400.000	SD
880(P)	8027	DRUMS	40,400.000	SD
960.18	8142	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
SECTION NO. 0004		STAK-STAKING ACBRF-168A(35)		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0005		STAK-STAKING ACBRF-168A(70)		

SECTION NO. 0005	STAK-STAKING	ACBRF-168A(70)		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0006	X071-NON-PARTICIPATING(5/8"INSERTS)	ACBRF-168A(70)		
504	6176	(PL)INSERTS	561.000	EA
SECTION NO. 0007	X071-NON-PARTICIPATING(3/4"INSERTS)	ACBRF-168A(70)		
504	6176	(PL)INSERTS	374.000	EA
SECTION NO. 0008	TIME 'B' BID			
644	7211	(SP)TIME (B) BID	4,000.000	DAY

LNTCIQA
 CALL ORDER : 120
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: TILLMAN

STATE PROJECT
 CONTRACT ID : 000492
 PCN : 1693905

PAGE 79

PROJECTS : CIP-171B(26)IP
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 73.89
 RES. ENG.: 52ALT
 CAL. DAYS: 540 LIQ. DAM: \$ 2500

CONTRACT DESCRIPTION:
 GRADE, DRAIN, BRIDGES(RCB) & SURFACE(ASPHALT)
 ON US-183 APPROXIMATELY 1.0 MILE NORTH OF THE JUNCTION OF
 US-183/SH-5 AND EXTENDING NORTH TO THE JUNCTION OF
 US-183/SH-5C.
 PROJ. LGTH.= 7.257 MILE
 FLEX. ESALS= 2.71 MILLION
 ASPH. GRADE= 64-22OK & 70-28OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	172,902.000	CY
202(C)	0184 UNCLASSIFIED BORROW	77,040.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	3,980.000	LF
223	2801 TEMPORARY SILT FENCE	11,250.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	23.000	EA
229	4318 DITCH LINER PROTECTION	7,634.000	LF
230(A)	2806 SOLID SLAB SODDING	39,764.000	SY
230(B)	2807 MULCH SODDING	356,560.000	SY
232(B)	2814 SEEDING METHOD B	105.000	AC
233(A)	2817 VEGETATIVE MULCHING	180.000	AC
241	2832 MOWING	180.000	AC
307(A)	4233 LIME	4,350.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	241,593.000	SY
403(A)	0217 TRAFFIC BOUND SURFACE COURSE TYPE A	1,549.000	TON
407	0250 TACK COAT	21,836.000	GAL
408	5774 PRIME COAT	37,170.000	GAL
411(A)	5275 (SP)ASPHALT CONCRETE TYPE A(PATCH)(PG)	880.000	TON
411(AH)	6650 (SP)ASPHALT CONC.TYPE AH(PG 64-22 OK)	61,744.000	TON
411(AH)	6660 (SP)ASPHALT CONC.TYPE AH(PG 70-28 OK)	29,666.000	TON
411(BH)	6680 (SP)ASPHALT CONCRETE TYPE BH(PG64-22OK)	8,169.000	TON
411(BH)	6690 (SP)ASPHALT CONCRETE TYPE BH(PG70-28OK)	18,600.000	TON
413(A)	4861 RUMBLE STRIP-METHOD AC-CON	77,706.000	LF
417	5267 COLD MILLING PAVEMENT	10,298.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	570.000	CY
509(B)	0321 CLASS A CONCRETE	1,541.000	CY
509(C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	58.000	CY
509(D)	0325 CLASS C CONCRETE	639.000	CY
511(A)	0332 REINFORCING STEEL	221,540.000	LB
601(A-2)	0538 TYPE I-A FILTER BLANKET	162.000	TON
601A-1	0536 TYPE I-A PLAIN RIPRAP	322.000	TON

SECTION NO.	DESCRIPTION	QUANTITY	UNIT
SECTION NO. 0001	I000-ROADWAY		
609(B)	1501 1'-8" COMB.CRB.& GUT.(6" MNTBLE)	175.000	LF
609(B)	1513 1'-8" COMB.CRB.& GUT.(6" BARRIER)	2,844.000	LF
610(A)	0602 4" CONCRETE SIDEWALK	1,098.000	SY
611(A)	2657 MANHOLE (4' DIA.)	1.000	EA
611(D)	4215 MANHOLE FRAME & COVER	8.000	EA
611(E)	5113 INLET CICI DES. 2 (B)	1.000	EA
611(E)	6000 INLET (SMD-TYPE 1)	4.000	EA
611(E)	6002 INLET (SMD-TYPE 2)	18.000	EA
611(E)	6004 INLET (SMD-TYPE 2A)	1.000	EA
611(G)	4488 INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	20.000	EA
611(K)	4488 CAST IRON CURB INLETS	36.000	EA
612(A)	0641 MANHOLES ADJUST TO GRADE	1.000	EA
613(B)	0491 18" R.C.PIPE CLASS III	260.000	LF
613(B)	0492 24" R.C.PIPE CLASS III	824.000	LF
613(B)	0493 30" R.C.PIPE CLASS III	1,260.000	LF
613(CC)	7186 TYPE A4 CULVERT END TREATMENT	12.000	EA
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	7.000	EA
613(CC)	7188 TYPE C4 CULVERT END TREATMENT	5.000	EA
613(CC)	7196 TYPE A6 CULVERT END TREATMENT	12.000	EA
613(CC)	7197 TYPE B6 CULVERT END TREATMENT	7.000	EA
613(CC)	7198 TYPE C6 CULVERT END TREATMENT	3.000	EA
613(D)	0689 18" CORR. GALV. STEEL PIPE	1,036.000	LF
613(D)	0690 24" CORR. GALV. STEEL PIPE	402.000	LF
613(D)	0691 30" CORR. GALV. STEEL PIPE	256.000	LF
613(P)	1091 6" PERFORATED PIPE UNDERDRAIN ROUND	2,700.000	LF
613(Q)	1096 6" NON-PERF.PIPE UNDERDRAIN RND.	900.000	LF
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291 REMOVAL OF HEADWALL	38.000	EA
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	38,737.000	SY
619(B)	4780 REMOVAL OF GUARD RAIL	3,158.000	LF
619(B)	5918 REMOVAL OF EXISTING PIPE	561.000	LF
619(C)	0924 SAWING PAVEMENT	28,841.000	LF
624(C)	4459 FENCE-STYLE SWF (5 BARBED WIRE)	1,933.000	LF
624(D)	4293 FENCE-STYLE CLF (6'HIGH, CLASS B)	306.000	LF
624(E)	5966 GATES-STYLE CLF (6'HIGH X 18'LONG)	2.000	EA
641	1552 MOBILIZATION	1.000	LSUM
890A/B	8756 (PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
SECTION NO. 0002	X028-BRIDGE 'A'		
202(A)	1301 UNCLASSIFIED EXCAVATION	1,975.600	CY
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	463.600	CY
509(B)	1328 CLASS A CONCRETE	720.440	CY
511(A)	1332 REINFORCING STEEL	109,748.000	LB
619(B)	2505 (PL)REMOVAL OF BRIDGE ITEMS	1.000	EA
SECTION NO. 0003	X028-BRIDGE 'B'		
202(A)	1301 UNCLASSIFIED EXCAVATION	1,494.700	CY
501(A)	1306 STRUCTURAL EXCAVATION UNCLASSIFIED	222.700	CY
509(B)	1328 CLASS A CONCRETE	563.250	CY
511(A)	1332 REINFORCING STEEL	70,570.000	LB
601A-1	1353 TYPE I-A PLAIN RIPRAP	435.000	TON
601A-2	1355 TYPE I-A FILTER BLANKET	218.000	TON

SECTION NO. 0003		X028-BRIDGE 'B'		
619(B)	2505	(PL)REMOVAL OF BRIDGE ITEMS	1.000	EA
SECTION NO. 0004		X028-BRIDGE 'C'		
202(A)	1301	UNCLASSIFIED EXCAVATION	2,052.600	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	324.500	CY
509(B)	1328	CLASS A CONCRETE	708.230	CY
511(A)	1332	REINFORCING STEEL	115,440.000	LB
601A-1	1353	TYPE I-A PLAIN RIPRAP	416.000	TON
601A-2	1355	TYPE I-A FILTER BLANKET	208.000	TON
619(B)	2505	(PL)REMOVAL OF BRIDGE ITEMS	1.000	EA
SECTION NO. 0005		X028-BRIDGE 'D'		
202(A)	1301	UNCLASSIFIED EXCAVATION	1,362.400	CY
501(A)	1306	STRUCTURAL EXCAVATION UNCLASSIFIED	167.400	CY
509(B)	1328	CLASS A CONCRETE	398.290	CY
511(A)	1332	REINFORCING STEEL	54,943.000	LB
601A-1	1353	TYPE I-A PLAIN RIPRAP	163.000	TON
601A-2	1355	TYPE I-A FILTER BLANKET	82.000	TON
619(B)	2505	(PL)REMOVAL OF BRIDGE ITEMS	1.000	EA
SECTION NO. 0006		Y008-CONST.TRAFFIC CONTROL		
850(A)	8110	SHEET ALUMINUM SIGNS	778.000	SF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	207,050.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	90.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	22.000	EA
856(A)	8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	30,000.000	LF
856(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1,000.000	LF
856(G)	8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	3,000.000	EA
859(A)	8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2,500.000	LF
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8,395.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6,205.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	11,315.000	SD
880(C)	8836	BARRICADES(TYPE II)	2,190.000	SD
880(C)	8842	BARRICADES(TYPE III)	4,380.000	SD
880(C)	8848	WING BARRICADES	1,460.000	SD
880(D)	8854	VERTICAL PANELS	10,950.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	22,265.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	21,900.000	SD
880(F)	8878	DRUMS	10,950.000	SD
890(A)	8722	(PL)REMOVAL OF EXISTING SIGNS	41.000	LSUM
SECTION NO. 0007		STAK-STAKING		
642	0098	STAKING	1.000	LSUM
SECTION NO. 0008		Y060-WATERLINE		
612(J)	0650	FIRE HYDRANT RESET	3.000	EA
613(S)	1180	TRENCH EXCAVATION	5,397.000	CY
613(T)	1181	STANDARD BEDDING MATERIAL	3,828.000	CY
615(D)	0200	(PL)2" AIR RELIEF VALVE & VAULT	7.000	EA

SECTION NO. 0008

Y060-WATERLINE

616(B)	5221	4" POLYVINYL CHLORIDE (PVC) PIPE	95.000	LF
616(B)	5223	6" POLYVINYL CHLORIDE (PVC) PIPE	33,887.000	LF
616(D)	0860	4" VALVES	1.000	EA
616(D)	0861	6" VALVES	15.000	EA
616(E)	0878	3/4" CORPORATION STOPS	14.000	EA
616(E)	0903	2" CORPORATION STOPS	1.000	EA
616(F)	5948	METER INSTALLATION 3/4"	12.000	EA
616(I)	0030	12" STEEL CASING	623.000	LF
616(I)	0030	12" STEEL CASING	957.000	LF
616(N)	0090	SERVICE CONNECTION (SHORT)	13.000	EA
616(N)	0092	SERVICE CONNECTION (LONG)	1.000	EA

LNTCIQA
 CALL ORDER : 130
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: HARPER

STATE PROJECT
 CONTRACT ID : 000502
 PCN : 1870004

PAGE 83

PROJECTS : MC-130B(40)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 61BUF
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT
 BEGIN AT WOODWARD/HARPER COUNTY LINE AND EXTEND NORTH ON
 SH-34
 PROJ. LGTH.= 8.0 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ARMOR COAT		
402 5205	(PL)ARMOR COAT	112,640.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 131
LETTING DATE : December 21, 2000
LETTING TIME : 10:30 A.M.
COUNTIES: WOODWARD

STATE PROJECT
CONTRACT ID : 000503
PCN : 1869904

PAGE 84

PROJECTS : MC-177B(39)
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 61BUF
CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT
BEGIN AT THE NORTH END OF THE NORTH CANADIAN RIVER BRIDGE
AND EXTEND NORTH OF SH-34
PROJ. LGTH.= 3.6 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ARMOR COAT		
402 5205	(PL)ARMOR COAT	66,881.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 132
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: WOODWARD
 HARPER

STATE PROJECT
 CONTRACT ID : 000495
 PCN : 1869904M

PAGE 85

PROJECTS : MC-177B(39)/MC-130B(40)
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 61BUF
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT
 BEGIN AT WOODWARD/HARPER COUNTY LINE AND EXTEND NORTH ON
 SH-34 AND BEGIN AT THE NORTH END OF THE NORTH CANADIAN
 RIVER BRIDGE AND EXTEND NORTH ON SH-34
 PROJ. LGTH. = 11.6 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ARMOR COAT MC-177B(39)		
402 5205	(PL)ARMOR COAT	66,881.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ARMOR COAT MC-130B(40)		
402 5205	(PL)ARMOR COAT	112,640.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 140
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: TEXAS

STATE PROJECT
 CONTRACT ID : 000496
 PCN : 1869804

PAGE 86

PROJECTS : MC-170N(76)PT.1
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 62GUY
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT
 BEGIN AT EAST EDGE TURNING LANE SH-95N/US-64 NORTHWEST OF
 GUYMON AND EXTEND EAST
 PROJ. LGTH.= 7.0 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ARMOR COAT		
402 5205	(PL)ARMOR COAT	164,266.670	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
CALL ORDER : 150
LETTING DATE : December 21, 2000
LETTING TIME : 10:30 A.M.
COUNTIES: TEXAS

STATE PROJECT
CONTRACT ID : 000497
PCN : 1869805

PAGE 87

PROJECTS : MC-170N(76)PT.2
DBE/WBE GOALS: 0.00
GUARANTY : 5% OF BID TOTAL
PLAN PRICE: \$ 0.00
RES. ENG.: 62GUY
CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
ARMOR COAT
BEGIN 7.0 MILES EAST OF JCT. SH-95N/US-64 AND EXTEND EAST
PROJ. LGTH.= 6.4 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ARMOR COAT		
402 5205	(PL)ARMOR COAT	150,186.670	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 160
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: TEXAS

STATE PROJECT
 CONTRACT ID : 000498
 PCN : 1869806

PAGE 88

PROJECTS : MC-170N(076)PT.3
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 62GUY
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 ARMOR COAT
 BEGIN 13.4 MILES EAST OF JCT. SH-95N/US-64 AND EXTEND EAST
 PROJ. LGTH.= 1.6 MILES

 ITEM NO. DESCRIPTION QUANTITY UNITS

SECTION NO. 0001 I000-ARMOR COAT

402 5205 (PL)ARMOR COAT 52,565.330 SY
 880(J) 8905 CONSTRUCTION TRAFFIC CONTROL 1.000 LSUM

LNTCIQA STATE PROJECT
 CALL ORDER : 170 CONTRACT ID : 000499
 LETTING DATE : December 21, 2000 PCN : 1869807
 LETTING TIME : 10:30 A.M.
 COUNTIES: TEXAS

PROJECTS : MC-170N(076)PT.4
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 62GUY

PAGE 89

CAL. DAYS:

LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT

BEGIN 16.0 MILES EAST OF JCT. SH-95N/US64 AND EXTEND EAST

PROJ. LGTH.= 1.0 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ARMOR COAT		
402 5205	(PL)ARMOR COAT	30,976.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 180
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: TEXAS

STATE PROJECT
 CONTRACT ID : 000500
 PCN : 1869808

PAGE 90

PROJECTS : MC-170N(076)PT.5
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 62GUY
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:
 ARMOR COAT
 BEGIN 16.0 MILES EAST OF JCT. SH-95N/US-64 AND EXTEND EAST
 PROJ. LGTH.= 7.0 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ARMOR COAT		
402 5205	(PL)ARMOR COAT	164,266.670	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

LNTCIQA
 CALL ORDER : 190
 LETTING DATE : December 21, 2000
 LETTING TIME : 10:30 A.M.
 COUNTIES: TEXAS

STATE PROJECT
 CONTRACT ID : 000501
 PCN : 1869804C

PAGE 91

PROJECTS : MC-170N(76)PT.1,2,3,4 & 5
 DBE/WBE GOALS: 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE: \$ 0.00
 RES. ENG.: 62GUY
 CAL. DAYS: LIQ. DAM: \$ 500

CONTRACT DESCRIPTION:

ARMOR COAT
 BEGIN AT EAST EDGE TURNING LANE SH-95N/US-64 NORTHWEST OF
 GUYMON AND EXTEND EAST
 PROJ. LGTH.= 23.0 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ARMOR COAT MC-170N(76) PT. 1		
402 5205	(PL)ARMOR COAT	164,266.670	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ARMOR COAT MC-170N(76) PT. 2		
402 5205	(PL)ARMOR COAT	150,186.670	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	I000-ARMOR COAT MC-170N(76) PT. 3		
402 5205	(PL)ARMOR COAT	52,565.330	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004	I000-ARMOR COAT MC-170N(76) PT. 4		
402 5205	(PL)ARMOR COAT	30,976.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0005	I000-ARMOR COAT MC-170N(76) PT. 5		
402 5205	(PL)ARMOR COAT	164,266.670	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM