

DATE : October 18, 2002 KLAHOMA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS -- November 14, 2002

LNTCNCA
LETTING

LNTCNCA-D

SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING. FROM 30 MINUTES PRIOR TO THE BID OPENING UNTIL THE TIME OF THE BID OPENING, BID PROPOSALS MUST BE TURNED IN DIRECTLY TO THE ODOT COMMISSION ROOM LOCATED ON THE EAST SIDE OF THE LOBBY. THE SCHEDULED BID OPENING OF 10:30 A.M. November 14, 2002 , FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION AS DEPICTED ON THE LOWER LEFT CORNER OF THE PLAN'S TITLE SHEET.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 N.E. 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$25.00 + tax FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 + tax, OR 1996 METRIC STANDARD SPECIFICATION \$27.00 + TAX, OR 1999 METRIC AND ENGLISH STANDARD SPECIFICATION \$55.00 + TAX. (OKLAHOMA TAX IS 8.375%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE FOR BIDDING DOCUMENTS OR SPECIFICATION BOOKS PURCHASED BY PROSPECTIVE BIDDERS.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

CALL ORDER : 010
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : ATOKA

CONTRACT ID : 020494
 PCN : 1883904
 PROJECTS : CIP-103N(34) IP
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 20.05
 CALENDAR DAYS : 330
 RES. ENG.:
 LIQ. DAM.: \$ 1000

CONTRACT DESCRIPTION:

GRADE, DRAIN, SURFACE & BRIDGE SH-3: BEGIN APPROX. 1.3
 MILES SOUTHEAST OF LANE AND EXTEND SOUTHEAST. PROJECT
 LENGTH = 0.712 MILES FLEXIBLE ESALS = 8.7 MILLION ASPHALT
 GRADE = PG 64-22 OK & PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (A)	1301 UNCLASSIFIED EXCAVATION	94,135.000	CY
205	4230 TYPE A-SALVAGED TOPSOIL	8,145.000	CY
224	2801 TEMPORARY SEDIMENT FILTER (TYPE 1-A)	1.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	100.000	CY
227	0100 TEMPORARY SILT DIKE	1,270.000	LF
229	4318 DITCH LINER PROTECTION	4,550.000	LF
230 (A)	2806 SOLID SLAB SODDING	1,353.000	SY
230 (D)	2810 BROADCAST SPRIGGING (METHOD A)	9,340.000	SY
230 (F)	2812 WATERING	427.700	MGAL
232 (B)	2814 SEEDING METHOD B	17.000	AC
233 (A)	2817 VEGETATIVE MULCHING	7.000	AC
234 (A)	2824 FERTILIZING (10-20-10)	1.100	TON
234 (A)	4406 FERTILIZING (0-46-0)	0.900	TON
241	2832 MOWING	12.000	AC
303	0192 AGGREGATE BASE	3,473.600	CY
325	5271 SEPARATOR FABRIC	19,304.000	SY
403 (E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	2,333.000	TON
407	0250 TACK COAT	1,872.400	GAL
408	5774 PRIME COAT	2,790.000	GAL
411 (S3)	5940 (SP) ASPH. CONC., TYPE S3 (PG 70-28 OK)	6,535.700	TON
411 (S3)	5945 (SP) ASPH. CONC., TYPE S3 (PG 64-22 OK)	648.200	TON
411 (S4)	5955 (SP) ASPH. CONC., TYPE S4 (PG 70-28 OK)	1,866.900	TON
411 (S4)	5960 (SP) ASPH. CONC., TYPE S4 (PG 64-22 OK)	368.100	TON
417	5268 COLD MILLING PAVEMENT (2")	257.000	SY
420 (A)	4242 FABRIC REINFORCEMENT	371.000	SY
420 (B)	4268 BITUMINOUS BINDER	92.800	GAL
509 (C)	0322 CLASS A CONCRETE FOR SMALL STRUCTURES	5.600	CY
509 (D)	1331 CLASS C CONCRETE	604.400	CY
601 (A)	0297 TYPE I PLAIN RIPRAP	20.000	TON
611 (E)	6002 INLET (SMD-TYPE 2)	1.000	EA
613 (B)	0492 24" R.C. PIPE CLASS III	127.000	LF
613 (CC)	7186 TYPE A4 CULVERT END TREATMENT	1.000	EA
613 (CC)	7197 TYPE B6 CULVERT END TREATMENT	2.000	EA
613 (D)	0689 18" CORR. GALV. STEEL PIPE	87.000	LF
613 (D)	0690 24" CORR. GALV. STEEL PIPE	83.000	LF
613 (D)	4527 21" X 15" CORR. GALV. STEEL PIPE ARCH	50.000	LF

CALL ORDER : 010
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : ATOKA

CONTRACT ID : 020494
 PCN : 1883904
 PROJECTS : CIP-103N(34) IP
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 20.05
 CALENDAR DAYS : 330
 RES. ENG. :
 LIQ. DAM. : \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY			
613 (M) 5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613 (MM) 7520	TYPE A6 SLOPED CONCRETE END SECTION	4.000	EA
613 (P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF
613 (Q) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	200.000	LF
613 (R) 1100	PIPE UNDERDRAIN COVER MAT'L.	156.000	CY
613 (S) 1180	TRENCH EXCAVATION	403.400	CY
613 (T) 1181	STANDARD BEDDING MATERIAL	72.400	CY
619 (A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619 (B) 0291	REMOVAL OF HEADWALL	10.000	EA
619 (B) 4725	REMOVAL OF FENCE	4,120.000	LF
619 (B) 4728	REMOVAL OF ASPHALT PAVEMENT	11,714.000	SY
619 (B) 4780	REMOVAL OF GUARD RAIL	760.000	LF
619 (C) 0924	SAWING PAVEMENT	294.000	LF
623 (A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	1,098.000	LF
623 (H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624 (A) 4281	FENCE-STYLE WWF	4,066.000	LF
624 (B) 4464	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	2.000	EA
629 (A) 4958	MAILBOX INSTALLATION-SINGLE	4.000	EA
629 (C) 4960	MAILBOX	4.000	EA
629 (D) 4961	REMOVAL OF MAILBOX INSTALLATION	4.000	EA
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653 (A) 5915	EDGE DRAIN CONDUIT-PERFORATED	3,000.000	LF
653 (B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	750.000	LF
653 (C) 5946	OUTLET LATERAL HEADWALL	22.000	EA
SECTION NO. 0002 X081-BRIDGE "A"			
202 (A) 1301	UNCLASSIFIED EXCAVATION	730.000	CY
501 (B) 1307	SUBSTRUCTURE EXCAVATION COMMON	260.000	CY
501 (F) 6352	GRANULAR BACKFILL	170.000	CY
503 (A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	375.700	LF
504 (A) 1304	APPROACH SLAB	378.500	SY
504 (C) 6276	(PL)SEALED EXPANSION JOINTS	48.000	LF
504 (E) 6239	CONCRETE RAIL (TR3)	355.100	LF
506 (A) 1322	STRUCTURAL STEEL	2,270.000	LB
509 (A) 1326	CLASS AA CONCRETE	117.700	CY
509 (B) 1328	CLASS A CONCRETE	93.600	CY
511 (A) 1332	REINFORCING STEEL	12,170.000	LB
511 (B) 6010	EPOXY COATED REINFORCING STEEL	27,200.000	LB
514 (A) 6011	PILES, FURNISHED (HP 12X53)	496.000	LF
514 (B) 6294	PILES, DRIVEN (HP 12X53)	496.000	LF
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	613.000	SY

CALL ORDER : 010
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : ATOKA

CONTRACT ID : 020494
 PCN : 1883904
 PROJECTS : CIP-103N(34) IP
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 20.05
 CALENDAR DAYS : 330
 RES. ENG. :
 LIQ. DAM. : \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0002	X081-BRIDGE "A"		
601 (A-1) 1353	TYPE I-A PLAIN RIPRAP	1,506.000	TON
601 (A-2) 1355	TYPE I-A FILTER BLANKET	366.000	TON
613 (P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	100.000	LF
613 (Q) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	70.000	LF
619 (D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0003	Y008-TRAFFIC		
509 (B) 0321	CLASS A CONCRETE	5.600	CY
850 (A) 8110	SHEET ALUMINUM SIGNS	41.300	SF
851 (C) 8327	2 1/4" SQUARE TUBE POST	77.000	LF
853 9033	DELINEATORS (TYPE 2, CODE 1)	37.000	EA
853 9039	DELINEATORS (TYPE 2, CODE 3)	2.000	EA
855 (A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	15,400.000	LF
856 (A) 8839	CONSTRUCTION TRAFF. STR. (PAINT) (4" WIDE)	6,150.000	LF
856 (G) 8887	(PL) CONST. ZONE PAV. MKRS (FLEX TAB) TYP. 2-1	630.000	EA
859 (A) 8006	PAVEMENT MRKNG. REMOVAL (TRAF. STRP)	6,150.000	LF
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890A/B 8756	(PL) REMOVE & RESET EXISTING SIGNS	1.000	EA
SECTION NO. 0004	ROWA-RIGHT-OF-WAY CLEARANCE		
643 M0094	(PL) RIGHT-OF-WAY CLEARANCE	1.000	LSUM
SECTION NO. 0005	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

CALL ORDER : 020
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : CADDO

CONTRACT ID : 020546
 PCN : 2009704
 PROJECTS : STPY-108B(82)TR
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 2.17
 CALENDAR DAYS : 30
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 SCHOOL ZONE WARNING FLASHER THE INTERSECTION OF US-62 AND
 SH-19 AT APACHE SCHOOL, IN APACHE. PROJECT LENGTH = 0.00 MI.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	Y002 - SCHOOL ZONE WARNING FLASHER SIGN		
641	1552 MOBILIZATION	1.000	LSUM
802(B)	8334 1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	180.000	LF
803	8065 PULL BOX(SIZE I)	5.000	EA
804(A)	2915 STRUCTURAL CONCRETE	1.600	CY
804(B)	2916 REINFORCING STEEL	105.200	LB
810(A)	3118 SERVICE POLE	4.000	EA
811	8044 1/C NO.10 ELECT.COND.	1,134.000	LF
827	8623 SOLID STATE FLASHER CONTROLLER(TYPE II)	4.000	EA
831	8301 1WAY1SEC.ADJ.SIG.HD.S-22	8.000	EA
850(A)	8110 SHEET ALUMINUM SIGNS	105.520	SF
851(B)	3220 4"@10.79 GALV.STL.PIPE POST	48.000	LF
851(C)	8327 2 1/4" SQUARE TUBE POST	112.000	LF
855(A)	8812 TRAFFIC STRIPE(PLASTIC)(4" WIDE)	580.000	LF
859(A)	8006 PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	580.000	LF
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890(A)	8724 (PL)REMOVAL OF EXISTING SIGNS	16.000	EA

CALL ORDER : 030
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : CHEROKEE

CONTRACT ID : 020173
 PCN : 1765304
 PROJECTS : BRO-111D(32) CO
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 1.63
 CALENDAR DAYS : 100
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES COUNTY BRIDGE OVER MINING CAMP HOLLOW
 CREEK, APPROX. 0.1 MILE NORTH & 1.7 MILE EAST OF WELLING.
 PROJECT LENGTH = 0.201 KM

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202 (G) M0185	EARTHWORK	1.000	LSUM
223 M2802	TEMPORARY SILT FENCE	400.000	M
227 M0100	TEMPORARY SILT DIKE	30.000	M
230 (A) M2806	SOLID SLAB SODDING	1,670.000	M2
303 M0192	AGGREGATE BASE	232.000	M3
403 (E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	22.000	T
509 (D) M0325	CLASS C CONCRETE	5.000	M3
613 (D) M0689	450MM CORR. GALV. STEEL PIPE	17.000	M
613 (D) M0690	600MM CORR. GALV. STEEL PIPE	11.000	M
613 (M) M0897	450MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613 (M) M0898	600MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
850 (A) M8110	SHEET ALUMINUM SIGNS	2.000	M2
851 (D) M8597	FLANGE CHANNEL POSTS(5.95 KG/M)	9.000	M
SECTION NO. 0002	X028-BRIDGE		
202 (A) M1301	UNCLASSIFIED EXCAVATION	73.000	M3
501 (A) M0313	STRUCTURAL EXCAVATION UNCLASSIFIED	95.000	M3
509 (B) M0321	CLASS A CONCRETE	215.000	M3
511 (A) M0332	REINFORCING STEEL	25,110.000	KG
601A-1 M0536	TYPE I-A PLAIN RIPRAP	94.000	T
601A-2 M0538	TYPE I-A FILTER BLANKET	19.000	T
619 (D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
641 M1399	MOBILIZATION	1.000	LSUM
880 (J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

CALL ORDER : 050
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 020445
 PCN : 1814404
 PROJECTS : BRO-116D(40)CO
 DBE GOALS : 9.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 2.71
 CALENDAR DAYS : 100
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES COUNTY ROAD OVER TRIB. TO LITTLE
 WASHITA CR., 3.4 MI. NORTH & 1.8 MILES EAST OF JCT.
 I-44/US-277. PROJECT LENGTH = 0245 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY - BRO-116D(40)CO		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (G)	0185 EARTHWORK	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	2,600.000	LF
227	0100 TEMPORARY SILT DIKE	120.000	LF
230 (A)	2806 SOLID SLAB SODDING	1,370.000	SY
230 (B)	2807 MULCH SODDING	7,731.000	SY
233 (A)	2817 VEGETATIVE MULCHING	4.000	AC
403 (E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	995.000	TON
509 (D)	0325 CLASS C CONCRETE	10.000	CY
613 (D)	0689 18" CORR. GALV. STEEL PIPE	36.000	LF
613 (M)	5726 18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
SECTION NO. 0002	X081-BRIDGE - BRO-116D(40)CO		
501 (B)	1307 SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501 (D)	6353 UNCLASSIFIED BACKFILL	82.000	CY
503 (A)	1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.670	LF
504 (E)	1380 CONCRETE RAIL (TR1)	275.000	LF
506 (A)	1322 STRUCTURAL STEEL	1,810.000	LB
509 (A)	1326 CLASS AA CONCRETE	80.600	CY
509 (B)	1328 CLASS A CONCRETE	53.800	CY
511 (A)	1332 REINFORCING STEEL	25,330.000	LB
514 (A)	6010 PILES, FURNISHED (HP 10X42)	110.250	LF
514 (A)	6011 PILES, FURNISHED (HP 12X53)	315.000	LF
514 (B)	6292 PILES, DRIVEN (HP 10X42)	110.250	LF
514 (B)	6294 PILES, DRIVEN (HP 12X53)	315.000	LF
601 (A-1)	1353 TYPE I-A PLAIN RIPRAP	1,379.000	TON
601 (A-2)	1355 TYPE I-A FILTER BLANKET	377.000	TON
619 (D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623 (A)	1418 BEAM GUARD RAIL-W-BEAM-SINGLE	100.000	LF
623 (F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399 MOBILIZATION	1.000	LSUM
880 (J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING - BRO-116D(40)CO		
642	0098 STAKING	1.000	LSUM

CALL ORDER : 060
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 020480
 PCN : 1856704
 PROJECTS : BRO-116D(49)CO
 DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 3.25
 CALENDAR DAYS : 120
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES COUNTY ROAD OVER POST OAK CREEK
 APPROX. 1.0 MILE WEST AND 7.2 MILES SOUTH OF CACHE. PROJECT
 LENGTH = 0.280 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY - BRO-116D(49)CO		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (G)	0185 EARTHWORK	1.000	LSUM
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	1,300.000	LF
227	0100 TEMPORARY SILT DIKE	600.000	LF
230 (A)	2806 SOLID SLAB SODDING	3,165.000	SY
233 (A)	2817 VEGETATIVE MULCHING	1.300	AC
403 (E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,050.000	TON
509 (D)	0325 CLASS C CONCRETE	10.000	CY
613 (D)	0689 18" CORR. GALV. STEEL PIPE	92.000	LF
613 (M)	5726 18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
SECTION NO. 0002 X081-BRIDGE - BRO-116D(49)CO			
501 (B)	1307 SUBSTRUCTURE EXCAVATION COMMON	78.000	CY
501 (D)	6353 UNCLASSIFIED BACKFILL	64.000	CY
503 (A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	730.010	LF
504 (C)	6250 SEALED EXPANSION JOINT	29.420	LF
504 (E)	1380 CONCRETE RAIL (TR1)	426.000	LF
506 (A)	1322 STRUCTURAL STEEL	4,420.000	LB
509 (A)	1326 CLASS AA CONCRETE	140.700	CY
509 (B)	1328 CLASS A CONCRETE	92.200	CY
511 (A)	1332 REINFORCING STEEL	43,864.000	LB
514 (A)	6010 PILES, FURNISHED (HP 10X42)	765.000	LF
514 (B)	6292 PILES, DRIVEN (HP 10X42)	765.000	LF
516 (A)	6094 DRILLED SHAFTS 48" DIAMETER	184.000	LF
601 (A-1)	1353 TYPE I-A PLAIN RIPRAP	1,125.000	TON
601 (A-2)	1355 TYPE I-A FILTER BLANKET	266.000	TON
619 (D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623 (F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399 MOBILIZATION	1.000	LSUM
880 (J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING - BRO-116D(49)CO			
642	0098 STAKING	1.000	LSUM

CALL ORDER : 070
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 020446
 PCN : 1950004
 PROJECTS : BRO-116D(67) CO
 DBE GOALS : 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 2.71
 CALENDAR DAYS : 110
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES CO. RD. OVER KETCH CREEK EAST OF
 MEDICINE PARK & APPROX. 1 MILE NORTH & .8 MI. EAST OF JCT.
 SH 49/SH 58. PROJECT LENGTH = 0.158 MILES FLEXIBLE ESALS =
 0.85 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY - BRO-116D(67)CO			
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (G)	0185 EARTHWORK	1.000	LSUM
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	1,000.000	LF
227	0100 TEMPORARY SILT DIKE	500.000	LF
230 (A)	2806 SOLID SLAB SODDING	2,400.000	SY
233 (A)	2817 VEGETATIVE MULCHING	0.750	AC
303	0192 AGGREGATE BASE	2,528.000	CY
407	0250 TACK COAT	94.000	GAL
408	5774 PRIME COAT	305.000	GAL
411 (S3)	5945 (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	314.000	TON
411 (S4)	5960 (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	157.000	TON
509 (D)	0325 CLASS C CONCRETE	10.000	CY
850 (A)	8110 SHEET ALUMINUM SIGNS	10.000	SF
851 (D)	8597 FLANGE CHANNEL POSTS(4 LB/FT)	30.000	LF
854 (A)	8800 TRAFFIC STRIPE(PAINT)(4" WIDE)	838.000	LF
SECTION NO. 0002 X081-BRIDGE - BRO-116D(67)CO			
501 (B)	1307 SUBSTRUCTURE EXCAVATION COMMON	78.000	CY
501 (D)	6353 UNCLASSIFIED BACKFILL	64.000	CY
503 (A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	296.670	LF
504 (E)	1380 CONCRETE RAIL (TR1)	206.000	LF
506 (A)	1322 STRUCTURAL STEEL	1,620.000	LB
509 (A)	1326 CLASS AA CONCRETE	58.300	CY
509 (B)	1328 CLASS A CONCRETE	48.800	CY
511 (A)	1332 REINFORCING STEEL	20,170.000	LB
514 (A)	6010 PILES, FURNISHED (HP 10X42)	91.200	LF
514 (A)	6011 PILES, FURNISHED (HP 12X53)	91.200	LF
514 (B)	6292 PILES, DRIVEN (HP 10X42)	183.000	LF
514 (B)	6294 PILES, DRIVEN (HP 12X53)	183.000	LF
601 (A-1)	1353 TYPE I-A PLAIN RIPRAP	425.000	TON
601 (A-2)	1355 TYPE I-A FILTER BLANKET	97.000	TON
619 (D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623 (F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	2.000	EA
623 (F)	6034 GUARD RAIL ANCHOR UNIT (TYPE III)	2.000	EA
641	1399 MOBILIZATION	1.000	LSUM
880 (J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING - BRO-116D(67)CO			
642	0098 STAKING	1.000	LSUM

CALL ORDER : 080
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 020547
 PCN : 1814404C
 PROJECTS : BRO-116D(40) (49) (67)
 DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 8.67
 CALENDAR DAYS : 240
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES CO.RD. OVER TRIB. TO LITTLE WASHITA
 CR./ CO.RD. OVER POST OAK CR.,/ CO. RD. OVER KETCH CREEK E.
 OF MEDICINE PARK. PROJECT LENGTH = 0.683 MILES FLEXIBLE
 ESALS = ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 E000-ROADWAY - BRO-116D(40)CO			
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (G)	0185 EARTHWORK	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	2,600.000	LF
227	0100 TEMPORARY SILT DIKE	120.000	LF
230 (A)	2806 SOLID SLAB SODDING	1,370.000	SY
230 (B)	2807 MULCH SODDING	7,731.000	SY
233 (A)	2817 VEGETATIVE MULCHING	4.000	AC
403 (E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	995.000	TON
509 (D)	0325 CLASS C CONCRETE	10.000	CY
613 (D)	0689 18" CORR. GALV. STEEL PIPE	36.000	LF
613 (M)	5726 18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
SECTION NO. 0002 E000-ROADWAY - BRO-116D(49)CO			
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (G)	0185 EARTHWORK	1.000	LSUM
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	1,300.000	LF
227	0100 TEMPORARY SILT DIKE	600.000	LF
230 (A)	2806 SOLID SLAB SODDING	3,165.000	SY
233 (A)	2817 VEGETATIVE MULCHING	1.300	AC
403 (E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,050.000	TON
509 (D)	0325 CLASS C CONCRETE	10.000	CY
613 (D)	0689 18" CORR. GALV. STEEL PIPE	92.000	LF
613 (M)	5726 18" PREFAB. CULVERT END SEC., ROUND	4.000	EA
SECTION NO. 0003 E000-ROADWAY - BRO-116D(67)CO			
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (G)	0185 EARTHWORK	1.000	LSUM
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	1,000.000	LF
227	0100 TEMPORARY SILT DIKE	500.000	LF
230 (A)	2806 SOLID SLAB SODDING	2,400.000	SY
233 (A)	2817 VEGETATIVE MULCHING	0.750	AC
303	0192 AGGREGATE BASE	2,528.000	CY

CALL ORDER : 080
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 020547
 PCN : 1814404C
 PROJECTS : BRO-116D(40) (49) (67)
 DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 8.67
 CALENDAR DAYS : 240
 RES. ENG.:
 LIQ. DAM.: \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0003 E000-ROADWAY - BRO-116D(67)CO			
407	0250 TACK COAT	94.000	GAL
408	5774 PRIME COAT	305.000	GAL
411 (S3)	5945 (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	314.000	TON
411 (S4)	5960 (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	157.000	TON
509 (D)	0325 CLASS C CONCRETE	10.000	CY
850 (A)	8110 SHEET ALUMINUM SIGNS	10.000	SF
851 (D)	8597 FLANGE CHANNEL POSTS(4 LB/FT)	30.000	LF
854 (A)	8800 TRAFFIC STRIPE(PAINT)(4" WIDE)	838.000	LF
SECTION NO. 0004 X081-BRIDGE - BRO-116D(40)CO			
501 (B)	1307 SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501 (D)	6353 UNCLASSIFIED BACKFILL	82.000	CY
503 (A)	1313 PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.670	LF
504 (E)	1380 CONCRETE RAIL (TR1)	275.000	LF
506 (A)	1322 STRUCTURAL STEEL	1,810.000	LB
509 (A)	1326 CLASS AA CONCRETE	80.600	CY
509 (B)	1328 CLASS A CONCRETE	53.800	CY
511 (A)	1332 REINFORCING STEEL	25,330.000	LB
514 (A)	6010 PILES, FURNISHED (HP 10X42)	110.250	LF
514 (A)	6011 PILES, FURNISHED (HP 12X53)	315.000	LF
514 (B)	6292 PILES, DRIVEN (HP 10X42)	110.250	LF
514 (B)	6294 PILES, DRIVEN (HP 12X53)	315.000	LF
601 (A-1)	1353 TYPE I-A PLAIN RIPRAP	1,379.000	TON
601 (A-2)	1355 TYPE I-A FILTER BLANKET	377.000	TON
619 (D)	1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623 (A)	1418 BEAM GUARD RAIL-W-BEAM-SINGLE	100.000	LF
623 (F)	6033 GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641	1399 MOBILIZATION	1.000	LSUM
880 (J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0005 X081-BRIDGE - BRO-116D(49)CO			
501 (B)	1307 SUBSTRUCTURE EXCAVATION COMMON	78.000	CY
501 (D)	6353 UNCLASSIFIED BACKFILL	64.000	CY
503 (A)	1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	730.010	LF
504 (C)	6250 SEALED EXPANSION JOINT	29.420	LF
504 (E)	1380 CONCRETE RAIL (TR1)	426.000	LF
506 (A)	1322 STRUCTURAL STEEL	4,420.000	LB
509 (A)	1326 CLASS AA CONCRETE	140.700	CY
509 (B)	1328 CLASS A CONCRETE	92.200	CY
511 (A)	1332 REINFORCING STEEL	43,864.000	LB
514 (A)	6010 PILES, FURNISHED (HP 10X42)	765.000	LF

CALL ORDER : 080
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 020547
 PCN : 1814404C
 PROJECTS : BRO-116D(40) (49) (67)
 DBE GOALS : 8.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 8.67
 CALENDAR DAYS : 240
 RES. ENG.:
 LIQ. DAM.: \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0005	X081-BRIDGE - BRO-116D(49)CO		
514 (B) 6292	PILES, DRIVEN (HP 10X42)	765.000	LF
516 (A) 6094	DRILLED SHAFTS 48" DIAMETER	184.000	LF
601 (A-1) 1353	TYPE I-A PLAIN RIPRAP	1,125.000	TON
601 (A-2) 1355	TYPE I-A FILTER BLANKET	266.000	TON
619 (D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623 (F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	4.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0006	X081-BRIDGE - BRO-116D(67)CO		
501 (B) 1307	SUBSTRUCTURE EXCAVATION COMMON	78.000	CY
501 (D) 6353	UNCLASSIFIED BACKFILL	64.000	CY
503 (A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	296.670	LF
504 (E) 1380	CONCRETE RAIL (TR1)	206.000	LF
506 (A) 1322	STRUCTURAL STEEL	1,620.000	LB
509 (A) 1326	CLASS AA CONCRETE	58.300	CY
509 (B) 1328	CLASS A CONCRETE	48.800	CY
511 (A) 1332	REINFORCING STEEL	20,170.000	LB
514 (A) 6010	PILES, FURNISHED (HP 10X42)	91.200	LF
514 (A) 6011	PILES, FURNISHED (HP 12X53)	91.200	LF
514 (B) 6292	PILES, DRIVEN (HP 10X42)	183.000	LF
514 (B) 6294	PILES, DRIVEN (HP 12X53)	183.000	LF
601 (A-1) 1353	TYPE I-A PLAIN RIPRAP	425.000	TON
601 (A-2) 1355	TYPE I-A FILTER BLANKET	97.000	TON
619 (D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623 (F) 6033	GUARD RAIL ANCHOR UNIT (TYPE II)	2.000	EA
623 (F) 6034	GUARD RAIL ANCHOR UNIT (TYPE III)	2.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0007	STAK-STAKING - BRO-116D(40)CO		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0008	STAK-STAKING - BRO-116D(49)CO		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0009	STAK-STAKING - BRO-116D(67)CO		
642 0098	STAKING	1.000	LSUM

CALL ORDER : 090
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 020553
 PCN : 1939604
 PROJECTS : CIP-116B(62) IP
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 10.30
 CALENDAR DAYS : 180
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:

GRADE, DRAIN, & SURFACE US-62: BEGIN APPROX. 400 FEET
 SOUTH OF EW-157, EXTEND NORTH. PROJECT LENGTH = 1.109 MILES
 FLEXIBLE ESALS = 5.0 MILLION ASPHALT GRADE = PG 64-22 OK &
 PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (A)	0183 UNCLASSIFIED EXCAVATION	9,774.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	1,150.000	LF
223	2801 TEMPORARY SILT FENCE	7,725.000	LF
224	2803 TEMPORARY SEDIMENT FILTER	2.000	EA
225	2804 TEMPORARY SEDIMENT BASIN	2.000	EA
229	4318 DITCH LINER PROTECTION	362.000	LF
230 (A)	2806 SOLID SLAB SODDING	3,912.000	SY
230 (B)	2807 MULCH SODDING	22,549.000	SY
230 (F)	2812 WATERING	2,117.000	MGAL
232 (B)	2814 SEEDING METHOD B	13.400	AC
233 (A)	2817 VEGETATIVE MULCHING	13.400	AC
241	2832 MOWING	14.000	AC
310 (B)	0149 SUBGRADE, METHOD B	13,297.000	SY
403 (E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	167.000	TON
407	0250 TACK COAT	2,593.000	GAL
408	5774 PRIME COAT	1,471.000	GAL
411 (S3)	5940 (SP) ASPH.CONC., TYPE S3 (PG 70-28 OK)	3,054.000	TON
411 (S3)	5945 (SP) ASPH.CONC., TYPE S3 (PG 64-22 OK)	2,853.000	TON
411 (S3)	6210 (SP) ASPH.CONC., TYPE S3 (PATCH) (PG64-22OK)	100.000	TON
411 (S4)	5955 (SP) ASPH.CONC., TYPE S4 (PG 70-28 OK)	1,480.000	TON
411 (S4)	5960 (SP) ASPH.CONC., TYPE S4 (PG 64-22 OK)	984.000	TON
414 (B)	5913 H.E.S. CONCRETE (FULL DEPTH PATCHING)	100.000	SY
417	5267 COLD MILLING PAVEMENT	267.000	SY
501 (A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	13.000	CY
509 (B)	0321 CLASS A CONCRETE	35.900	CY
509 (D)	0325 CLASS C CONCRETE	97.800	CY
511 (A)	0332 REINFORCING STEEL	5,091.000	LB
601 (A-1)	0536 TYPE I-A PLAIN RIPRAP	15.000	TON
601 (A-2)	0538 TYPE I-A FILTER BLANKET	6.000	TON
613 (CC)	7196 TYPE A6 CULVERT END TREATMENT	12.000	EA
613 (CC)	7197 TYPE B6 CULVERT END TREATMENT	8.000	EA
613 (CC)	7198 TYPE C6 CULVERT END TREATMENT	2.000	EA
613 (CC)	7199 TYPE D6 CULVERT END TREATMENT	5.000	EA
613 (CC)	7203 TYPE CC6 CULVERT END TREATMENT	1.000	EA
613 (D)	0689 18" CORR. GALV. STEEL PIPE	351.000	LF

CALL ORDER : 090
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 020553
 PCN : 1939604
 PROJECTS : CIP-116B(62) IP
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 10.30
 CALENDAR DAYS : 180
 RES. ENG. :
 LIQ. DAM. : \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY			
613 (D) 0690	24" CORR. GALV. STEEL PIPE	343.000	LF
613 (D) 0691	30" CORR. GALV. STEEL PIPE	328.000	LF
613 (D) 0692	36" CORR. GALV. STEEL PIPE	192.000	LF
613 (P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	400.000	LF
613 (Q) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	200.000	LF
619 (A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619 (B) 0291	REMOVAL OF HEADWALL	3.000	EA
619 (B) 4727	REMOVAL OF CONCRETE PAVEMENT	119.000	SY
619 (B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,278.000	SY
627 (L) 4320	MOVABLE CONC. MEDIAN BAR. (REMOVE/INSTALL)	1,030.000	LF
629 (A) 4958	MAILBOX INSTALLATION-SINGLE	7.000	EA
629 (B) 4959	MAILBOX INSTALLATION-MULTIPLE	2.000	EA
629 (C) 4960	MAILBOX	11.000	EA
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002 BRIDGE "B"			
202 (A) 0183	UNCLASSIFIED EXCAVATION	189.000	CY
501 (A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	49.000	CY
509 (B) 0321	CLASS A CONCRETE	115.800	CY
511 (A) 0332	REINFORCING STEEL	13,430.000	LB
601 (A-1) 0536	TYPE I-A PLAIN RIPRAP	68.000	TON
601 (A-2) 0538	TYPE I-A FILTER BLANKET	27.000	TON
SECTION NO. 0003 Y008-TRAFFIC			
851 (C) 8327	2 1/4" SQUARE TUBE POST	62.000	LF
855 (A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	16,937.000	LF
856 (A) 8839	CONSTRUCTION TRAFF. STR. (PAINT) (4" WIDE)	23,400.000	LF
856 (G) 8881	(PL) CONSTRUCTION ZONE PAVEMENT MARKERS	500.000	EA
859 (A) 8006	PAVEMENT MRKNG. REMOVAL (TRAF. STRP)	12,000.000	LF
870 (A) 8011	SAND FILLED IMPACT ATTN. MODULE	114.000	EA
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890A/B 8756	(PL) REMOVE & RESET EXISTING SIGNS	4.000	EA
SECTION NO. 0004 STAK-STAKING			
642 0098	STAKING	1.000	LSUM

CALL ORDER : 100
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : CUSTER

CONTRACT ID : 020042
 PCN : 1710804
 PROJECTS : IM-BRIY-40-3(57)085
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 94.29
 CALENDAR DAYS : 350
 RES. ENG.:
 LIQ. DAM.: \$ 2000

CONTRACT DESCRIPTION:
 GRADE, DRAIN, SURFACE & BRIDGE I-40 OVER LITTLE DEEP CREEK
 AND FARMRAIL RAILROAD EAST OF WEATHERFORD. PROJ. LGTH.= 0.
 644 MILES FLEX ESALS = 69.5 MILLION ASPH GRADE = PG 64-22
 OK & PG 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY ITEMS		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (A)	0183 UNCLASSIFIED EXCAVATION	18,597.000	CY
202 (C)	0184 UNCLASSIFIED BORROW	23,771.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	2801 TEMPORARY BALE BARRIER	425.000	LF
223	2801 TEMPORARY SILT FENCE	5,550.000	LF
230 (A)	2806 SOLID SLAB SODDING	44,405.000	SY
233 (A)	2817 VEGETATIVE MULCHING	9.000	AC
241	2832 MOWING	27.000	AC
243	0450 (PL)TEMPORARY INLET SEDIMENT FILTER	8.000	EA
317 (A)	4252 (SP)FLY ASH	1,384.000	TON
317 (B)	4254 SUBGRADE MODIFICATION	25,595.000	SY
403 (E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	106.000	TON
408	5774 PRIME COAT	3,984.000	GAL
411 (S3)	5935 (SP)ASPH.CONC.,TYPE S3 (PG 76-28 OK)	2,284.000	TON
411 (S3)	5945 (SP)ASPH.CONC.,TYPE S3 (PG 64-22 OK)	12,962.000	TON
411 (S4)	5950 (SP)ASPH.CONC.,TYPE S4 (PG 76-28 OK)	1,515.000	TON
411 (S4)	5960 (SP)ASPH.CONC.,TYPE S4 (PG 64-22 OK)	1,636.000	TON
413 (A)	4861 RUMBLE STRIP-METHOD AC-CON	8,670.000	LF
417	5267 COLD MILLING PAVEMENT	23,313.000	SY
501 (A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	22.000	CY
509 (B)	0321 CLASS A CONCRETE	69.000	CY
509 (D)	0325 CLASS C CONCRETE	410.000	CY
511 (A)	0332 REINFORCING STEEL	12,860.000	LB
601 (A)	0297 TYPE I PLAIN RIPRAP	70.000	TON
601 (A-2)	0538 TYPE I-A FILTER BLANKET	11.000	TON
601 (E)	6312 FILTER FABRIC (RIPRAP)	20.000	SY
611 (A)	2657 MANHOLE (4' DIA.)	1.000	EA
611 (B)	2680 ADD'L.DEPTH IN MANHOLE (4' DIA.)	6.000	VF
611 (D)	4215 MANHOLE FRAME & COVER	1.000	EA
611 (E)	5328 INLET GPI TYPE 1 (DES. 2)	1.000	EA
611 (E)	6002 INLET (SMD-TYPE 2)	5.000	EA
613 (B)	0492 24" R.C.PIPE CLASS III	527.000	LF
613 (B)	0493 30" R.C.PIPE CLASS III	42.000	LF
613 (CC)	7188 TYPE C4 CULVERT END TREATMENT	2.000	EA
613 (D)	4530 42" X 29" CORR. GALV. STEEL PIPE ARCH	46.000	LF

CALL ORDER : 100
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : CUSTER

CONTRACT ID : 020042
 PCN : 1710804
 PROJECTS : IM-BRIY-40-3(57)085
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 94.29
 CALENDAR DAYS : 350
 RES. ENG.:
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY ITEMS		
613 (M) 5730	24" PREFAB. CULVERT END SEC., ROUND	3.000	EA
619 (A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619 (B) 0291	REMOVAL OF HEADWALL	2.000	EA
619 (C) 0924	SAWING PAVEMENT	4,361.000	LF
623 (A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	2,086.000	LF
623 (E) 7113	BEAM GUARD RAIL-THRIE-BEAM TRANS. SECT.	4.000	EA
623 (H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624 (D) 4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	44.000	LF
624 (E) 5966	GATES-STYLE CLF (6'HIGH X 18'LONG)	1.000	EA
625 (B) 1252	REMOVE AND RECONSTRUCT FENCE	145.000	LF
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
855 (A) 8812	TRAFFIC STRIPE(PLASTIC) (4" WIDE)	14,234.000	LF
890A/B 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
SECTION NO. 0002	X321-BRIDGE 'A'		
501 (B) 1307	SUBSTRUCTURE EXCAVATION COMMON	255.000	CY
501 (G) 6309	CLSM BACKFILL	260.000	CY
503 (A) 6281	PRESTRESSED CONCRETE BEAMS (72 BT)	3,901.500	LF
504 (A) 1304	APPROACH SLAB	296.100	SY
504 (C) 6250	SEALED EXPANSION JOINT	123.500	LF
504 (F) 6190	42" F-SHAPED PARAPET	1,440.000	LF
506 (A) 1322	STRUCTURAL STEEL	29,120.000	LB
509 (A) 1326	CLASS AA CONCRETE	876.400	CY
509 (B) 1328	CLASS A CONCRETE	698.700	CY
510 (C) 6134	SLOPE WALL (4")	1,355.000	SY
511 (A) 1332	REINFORCING STEEL	13,870.000	LB
511 (B) 4269	EPOXY COATED REINFORCING STEEL	230,020.000	LB
514 (A) 6011	PILES, FURNISHED (HP 12X53)	1,119.000	LF
514 (B) 6028	PILES, DRIVEN (HP 12X53)	1,119.000	LF
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	3,576.000	SY
516 (A) 6097	DRILLED SHAFTS 66" DIAMETER	339.000	LF
516 (A) 6105	DRILLED SHAFTS 96" DIAMETER	234.000	LF
611 (E) 5230	(PL)INLET & BASIN	1.000	EA
611 (G) 1391	INLET FRAME AND GRATE	1.000	EA
613 (D) 0688	12" CORR. GALV. STEEL PIPE	85.000	LF
613 (P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	82.000	LF
613 (Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	150.000	LF
619 (D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

CALL ORDER : 100
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : CUSTER

CONTRACT ID : 020042
 PCN : 1710804
 PROJECTS : IM-BRIY-40-3(57)085
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 94.29
 CALENDAR DAYS : 350
 RES. ENG.:
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0003 X321-BRIDGE 'B'			
411 (B) 4264	ASPHALT CONCRETE TYPE B	352.000	TON
501 (B) 1307	SUBSTRUCTURE EXCAVATION COMMON	255.000	CY
501 (G) 6309	CLSM BACKFILL	260.000	CY
503 (A) 6281	PRESTRESSED CONCRETE BEAMS (72 BT)	4,051.500	LF
504 (A) 1304	APPROACH SLAB	296.100	SY
504 (C) 6250	SEALED EXPANSION JOINT	123.500	LF
504 (F) 6190	42" F-SHAPED PARAPET	1,490.000	LF
505 (A) 6018	CLASS A BRIDGE DECK REPAIR	197.000	SY
505 (B) 6019	CLASS B BRIDGE DECK REPAIR	197.000	SY
505 (C) 6020	CLASS C BRIDGE DECK REPAIR	10.000	SY
506 (A) 1322	STRUCTURAL STEEL	29,120.000	LB
509 (A) 1326	CLASS AA CONCRETE	913.700	CY
509 (B) 1328	CLASS A CONCRETE	702.800	CY
510 (C) 6134	SLOPE WALL (4")	1,383.000	SY
511 (A) 1332	REINFORCING STEEL	13,980.000	LB
511 (B) 4269	EPOXY COATED REINFORCING STEEL	234,250.000	LB
514 (A) 6011	PILES, FURNISHED (HP 12X53)	1,209.000	LF
514 (B) 6028	PILES, DRIVEN (HP 12X53)	1,209.000	LF
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	3,685.000	SY
516 (A) 6097	DRILLED SHAFTS 66" DIAMETER	291.000	LF
516 (A) 6105	DRILLED SHAFTS 96" DIAMETER	260.000	LF
611 (E) 5230	(PL) INLET & BASIN	1.000	EA
611 (G) 1391	INLET FRAME AND GRATE	1.000	EA
613 (D) 0688	12" CORR. GALV. STEEL PIPE	135.000	LF
613 (P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	82.000	LF
613 (Q) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	210.000	LF
619 (D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004 X321-BRIDGE HEATING SYSTEM (ADD ALTERNATE)			
535 6700	BRIDGE HEATING SYSTEM "GENERAL"	1.000	LSUM
535 6710	BRIDGE HEATING SYSTEM "GEO THERMAL"	1.000	LSUM
535 6720	BRIDGE HEATING SYSTEM "MECHANICAL"	1.000	LSUM
535 6730	BRIDGE HEATING SYSTEM "ELECTRICAL"	1.000	LSUM
535 6740	BRIDGE HEATING SYSTEM "BRIDGE DECK"	1.000	LSUM
535 6750	BRIDGE HEATING SYSTEM "MECHANICAL BLDG."	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0005 Y008-TRAFFIC			
627 (G) 4316	RELOC. PORT. TYPE PRECAST CONC. MEDIAN BARR	6,400.000	LF
627 (H) 5856	DEL. PORT. TYPE PREC. CONCRETE MEDIAN BARR	12,800.000	LF
855 (A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	1,600.000	LF

CALL ORDER : 100
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : CUSTER

CONTRACT ID : 020042
 PCN : 1710804
 PROJECTS : IM-BRIY-40-3(57)085
 DBE GOALS : 3.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 94.29
 CALENDAR DAYS : 350
 RES. ENG.:
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0005	Y008-TRAFFIC		
856(A) 8839	CONSTRUCTION TRAFF.STR. (PAINT) (4" WIDE)	2,040.000	LF
856(C) 8851	REMOVABLE PAVEMENT MARKING TAPE (4" WIDE)	1,000.000	LF
856(G) 8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	6,852.000	EA
859(A) 8006	PAVEMENT MRKNG.REMOVAL (TRAF.STRP)	2,450.000	LF
878(C) 8487	MODULAR GLARE SCREEN	49,700.000	SD
880(A) 8812	ARROW DISPLAY (TYPE C)	700.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	32,550.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	10,500.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	11,900.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	3,500.000	SD
880(C) 8836	BARRICADES (TYPE II)	1,750.000	SD
880(C) 8842	BARRICADES (TYPE III)	4,200.000	SD
880(C) 8848	WING BARRICADES	1,400.000	SD
880(D) 8854	VERTICAL PANELS	7,000.000	SD
880(E) 8860	WARNING LIGHTS (TYPE A)	14,000.000	SD
880(E) 8872	WARNING LIGHTS (TYPE C)	72,100.000	SD
880(F) 8878	DRUMS	65,100.000	SD
880(G) 8884	TUBE CHANNELIZERS	5,250.000	SD
880(H) 8890	CONES (28" MEDIUM)	7,000.000	SD
882(B) 8306	PORT.CHANGEABLE MESSAGE SIGN	700.000	SD
SECTION NO. 0006	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

CALL ORDER : 120
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : MAJOR

CONTRACT ID : 020046
 PCN : 1006704
 PROJECTS : NH-BRFY-019N(17)
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 80.74
 CALENDAR DAYS : 270
 RES. ENG.:
 LIQ. DAM.: \$ 2000

CONTRACT DESCRIPTION:
 GRADE, DRAIN AND SURFACE US-412: FROM 2 MI. E. OF WOODWARD
 C/L, EXTEND EAST TO JCT. US-281. PROJECT LENGTH = 2.789 KM

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY - NHY-19N(17)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202 (A)	M0183 UNCLASSIFIED EXCAVATION	218,365.000	M3
202 (C)	M0184 UNCLASSIFIED BORROW	255,941.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	M2801 TEMPORARY BALE BARRIER	48.000	M
223	M2802 TEMPORARY SILT FENCE	1,850.000	M
224	M2803 TEMPORARY SEDIMENT FILTER	6.000	EA
226	M2805 TEMPORARY SEDIMENT REMOVAL	100.000	M3
227	M0100 TEMPORARY SILT DIKE	174.000	M
229	M4318 DITCH LINER PROTECTION	1,884.000	M
230 (A)	M2806 SOLID SLAB SODDING	8,147.000	M2
230 (F)	M2812 WATERING	19,191.000	KL
232 (B)	M2814 SEEDING METHOD B	30.350	HA
233 (A)	M2817 VEGETATIVE MULCHING	14.800	HA
233 (C)	M2819 ASPHALT MULCHING	206,765.000	L
234 (A)	M2824 FERTILIZING (10-20-10)	18.500	T
234 (A)	M4406 FERTILIZING (0-46-0)	6.500	T
241	M2832 MOWING	15.600	HA
307 (A)	M4233 LIME	2,252.000	T
307 (B)	M4235 200MM LIME TREATED SUBGRADE	73,203.000	M2
403 (A)	M0217 TRAFFIC BOUND SURFACE COURSE TYPE A	156.000	T
407	M0250 TACK COAT	50,435.000	L
408	M5774 PRIME COAT	62,627.000	L
411 (S2)	M5930 (SP) ASPH. CONC., TYPE S2 (PG 64-22 OK)	18,256.000	T
411 (S3)	M5935 (SP) ASPH. CONC., TYPE S3 (PG 76-28 OK)	12,059.000	T
411 (S3)	M5945 (SP) ASPH. CONC., TYPE S3 (PG 64-22 OK)	6,262.000	T
411 (S4)	M5950 (SP) ASPH. CONC., TYPE S4 (PG 76-28 OK)	7,393.000	T
411 (S4)	M5960 (SP) ASPH. CONC., TYPE S4 (PG 64-22 OK)	2,087.000	T
413 (A)	M4861 RUMBLE STRIP-METHOD AC-CON	11,600.000	M
417	M5267 COLD MILLING PAVEMENT	173.000	M2
420 (A)	M4242 FABRIC REINFORCEMENT	1,032.000	M2
420 (B)	M4268 BITUMINOUS BINDER	1,136.000	L
501 (A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	501.000	M3
509 (B)	M0321 CLASS A CONCRETE	335.000	M3
509 (D)	M0325 CLASS C CONCRETE	827.000	M3
511 (A)	M0332 REINFORCING STEEL	28,141.000	KG
611 (E)	M6000 INLET (SMD-TYPE 1)	2.000	EA
611 (E)	M6002 INLET (SMD-TYPE 2)	2.000	EA

CALL ORDER : 120
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : MAJOR

CONTRACT ID : 020046
 PCN : 1006704
 PROJECTS : NH-BRFY-019N(17)
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 80.74
 CALENDAR DAYS : 270
 RES. ENG.:
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY - NHY-19N(17)			
611 (E) M6004	INLET (SMD-TYPE 2A)	2.000	EA
613 (B) M0405	450MM R.C.PIPE CLASS III	45.110	M
613 (B) M0409	600MM R.C.PIPE CLASS III	242.020	M
613 (B) M0413	750MM R.C.PIPE CLASS III	127.400	M
613 (CC)M7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613 (CC)M7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613 (CC)M7196	TYPE A6 CULVERT END TREATMENT	6.000	EA
613 (CC)M7197	TYPE B6 CULVERT END TREATMENT	5.000	EA
613 (D) M0689	450MM CORR. GALV. STEEL PIPE	331.620	M
613 (D) M0690	600MM CORR. GALV. STEEL PIPE	131.000	M
613 (M) M0897	450MM PREFAB. CULVERT END SEC., ROUND	1.000	EA
613 (M) M0898	600MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613 (M) M0899	750MM PREFAB. CULVERT END SEC., ROUND	3.000	EA
613 (P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	321.000	M
613 (Q) M1096	150MM NON-PERF.PIPE UNDERDRAIN RND.	107.000	M
613 (R) M1100	PIPE UNDERDRAIN COVER MAT'L.	242.000	M3
613 (S) M1180	TRENCH EXCAVATION	1,868.000	M3
613 (T) M1181	STANDARD BEDDING MATERIAL	460.000	M3
619 (A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619 (B) M0291	REMOVAL OF HEADWALL	8.000	EA
619 (B) M4728	REMOVAL OF ASPHALT PAVEMENT	173.000	M2
619 (C) M0924	SAWING PAVEMENT	151.000	M
623 (A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	172.000	M
623 (F) M4447	GUARD RAIL ANCHOR UNIT (TYPE B)	5.000	EA
623 (F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
623 (H) M8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624 (C) M4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	2,906.000	M
640 M1426	FIELD OFFICE	1.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
871 M8701	(PL)QUADGUARD IMPACT ATTENUATOR	1.000	EA
SECTION NO. 0002 Y008-TRAFFIC - NHY-19N-(17)			
850 (A) M8110	SHEET ALUMINUM SIGNS	25.480	M2
851 (C) M8324	50MM SQUARE TUBE POST	18.280	M
851 (C) M8327	57MM SQUARE TUBE POST	138.300	M
855 (A) M8815	TRAF.STR. (PLAST.) (THIN-LINE) (100MM WIDE)	18,000.000	M
855 (B) M8818	TRAFFIC STRIPE (PLASTIC) (ARROWS)	16.000	EA
855 (B) M8821	TRAFFIC STRIPE (PLASTIC) (WORDS)	8.000	EA
856 (A) M8839	CONSTR.TRAFF.STR. (PAINT) (100MM WIDE)	13,120.000	M
856 (C) M8851	REM.PAVEMENT MARKING TAPE (100MM WIDE)	1,000.000	M
856 (G) M8887	(PL)CONST.ZONE PAV.MKRS (FLEX TAB) TYP.2-1	15,562.000	EA

CALL ORDER : 120
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : MAJOR

CONTRACT ID : 020046
 PCN : 1006704
 PROJECTS : NH-BRFY-019N(17)
 DBE GOALS : 0.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 80.74
 CALENDAR DAYS : 270
 RES. ENG. :
 LIQ. DAM. : \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0002	Y008-TRAFFIC - NHY-19N-(17)		
859 (A) M8006	PAVEMENT MRKNG.REMOVAL (TRAF.STRP)	1,000.000	M
880 (B) M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	4,836.000	SD
880 (B) M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	14,136.000	SD
880 (B) M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	5,580.000	SD
880 (C) M8836	BARRICADES (TYPE II)	744.000	SD
880 (C) M8842	BARRICEDES (TYPE III)	17,112.000	SD
880 (C) M8848	WING BARRICADES	744.000	SD
880 (D) M8854	VERTICAL PANELS	16,368.000	SD
880 (E) M8860	WARNING LIGHTS (TYPE A)	40,548.000	SD
880 (E) M8872	WARNING LIGHTS (TYPE C)	41,784.000	SD
880 (F) M8878	DRUMS	26,472.000	SD
SECTION NO. 0003	STAKING		
642 M0098	STAKING	1.000	LSUM

CALL ORDER : 121
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : MAJOR

CONTRACT ID : 020047
 PCN : 1006707
 PROJECTS : BRFY-19N(57)
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 80.74
 CALENDAR DAYS : 120
 RES. ENG.:
 LIQ. DAM.: \$ 2000

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES US-412: OVER MAIN CREEK. PROJECT
 LENGTH = 0.111 KM

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 STAK- STAKING			
642 M0098	STAKING	1.000	LSUM
SECTION NO. 0002 X071-BRIDGE 'A' ALTERNATE NO. 1- BRFY-19N(57)			
501 (B) M1307	SUBSTRUCTURE EXCAVATION COMMON	64.000	M3
501 (F) M6352	GRANULAR BACKFILL	86.000	M3
504 (A) M1304	APPROACH SLAB	169.000	M2
504 (E) M6239	CONCRETE RAIL (TR3)	220.400	M
506 (A) M1322	STRUCTURAL STEEL	196,620.000	KG
509 (A) M1326	CLASS AA CONCRETE	260.700	M3
509 (B) M1328	CLASS A CONCRETE	91.600	M3
511 (A) M1332	REINFORCING STEEL	400.000	KG
511 (B) M6010	EPOXY COATED REINFORCING STEEL	47,410.000	KG
514 (A) M6011	PILES, FURNISHED (HP 250X62)	248.400	M
514 (B) M6292	PILES, DRIVEN (HP 250X62)	248.400	M
514 (F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515 (A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	716.000	M2
516 (A) M6096	DRILLED SHAFTS 1500MM DIAMETER	48.000	M
535 M6164	(PL)FIXED BEARING ASSEMBLY	24.000	EA
535 M6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601A-1 M1353	TYPE I-A PLAIN RIPRAP	2,150.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	475.000	T
613 (P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.200	M
613 (Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	40.000	M
641 M1399	MOBILIZATION	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0003 X071-BRIDGE 'A' ALTERNATE NO. 2 - BRFY-19N(57)			
501 (B) M1307	SUBSTRUCTURE EXCAVATION COMMON	66.000	M3
501 (F) M6352	GRANULAR BACKFILL	138.000	M3
504 (A) M1304	APPROACH SLAB	193.000	M2
504 (E) M6239	CONCRETE RAIL (TR3)	224.400	M
506 (A) M1322	STRUCTURAL STEEL	130,580.000	KG
509 (A) M1326	CLASS AA CONCRETE	269.800	M3
509 (B) M1328	CLASS A CONCRETE	93.400	M3
511 (A) M1332	REINFORCING STEEL	380.000	KG
511 (B) M6010	EPOXY COATED REINFORCING STEEL	47,700.000	KG
514 (A) M6011	PILES, FURNISHED (HP 250X62)	248.400	M

CALL ORDER : 121
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : MAJOR

CONTRACT ID : 020047
 PCN : 1006707
 PROJECTS : BRFY-19N(57)
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 80.74
 CALENDAR DAYS : 120
 RES. ENG. :
 LIQ. DAM. : \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0003 X071-BRIDGE 'A' ALTERNATE NO. 2 - BRFY-19N(57)			
514 (B) M6292	PILES, DRIVEN (HP 250X62)	248.400	M
514 (F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515 (A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	726.400	M2
516 (A) M6096	DRILLED SHAFTS 1500MM DIAMETER	48.000	M
535 M6164	(PL)FIXED BEARING ASSEMBLY	24.000	EA
535 M6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601A-1 M1353	TYPE I-A PLAIN RIPRAP	2,150.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	475.000	T
613 (P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.200	M
613 (Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	40.000	M
641 M1399	MOBILIZATION	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0004 X071-BRIDGE 'B' ALTERNATE NO. 1 - BRFY-19N(57)			
501 (B) M1307	SUBSTRUCTURE EXCAVATION COMMON	63.000	M3
501 (F) M6352	GRANULAR BACKFILL	86.000	M3
504 (A) M1304	APPROACH SLAB	169.000	M2
504 (E) M6239	CONCRETE RAIL (TR3)	220.400	M
506 (A) M1322	STRUCTURAL STEEL	196,620.000	KG
509 (A) M1326	CLASS AA CONCRETE	260.700	M3
509 (B) M1328	CLASS A CONCRETE	94.400	M3
511 (A) M1332	REINFORCING STEEL	450.000	KG
511 (B) M6010	EPOXY COATED REINFORCING STEEL	47,620.000	KG
514 (A) M6011	PILES, FURNISHED (HP 250X62)	246.600	M
514 (B) M6292	PILES, DRIVEN (HP 250X62)	246.600	M
514 (F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515 (A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	716.000	M2
516 (A) M6096	DRILLED SHAFTS 1500MM DIAMETER	48.600	M
535 M6164	(PL)FIXED BEARING ASSEMBLY	24.000	EA
535 M6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,800.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	400.000	T
613 (P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.200	M
613 (Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	40.000	M
619 (D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0005 X071-BRIDGE 'B' ALTERNATE NO. 2 - BRFY-19N(57)			
501 (B) M1307	SUBSTRUCTURE EXCAVATION COMMON	65.000	M3
501 (F) M6352	GRANULAR BACKFILL	138.000	M3
504 (A) M1304	APPROACH SLAB	193.000	M2
504 (E) M6239	CONCRETE RAIL (TR3)	224.400	M
506 (A) M1322	STRUCTURAL STEEL	130,580.000	KG

CALL ORDER : 121
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : MAJOR

CONTRACT ID : 020047
 PCN : 1006707
 PROJECTS : BRFY-19N(57)
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 80.74
 CALENDAR DAYS : 120
 RES. ENG. :
 LIQ. DAM. : \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0005	X071-BRIDGE 'B' ALTERNATE NO. 2 - BRFY-19N(57)		
509(A) M1326	CLASS AA CONCRETE	269.800	M3
509(B) M1328	CLASS A CONCRETE	95.600	M3
511(A) M1332	REINFORCING STEEL	450.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	47,880.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	237.600	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	237.600	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	726.400	M2
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	49.000	M
535 M6164	(PL)FIXED BEARING ASSEMBLY	24.000	EA
535 M6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601A-1 M1353	TYPE I-A PLAIN RIPRAP	1,800.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	400.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.200	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	40.000	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

CALL ORDER : 130
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : MURRAY

CONTRACT ID : 020555
 PCN : 1939304
 PROJECTS : CIP-150B(27) IP
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 29.26
 CALENDAR DAYS : 180
 RES. ENG.:
 LIQ. DAM.: \$ 1000

CONTRACT DESCRIPTION:

GRADE, DRAIN, SURFACE & BRIDGE(RCB) US-177: SOUTH OF
 SULPHUR AT THE JCT. OF EW-176. PROJECT LENGTH = 4.223 MILES
 FLEXIBLE ESALS = 1.9 MILLION ASPHALT GRADE = PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROADWAY - BASE BID		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	15,027.000	CY
202(C)	0184 UNCLASSIFIED BORROW	10,443.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	2,350.000	LF
227	0100 TEMPORARY SILT DIKE	830.000	LF
230(A)	2806 SOLID SLAB SODDING	9,807.000	SY
230(B)	2807 MULCH SODDING	43,946.000	SY
232(B)	2814 SEEDING METHOD B	9.100	AC
233(A)	2817 VEGETATIVE MULCHING	9.100	AC
241	2832 MOWING	18.000	AC
303	5912 AGGREGATE BASE	8,238.000	TON
307(A)	4233 LIME	627.000	TON
307(B)	4235 8" LIME TREATED SUBGRADE	35,050.000	SY
403(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	210.000	TON
407	0250 TACK COAT	5,316.000	GAL
408	5774 PRIME COAT	4,084.000	GAL
411(S3)	5940 (SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	7,574.000	TON
411(S4)	5955 (SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	9,958.000	TON
413(A)	4861 RUMBLE STRIP-METHOD AC-CON	32,800.000	LF
417	5267 COLD MILLING PAVEMENT	250.000	SY
501(A)	0313 STRUCTURAL EXCAVATION UNCLASSIFIED	21.700	CY
509(B)	0321 CLASS A CONCRETE	83.100	CY
509(D)	0325 CLASS C CONCRETE	262.800	CY
511(A)	0332 REINFORCING STEEL	11,248.000	LB
611(L)	4210 DROP INLET GRATE (SMD-TYPE 2)	2.000	EA
613(B)	0492 24" R.C.PIPE CLASS III	153.000	LF
613(CC)	7186 TYPE A4 CULVERT END TREATMENT	13.000	EA
613(CC)	7187 TYPE B4 CULVERT END TREATMENT	10.000	EA
613(CC)	7189 TYPE D4 CULVERT END TREATMENT	4.000	EA
613(D)	0689 18" CORR. GALV. STEEL PIPE	278.000	LF
613(D)	0690 24" CORR. GALV. STEEL PIPE	42.000	LF
613(D)	4528 28" X 20" CORR. GALV. STEEL PIPE ARCH	90.000	LF
613(D)	4532 57" X 38" CORR. GALV. STEEL PIPE ARCH	985.000	LF
613(P)	1091 6" PERFORATED PIPE UNDERDRAIN ROUND	1,165.000	LF
613(Q)	1096 6" NON-PERF.PIPE UNDERDRAIN RND.	390.000	LF
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	75.000	LF

CALL ORDER : 130
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : MURRAY

CONTRACT ID : 020555
 PCN : 1939304
 PROJECTS : CIP-150B(27) IP
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 29.26
 CALENDAR DAYS : 180
 RES. ENG. :
 LIQ. DAM. : \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 ROADWAY - BASE BID			
623 (F) 4450	GUARD RAIL ANCHOR UNIT (TYPE E)	2.000	EA
624 (C) 4459	(SP) FENCE-STYLE SWF (5 BARBED WIRE)	625.000	LF
629 (A) 4958	MAILBOX INSTALLATION-SINGLE	7.000	EA
629 (B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629 (C) 4960	MAILBOX	9.000	EA
629 (D) 4961	REMOVAL OF MAILBOX INSTALLATION	9.000	EA
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002 ROADWAY - ADD ALTERNATE NO.1			
201 0102	CLEARING AND GRUBBING	1.000	LSUM
202 (A) 0183	UNCLASSIFIED EXCAVATION	3,665.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223 2801	TEMPORARY SILT FENCE	350.000	LF
227 0100	TEMPORARY SILT DIKE	80.000	LF
230 (A) 2806	SOLID SLAB SODDING	1,702.000	SY
230 (B) 2807	MULCH SODDING	6,229.000	SY
232 (B) 2814	SEEDING METHOD B	1.300	AC
233 (A) 2817	VEGETATIVE MULCHING	1.300	AC
241 2832	MOWING	5.000	AC
303 5912	AGGREGATE BASE	1,391.000	TON
307 (A) 4233	LIME	107.000	TON
307 (B) 4235	8" LIME TREATED SUBGRADE	5,912.000	SY
403 (E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	90.000	TON
407 0250	TACK COAT	963.000	GAL
408 5774	PRIME COAT	676.000	GAL
411 (S3) 5940	(SP) ASPH. CONC., TYPE S3 (PG 70-28 OK)	1,252.000	TON
411 (S4) 5955	(SP) ASPH. CONC., TYPE S4 (PG 70-28 OK)	1,705.000	TON
413 (A) 4861	RUMBLE STRIP-METHOD AC-CON	5,600.000	LF
501 (A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	10.000	CY
509 (B) 0321	CLASS A CONCRETE	32.800	CY
509 (D) 0325	CLASS C CONCRETE	37.700	CY
511 (A) 0332	REINFORCING STEEL	3,868.000	LB
613 (CC) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613 (D) 0689	18" CORR. GALV. STEEL PIPE	76.000	LF
613 (P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	200.000	LF
613 (Q) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	70.000	LF
619 (A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
640 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

CALL ORDER : 130
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : MURRAY

CONTRACT ID : 020555
 PCN : 1939304
 PROJECTS : CIP-150B(27) IP
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 29.26
 CALENDAR DAYS : 180
 RES. ENG. :
 LIQ. DAM. : \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0003	ROADWAY - ADD ALTERNATE NO.2		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (A)	0183 UNCLASSIFIED EXCAVATION	4,412.000	CY
202 (B)	0182 ROCK EXCAVATION	111,870.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210	0121 OBLITERATING ABANDONED ROAD	15.750	STA
223	2801 TEMPORARY SILT FENCE	1,979.000	LF
227	0100 TEMPORARY SILT DIKE	350.000	LF
230 (A)	2806 SOLID SLAB SODDING	3,371.000	SY
230 (B)	2807 MULCH SODDING	22,666.000	SY
232 (B)	2814 SEEDING METHOD B	9.400	AC
233 (A)	2817 VEGETATIVE MULCHING	9.400	AC
241	2832 MOWING	5.000	AC
303	5912 AGGREGATE BASE	3,538.000	TON
307 (A)	4233 LIME	258.000	TON
307 (B)	4235 8" LIME TREATED SUBGRADE	14,304.000	SY
403 (E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	46.000	TON
407	0250 TACK COAT	1,297.000	GAL
408	5774 PRIME COAT	1,885.000	GAL
411 (S3)	5940 (SP) ASPH. CONC., TYPE S3 (PG 70-28 OK)	3,565.000	TON
411 (S4)	5955 (SP) ASPH. CONC., TYPE S4 (PG 70-28 OK)	1,542.000	TON
413 (A)	4861 RUMBLE STRIP-METHOD AC-CON	6,200.000	LF
417	5267 COLD MILLING PAVEMENT	2,862.000	SY
509 (D)	0325 CLASS C CONCRETE	373.400	CY
613 (CC)	7186 TYPE A4 CULVERT END TREATMENT	6.000	EA
613 (CC)	7187 TYPE B4 CULVERT END TREATMENT	4.000	EA
613 (CC)	7188 TYPE C4 CULVERT END TREATMENT	2.000	EA
613 (D)	0689 18" CORR. GALV. STEEL PIPE	114.000	LF
613 (D)	4528 28" X 20" CORR. GALV. STEEL PIPE ARCH	40.000	LF
613 (D)	4529 35" X 24" CORR. GALV. STEEL PIPE ARCH	52.000	LF
613 (D)	4530 42" X 29" CORR. GALV. STEEL PIPE ARCH	56.000	LF
613 (P)	1091 6" PERFORATED PIPE UNDERDRAIN ROUND	320.000	LF
613 (Q)	1096 6" NON-PERF. PIPE UNDERDRAIN RND.	125.000	LF
619 (A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623 (A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	150.000	LF
623 (F)	4450 GUARD RAIL ANCHOR UNIT (TYPE E)	4.000	EA
629 (A)	4958 MAILBOX INSTALLATION-SINGLE	3.000	EA
629 (C)	4960 MAILBOX	3.000	EA
629 (D)	4961 REMOVAL OF MAILBOX INSTALLATION	3.000	EA
640	1426 FIELD OFFICE	1.000	EA
641	1552 MOBILIZATION	1.000	LSUM
SECTION NO. 0004	TRAFFIC CONTROL - BASE BID		
880 (J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 130
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : MURRAY

CONTRACT ID : 020555
 PCN : 1939304
 PROJECTS : CIP-150B(27) IP
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 29.26
 CALENDAR DAYS : 180
 RES. ENG. :
 LIQ. DAM. : \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0005	SIGNING & STRIPING - BASE BID		
851 (C) 8327	2 1/4" SQUARE TUBE POST	247.000	LF
855 (A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	31,635.000	LF
890 (A) 8722	(PL) REMOVAL OF EXISTING SIGNS	19.000	LSUM
SECTION NO. 0006	TRAFFIC CONTROL - ADD ALTERNATE NO.1		
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0007	SIGNING & STRIPING - ADD ALTERNATE NO.1		
855 (A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	5,401.000	LF
SECTION NO. 0008	TRAFFIC CONTROL - ADD ALTERNATE NO.2		
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0009	SIGNING & STRIPING - ADD ALTERNATE NO.2		
851 (C) 8327	2 1/4" SQUARE TUBE POST	156.000	LF
855 (A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	5,980.000	LF
890 (A) 8722	(PL) REMOVAL OF EXISTING SIGNS	12.000	LSUM
SECTION NO. 0010	STAKING - BASE BID		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0011	STAKING - ADD ALTERNATE NO.1		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0012	STAKING - ADD ALTERNATE NO.2		
642 0098	STAKING	1.000	LSUM

CALL ORDER : 150
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKFUSKEE

CONTRACT ID : 020548
 PCN : 1974904
 PROJECTS : IMY-40-5(365)219
 DBE GOALS : 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 18.42
 CALENDAR DAYS : 180
 RES. ENG.:
 LIQ. DAM.: \$ 800

CONTRACT DESCRIPTION:
 BRIDGE REDECKING & REHAB I-40 OVER GREENLEAF CREEK APPROX.
 6.3 MILE EAST OF THE OKFUSKEE/SEMINOLE COUNTY LINE. PROJECT
 LENGTH = 0.00 MILES FLEXIBLE ESALS = ASPHALT GRADE = PG
 64-22 OK & PG 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY			
202 (C) 0184	UNCLASSIFIED BORROW	2,000.000	CY
223 2801	TEMPORARY SILT FENCE	200.000	LF
230 (A) 2806	SOLID SLAB SODDING	10,000.000	SY
230 (F) 2812	WATERING	400.000	MGAL
234 (A) 2824	FERTILIZING (10-20-10)	1.000	TON
407 0250	TACK COAT	783.000	GAL
408 5774	PRIME COAT	50.000	GAL
411 (S3) 5935	(SP) ASPH.CONC., TYPE S3 (PG 76-28 OK)	498.000	TON
411 (S4) 5950	(SP) ASPH.CONC., TYPE S4 (PG 76-28 OK)	842.000	TON
411 (S4) 5960	(SP) ASPH.CONC., TYPE S4 (PG 64-22 OK)	242.000	TON
417 4659	(PL) FOG SEAL	34.000	GAL
417 5267	COLD MILLING PAVEMENT	3,378.000	SY
623 (A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	100.000	LF
623 (E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	8.000	EA
623 (F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	4.000	EA
625 (D) 1254	REMOVE AND RECONSTRUCT GUARD RAIL	1,425.000	LF
SECTION NO. 0002 X031-BRIDGE "A"			
504 (A) 1304	APPROACH SLAB	182.400	SY
504 (C) 6276	(PL) SEALED EXPANSION JOINTS	82.670	LF
504 (F) 6190	42" F-SHAPED PARAPET	322.000	LF
509 (A) 1326	CLASS AA CONCRETE	123.600	CY
509 (D) 1331	CLASS C CONCRETE	51.000	CY
511 (B) 6010	EPOXY COATED REINFORCING STEEL	29,330.000	LB
512 (A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512 (B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	382.000	SY
520 (A) 6058	PREPARATION OF CRACKS ABOVE WATER	90.000	LF
520 (C) 6060	EPOXY RESIN ABOVE WATER	9.000	GAL
535 6164	(PL) FIXED BEARING ASSEMBLY	18.000	EA
535 6165	(PL) EXPANSION BEARING ASSEMBLY	18.000	EA
545 4815	(PL) REPLACE BRIDGE ITEM (TYPE A)	36.000	EA
601 (A) 1351	TYPE I PLAIN RIPRAP	70.000	TON
609 (D) 0398	BITUMINOUS CURBING	900.000	LF
619 (B) 2500	(PL) REMOVAL OF BRIDGE ITEMS	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

CALL ORDER : 150
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKFUSKEE

CONTRACT ID : 020548
 PCN : 1974904
 PROJECTS : IMY-40-5(365)219
 DBE GOALS : 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 18.42
 CALENDAR DAYS : 180
 RES. ENG.:
 LIQ. DAM.: \$ 800

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0003 X031-BRIDGE "B"			
504 (A) 1304	APPROACH SLAB	182.400	SY
504 (C) 6276	(PL)SEALED EXPANSION JOINTS	82.670	LF
504 (F) 6190	42" F-SHAPED PARAPET	322.000	LF
509 (A) 1326	CLASS AA CONCRETE	123.600	CY
509 (D) 1331	CLASS C CONCRETE	51.000	CY
511 (B) 6010	EPOXY COATED REINFORCING STEEL	29,330.000	LB
512 (A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512 (B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	382.000	SY
520 (A) 6058	PREPARATION OF CRACKS ABOVE WATER	90.000	LF
520 (C) 6060	EPOXY RESIN ABOVE WATER	9.000	GAL
521 (A) 6210	PNEUMATICALLY PLACED MORTAR	7.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	7.000	SY
535 6164	(PL)FIXED BEARING ASSEMBLY	18.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	18.000	EA
545 4805	(PL)REPLACE BRIDGE ITEMS	1.000	EA
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	36.000	EA
601 (A) 1351	TYPE I PLAIN RIPRAP	70.000	TON
609 (D) 0398	BITUMINOUS CURBING	900.000	LF
619 (B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
SECTION NO. 0004 Y008-TRAFFIC			
627 (G) 4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	2,760.000	LF
627 (H) 5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	5,520.000	LF
855 (A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	11,670.000	LF
857 (A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	116.000	EA
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880 (L) 8911	TRAFFIC SURVEILLANCE, POLICE	400.000	hour
SECTION NO. 0005 STAK-STAKING			
642 0098	STAKING	1.000	LSUM

CALL ORDER : 200
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : PITTSBURG

CONTRACT ID : 020456
 PCN : 1777504
 PROJECTS : BRF-161C(47) CO
 DBE GOALS : 10.00
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 1.63
 CALENDAR DAYS : 90
 RES. ENG.:
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:
 BRIDGE AND APPROACHES(RCB) COUNTY BRIDGE OVER LONE OAK
 CREEK, 3.058 KM. NORTH AND 0.805 KM. EAST OF HARTSHORNE.
 PROJECT LENGTH= 0.299 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS

SECTION NO. 0001	E000-ROADWAY		
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202 (A) M1301	UNCLASSIFIED EXCAVATION	777.000	M3
202 (C) M0184	UNCLASSIFIED BORROW	4,919.000	M3
205 M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222 M2801	TEMPORARY BALE BARRIER	150.000	M
223 M2802	TEMPORARY SILT FENCE	550.000	M
230 (A) M2806	SOLID SLAB SODDING	3,985.000	M2
233 (A) M2817	VEGETATIVE MULCHING	0.400	HA
303 M0192	AGGREGATE BASE	555.000	M3
407 M0250	TACK COAT	505.000	L
408 M5774	PRIME COAT	4,930.000	L
411 (S3)M5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	305.000	T
411 (S4)M5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	240.000	T
509 (D) M0325	CLASS C CONCRETE	10.000	M3
613 (D) M5214	680MM X 500MM CORR. GALV. ST. PIPE ARCH	10.200	M
613 (M) M4516	700MM X 500MM PREFAB.CULV.END SEC., ARCH	2.000	EA
629 (E) M5048	REMOVE AND RESET MAILBOX	1.000	EA
SECTION NO. 0002	X028-BRIDGE 'A'		
501 (A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	51.540	M3
509 (B) M1328	CLASS A CONCRETE	194.000	M3
511 (A) M1332	REINFORCING STEEL	15,031.000	KG
619 (D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623 (A) M1418	BEAM GUARD RAIL-W-BEAM-SINGLE	274.324	M
623 (F) M6029	GUARD RAIL ANCHOR UNIT (TYPE A)	4.000	EA
880 (J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	STAK-STAKING		
642 M0098	STAKING	1.000	LSUM

CALL ORDER : 210
 LETTING DATE : November 14, 2002
 LETTING TIME : 10:30 A.M.
 COUNTIES : SEMINOLE

CONTRACT ID : 020556
 PCN : 1984704
 PROJECTS : SAP-167C(72)
 GUARANTY : 5% OF BID TOTAL
 PLAN PRICE : 3.25
 CALENDAR DAYS : 45
 RES. ENG. :
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:

BRIDGE REPAIR SH-56: OVER WEWOKA CREEK, 0.5 MILES NORTH OF
 JCT US-270B. PROJECT LENGTH = 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081- BRIDGE 'A'		
504 (H) 6390	RAPID CURE JOINT SEALANT	25.000	LF
505 (A) 6018	CLASS A BRIDGE DECK REPAIR	20.000	SY
505 (B) 6019	CLASS B BRIDGE DECK REPAIR	20.000	SY
509 6386	(PL)SILICONE CONSTRUCTION JOINT	90.000	LF
520 (A) 6058	PREPARATION OF CRACKS ABOVE WATER	230.000	LF
520 (C) 6060	EPOXY RESIN ABOVE WATER	16.000	GAL
521 (A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	20.000	SY
540 4505	(PL)REPAIR BRIDGE ITEMS	2.000	EA
641 1399	MOBILIZATION	1.000	LSUM
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X081-BRIDGE 'B'		
504 (H) 6390	RAPID CURE JOINT SEALANT	65.000	LF
505 (A) 6018	CLASS A BRIDGE DECK REPAIR	50.000	SY
505 (B) 6019	CLASS B BRIDGE DECK REPAIR	70.000	SY
509 6386	(PL)SILICONE CONSTRUCTION JOINT	316.300	LF
520 (A) 6058	PREPARATION OF CRACKS ABOVE WATER	1,170.000	LF
520 (C) 6060	EPOXY RESIN ABOVE WATER	84.000	GAL
521 (A) 6210	PNEUMATICALLY PLACED MORTAR	100.000	SY
524 6410	(SP)FIBER-REINFORCED EPOXY COMPOSITE MTL	36.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	105.000	SY
540 4505	(PL)REPAIR BRIDGE ITEMS	12.000	EA