

## Notice

Electronic bid packages are available for the [February 20, 2003](#) Letting. Instructions for using the electronic bidding system (EBS) are available from the Office Engineer's office. The printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Please remember that you must use the electronic bidding system (EBS) when bidding projects in the highway Letting. Failure to use the EBS system could mean possible rejection of bids. Plans and proposals should be ready for sale on [January 27, 2003](#).

The direct line to the ODOT order desk is 522-3474. Please use this number when ordering plans and proposals. If ordering plans only please call the Reproduction Branch at 521-2586.

A Pre-Bid Conference will be held at [10:00 a.m.](#) on [February 7, 2003](#) concerning this [February](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh or Jack Stewart) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. This will help both ODOT and Contractor.

All proposals not mailed must be turned into the Reproduction office off the main lobby of the ODOT building until 30 minutes before the Opening. From 30 minutes before the Bid Opening until the time of the Bid Opening, bid proposals must be turned in directly to the ODOT Commission Room on the east side of the lobby.

Please write the call order number of the jobs you are bidding electronically on the disk label of the original disk. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

ODOT's Website address is:  
<http://www.okladot.state.ok.us/>

### Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the prime contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

### Reminder

*Please be sure that bid bonds are stapled to the **back** of the proposal as instructed on the cover sheet of all proposals.*

### Soil reports are available for:

STP-54C(152), 10504(04) Okfuskee Co.  
IMY -40-4(383)143, 1961 604, Oklahoma County

DATE : January 29, 2003 KLAHOMA DEPARTMENT OF TRANSPORTATION  
NOTICE TO CONTRACTORS -- February 20, 2003

LNTCNCA  
LETTING

LNTCNCA-D

SEALED PROPOSALS SENT BY REGISTERED MAIL WILL BE RECEIVED THROUGH THE ODOT REPRODUCTION BRANCH UNTIL 30 MINUTES PRIOR TO THE SCHEDULED BID OPENING. FROM 30 MINUTES PRIOR TO THE BID OPENING UNTIL THE TIME OF THE BID OPENING, BID PROPOSALS MUST BE TURNED IN DIRECTLY TO THE ODOT COMMISSION ROOM LOCATED ON THE EAST SIDE OF THE LOBBY. THE SCHEDULED BID OPENING OF 10:30 A.M. February 20, 2003 , FOR THE WORK LISTED BELOW.

NO PROPOSAL FOR CONSTRUCTION OR MAINTENANCE WORK OF THE DEPARTMENT WILL BE ISSUED TO ANY CONTRACTOR AFTER 10:30 A.M. ON THE WORKING DAY PRECEDING OPENING OF BIDS FOR ANY CONTRACT.

EACH SEPARATE PROPOSAL SHALL BE ACCOMPANIED BY A CERTIFIED OR CASHIER'S CHECK OR BID BOND EQUAL TO 5% OF THE BID MADE PAYABLE TO THE STATE OF OKLAHOMA, DEPARTMENT OF TRANSPORTATION, AS A PROPOSAL GUARANTY. PROPOSAL CHECKS WILL BE HELD OR RETURNED BY THE DEPARTMENT AS PER SECTION 103.04 OF THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION.

THE MINIMUM WAGE TO BE PAID LABORERS AND MECHANICS EMPLOYED ON THIS PROJECT WILL BE INCLUDED IN THE PROPOSAL.

PROPOSALS MUST BE PREPARED AS DIRECTED BY THE STATE STANDARD SPECIFICATIONS.

THIS WORK WILL BE DONE UNDER THE OKLAHOMA DEPARTMENT OF TRANSPORTATION COMMISSION'S APPLICABLE SPECIFICATIONS FOR HIGHWAY CONSTRUCTION AS DEPICTED ON THE LOWER LEFT CORNER OF THE PLAN'S TITLE SHEET.

PLANS, FORMS OF PROPOSALS, CONTRACTS AND SPECIFICATIONS MAY BE EXAMINED AT THE DIVISION HEADQUARTERS IN THE DIVISION THE WORK IS TO BE PERFORMED OR AT THE OKLAHOMA DEPARTMENT OF TRANSPORTATION OFFICE ENGINEER'S DIVISION IN OKLAHOMA CITY, OKLAHOMA.

PLANS AND PROPOSAL FORMS MAY BE ORDERED FROM JACK STEWART, DIVISION ENGINEER, OKLAHOMA DEPARTMENT OF TRANSPORTATION BUILDING, 200 N.E. 21ST STREET, OKLAHOMA CITY, OKLAHOMA 73105. COST OF BIDDING DOCUMENTS ARE \$25.00 + tax FOR EACH BIDDING PROPOSAL. STATE STANDARD SPECIFICATION 1988 EDITION (RED BOOK) AND 1991 SUPPLEMENT MAY BE PURCHASED FOR \$8.00 + tax, OR 1996 METRIC STANDARD SPECIFICATION \$27.00 + TAX, OR 1999 METRIC AND ENGLISH STANDARD SPECIFICATION \$55.00 + TAX. (OKLAHOMA TAX IS 8.375%). MAKE CHECKS PAYABLE TO OKLAHOMA DEPARTMENT OF TRANSPORTATION.

NO REFUNDS WILL BE MADE FOR BIDDING DOCUMENTS OR SPECIFICATION BOOKS PURCHASED BY PROSPECTIVE BIDDERS.

UPON AWARD OF CONTRACT TO A SUCCESSFUL BIDDER, THE CONTRACT WILL BE COMPLETELY AND CORRECTLY EXECUTED BY THE CONTRACTOR AND RETURNED TO THE DEPARTMENT WITHIN TEN (10) WORKING DAYS FROM THE DATE OF AWARD. THE DEPARTMENT WILL HAVE FOURTEEN (14) WORKING DAYS FROM THE DATE OF AWARD TO COMPLETE ITS EXECUTION OF THE CONTRACT.

THE OKLAHOMA DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS ADVERTISEMENT, DISADVANTAGED BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, RELIGION, NATIONAL ORIGIN, OR DISABILITY IN CONSIDERATION FOR AN AWARD.

BIDDERS ARE HEREBY NOTIFIED THAT ALL BIDS ARE LIKELY TO BE REJECTED IF THE LOWEST RESPONSIVE BID RECEIVED EXCEEDS THE ENGINEER'S ESTIMATE BY MORE THAN SEVEN (7) PERCENT. IN THE EVENT ALL BIDS ARE REJECTED FOR THIS REASON, THIS PROJECT MAY BE DEFERRED FOR READVERTISING FOR BIDS UNTIL A MORE COMPETITIVE SITUATION EXISTS.

DESCRIPTION OF WORK AND LOCATION OF PROJECT:

CALL ORDER : 010  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : ALFALFA

CONTRACT ID : 030001  
 PCN : 1043104  
 PROJECTS : BRFY-2B(188)  
 DBE GOALS : 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 25.47  
 CALENDAR DAYS : 185  
 RES. ENG.:  
 LIQ. DAM.: \$ 1000

CONTRACT DESCRIPTION:  
 GRADE AND DRAIN SH-11; BEGIN APPROX. 6.759 KM. WEST OF JCT.  
 SH-38, EXTEND EAST. PROJECT LENGTH = 3.980 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS	
SECTION NO. 0001 C000-ROADWAY				
201	M0102	CLEARING AND GRUBBING	1.000	LSUM
202 (A)	M0183	UNCLASSIFIED EXCAVATION	7,730.000	M3
202 (C)	M0184	UNCLASSIFIED BORROW	629,001.000	M3
205	M4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
222	M2801	TEMPORARY BALE BARRIER	200.000	M
223	M2802	TEMPORARY SILT FENCE	4,642.000	M
227	M0100	TEMPORARY SILT DIKE	53.000	M
230 (A)	M2806	SOLID SLAB SODDING	6,400.000	M2
233 (A)	M2817	VEGETATIVE MULCHING	8.549	HA
241	M2832	MOWING	8.549	HA
403 (E)	M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,400.000	T
408	M5774	PRIME COAT	36,906.000	L
601A-1	M0536	TYPE I-A PLAIN RIPRAP	4,715.000	T
601A-2	M0538	TYPE I-A FILTER BLANKET	1,068.000	T
613 (D)	M0690	600MM CORR. GALV. STEEL PIPE	29.000	M
613 (M)	M0898	600MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613 (P)	M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	275.000	M
613 (Q)	M1096	150MM NON-PERF. PIPE UNDERDRAIN RND.	100.000	M
619 (A)	M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619 (B)	M4725	REMOVAL OF FENCE	4,172.000	M
624 (C)	M4457	(SP) FENCE-STYLE SWF (3 BARBED WIRE)	3,871.000	M
640	M1426	FIELD OFFICE	1.000	EA
641	M1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002 C000-BRIDGE ITEMS				
228	M4170	NYLON EROSION CONTROL MAT	4,710.000	M2
601A-1	M1353	TYPE I-A PLAIN RIPRAP	4,672.000	T
601A-2	M1355	TYPE I-A FILTER BLANKET	717.000	T
601B-1	M1359	TYPE II-A SP. PLAIN RIPRAP	1,997.000	T
601B-2	M1361	TYPE II-A FILTER BLANKET	388.000	T
619 (B)	M2505	(PL) REMOVAL OF BRIDGE ITEMS	16.000	EA
SECTION NO. 0003 Y000-TRAFFIC ITEMS				
880 (J)	M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004 STAK-STAKING				
642	M0098	STAKING	1.000	LSUM

CALL ORDER : 020  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BECKHAM

CONTRACT ID : 030008  
 PCN : 1081404  
 PROJECTS : IMY-40-2(115)033  
 DBE GOALS : 11.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 11.38  
 CALENDAR DAYS : 270  
 RES. ENG.:  
 LIQ. DAM.: \$ 2000

## CONTRACT DESCRIPTION:

RESURFACE(ASPHALT) I-40; BEGIN AT SH-34, EXTEND EAST.  
 PROJECT LENGTH = 7.03 MILES FLEXIBLE ESALS = 67.16 MILLION  
 ASPHALT GRADE = PG 64-22 OK, PG 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202 (A)	0183 UNCLASSIFIED EXCAVATION	7,138.000	CY
202 (C)	0184 UNCLASSIFIED BORROW	20,000.000	CY
222	2801 TEMPORARY BALE BARRIER	2,500.000	LF
223	2801 TEMPORARY SILT FENCE	2,200.000	LF
230 (A)	2806 SOLID SLAB SODDING	56,070.000	SY
326 (A)	4200 (SP)FLY ASH	927.000	TON
326 (E)	4240 (SP)CEMENTITIOUS STABILIZED SUBGRADE	22,874.000	SY
406	4276 (SP)OPEN GRAD.FRIC.SURF.CSE.(PG76-28OK)	8,009.000	TON
407	0250 TACK COAT	59,000.000	GAL
408	5774 PRIME COAT	2,891.000	GAL
411 (S3)	5935 (SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)	64,131.000	TON
411 (S3)	5945 (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	32,959.000	TON
411 (S4)	5950 (SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	27,268.000	TON
411 (S4)	5960 (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	12,559.000	TON
413 (A)	4861 RUMBLE STRIP-METHOD AC-CON	145,415.000	LF
417	5267 COLD MILLING PAVEMENT	371,688.000	SY
420 (A)	4242 FABRIC REINFORCEMENT	220,166.000	SY
420 (A)	4244 (PL)PRECOATED FABRIC MEMBRANE(STRIP)	47,663.000	LF
420 (B)	4268 BITUMINOUS BINDER	55,042.000	GAL
426 (A)	5095 CORED HOLES	2,500.000	EA
426 (B)	5096 PORTLAND CEMENT	25.000	TON
426 (C)	5097 FLY ASH	25.000	TON
613 (P)	1091 6" PERFORATED PIPE UNDERDRAIN ROUND	2,500.000	LF
613 (Q)	1096 6" NON-PERF.PIPE UNDERDRAIN RND.	500.000	LF
613 (R)	1100 PIPE UNDERDRAIN COVER MAT'L.	252.000	CY
613 (S)	1180 TRENCH EXCAVATION	552.000	CY
619 (B)	4728 REMOVAL OF ASPHALT PAVEMENT	18,494.000	SY
623 (E)	7114 THRIE BEAM BRIDGE CONNECTION-TYPE A	14.000	EA
625 (D)	1254 REMOVE AND RECONSTRUCT GUARD RAIL	1,924.000	LF
641	1552 MOBILIZATION	1.000	LSUM
643	0087 (SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002	MAIN-BRIDGE 'A'		
504 (C)	6276 (PL)SEALED EXPANSION JOINTS	76.000	LF
504 (F)	1381 CONCRETE PARAPET	48.000	LF
505	6139 (PL)MEMBRANE	558.000	SY

CALL ORDER : 020  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BECKHAM

CONTRACT ID : 030008  
 PCN : 1081404  
 PROJECTS : IMY-40-2(115)033  
 DBE GOALS : 11.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 11.38  
 CALENDAR DAYS : 270  
 RES. ENG.:  
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0002 MAIN-BRIDGE 'A'			
505 (B) 6019	CLASS B BRIDGE DECK REPAIR	250.000	SY
505 (C) 6020	CLASS C BRIDGE DECK REPAIR	50.000	SY
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	34.000	SY
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM
SECTION NO. 0003 MAIN-BRIDGE 'B'			
504 (C) 6276	(PL)SEALED EXPANSION JOINTS	76.000	LF
504 (F) 1381	CONCRETE PARAPET	48.000	LF
505 6139	(PL)MEMBRANE	558.000	SY
505 (B) 6019	CLASS B BRIDGE DECK REPAIR	250.000	SY
505 (C) 6020	CLASS C BRIDGE DECK REPAIR	50.000	SY
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	34.000	SY
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM
SECTION NO. 0004 MAIN-BRIDGE 'C'			
504 (F) 1381	CONCRETE PARAPET	72.000	LF
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	50.000	SY
SECTION NO. 0005 MAIN-BRIDGE 'D'			
504 (F) 1381	CONCRETE PARAPET	72.000	LF
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	50.000	SY
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM
SECTION NO. 0006 MAIN-BRIDGE 'E'			
504 (F) 1381	CONCRETE PARAPET	48.000	LF
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	34.000	SY
SECTION NO. 0007 MAIN-BRIDGE 'F'			
504 (F) 1381	CONCRETE PARAPET	48.000	LF
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	34.000	SY
SECTION NO. 0008 MAIN-BRIDGE 'G'			
504 (F) 1381	CONCRETE PARAPET	60.000	LF
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	42.000	SY
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM

CALL ORDER : 020  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BECKHAM

CONTRACT ID : 030008  
 PCN : 1081404  
 PROJECTS : IMY-40-2(115)033  
 DBE GOALS : 11.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 11.38  
 CALENDAR DAYS : 270  
 RES. ENG. :  
 LIQ. DAM. : \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0009 MAIN-BRIDGE 'H'			
504 (F) 1381	CONCRETE PARAPET	60.000	LF
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	42.000	SY
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM
SECTION NO. 0010 MAIN-BRIDGE 'I'			
504 (F) 1381	CONCRETE PARAPET	24.000	LF
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	17.000	SY
SECTION NO. 0011 MAIN-BRIDGE 'J'			
504 (F) 1381	CONCRETE PARAPET	24.000	LF
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	17.000	SY
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM
SECTION NO. 0012 Y008-TRAFFIC			
627 (G) 4316	RELOC.PORT.TYPE PRECAST CONC.MEDIAN BARR	9,350.000	LF
627 (H) 5856	DEL.PORT.TYPE PREC. CONCRETE MEDIAN BARR	1,700.000	LF
855 (A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	221,324.000	LF
856 (A) 8839	CONSTRUCTION TRAFF.STR. (PAINT) (4" WIDE)	163,323.000	LF
856 (C) 8851	REMOVABLE PAVEMENT MARKING TAPE (4" WIDE)	3,000.000	LF
856 (G) 8887	(PL)CONST.ZONE PAV.MKRS (FLEX TAB)TYP.2-1	5,628.000	EA
857 (A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	1,000.000	EA
859 (A) 8006	PAVEMENT MRKNG.REMOVAL (TRAF.STRP)	1,000.000	LF
870 (A) 8485	SAND FILLED IMPACT ATTEN.MODULE	120.000	SD
876 (C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	458.000	SD
880 (A) 8812	ARROW DISPLAY (TYPE C)	458.000	SD
880 (B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	11,450.000	SD
880 (B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5,267.000	SD
880 (B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,780.000	SD
880 (B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	458.000	SD
880 (C) 8836	BARRICADES (TYPE II)	916.000	SD
880 (C) 8842	BARRICADES (TYPE III)	3,664.000	SD
880 (C) 8848	WING BARRICADES	2,061.000	SD
880 (D) 8854	VERTICAL PANELS	6,870.000	SD
880 (E) 8860	WARNING LIGHTS (TYPE A)	15,114.000	SD
880 (E) 8872	WARNING LIGHTS (TYPE C)	38,503.000	SD
880 (F) 8878	DRUMS	38,503.000	SD
882 (B) 8306	PORT.CHANGEABLE MESSAGE SIGN	458.000	SD
SECTION NO. 0013 STAKING			
642 0098	STAKING	1.000	LSUM

CALL ORDER : 030  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CANADIAN

CONTRACT ID : 030009  
 PCN : 1822204  
 PROJECTS : STP-109B(43)AG  
 DBE GOALS : 2.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 7.04  
 CALENDAR DAYS : 150  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 INTERSECTION MODIFICATION AND TRAFFIC SIGNALS SH-92 (GARTH  
 BROOKS AVE.); AT THE INTERSECTION OF VANDAMENT IN YUKON.  
 PROJECT LENGTH = 0.205 MILE FLEXIBLE ESALS = 2.8 MILLION  
 ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 J000-ROADWAY			
202 (A) 0183	UNCLASSIFIED EXCAVATION	2,499.000	CY
205 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
224 2803	TEMPORARY SEDIMENT FILTER	5.000	EA
230 (A) 2806	SOLID SLAB SODDING	3,355.000	SY
326 (B) 4210	(SP)LIME	115.000	TON
326 (F) 4250	(SP)LIME STABILIZED SUBGRADE	8,481.000	SY
403 (E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	154.000	TON
408 5774	PRIME COAT	1,273.000	GAL
411 (S4) 5960	(SP)ASPH.CONC.,TYPE S4 (PG 64-22 OK)	950.000	TON
414 (B) 0301	9" H.E.S. CONCRETE PAVEMENT	7,963.000	SY
609 (A) 0300	CONC.CURB(6" BARRIER-INTEGRAL)	2,011.000	LF
610 (A) 0602	4" CONCRETE SIDEWALK	451.000	SY
610 (B) 0399	6" CONCRETE DRIVEWAY (H.E.S.)	378.000	SY
611 (A) 2657	MANHOLE (4' DIA.)	1.000	EA
611 (D) 4215	MANHOLE FRAME & COVER	1.000	EA
611 (E) 5112	INLET CICI DES. 2 (STD)	2.000	EA
611 (E) 5113	INLET CICI DES. 2 (B)	1.000	EA
611 (E) 5114	INLET CICI DES. 2 (C)	2.000	EA
611 (E) 5120	INLET CICI DES. 3 (STD)	1.000	EA
611 (G) 4488	INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	14.000	EA
611 (K) 4488	CAST IRON CURB INLETS	18.000	EA
613 (B) 0491	18" R.C.PIPE CLASS III	12.000	LF
613 (B) 0492	24" R.C.PIPE CLASS III	12.000	LF
613 (P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	100.000	LF
613 (Q) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	20.000	LF
613 (R) 1100	PIPE UNDERDRAIN COVER MAT'L.	10.000	CY
619 (A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619 (B) 4727	REMOVAL OF CONCRETE PAVEMENT	6,892.000	SY
619 (B) 4792	REMOVAL OF SIDEWALK	460.000	SY
619 (C) 0924	SAWING PAVEMENT	395.000	LF
641 1552	MOBILIZATION	1.000	LSUM
SECTION NO. 0002 Y000-TRAFFIC			
802 (B) 8336	1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	65.000	LF
802 (B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCH	460.000	LF

CALL ORDER : 030  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CANADIAN

CONTRACT ID : 030009  
 PCN : 1822204  
 PROJECTS : STP-109B(43)AG  
 DBE GOALS : 2.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 7.04  
 CALENDAR DAYS : 150  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0002 Y000-TRAFFIC			
802 (B)	8342 2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	95.000	LF
802 (B)	8344 3" PVC SCH.40 PLASTIC CONDUIT BORED	300.000	LF
802 (B)	8346 3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	40.000	LF
803	8065 PULL BOX (SIZE I)	3.000	EA
803	8066 PULL BOX (SIZE II)	1.000	EA
803	8067 PULL BOX (SIZE III)	3.000	EA
804 (A)	2915 STRUCTURAL CONCRETE	12.400	CY
804 (B)	2916 REINFORCING STEEL	1,888.100	LB
806 (A)	8313 32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000	EA
806 (A)	8314 32'MH POLE 50'TS & 10'LMA(G.STL.)	1.000	EA
806 (A)	8353 32'MH POLE,55'TS & 10'LMA(G.STL.)	1.000	EA
809 (A)	8090 (PL)ROADWAY LUMINAIRE	3.000	EA
811	8044 1/C NO.10 ELECT.COND.	1,595.000	LF
828 (B)	8138 LOOP DETECTOR WIRE	5,020.000	LF
831	8295 1WAY2SEC.ADJ.PED.SIG.HD.S-20	2.000	EA
834 (A)	8207 5/C TRAF.SIG.EL.CABLE	1,060.000	LF
834 (A)	8208 7/C TRAF.SIG.EL.CABLE	205.000	LF
834 (A)	8211 15/C TRAF.SIG.EL.CABLE	635.000	LF
834 (B)	8220 2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	2,320.000	LF
840 (A)	8592 (PL)E.P.S. OPTICAL EMITTER	5.000	EA
840 (B)	8593 (PL)E.P.S. OPTICAL DETECTOR	2.000	EA
840 (C)	8594 (PL)E.P.S. OPTICAL DETECTOR CABLE	835.000	LF
840 (D)	8595 (PL)E.P.S. 2 CHANNEL PHASE SELECTOR	1.000	EA
850 (C)	8118 MAST ARM MOUNTED SIGNS (ALUM.)	15.000	SF
855 (A)	8812 TRAFFIC STRIPE (PLASTIC) (4" WIDE)	8,745.000	LF
855 (B)	8818 TRAFFIC STRIPE (PLASTIC) (ARROWS)	8.000	EA
855 (B)	8821 TRAFFIC STRIPE (PLASTIC) (WORDS)	4.000	EA
859 (A)	8006 PAVEMENT MRKNG.REMOVAL (TRAF.STRP)	2,500.000	LF
880 (J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890 (A)	8726 (PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
890A/B	8742 (PL)REMOVE & RESET TRAF.SIG.EQUIPMENT	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642	0098 STAKING	1.000	LSUM



CALL ORDER : 050  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CARTER

CONTRACT ID : 030011  
 PCN : 1266404  
 PROJECTS : IMY-35-1(100)031  
 DBE GOALS : 6.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 26.55  
 COMPLETION DATE : 09/30/04

RES. ENG.:  
 LIQ. DAM.: \$ 2000

CONTRACT DESCRIPTION:  
 RESURFACE (CONCRETE) I-35; FROM US-70, EXTEND NORTH. PROJECT  
 LENGTH = 7.087 MILES ASPHALT GRADE = PG 64-22OK, PG 70-28  
 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	J000-ROADWAY		
202 (A) 0183	UNCLASSIFIED EXCAVATION	67,640.000	CY
202 (C) 0184	UNCLASSIFIED BORROW	98,541.000	CY
227 0100	TEMPORARY SILT DIKE	210.000	LF
230 (A) 2806	SOLID SLAB SODDING	60,176.000	SY
232 (B) 2814	SEEDING METHOD B	61.000	AC
233 (A) 2817	VEGETATIVE MULCHING	61.000	AC
234 (A) 2824	FERTILIZING (10-20-10)	10.000	TON
241 2832	MOWING	37.000	AC
303 0192	AGGREGATE BASE	11,004.000	CY
319 5200	(SP)OPEN GRADED BIT. BASE (PG 64-22 OK)	143.000	TON
325 5271	SEPARATOR FABRIC	2,445.000	SY
326 (B) 4210	(SP)LIME	355.000	TON
326 (F) 4250	(SP)LIME STABILIZED SUBGRADE	12,418.000	SY
407 0250	TACK COAT	17,747.000	GAL
408 5774	PRIME COAT	23,393.000	GAL
411 (S3) 5940	(SP)ASPH.CONC.,TYPE S3(PG 70-28 OK)	7,194.000	TON
411 (S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	8,686.000	TON
411 (S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	7,973.000	TON
411 (S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	26,914.000	TON
411 (S6) 5990	(SP)ASPH.CONC.,TYPE S6(PG 64-22 OK)	16,761.000	TON
413 (D) 4868	(SP)RUMBLE STRIP-METHOD PCC-CON	139,144.000	LF
414 (B) 0303	11" H.E.S. CONCRETE PAVEMENT	25,685.000	SY
414 (H) 5200	(SP)UNBONDED PCC OVERLAY	88,512.000	CY
414 (J) 5400	P.C. CONCRETE PAVEMENT (PLACEMENT ONLY)	316,298.000	SY
417 5267	COLD MILLING PAVEMENT	65,841.000	SY
612 (E) 0645	INLETS ADJUST TO GRADE	1.000	EA
613 (D) 0689	18" CORR. GALV. STEEL PIPE	300.000	LF
613 (D) 0690	24" CORR. GALV. STEEL PIPE	1,350.000	LF
619 (B) 4727	REMOVAL OF CONCRETE PAVEMENT	30,660.000	SY
619 (B) 4728	REMOVAL OF ASPHALT PAVEMENT	12,862.000	SY
619 (B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	17,818.000	SY
619 (B) 4780	REMOVAL OF GUARD RAIL	8,179.000	LF
619 (C) 0924	SAWING PAVEMENT	1,406.000	LF
623 (A) 0932	BEAM GUARD RAIL-W-BEAM-SINGLE	6,700.000	LF
623 (E) 7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	14.000	EA
623 (F) 4447	GUARD RAIL ANCHOR UNIT (TYPE B)	5.000	EA

CALL ORDER : 050  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CARTER

CONTRACT ID : 030011  
 PCN : 1266404  
 PROJECTS : IMY-35-1(100)031  
 DBE GOALS : 6.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 26.55  
 COMPLETION DATE : 09/30/04

RES. ENG.:  
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 J000-ROADWAY			
623 (H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	19.000	EA
641 1399	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
653 (A) 5915	EDGE DRAIN CONDUIT-PERFORATED	4,000.000	LF
653 (B) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	300.000	LF
653 (C) 5946	OUTLET LATERAL HEADWALL	14.000	EA
SECTION NO. 0002 MAIN-BRIDGE 'A'			
417 5267	COLD MILLING PAVEMENT	1,101.000	SY
504 (F) 1381	CONCRETE PARAPET	20.000	LF
504 (I) 6389	ELASTOMERIC MORTAR	10.900	CF
505 (A) 6018	CLASS A BRIDGE DECK REPAIR	50.000	SY
505 (C) 6020	CLASS C BRIDGE DECK REPAIR	60.000	SY
505 (D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	1,101.000	SY
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	8.000	SY
SECTION NO. 0003 MAIN-BRIDGE 'B'			
417 5267	COLD MILLING PAVEMENT	1,018.000	SY
504 (F) 1381	CONCRETE PARAPET	20.000	LF
504 (I) 6389	ELASTOMERIC MORTAR	9.100	CF
505 (A) 6018	CLASS A BRIDGE DECK REPAIR	50.000	SY
505 (C) 6020	CLASS C BRIDGE DECK REPAIR	60.000	SY
505 (D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	1,018.000	SY
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	8.000	SY
SECTION NO. 0004 MAIN-BRIDGE 'C'			
417 5267	COLD MILLING PAVEMENT	899.000	SY
504 (F) 1381	CONCRETE PARAPET	16.000	LF
504 (H) 6390	RAPID CURE JOINT SEALANT	74.000	LF
505 (A) 6018	CLASS A BRIDGE DECK REPAIR	80.000	SY
505 (B) 6019	CLASS B BRIDGE DECK REPAIR	30.000	SY
505 (D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	899.000	SY
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	6.000	SY
SECTION NO. 0005 MAIN-BRIDGE 'D'			
417 5267	COLD MILLING PAVEMENT	899.000	SY
504 (F) 1381	CONCRETE PARAPET	24.300	LF
504 (H) 6390	RAPID CURE JOINT SEALANT	74.000	LF

CALL ORDER : 050  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CARTER

CONTRACT ID : 030011  
 PCN : 1266404  
 PROJECTS : IMY-35-1(100)031  
 DBE GOALS : 6.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 26.55  
 COMPLETION DATE : 09/30/04

RES. ENG.:  
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0005 MAIN-BRIDGE 'D'			
505 (A) 6018	CLASS A BRIDGE DECK REPAIR	80.000	SY
505 (B) 6019	CLASS B BRIDGE DECK REPAIR	30.000	SY
505 (D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	899.000	SY
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	9.000	SY
SECTION NO. 0006 MAIN-BRIDGE 'E'			
504 (F) 1381	CONCRETE PARAPET	28.000	LF
505 (B) 6019	CLASS B BRIDGE DECK REPAIR	50.000	SY
505 (C) 6020	CLASS C BRIDGE DECK REPAIR	20.000	SY
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	10.000	SY
523 (C) 6570	(SP) DECK AREA SEALED (FLOODCOATS)	1,240.000	SY
SECTION NO. 0007 MAIN-BRIDGE 'F'			
504 (F) 1381	CONCRETE PARAPET	28.000	LF
505 (B) 6019	CLASS B BRIDGE DECK REPAIR	50.000	SY
505 (C) 6020	CLASS C BRIDGE DECK REPAIR	20.000	SY
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	10.000	SY
523 (C) 6570	(SP) DECK AREA SEALED (FLOODCOATS)	1,240.000	SY
SECTION NO. 0008 MAIN-BRIDGE 'G'			
417 5267	COLD MILLING PAVEMENT	599.000	SY
504 (F) 1381	CONCRETE PARAPET	16.000	LF
504 (H) 6390	RAPID CURE JOINT SEALANT	74.000	LF
505 (A) 6018	CLASS A BRIDGE DECK REPAIR	50.000	SY
505 (B) 6019	CLASS B BRIDGE DECK REPAIR	20.000	SY
505 (D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	599.000	SY
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	6.000	SY
SECTION NO. 0009 MAIN-BRIDGE 'H'			
417 5267	COLD MILLING PAVEMENT	599.000	SY
504 (F) 1381	CONCRETE PARAPET	16.000	LF
504 (H) 6390	RAPID CURE JOINT SEALANT	74.000	LF
505 (A) 6018	CLASS A BRIDGE DECK REPAIR	50.000	SY
505 (B) 6019	CLASS B BRIDGE DECK REPAIR	20.000	SY
505 (D) 6087	LATEX MODIFIED BRIDGE DECK OVERLAY	599.000	SY
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	6.000	SY

CALL ORDER : 050  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CARTER

CONTRACT ID : 030011  
 PCN : 1266404  
 PROJECTS : IMY-35-1(100)031  
 DBE GOALS : 6.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 26.55  
 COMPLETION DATE : 09/30/04

RES. ENG.:  
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0010	Y008-TRAFFIC CONTROL		
627 (O) 4410	REL.OF RENTED PORT.PREC.CONC.MED.BARRIER	68,630.000	LF
627 (P) 4425	RENTED PORT.TYPE PREC.CONC.MED. BARR.	25,580.000	LF
855 (A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	188,546.000	LF
856 (A) 8839	CONSTRUCTION TRAFF.STR. (PAINT) (4" WIDE)	180,000.000	LF
856 (C) 8851	REMOVABLE PAVEMENT MARKING TAPE (4" WIDE)	6,000.000	LF
856 (G) 8887	(PL) CONST.ZONE PAV.MKRS (FLEX TAB) TYP.2-1	40,000.000	EA
857 (A) 8947	PAVE.MARKERS CLASS C TYPE 2-C	1,038.000	EA
859 (A) 8006	PAVEMENT MRKNG.REMOVAL (TRAF.STRP)	84,000.000	LF
870 (A) 8485	SAND FILLED IMPACT ATTEN.MODULE	7,980.000	SD
876 (C) 8482	(PL) TRUCK MOUNTED ATTENUATOR	420.000	SD
878 (C) 8487	MODULAR GLARE SCREEN	121,800.000	SD
880 (A) 8812	ARROW DISPLAY (TYPE C)	840.000	SD
880 (B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	28,980.000	SD
880 (B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	28,140.000	SD
880 (B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	23,100.000	SD
880 (B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	2,520.000	SD
880 (C) 8836	BARRICADES (TYPE II)	2,520.000	SD
880 (C) 8842	BARRICADES (TYPE III)	15,960.000	SD
880 (C) 8848	WING BARRICADES	5,040.000	SD
880 (D) 8854	VERTICAL PANELS	147,000.000	SD
880 (E) 8860	WARNING LIGHTS (TYPE A)	56,280.000	SD
880 (E) 8872	WARNING LIGHTS (TYPE C)	341,880.000	SD
880 (F) 8878	DRUMS	194,880.000	SD
880 (L) 8911	TRAFFIC SURVEILLANCE, POLICE	100.000	HOURL
882 (B) 8306	PORT.CHANGEABLE MESSAGE SIGN	1,680.000	SD
SECTION NO. 0011	STAK-STAKING		
642 0098	STAKING	1.000	LSUM
SECTION NO. 0012	TIME B BID		
644 7211	(SP) TIME (B) BID	10,000.000	DAY
SECTION NO. 0013	TIME C BID		
644 7212	(SP) TIME (C) BID	7,000.000	DAY

CALL ORDER : 051  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CARTER

CONTRACT ID : 030093  
 PCN : 1934704  
 PROJECTS : SAP-110N(82)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 15  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE REPAIR I-35; 3.0 MILES NORTH OF LOVE COUNTY LINE.  
 PROJECT LENGTH = 0.00 MILE

---



---

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
----------	-------------	----------	-------

---



---

SECTION NO. 0001	X231-BRIDGE 'A'		
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 055  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CHEROKEE

CONTRACT ID : 030088  
 PCN : 2045304  
 PROJECTS : SAP-111D(58)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 20  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE (ASPHALT) MAIN ROAD TO PARADISE COVE IN SEQUOYAH  
 STATE PARK. PROJECT LENGTH = 1.90 MILES FLEXIBLE ESALS = 0.  
 3 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
407 0250	TACK COAT	835.000	GAL
408 5774	PRIME COAT	2,900.000	GAL
411 (S4) 5960	(SP) ASPH.CONC., TYPE S4 (PG 64-22 OK)	3,840.000	TON
854 (A) 8800	TRAFFIC STRIPE (PAINT) (4" WIDE)	29,568.000	LF

CALL ORDER : 070  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : COMANCHE

CONTRACT ID : 030079  
 PCN : 1979304  
 PROJECTS : SAP-116D(76)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 6.50  
 COMPLETION DATE : 05/31/03

RES. ENG.:  
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:  
 GRADE, DRAIN AND SURFACE(ASPHALT) INDUSTRIAL ACCESS; FOR FT.  
 SILL NATIONAL CEMETERY, ON JAKE DUNN ROAD, BEGIN 1.443  
 MILES SOUTH OF US-277, EXTEND NORTH. PROJECT LENGTH = 1.443  
 MILES FLEXIBLE ESALS = 0.17 MILLION ASPHALT GRADE = PG  
 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
230 (A) 2806	SOLID SLAB SODDING	34,043.000	SY
241 2832	MOWING	7.100	AC
326 (A) 4200	(SP)FLY ASH	1,257.000	TON
326 (E) 4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	23,150.000	SY
326 (B) 4210	(SP)LIME	210.000	TON
326 (F) 4250	(SP)LIME STABILIZED SUBGRADE	11,575.000	SY
403 (E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	100.000	TON
407 0250	TACK COAT	2,286.000	GAL
408 5774	PRIME COAT	3,531.000	GAL
411 (S3) 5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	6,464.000	TON
411 (S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	2,530.000	TON
641 1552	MOBILIZATION	1.000	LSUM
855 (A) 3250	TRAFFIC STRIPE(PLASTIC)(4" WIDE)(YELLOW)	30,154.000	LF
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	STAK-STAKING		
642 0098	STAKING	1.000	LSUM

CALL ORDER : 075  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CREEK

CONTRACT ID : 030094  
 PCN : 1665804  
 PROJECTS : BRO-119D(009)CO  
 DBE GOALS : 5.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 5.42  
 CALENDAR DAYS : 150  
 RES. ENG.:  
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE AND APPROACHES COUNTY ROAD; OVER NICKEL CREEK,  
 APPROX. 6.437 KM. NORTH AND 4.828 KM. EAST OF SAPULPA.  
 PROJECT LENGTH = 0.181 KM. FLEXIBLE ESALS = 0.4 MILLION  
 ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202 (G)	M0185 EARTHWORK	1.000	LSUM
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	M2802 TEMPORARY SILT FENCE	365.000	M
227	M0100 TEMPORARY SILT DIKE	150.000	M
230 (A)	M2806 SOLID SLAB SODDING	2,157.000	M2
233 (A)	M2817 VEGETATIVE MULCHING	0.220	HA
407	M0250 TACK COAT	341.000	L
408	M5774 PRIME COAT	1,051.000	L
411 (S3)	M5945 (SP) ASPH. CONC., TYPE S3 (PG 64-22 OK)	336.000	T
411 (S4)	M5960 (SP) ASPH. CONC., TYPE S4 (PG 64-22 OK)	165.000	T
509 (D)	M0325 CLASS C CONCRETE	46.700	M3
613 (CC)	M7186 TYPE A4 CULVERT END TREATMENT	4.000	EA
613 (D)	M0689 450MM CORR. GALV. STEEL PIPE	37.000	M
619 (C)	M0924 SAWING PAVEMENT	20.500	M
629 (A)	M4958 MAILBOX INSTALLATION-SINGLE	1.000	EA
629 (B)	M4959 MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629 (C)	M4960 MAILBOX	5.000	EA
629 (D)	M4961 REMOVAL OF MAILBOX INSTALLATION	2.000	EA
854 (A)	M8800 TRAFFIC STRIPE (PAINT) (100MM WIDE)	364.000	M
SECTION NO. 0002	X081-BRIDGE 'A'		
501 (B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	75.000	M3
501 (D)	M6353 UNCLASSIFIED BACKFILL	30.000	M3
503 (B)	M6144 PRESTRESSED CONCRETE DOUBLE TEE	118.200	M
504 (E)	M1380 CONCRETE RAIL (TR1)	73.500	M
509 (A)	M1326 CLASS AA CONCRETE	59.600	M3
509 (B)	M1328 CLASS A CONCRETE	46.100	M3
511 (A)	M1332 REINFORCING STEEL	9,620.000	KG
514 (A)	M6011 PILES, FURNISHED (HP 250X62)	50.400	M
514 (B)	M6292 PILES, DRIVEN (HP 250X62)	50.400	M
516 (A)	M6092 DRILLED SHAFTS 900MM DIAMETER	22.600	M
601A-1	M1353 TYPE I-A PLAIN RIPRAP	520.000	T
601A-2	M1355 TYPE I-A FILTER BLANKET	150.000	T
619 (D)	M1397 REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM



CALL ORDER : 075  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CREEK

CONTRACT ID : 030094  
 PCN : 1665804  
 PROJECTS : BRO-119D(009)CO  
 DBE GOALS : 5.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 5.42  
 CALENDAR DAYS : 150  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0002 X081-BRIDGE 'A'			
623 (A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	11.430	M
623 (F) M4446	GUARD RAIL ANCHOR UNIT (TYPE A)	1.000	EA
623 (F) M5686	GUARD RAIL ANCHOR UNIT (TYPE D-BF)	1.000	EA
623 (F) M6033	GUARD RAIL ANCHOR UNIT (TYPE II)	3.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
850 (A) M8110	SHEET ALUMINUM SIGNS	0.580	M2
851 (D) M8597	FLANGE CHANNEL POSTS (5.95 KG/M)	4.520	M
880 (J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642 M0098	STAKING	1.000	LSUM

CALL ORDER : 080  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : DELAWARE

CONTRACT ID : 030004  
 PCN : 1340704  
 PROJECTS : BRFY-21C(242)  
 DBE GOALS : 9.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 24.93  
 CALENDAR DAYS : 180  
 RES. ENG.:  
 LIQ. DAM.: \$ 700

CONTRACT DESCRIPTION:  
 BRIDGE AND APPROACHES SH-412A; APPROX. 2.5 MILES SOUTH OF  
 TWIN OAKS. PROJECT LENGTH = 0.273 MILE FLEXIBLE ESALS = 0.  
 92 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	0102 CLEARING AND GRUBBING	1.000	LSUM
202 (A)	0183 UNCLASSIFIED EXCAVATION	51,091.000	CY
202 (C)	0184 UNCLASSIFIED BORROW	5,000.000	CY
205	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
223	2801 TEMPORARY SILT FENCE	1,000.000	LF
225	2804 TEMPORARY SEDIMENT BASIN	1.000	EA
226	2805 TEMPORARY SEDIMENT REMOVAL	50.000	CY
227	0100 TEMPORARY SILT DIKE	212.000	LF
230 (A)	2806 SOLID SLAB SODDING	52,740.000	SY
232 (B)	2814 SEEDING METHOD B	12.900	AC
233 (A)	2817 VEGETATIVE MULCHING	25.800	AC
241	2832 MOWING	12.900	AC
326 (B)	4210 (SP)LIME	198.000	TON
326 (F)	4250 (SP)LIME STABILIZED SUBGRADE	6,869.000	SY
403 (E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON
408	5774 PRIME COAT	4,384.000	GAL
411 (S3)	5945 (SP)ASPH.CONC.,TYPE S3 (PG 64-22 OK)	3,079.000	TON
411 (S4)	5960 (SP)ASPH.CONC.,TYPE S4 (PG 64-22 OK)	1,439.000	TON
509 (D)	0325 CLASS C CONCRETE	22.000	CY
601 (A-1)	0536 TYPE I-A PLAIN RIPRAP	50.000	TON
601 (A-2)	0538 TYPE I-A FILTER BLANKET	16.000	TON
613 (B)	0491 18" R.C.PIPE CLASS III	92.000	LF
613 (B)	0495 42" R.C.PIPE CLASS III	148.000	LF
613 (B)	4497 36" X 22" R.C.PIPE ARCH CLASS A-III	46.000	LF
613 (CC)	7194 TYPE DD4 CULVERT END TREATMENT	2.000	EA
613 (CC)	7196 TYPE A6 CULVERT END TREATMENT	4.000	EA
613 (CC)	7197 TYPE B6 CULVERT END TREATMENT	2.000	EA
613 (D)	0689 18" CORR. GALV. STEEL PIPE	137.000	LF
613 (D)	0691 30" CORR. GALV. STEEL PIPE	108.000	LF
613 (D)	0696 60" CORR. GALV. STEEL PIPE	828.000	LF
613 (D)	4529 35" X 24" CORR. GALV. STEEL PIPE ARCH	28.000	LF
613 (P)	1091 6" PERFORATED PIPE UNDERDRAIN ROUND	35.000	LF
613 (Q)	1096 6" NON-PERF.PIPE UNDERDRAIN RND.	105.000	LF
619 (A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619 (B)	4728 REMOVAL OF ASPHALT PAVEMENT	8,211.000	SY
623 (A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	1,218.750	LF
623 (E)	7114 THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA

CALL ORDER : 080  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : DELAWARE

CONTRACT ID : 030004  
 PCN : 1340704  
 PROJECTS : BRFY-21C(242)  
 DBE GOALS : 9.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 24.93  
 CALENDAR DAYS : 180  
 RES. ENG. :  
 LIQ. DAM. : \$ 700

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY			
623 (H) 8571	(SP)G.E.T. GUARD RAIL END SECTION	3.000	EA
624 (A) 4281	FENCE-STYLE WWF	870.000	LF
624 (B) 4468	GATES-STYLE WWF (4.5'HIGH X 20'LONG)	1.000	EA
624 (C) 4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	1,359.000	LF
629 (A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629 (C) 4960	MAILBOX	1.000	EA
629 (D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
SECTION NO. 0002 X081-BRIDGE 'A'			
501 (B) 1307	SUBSTRUCTURE EXCAVATION COMMON	64.000	CY
501 (F) 6352	GRANULAR BACKFILL	92.000	CY
503 (A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	397.400	LF
503 (A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	317.700	LF
504 (A) 1304	APPROACH SLAB	187.600	SY
504 (E) 6239	CONCRETE RAIL (TR3)	441.400	LF
506 (A) 1322	STRUCTURAL STEEL	1,030.000	LB
509 (A) 1326	CLASS AA CONCRETE	240.600	CY
509 (B) 1328	CLASS A CONCRETE	135.800	CY
509 (D) 1331	CLASS C CONCRETE	17.200	CY
511 (A) 1332	REINFORCING STEEL	8,440.000	LB
511 (B) 6010	EPOXY COATED REINFORCING STEEL	67,650.000	LB
514 (A) 6010	PILES, FURNISHED (HP 10X42)	432.000	LF
514 (B) 6292	PILES, DRIVEN (HP 10X42)	432.000	LF
514 (F) 6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515 (A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	735.400	SY
516 (A) 6096	DRILLED SHAFTS 60" DIAMETER	72.000	LF
535 6164	(PL)FIXED BEARING ASSEMBLY	8.000	EA
535 6165	(PL)EXPANSION BEARING ASSEMBLY	16.000	EA
535 6282	(PL)ELASTOMERIC BEARING PADS	16.000	EA
601B-1 0542	TYPE II-A SP. PLAIN RIPRAP	8,380.000	TON
601B-2 0544	TYPE II-A FILTER BLANKET	965.000	TON
613 (P) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	86.000	LF
613 (Q) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	76.000	LF
619 (D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM
SECTION NO. 0003 Y002-STRIPING AND TRAFFIC CONTROL			
855 (A) 8812	TRAFFIC STRIPE (PLASTIC) (4" WIDE)	5,200.000	LF
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004 STAK-STAKING			
642 0098	STAKING	1.000	LSUM

CALL ORDER : 090  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GARFIELD

CONTRACT ID : 030069  
 PCN : 1676904  
 PROJECTS : STPY-124A(009)TR  
 DBE GOALS : 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 10.30  
 CALENDAR DAYS : 120  
 RES. ENG.:  
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:  
 INTERSECTION MODIFICATION US-81; AT THE INTERSECTION OF  
 RANDOLPH AVENUE IN ENID. PROJECT LENGTH = 0.272 KM.  
 FLEXIBLE ESALS = N/A ASPHALT GRADE = PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001	I000-ROADWAY		
202 (A) M4349	(PL)UNCLASSIFIED EXCAVATION	1.000	LSUM
202 (E) M0110	EMBANKMENTS	124.000	M3
205 M4230	TYPE A-SALVAGED TOPSOIL	178.050	M3
230 (A) M2806	SOLID SLAB SODDING	605.860	M2
230 (D) M2810	BROADCAST SPRIGGING (METHOD A)	1,078.283	M2
326 (A) M4200	(SP)FLY ASH	99.980	T
317 (B) M4254	SUBGRADE MODIFICATION	2,984.838	M2
407 M0250	TACK COAT	1,463.600	L
408 M5774	PRIME COAT	4,405.320	L
411 (A) M6510	(SP)ASPHALT CONCRETE TYPE A(PG 70-28 OK)	594.210	T
411 (B) M6540	(SP)ASPHALT CONCRETE TYPE B(PG 70-28 OK)	416.040	T
414 (A) M0258	150MM P.C. CONCRETE PAVEMENT	141.280	M2
414 (A) M0260	200MM P.C. CONCRETE PAVEMENT	861.100	M2
417 M5267	COLD MILLING PAVEMENT	1,538.460	M2
609 (A) M0300	CONC.CURB(150MM BARRIER-INTEGRAL)	186.650	M
609 (B) M1525	800MM COMB.CRB.& GUT.(150MM BAR.)	464.440	M
610 (A) M0602	100MM CONCRETE SIDEWALK	446.190	M2
610 (B) M0604	150MM CONCRETE DRIVEWAY	281.920	M2
611 (A) M2657	MANHOLE (1200MM DIA.)	2.000	EA
611 (A) M2658	MANHOLE (1500MM DIA.)	1.000	EA
611 (B) M2681	ADD'L.DEPTH IN MANHOLE (1500MM DIA.)	0.950	VM
611 (D) M4215	MANHOLE FRAME & COVER	3.000	EA
611 (E) M4012	(PL)SPECIAL INLET DRAIN	1.000	EA
611 (E) M5112	INLET CICI DES. 2 (STD)	2.000	EA
611 (E) M5114	INLET CICI DES. 2 (C)	1.000	EA
611 (I) M2676	SP. STRUCTURAL STEEL FRAMES	2.000	EA
612 (A) M0641	MANHOLES ADJUST TO GRADE	4.000	EA
612 (F) M0646	INLETS REBUILT	1.000	EA
613 (B) M0400	300MM R.C.PIPE CLASS III	14.600	M
613 (B) M0405	450MM R.C.PIPE CLASS III	10.200	M
613 (S) M1180	TRENCH EXCAVATION	6.600	M3
613 (T) M1181	STANDARD BEDDING MATERIAL	4.890	M3
619 (B) M4726	REMOVAL OF CURB AND GUTTER	27.889	M
619 (B) M4727	REMOVAL OF CONCRETE PAVEMENT	3,675.658	M2
619 (B) M4728	REMOVAL OF ASPHALT PAVEMENT	362.981	M2
619 (B) M4741	REMOVAL OF DRAINAGE INLETS	3.000	EA
619 (C) M0924	SAWING PAVEMENT	627.910	M

CALL ORDER : 090  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GARFIELD

CONTRACT ID : 030069  
 PCN : 1676904  
 PROJECTS : STPY-124A(009)TR  
 DBE GOALS : 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 10.30  
 CALENDAR DAYS : 120  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
-----			
SECTION NO. 0001 I000-ROADWAY			
641	M1552 MOBILIZATION	1.000	LSUM
855 (A)	M8812 TRAFFIC STRIPE (PLASTIC) (100MM WIDE)	2,424.967	M
855 (B)	M8818 TRAFFIC STRIPE (PLASTIC) (ARROWS)	20.000	EA
855 (B)	M8821 TRAFFIC STRIPE (PLASTIC) (WORDS)	7.000	EA
880 (J)	M8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 Y031-TRAFFIC SIGNALS			
802 (B)	M8340 50MM PVC SCH.40 P.C.BORED	35.000	M
802 (B)	M8342 50MM PVC SCH.40 P.C.TR.	18.000	M
802 (B)	M8348 100MM PVC SCH.40 P.C.BORED	106.000	M
802 (B)	M8350 100MM PVC SCH.40 P.C.TR.	5.000	M
803	M8065 PULL BOX (SIZE I)	2.000	EA
803	M8066 PULL BOX (SIZE II)	2.000	EA
804 (A)	M2915 STRUCTURAL CONCRETE	9.800	M3
804 (B)	M2916 REINFORCING STEEL	877.000	KG
806 (A)	M8868 12.2M MHP 13.7M TS & 3.7M LMA (G.STL.)	2.000	EA
806 (A)	M8882 12.2M MHP 16.8M TS & 3.7M LMA (G.STL.)	2.000	EA
809 (A)	M8090 (PL)ROADWAY LUMINAIRE	4.000	EA
811	M8040 1/C NO.6 ELECT.COND.	183.000	M
811	M8044 1/C NO.10 ELECT.COND.	522.000	M
825	M8550 VEH.ACT.SOL.ST.TRAF.SIG.CON.ASM	1.000	EA
830	M8000 PEDESTRIAN PUSH BUTTON	8.000	EA
831	M8231 1WAY3SEC.ADJ.SIG.HD.S-6	10.000	EA
831	M8262 1WAY3SEC.ADJ.SIG.HD.S-10	1.000	EA
831	M8274 1WAY4SEC.ADJ.SIG.HD.S-16	4.000	EA
831	M8295 1WAY2SEC.ADJ.SIG.HD.S-20	8.000	EA
833	M3038 127MM BACKPLATE (300MM HDS) (B-2)	15.000	EA
834 (A)	M8207 5/C TRAF.SIG.EL.CABLE	399.000	M
834 (A)	M8208 7/C TRAF.SIG.EL.CABLE	95.000	M
834 (A)	M8211 15/C TRAF.SIG.EL.CABLE	138.000	M
834 (A)	M8212 18/C TRAF.SIG.EL.CABLE	50.000	M
840 (A)	M8592 (PL)E.P.S. OPTICAL EMITTER	4.000	EA
840 (B)	M8593 (PL)E.P.S. OPTICAL DETECTOR	8.000	EA
840 (C)	M8594 (PL)E.P.S. OPTICAL DETECTOR CABLE	550.000	M
840 (D)	M8595 (PL)E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850 (C)	M8118 MAST ARM MOUNTED SIGNS (ALUM.)	9.560	M2
880 (J)	M8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890 (A)	M8726 (PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
SECTION NO. 0003 STAK-STAKING			
642	M0098 STAKING	1.000	LSUM

CALL ORDER : 090  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GARFIELD

CONTRACT ID : 030069  
 PCN : 1676904  
 PROJECTS : STPY-124A(009)TR  
 DBE GOALS : 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 10.30  
 CALENDAR DAYS : 120  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

SECTION NO. 0004 Y060-NON-PARTICIPATING ITEMS

612(G) M0647	VALVE BOXES ADJUST TO GRADE	6.000	EA
612(L) M0652	WATER METERS RESET	6.000	EA

SECTION NO. 0005 Y031-LOOP DETECTION--ALTERNATE 1

802(B) M8336	38MM PVC SCH.40 P.C.BORED	28.000	M
802(B) M8338	38MM PVC SCH.40 P.C.TR.	219.000	M
803 M8067	PULL BOX(SIZE III)	4.000	EA
828(A) M8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	13.000	EA
828(B) M8138	LOOP DETECTOR WIRE	2,104.000	M
834(B) M8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	765.000	M

SECTION NO. 0006 Y031-VIDEO DETECTION--ALTERNATE 2

828 M8132	(PL)DETECTION SYSTEM(VIDEO)	1.000	LSUM
-----------	-----------------------------	-------	------

CALL ORDER : 092  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GREER

CONTRACT ID : 030005  
 PCN : 1010010  
 PROJECTS : STPY-128B(52)RW  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 30  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 RIGHT -OF-WAY CLEARANCE SH-6; APPROX. 1.0 MILE NORTH OF  
 SH-9 JCT., EXTEND NORTH. PROJECT LENGTH = 0.00 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROWA-ROADWAY		
643 0094	(PL)RIGHT-OF-WAY CLEARANCE	1.000	LSUM

CALL ORDER : 093  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : LEFLORE

CONTRACT ID : 030095  
 PCN : 2045104  
 PROJECTS : SAP-140D(107)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 45  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT) WARD LANDING ROAD; AT WISTER LAKE STATE  
 PARK. PROJECT LENGTH = 2.13 MILES FLEXIBLE ESALS = 0.33  
 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(S4) 5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	3,000.000	TON
411(S4) 6310	(SP)ASPH.CONC.,TYPE S4(PATCH)(PG64-22OK)	250.000	TON



CALL ORDER : 097  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : MARSHALL

CONTRACT ID : 030096  
 PCN : 2045404  
 PROJECTS : SAP-148D(37)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 45  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE (ASPHALT) PARK ROAD AND PARKING AT LAKE TEXOMA  
 STATE PARK. PROJECT LENGTH = 1.05 MILES FLEXIBLE ESALS = 1.  
 0 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411 (S4) 5960	(SP) ASPH.CONC., TYPE S4 (PG 64-22 OK)	1,900.000	TON

CALL ORDER : 099  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKFUSKEE

CONTRACT ID : 030014  
 PCN : 1050404  
 PROJECTS : STPY-54C(152)  
 DBE GOALS : 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 44.43  
 CALENDAR DAYS : 300  
 RES. ENG.:  
 LIQ. DAM.: \$ 1000

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGE & SURFACE SH-27: APPROX. 2.0 KM NORTH  
 OF OKFUSKEE/ HUGHES COUNTY LINE, 90 DEGREE CURVE  
 CORRECTION. PROJECT LENGTH = 2.401 KM FLEXIBLE ESALS = 0.30  
 M ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000 - ROADWAY ITEMS			
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202 (A)	M0183 UNCLASSIFIED EXCAVATION	66,542.000	M3
202 (C)	M0184 UNCLASSIFIED BORROW	13,350.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210	M0121 OBLITERATING ABANDONED ROAD	2.110	STA
222	M2801 TEMPORARY BALE BARRIER	130.000	M
223	M2802 TEMPORARY SILT FENCE	500.000	M
226	M2805 TEMPORARY SEDIMENT REMOVAL	25.000	M3
227	M0100 TEMPORARY SILT DIKE	130.000	M
229	M4318 DITCH LINER PROTECTION	700.000	M
230 (A)	M2806 SOLID SLAB SODDING	22,234.000	M2
230 (B)	M2807 MULCH SODDING	54,180.000	M2
232 (B)	M2814 SEEDING METHOD B	22.810	HA
233 (A)	M2817 VEGETATIVE MULCHING	22.810	HA
241	M2832 MOWING	15.230	HA
326 (A)	M4200 (SP) FLY ASH	1,832.040	T
326 (B)	M4210 (SP) LIME	152.720	T
326 (E)	M4240 (SP) CEMENTITIOUS STABILIZED SUBGRADE	31,771.540	M2
326 (G)	M4260 (SP) LIME PRETREATMENT	7,942.880	M2
403 (E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	478.650	T
407	M0250 TACK COAT	15,155.800	L
408	M5774 PRIME COAT	27,278.020	L
411 (S3)	M5945 (SP) ASPH.CONC., TYPE S3 (PG 64-22 OK)	11,217.810	T
411 (S4)	M5960 (SP) ASPH.CONC., TYPE S4 (PG 64-22 OK)	4,341.670	T
509 (D)	M0325 CLASS C CONCRETE	107.870	M3
601 (A)	M0297 TYPE I PLAIN RIPRAP	110.000	T
613 (B)	M0415 900MM R.C.PIPE CLASS III	28.040	M
613 (B)	M0419 1200MM R.C.PIPE CLASS III	23.160	M
613 (B)	M4419 1110MM X 675MM R.C.PIPE ARCH CLASS A-III	7.310	M
613 (CC)	M7197 TYPE B6 CULVERT END TREATMENT	2.000	EA
613 (D)	M0689 450MM CORR. GALV. STEEL PIPE	15.240	M
613 (D)	M0690 600MM CORR. GALV. STEEL PIPE	12.800	M
613 (F)	M5100 450MM PRECOATED CORR. STEEL PIPE	112.760	M
613 (F)	M5102 600MM PRECOATED CORR. STEEL PIPE	56.080	M
613 (F)	M5104 750MM PRECOATED CORR. STEEL PIPE	8.530	M
613 (F)	M5114 1500MM PRECOATED CORR. STEEL PIPE	39.620	M

CALL ORDER : 099  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKFUSKEE

CONTRACT ID : 030014  
 PCN : 1050404  
 PROJECTS : STPY-54C(152)  
 DBE GOALS : 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 44.43  
 CALENDAR DAYS : 300  
 RES. ENG. :  
 LIQ. DAM. : \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000 - ROADWAY ITEMS			
613 (F) M5204	510MM X 380MM PREC.CORR.STL.PIPE ARCH	31.690	M
613 (M) M0897	450MM PREFAB. CULVERT END SEC., ROUND	20.000	EA
613 (M) M0898	600MM PREFAB. CULVERT END SEC., ROUND	6.000	EA
613 (M) M0899	750MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613 (M) M0900	900MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613 (M) M0981	1200MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613 (M) M0983	1500MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613 (M) M4502	510MM X 380MM PREFAB.CULV.END SEC., ARCH	6.000	EA
613 (M) M4534	1110MM X 675MM PREFAB.CULV.END SEC.,ARCH	2.000	EA
613 (P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	170.000	M
613 (Q) M1096	150MM NON-PERF.PIPE UNDERDRAIN RND.	50.000	M
613 (S) M1180	TRENCH EXCAVATION	500.000	M3
613 (T) M1181	STANDARD BEDDING MATERIAL	261.600	M3
619 (A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619 (B) M4728	REMOVAL OF ASPHALT PAVEMENT	10,216.000	M2
619 (C) M0924	SAWING PAVEMENT	208.260	M
623 (A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	308.610	M
623 (E) M7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	4.000	EA
623 (H) M8571	(SP)G.E.T. GUARD RAIL END SECTION	3.000	EA
624 (A) M4281	FENCE-STYLE WWF	81.320	M
624 (B) M4284	GATES-STYLE WWF(1350MM HI X 3600MM LONG)	1.000	EA
624 (C) M4458	(SP)FENCE-STYLE SWF (4 BARBED WIRE)	809.390	M
624 (C) M4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	4,084.520	M
629 (A) M4958	MAILBOX INSTALLATION-SINGLE	3.000	EA
629 (B) M4959	MAILBOX INSTALLATION-MULTIPLE	2.000	EA
629 (C) M4960	MAILBOX	8.000	EA
629 (D) M4961	REMOVAL OF MAILBOX INSTALLATION	5.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002 X081 - BRIDGE			
501 (B) M1307	SUBSTRUCTURE EXCAVATION COMMON	160.000	M3
501 (G) M6309	CLSM BACKFILL	113.000	M3
503 (A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	111.600	M
504 (A) M1304	APPROACH SLAB	231.200	M2
504 (C) M6250	SEALED EXPANSION JOINT	14.300	M
504 (E) M6239	CONCRETE RAIL (TR3)	94.100	M
506 (A) M1322	STRUCTURAL STEEL	250.000	KG
509 (A) M1326	CLASS AA CONCRETE	81.900	M3
509 (B) M1328	CLASS A CONCRETE	76.400	M3
509 (D) M1331	CLASS C CONCRETE	16.000	M3
511 (A) M1332	REINFORCING STEEL	5,725.000	KG

CALL ORDER : 099  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKFUSKEE

CONTRACT ID : 030014  
 PCN : 1050404  
 PROJECTS : STPY-54C(152)  
 DBE GOALS : 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 44.43  
 CALENDAR DAYS : 300  
 RES. ENG.:  
 LIQ. DAM.: \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0002 X081 - BRIDGE			
511 (B) M6010	EPOXY COATED REINFORCING STEEL	12,130.000	KG
514 (A) M6011	PILES, FURNISHED (HP 250X62)	35.200	M
514 (A) M6013	PILES, FURNISHED (HP 310X79)	133.200	M
514 (B) M6292	PILES, DRIVEN (HP 250X62)	35.200	M
514 (B) M6294	PILES, DRIVEN (HP 310X79)	133.200	M
514 (F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515 (A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	319.000	M2
535 M6164	(PL)FIXED BEARING ASSEMBLY	4.000	EA
535 M6165	(PL)EXPANSION BEARING ASSEMBLY	4.000	EA
609 (D) M0398	BITUMINOUS CURBING	221.000	M
613 (P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	28.600	M
613 (Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	26.600	M
619 (D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0003 Y008 - TRAFFIC PAY ITEMS			
850 (A) M8110	SHEET ALUMINUM SIGNS	4.940	M2
851 (C) M8327	57MM SQUARE TUBE POST	25.580	M
855 (A) M8815	TRAF.STR.(PLAST.) (THIN-LINE) (100MM WIDE)	11,616.000	M
880 (J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0004 STAK - STAKING			
642 M0098	STAKING	1.000	LSUM

CALL ORDER : 111  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKLAHOMA

CONTRACT ID : 030015  
 PCN : 1961604  
 PROJECTS : IMY-40-4(383)143  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 3.79  
 CALENDAR DAYS : 120  
 RES. ENG.:  
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE REPAIR I-40; APPROX. 1.5 MILES EAST OF THE CANADIAN  
 COUNTY LINE. PROJ. LENGTH = 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X028-BRIDGE 'A'		
202 (G) 6181	EARTHWORK	1.000	LSUM
230 (A) 2806	SOLID SLAB SODDING	2,600.000	SY
501 (A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	130.000	CY
501 (G) 6309	CLSM BACKFILL	13.000	CY
502 (A) 6173	ENGINEERED FALSEWORK	1.000	LSUM
502 (B) 6174	FALSEWORK ENGINEERING SERVICES	1.000	LSUM
509 (B) 1328	CLASS A CONCRETE	309.800	CY
509 (D) 1331	CLASS C CONCRETE	57.200	CY
511 (A) 1332	REINFORCING STEEL	79,270.000	LB
601 (A-1) 1353	TYPE I-A PLAIN RIPRAP	50.000	TON
601 (A-2) 1355	TYPE I-A FILTER BLANKET	10.000	TON
613 (P) 1091	6" PERFORATED PIPE UNDERDRAIN ROUND	194.000	LF
619 (B) 2500	(PL)REMOVAL OF BRIDGE ITEMS	1.000	LSUM
624 (D) 4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	185.000	LF
641 1399	MOBILIZATION	1.000	LSUM
880 (J) M8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 120  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKMULGEE

CONTRACT ID : 030071  
 PCN : 0813909M  
 PROJECTS : BRFY-156C(31)STPY-156C(32)  
 DBE GOALS : 13.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 57.44  
 CALENDAR DAYS : 220  
 RES. ENG.:  
 LIQ. DAM.: \$ 1000

CONTRACT DESCRIPTION:  
 GRADE, DRAIN AND SURFACE(ASPHALT) PROJECT LENGTH = 2.764 KM.  
 FLEXIBLE ESALS = 0.60 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY BRFY-156C(31)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202 (A)	M0183 UNCLASSIFIED EXCAVATION	61,921.000	M3
202 (D)	M0186 SELECT BORROW	11,968.000	M3
208 (A)	M0400 (SP)PLATING ON SAND	9,887.000	M3
210	M0121 OBLITERATING ABANDONED ROAD	0.130	STA
223	M2802 TEMPORARY SILT FENCE	8,383.000	M
225	M2804 TEMPORARY SEDIMENT BASIN	1.000	EA
227	M0100 TEMPORARY SILT DIKE	135.000	M
229	M4318 DITCH LINER PROTECTION	172.000	M
230 (A)	M2806 SOLID SLAB SODDING	63,202.000	M2
232 (B)	M2814 SEEDING METHOD B	5.660	HA
233 (A)	M2817 VEGETATIVE MULCHING	5.660	HA
241	M2832 MOWING	5.660	HA
303	M0192 AGGREGATE BASE	3,897.000	M3
326 (A)	M4200 (SP)FLY ASH	1,143.000	T
326 (E)	M4240 (SP)CEMENTITIOUS STABILIZED SUBGRADE	29,720.000	M2
403 (E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,293.000	T
407	M0250 TACK COAT	36,717.000	L
408	M5774 PRIME COAT	52,092.000	L
411 (S3)	M5945 (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	4,762.000	T
411 (S4)	M5960 (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	17,691.000	T
509 (D)	M0325 CLASS C CONCRETE	22.000	M3
613 (B)	M0405 450MM R.C.PIPE CLASS III	32.300	M
613 (B)	M0413 750MM R.C.PIPE CLASS III	10.360	M
613 (B)	M0419 1200MM R.C.PIPE CLASS III	26.820	M
613 (B)	M0427 1800MM R.C.PIPE CLASS III	27.800	M
613 (M)	M0897 450MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613 (M)	M0899 750MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613 (M)	M0981 1200MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613 (M)	M0985 1800MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613 (P)	M1091 150MM PERFORATED PIPE UNDERDRAIN ROUND	500.000	M
613 (Q)	M1096 150MM NON-PERF.PIPE UNDERDRAIN RND.	100.000	M
619 (A)	M0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619 (B)	M4728 REMOVAL OF ASPHALT PAVEMENT	1,571.000	M2
623 (A)	M0932 BEAM GUARD RAIL-W-BEAM-SINGLE	683.930	M
623 (E)	M7114 THRIE BEAM BRIDGE CONNECTION-TYPE A	8.000	EA
623 (H)	M8571 (SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
629 (A)	M4958 MAILBOX INSTALLATION-SINGLE	2.000	EA

CALL ORDER : 120  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKMULGEE

CONTRACT ID : 030071  
 PCN : 0813909M  
 PROJECTS : BRFY-156C(31)STPY-156C(32)  
 DBE GOALS : 13.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 57.44  
 CALENDAR DAYS : 220  
 RES. ENG.:  
 LIQ. DAM.: \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY BRFY-156C(31)			
629(B) M4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) M4960	MAILBOX	4.000	EA
629(D) M4961	REMOVAL OF MAILBOX INSTALLATION	3.000	EA
640 M1426	FIELD OFFICE	1.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002 I000-ROADWAY STPY-156C(32)			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	31,553.000	M3
202(D) M0186	SELECT BORROW	3,504.000	M3
210 M0121	OBLITERATING ABANDONED ROAD	0.860	STA
223 M2802	TEMPORARY SILT FENCE	3,460.000	M
225 M2804	TEMPORARY SEDIMENT BASIN	1.000	EA
227 M0100	TEMPORARY SILT DIKE	14.000	M
230(A) M2806	SOLID SLAB SODDING	29,129.000	M2
232(B) M2814	SEEDING METHOD B	2.800	HA
233(A) M2817	VEGETATIVE MULCHING	2.800	HA
241 M2832	MOWING	2.800	HA
303 M0192	AGGREGATE BASE	1,625.000	M3
326(A) M4200	(SP)FLY ASH	484.000	T
326(E) M4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	12,579.000	M2
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	539.000	T
407 M0250	TACK COAT	2,558.000	L
408 M5774	PRIME COAT	21,735.000	L
411(S3)M5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1,844.000	T
411(S4)M5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1,367.000	T
613(P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	500.000	M
613(Q) M1096	150MM NON-PERF.PIPE UNDERDRAIN RND.	100.000	M
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	1,942.000	M2
623(A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	527.710	M
623(E) M7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	6.000	EA
623(H) M8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
SECTION NO. 0003 Y008-TRAFFIC CONTROL			
856(A) M8839	CONSTR.TRAFF.STR.(PAINT)(100MM WIDE)	35,400.000	M
880(B) M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	27,000.000	SD
880(B) M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	1,200.000	SD
880(B) M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	4,500.000	SD
880(C) M8842	BARRICEDES(TYPE III)	4,500.000	SD

CALL ORDER : 120  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKMULGEE

CONTRACT ID : 030071  
 PCN : 0813909M  
 PROJECTS : BRFY-156C(31)STPY-156C(32)  
 DBE GOALS : 13.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 57.44  
 CALENDAR DAYS : 220  
 RES. ENG. :  
 LIQ. DAM. : \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0003 Y008-TRAFFIC CONTROL			
880 (C) M8848	WING BARRICADES	1,200.000	SD
880 (E) M8860	WARNING LIGHTS (TYPE A)	12,000.000	SD
SECTION NO. 0004 SIGNING & STRIPING			
850 (A) M8110	SHEET ALUMINUM SIGNS	21.200	M2
851 (C) M8321	44MM SQUARE TUBE POST	254.000	M
851 (C) M8327	57MM SQUARE TUBE POST	17.080	M
855 (A) M8812	TRAFFIC STRIPE (PLASTIC) (100MM WIDE)	8,000.000	M
SECTION NO. 0005 STAK-STAKING BRFY-156C(31)			
642 M0098	STAKING	1.000	LSUM



CALL ORDER : 130  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKMULGEE

CONTRACT ID : 030072  
 PCN : 0813911M  
 PROJECTS : BRFY-156C(33)/STPY-156C(34)  
 DBE GOALS : 3.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 57.44  
 CALENDAR DAYS : 305  
 RES. ENG. :  
 LIQ. DAM.: \$ 1000

CONTRACT DESCRIPTION:  
 BRIDGES AND APPROACHES SH-56; THREE BRIDGES WEST OF  
 OKMULGEE. PROJECT LENGTH = 0.15 KM.

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X081-BRIDGE 'A' STPY-156C(34)		
501 (B) M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501 (F) M6352	GRANULAR BACKFILL	94.000	M3
503 (A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	149.500	M
504 (A) M1304	APPROACH SLAB	152.000	M2
504 (E) M6239	CONCRETE RAIL (TR3)	84.400	M
506 (A) M1322	STRUCTURAL STEEL	70.000	KG
509 (A) M1326	CLASS AA CONCRETE	120.500	M3
509 (B) M1328	CLASS A CONCRETE	45.200	M3
509 (D) M1331	CLASS C CONCRETE	10.800	M3
511 (A) M1332	REINFORCING STEEL	3,035.000	KG
511 (B) M6010	EPOXY COATED REINFORCING STEEL	12,555.000	KG
514 (A) M6011	PILES, FURNISHED (HP 250X62)	297.000	M
514 (B) M6292	PILES, DRIVEN (HP 250X62)	297.000	M
514 (F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515 (A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	315.000	M2
535 M6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
601A-1 M1353	TYPE I-A PLAIN RIPRAP	795.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	145.000	T
613 (P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	26.000	M
613 (Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	10.000	M
SECTION NO. 0002	X020-BRIDGE 'B' BRFY-156C(33)		
501 (B) M1307	SUBSTRUCTURE EXCAVATION COMMON	70.000	M3
501 (F) M6352	GRANULAR BACKFILL	46.000	M3
504 (A) M1304	APPROACH SLAB	152.000	M2
504 (E) M6239	CONCRETE RAIL (TR3)	84.000	M
509 (A) M1326	CLASS AA CONCRETE	196.700	M3
509 (B) M1328	CLASS A CONCRETE	42.700	M3
509 (D) M1331	CLASS C CONCRETE	12.000	M3
511 (A) M1332	REINFORCING STEEL	2,870.000	KG
511 (B) M6010	EPOXY COATED REINFORCING STEEL	38,190.000	KG
514 (A) M6013	PILES, FURNISHED (HP 310X79)	557.900	M
514 (B) M6294	PILES, DRIVEN (HP 310X79)	557.900	M
514 (F) M6354	PILE LOAD TEST (DYNAMIC)	28.000	EA
515 (A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	187.000	M2
601A-1 M1353	TYPE I-A PLAIN RIPRAP	900.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	140.000	T

CALL ORDER : 130  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKMULGEE

CONTRACT ID : 030072  
 PCN : 0813911M  
 PROJECTS : BRFY-156C(33)/STPY-156C(34)  
 DBE GOALS : 3.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 57.44  
 CALENDAR DAYS : 305  
 RES. ENG. :  
 LIQ. DAM. : \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0002 X020-BRIDGE 'B' BRFY-156C(33)			
613 (P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	13.000	M
613 (Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	8.200	M
619 (D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640 M1398	FIELD OFFICE	1.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0003 X081-BRIDGE 'C' BRFY-156C(33)			
501 (B) M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501 (F) M6352	GRANULAR BACKFILL	94.000	M3
503 (A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	448.500	M
504 (A) M1304	APPROACH SLAB	158.400	M2
504 (E) M6239	CONCRETE RAIL (TR3)	205.450	M
506 (A) M1322	STRUCTURAL STEEL	485.000	KG
509 (A) M1326	CLASS AA CONCRETE	284.000	M3
509 (B) M1328	CLASS A CONCRETE	126.800	M3
509 (D) M1331	CLASS C CONCRETE	10.800	M3
511 (A) M1332	REINFORCING STEEL	4,235.000	KG
511 (B) M6010	EPOXY COATED REINFORCING STEEL	41,610.000	KG
514 (A) M6011	PILES, FURNISHED (HP 250X62)	399.600	M
514 (B) M6292	PILES, DRIVEN (HP 250X62)	399.600	M
514 (F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515 (A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	894.000	M2
516 (A) M6096	DRILLED SHAFTS 1500MM DIAMETER	72.000	M
535 M6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
535 M6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
535 M6282	(PL)ELASTOMERIC BEARING PADS	20.000	EA
601B-1 M1359	TYPE II-A SP. PLAIN RIPRAP	1,660.000	T
601B-2 M1361	TYPE II-A FILTER BLANKET	242.200	T
613 (P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	25.600	M
613 (Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	14.800	M
619 (D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0004 STAK-STAKING BRFY-156C(33)			
642 M0098	STAKING	1.000	LSUM

CALL ORDER : 140  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 BRFY-156C(31)(33)/STPY-156C(32)  
 COUNTIES : OKMULGEE

CONTRACT ID : 030073  
 PCN : 0813909C

PROJECTS :

DBE GOALS : 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 57.44  
 CALENDAR DAYS : 325  
 RES. ENG.:  
 LIQ. DAM.: \$ 1000

CONTRACT DESCRIPTION:  
 GRADE, DRAIN, BRIDGE AND SURFACE(ASPHALT) SH-56; BEGIN  
 APPROX. 3.219 KM. WEST OF OKMULGEE CITY LIMITS. PROJECT  
 LENGTH = 2.914 KM. FLEXIBLE ESALS = 0.60 MILLION ASPHALT  
 GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY BRFY-156C(31)		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	M0183 UNCLASSIFIED EXCAVATION	61,921.000	M3
202(D)	M0186 SELECT BORROW	11,968.000	M3
208(A)	M0400 (SP)PLATING ON SAND	9,887.000	M3
210	M0121 OBLITERATING ABANDONED ROAD	0.130	STA
223	M2802 TEMPORARY SILT FENCE	8,383.000	M
225	M2804 TEMPORARY SEDIMENT BASIN	1.000	EA
227	M0100 TEMPORARY SILT DIKE	135.000	M
229	M4318 DITCH LINER PROTECTION	172.000	M
230(A)	M2806 SOLID SLAB SODDING	63,202.000	M2
232(B)	M2814 SEEDING METHOD B	5.660	HA
233(A)	M2817 VEGETATIVE MULCHING	5.660	HA
241	M2832 MOWING	5.660	HA
303	M0192 AGGREGATE BASE	3,897.000	M3
326(A)	M4200 (SP)FLY ASH	1,143.000	T
326(E)	M4240 (SP)CEMENTITIOUS STABILIZED SUBGRADE	29,720.000	M2
403(E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	1,293.000	T
407	M0250 TACK COAT	36,717.000	L
408	M5774 PRIME COAT	52,092.000	L
411(S3)	M5945 (SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	4,762.000	T
411(S4)	M5960 (SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	17,691.000	T
509(D)	M0325 CLASS C CONCRETE	22.000	M3
613(B)	M0405 450MM R.C.PIPE CLASS III	32.300	M
613(B)	M0413 750MM R.C.PIPE CLASS III	10.360	M
613(B)	M0419 1200MM R.C.PIPE CLASS III	26.820	M
613(B)	M0427 1800MM R.C.PIPE CLASS III	27.800	M
613(M)	M0897 450MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	M0899 750MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M)	M0981 1200MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613(M)	M0985 1800MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(P)	M1091 150MM PERFORATED PIPE UNDERDRAIN ROUND	500.000	M
613(Q)	M1096 150MM NON-PERF.PIPE UNDERDRAIN RND.	100.000	M
619(A)	M0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	M4728 REMOVAL OF ASPHALT PAVEMENT	1,571.000	M2
623(A)	M0932 BEAM GUARD RAIL-W-BEAM-SINGLE	683.930	M
623(E)	M7114 THRIE BEAM BRIDGE CONNECTION-TYPE A	8.000	EA

CALL ORDER : 140  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 BRFY-156C(31) (33)/STPY-156C(32)  
 COUNTIES : OKMULGEE

CONTRACT ID : 030073  
 PCN : 0813909C

PROJECTS :

DBE GOALS : 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 57.44  
 CALENDAR DAYS : 325  
 RES. ENG.:  
 LIQ. DAM.: \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY BRFY-156C(31)			
623(H) M8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
629(A) M4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(B) M4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) M4960	MAILBOX	4.000	EA
629(D) M4961	REMOVAL OF MAILBOX INSTALLATION	3.000	EA
640 M1426	FIELD OFFICE	1.000	EA
641 M1552	MOBILIZATION	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM
SECTION NO. 0002 I000-ROADWAY STPY-156C(32)			
201 M0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) M0183	UNCLASSIFIED EXCAVATION	31,553.000	M3
202(D) M0186	SELECT BORROW	3,504.000	M3
210 M0121	OBLITERATING ABANDONED ROAD	0.860	STA
223 M2802	TEMPORARY SILT FENCE	3,460.000	M
225 M2804	TEMPORARY SEDIMENT BASIN	1.000	EA
227 M0100	TEMPORARY SILT DIKE	14.000	M
230(A) M2806	SOLID SLAB SODDING	29,129.000	M2
232(B) M2814	SEEDING METHOD B	2.800	HA
233(A) M2817	VEGETATIVE MULCHING	2.800	HA
241 M2832	MOWING	2.800	HA
303 M0192	AGGREGATE BASE	1,625.000	M3
326(A) M4200	(SP)FLY ASH	484.000	T
326(E) M4240	(SP)CEMENTITIOUS STABILIZED SUBGRADE	12,579.000	M2
403(E) M0225	TRAFFIC BOUND SURFACE COURSE TYPE E	539.000	T
407 M0250	TACK COAT	2,558.000	L
408 M5774	PRIME COAT	21,735.000	L
411(S3)M5945	(SP)ASPH.CONC.,TYPE S3(PG 64-22 OK)	1,844.000	T
411(S4)M5960	(SP)ASPH.CONC.,TYPE S4(PG 64-22 OK)	1,367.000	T
613(P) M1091	150MM PERFORATED PIPE UNDERDRAIN ROUND	500.000	M
613(Q) M1096	150MM NON-PERF.PIPE UNDERDRAIN RND.	100.000	M
619(A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) M4728	REMOVAL OF ASPHALT PAVEMENT	1,942.000	M2
623(A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	527.710	M
623(E) M7114	THRIE BEAM BRIDGE CONNECTION-TYPE A	6.000	EA
623(H) M8571	(SP)G.E.T. GUARD RAIL END SECTION	8.000	EA
SECTION NO. 0003 X081-BRIDGE 'A' STPY-156C(34)			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501(F) M6352	GRANULAR BACKFILL	94.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	149.500	M

CALL ORDER : 140  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 BRFY-156C(31)(33)/STPY-156C(32)  
 COUNTIES : OKMULGEE

CONTRACT ID : 030073  
 PCN : 0813909C

PROJECTS :

DBE GOALS : 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 57.44  
 CALENDAR DAYS : 325  
 RES. ENG.:  
 LIQ. DAM.: \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0003 X081-BRIDGE 'A' STPY-156C(34)			
504(A) M1304	APPROACH SLAB	152.000	M2
504(E) M6239	CONCRETE RAIL (TR3)	84.400	M
506(A) M1322	STRUCTURAL STEEL	70.000	KG
509(A) M1326	CLASS AA CONCRETE	120.500	M3
509(B) M1328	CLASS A CONCRETE	45.200	M3
509(D) M1331	CLASS C CONCRETE	10.800	M3
511(A) M1332	REINFORCING STEEL	3,035.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	12,555.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	297.000	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	297.000	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	315.000	M2
535 M6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
601A-1 M1353	TYPE I-A PLAIN RIPRAP	795.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	145.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	26.000	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	10.000	M
SECTION NO. 0004 X020-BRIDGE 'B' BRFY-156C(33)			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	70.000	M3
501(F) M6352	GRANULAR BACKFILL	46.000	M3
504(A) M1304	APPROACH SLAB	152.000	M2
504(E) M6239	CONCRETE RAIL (TR3)	84.000	M
509(A) M1326	CLASS AA CONCRETE	196.700	M3
509(B) M1328	CLASS A CONCRETE	42.700	M3
509(D) M1331	CLASS C CONCRETE	12.000	M3
511(A) M1332	REINFORCING STEEL	2,870.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	38,190.000	KG
514(A) M6013	PILES, FURNISHED (HP 310X79)	557.900	M
514(B) M6294	PILES, DRIVEN (HP 310X79)	557.900	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	28.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	187.000	M2
601A-1 M1353	TYPE I-A PLAIN RIPRAP	900.000	T
601A-2 M1355	TYPE I-A FILTER BLANKET	140.000	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	13.000	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	8.200	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
640 M1398	FIELD OFFICE	1.000	EA
641 M1399	MOBILIZATION	1.000	LSUM
643 M0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

CALL ORDER : 140  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 BRFY-156C(31)(33)/STPY-156C(32)  
 COUNTIES : OKMULGEE

CONTRACT ID : 030073  
 PCN : 0813909C

PROJECTS :

DBE GOALS : 10.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 57.44  
 CALENDAR DAYS : 325  
 RES. ENG.:  
 LIQ. DAM.: \$ 1000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0005 X081-BRIDGE 'C' BRFY-156C(33)			
501(B) M1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	M3
501(F) M6352	GRANULAR BACKFILL	94.000	M3
503(A) M1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	448.500	M
504(A) M1304	APPROACH SLAB	158.400	M2
504(E) M6239	CONCRETE RAIL (TR3)	205.450	M
506(A) M1322	STRUCTURAL STEEL	485.000	KG
509(A) M1326	CLASS AA CONCRETE	284.000	M3
509(B) M1328	CLASS A CONCRETE	126.800	M3
509(D) M1331	CLASS C CONCRETE	10.800	M3
511(A) M1332	REINFORCING STEEL	4,235.000	KG
511(B) M6010	EPOXY COATED REINFORCING STEEL	41,610.000	KG
514(A) M6011	PILES, FURNISHED (HP 250X62)	399.600	M
514(B) M6292	PILES, DRIVEN (HP 250X62)	399.600	M
514(F) M6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515(A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	894.000	M2
516(A) M6096	DRILLED SHAFTS 1500MM DIAMETER	72.000	M
535 M6164	(PL)FIXED BEARING ASSEMBLY	10.000	EA
535 M6165	(PL)EXPANSION BEARING ASSEMBLY	20.000	EA
535 M6282	(PL)ELASTOMERIC BEARING PADS	20.000	EA
601B-1 M1359	TYPE II-A SP. PLAIN RIPRAP	1,660.000	T
601B-2 M1361	TYPE II-A FILTER BLANKET	242.200	T
613(P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	25.600	M
613(Q) M6207	150MM NON-PERF.PIPE UNDERDRAIN RND.	14.800	M
619(D) M1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
SECTION NO. 0006 Y008-TRAFFIC CONTROL			
856(A) M8839	CONSTR.TRAFF.STR. (PAINT) (100MM WIDE)	35,400.000	M
880(B) M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	27,000.000	SD
880(B) M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	1,200.000	SD
880(B) M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	4,500.000	SD
880(C) M8842	BARRICEDES(TYPE III)	4,500.000	SD
880(C) M8848	WING BARRICADES	1,200.000	SD
880(E) M8860	WARNING LIGHTS(TYPE A)	12,000.000	SD
SECTION NO. 0007 SIGNING & STRIPING			
850(A) M8110	SHEET ALUMINUM SIGNS	21.200	M2
851(C) M8321	44MM SQUARE TUBE POST	254.000	M
851(C) M8327	57MM SQUARE TUBE POST	17.080	M
855(A) M8812	TRAFFIC STRIPE(PLASTIC) (100MM WIDE)	8,000.000	M
SECTION NO. 0008 STAK-STAKING BRFY-156C(31)			
642 M0098	STAKING	1.000	LSUM
SECTION NO. 0009 STAK-STAKING BRFY-156C(33)			
642 M0098	STAKING	1.000	LSUM

CALL ORDER : 150  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 NHY-NBIP(167)/NHY-14N(23)/BRFY  
 COUNTIES : OKMULGEE

CONTRACT ID : 030074  
 PCN : 1798704M

PROJECTS :

DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 9.76  
 CALENDAR DAYS : 90  
 RES. ENG.:  
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:  
 BRIDGE PAINTING/JOINT SEAL US-62; OVER COAL CREEK, 0.8 MILE  
 NORTH OF JCT. I-40 IN HENRYETTA/ SH-16; OVER TIGER CREEK  
 APPROX. 3.0 MILES EAST OF THE OKMULGEE/CREEK COUNTY LINE.  
 PROJECT LENGTH = 0.00 MILE FLEXIBLE ESALS = N/A ASPHALT  
 GRADE = PG 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY NHY-14N(23)			
209	0120 MACHINE GRADING	24.000	STA
230 (A)	2806 SOLID SLAB SODDING	207.000	SY
407	0250 TACK COAT	270.000	GAL
408	5774 PRIME COAT	526.000	GAL
411 (S2)	5920 (SP)ASPH.CONC.,TYPE S2(PG 76-28 OK)	625.000	TON
411 (S3)	5935 (SP)ASPH.CONC.,TYPE S3(PG 76-28 OK)	356.000	TON
411 (S4)	5950 (SP)ASPH.CONC.,TYPE S4(PG 76-28 OK)	515.000	TON
414 (B)	5913 H.E.S. CONCRETE (FULL DEPTH PATCHING)	80.000	SY
619 (B)	4727 REMOVAL OF CONCRETE PAVEMENT	80.000	SY
619 (B)	4728 REMOVAL OF ASPHALT PAVEMENT	2,003.000	SY
619 (B)	4780 REMOVAL OF GUARD RAIL	1,387.500	LF
623 (A)	0932 BEAM GUARD RAIL-W-BEAM-SINGLE	1,450.000	LF
623 (E)	7113 BEAM GUARD RAIL-THRIE-BEAM TRANS. SECT.	6.000	EA
623 (F)	4446 GUARD RAIL ANCHOR UNIT (TYPE A)	2.000	EA
623 (H)	8571 (SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
SECTION NO. 0002 MAIN-BRIDGE 'A' NHY-NBIP(167)			
512 (A)	1323 PAINTING EXISTING STRUCTURES	1.000	LSUM
512 (B)	6303 COLLECTION & HANDLING OF WASTE	1.000	LSUM
641	1399 MOBILIZATION	1.000	LSUM
880 (J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003 MAIN-BRIDGE 'B' NHY-NBIP(167)			
512 (A)	1323 PAINTING EXISTING STRUCTURES	1.000	LSUM
512 (B)	6303 COLLECTION & HANDLING OF WASTE	1.000	LSUM
SECTION NO. 0004 MAIN-BRIDGE 'A' NHY-14N(23)			
504 (A)	1304 APPROACH SLAB	326.500	SY
504 (F)	1381 CONCRETE PARAPET	40.000	LF
504 (H)	6390 RAPID CURE JOINT SEALANT	340.000	LF
504 (I)	6389 ELASTOMERIC MORTAR	3.700	CF
506 (A)	1322 STRUCTURAL STEEL	1,390.000	LB

CALL ORDER : 150  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 NHY-NBIP(167)/NHY-14N(23)/BRFY  
 COUNTIES : OKMULGEE

CONTRACT ID : 030074  
 PCN : 1798704M

PROJECTS :

DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 9.76  
 CALENDAR DAYS : 90  
 RES. ENG.:  
 LIQ. DAM.: \$ 500

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0004 MAIN-BRIDGE 'A' NHY-14N(23)			
619(B) 2510	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2520	(PL)REMOVAL OF BRIDGE ITEM (TYPE B)	1.000	LSUM
SECTION NO. 0005 MAIN-BRIDGE 'B' NHY-14N(23)			
504(A) 1304	APPROACH SLAB	321.900	SY
504(F) 1381	CONCRETE PARAPET	40.000	LF
504(H) 6390	RAPID CURE JOINT SEALANT	320.000	LF
504(I) 6389	ELASTOMERIC MORTAR	2.500	CF
506(A) 1322	STRUCTURAL STEEL	1,390.000	LB
619(B) 2510	(PL)REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2520	(PL)REMOVAL OF BRIDGE ITEM (TYPE B)	1.000	LSUM
SECTION NO. 0006 MAIN-BRIDGE PAINTING BRFY-NBIP(224)			
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION & HANDLING OF WASTE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0007 Y008-TRAFFIC NHY-14N(23)			
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	300.000	LF
876(C) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM



CALL ORDER : 170  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : ROGERS

CONTRACT ID : 030076  
 PCN : 0948704  
 PROJECTS : NHY-30N(008)  
 DBE GOALS : 9.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 97.54  
 CALENDAR DAYS : 375  
 RES. ENG.:  
 LIQ. DAM.: \$ 2000

## CONTRACT DESCRIPTION:

GRADE, DRAIN, BRIDGE AND SURFACE (ASPHALT) US-169; BEGIN  
 JUST NORTH OF OOLOGAH AND EXTEND NORTH THRU TALALA. PROJECT  
 LENGTH = 8.177 KM. FLEXIBLE ESALS = 13.8 MILLION ASPHALT  
 GRADE = PG 64-22 OK, PG 76-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
201	M0102 CLEARING AND GRUBBING	1.000	LSUM
202 (A)	M0183 UNCLASSIFIED EXCAVATION	307,292.000	M3
202 (C)	M0184 UNCLASSIFIED BORROW	25,036.000	M3
205	M4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210	M0121 OBLITERATING ABANDONED ROAD	0.350	STA
223	M2802 TEMPORARY SILT FENCE	3,732.000	M
224	M2803 TEMPORARY SEDIMENT FILTER	67.000	EA
226	M2805 TEMPORARY SEDIMENT REMOVAL	750.000	M3
227	M0100 TEMPORARY SILT DIKE	326.000	M
230 (A)	M2806 SOLID SLAB SODDING	32,433.000	M2
230 (B)	M2807 MULCH SODDING	362,114.000	M2
232 (B)	M2814 SEEDING METHOD B	8.000	HA
233 (A)	M2817 VEGETATIVE MULCHING	74.000	HA
241	M2832 MOWING	133.000	HA
303	M0192 AGGREGATE BASE	30,878.000	M3
317 (B)	M4254 SUBGRADE MODIFICATION	208,926.000	M2
317 (C)	M4253 LIME	6,453.000	T
319	M5190 OPEN GRADED BITUMINOUS BASE	9,886.000	T
325	M5271 SEPARATOR FABRIC	18,659.000	M2
403 (E)	M0225 TRAFFIC BOUND SURFACE COURSE TYPE E	49,624.000	T
407	M0250 TACK COAT	256,399.000	L
408	M5774 PRIME COAT	362,548.000	L
411 (S2)	M5930 (SP) ASPH. CONC., TYPE S2 (PG 64-22 OK)	69,081.000	T
411 (S3)	M5935 (SP) ASPH. CONC., TYPE S3 (PG 76-28 OK)	33,560.000	T
411 (S4)	M5950 (SP) ASPH. CONC., TYPE S4 (PG 76-28 OK)	24,781.000	T
413 (A)	M4861 RUMBLE STRIP-METHOD AC-CON	26,162.000	M
501 (A)	M0313 STRUCTURAL EXCAVATION UNCLASSIFIED	206.000	M3
509 (B)	M0321 CLASS A CONCRETE	243.000	M3
509 (C)	M0322 CLASS A CONCRETE FOR SMALL STRUCTURES	89.000	M3
509 (D)	M0325 CLASS C CONCRETE	81.000	M3
511 (A)	M0332 REINFORCING STEEL	40,200.000	KG
601A-1	M0536 TYPE I-A PLAIN RIPRAP	3,241.000	T
601A-2	M0538 TYPE I-A FILTER BLANKET	1,080.000	T
609 (B)	M1524 800MM COMB. CRB. & GUT. (150MM MNTBLE)	2,799.000	M
611 (E)	5327 INLET GPI TYPE 1 (DES. 1)	1.000	EA
611 (E)	M5738 INLET CDI 750MM RCP (30SK)	1.000	EA

CALL ORDER : 170  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : ROGERS

CONTRACT ID : 030076  
 PCN : 0948704  
 PROJECTS : NHY-30N(008)  
 DBE GOALS : 9.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 97.54  
 CALENDAR DAYS : 375  
 RES. ENG.:  
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
611 (E) M6002	INLET (SMD-TYPE 2)	65.000	EA
611 (E) M6004	INLET (SMD-TYPE 2A)	1.000	EA
611 (E) M6006	INLET (SMD-TYPE 2B)	1.000	EA
611 (N) M3610	WELDED STEEL GRATE (900MM SQ.)	32.000	EA
613 (B) M0405	450MM R.C.PIPE CLASS III	1,702.000	M
613 (B) M0409	600MM R.C.PIPE CLASS III	62.000	M
613 (B) M0413	750MM R.C.PIPE CLASS III	144.000	M
613 (B) M0415	900MM R.C.PIPE CLASS III	162.000	M
613 (B) M0419	1200MM R.C.PIPE CLASS III	113.000	M
613 (B) M0421	1350MM R.C.PIPE CLASS III	34.000	M
613 (B) M4411	725MM X 460MM R.C.PIPE ARCH CLASS A-III	252.000	M
613 (CC)M7186	TYPE A4 CULVERT END TREATMENT	26.000	EA
613 (CC)M7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613 (CC)M7188	TYPE C4 CULVERT END TREATMENT	3.000	EA
613 (CC)M7192	TYPE BB4 CULVERT END TREATMENT	1.000	EA
613 (CC)M7193	TYPE CC4 CULVERT END TREATMENT	1.000	EA
613 (CC)M7196	TYPE A6 CULVERT END TREATMENT	8.000	EA
613 (CC)M7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613 (CC)M7198	TYPE C6 CULVERT END TREATMENT	3.000	EA
613 (CC)M7202	TYPE BB6 CULVERT END TREATMENT	1.000	EA
613 (CC)M7203	TYPE CC6 CULVERT END TREATMENT	1.000	EA
613 (D) M0689	450MM CORR. GALV. STEEL PIPE	299.000	M
613 (D) M0690	600MM CORR. GALV. STEEL PIPE	61.000	M
613 (D) M0691	750MM CORR. GALV. STEEL PIPE	109.000	M
613 (M) M0897	450MM PREFAB. CULVERT END SEC., ROUND	73.000	EA
613 (M) M0898	600MM PREFAB. CULVERT END SEC., ROUND	1.000	EA
613 (M) M0899	750MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613 (M) M0900	900MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613 (M) M0981	1200MM PREFAB. CULVERT END SEC., ROUND	4.000	EA
613 (M) M0982	1350MM PREFAB. CULVERT END SEC., ROUND	2.000	EA
613 (M) M4518	725MM X 460MM PREFAB.CULV.END SEC., ARCH	1.000	EA
613 (MM)M7502	TYPE C4 SLOPED CONCRETE END SECTION	16.000	EA
613 (MM)M7503	TYPE D4 SLOPED CONCRETE END SECTION	2.000	EA
613 (MM)M7523	TYPE D6 SLOPED CONCRETE END SECTOPM	2.000	EA
619 (A) M0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619 (B) M4728	REMOVAL OF ASPHALT PAVEMENT	42,080.000	M2
623 (A) M0932	BEAM GUARD RAIL-W-BEAM-SINGLE	373.000	M
623 (E) M7113	BEAM GUARD RAIL-THRIE-BEAM TRANS. SECT.	4.000	EA
623 (H) M8571	(SP)G.E.T. GUARD RAIL END SECTION	4.000	EA
624 (C) M4459	(SP)FENCE-STYLE SWF (5 BARBED WIRE)	3,740.000	M
629 (A) M4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629 (C) M4960	MAILBOX	2.000	EA
640 M1398	FIELD OFFICE	1.000	EA

CALL ORDER : 170  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : ROGERS

CONTRACT ID : 030076  
 PCN : 0948704  
 PROJECTS : NHY-30N(008)  
 DBE GOALS : 9.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 97.54  
 CALENDAR DAYS : 375  
 RES. ENG.:  
 LIQ. DAM.: \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY			
641	M1399 MOBILIZATION	1.000	LSUM
643	M0087 (SP) CONTRACTORS QUALITY CONTROL	1.000	LSUM
653 (A)	M5915 EDGE DRAIN CONDUIT-PERFORATED	3,862.000	M
653 (B)	M5916 EDGE DRAIN OUTLET LATERAL-NONPERFORATED	232.000	M
653 (C)	M5946 OUTLET LATERAL HEADWALL	58.000	EA
SECTION NO. 0002 X081-BRIDGE 'A			
501 (B)	M1307 SUBSTRUCTURE EXCAVATION COMMON	576.000	M3
501 (C)	M1308 SUBSTRUCTURE EXCAVATION ROCK	86.000	M3
501 (D)	M6353 UNCLASSIFIED BACKFILL	336.000	M3
501 (G)	M6309 CLSM BACKFILL	29.000	M3
503 (A)	M1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	198.000	M
504 (A)	M1304 APPROACH SLAB	228.000	M2
504 (C)	M6276 (PL) SEALED EXPANSION JOINTS	23.000	M
504 (F)	M6190 1067MM F-SHAPED PARAPET	141.000	M
506 (A)	M1322 STRUCTURAL STEEL	2,934.000	KG
509 (A)	M1326 CLASS AA CONCRETE	136.900	M3
509 (B)	M1328 CLASS A CONCRETE	158.300	M3
511 (A)	M1332 REINFORCING STEEL	14,720.000	KG
511 (B)	M6010 EPOXY COATED REINFORCING STEEL	38,805.000	KG
515 (A)	M6013 WATER REPELLENT (VISUALLY INSPECTED)	666.000	M2
516 (A)	M6089 DRILLED SHAFTS 450MM DIAMETER	21.000	M
601B-1	M1359 TYPE II-A SP. PLAIN RIPRAP	470.000	T
601B-2	M1361 TYPE II-A FILTER BLANKET	100.000	T
613 (P)	M6204 150MM PERFORATED PIPE UNDERDRAIN ROUND	24.000	M
613 (Q)	M6207 150MM NON-PERF. PIPE UNDERDRAIN RND.	38.000	M
613 (R)	M1100 PIPE UNDERDRAIN COVER MAT'L.	74.000	M3
SECTION NO. 0003 X081-BRIDGE 'B'			
210	M0121 OBLITERATING ABANDONED ROAD	576.000	STA
501 (C)	M1308 SUBSTRUCTURE EXCAVATION ROCK	86.000	M3
501 (D)	M6353 UNCLASSIFIED BACKFILL	323.000	M3
501 (G)	M6309 CLSM BACKFILL	29.000	M3
503 (A)	M1312 PRESTRESSED CONCRETE BEAMS (TYPE III)	198.000	M
504 (A)	M1304 APPROACH SLAB	228.000	M2
504 (C)	M6276 (PL) SEALED EXPANSION JOINTS	23.000	M
504 (F)	M6190 1067MM F-SHAPED PARAPET	141.000	M
506 (A)	M1322 STRUCTURAL STEEL	2,934.000	KG
509 (A)	M1326 CLASS AA CONCRETE	136.900	M3
509 (B)	M1328 CLASS A CONCRETE	157.600	M3
511 (A)	M1332 REINFORCING STEEL	14,720.000	KG

CALL ORDER : 170  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : ROGERS

CONTRACT ID : 030076  
 PCN : 0948704  
 PROJECTS : NHY-30N(008)  
 DBE GOALS : 9.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 97.54  
 CALENDAR DAYS : 375  
 RES. ENG. :  
 LIQ. DAM. : \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0003 X081-BRIDGE 'B'			
511 (B) M6010	EPOXY COATED REINFORCING STEEL	38,805.000	KG
515 (A) M6013	WATER REPELLENT (VISUALLY INSPECTED)	666.000	M2
516 (A) M6089	DRILLED SHAFTS 450MM DIAMETER	21.000	M
601B-1 M1359	TYPE II-A SP. PLAIN RIPRAP	470.000	T
601B-2 M1361	TYPE II-A FILTER BLANKET	100.000	T
613 (P) M6204	150MM PERFORATED PIPE UNDERDRAIN ROUND	24.000	M
613 (Q) M6207	150MM NON-PERF. PIPE UNDERDRAIN RND.	20.000	M
613 (R) M1100	PIPE UNDERDRAIN COVER MAT'L.	74.000	M3
SECTION NO. 0004 X028-BRIDGE 'C'			
501 (A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	6,400.000	M3
509 (B) M1328	CLASS A CONCRETE	822.800	M3
511 (A) M1332	REINFORCING STEEL	98,368.000	KG
SECTION NO. 0005 X028-BRIDGE 'D'			
501 (A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	6,520.000	M3
509 (B) M1328	CLASS A CONCRETE	893.400	M3
511 (A) M1332	REINFORCING STEEL	104,435.000	KG
SECTION NO. 0006 X028-BRIDGE 'E'			
501 (A) M1306	STRUCTURAL EXCAVATION UNCLASSIFIED	12,740.000	M3
509 (B) M1328	CLASS A CONCRETE	1,703.900	M3
511 (A) M1332	REINFORCING STEEL	193,613.000	KG
SECTION NO. 0007 Y000-TRAFFIC ITEMS			
627 (E) M4314	PRECAST CONC. MEDIAN BARRIER, PORT. TYPE	308.000	M
627 (G) M4316	RELOC. PORT. TYPE PRECAST CONC. MEDIAN BARR	171.000	M
627 (H) M5856	DEL. PORT. TYPE PREC. CONCRETE MEDIAN BARR	308.000	M
850 (A) M8110	SHEET ALUMINUM SIGNS	98.340	M2
851 (C) M8324	50MM SQUARE TUBE POST	82.590	M
851 (C) M8327	57MM SQUARE TUBE POST	163.720	M
853 M9024	DELINEATORS (TYPE 1, CODE 1)	22.000	EA
853 M9039	DELINEATORS (TYPE 2, CODE 3)	18.000	EA
855 (A) M8812	TRAFFIC STRIPE (PLASTIC) (100MM WIDE)	48,240.000	M
855 (B) 8818	TRAFFIC STRIPE (PLASTIC) (ARROWS)	16.000	EA
855 (B) 8821	TRAFFIC STRIPE (PLASTIC) (WORDS)	8.000	EA
855 (B) 8824	TRAFFIC STRIPE (PLASTIC) (SYMBOLS)	8.000	EA
856 (A) M8839	CONSTR. TRAFF. STR. (PAINT) (100MM WIDE)	30,632.000	M
859 (A) M8006	PAVEMENT MRKNG. REMOVAL (TRAF. STRP)	30,632.000	M

CALL ORDER : 170  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : ROGERS

CONTRACT ID : 030076  
 PCN : 0948704  
 PROJECTS : NHY-30N(008)  
 DBE GOALS : 9.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 97.54  
 CALENDAR DAYS : 375  
 RES. ENG. :  
 LIQ. DAM. : \$ 2000

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0007 Y000-TRAFFIC ITEMS			
870 (A) 8485	SAND FILLED IMPACT ATTEN.MODULE	1,282.000	SD
880 (B) M8818	CONSTRUCTION SIGNS 0 TO 0.59 M2	18,960.000	SD
880 (B) M8821	CONSTRUCTION SIGNS 0.60 M2 TO 1.47 M2	25,248.000	SD
880 (B) M8824	CONSTRUCTION SIGNS 1.48 M2 TO 3.06 M2	7,440.000	SD
880 (C) M8848	WING BARRICADES	1,440.000	SD
880 (E) 8860	WARNING LIGHTS (TYPE A)	34,320.000	SD
880 (E) M8872	WARNING LIGHTS (TYPE C)	71,385.000	SD
880 (F) M8878	DRUMS	71,385.000	SD
880 (J) 8021	BARRICADES (TYPE III)	13,440.000	SD
SECTION NO. 0008 STAK-STAKING			
642 M0098	STAKING	1.000	LSUM

CALL ORDER : 200  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : WASHITA

CONTRACT ID : 030053  
 PCN : 1606341  
 PROJECTS : NHY-9N(78)RW  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 30  
 RES. ENG. :  
 LIQ. DAM. : \$ 200

CONTRACT DESCRIPTION:  
 RIGHT-OF-WAY CLEARANCE US-183; 112 NORTH MAIN STREET IN  
 ROCKY. PROJECT LENGTH = 0.00 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	ROWA-ROADWAY		
643 0094	(PL)RIGHT-OF-WAY CLEARANCE	1.000	LSUM

CALL ORDER : 220  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BLAINE

CONTRACT ID : 030080  
 PCN : 2041004  
 PROJECTS : MC-106C(46) PT. 1  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 15  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT) SH-8; BEGIN 2.35 MILES NORTH OF JCT.  
 US-270, EXTEND NORTH. PROJECT LENGTH = 8.0 MILES FLEXIBLE  
 ESALS = 3.02 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-106C(46) PT. 1		
411(S5) 5975	(SP)ASPH.CONC.,TYPE S5(PG 64-22 OK)	14,421.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 230  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BLAINE

CONTRACT ID : 030081  
 PCN : 2041005  
 PROJECTS : MC-106C(46) PT. 2  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 15  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT) SH-8; BEGIN 10.35 MILES NORTH OF JCT.  
 US-270, EXTEND NORTH. PROJECT LENGTH = 8.0 MILES FLEXIBLE  
 ESALS = 3.02 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC106C(46) PT. 2		
411(S5) 5975	(SP)ASPH.CONC.,TYPE S5(PG 64-22 OK)	16,856.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM



CALL ORDER : 240  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BLAINE

CONTRACT ID : 030082  
 PCN : 2041006  
 PROJECTS : MC-106C(46) PT. 3  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 15  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

## CONTRACT DESCRIPTION:

RESURFACE(ASPHALT) SH-8; BEGIN 18.35 MILES NORTH OF JCT.  
 US-270, EXTEND NORTH. PROJECT LENGTH = 5.72 MILES FLEXIBLE  
 ESALS = 3.02 MILLION ASPHALT GRADE = PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-106C(46) PT. 3		
411(S5) 5965	(SP)ASPH.CONC.,TYPE S5(PG 76-28 OK)	17,808.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	19,731.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 250  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BLAINE

CONTRACT ID : 030083  
 PCN : 2041004C  
 PROJECTS : MC-106C(46) PT. 1, 2 & 3  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 60  
 RES. ENG.:  
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT) SH-8; BEGIN 2.35 MILES NORTH OF JCT.  
 US-270, EXTEND NORTH. PROJECT LENGTH = 21.72 MILES FLEXIBLE  
 ESALS = 3.02 MILLION ASPHALT GRADE = PG 64-22 OK, PG 70-28  
 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-106C(46) PT. 1		
411(S5) 5975	(SP)ASPH.CONC.,TYPE S5(PG 64-22 OK)	14,421.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY MC-106C(46) PT. 2		
411(S5) 5975	(SP)ASPH.CONC.,TYPE S5(PG 64-22 OK)	16,856.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0003	I000-ROADWAY MC-106C(46) PT. 3		
411(S5) 5965	(SP)ASPH.CONC.,TYPE S5(PG 76-28 OK)	17,808.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	19,731.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 255  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CADD0

CONTRACT ID : 030020  
 PCN : 2037104  
 PROJECTS : MC-108C(92) PT.1  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 30  
 RES. ENG.:  
 LIQ. DAM.: \$ 500

## CONTRACT DESCRIPTION:

RESURFACE(ASPHALT) SH-152; BEGIN AT WASHITA COUNTY LINE,  
 EXTEND EAST. PROJECT LENGTH = 8.0 MILES FLEXIBLE ESALS = 1.  
 0 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202 (C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411 (S4) 6310	(SP)ASPH.CONC.,TYPE S4 (PATCH) (PG64-22OK)	200.000	TON
411 (S5) 5975	(SP)ASPH.CONC.,TYPE S5 (PG 64-22 OK)	13,225.000	TON
417 5267	COLD MILLING PAVEMENT	5,880.000	SY
855 (A) 8815	TRAFFIC STR. (PLAST.) (THIN-LINE) (4" WIDE)	158,400.000	LF
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 256  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CADD0

CONTRACT ID : 030021  
 PCN : 2037105  
 PROJECTS : MC-108C(92) PT.2  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 15  
 RES. ENG. :  
 LIQ. DAM.: \$ 500

## CONTRACT DESCRIPTION:

RESURFACE(ASPHALT) SH-152; BEGIN 8.0 MILES EAST OF WASHITA  
 COUNTY LINE, EXTEND EAST. PROJECT LENGTH = 4.3 MILES  
 FLEXIBLE ESALS = 1.0 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202 (C) 4812	(PL) UNCLASSIFIED BORROW	1.000	LSUM
411 (S4) 6310	(SP) ASPH. CONC., TYPE S4 (PATCH) (PG64-22OK)	100.000	TON
411 (S5) 5975	(SP) ASPH. CONC., TYPE S5 (PG 64-22 OK)	6,930.000	TON
417 5267	COLD MILLING PAVEMENT	1,960.000	SY
855 (A) 8815	TRAFFIC STR. (PLAST.) (THIN-LINE) (4" WIDE)	85,160.000	LF
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 257  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CADD0

CONTRACT ID : 030022  
 PCN : 2037104C  
 PROJECTS : MC-108C(92)PT. 1 & PT. 2  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 45  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT) SH-152; BEGIN AT WASHITA COUNTY LINE,  
 EXTEND EAST. PROJECT LENGTH = 12.3 MILES FLEXIBLE ESALS = 1  
 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY MC-108C(92) PT. 1			
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(S4) 6310	(SP)ASPH.CONC.,TYPE S4(PATCH)(PG64-22OK)	200.000	TON
411(S5) 5975	(SP)ASPH.CONC.,TYPE S5(PG 64-22 OK)	13,225.000	TON
417 5267	COLD MILLING PAVEMENT	5,880.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	158,400.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 I000-ROADWAY MC-108C(92) PT. 2			
202(C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411(S4) 6310	(SP)ASPH.CONC.,TYPE S4(PATCH)(PG64-22OK)	100.000	TON
411(S5) 5975	(SP)ASPH.CONC.,TYPE S5(PG 64-22 OK)	6,930.000	TON
417 5267	COLD MILLING PAVEMENT	1,960.000	SY
855(A) 8815	TRAFFIC STR.(PLAST.)(THIN-LINE)(4" WIDE)	85,160.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 260  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : COAL

CONTRACT ID : 030086  
 PCN : 2044304  
 PROJECTS : MC-115C(22)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 30  
 RES. ENG. :  
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT) SH-48; BEGIN AT JCT. SH-3 NORTH OF  
 TUPELO, EXTEND NORTH TO PONTOTOC COUNTY LINE. PROJECT  
 LENGTH = 4.87 MILES FLEXIBLE ESALS = 0.20 MILLION ASPHALT  
 GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
407 0250	TACK COAT	4,013.000	GAL
411(S5) 5975	(SP) ASPH.CONC.,TYPE S5(PG 64-22 OK)	6,902.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 270  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CUSTER DEWEY

CONTRACT ID : 030084  
 PCN : 2040904M  
 PROJECTS : MC-120B(81) PT. 1 & 2  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 30  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT) SH-34; BEGIN 5.09 MILES SOUTH OF DEWEY  
 COUNTY LINE, EXTEND NORTH. PROJECT LENGTH = 7.09 MILES  
 FLEXIBLE ESALS = 2.3 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-120B(81) PT. 1		
411(S5) 5975	(SP)ASPH.CONC.,TYPE S5(PG 64-22 OK)	7,602.000	TON
417 4267	COLD MILLING BITUMINOUS PAVEMENT	1,760.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY MC-120B(81) PT. 2		
411(S5) 5975	(SP)ASPH.CONC.,TYPE S5(PG 64-22 OK)	2,846.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 283  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GARFIELD

CONTRACT ID : 030039  
 PCN : 2036404  
 PROJECTS : MC-124N(44)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 60  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

## CONTRACT DESCRIPTION:

RESURFACE(ASPHALT) US-412/US60; BEGIN 0.05 MILE WEST OF JCT.  
 SH-132, EXTEND EAST. PROJECT LENGTH = 5.27 MILES FLEXIBLE  
 ESALS = 5.5 MILLION ASPHALT GRADE = PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	15,300.000	TON
417 5267	COLD MILLING PAVEMENT	136,100.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	113,000.000	LF
859(A) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1,200.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM



CALL ORDER : 284  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GRADY

CONTRACT ID : 030066  
 PCN : 1994304  
 PROJECTS : MC-126C(52) PT. 1  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 45  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

## CONTRACT DESCRIPTION:

RESURFACE(ASPHALT) SH-92: BEGIN AT LAKE BURTSCHI, EXTEND  
 NORTHEASTERLY. PROJECT LENGTH = 6.91 MILES FLEXIBLE ESALS =  
 1.0 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY - PT. 1		
202 (C) 4812	(PL) UNCLASSIFIED BORROW	1.000	LSUM
411 (S4) 6310	(SP) ASPH. CONC., TYPE S4 (PATCH) (PG64-22OK)	250.000	TON
411 (S5) 5975	(SP) ASPH. CONC., TYPE S5 (PG 64-22 OK)	7,600.000	TON
855 (A) 8815	TRAFFIC STR. (PLAST.) (THIN-LINE) (4" WIDE)	135,000.000	LF
855 (B) 8824	TRAFFIC STRIPE (PLASTIC) (SYMBOLS)	6.000	EA
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 285  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GRADY

CONTRACT ID : 030067  
 PCN : 1994305  
 PROJECTS : MC-126C(52) PT. 2  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 15  
 RES. ENG.:  
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT) SH-92; BEGIN 6.91 MILES NORTH OF LAKE  
 BURTSCHI, EXTEND NORTHEASTERLY TO JCT. OF US-81. PROJECT  
 LENGTH = 3.57 MILES FLEXIBLE ESALS = 1.0 MILLION ASPHALT  
 GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY - PT. 2		
202 (C) 4812	(PL) UNCLASSIFIED BORROW	1.000	LSUM
411 (S4) 6310	(SP) ASPH.CONC., TYPE S4 (PATCH) (PG64-22OK)	60.000	TON
411 (S5) 5975	(SP) ASPH.CONC., TYPE S5 (PG 64-22 OK)	7,380.000	TON
417 5267	COLD MILLING PAVEMENT	64,735.000	SY
828 (B) 8138	LOOP DETECTOR WIRE	1,000.000	LF
855 (A) 8815	TRAFFIC STR. (PLAST.) (THIN-LINE) (4" WIDE)	86,275.000	LF
855 (B) 8818	TRAFFIC STRIPE (PLASTIC) (ARROWS)	66.000	EA
855 (B) 8821	TRAFFIC STRIPE (PLASTIC) (WORDS)	8.000	EA
855 (B) 8824	TRAFFIC STRIPE (PLASTIC) (SYMBOLS)	4.000	EA
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 286  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GRADY

CONTRACT ID : 030068  
 PCN : 1994304C  
 PROJECTS : MC-126C(52) PTS. 1 & 2  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 60  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

## CONTRACT DESCRIPTION:

RESURFACE(ASPHALT) SH-92; BEGIN AT LAKE BURTSCHI, EXTEND  
 NORTHEAST TO THE JCT. OF US-81. PROJECT LENGTH = 10.48  
 MILES FLEXIBLE ESALS = 1.0 MILLION ASPHALT GRADE = PG 64-22  
 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY - PT. 1			
202 (C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411 (S4) 6310	(SP)ASPH.CONC.,TYPE S4 (PATCH) (PG64-22OK)	250.000	TON
411 (S5) 5975	(SP)ASPH.CONC.,TYPE S5 (PG 64-22 OK)	7,600.000	TON
855 (A) 8815	TRAFFIC STR. (PLAST.) (THIN-LINE) (4" WIDE)	135,000.000	LF
855 (B) 8824	TRAFFIC STRIPE (PLASTIC) (SYMBOLS)	6.000	EA
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 I000-ROADWAY - PT. 2			
202 (C) 4812	(PL)UNCLASSIFIED BORROW	1.000	LSUM
411 (S4) 6310	(SP)ASPH.CONC.,TYPE S4 (PATCH) (PG64-22OK)	60.000	TON
411 (S5) 5975	(SP)ASPH.CONC.,TYPE S5 (PG 64-22 OK)	7,380.000	TON
417 5267	COLD MILLING PAVEMENT	64,735.000	SY
828 (B) 8138	LOOP DETECTOR WIRE	1,000.000	LF
855 (A) 8815	TRAFFIC STR. (PLAST.) (THIN-LINE) (4" WIDE)	86,275.000	LF
855 (B) 8818	TRAFFIC STRIPE (PLASTIC) (ARROWS)	66.000	EA
855 (B) 8821	TRAFFIC STRIPE (PLASTIC) (WORDS)	8.000	EA
855 (B) 8824	TRAFFIC STRIPE (PLASTIC) (SYMBOLS)	4.000	EA
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 287  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GRADY

CONTRACT ID : 030040  
 PCN : 2037304  
 PROJECTS : MC-126C(69)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 30  
 RES. ENG. :  
 LIQ. DAM.: \$ 500

## CONTRACT DESCRIPTION:

RESURFACE (ASPHALT) SH-17; BEGIN AT COMANCHE COUNTY LINE,  
 EXTEND EAST. PROJECT LENGTH = 7.86 MILES FLEXIBLE ESALS = 1.  
 0 MILLION ASPHALT GRADE = PG 64-22 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
202 (C) 4812	(PL) UNCLASSIFIED BORROW	1.000	LSUM
411 (S4) 6310	(SP) ASPH. CONC., TYPE S4 (PATCH) (PG64-22OK)	80.000	TON
411 (S5) 5975	(SP) ASPH. CONC., TYPE S5 (PG 64-22 OK)	11,300.000	TON
417 5267	COLD MILLING PAVEMENT	2,625.000	SY
420 (A) 4242	FABRIC REINFORCEMENT	16,830.000	SY
420 (B) 4268	BITUMINOUS BINDER	5,050.000	GAL
855 (A) 8815	TRAFFIC STR. (PLAST.) (THIN-LINE) (4" WIDE)	41,900.000	LF
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 289  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : LOGAN

CONTRACT ID : 030045  
 PCN : 2036804  
 PROJECTS : MC-142C(80)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 30  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 RESURFACE(ASPHALT) SH-105; FROM JCT. SH-33, EXTEND EAST.  
 PROJECT LENGTH = 3.3 MILES FLEXIBLE ESALS = 3.0 MILLION  
 ASPHALT GRADE = PG 70-28 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
411(S4) 5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	4,200.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 295  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : MUSKOGEE

CONTRACT ID : 030055  
 PCN : 2034504  
 PROJECTS : MC-151B(108)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 30  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 JOINT SEAL/REPAIR US-62; BRIDGES AT 3.0 MILES, 4.3 MILES, 5.  
 7 MILES AND 9.0 MILES EAST OF JCT. SH-16. PROJECT LENGTH =  
 0.00 MILE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	X581-BRIDGE 'A'		
419 4152	CONCRETE JOINT REHABILITATION	112.000	LF
504 (H) 6390	RAPID CURE JOINT SEALANT	448.000	LF
641 1399	MOBILIZATION	1.000	LSUM
880 (J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	X081-BRIDGE 'B'		
419 4152	CONCRETE JOINT REHABILITATION	174.000	LF
504 (H) 6390	RAPID CURE JOINT SEALANT	174.000	LF
504 (I) 6389	ELASTOMERIC MORTAR	2.000	CF
SECTION NO. 0003	X181-BRIDGE 'C'		
419 4152	CONCRETE JOINT REHABILITATION	270.000	LF
504 (H) 6390	RAPID CURE JOINT SEALANT	174.000	LF
504 (I) 6389	ELASTOMERIC MORTAR	2.000	CF
SECTION NO. 0004	X081-BRIDGE 'D'		
419 4152	CONCRETE JOINT REHABILITATION	487.000	LF
504 (H) 6390	RAPID CURE JOINT SEALANT	87.000	LF

CALL ORDER : 300  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : POTTAWATOMIE OKFUSKEE

CONTRACT ID : 030087  
 PCN : 2044604M  
 PROJECTS : MC-154C(59)/MC-163C(126)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 30  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

## CONTRACT DESCRIPTION:

RESURFACE (ASPHALT) SH-99A; BEGIN AT SEMINOLE COUNTY LINE,  
 EXTEND EAST TO JCT. SH-48. SH-9A; BEGIN AT JCT. SH-3E,  
 EXTEND NORTH TO I-40. PROJECT LENGTH = 5.83 MILES FLEXIBLE  
 ESALS = 0.9 MILLION ASPHALT GRADE = PG 64-22 OK, PG 70-28  
 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY MC-154C(59)		
407 0250	TACK COAT	1,214.000	GAL
411(S5) 5975	(SP)ASPH.CONC.,TYPE S5(PG 64-22 OK)	2,040.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002	I000-ROADWAY MC-163C(126)		
407 0250	TACK COAT	2,278.000	GAL
411(S5) 5970	(SP)ASPH.CONC.,TYPE S5(PG 70-28 OK)	3,827.000	TON
411(S5) 5975	(SP)ASPH.CONC.,TYPE S5(PG 64-22 OK)	350.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 310  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKLAHOMA

CONTRACT ID : 030085  
 PCN : 2036904  
 PROJECTS : CMC-155A(376)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 60  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

## CONTRACT DESCRIPTION:

RESURFACE(ASPHALT) US-62; BEGIN AT AIR DEPOT BLVD., EXTEND  
 EAST TO POST ROAD. PROJECT LENGTH = 2.99 MILES FLEXIBLE  
 ESALS = 3.0 MILLION ASPHALT GRADE = PG 64-22 OK, PG 70-28  
 OK

ITEM NO.	DESCRIPTION	QUANTITY	UNITS	
SECTION NO. 0001	I000-ROADWAY			
303	0192	AGGREGATE BASE	200.000	CY
411(S3)	6210	(SP)ASPH.CONC.,TYPE S3(PATCH)(PG64-22OK)	500.000	TON
411(S4)	5955	(SP)ASPH.CONC.,TYPE S4(PG 70-28 OK)	13,000.000	TON
417	5267	COLD MILLING PAVEMENT	114,000.000	SY
612(A)	0641	MANHOLES ADJUST TO GRADE	11.000	EA
619(B)	4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	900.000	SY
828(B)	8138	LOOP DETECTOR WIRE	10,000.000	LF
880(A)	8812	ARROW DISPLAY(TYPE C)	100.000	SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	50.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	100.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	800.000	SD
880(C)	8836	BARRICADES(TYPE II)	100.000	SD
880(C)	8842	BARRICADES(TYPE III)	100.000	SD
880(C)	8848	WING BARRICADES	300.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	1,400.000	SD
880(E)	8872	WARNING LIGHTS(TYPE C)	600.000	SD
880(F)	8878	DRUMS	600.000	SD
880(H)	8896	CONES(36" LARGE)	600.000	SD
882(B)	8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD



CALL ORDER : 311  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKLAHOMA

CONTRACT ID : 030057  
 PCN : 2034304  
 PROJECTS : MC-155N(374)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 30  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 JOINT SEAL/BRIDGE REPAIR I-40; AT 15TH STREET, DOUGLAS BLVD.  
 AND CHOCTAW ROAD. PROJECT LENGTH = 0.00 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 X231-BRIDGE "A"			
512	6279 (PL)CLEANING CONCRETE BRIDGE SURFACES	53.000	SY
521 (A)	6210 PNEUMATICALLY PLACED MORTAR	6.000	SY
545	4805 (PL)REPLACE BRIDGE ITEMS	20.000	EA
641	1399 MOBILIZATION	1.000	LSUM
880 (J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 X220-BRIDGE "B"			
512	6279 (PL)CLEANING CONCRETE BRIDGE SURFACES	53.000	SY
540	4505 (PL)REPAIR BRIDGE ITEMS	5.000	EA
SECTION NO. 0003 X231-BRIDGE "C"			
419	4152 CONCRETE JOINT REHABILITATION	180.000	LF
504 (H)	6390 RAPID CURE JOINT SEALANT	180.000	LF
504 (I)	6389 ELASTOMERIC MORTAR	6.000	CF
505 (B)	6019 CLASS B BRIDGE DECK REPAIR	9.000	SY
521 (A)	6210 PNEUMATICALLY PLACED MORTAR	23.000	SY

CALL ORDER : 330  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : POTTAWATOMIE

CONTRACT ID : 030089  
 PCN : 2044504  
 PROJECTS : MC-163B(127)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 30  
 RES. ENG. :  
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:  
 ARMOR COAT US-270; BEGIN 0.59 MILE EAST OF US-177, EXTEND  
 EAST TO SEMINOLE COUNTY LINE. PROJECT LENGTH = 7.65 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
402 5205	(PL)ARMOR COAT	193,975.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 340  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : SEMINOLE

CONTRACT ID : 030090  
 PCN : 2044704  
 PROJECTS : MC-167B(83)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 30  
 RES. ENG. :  
 LIQ. DAM. : \$ 500

CONTRACT DESCRIPTION:  
 ARMOR COAT US-270; BEGIN AT POTTAWATOMIE COUNTY LINE,  
 EXTEND EAST TO 4 LANE SECTION. PROJECT LENGTH = 4.38 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001	I000-ROADWAY		
402 5205	(PL)ARMOR COAT	102,784.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

CALL ORDER : 350  
 LETTING DATE : February 20, 2003  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : SEMINOLE

POTTAWATOMIE

CONTRACT ID : 030091  
 PCN : 2044504C  
 PROJECTS : MC-163B(127)/MC-167B(83)  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : 0.00  
 CALENDAR DAYS : 45  
 RES. ENG. :  
 LIQ. DAM.: \$ 500

CONTRACT DESCRIPTION:  
 ARMOR COAT US-270; BEGIN 0.59 MILE EAST OF US-177, EXTEND  
 EAST TO 4 LANE SECTION. PROJECT LENGTH = 12.03 MILES

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
SECTION NO. 0001 I000-ROADWAY MC-163B(127)			
402 5205	(PL)ARMOR COAT	193,975.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION NO. 0002 I000-ROADWAY MC-167B(83)			
402 5205	(PL)ARMOR COAT	102,784.000	SY
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM