

## NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE VERSION **(5.9a)** OF EXPEDITE BID AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

[www.okladot.state.ok.us/contracts/index.htm](http://www.okladot.state.ok.us/contracts/index.htm)



## REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

## Notice

Internet bidding is required for most projects on the [January 19, 2012 10:30 A.M.](#) Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on [December 29, 2011](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at [10:00 a.m.](#) on [January 06, 2012](#) concerning this [January 19j](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

### **Important:**

**.....CII bids for projects requiring pre-qualification will be submitted via Bid Express.  
.....Exemptions to this new policy will be discussed with the Office Engineer"  
.....on a case-by-case basis, and noted on the Short and Long Form Notices**

*Any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.*

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website

<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:  
Office Engineer Division at 405-522-0972  
or emailed to:

[mpajoh@odot.org](mailto:mpajoh@odot.org) with copy to [bschmitt@odot.org](mailto:bschmitt@odot.org)

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

*Plans for the projects on this letting can be found at:  
<http://www.okladot.state.ok.us/contracts/a2034/plans.htm>*

## **CERTIFIED PAYROLL – FEDERAL RULE CHANGE**

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

***Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.***

This minimum will be specified at the end of the Special Provision 648-1QA(a)29, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

***Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.***

***Reminder***

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the Prime Contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department.

**Please ensure that the DBE commitment provided in the proposal matches the written confirmation.**

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:  
<http://www.okladot.state.ok.us/regserv/dbeinfo>

***Reminder***

Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bid.

**Do not disassemble the bidding proposal in any way.**

***Note***

***Only written, Email, Fax and in-person orders will be accepted.***

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

[mjunsay@odot.org](mailto:mjunsay@odot.org)

## OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , January 3, , 2014 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal. Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

Description of work and location of project:

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120034

CALL ORDER: 010  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: ATOKA

PROJECT(S) : PCN  
 BRO-103D(107)CI 2585904  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$14.09  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD: OVER UNNAMED CREEK 1.6 MILES EAST AND 0.3  
 MILES NORTH OF THE US-69/SH-131 JCT.  
 PROJECT LENGTH = 0.227 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	800.000	LF
221(F) 0100	TEMPORARY SILT DIKE	150.000	LF
230(A) 2806	SOLID SLAB SODDING	2950.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.200	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	900.000	TON
509(D) 0325	CLASS C CONCRETE	30.000	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	300.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	400.000	SY
613(B) 0689	18" CORR. GALV. STEEL PIPE	48.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	4.000	EA

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	57.470	CY
504(D) 6239	CONCRETE RAIL (TR3)	159.000	LF
509(B) 1328	CLASS A CONCRETE	198.690	CY
511(A) 1332	REINFORCING STEEL	42097.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6034	GUARDRAIL ANCHOR UNIT (TYPE III)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - BRIDGE 'B'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	41.250	CY
504(D) 6239	CONCRETE RAIL (TR3)	139.060	LF
509(B) 1328	CLASS A CONCRETE	166.840	CY
511(A) 1332	REINFORCING STEEL	29383.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6034	GUARDRAIL ANCHOR UNIT (TYPE III)	4.000	EA

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

**CONTRACT ID: 120034**

**SECTION 0004 - STAKING**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120058

CALL ORDER: 015  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: ATOKA  
 PITTSBURG

PROJECT(S) : PCN  
 BTOP-203N(001) 2812845  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$183.70  
 125 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 US-69: FROM THE CITY OF ATOKA TO THE CITY OF MCALESTER.  
 PROJECT LENGTH = 44.242 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE."

**SECTION 0001 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
104 0900	RAILROAD FLAGGING	32.000	HOURL
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
230(A) 2806	SOLID SLAB SODDING	2000.000	SY
509(B) 0321	CLASS A CONCRETE	21.120	CY
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	2302.000	LF
802(A) 8318	3" GALV.STEEL ELECT.COND.PUSHED OR BORED	100.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	9585.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	58902.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	164267.000	LF
803(B) 8135	GROUND BOX (R3248)	48.000	EA
803(B) 8150	GROUND BOX (B2-48)	33.000	EA
804(B) 2916	REINFORCING STEEL	396.000	LB
818(A) 8720	(SP)FIBER OPTIC CABLE, 48 SMF	250519.000	LF
818(A) 8739	(SP) FIBER OPTIC CABLE, 48 I/O PLENUM	300.000	LF
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	1.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	48.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	48.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	13.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	258.000	EA

**SECTION 0002 - TEMPORARY TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(I) 8902	FLAGGER	45.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

**CONTRACT ID: 120058**

**SECTION 0003 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120069

CALL ORDER:	018	PROJECT(S) :	PCN
LETTING DATE:	January 19, 2012	BTOP-203N(002)	2812851
LETTING TIME:	10:30 A.M.	DBE GOALS :	0.00
COUNTIES:	ATOKA	GUARANTY :	5% OF BID TOTAL
	PONTOTOC	PLAN PRICE :	\$217.30
	COAL	140 CALENDAR DAYS	
		RES. ENG.:	DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 US-75/SH-3/SH-99: FROM THE CITY OF ADA TO THE CITY OF ATOKA.  
 PROJECT LENGTH = 45.12 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER, BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE."

**SECTION 0001 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2500.000	LF
230(A) 2806	SOLID SLAB SODDING	2500.000	SY
509(B) 0321	CLASS A CONCRETE	12.730	CY
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	150.000	LF
802(A) 8318	3" GALV.STEEL ELECT.COND.PUSHED OR BORED	150.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	17818.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	8463.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	213831.000	LF
802(D) 8375	4" ALUMINUM CONDUIT (EXPOSED)	195.000	LF
803(B) 8135	GROUND BOX (R3248)	55.000	EA
803(B) 8150	GROUND BOX (B2-48)	19.000	EA
804(B) 2916	REINFORCING STEEL	216.000	LB
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	2450.000	LF
818(A) 8720	(SP)FIBER OPTIC CABLE, 48 SMF	245092.000	LF
818(A) 8739	(SP) FIBER OPTIC CABLE, 48 I/O PLENUM	550.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	2.000	EA
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	2.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	68.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	88.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	12.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	191.000	EA

**SECTION 0002 - TEMPORARY TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	190.000	SD
880(I) 8902	FLAGGER	45.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120069

**SECTION 0002 - TEMPORARY TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	190.000	SD

**SECTION 0003 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110278

CALL ORDER: 020  
LETTING DATE: January 19, 2012  
LETTING TIME: 10:30 A.M.  
COUNTIES: BEAVER

PROJECT(S) : PCN  
SSR-104C(081)SR 2853404  
DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$0.00  
30 CALENDAR DAYS  
RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION  
RESURFACE (ASPHALT)  
US-270: FROM US-64, EXTEND SOUTH.  
PROJECT LENGTH = 4.65 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
407(B) 0250	TACK COAT	4350.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	6220.000	TON

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	72500.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120002

CALL ORDER: 030  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: BRYAN

PROJECT(S) : PCN  
 SSP-107C(111)SS 2319104  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$62.86  
 240 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 SH-199: FROM 4.0 MILES WEST OF SH-78, EXTEND WEST OVER THE  
 WASHITA RIVER.  
 PROJECT LENGTH = 1.280 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	111482.000	CY
202(D) 0184	UNCLASSIFIED BORROW	35443.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	5518.000	LF
221(F) 0100	TEMPORARY SILT DIKE	238.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	29.000	CY
230(A) 2806	SOLID SLAB SODDING	114794.000	SY
233(A) 2817	VEGETATIVE MULCHING	24.000	AC
234(A) 4409	FERTILIZING (18-46-0)	2.000	TON
241 2832	MOWING	48.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	6901.000	CY
307(D) 4230	LIME	612.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	34304.000	SY
325 5271	SEPARATOR FABRIC	35204.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3606.000	TON
407(B) 0250	TACK COAT	4771.000	GAL
408 5774	PRIME COAT	13716.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	1223.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	8880.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	1814.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3875.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	107.000	CY
509(A) 0319	CLASS AA CONCRETE	262.000	CY
509(D) 0325	CLASS C CONCRETE	708.000	CY
511(A) 0332	REINFORCING STEEL	37827.000	LB
613(A) 0583	24" R.C.PIPE CLASS IV	166.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	150.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	461.000	LF
613(B) 0693	42" CORR. GALV. STEEL PIPE	33.000	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120002

**SECTION 0001 - ROADWAY**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	439.000	LF
613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	147.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
613(M) 7192	TYPE BB4 CULVERT END TREATMENT	2.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	4.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	22561.000	SY
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	700.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	8849.000	LF

**SECTION 0002 - BRIDGE 'A'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	190.000	CY
501(G) 6309	CLSM BACKFILL	243.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	399.000	LF
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	499.000	LF
504(A) 1304	APPROACH SLAB	281.200	SY
504(B) 1305	SAW-CUT GROOVING	3040.900	SY
504(C) 6250	SEALED EXPANSION JOINT	86.400	LF
504(D) 6245	CONCRETE RAIL (TR4)	1373.800	LF
506(A) 1322	STRUCTURAL STEEL	852290.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	13.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	18.000	EA
509(A) 1326	CLASS AA CONCRETE	728.600	CY
509(B) 1328	CLASS A CONCRETE	347.300	CY
511(A) 1332	REINFORCING STEEL	2530.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	203570.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	164.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	572.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	164.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	572.000	LF
514(L) 6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2000.000	SY
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	140.000	LF
516(A) 6100	DRILLED SHAFTS 84" DIAMETER	76.000	LF
523(A) 6550	SEALER CRACK PREPARATION	81.500	LF
523(B) 6560	SEALER RESIN	1.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	4100.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	875.000	TON

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120002

**SECTION 0002 - BRIDGE 'A'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	48.000	LF

**SECTION 0003 - TRAFFIC**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	17.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	29640.000	LF

**SECTION 0004 - TRAFFIC CONTROL**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	30.000	SD
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	5240.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	2960.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	6396.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	300.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2210.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	1614.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3660.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1410.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2550.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	180.000	SD
880(C) 8848	WING BARRICADES	960.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2910.000	SD
880(F) 8878	DRUMS	4140.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	480.000	SD

**SECTION 0005 - STAKING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0006 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120003

CALL ORDER: 040  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: BRYAN

PROJECT(S) : PCN  
 NHY-013N(148)3P 2629508  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 120 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 PAVEMENT REHABILITATION (UTBWC)  
 US-69: BEGIN 1.07 MILES NORTH OF SH-78, EXTEND NORTH  
 (SOUTHBOUND LANES ONLY).  
 PROJECT LENGTH = 8.00 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	400.000	CY
303(B) 2110	AGGREGATE BASE TYPE B	260.000	CY
325 5271	SEPARATOR FABRIC	1965.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	5660.000	TON
404(E) 4835	ULTRA-THIN BONDED WEARING COURSE, TYPE A	18098.000	TON
407(C) 0300	POLYMER MODIFIED CATIONIC RAPID SET - 1	37207.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	14962.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	5156.000	TON
412 5267	COLD MILLING PAVEMENT	16720.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	85878.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	412.000	SY
414(E) 0225	FULL DEPTH P.C.C. PATCH(PLACEMENT ONLY)	5800.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	133.000	CY
414(I) 5266	TYPE 3 TERMINAL JOINT	2.000	EA
414(J) 5263	TERMINAL JOINT SLEEPER SLAB	125.000	SY
415 6300	CONCRETE JOINT SEALING	800.000	LF
504(A) 1304	APPROACH SLAB	280.000	SY
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	1000.000	LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	500.000	LF
613(Q) 5946	OUTLET LATERAL HEADWALL	4.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	1115.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	3.000	EA

**SECTION 0002 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	88200.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	14800.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	3000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

**CONTRACT ID: 120003**

**SECTION 0003 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120059

CALL ORDER: 044  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: ATOKA  
 BRYAN

PROJECT(S) : PCN  
 BTOP-207N(001) 2812850  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$180.44  
 105 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 US-69: FROM THE CITY OF DURANT TO THE CITY OF ATOKA.  
 PROJECT LENGTH = 33.25 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE."

**SECTION 0001 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
230(A) 2806	SOLID SLAB SODDING	2000.000	SY
509(B) 0321	CLASS A CONCRETE	8.710	CY
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	100.000	LF
802(A) 8318	3" GALV.STEEL ELECT.COND.PUSHED OR BORED	100.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	27113.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	35741.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	120096.000	LF
803(B) 8135	GROUND BOX (R3248)	39.000	EA
803(B) 8150	GROUND BOX (B2-48)	13.000	EA
804(B) 2916	REINFORCING STEEL	156.000	LB
818(A) 8720	(SP)FIBER OPTIC CABLE, 48 SMF	162984.000	LF
818(A) 8730	(SP)FIBER OPTIC CABLE, 96 SMF	19966.000	LF
818(A) 8739	(SP) FIBER OPTIC CABLE, 48 I/O PLENUM	500.000	LF
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	2.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	192.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	192.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	11.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	396.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	140.000	SD
880(I) 8902	FLAGGER	35.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	140.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

**CONTRACT ID: 120059**

**SECTION 0003 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110280

CALL ORDER: 050  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CADDO

PROJECT(S) : PCN  
 SSR-108B(283)SR 2743904  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 30 CALENDAR DAYS  
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-281: BEGIN 0.86 MILES NORTH OF US-62, EXTEND NORTH.  
 PROJECT LENGTH = 7.65 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407(A) 4659	FOG SEAL	12566.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	118864.000	SY
409(B) 4268	BITUMINOUS BINDER	29716.000	GAL
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	14160.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	150.000	TON
412 5267	COLD MILLING PAVEMENT	123353.000	SY
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	144250.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120004

CALL ORDER: 060  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CARTER

PROJECT(S) : PCN  
 STPY-110C(198)HP 2437304  
 DBE GOALS : 7.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$47.69  
 125 CALENDAR DAYS  
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION  
 GRADE, DRAIN, AND SURFACE  
 SH-53: BEGIN 7.05 MILES EAST OF I-35 AT THE WEST ENTRANCE  
 TO ARDMORE AIR PARK.  
 PROJECT LENGTH = 0.576 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	20831.000	CY
202(D) 0184	UNCLASSIFIED BORROW	361.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	322.000	LF
230(A) 2806	SOLID SLAB SODDING	45792.000	SY
232(A) 2813	SEEDING METHOD A	9.500	AC
233(A) 2817	VEGETATIVE MULCHING	9.500	AC
241 2832	MOWING	19.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	4042.000	CY
307(A) 4200	FLY ASH	997.000	TON
307(D) 4230	LIME	143.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	19766.000	SY
307(G) 4260	LIME PRETREATMENT	7907.000	SY
325 5271	SEPARATOR FABRIC	19766.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	834.000	TON
407(B) 0250	TACK COAT	1203.000	GAL
408 5774	PRIME COAT	7208.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	1203.000	SY
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	928.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	3467.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	743.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1472.000	TON
412 5267	COLD MILLING PAVEMENT	1111.000	SY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	1939.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	3943.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	1389.000	CY
509(A) 0319	CLASS AA CONCRETE	49.000	CY
509(D) 1331	CLASS C CONCRETE	116.000	CY

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120004

**SECTION 0001 - ROADWAY**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
511(A) 0332	REINFORCING STEEL	7026.000	LB
610(B) 5016	8" CONCRETE DRIVEWAY	771.000	SY
613(A) 0492	24" R.C.PIPE CLASS III	76.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	132.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	200.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	12.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	10987.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	406.000	LF
619(C) 0924	SAWING PAVEMENT	2748.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	125.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2414.000	LF
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) 4960	MAILBOX	2.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
853 9033	DELINEATORS(TYPE 2, CODE 1)	8.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	16000.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	500.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	4000.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	8000.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2000.000	SD
880(C) 8848	WING BARRICADES	800.000	SD
880(D) 8854	VERTICAL PANELS	6000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	12000.000	SD
880(F) 8878	DRUMS	8000.000	SD
880(G) 8890	CHANNELIZER CONES	8000.000	SD
880(I) 8902	FLAGGER	7.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	400.000	SD

**SECTION 0003 - SIGNING AND STRIPING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
850(A) 8110	SHEET ALUMINUM SIGNS	18.000	SF
851(C) 8324	2" SQUARE TUBE POST	60.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	13500.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	368.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 120004

**SECTION 0003 - SIGNING AND STRIPING**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	420.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	24.000	LF

**SECTION 0004 - STAKING**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120064

CALL ORDER: 065  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: MARSHALL  
 BRYAN  
 CARTER

PROJECT(S) : PCN  
 BTOP-210N(001) 2812849  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$272.57  
 155 CALENDAR DAYS  
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 I-35/US-69/US-70: FROM THE CITY OF ARDMORE  
 TO THE CITY OF DURANT.  
 PROJECT LENGTH = 55.25 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE."

**SECTION 0001 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
104 0900	RAILROAD FLAGGING	64.000	HOURL
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2500.000	LF
230(A) 2806	SOLID SLAB SODDING	2500.000	SY
509(B) 0321	CLASS A CONCRETE	13.400	CY
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	150.000	LF
802(A) 8318	3" GALV.STEEL ELECT.COND.PUSHED OR BORED	600.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	29961.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	35730.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	205298.000	LF
802(D) 8375	4" ALUMINUM CONDUIT (EXPOSED)	4943.000	LF
803(B) 8135	GROUND BOX (R3248)	63.000	EA
803(B) 8150	GROUND BOX (B2-48)	20.000	EA
804(B) 2916	REINFORCING STEEL	240.000	LB
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	408.000	LF
818(A) 8720	(SP)FIBER OPTIC CABLE, 48 SMF	289657.000	LF
818(A) 8738	(SP) FIBER OPTIC CABLE, 24 I/O PLENUM	600.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	1.000	EA
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	1.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	8.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	56.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	16.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	309.000	EA



OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 120064

**SECTION 0002 - TEMPORARY TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	210.000	SD
880(I) 8902	FLAGGER	50.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	210.000	SD

**SECTION 0003 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120001

CALL ORDER: 070  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CARTER

PROJECT(S) : PCN  
 SSR-110A(235)SR 2816504  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 60 CALENDAR DAYS  
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-77: BEGIN 1.0 MILE NORTH OF US-70, EXTEND NORTH.  
 PROJECT LENGTH = 2.25 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
409(A) 4242	FABRIC REINFORCEMENT	65716.000	SY
409(B) 4268	BITUMINOUS BINDER	16429.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	8420.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2334.000	TON
411(D) 5965	SUPERPAVE, TYPE S5(PG 76-28 OK)	5050.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	150.000	TON
412 5267	COLD MILLING PAVEMENT	86552.000	SY
414(E) 0225	FULL DEPTH P.C.C. PATCH(PLACEMENT ONLY)	3000.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	750.000	CY
610(A) 0604	5" CONCRETE SIDEWALK	340.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	496.000	SF
610(I) 4615	TACTILE WARNING DEVICE-RETROFIT	48.000	SF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	3000.000	SY
619(B) 4792	REMOVAL OF SIDEWALK	400.000	SY
828(B) 8136	LOOP DETECTOR WIRE	8000.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	65500.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	900.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	15.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	5.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120048

CALL ORDER: 075  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CHOCTAW

PROJECT(S) : PCN  
 BRO-112D(058)CI 2165204  
 DBE GOALS : 3.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$15.17  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD: OVER SALT CREEK 2.3 MILES NORTH AND 0.7 MILES  
 WEST OF THE US-70/SH-93 JCT.  
 PROJECT LENGTH = 0.323 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3676.000	CY
202(D) 0184	UNCLASSIFIED BORROW	9544.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1166.000	LF
221(F) 0100	TEMPORARY SILT DIKE	384.000	LF
230(A) 2806	SOLID SLAB SODDING	8940.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.400	AC
303(A) 2100	AGGREGATE BASE TYPE A	982.000	CY
325 5271	SEPARATOR FABRIC	4996.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	68.000	TON
408 5774	PRIME COAT	2018.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	730.000	TON
509(D) 0325	CLASS C CONCRETE	166.500	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	28.000	LF
613(B) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	92.000	LF
613(P) 4571	28" X 20" GALV. STEEL CULV. END SEC.ARCH	2.000	EA
613(P) 4573	42" X 29" GALV. STEEL CULV. END SEC.ARCH	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	23.250	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	48.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	10.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6844.000	LF

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	190.000	CY
501(G) 6309	CLSM BACKFILL	88.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	269.000	LF
504(A) 1304	APPROACH SLAB	115.000	SY
504(B) 1305	SAW-CUT GROOVING	384.200	SY
504(D) 6239	CONCRETE RAIL (TR3)	246.400	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120048

**SECTION 0002 - BRIDGE 'A'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
506(A) 1322	STRUCTURAL STEEL	290.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	71.900	CY
509(B) 1328	CLASS A CONCRETE	71.800	CY
511(A) 1332	REINFORCING STEEL	27250.000	LB
516(A) 6089	DRILLED SHAFTS 18" DIAMETER	67.000	LF
516(A) 6091	DRILLED SHAFTS 30" DIAMETER	88.500	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	900.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	240.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 4446	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000	EA
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

**SECTION 0005 - NON-PARTICIPATING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
624(A) 4281	FENCE-STYLE WWF	3568.000	LF
624(B) 4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	3.000	EA

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120006

CALL ORDER: 080  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CLEVELAND

PROJECT(S) : PCN  
 IM-NHIY-0035-2(314)108 0903115  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$68.28  
 100 CALENDAR DAYS  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 SAFETY IMPROVEMENTS (SOUND BARRIER WALL)  
 I-35: ALONG THE EAST SIDE OF I-35 BETWEEN LINDSEY STREET AND  
 MAIN STREET IN THE CITY OF NORMAN.

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	4200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	70.000	LF
230(A) 2806	SOLID SLAB SODDING	14000.000	SY
241 2832	MOWING	8.000	AC
509(D) 0325	CLASS C CONCRETE	207.000	CY
510(B) 6334	SOUND BARRIER WALL	6326.000	SY

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	4550.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	700.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	200.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	500.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	600.000	SD
880(C) 8848	WING BARRICADES	400.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1600.000	SD
880(G) 8890	CHANNELIZER CONES	9500.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	100.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	200.000	SD

**SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120049

CALL ORDER: 085  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CLEVELAND

PROJECT(S) : PCN  
 ACSTP-114A(184)AG 2402904  
 STP-114C(292)AG 2402905

DBE GOALS : 6.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$71.53  
 COMPLETION DATE OF 08/01/2012  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 GRADE, DRAIN, AND SURFACE  
 I-35, FRONTAGE RD (INTERSTATE DR): I-35 NB RAMPS AT ROBINSON  
 ST, AND INTERSTATE DR FROM ROBINSON ST, EXT N IN NORMAN.  
 PROJECT LENGTH = 0.907 MILES

**SECTION 0001 - ROADWAY - ACSTP-114A(184)AG**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	12681.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1299.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	6.000	EA
230(A) 2806	SOLID SLAB SODDING	25383.000	SY
233(A) 2817	VEGETATIVE MULCHING	5.240	AC
241 2832	MOWING	10.480	AC
303(B) 2110	AGGREGATE BASE TYPE B	211.000	CY
307(D) 4230	LIME	155.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	7045.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	20.000	TON
405 5200	PERMEABLE FRICTION COURSE	304.000	TON
407(B) 0250	TACK COAT	190.000	GAL
408 5774	PRIME COAT	1560.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	260.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1256.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	201.000	TON
412 5267	COLD MILLING PAVEMENT	1419.000	SY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	1809.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	4500.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	1750.000	CY
509(D) 0325	CLASS C CONCRETE	25.000	CY
510(C) 6135	SLOPE WALL (5")	59.000	SY
609(A) 0288	CONC.CURB(6" MNTBLE-INTEGRAL)	322.000	LF
613(A) 0491	18" R.C.PIPE CLASS III	74.000	LF
613(A) 4498	43" X 26" R.C.PIPE ARCH CLASS A-III	296.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	225.000	LF
613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	75.000	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120049

**SECTION 0001 - ROADWAY - ACSTP-114A(184)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	1000.000	LF
613(L) 4531	43" X 26" PREFAB. CULVERT END SEC., ARCH	8.000	EA
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	183.000	CY
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	45.000	CY
613(V) 1180	TRENCH EXCAVATION	282.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	4680.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1751.000	SY
619(C) 0924	SAWING PAVEMENT	460.000	LF
624(E) 4290	FENCE-STYLE CLF (5'HIGH, CLASS A)	612.000	LF

**SECTION 0002 - LIGHTING - ACSTP-114A(184)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	5555.000	LF
803(A) 8065	PULL BOX(SIZE I)	35.000	EA
804(A) 2915	STRUCTURAL CONCRETE	19.140	CY
804(B) 2916	REINFORCING STEEL	1102.200	LB
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	9.000	EA
806(C) 8928	40'MHP & 15' H.L.MST.ARM(G.STL.)	33.000	EA
807 8092	BREAKAWAY BASE (DES. B)	33.000	EA
809(A) 8090	ROADWAY LUMINAIRE	33.000	EA
811 8038	1/C NO.4 ELECT.COND.	11398.000	LF
811 8046	1/C NO.12 ELECT.COND.	4125.000	LF

**SECTION 0003 - SIGNING & STRIPING - ACSTP-114A(184)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
804(A) 2915	STRUCTURAL CONCRETE	6.040	CY
804(B) 2916	REINFORCING STEEL	828.000	LB
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	85.000	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	218.250	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	407.250	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	81.000	LF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	86.000	LF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	70.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	80.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	5670.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	630.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1970.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY.)(12" WIDE)	660.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	15.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	14.000	EA

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120049

**SECTION 0003 - SIGNING & STRIPING - ACSTP-114A(184)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1000.000	LF

**SECTION 0004 - TRAFFIC CONTROL - ACSTP-114A(184)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	15.000	SD
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	500.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	500.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2386.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1254.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1157.000	SD
880(C) 8848	WING BARRICADES	240.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3034.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	9274.000	SD
880(F) 8878	DRUMS	9274.000	SD
880(G) 8890	CHANNELIZER CONES	36.000	SD

**SECTION 0005 - ROADWAY - STP-114C(292)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	6739.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2887.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	6.000	EA
230(A) 2806	SOLID SLAB SODDING	9171.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.000	AC
241 2832	MOWING	4.000	AC
242 0400	(PL)STABILIZED CONSTRUCTION EXIT	1.000	EA
307(D) 4230	LIME	230.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	12605.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	20.000	TON
407(B) 0250	TACK COAT	181.000	GAL
408 5774	PRIME COAT	2630.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	293.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2606.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	195.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	1233.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	9149.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	2846.000	CY
509(B) 0325	CLASS A CONCRETE(LONG. BAR. DES. 1-A)	101.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	3.000	CY
509(D) 0325	CLASS C CONCRETE	61.000	CY
511(A) 0332	REINFORCING STEEL	1910.000	LB



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120049

**SECTION 0005 - ROADWAY - STP-114C(292)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
609(A) 0288	CONC.CURB(6" MNTBLE-INTEGRAL)	228.000	LF
609(A) 0380	CONC.CURB(8" BARRIER-INTEGRAL)	2741.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	888.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	364.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	24.000	SF
611(G) 5112	INLET CI DES. 2 (STD)	1.000	EA
611(G) 5123	INLET CI DES. 3 (2B)	2.000	EA
611(G) 6000	INLET (SMD-TYPE 1)	2.000	EA
611(H) 5330	ADD'L DEPTH IN INLET CI DES. 3	2.000	VF
611(L) 0487	JUNCTION BOXES	116.000	CF
612(A) 0641	MANHOLES ADJUST TO GRADE	1.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	2.000	EA
613(A) 0491	18" R.C.PIPES CLASS III	190.000	LF
613(A) 0494	36" R.C.PIPES CLASS III	32.000	LF
613(A) 4404	26" X 15" R.C.PIPES ARCH CLASS A-III	240.000	LF
613(A) 4496	28" X 18" R.C.PIPES ARCH CLASS A-III	32.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	22.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	150.000	LF
613(I) 1096	6" NON-PERF.PIPES UNDERDRAIN RND.	50.000	LF
613(L) 4510	26" X 15" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(L) 4516	28" X 20" PREFAB. CULVERT END SEC., ARCH	1.000	EA
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(L) 5734	36" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	159.000	CY
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	30.000	CY
613(V) 1180	TRENCH EXCAVATION	207.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	1149.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1107.000	SY
619(B) 4791	REMOVAL OF CURB	577.000	LF
619(C) 0924	SAWING PAVEMENT	2709.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	1.000	EA

**SECTION 0006 - TRAFFIC SIGNAL - STP-114C(292)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	890.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	100.000	LF
803(A) 8065	PULL BOX(SIZE I)	2.000	EA
803(B) 8085	GROUND BOX (GB36)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	9.100	CY
804(B) 2916	REINFORCING STEEL	1333.600	LB
805(A) 8704	REMOVAL OF PULL BOX	3.000	EA
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120049

**SECTION 0006 - TRAFFIC SIGNAL - STP-114C(292)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
805(B) 8728	(PL)RESET OF PULL BOX	2.000	EA
806(A) 8726	POLE & 25' TS MST.ARM(G.STL.)	1.000	EA
806(A) 8852	40' MHP 35' TS & 10' LMA(G.STL.)	1.000	EA
806(A) 8880	40' MHP 55' TS & 10' LMA(G.STL.)	1.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	2.000	EA
809(A) 8090	ROADWAY LUMINAIRE	2.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECT.COND.	200.000	LF
811 8044	1/C NO.10 ELECT.COND.	640.000	LF
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	700.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	1.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	24.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	24.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	1.000	EA
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	2.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831 8231	1WAY3SEC.ADJ.SIG.HD.S-6	2.000	EA
831 8252	1WAY3SEC.ADJ.SIG.HD.S-9	3.000	EA
831 8274	1WAY4SEC.ADJ.SIG.HD.S-16	4.000	EA
831 8286	1WAY5SEC.ADJ.SIG.HD.S-19	3.000	EA
831 8295	1WAY2SEC.ADJ.PED.SIG.HD.S-20	8.000	EA
833 3030	BACKPLATE	12.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	700.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	475.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	985.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	25.000	LF
840(B) 8593	E.P.S. OPTICAL DETECTOR	1.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	450.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	1.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUM.)	150.500	SF

**SECTION 0007 - LIGHTING - STP-114C(292)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	415.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	2245.000	LF
803(A) 8065	PULL BOX(SIZE I)	18.000	EA
804(A) 2915	STRUCTURAL CONCRETE	7.540	CY
804(B) 2916	REINFORCING STEEL	434.200	LB
805(A) 8704	REMOVAL OF PULL BOX	2.000	EA
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	1.000	EA
806(C) 8928	40'MHP & 15' H.L.MST.ARM(G.STL.)	13.000	EA
807 8092	BREAKAWAY BASE (DES. B)	13.000	EA

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120049

**SECTION 0007 - LIGHTING - STP-114C(292)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
809(A) 8090	ROADWAY LUMINAIRE	13.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECT.COND.	5570.000	LF
811 8046	1/C NO.12 ELECT.COND.	1625.000	LF

**SECTION 0008 - SIGNING & STRIPING - STP-114C(292)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
804(A) 2915	STRUCTURAL CONCRETE	4.060	CY
804(B) 2916	REINFORCING STEEL	496.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	66.820	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	144.000	SF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	95.000	LF
851(B) 3215	1 1/2@2.72 GALV.STL.PIPE POST	9.000	LF
851(B) 3216	2"@3.65 GALV.STL.PIPE POST	70.500	LF
851(B) 3217	2 1/2"@5.79 GALV.STL.PIPE POST	45.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	8430.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	950.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	855.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	1000.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	25.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	1000.000	LF

**SECTION 0009 - STAKING - STP-114C(292)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0010 - CONSTRUCTION - STP-114C(292)AG**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120013

CALL ORDER: 130  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: COMANCHE

PROJECT(S) : PCN  
 BRFY-116C(098) 2095604  
 DBE GOALS : 7.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$80.20  
 210 CALENDAR DAYS  
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 SH-17: OVER BEAVER CREEK AND A TRIBUTARY OF BEAVER CREEK 1.1  
 MILE EAST OF SH-65 IN STERLING.  
 PROJECT LENGTH = 0.813 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	27068.000	CY
202(D) 0184	UNCLASSIFIED BORROW	16321.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1852.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	2.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1750.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	50.400	CY
230(A) 2806	SOLID SLAB SODDING	40705.000	SY
232(B) 2814	SEEDING METHOD B	8.500	AC
233(A) 2817	VEGETATIVE MULCHING	8.500	AC
241 2832	MOWING	17.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	4767.000	CY
307(A) 4200	FLY ASH	1168.400	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	21637.000	SY
325 5271	SEPARATOR FABRIC	19400.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1628.000	TON
407(B) 0250	TACK COAT	2396.000	GAL
408 5774	PRIME COAT	12184.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	8045.800	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2884.500	TON
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	7450.000	LF
509(A) 0319	CLASS AA CONCRETE	27.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	2.000	CY
509(D) 0325	CLASS C CONCRETE	24.000	CY
511(A) 0332	REINFORCING STEEL	3918.000	LB
610(B) 0604	6" CONCRETE DRIVEWAY	300.200	SY
611(G) 5387	INLET CDI RCB DES. 1	2.000	EA
611(L) 0487	JUNCTION BOXES	70.000	CF
613(B) 0670	21" CORR. GALV. STEEL PIPE	90.000	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120013

**SECTION 0001 - ROADWAY**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
613(B) 0689	18" CORR. GALV. STEEL PIPE	536.000	LF
613(B) 0692	36" CORR. GALV. STEEL PIPE	34.000	LF
613(B) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	168.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	600.000	LF
613(I) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	200.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	22.000	EA
613(M) 7202	TYPE BB6 CULVERT END TREATMENT	2.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	16466.000	SY
619(C) 0924	SAWING PAVEMENT	2100.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1264.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	8.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	8.000	EA
624(A) 4281	FENCE-STYLE WWF	563.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	873.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C) 4960	MAILBOX	2.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA

**SECTION 0002 - BRIDGE 'A'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	198.000	CY
501(G) 6309	CLSM BACKFILL	252.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	749.300	LF
504(A) 1304	APPROACH SLAB	377.000	SY
504(B) 1305	SAW-CUT GROOVING	1206.100	SY
504(C) 6250	SEALED EXPANSION JOINT	48.800	LF
504(D) 6245	CONCRETE RAIL (TR4)	544.800	LF
506(A) 1322	STRUCTURAL STEEL	1490.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	224.400	CY
509(B) 1328	CLASS A CONCRETE	202.800	CY
511(A) 1332	REINFORCING STEEL	630.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	90560.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	166.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	684.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	166.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	684.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	972.500	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	168.000	LF
523(A) 6550	SEALER CRACK PREPARATION	48.000	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120013

**SECTION 0002 - BRIDGE 'A'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
523(B) 6560	SEALER RESIN	0.600	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1964.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	355.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	96.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	95.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0003 - BRIDGE 'B'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	254.000	CY
501(G) 6309	CLSM BACKFILL	316.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	506.000	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	338.700	LF
504(A) 1304	APPROACH SLAB	447.000	SY
504(B) 1305	SAW-CUT GROOVING	1385.800	SY
504(C) 6250	SEALED EXPANSION JOINT	58.300	LF
504(D) 6245	CONCRETE RAIL (TR4)	625.600	LF
506(A) 1322	STRUCTURAL STEEL	1560.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	256.900	CY
509(B) 1328	CLASS A CONCRETE	270.900	CY
511(A) 1332	REINFORCING STEEL	540.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	108540.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	138.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	671.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	138.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	671.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1171.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	136.000	LF
523(A) 6550	SEALER CRACK PREPARATION	57.000	LF
523(B) 6560	SEALER RESIN	0.700	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1998.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	417.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	114.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	66.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0004 - TRAFFIC**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	14.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	17200.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	7560.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 120013

**SECTION 0004 - TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	6400.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	3100.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2940.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3360.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4620.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2310.000	SD
880(C) 8848	WING BARRICADES	840.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4620.000	SD
880(F) 8878	DRUMS	15120.000	SD

**SECTION 0005 - STAKING**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0006 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120037

CALL ORDER: 140  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CREEK

PROJECT(S) : PCN  
 SSR-219B(002)SR 2905904  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 PAVEMENT REHABILITATION (AC & PC)  
 SH-33: BEGIN AT THE PAYNE CL, EXTEND EAST.  
 SH-99B: BEGIN AT SH-33, EXTEND NORTH.  
 PROJECT LENGTH = 1.787 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
202(H) 0185	EARTHWORK	1.000	LSUM
303(A) 2100	AGGREGATE BASE TYPE A	50.000	CY
307(K) 4300	STABILIZED SUBGRADE	8300.000	SY
407(B) 0250	TACK COAT	2600.000	GAL
408 5774	PRIME COAT	1750.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	1200.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1225.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	2400.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	675.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	100.000	TON
412 5267	COLD MILLING PAVEMENT	28250.000	SY
414(E) 0225	FULL DEPTH P.C.C. PATCH(PLACEMENT ONLY)	2500.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	560.000	CY
415 6300	CONCRETE JOINT SEALING	27000.000	LF
416 0100	DOWEL BAR RETROFIT	5700.000	EA
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	18000.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6900.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	100.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	100.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

**SECTION 0002 - TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	60.000	SD
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	10.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	9900.000	LF
855(B) 3300	TRAF.STR(PLAST)(SYMBOLS, WORDS, ETC)	4.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	28600.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	16.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

**CONTRACT ID: 120037**

**SECTION 0003 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120060

CALL ORDER: 145  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: DEWEY  
 CUSTER

PROJECT(S) : PCN  
 BTOP-220N(002) 2812826  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$192.37  
 135 CALENDAR DAYS  
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 US-183: FROM THE CITY OF CLINTON TO THE CITY OF SEILING.  
 PROJECT LENGTH = 47.08 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE."

**SECTION 0001 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
104 0900	RAILROAD FLAGGING	32.000	HOURL
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
230(A) 2806	SOLID SLAB SODDING	2000.000	SY
509(B) 0321	CLASS A CONCRETE	11.520	CY
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	100.000	LF
802(A) 8318	3" GALV.STEEL ELECT.COND.PUSHED OR BORED	100.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	15171.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	13768.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	232655.000	LF
802(D) 8375	4" ALUMINUM CONDUIT (EXPOSED)	2392.000	LF
803(B) 8135	GROUND BOX (R3248)	63.000	EA
803(B) 8150	GROUND BOX (B2-48)	18.000	EA
804(B) 2916	REINFORCING STEEL	207.000	LB
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	3526.000	LF
818(A) 8720	(SP)FIBER OPTIC CABLE, 48 SMF	268560.000	LF
818(A) 8738	(SP) FIBER OPTIC CABLE, 24 I/O PLENUM	100.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	2.000	EA
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	4.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	24.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	56.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	12.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	358.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

**CONTRACT ID: 120060**

**SECTION 0002 - TRAFFIC CONTROL**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
880(I) 8902	FLAGGER	45.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

**SECTION 0003 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110285

CALL ORDER: 150  
LETTING DATE: January 19, 2012  
LETTING TIME: 10:30 A.M.  
COUNTIES: CUSTER

PROJECT(S): PCN  
SSR-120B(194)SR 2813304

DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$0.00  
45 CALENDAR DAYS  
RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
RESURFACE (ASPHALT)  
SH-33: BEGIN 4.5 MILES EAST OF THE US-183 JUNCTION,  
EXTEND EAST.  
PROJECT LENGTH = 5.00 MILES

SECTION 0001 - ROADWAY - SSR-120B(194)SR

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	10398.000	TON
412 5267	COLD MILLING PAVEMENT	4323.000	SY
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	89000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110286

CALL ORDER: 151  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CUSTER

PROJECT(S) : PCN  
 SSR-120B(195)SR 2813305  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 45 CALENDAR DAYS  
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 SH-33: BEGIN 9.5 MILES EAST OF THE US-183 JUNCTION,  
 EXTEND EAST.  
 PROJECT LENGTH = 4.36 MILES

**SECTION 0001 - ROADWAY - SSR-120B(195)SR**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	9874.000	TON
412 5267	COLD MILLING PAVEMENT	12389.000	SY
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	83820.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110287

CALL ORDER: 152  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CUSTER

PROJECT(S) : PCN  
 SSR-120B(194)SR 2813304  
 SSR-120B(195)SR 2813305

DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 75 CALENDAR DAYS  
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 SH-33: BEGIN 4.5 MILES EAST OF THE US-183 JUNCTION,  
 EXTEND EAST.  
 PROJECT LENGTH = 9.36 MILES

**SECTION 0001 - ROADWAY - SSR-120B(194)SR**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	10398.000	TON
412 5267	COLD MILLING PAVEMENT	4323.000	SY
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	89000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - ROADWAY - SSR-120B(195)SR**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	9874.000	TON
412 5267	COLD MILLING PAVEMENT	12389.000	SY
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	83820.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120061

CALL ORDER: 165  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: DEWEY  
 WOODWARD  
 MAJOR

PROJECT(S) : PCN  
 BTOP-222N(001) 2812836  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$173.40  
 95 CALENDAR DAYS  
 RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 US-270: FROM THE CITY OF WOODWARD TO THE CITY OF SEILING.  
 PROJECT LENGTH = 35.2 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE."

**SECTION 0001 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
230(A) 2806	SOLID SLAB SODDING	2000.000	SY
509(B) 0321	CLASS A CONCRETE	15.360	CY
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	100.000	LF
802(A) 8318	3" GALV.STEEL ELECT.COND.PUSHED OR BORED	100.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	11817.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	15673.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	169252.000	LF
803(B) 8135	GROUND BOX (R3248)	48.000	EA
803(B) 8150	GROUND BOX (B2-48)	24.000	EA
804(B) 2916	REINFORCING STEEL	288.000	LB
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	3453.000	LF
818(A) 8720	(SP)FIBER OPTIC CABLE, 48 SMF	176889.000	LF
818(A) 8730	(SP)FIBER OPTIC CABLE, 96 SMF	18947.000	LF
818(A) 8738	(SP) FIBER OPTIC CABLE, 24 I/O PLENUM	200.000	LF
818(A) 8739	(SP) FIBER OPTIC CABLE, 48 I/O PLENUM	500.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	1.000	EA
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	1.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	56.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	152.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	10.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	295.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	140.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

**CONTRACT ID: 120061**

**SECTION 0002 - TRAFFIC CONTROL**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
880(I) 8902	FLAGGER	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	140.000	SD

**SECTION 0003 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120065

CALL ORDER:	168	PROJECT(S) :	PCN
LETTING DATE:	January 19, 2012	BTOP-247N(001)	2812838
LETTING TIME:	10:30 A.M.	BTOP-224N(001)	2812839
COUNTIES:	NOBLE	DBE GOALS :	0.00
	GARFIELD	GUARANTY :	5% OF BID TOTAL
	MAJOR	PLAN PRICE :	\$321.88
		210 CALENDAR DAYS	
		RES. ENG.:	DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 US-412: FROM THE CITY OF ORIENTA EAST TO I-35.  
 PROJECT LENGTH = 65.8 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER, BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE."

**SECTION 0001 - TRAFFIC - BTOP-247N(001)**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
104 0900	RAILROAD FLAGGING	48.000	HOURL
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
230(A) 2806	SOLID SLAB SODDING	2000.000	SY
509(B) 0321	CLASS A CONCRETE	18.000	CY
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	3100.000	LF
802(A) 8318	3" GALV.STEEL ELECT.COND.PUSHED OR BORED	205.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	12445.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	36265.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	148735.000	LF
803(B) 8135	GROUND BOX (R3248)	45.000	EA
803(B) 8150	GROUND BOX (B2-48)	27.000	EA
804(B) 2916	REINFORCING STEEL	324.000	LB
818(A) 8720	(SP)FIBER OPTIC CABLE, 48 SMF	207290.000	LF
818(A) 8738	(SP) FIBER OPTIC CABLE, 24 I/O PLENUM	835.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	1.000	EA
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	1.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	8.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	56.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	3.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	11.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	174.000	EA

**SECTION 0002 - TEMPORARY TRAFFIC - BTOP-247N(001)**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	170.000	SD
880(I) 8902	FLAGGER	40.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120065

**SECTION 0002 - TEMPORARY TRAFFIC - BTOP-247N(001)**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	170.000	SD

**SECTION 0003 - CONSTRUCTION - BTOP-247N(001)**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**SECTION 0004 - TRAFFIC - BTOP-224N(001)**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
104 0900	RAILROAD FLAGGING	48.000	HOURL
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
230(A) 2806	SOLID SLAB SODDING	2000.000	SY
509(B) 0321	CLASS A CONCRETE	12.000	CY
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	670.000	LF
802(A) 8318	3" GALV.STEEL ELECT.COND.PUSHED OR BORED	315.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	4290.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	4935.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	144720.000	LF
803(B) 8135	GROUND BOX (R3248)	30.000	EA
803(B) 8150	GROUND BOX (B2-48)	18.000	EA
804(B) 2916	REINFORCING STEEL	216.000	LB
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	5300.000	LF
818(A) 8720	(SP)FIBER OPTIC CABLE, 48 SMF	159200.000	LF
818(A) 8739	(SP) FIBER OPTIC CABLE, 48 I/O PLENUM	600.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	1.000	EA
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	2.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	88.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	136.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	3.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	9.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	131.000	EA

**SECTION 0005 - TEMPORARY TRAFFIC - BTOP-224N(001)**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	130.000	SD
880(I) 8902	FLAGGER	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	130.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110289

CALL ORDER: 170  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: GARFIELD

PROJECT(S) : PCN  
 SSR-124N(139)SR 2822104  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 75 CALENDAR DAYS  
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-81: FROM 1.0 MILES SOUTH OF US-412, EXTEND NORTH.  
 PROJECT LENGTH = 0.92 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
230(A) 2806	SOLID SLAB SODDING	20.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	300.000	CY
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	3800.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	140.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	550.000	TON
412 5267	COLD MILLING PAVEMENT	35000.000	SY
609(B) 0383	COMBINED CURB & GUTTER(6" BARRIER)	200.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	10.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	8.000	SF
611(G) 5101	INLET CI DES. 1 (A)	1.000	EA
611(H) 5320	ADD'L DEPTH IN INLET CI DES. 1	1.000	VF
611(I) 4488	RPLC INLT FRM&GRT(SSIF-FRM,CIG-GRT-VG-F)	1.000	EA
611(M) 4488	REPLACEMENT OF CAST IRON HOOD	2.000	EA
612(A) 0641	MANHOLES ADJUST TO GRADE	13.000	EA
612(C) 0645	INLET ADJUST TO GRADE	4.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	20.000	EA
613(A) 0403	15" R.C.PIPE CLASS III	8.000	LF
613(A) 0491	18" R.C.PIPE CLASS III	8.000	LF
619(B) 4726	REMOVAL OF CURB AND GUTTER	200.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1100.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	1.000	EA
619(B) 4792	REMOVAL OF SIDEWALK	10.000	SY

**SECTION 0002 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	15000.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	6000.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	100.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	500.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	48.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110289

SECTION 0002 - TRAFFIC

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110290

CALL ORDER: 180  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: GARVIN

PROJECT(S) : PCN  
 SSR-125C(188)SR 2754404  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 21 CALENDAR DAYS  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 SH-19: FROM 6.51 MI EAST OF SH-74, EXTEND EAST.  
 PROJECT LENGTH = 2.63 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	696.000	TON
407(B) 0250	TACK COAT	3703.000	GAL
411(D) 5970	SUPERPAVE, TYPE S5(PG 70-28 OK)	4371.000	TON
412 5267	COLD MILLING PAVEMENT	267.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	55546.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120016

CALL ORDER: 200  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: HARPER

PROJECT(S) : PCN  
 SBR-130N(148)SB 2743404  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$11.92  
 45 CALENDAR DAYS  
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION  
 BRIDGE REHABILITATION  
 US-270: OVER OTTER CREEK, 13.6 MILES EAST OF THE BEAVER CL.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(C) 6250	SEALED EXPANSION JOINT	94.000	LF
509(A) 1326	CLASS AA CONCRETE	35.400	CY
511 6306	MECHANICAL SPLICES	96.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	6120.000	LB
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	30.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
523(A) 6550	SEALER CRACK PREPARATION	472.000	LF
523(B) 6560	SEALER RESIN	5.000	GAL
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	192.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	21.400	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

**SECTION 0002 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	30.000	SD
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	264.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	804.000	EA
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	60.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	5.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1237.500	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	1237.500	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

**SECTION 0003 - CONSTRUCTION STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110292

CALL ORDER: 210  
LETTING DATE: January 19, 2012  
LETTING TIME: 10:30 A.M.  
COUNTIES: JACKSON

PROJECT(S) : PCN  
SSR-133B(120)SR 2753904

DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$0.00  
30 CALENDAR DAYS  
RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
RESURFACE (ASPHALT)  
US-283: BEGIN 3.0 MILES SOUTH OF US-62, EXTEND NORTH.  
PROJECT LENGTH = 2.00 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	5780.000	TON
412 5267	COLD MILLING PAVEMENT	2666.000	SY
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	25700.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120014

CALL ORDER: 230  
LETTING DATE: January 19, 2012  
LETTING TIME: 10:30 A.M.  
COUNTIES: JEFFERSON

PROJECT(S) : PCN  
MC-234C(003) 2919304  
DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$0.00  
30 CALENDAR DAYS  
RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION  
RESURFACE (ASPHALT)  
SH-5: BEGIN AT COTTON COUNTY LINE AND EXTEND EAST.  
PROJECT LENGTH = 1.87 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
202(H) 0185	EARTHWORK	1.000	LSUM
411(D) 5975	SUPERPAVE, TYPE S5(PG 64-22 OK)	2210.000	TON
412 5267	COLD MILLING PAVEMENT	1538.000	SY
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	29616.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110293

CALL ORDER: 240  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: KAY

PROJECT(S) : PCN  
 SSR-136C(207)SR 2822204  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 75 CALENDAR DAYS  
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-177: FROM US-60, EXTEND NORTH TO BLACKWELL.  
 PROJECT LENGTH = 6.09 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
303(A) 2100	AGGREGATE BASE TYPE A	200.000	CY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	9900.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	450.000	TON
412 5267	COLD MILLING PAVEMENT	88000.000	SY
413(B) 4862	RUMBLE STRIP-METHOD HMA-CYC GROUP	8.000	EAGP
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	1.000	EA

**SECTION 0002 - TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	400.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110294

CALL ORDER: 250  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: KINGFISHER

PROJECT(S) : PCN  
 SSR-137N(098)SR 2488604  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 75 CALENDAR DAYS  
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-81: BEGIN 2.0 MILE SOUTH OF SH-51, EXTEND NORTH IN  
 HENNESSEY.  
 PROJECT LENGTH = 1.38 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
303(A) 2100	AGGREGATE BASE TYPE A	200.000	CY
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	400.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	5600.000	TON
412 5267	COLD MILLING PAVEMENT	52000.000	SY
612(A) 0641	MANHOLES ADJUST TO GRADE	1.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	1.000	EA
619(B) 6132	REMOVAL OF 6" CONCRETE DIVIDING STRIP	274.000	SY

**SECTION 0002 - TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	22400.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	5000.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	3000.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	300.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	44.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	300.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	150.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110296

CALL ORDER: 260  
LETTING DATE: January 19, 2012  
LETTING TIME: 10:30 A.M.  
COUNTIES: KIOWA

PROJECT(S): PCN  
SSR-138A(182)SR 2813404

DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$0.00  
60 CALENDAR DAYS  
RES. ENG.: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION  
RESURFACE (ASPHALT)  
US-183: BEGIN 0.75 MILES SOUTH OF SH-19, EXTEND NORTH.  
PROJECT LENGTH = 7.25 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	27644.000	TON
412 5267	COLD MILLING PAVEMENT	36031.000	SY
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	137012.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120050

CALL ORDER: 265  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: LATIMER

PROJECT(S): PCN  
 BRO-139D(101)CI 2629804  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$11.92  
 120 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (EW-157): OVER CROOKED CREEK 1.1 MILES SOUTH OF  
 SH-63 AND 1.2 MILES WEST OF THE LEFLORE COUNTY LINE.  
 PROJECT LENGTH = 0.179 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1772.150	CY
202(D) 0184	UNCLASSIFIED BORROW	11477.000	CY
221(C) 2801	TEMPORARY SILT FENCE	200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	150.000	LF
230(A) 2806	SOLID SLAB SODDING	3901.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	573.470	CY
408 5774	PRIME COAT	361.750	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	496.450	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	268.420	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	25.000	TON
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2112.000	SY
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	3800.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - BRIDGE**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	90.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	276.170	LF
504(B) 1305	SAW-CUT GROOVING	208.000	SY
504(E) 1380	CONCRETE RAIL (TR1)	205.170	LF
506(A) 1322	STRUCTURAL STEEL	1800.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	54.900	CY
509(B) 1328	CLASS A CONCRETE	58.400	CY
511(A) 1332	REINFORCING STEEL	20620.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	83.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 120050

**SECTION 0002 - BRIDGE**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
514(A) 6011	PILES, FURNISHED (HP 12X53)	162.500	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	83.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	162.500	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	170.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	35.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA

**SECTION 0003 - STAKING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 110297

CALL ORDER: 270  
LETTING DATE: January 19, 2012  
LETTING TIME: 10:30 A.M.  
COUNTIES: LATIMER

PROJECT(S) : PCN  
SSR-139B(114)SR 2639604  
DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$0.00  
60 CALENDAR DAYS  
RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
RESURFACE (ASPHALT)  
US-270: BEGIN 4.3 MILES EAST OF SH-2, EXTEND EAST.  
PROJECT LENGTH = 2.3 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1722.000	TON
407(C) 0300	POLYMER MODIFIED CATIONIC RAPID SET - 1	19431.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	5838.000	TON
411(D) 5965	SUPERPAVE, TYPE S5(PG 76-28 OK)	4081.000	TON
412 5267	COLD MILLING PAVEMENT	2000.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	48576.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120066

CALL ORDER: 273  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: LATIMER  
 LEFLORE

PROJECT(S) : PCN  
 BTOP-239B(001) 2812847  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$301.83  
 125 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 US-270/US-271: FROM THE CITY OF WILBURTON TO THE CITY OF  
 POTEAU.  
 PROJECT LENGTH = 41.790 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE."

**SECTION 0001 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
230(A) 2806	SOLID SLAB SODDING	2000.000	SY
509(B) 0321	CLASS A CONCRETE	12.800	CY
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	1350.000	LF
802(A) 8318	3" GALV.STEEL ELECT.COND.PUSHED OR BORED	100.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	14270.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	65450.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	143281.000	LF
803(B) 8135	GROUND BOX (R3248)	54.000	EA
803(B) 8150	GROUND BOX (B2-48)	20.000	EA
804(B) 2916	REINFORCING STEEL	240.000	LB
818(A) 8720	(SP)FIBER OPTIC CABLE, 48 SMF	234312.000	LF
818(A) 8730	(SP)FIBER OPTIC CABLE, 96 SMF	4704.000	LF
818(A) 8739	(SP) FIBER OPTIC CABLE, 48 I/O PLENUM	900.000	LF
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	2.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	240.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	144.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	13.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	250.000	EA

**SECTION 0002 - TEMPORARY TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	170.000	SD
880(I) 8902	FLAGGER	45.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

**CONTRACT ID: 120066**

**SECTION 0002 - TEMPORARY TRAFFIC**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	170.000	SD

**SECTION 0003 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120051

CALL ORDER: 275  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: LEFLORE

PROJECT(S) : PCN  
 BRO-140D(190)CI 2690504  
 DBE GOALS : 4.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$10.84  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (D1273): OVER UNNAMED CREEK 4.0 MILES SOUTH AND  
 1.7 MILES WEST OF POCOLA.  
 PROJECT LENGTH = 0.089 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	300.000	LF
221(F) 0100	TEMPORARY SILT DIKE	50.000	LF
230(A) 2806	SOLID SLAB SODDING	3000.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	250.000	CY
408 5774	PRIME COAT	530.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	180.000	TON
601(B) 0536	TYPE I-A PLAIN RIPRAP	500.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	520.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1896.000	LF

**SECTION 0002 - BRIDGE "A"**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	38.720	CY
504(D) 6239	CONCRETE RAIL (TR3)	128.000	LF
509(B) 1328	CLASS A CONCRETE	158.370	CY
511(A) 1332	REINFORCING STEEL	32945.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120018

CALL ORDER: 280  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: LINCOLN

PROJECT(S) : PCN  
 BRFY-141B(206) 2418008  
 DBE GOALS : 7.50  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$79.11  
 210 CALENDAR DAYS  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 GRADE, DRAIN, SURFACE, AND BRIDGE  
 US-177: OVER SPRING CREEK AND DEEP FORK NORTH CANADIAN  
 RIVER 0.24 AND 0.53 MILES NORTH OF SH-66.  
 PROJECT LENGTH = 0.715 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	9738.000	CY
202(D) 0184	UNCLASSIFIED BORROW	17327.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2325.000	LF
221(E) 2804	TEMPORARY SEDIMENT BASIN	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	126.000	LF
230(A) 2806	SOLID SLAB SODDING	47349.000	SY
233(A) 2817	VEGETATIVE MULCHING	9.410	AC
234(A) 2824	FERTILIZING (10-20-10)	4.550	TON
241 2832	MOWING	9.410	AC
307(A) 4200	FLY ASH	877.000	TON
307(D) 4230	LIME	82.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	16224.000	SY
307(G) 4260	LIME PRETREATMENT	5679.000	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	218.000	TON
407(B) 0250	TACK COAT	5469.000	GAL
408 5774	PRIME COAT	4138.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	1457.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	7854.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	971.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2411.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	99.000	CY
504(E) 6190	42" F-SHAPED PARAPET	222.000	LF
509(A) 0319	CLASS AA CONCRETE	321.460	CY
509(D) 0325	CLASS C CONCRETE	25.000	CY
511(A) 0332	REINFORCING STEEL	40544.000	LB
511(B) 4269	EPOXY COATED REINFORCING STEEL	7080.000	LB
613(A) 0492	24" R.C.PIPE CLASS III	124.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	258.000	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120018

**SECTION 0001 - ROADWAY**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	235.000	LF
613(I) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	79.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	4.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	48.000	CY
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	71.000	CY
613(V) 1180	TRENCH EXCAVATION	218.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	3.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	8669.000	SY
619(C) 0924	SAWING PAVEMENT	64.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1537.500	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	9.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	15.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2079.000	LF
625(D) 1254	REMOVE AND RECONSTRUCT GUARDRAIL	75.000	LF
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	55.000	EA

**SECTION 0002 - BRIDGE 'A'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(G) 6309	CLSM BACKFILL	164.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	777.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(B) 1305	SAW-CUT GROOVING	1091.100	SY
504(D) 6245	CONCRETE RAIL (TR4)	487.000	LF
506(A) 1322	STRUCTURAL STEEL	1050.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	258.400	CY
509(B) 1328	CLASS A CONCRETE	122.600	CY
509(D) 1331	CLASS C CONCRETE	25.000	CY
511(A) 1332	REINFORCING STEEL	560.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	76520.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1048.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1048.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	868.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	282.000	LF
523(A) 6550	SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120018

**SECTION 0002 - BRIDGE 'A'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
601(B) 1353	TYPE I-A PLAIN RIPRAP	810.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	175.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0003 - BRIDGE 'B'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	260.000	CY
501(G) 6309	CLSM BACKFILL	186.800	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1196.000	LF
504(A) 1304	APPROACH SLAB	262.400	SY
504(B) 1305	SAW-CUT GROOVING	1598.600	SY
504(C) 6250	SEALED EXPANSION JOINT	51.050	LF
504(D) 6245	CONCRETE RAIL (TR4)	719.100	LF
506(A) 1322	STRUCTURAL STEEL	1660.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	355.700	CY
509(B) 1328	CLASS A CONCRETE	226.500	CY
509(D) 1331	CLASS C CONCRETE	25.000	CY
511(A) 1332	REINFORCING STEEL	980.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	122570.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	316.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1342.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	316.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1342.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1421.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	288.000	LF
523(A) 6550	SEALER CRACK PREPARATION	49.700	LF
523(B) 6560	SEALER RESIN	0.600	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	580.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	120.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	100.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	36.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0004 - BRIDGE 'C'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
509(A) 1326	CLASS AA CONCRETE	8.900	CY
511(A) 1332	REINFORCING STEEL	270.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	950.000	LB
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120018

**SECTION 0005 - TRAFFIC CONTROL**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	3.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	20.000	EA
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	210.000	SD
850(A) 8110	SHEET ALUMINUM SIGNS	12.500	SF
851(C) 8324	2" SQUARE TUBE POST	28.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	15500.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	2.000	EA
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	21000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1260.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4620.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2100.000	SD
880(C) 8848	WING BARRICADES	840.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7980.000	SD
880(F) 8878	DRUMS	2100.000	SD
880(G) 8890	CHANNELIZER CONES	6300.000	SD
880(I) 8902	FLAGGER	60.000	SD

**SECTION 0006 - STAKING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0007 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110300

CALL ORDER: 290  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: LINCOLN

PROJECT(S) : PCN  
 SSR-141C(185)SR 2467904  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 35 CALENDAR DAYS  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 SH-105: FROM THE LOGAN CL, EXTEND EAST.  
 PROJECT LENGTH = 6.91 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	967.000	TON
407(B) 0250	TACK COAT	9729.000	GAL
411(D) 5975	SUPERPAVE, TYPE S5(PG 64-22 OK)	11484.000	TON
855(A) 8840	TRAF.STR.(PLASTIC)(THIN LINE)(4" WIDE)	127697.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120019

CALL ORDER: 300  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: LOGAN

PROJECT(S) : PCN  
 SSP-142C(146)SS 2438104  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$36.85  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
 GRADE, DRAIN, AND SURFACE  
 SH-33: FROM SH-74, EXTEND WEST.  
 PROJECT LENGTH = 0.725 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	20105.000	CY
202(D) 0184	UNCLASSIFIED BORROW	500.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	400.000	LF
221(F) 0100	TEMPORARY SILT DIKE	250.000	LF
221(G) 0153	TEMPORARY ROCK FILTER DAM TYPE 4	4.000	CY
229 4318	DITCH LINER PROTECTION	3681.000	LF
230(A) 2806	SOLID SLAB SODDING	36050.000	SY
232(B) 2814	SEEDING METHOD B	8.000	AC
233(A) 2817	VEGETATIVE MULCHING	8.000	AC
241 2832	MOWING	16.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	2039.000	CY
310(B) 0149	SUBGRADE, METHOD B	10959.000	SY
325 5271	SEPARATOR FABRIC	11046.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	10871.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1726.000	TON
407(B) 0250	TACK COAT	4003.000	GAL
408 5774	PRIME COAT	3364.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	3507.000	SY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2219.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2565.000	TON
411(E) 5990	SUPERPAVE, TYPE S6(PG 64-22 OK)	287.000	TON
412 5267	COLD MILLING PAVEMENT	2408.000	SY
426(D) 5098	POLYURETHANE INJECTION FOR PAVEMENT	1100.000	LB
504(G) 6390	RAPID CURE JOINT SEALANT	120.000	LF
509(A) 0319	CLASS AA CONCRETE	109.000	CY
509(D) 0325	CLASS C CONCRETE	636.000	CY
511(A) 0332	REINFORCING STEEL	15207.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	203.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	115.000	TON

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120019

**SECTION 0001 - ROADWAY**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
613(B) 0690	24" CORR. GALV. STEEL PIPE	70.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	32.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	62.000	LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	280.000	LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	25.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	4.000	EA
619(C) 0924	SAWING PAVEMENT	8991.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	7203.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	16200.000	LF
857(E) 8890	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-2	3400.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	5000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4320.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1080.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1620.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	360.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(D) 8854	VERTICAL PANELS	6930.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7830.000	SD
880(F) 8878	DRUMS	6930.000	SD
880(G) 8890	CHANNELIZER CONES	6930.000	SD
880(I) 8902	FLAGGER	180.000	SD
880(W) 8800	PILOT CAR	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

**SECTION 0003 - TRAFFIC SIGNING & STRIPING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
804(A) 2915	STRUCTURAL CONCRETE	0.720	CY
804(B) 2916	REINFORCING STEEL	130.000	LB
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	3.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	52.000	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	57.000	SF
851(A) 3206	4"@13 GALV.STL.WD.FLANGE BM.POST	36.000	LF



OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 120019

**SECTION 0003 - TRAFFIC SIGNING & STRIPING**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
851(C) 8324	2" SQUARE TUBE POST	88.300	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	14800.000	LF

**SECTION 0004 - STAKING**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120038

CALL ORDER: 320  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: MCCURTAIN

PROJECT(S) : PCN  
 SSR-245A(001)SR 2903104  
 SSR-245A(002)SR 2903204

DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 45 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-259: BEGIN AT THE END OF THE PC CONCRETE PAVEMENT IN  
 BROKEN BOW (6TH STREET), EXTEND NORTH.  
 PROJECT LENGTH = 12.00 MILES

**SECTION 0001 - ROADWAY - SSR-245A(001)SR**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407(B) 0250	TACK COAT	9809.070	GAL
411(D) 5975	SUPERPAVE, TYPE S5(PG 64-22 OK)	3295.850	TON
411(F) 6100	STONE MATRIX ASPHALT	6591.690	TON
412 5267	COLD MILLING PAVEMENT	58854.400	SY

**SECTION 0002 - TRAFFIC - SSR-245A(001)SR**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	88282.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - CONSTRUCTION - SSR-245A(001)SR**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

**SECTION 0004 - ROADWAY - SSR-245A(002)SR**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407(B) 0250	TACK COAT	18350.930	GAL
411(D) 5975	SUPERPAVE, TYPE S5(PG 64-22 OK)	6165.910	TON
411(F) 6100	STONE MATRIX ASPHALT	14799.770	TON
412 5267	COLD MILLING PAVEMENT	110105.600	SY

**SECTION 0005 - TRAFFIC - SSR-245A(002)SR**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	165158.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120053

CALL ORDER: 335  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: MAJOR

PROJECT(S) : PCN  
 CIRB-147C(135)RB 2510404  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$36.85  
 60 CALENDAR DAYS  
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 COUNTY ROAD (EW-54): BEGIN 3.0 MILES EAST OF SH-58, EXTEND  
 EAST.  
 PROJECT LENGTH = 5.934 MILES

**SECTION 0001 - ROADWAY - CIRB-147C(135)RB**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	878.000	LF
230(A) 2806	SOLID SLAB SODDING	24368.000	SY
233(A) 2817	VEGETATIVE MULCHING	5.040	AC
307(A) 4200	FLY ASH	3384.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	83548.000	SY
311(D) 0154	PROCESS EXISTING BASE & SURFACE,METHOD D	31330.430	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1171.000	TON
407(B) 0250	TACK COAT	6087.000	GAL
408 5774	PRIME COAT	17545.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	18284.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	8907.000	TON
413(B) 4862	RUMBLE STRIP-METHOD HMA-CYC GROUP	4.000	EAGP
613(A) 0491	18" R.C.PIPE CLASS III	152.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	56.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	62.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	186.000	LF
613(A) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	262.000	LF
613(A) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	55.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	665.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	115.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	60.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	34.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	18.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	4.000	EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	6.000	EA
619(C) 0924	SAWING PAVEMENT	183.540	LF
850(A) 8110	SHEET ALUMINUM SIGNS	156.980	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	109656.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 120053

**SECTION 0001 - ROADWAY - CIRB-147C(135)RB**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - STAKING - CIRB-147C(135)RB**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0003 - CONSTRUCTION - CIRB-147C(135)RB**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120054

CALL ORDER: 336  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: MAJOR

PROJECT(S) : PCN  
 CIRB-147C(167)RB 2510408  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$20.59  
 45 CALENDAR DAYS  
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 COUNTY ROAD (EW-54): BEGIN AT SH-58, EXTEND EAST.  
 PROJECT LENGTH = 2.971 MILES

**SECTION 0001 - ROADWAY - CIRB-147C(167)RB**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	1316.000	LF
230(A) 2806	SOLID SLAB SODDING	12200.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.520	AC
307(A) 4200	FLY ASH	1694.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	41829.000	SY
311(D) 0154	PROCESS EXISTING BASE & SURFACE,METHOD D	15685.750	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	696.000	TON
407(B) 0250	TACK COAT	3215.000	GAL
408 5774	PRIME COAT	8785.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	9223.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	4944.000	TON
413(B) 4862	RUMBLE STRIP-METHOD HMA-CYC GROUP	4.000	EAGP
613(A) 0492	24" R.C.PIPE CLASS III	56.000	LF
613(A) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	156.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	110.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	54.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	10.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
619(C) 0924	SAWING PAVEMENT	177.650	LF
850(A) 8110	SHEET ALUMINUM SIGNS	135.680	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	54900.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - STAKING - CIRB-147C(167)RB**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

**CONTRACT ID: 120054**

**SECTION 0003 - CONSTRUCTION - CIRB-147C(167)**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120055

CALL ORDER: 337  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: MAJOR

PROJECT(S) :                    PCN  
 CIRB-147C(135)RB            2510404  
 CIRB-147C(167)RB            2510408

DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$57.44  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 COUNTY ROAD (EW-54): BEGIN AT SH-58, EXTEND EAST.  
 PROJECT LENGTH = 8.905 MILES

**SECTION 0001 - ROADWAY - CIRB-147C(135)RB**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	878.000	LF
230(A) 2806	SOLID SLAB SODDING	24368.000	SY
233(A) 2817	VEGETATIVE MULCHING	5.040	AC
307(A) 4200	FLY ASH	3384.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	83548.000	SY
311(D) 0154	PROCESS EXISTING BASE & SURFACE,METHOD D	31330.430	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1171.000	TON
407(B) 0250	TACK COAT	6087.000	GAL
408 5774	PRIME COAT	17545.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	18284.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	8907.000	TON
413(B) 4862	RUMBLE STRIP-METHOD HMA-CYC GROUP	4.000	EAGP
613(A) 0491	18" R.C.PIPE CLASS III	152.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	56.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	62.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	186.000	LF
613(A) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	262.000	LF
613(A) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	55.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	665.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	115.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	60.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	34.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	18.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	4.000	EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	6.000	EA
619(C) 0924	SAWING PAVEMENT	183.540	LF
850(A) 8110	SHEET ALUMINUM SIGNS	156.980	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	109656.000	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

STATE PROJECT

CONTRACT ID: 120055

**SECTION 0001 - ROADWAY - CIRB-147C(135)RB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - STAKING - CIRB-147C(135)RB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0003 - CONSTRUCTION - CIRB-147C(135)RB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

**SECTION 0004 - ROADWAY - CIRB-147C(167)RB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	1316.000	LF
230(A) 2806	SOLID SLAB SODDING	12200.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.520	AC
307(A) 4200	FLY ASH	1694.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	41829.000	SY
311(D) 0154	PROCESS EXISTING BASE & SURFACE,METHOD D	15685.750	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	696.000	TON
407(B) 0250	TACK COAT	3215.000	GAL
408 5774	PRIME COAT	8785.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	9223.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	4944.000	TON
413(B) 4862	RUMBLE STRIP-METHOD HMA-CYC GROUP	4.000	EAGP
613(A) 0492	24" R.C.PIPE CLASS III	56.000	LF
613(A) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	156.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	110.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	54.000	LF
613(L) 5726	18" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	10.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
619(C) 0924	SAWING PAVEMENT	177.650	LF
850(A) 8110	SHEET ALUMINUM SIGNS	135.680	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	54900.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110302

CALL ORDER: 340  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: MAJOR

PROJECT(S) : PCN  
 SSR-147C(164)SR 2757204  
 SSR-147C(165)SR 2757304

DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 45 CALENDAR DAYS  
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-60: BEGIN AT THE US-281 JUNCTION, EXTEND EAST.  
 PROJECT LENGTH = 13.00 MILES

**SECTION 0001 - ROADWAY - SSR-147C(164)SR**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407(B) 0250	TACK COAT	7050.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	9860.000	TON
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	129000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - CONSTRUCTION - SSR-147C(164)SR**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

**SECTION 0003 - ROADWAY -SSR-147C(165)SR**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407(B) 0250	TACK COAT	6260.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	8760.000	TON
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	108000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120022

CALL ORDER: 350  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: MAYES

PROJECT(S) : PCN  
 SSR-149N(146)SR 2316907  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 180 CALENDAR DAYS  
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 PAVEMENT REHABILITATION (P. C. CONCRETE)  
 US-69: FROM THE WAGONER COUNTY LINE, EXTEND NORTH.  
 PROJECT LENGTH = 6.79 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
303(C) 2130	AGGREGATE BASE TYPE C	258.000	CY
412 5267	COLD MILLING PAVEMENT	16759.000	SY
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	7570.000	LF
414(E) 0225	FULL DEPTH P.C.C. PATCH(PLACEMENT ONLY)	1544.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	386.000	CY
415 6300	CONCRETE JOINT SEALING	280440.000	LF
416 0100	DOWEL BAR RETROFIT	41609.000	EA
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	138287.000	SY
609(B) 0386	1'-8" COMB.CRB.& GUT.(6" MNTBLE-NOTCH)	50.000	LF
612(D) 0646	INLET REBUILT	1.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	102553.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	28637.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	10961.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	12.000	EA
856(B) 8880	TRAFFIC STRIPE(MULTI-POLY.)(WORDS)	5.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	1080.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120015

CALL ORDER: 360  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: GARVIN  
 MURRAY

PROJECT(S) : PCN  
 IMY-0035-2(323)055 3P 2598004  
 DBE GOALS : 7.50  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT) AND BRIDGE REPAIR  
 I-35: BEGIN 6.56 MI N OF THE CARTER CL, EXT N 3.3 MI, AND  
 BRIDGE REPAIR OVER WILD HORSE CR, 2.0 MI N OF SH-7.  
 PROJECT LENGTH = 3.33 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
409(A) 4242	FABRIC REINFORCEMENT	96096.000	SY
409(B) 4268	BITUMINOUS BINDER	24024.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	11700.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	7659.000	TON
411(D) 5965	SUPERPAVE, TYPE S5(PG 76-28 OK)	7484.000	TON
412 5267	COLD MILLING PAVEMENT	116459.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	66528.000	LF
414(E) 0225	FULL DEPTH P.C.C. PATCH(PLACEMENT ONLY)	400.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	100.000	CY
504(E) 1381	CONCRETE PARAPET	25.850	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	400.000	SY
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	3325.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	9.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	5.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	87000.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	10000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

**SECTION 0002 - ROADWAY - NON-PARTICIPATING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	742.000	TON
412 5267	COLD MILLING PAVEMENT	169.000	SY
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	4171.600	SY

**SECTION 0003 - BRIDGE 'A' - NORTHBOUND - NON-PARTICIPATING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(C) 6250	SEALED EXPANSION JOINT	122.600	LF
505(B) 6070	REMOVING EXISTING OVERLAY	2208.200	SY

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120015

**SECTION 0003 - BRIDGE 'A' - NORTHBOUND - NON-PARTICIPATING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
505(D) 6080	ASPHALT MEMBRANE OVERLAY	2207.600	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	82.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	45.800	SY

**SECTION 0004 - BRIDGE 'B' - SOUTHBOUND - NON-PARTICIPATING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
504(C) 6250	SEALED EXPANSION JOINT	122.600	LF
505(B) 6070	REMOVING EXISTING OVERLAY	2208.200	SY
505(D) 6080	ASPHALT MEMBRANE OVERLAY	2207.600	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	43.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	45.800	SY

**SECTION 0005 - TRAFFIC - NON-PARTICIPATING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2172.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	290.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	3420.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2075.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	2075.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

**SECTION 0006 - CONSTRUCTION - NON-PARTICIPATING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120023

CALL ORDER: 370  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: NOBLE

PROJECT(S) : PCN  
 BRFY-152C(068) 2186104  
 DBE GOALS : 7.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$55.27  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 US-77: OVER BLACK BEAR CREEK 4.2 MILES NORTH OF THE US-64  
 JCT.  
 PROJECT LENGTH = 0.139 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(B) 2801	TEMPORARY BALE BARRIER	140.000	LF
221(C) 2801	TEMPORARY SILT FENCE	854.000	LF
230(A) 2806	SOLID SLAB SODDING	1473.000	SY
242 0400	(PL)STABILIZED CONSTRUCTION EXIT	1.000	EA
303(A) 2100	AGGREGATE BASE TYPE A	525.000	CY
310(B) 0149	SUBGRADE, METHOD B	2499.000	SY
325 5271	SEPARATOR FABRIC	2499.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	47.000	TON
408 5774	PRIME COAT	306.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	674.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	275.000	TON
619(B) 4725	REMOVAL OF FENCE	498.000	LF
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	1045.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	601.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	512.500	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	3.000	EA
623(I) 8680	GUARDRAIL BRIDGE CONNECTION-TYPE B	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	416.000	LF

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	287.000	CY
501(G) 6309	CLSM BACKFILL	216.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	876.000	LF
504(A) 1304	APPROACH SLAB	379.000	SY
504(B) 1305	SAW-CUT GROOVING	1248.600	SY
504(D) 6245	CONCRETE RAIL (TR4)	610.300	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120023

**SECTION 0002 - BRIDGE 'A'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
506(A) 1322	STRUCTURAL STEEL	1350.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	263.900	CY
509(B) 1328	CLASS A CONCRETE	212.800	CY
509(D) 1331	CLASS C CONCRETE	25.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	113750.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	204.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	846.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	204.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	846.000	LF
514(F) 6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1201.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	208.600	LF
523(A) 6550	SEALER CRACK PREPARATION	47.800	LF
523(B) 6560	SEALER RESIN	0.500	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1127.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	218.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	96.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	64.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0003 - TRAFFIC**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
804(A) 2915	STRUCTURAL CONCRETE	1.000	CY
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2940.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0004 - STAKING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120056

CALL ORDER: 385  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: OKFUSKEE

PROJECT(S) : PCN  
 BRF-154C(100)CI 2395804  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$8.67  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (EW-102): OVER HILLIBY TRIBUTARY, 2.1 MILES  
 NORTH AND 2.6 MILES EAST OF PADEN.  
 PROJECT LENGTH = 0.189 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1800.000	LF
221(F) 0100	TEMPORARY SILT DIKE	280.000	LF
230(A) 2806	SOLID SLAB SODDING	3050.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.760	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1080.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	914.000	TON
602(C) 4155	FILTER FABRIC	1390.000	SY
613(B) 0690	24" CORR. GALV. STEEL PIPE	60.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	4.000	EA

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	86.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	68.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	156.170	LF
504(E) 1380	CONCRETE RAIL (TR1)	145.170	LF
506(A) 1322	STRUCTURAL STEEL	1530.000	LB
509(A) 1326	CLASS AA CONCRETE	32.100	CY
509(B) 1328	CLASS A CONCRETE	54.200	CY
511(A) 1332	REINFORCING STEEL	15306.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	800.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	800.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	520.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	110.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

**CONTRACT ID: 120056**

**SECTION 0003 - STAKING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110304

CALL ORDER: 390  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: OKFUSKEE

PROJECT(S) : PCN  
 SSR-154C(167)SR 2819804  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 35 CALENDAR DAYS  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-62: FROM SH-27, EXTEND WEST.  
 PROJECT LENGTH = 3.67 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	537.000	TON
407(B) 0250	TACK COAT	3014.000	GAL
411(D) 5975	SUPERPAVE, TYPE S5(PG 64-22 OK)	5660.000	TON
412 5267	COLD MILLING PAVEMENT	22265.000	SY
610(A) 0602	4" CONCRETE SIDEWALK	82.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	128.000	SF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	62700.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120024

CALL ORDER: 400  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN  
 IMY-XTWN(074) 1742881  
 DBE GOALS : 7.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$252.51  
 240 CALENDAR DAYS  
 TIME 'B' BID - \$ 10000 / DAY  
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
 GRADE, DRAIN, SURFACE, AND BRIDGE  
 I-40: WEST CONNECTION FROM EAST OF AGNEW AVENUE TO  
 PENNSYLVANIA AVENUE.  
 PROJECT LENGTH = 0.382 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
202(A) 0183	UNCLASSIFIED EXCAVATION	27373.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2200.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	3.000	EA
221(F) 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	18100.000	SY
241 2832	MOWING	7.500	AC
307(K) 4300	STABILIZED SUBGRADE	7945.000	SY
317 4270	CEMENT TREATED BASE	7385.000	SY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	3359.000	SY
414(B) 5725	DOWEL JOINTED P.C.C.PAVT.(PLACEMENT)	3545.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	2014.000	CY
504(E) 6190	42" F-SHAPED PARAPET	2914.000	LF
504(F) 6006	HANDRAILING	123.000	LF
509 6152	SPECIAL CONCRETE FINISH	23594.000	SY
509(B) 0321	CLASS A CONCRETE	54.000	CY
509(D) 0325	CLASS C CONCRETE	59.000	CY
511(A) 0332	REINFORCING STEEL	300.000	LB
609(B) 1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	160.000	LF
610(C) 0609	6" CONCRETE DIVIDING STRIP	1945.000	SY
611(G) 6002	INLET (SMD-TYPE 2)	2.000	EA
613(A) 0492	24" R.C.PIPE CLASS III	324.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	2.000	EA
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	2350.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	7.000	EA
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	12354.000	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	745.000	LF
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	45.000	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120024

**SECTION 0001 - ROADWAY**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
619(B) 5918	REMOVAL OF EXISTING PIPE	334.000	LF
619(B) 6252	REMOVAL OF EXISTING PARAPET	1270.000	LF

**SECTION 0002 - RETAINING WALLS**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
303(C) 2130	AGGREGATE BASE TYPE C	50.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	200.000	CY
510(A) 6333	RETAINING WALL	223.500	SY
514(A) 6011	PILES, FURNISHED (HP 12X53)	417.000	LF
514(A) 6012	PILES, FURNISHED (HP 14X73)	655.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	417.000	LF
514(B) 6296	PILES, DRIVEN (HP 14X73)	655.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	123.000	LF

**SECTION 0003 - BRIDGE 'M-F'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	299.000	CY
501(G) 6309	CLSM BACKFILL	346.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1785.600	LF
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	2450.200	LF
504 6410	SEAM COVER	20.000	EA
504(A) 1304	APPROACH SLAB	467.200	SY
504(B) 1305	SAW-CUT GROOVING	4955.400	SY
504(C) 6250	SEALED EXPANSION JOINT	229.200	LF
504(E) 6190	42" F-SHAPED PARAPET	2347.500	LF
506(A) 1322	STRUCTURAL STEEL	10650.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	40.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	48.000	EA
509(A) 1326	CLASS AA CONCRETE	1371.900	CY
509(B) 1328	CLASS A CONCRETE	2231.200	CY
510(C) 6138	SLOPE WALL (5")	2245.000	SY
511(A) 1332	REINFORCING STEEL	700.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	717500.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	1639.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1639.000	LF
514(K) 6260	(PL)PILOT HOLES	56.000	LF
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	1064.000	LF
523(A) 6550	SEALER CRACK PREPARATION	221.300	LF
523(B) 6560	SEALER RESIN	2.400	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	412.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	120.000	LF
624(E) 4294	FENCE-STYLE CLF (8'HIGH, CLASS A)	248.600	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120024

**SECTION 0004 - 'BRIDGE 'M-G'**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	145.000	CY
501(G) 6309	CLSM BACKFILL	155.200	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1098.000	LF
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	1993.100	LF
504 6410	SEAM COVER	16.000	EA
504(A) 1304	APPROACH SLAB	227.600	SY
504(B) 1305	SAW-CUT GROOVING	3504.000	SY
504(C) 6250	SEALED EXPANSION JOINT	127.100	LF
504(E) 6190	42" F-SHAPED PARAPET	1659.600	LF
506(A) 1322	STRUCTURAL STEEL	7650.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	28.000	EA
507(B) 6174	STAINLESS STEEL EXP. BEARING ASSEMBLY	36.000	EA
509(A) 1326	CLASS AA CONCRETE	1000.800	CY
509(B) 1328	CLASS A CONCRETE	1414.900	CY
511(A) 1332	REINFORCING STEEL	490.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	471750.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	616.500	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	616.500	LF
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	738.000	LF
523(A) 6550	SEALER CRACK PREPARATION	170.400	LF
523(B) 6560	SEALER RESIN	1.800	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	56.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
624(E) 4294	FENCE-STYLE CLF (8'HIGH, CLASS A)	244.700	LF

**SECTION 0005 - TRAFFIC TEMPORARY**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	500.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	420.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	6000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4410.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	840.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1260.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2520.000	SD
880(F) 8878	DRUMS	7980.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	420.000	SD

**SECTION 0006 - TRAFFIC PERMANENT**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
804(A) 2915	STRUCTURAL CONCRETE	4.050	CY
804(B) 2916	REINFORCING STEEL	564.000	LB
805(A) 8700	REMOVAL OF SIGN FOOTING	1.000	EA
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	12.000	EA

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120024

**SECTION 0006 - TRAFFIC PERMANENT**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
805(A) 8718	(PL)REMOVAL OF OVHD.SIGN STR. & SIGNS	1.000	LSUM
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	3.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	176.000	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	70.000	SF
850(B) 8114	EXTR.ALUM.PAN.SGN.(OVRHD SIGNS)	337.000	SF
851(A) 3207	6"@15 GALV.STL.WD.FLANGE BM.POST	35.000	LF
851(B) 3218	3"@7.58 GALV.STL.PIPE POST	165.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	19675.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	310.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	460.000	LF
856(B) 8525	TRAF.STR.(MULTI-POLY.)(SYM,WRD,ETC)	2.000	EA
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	11.000	EA
871(A) 8325	(SP)IMPACT ATTENUATOR	2.000	EA

**SECTION 0007 - TRAFFIC LIGHTING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
509(A) 0319	CLASS AA CONCRETE	18.600	CY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	40.000	LF
802(A) 8300	3/4" GALV.STEEL ELECT.COND. EXPOSED	30.000	LF
802(A) 8306	1 1/4" GALV.STEEL ELECT.COND. EXPOSED	175.000	LF
802(A) 8310	2" GALV.STEEL ELECT.COND. EXPOSED	150.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1070.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	4.000	EA
803(A) 8065	PULL BOX(SIZE I)	12.000	EA
804(A) 2915	STRUCTURAL CONCRETE	2.320	CY
804(B) 2916	REINFORCING STEEL	3166.000	LB
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	4.000	EA
806(C) 8929	40'MHP & TWIN H.L.MST.ARM(G.STL.)	4.000	EA
807 8092	BREAKAWAY BASE (DES. B)	4.000	EA
809(A) 8090	ROADWAY LUMINAIRE	8.000	EA
809(B) 8098	UNDERPASS LUMINAIRE	6.000	EA
809(E) 8103	HIGH MAST LUMINAIRE	5.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECT.COND.	2300.000	LF
811 8044	1/C NO.10 ELECT.COND.	3350.000	LF
811 8052	2/C NO.12 ELECT.COND.	440.000	LF
812 8068	140' HIGH MAST POLE(G.STL.)	1.000	EA
813 8074	HIGH MAST LOWERING DEV.TYP.I	1.000	EA

**SECTION 0008 - STAKING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

**CONTRACT ID: 120024**

**SECTION 0009 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120020

CALL ORDER: 410  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: CANADIAN  
 OKLAHOMA

PROJECT(S) : PCN  
 IMG-0040-4(431)000 2645704  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
 PAVEMENT MARKING  
 AT VARIOUS LOCATIONS IN THE OKLAHOMA CITY METRO AREA.

**SECTION 0001 - TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
805(A) 8702	REMOVAL OF CLASS C PAVEMENT MARKERS	50.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	44.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	85.000	EA
858(A) 8911	PAVE.MARKERS CLASS A TYPE 2-C	100.000	EA
858(A) 8959	PAVE.MARKERS CLASS C REPL.REFL.LENS	17400.000	EA
871(A) 8325	(SP)IMPACT ATTENUATOR	15.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	80.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110276

CALL ORDER: 415  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN  
 SBR-155A(875)SB 2758904  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$18.42  
 60 CALENDAR DAYS  
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
 BRIDGE IMPROVEMENTS  
 CITY STREET (LINCOLN BLVD): SOUTHBOUND LINCOLN BLVD. OVER  
 I-44.  
 PROJECT LENGTH = 0.079 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
221(C) 2801	TEMPORARY SILT FENCE	1000.000	LF
619(B) 4780	REMOVAL OF GUARDRAIL	137.500	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	50.000	LF
623(E) 7113	BEAM GUARDRAIL TRANSITION SECTION	2.000	EA

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	60.800	SY
504(B) 1305	SAW-CUT GROOVING	54.000	SY
504(E) 1381	CONCRETE PARAPET	41.100	LF
504(G) 6390	RAPID CURE JOINT SEALANT	94.700	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(A) 1326	CLASS AA CONCRETE	29.600	CY
510(C) 6137	SLOPE WALL (4")	70.000	SY
511(A) 1332	REINFORCING STEEL	5709.000	LB
513(A) 6018	CLASS A BRIDGE DECK REPAIR	21.100	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	293.800	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	60.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	225.000	SY
523(A) 6550	SEALER CRACK PREPARATION	26.700	LF
523(B) 6560	SEALER RESIN	1.000	GAL
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	361.500	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	230.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	5.000	EA
540 4530	(PL)REPAIR BRIDGE ITEM (TYPE C)	1.000	LSUM
540 4545	(PL)REPAIR BRIDGE ITEM (TYPE D)	2.000	EA
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110276

**SECTION 0003 - TRAFFIC**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	2270.000	LF
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	2200.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	2270.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	96.000	SD
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	920.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	920.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	920.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	720.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2004.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	816.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2424.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	900.000	SD
880(F) 8878	DRUMS	4990.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

**SECTION 0004 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120025

CALL ORDER: 420  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: OKLAHOMA

PROJECT(S) : PCN  
 STP-155B(812)AG 2804404  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$7.59  
 30 CALENDAR DAYS  
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 CITY STREET (MAY AVE): FROM BRITTON RD TO HEFNER RD, IN THE  
 CITY OF THE VILLAGE.  
 PROJECT LENGTH = 1.01 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
230(A) 2806	SOLID SLAB SODDING	50.000	SY
407(B) 0250	TACK COAT	1912.000	GAL
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	2140.700	TON
412 5267	COLD MILLING PAVEMENT	38221.000	SY
609(B) 1526	2'-8" COMB.CRB.& GUT.(8" BARRIER)	161.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	110.600	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	151.500	SF
610(I) 4615	TACTILE WARNING DEVICE-RETROFIT	9.500	SF
612(A) 0641	MANHOLES ADJUST TO GRADE	5.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	1.000	EA
619(B) 4726	REMOVAL OF CURB AND GUTTER	161.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	7.400	SY
619(C) 0924	SAWING PAVEMENT	198.000	LF

**SECTION 0002 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
805(B) 8728	(PL)RESET OF PULL BOX	1.000	EA
828(B) 8136	LOOP DETECTOR WIRE	1284.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	15002.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	1868.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	279.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	36.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120026

CALL ORDER: 440  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: OKMULGEE

PROJECT(S) : PCN  
 SSR-014N(085)SR 2759204  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 60 CALENDAR DAYS  
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-75: BEGIN 1.9 MI NORTH OF US-62, EXTEND NORTH.  
 PROJECT LENGTH = 2.29 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	800.000	LF
230(A) 2806	SOLID SLAB SODDING	200.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	389.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	10.000	TON
407(B) 0250	TACK COAT	5951.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	242.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	7500.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3100.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	30.000	TON
412 5267	COLD MILLING PAVEMENT	30342.000	SY
413(B) 4863	RUMBLE STRIP-METHOD HMA-CYC	48370.000	LF
504(G) 6390	RAPID CURE JOINT SEALANT	240.000	LF
504(H) 6389	ELASTOMERIC MORTAR	20.000	CF
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	200.000	SY
828(B) 8136	LOOP DETECTOR WIRE	550.000	LF
855(B) 3300	TRAF.STR(PLAST)(SYMBOLS, WORDS, ETC)	36.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	53207.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	12093.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	224.000	LF
880(A) 8800	ARROW DISPLAY(TYPE A)	180.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120027

CALL ORDER: 450  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: OKMULGEE

PROJECT(S) : PCN  
 SSR-156N(174)SR 2759205  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 60 CALENDAR DAYS  
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-75: BEGIN 4.2 MI NORTH OF US-62, EXTEND NORTH.  
 PROJECT LENGTH = 5.92 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	943.000	TON
407(B) 0250	TACK COAT	7955.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	11043.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2707.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	30.000	TON
412 5267	COLD MILLING PAVEMENT	46790.000	SY
413(B) 4863	RUMBLE STRIP-METHOD HMA-CYC	39500.000	LF
855(B) 3300	TRAF.STR(PLAST)(SYMBOLS, WORDS, ETC)	20.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	83800.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	18300.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	175.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	35400.000	LF
880(A) 8800	ARROW DISPLAY(TYPE A)	180.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120028

CALL ORDER: 460  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: OKMULGEE

PROJECT(S) : PCN  
 SSR-156N(181)SR 2901304  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 60 CALENDAR DAYS  
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-75: BEGIN JUST NORTH OF US-62E, EXTEND NORTH.  
 PROJECT LENGTH = 1.05 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
221(C) 2801	TEMPORARY SILT FENCE	50.000	LF
230(A) 2806	SOLID SLAB SODDING	50.000	SY
409(A) 4242	FABRIC REINFORCEMENT	42580.000	SY
409(B) 4268	BITUMINOUS BINDER	10675.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	4770.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	30.000	TON
412 5267	COLD MILLING PAVEMENT	42580.000	SY
504(F) 6006	HANDRAILING	50.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	688.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	350.000	SF
619(B) 4726	REMOVAL OF CURB AND GUTTER	520.000	LF
828(B) 8136	LOOP DETECTOR WIRE	3950.000	LF
855(B) 3300	TRAF.STR(PLAST)(SYMBOLS, WORDS, ETC)	69.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	33550.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	1450.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	568.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	520.000	LF
880(A) 8800	ARROW DISPLAY(TYPE A)	180.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120039

CALL ORDER:	461	PROJECT(S) :	PCN
LETTING DATE:	January 19, 2012	SSR-014N(085)SR	2759204
LETTING TIME:	10:30 A.M.	SSR-156N(174)SR	2759205
COUNTIES:	OKMULGEE	SSR-156N(181)SR	2901304

DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 150 CALENDAR DAYS  
 RES. ENG.: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-75: BEGIN JUST NORTH OF US-62E, EXTEND NORTH.  
 PROJECT LENGTH = 9.26 MILES

**SECTION 0001 - ROADWAY - SSR-014N(085)SR**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	800.000	LF
230(A) 2806	SOLID SLAB SODDING	200.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	389.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	10.000	TON
407(B) 0250	TACK COAT	5951.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	242.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	7500.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3100.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	30.000	TON
412 5267	COLD MILLING PAVEMENT	30342.000	SY
413(B) 4863	RUMBLE STRIP-METHOD HMA-CYC	48370.000	LF
504(G) 6390	RAPID CURE JOINT SEALANT	240.000	LF
504(H) 6389	ELASTOMERIC MORTAR	20.000	CF
619(B) 4763	REMOVAL OF CONC.PAV.W/ASPH.OVERLAY	200.000	SY
828(B) 8136	LOOP DETECTOR WIRE	550.000	LF
855(B) 3300	TRAF.STR(PLAST)(SYMBOLS, WORDS, ETC)	36.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	53207.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	12093.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	224.000	LF
880(A) 8800	ARROW DISPLAY(TYPE A)	180.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - ROADWAY - SSR-156N(174)SR**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	943.000	TON
407(B) 0250	TACK COAT	7955.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	11043.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2707.000	TON

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

STATE PROJECT

CONTRACT ID: 120039

**SECTION 0002 - ROADWAY - SSR-156N(174)SR**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	30.000	TON
412 5267	COLD MILLING PAVEMENT	46790.000	SY
413(B) 4863	RUMBLE STRIP-METHOD HMA-CYC	39500.000	LF
855(B) 3300	TRAF.STR(PLAST)(SYMBOLS, WORDS, ETC)	20.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	83800.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	18300.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	175.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	35400.000	LF
880(A) 8800	ARROW DISPLAY(TYPE A)	180.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - ROADWAY - SSR-156N(181)SR**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
221(C) 2801	TEMPORARY SILT FENCE	50.000	LF
230(A) 2806	SOLID SLAB SODDING	50.000	SY
409(A) 4242	FABRIC REINFORCEMENT	42580.000	SY
409(B) 4268	BITUMINOUS BINDER	10675.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	4770.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	30.000	TON
412 5267	COLD MILLING PAVEMENT	42580.000	SY
504(F) 6006	HANDRAILING	50.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	688.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	350.000	SF
619(B) 4726	REMOVAL OF CURB AND GUTTER	520.000	LF
828(B) 8136	LOOP DETECTOR WIRE	3950.000	LF
855(B) 3300	TRAF.STR(PLAST)(SYMBOLS, WORDS, ETC)	69.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	33550.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	1450.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	568.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	520.000	LF
880(A) 8800	ARROW DISPLAY(TYPE A)	180.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110309

CALL ORDER: 480  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: PAYNE

PROJECT(S) : PCN  
 SSR-160B(205)SR 2822404  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 60 CALENDAR DAYS  
 RES. ENG.: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 SH-51: FROM THE CREEK C/L, EXTEND WEST TO YALE.  
 PROJECT LENGTH = 3.79 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
303(A) 2100	AGGREGATE BASE TYPE A	200.000	CY
407(A) 4659	FOG SEAL	8700.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	7700.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	200.000	TON
412 5267	COLD MILLING PAVEMENT	55000.000	SY
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	320.000	SY

**SECTION 0002 - TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	300.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	45.000	SD



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120032

CALL ORDER: 485  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: PITTSBURG  
 LEFLORE

PROJECT(S) : PCN  
 BRFY-261C(004) 2314505  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$30.35  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 JOINT SEAL/REPAIR  
 MULTIPLE LOCATIONS IN DIVISION II.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	137.150	LF
504(H) 6389	ELASTOMERIC MORTAR	2.000	CF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	19.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	200.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	20.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	22.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	237.000	SF

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
504(G) 6390	RAPID CURE JOINT SEALANT	131.580	LF
504(H) 6389	ELASTOMERIC MORTAR	2.000	CF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	200.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	20.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	15.000	SY
523(A) 6550	SEALER CRACK PREPARATION	174.000	LF
523(B) 6560	SEALER RESIN	1.300	GAL
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	120.000	SF
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	3.000	EA

**SECTION 0003 - BRIDGE 'C'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
523(A) 6550	SEALER CRACK PREPARATION	112.000	LF
523(B) 6560	SEALER RESIN	0.800	GAL
540 4505	(PL)REPAIR BRIDGE ITEMS	2.000	EA
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	1.000	EA
540 4545	(PL)REPAIR BRIDGE ITEM (TYPE D)	6.000	EA
540 4555	(PL)REPAIR BRIDGE ITEM (TYPE E)	17.000	EA

**SECTION 0004 - BRIDGE 'D'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CONTRACT ID: 120032

**SECTION 0004 - BRIDGE 'D'**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
523(A) 6550	SEALER CRACK PREPARATION	112.000	LF
523(B) 6560	SEALER RESIN	0.800	GAL
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	5.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	5.000	EA

**SECTION 0005 - TRAFFIC CONTROL**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(I) 8902	FLAGGER	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

**SECTION 0006 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120033

CALL ORDER: 486  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: PITTSBURG  
 MCCURTAIN  
 LEFLORE

PROJECT(S) : PCN  
 BRFY-NBIP(450) 2314507  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$18.42  
 90 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 BRIDGE PAINTING  
 MULTIPLE LOCATIONS IN DIVISION II.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	757.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	880.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

**SECTION 0003 - BRIDGE 'C'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	904.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

**SECTION 0004 - BRIDGE 'D'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

**SECTION 0005 - BRIDGE 'E'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

**SECTION 0006 - TRAFFIC CONTROL**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(I) 8902	FLAGGER	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

**SECTION 0007 - CONSTRUCTION**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120029

CALL ORDER: 490  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: PITTSBURG

PROJECT(S) : PCN  
 NHY-013N(152)3P 2868504  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 45 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 RESURFACE (UTBWC)  
 US-69: BEGIN 0.4 MILE NORTH OF US-270, EXTEND NORTH  
 (SOUTHBOUND LANES ONLY).  
 PROJECT LENGTH = 3.70 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
404(E) 4835	ULTRA-THIN BONDED WEARING COURSE, TYPE A	3600.000	TON
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	46000.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	2000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

STATE PROJECT

CONTRACT ID: 120042

CALL ORDER: 500  
LETTING DATE: January 19, 2012  
LETTING TIME: 10:30 A.M.  
COUNTIES: PITTSBURG

PROJECT(S): PCN  
SSR-261B(001)SR 2903004  
DBE GOALS : 0.00  
GUARANTY : 5% OF BID TOTAL  
PLAN PRICE : \$0.00  
30 CALENDAR DAYS  
RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
RESURFACE (ASPHALT)  
US-270: BEGIN 1.3 MILES WEST OF SH-1, EXTEND EAST.  
PROJECT LENGTH = 0.44 MILES

SECTION 0001 - ROADWAY

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	940.000	TON
412 5267	COLD MILLING PAVEMENT	8350.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4700.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120030

CALL ORDER: 510  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: PONTOTOC

PROJECT(S) : PCN  
 SSR-162B(221)SR 2819904  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 70 CALENDAR DAYS  
 RES. ENG.: DIVISION 3 (ADA)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 SH-1: FROM THE HUGHES CL, EXTEND WEST.  
 PROJECT LENGTH = 7.33 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
202(D) 0184	UNCLASSIFIED BORROW	650.000	CY
407(B) 0250	TACK COAT	24229.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	21002.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	21273.000	TON
412 5267	COLD MILLING PAVEMENT	13201.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	59981.000	LF
609(A) 0287	CONC.CURB(4" MNTBLE-INTEGRAL)	150.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	6.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	6.000	EA
625(D) 1254	REMOVE AND RECONSTRUCT GUARDRAIL	2700.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	104966.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	40.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120057

CALL ORDER: 525  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: PUSHMATAHA

PROJECT(S) : PCN  
 BRF-164C(012)CI 1704504  
 DBE GOALS : 7.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$27.09  
 150 CALENDAR DAYS  
 RES. ENG.: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-409.5): OVER TENMILE CREEK, 1.8 MILE NORTH  
 OF JUMBO.  
 PROJECT LENGTH = 0.387 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2362.000	CY
202(D) 0184	UNCLASSIFIED BORROW	10019.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	700.000	LF
221(C) 2801	TEMPORARY SILT FENCE	1870.000	LF
221(F) 0100	TEMPORARY SILT DIKE	492.000	LF
230(A) 2806	SOLID SLAB SODDING	13818.000	SY
233(A) 2817	VEGETATIVE MULCHING	5.800	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1939.000	TON
509(B) 0321	CLASS A CONCRETE	8.800	CY
509(D) 0325	CLASS C CONCRETE	23.200	CY
611(G) 6002	INLET (SMD-TYPE 2)	1.000	EA
613(A) 0492	24" R.C.PIPE CLASS III	44.000	LF
613(A) 0496	48" R.C.PIPE CLASS III	210.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	34.000	LF
613(B) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	30.000	LF
613(B) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	36.000	LF
613(L) 5730	24" PREFAB. CULVERT END SEC., ROUND	1.000	EA
613(L) 5738	48" PREFAB. CULVERT END SEC., ROUND	6.000	EA
613(P) 4571	28" X 20" GALV. STEEL CULV. END SEC.ARCH	2.000	EA
613(P) 4572	35" X 24" GALV. STEEL CULV. END SEC.ARCH	2.000	EA
613(P) 4573	42" X 29" GALV. STEEL CULV. END SEC.ARCH	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	17.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	34.000	LF

**SECTION 0002 - BRIDGE**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	103.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	84.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	530.000	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120057

**SECTION 0002 - BRIDGE**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
504(B) 1305	SAW-CUT GROOVING	416.200	SY
504(C) 6250	SEALED EXPANSION JOINT	38.600	LF
504(E) 1380	CONCRETE RAIL (TR1)	354.670	LF
506(A) 1322	STRUCTURAL STEEL	1480.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6176	WEATHERING STL EXP. BEARING ASSEMBLY	12.000	EA
509(A) 1326	CLASS AA CONCRETE	112.000	CY
509(B) 1328	CLASS A CONCRETE	131.100	CY
511(A) 1332	REINFORCING STEEL	52120.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	391.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	391.000	LF
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	66.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1370.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	280.000	TON
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - CONSTRUCTION STAKING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

**SECTION 0005 - NON-PARTICIPATING**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	3005.000	LF



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120043

CALL ORDER: 550  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: ROGERS

PROJECT(S) : PCN  
 SBR-166C(254)SB 2826104  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$28.18  
 150 CALENDAR DAYS  
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 BRIDGE REHABILITATION  
 SH-266: OVER VERDIGRIS RIVER, 5.6 MILES EAST OF TULSA C/L.  
 PROJECT LENGTH = 0.264 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
221(C) 2801	TEMPORARY SILT FENCE	1520.000	LF
230(A) 2806	SOLID SLAB SODDING	500.000	SY
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	110.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	84.000	TON
412 5267	COLD MILLING PAVEMENT	978.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	400.000	LF
509(D) 0325	CLASS C CONCRETE	8.000	CY
619(B) 4780	REMOVAL OF GUARDRAIL	620.000	LF
619(C) 0924	SAWING PAVEMENT	1482.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	850.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	31.000	CY
504(A) 1304	APPROACH SLAB	311.600	SY
504(B) 1305	SAW-CUT GROOVING	3002.400	SY
504(C) 6250	SEALED EXPANSION JOINT	101.600	LF
504(E) 6190	42" F-SHAPED PARAPET	1156.000	LF
506(A) 6005	STRUCTURAL STEEL A36	8630.000	LB
509(A) 1326	CLASS AA CONCRETE	729.400	CY
511 6306	MECHANICAL SPLICES	2204.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	234220.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
513(B) 6019	CLASS B BRIDGE DECK REPAIR	80.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1614.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

STATE PROJECT

CONTRACT ID: 120043

**SECTION 0002 - BRIDGE 'A'**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
523(A) 6550	SEALER CRACK PREPARATION	1173.000	LF
523(B) 6560	SEALER RESIN	24.200	GAL
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	12.000	EA
545 4805	(PL)REPLACE BRIDGE ITEMS	21.000	EA
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM

**SECTION 0003 - TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	150.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5500.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1925.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	1925.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	750.000	SD

**SECTION 0004 - STAKING**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110526

CALL ORDER:	580	PROJECT(S) :	PCN
LETTING DATE:	January 19, 2012	SBR-172A(515)SB	2763304
LETTING TIME:	10:30 A.M.	SBR-272A(005)SB	2905304
COUNTIES:	TULSA	DBE GOALS :	0.00
		GUARANTY :	5% OF BID TOTAL
		PLAN PRICE :	\$80.20
			240 CALENDAR DAYS
		RES. ENG.:	DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 BRIDGE REHABILITATION  
 SH-51: OVER PITTSBURG AVE 0.5 MI E OF HARVARD AVE, AND OVER  
 MK&T RAILROAD 0.7 MI E OF YALE AVE IN THE CITY OF TULSA.  
 PROJECT LENGTH = 0.051 MILES

**SECTION 0001 - ROADWAY - SBR-172A(515)SB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	409.000	TON
412 5267	COLD MILLING PAVEMENT	1015.000	SY
504(E) 6190	42" F-SHAPED PARAPET	542.000	LF
509(D) 0325	CLASS C CONCRETE	10.600	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	542.000	LF
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	44.000	LF
619(B) 6130	REMOVAL OF 4" CONCRETE DIVIDING STRIP	53.000	SY

**SECTION 0002 - BRIDGE 'A' - SBR-172A(515)SB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	16.000	CY
504(A) 1304	APPROACH SLAB	228.200	SY
504(B) 1305	SAW-CUT GROOVING	483.400	SY
504(C) 6250	SEALED EXPANSION JOINT	50.600	LF
504(E) 6190	42" F-SHAPED PARAPET	180.000	LF
506(A) 1322	STRUCTURAL STEEL	180.000	LB
509 6152	SPECIAL CONCRETE FINISH	270.000	SY
509(A) 1326	CLASS AA CONCRETE	68.700	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	12340.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	160.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	100.000	SY
523(A) 6550	SEALER CRACK PREPARATION	90.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

STATE PROJECT

CONTRACT ID: 110526

**SECTION 0002 - BRIDGE 'A' - SBR-172A(515)SB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM

**SECTION 0003 - BRIDGE 'B' - SBR-172A(515)SB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(G) 6309	CLSM BACKFILL	16.000	CY
504(A) 1304	APPROACH SLAB	228.200	SY
504(B) 1305	SAW-CUT GROOVING	483.400	SY
504(C) 6250	SEALED EXPANSION JOINT	50.600	LF
504(E) 6190	42" F-SHAPED PARAPET	180.000	LF
506(A) 1322	STRUCTURAL STEEL	180.000	LB
509 6152	SPECIAL CONCRETE FINISH	274.000	SY
509(A) 1326	CLASS AA CONCRETE	68.700	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	12360.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	160.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	100.000	SY
523(A) 6550	SEALER CRACK PREPARATION	90.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM

**SECTION 0004 - TRAFFIC OPERATIONS - SBR-172A(515)SB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFF.STR.(PAINT)(4" WIDE)	11099.000	LF
857(E) 8887	(PL)CONST.ZONE PAV.MKRS(FLEX TAB)TYP.2-1	1150.000	EA
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	12961.000	LF
870(A) 8485	SAND FILLED IMPACT ATTEN.MODULE	4500.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1488.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	1385.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	300.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3600.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4425.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4425.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	3675.000	SD
880(C) 8848	WING BARRICADES	600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	14775.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

STATE PROJECT

CONTRACT ID: 110526

**SECTION 0004 - TRAFFIC OPERATIONS - SBR-172A(515)SB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
880(E) 8872	WARNING LIGHTS(TYPE C)	9750.000	SD
880(F) 8878	DRUMS	9750.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	300.000	SD

**SECTION 0005 - TRAFFIC SIGNING AND STRIPING - SBR-172A(515)SB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4751.000	LF

**SECTION 0006 - STAKING - SBR-172A(515)SB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

**SECTION 0007 - CONSTRUCTION - SBR-172A(515)SB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

**SECTION 0008 - ROADWAY - SBR-272A(005)SB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	126.000	TON
412 5267	COLD MILLING PAVEMENT	1112.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	100.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	81.250	LF
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	1.000	EA

**SECTION 0009 - BRIDGE 'A' - SBR-272A(005)SB**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	697.000	CY
501(G) 6309	CLSM BACKFILL	539.900	CY
502(C) 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	587.000	SY
504(B) 1305	SAW-CUT GROOVING	1456.900	SY
504(C) 6250	SEALED EXPANSION JOINT	134.400	LF
504(E) 6190	42" F-SHAPED PARAPET	612.600	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	14.000	EA
509(A) 1326	CLASS AA CONCRETE	226.100	CY
509(D) 1331	CLASS C CONCRETE	100.700	CY
511 6306	MECHANICAL SPLICES	790.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	76568.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1118.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	192.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	6.400	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	61.200	SY

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110526

**SECTION 0009 - BRIDGE 'A' - SBR-272A(005)SB**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	7.000	EA
540 4530	(PL)REPAIR BRIDGE ITEM (TYPE C)	1.000	LSUM
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	143.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	40.000	LF
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

**SECTION 0010 - TRAFFIC CONTROL - SBR-272A(005)SB**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	9929.000	LF
857(F) 8006	PAVEMENT MRKNG.REMOVAL(TRAF.STRP)	13645.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	90.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1275.000	LF
877(C) 8486	RELOCATION OF PORT. LONGITUDINAL BARRIER	1000.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	135.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	810.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2520.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3240.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	405.000	SD
880(C) 8848	WING BARRICADES	180.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1125.000	SD
880(F) 8878	DRUMS	6165.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	90.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

**SECTION 0011 - TRAFFIC SIGNING AND STRIPING - SBR-272A(005)SB**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	3.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	9841.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	2569.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	520.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	224.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	1176.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	635.000	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 120031

CALL ORDER: 615  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: TULSA

PROJECT(S) : PCN  
 SAP-172N(543) 2899404  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$7.59  
 7 CALENDAR DAYS  
 RES. ENG.: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION  
 BRIDGE REPAIR  
 US-64: UNDER 129 W AVE, 1.5 MILES WEST OF SH-97.

**SECTION 0001 - BRIDGE "A"**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	1.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	7.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	14.000	SD

**SECTION 0003 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**STATE PROJECT**

CONTRACT ID: 110315

CALL ORDER: 640  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: WOODS

PROJECT(S) : PCN  
 SSR-176B(178)SR 2756004  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$0.00  
 30 CALENDAR DAYS  
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION  
 RESURFACE (ASPHALT)  
 US-281: BEGIN 2.4 MILES NORTH OF US-64, EXTEND NORTH.  
 PROJECT LENGTH = 6.00 MILES

**SECTION 0001 - ROADWAY**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
407(B) 0250	TACK COAT	5430.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	7600.000	TON

**SECTION 0002 - TRAFFIC**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
856(A) 8530	TRAFFIC STRIPE(MULTI-POLY.)(4" WIDE)	89500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - CONSTRUCTION**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNITS</u>
641 1552	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120063

CALL ORDER: 650  
 LETTING DATE: January 19, 2012  
 LETTING TIME: 10:30 A.M.  
 COUNTIES: WOODWARD  
 MAJOR

PROJECT(S) : PCN  
 BTOP-277N(001) 2812837  
 DBE GOALS : 0.00  
 GUARANTY : 5% OF BID TOTAL  
 PLAN PRICE : \$235.17  
 160 CALENDAR DAYS  
 RES. ENG.: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 US-412: FROM THE CITY OF WOODWARD TO THE CITY OF ORIENTA.  
 PROJECT LENGTH = 54.3 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE."

**SECTION 0001 - TRAFFIC**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2000.000	LF
230(A) 2806	SOLID SLAB SODDING	2000.000	SY
509(B) 0321	CLASS A CONCRETE	11.520	CY
802(A) 8316	3" GALV.STEEL ELECT.COND. EXPOSED	2620.000	LF
802(A) 8318	3" GALV.STEEL ELECT.COND.PUSHED OR BORED	100.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	15805.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	35210.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	231800.000	LF
803(B) 8135	GROUND BOX (R3248)	65.000	EA
803(B) 8150	GROUND BOX (B2-48)	18.000	EA
804(B) 2916	REINFORCING STEEL	216.000	LB
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	5590.000	LF
818(A) 8720	(SP)FIBER OPTIC CABLE, 48 SMF	287745.000	LF
818(A) 8738	(SP) FIBER OPTIC CABLE, 24 I/O PLENUM	200.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	1.000	EA
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	1.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	52.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	56.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	16.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATIO	400.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	220.000	SD
880(I) 8902	FLAGGER	50.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CONTRACT ID: 120063

**SECTION 0002 - TRAFFIC CONTROL**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	220.000	SD

**SECTION 0003 - CONSTRUCTION**

<b>ITEM NO.</b>	<b>ITEM DESCRIPTION</b>	<b>QUANTITY</b>	<b>UNITS</b>
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM