

---

## NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE VERSION **(5.9a)** OF EXPEDITE BID AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

[www.okladot.state.ok.us/contracts/index.htm](http://www.okladot.state.ok.us/contracts/index.htm)



---

## REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

## **CONSTRUCTABILITY REVIEW**

A Constructability Review will be held for the following project:

**IMY-0044-2(399)226**  
**J/P No. 06374(47)**  
**Tulsa County**

**Description:**

I-44 @ Lewis Avenue in Tulsa

**Scope of Work:**

Reconstruct to 6 lanes including Grading, Drainage, Surfacing, Bridges, Wall, Decorative Monuments, Lighting, Signals, and Traffic Control

**Estimate:**

\$51 million+

**Proposed Letting:**

June 2012

The constructability review will take place on **March 2, 2012 at 1:30 p.m.** in the Oklahoma Department of Transportation Commission Room located on the first floor at 200 NE 21<sup>st</sup> Street, Oklahoma City.

Preliminary Plans will be available as follows:

Hard copy in the ODOT Plan Room on February 16, 2012

ODOT website on February 21, 2012

<http://www.okladot.state.ok.us>

The same plans will also be available from the order desk in hard copy for prime contractors, and on disk for all others.

Contact the Office Engineer Division of ODOT at  
(405)521-2625 with any questions.

## Notice

Internet bidding is required for most projects on the [March 15, 2012 10:30 A.M.](#) Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal.

(The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on [February 23, 2012](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at **10:00 a.m.** on [March 02, 2012](#) concerning this [March 15, 2012](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

*Any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.*

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website  
<http://www.okladot.state.ok.us/contracts/index.htm>  
*Venture" form which is posted on the ODOT website.*

Questions and concerns regarding projects on any Letting should be faxed to:  
Office Engineer Division at 405-522-0972  
or emailed to:  
[mpajoh@odot.org](mailto:mpajoh@odot.org) with copy to [bschmitt@odot.org](mailto:bschmitt@odot.org)

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

*Plans for the projects on this letting can be found at:*  
<http://www.okladot.state.ok.us/contracts/a2012/plans.htm>

## CERTIFIED PAYROLL - FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors.

Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

***Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.***

This minimum will be specified at the end of the Special Provision 648-1QA(a)09, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

***Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive .***

***Reminder***

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the Prime Contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. There is a new cover sheet that is required with these DBE confirmations. It is located at the website below.

**Please ensure that the DBE commitment provided in the proposal matches the written confirmation.**

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:  
<http://www.okladot.state.ok.us/regserv/dbeinfo>

***Reminder***

***Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bid.***

**For written bids do not disassemble the bidding proposal in any way.**

***Note***

***Only written, Emailed, Faxed and in-person orders will be accepted.***

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

[mjunsay@odot.org](mailto:mjunsay@odot.org)

## OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , Thursday, March 15, 2012 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal. Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

Description of work and location of project:

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 020  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CADDO

CONTRACT ID : 120127

PROJECT(S) : STPY-008B(308)SS  
PCN : 0181704  
 DBE GOAL : 7.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$143.06  
 365 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 GRADE, DRAIN, AND SURFACE  
 SH-152: BEGIN 2.0 MILES EAST OF SH-146, EXTEND EAST.  
 PROJECT LENGTH = 2.105 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	156,376.000	CY
202(D) 0184	UNCLASSIFIED BORROW	57,265.000	CY
205(A) 4230	TYPE A-SALVAGED TOPSOIL	13,969.000	CY
221(C) 2801	TEMPORARY SILT FENCE	9,347.000	LF
221(F) 0100	TEMPORARY SILT DIKE	2,130.000	LF
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	66.000	EA
221(J) 0575	TEMPORARY SAND BAG BERM	660.000	LF
230(A) 2806	SOLID SLAB SODDING	104,831.000	SY
233(A) 2817	VEGETATIVE MULCHING	37.000	AC
241 2832	MOWING	65.000	AC
307(A) 4200	FLY ASH	2,840.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	65,401.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	561.000	TON
407(B) 0250	TACK COAT	18,738.000	GAL
408 5774	PRIME COAT	16,432.000	GAL
411(A) 5930	SUPERPAVE, TYPE S2(PG 64-22 OK)	13,334.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	12,090.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	7,457.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	300.000	CY
504(F) 6006	HANDRAILING	562.000	LF
509(A) 0319	CLASS AA CONCRETE	735.800	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	27.000	CY
509(D) 0325	CLASS C CONCRETE	353.000	CY
510(A) 6333	RETAINING WALL	808.500	SY
511(A) 0332	REINFORCING STEEL	126,913.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	9,911.000	TON
609(B) 1526	2'-8" COMB. CURB & GUTTER (8" BARRIER)	3,553.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	291.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	1,077.000	SY
610(B) 5016	8" CONCRETE DRIVEWAY	621.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	32.000	SF
611(A) 2657	MANHOLE (4' DIAMETER)	2.000	EA

611(A) 2658	MANHOLE (5' DIAMETER)	9.000 EA
611(G) 5121	INLET CI DES. 3 (B)	6.000 EA
611(G) 5122	INLET CI DES. 3 (D)	3.000 EA
611(G) 5338	INLET GPI TYPE 2 (DES. 12)	3.000 EA
611(G) 5340	INLET GPI TYPE 2 (DES. 14)	1.000 EA
611(G) 5886	INLET W/LRG. JCT. BOX, CI, DES.3(D)	4.000 EA
611(G) 6002	INLET (SMD-TYPE 2)	3.000 EA
611(G) 7180	INLET GPI, TYPE 2 (DES.11A)	2.000 EA
613(A) 0491	18" R.C.PIPE CLASS III	1,758.000 LF
613(A) 0492	24" R.C.PIPE CLASS III	823.000 LF
613(A) 0494	36" R.C.PIPE CLASS III	1,808.000 LF
613(A) 0496	48" R.C.PIPE CLASS III	236.000 LF
613(A) 0599	48" R.C.PIPE CLASS V	390.000 LF
613(A) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	402.000 LF
613(A) 4499	51" X 31" R.C.PIPE ARCH CLASS A-III	1,100.000 LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	138.000 LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	96.000 LF
613(L) 5738	48" PREFAB. CULVERT END SECTION, ROUND	2.000 EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	14.000 EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	4.000 EA
613(M) 7190	TYPE E4 CULVERT END TREATMENT	2.000 EA
613(M) 7191	TYPE AA4 CULVERT END TREATMENT	8.000 EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	2.000 EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	4.000 EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	26,565.000 SY
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	1,014.000 SY
619(B) 8610	REMOVE AND RESET CATTLE GUARD	2.000 EA
619(C) 0924	SAWING PAVEMENT	2,702.000 LF
624(B) 4462	GATES-STYLE WWF (4.5'HIGH X 12'LONG)	6.000 EA
624(B) 4464	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	6.000 EA
624(B) 4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	7.000 EA
624(B) 4468	GATES-STYLE WWF (4.5'HIGH X 20'LONG)	4.000 EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	17,998.000 LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	4.000 EA
629(C) 4960	MAILBOX	4.000 EA

**SECTION 0002 - WATER & SEWER LINE**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
611(A) 2400	MANHOLE TESTING	4.000	EA
611(A) 2657	MANHOLE (4' DIAMETER)	4.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	19.000	VF
611(C) 4215	REPLACEMENT OF MANHOLE FRAME & COVER	4.000	EA
615(A) 6120	8" POLYVINYL CHLORIDE (PVC) PIPE	345.000	LF
615(C) 0300	SANITARY SEWER SERVICE LINE	20.000	LF
615(D) 0400	SEWER LEAKAGE < 24" DIAMETER	345.000	LF
615(E) 0500	DEFLECTION TEST (8" PIPE)	1.000	LSUM
616(A) 5120	4" DUCTILE IRON PIPE	104.000	LF
616(A) 5121	6" DUCTILE IRON PIPE	118.000	LF



616(B) 5215	1" POLYVINYL CHLORIDE (PVC) PIPE	124.000 LF
616(B) 5218	2" POLYVINYL CHLORIDE (PVC) PIPE	302.000 LF
616(D) 0860	4" VALVES	1.000 EA
616(D) 1050	2" GATE VALVE	1.000 EA
616(D) 1060	4" GATE VALVE	1.000 EA
616(D) 1070	6" GATE VALVE	1.000 EA
616(D) 7010	2" TAPPING SLEEVE	1.000 EA
616(D) 8050	6" TAPPING VALVE AND BOX	1.000 EA
616(E) 0879	1" CORPORATION STOPS	1.000 EA
616(I) 0125	12" STEEL CASING	70.000 LF
616(I) 0150	14" STEEL CASING	85.000 LF
616(I) 0175	16" STEEL CASING	168.000 LF
616(J) 0125	BORE AND JACK 12" CASING	60.000 LF
616(J) 0175	BORE AND JACK 16" CASING	140.000 LF
616(K) 0125	4" SOLID SLEEVE	1.000 EA
616(L) 0125	6" BLIND FLANGE	1.000 EA
616(M) 0300	14" WELDED STEEL CONDUIT (BORED)	60.000 LF
616(N) 0090	SERVICE CONNECTION (SHORT)	5.000 EA
619(B) 4742	REMOVAL OF MANHOLES	1.000 EA
619(B) 8660	PLUGGING ABANDONED SEWER	1.000 EA
619(B) 8675	CUT & PLUG 8" SEWER LINE	6.000 EA
619(B) 8676	CUT & PLUG 6" WATER LINE	2.000 EA
619(B) 8677	CUT & PLUG 4" WATER LINE	2.000 EA

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	4,800.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	38,970.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	3,500.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	3,500.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	4,800.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	966.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	640.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	39,055.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6,205.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	9,125.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	1,095.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	6,205.000	SD
880(C) 8848	WING BARRICADES	2,920.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	18,980.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	60,225.000	SD
880(F) 8878	DRUMS	60,225.000	SD
880(G) 8890	CHANNELIZER CONES	37,960.000	SD

**SECTION 0004 - SIGNING & STRIPING**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	301.000	SF
851(C) 8324	2" SQUARE TUBE POST	455.000	LF

851(C)	8327	2 1/4" SQUARE TUBE POST	146.000	LF
855(A)	8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	47,597.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	8.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	5.000	EA

**SECTION 0005 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0006 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 040  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CARTER

CONTRACT ID : 120128

PROJECT(S) : STPY-110B(181)SS  
PCN : 2023107  
 DBE GOAL : 7.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$93.20  
 200 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 GRADE, DRAIN, AND SURFACE  
 SH-199: BEGIN 1.35 MILES WEST OF US-177 EXTEND EAST.  
 PROJECT LENGTH = 1.685 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	40,009.000	CY
202(D) 0184	UNCLASSIFIED BORROW	42,812.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,360.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	4.000	EA
221(F) 0100	TEMPORARY SILT DIKE	322.000	LF
221(G) 0153	TEMPORARY ROCK FILTER DAM TYPE 4	4.000	CY
230(A) 2806	SOLID SLAB SODDING	55,747.000	SY
230(B) 2807	MULCH SODDING	53,541.000	SY
232(B) 2814	SEEDING METHOD B	14.000	AC
233(A) 2817	VEGETATIVE MULCHING	14.000	AC
241 2832	MOWING	28.000	AC
307(A) 4200	FLY ASH	3,553.990	TON
307(D) 4230	LIME	771.290	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	83,792.420	SY
307(G) 4260	LIME PRETREATMENT	33,646.920	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	2,053.000	TON
407(B) 0250	TACK COAT	12,778.000	GAL
408 5774	PRIME COAT	19,868.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	11,084.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	31,655.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	7,111.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2,465.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	310.000	CY
509(A) 0319	CLASS AA CONCRETE	164.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	6.000	CY
509(D) 0325	CLASS C CONCRETE	511.000	CY
511(A) 0332	REINFORCING STEEL	28,563.000	LB
609(B) 0383	COMBINED CURB & GUTTER (6" BARRIER)	4,875.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	526.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	132.000	SF
611(A) 2657	MANHOLE (4' DIAMETER)	9.000	EA

611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	10.000	VF
611(G) 5113	INLET CI DES. 2 (B)	6.000	EA
611(G) 5121	INLET CI DES. 3 (B)	2.000	EA
611(G) 5122	INLET CI DES. 3 (D)	5.000	EA
611(G) 5391	INLET CDI RCB DES. 5	1.000	EA
611(G) 6002	INLET (SMD-TYPE 2)	1.000	EA
611(H) 5540	ADD'L DEPTH IN INLET CDI RCB DES. 5	3.000	VF
611(L) 0487	JUNCTION BOXES	137.000	CF
613(A) 0491	18" R.C.PIPE CLASS III	1,052.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	542.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	204.000	LF
613(A) 0496	48" R.C.PIPE CLASS III	56.000	LF
613(A) 4404	26" X 15" R.C.PIPE ARCH CLASS A-III	64.000	LF
613(A) 4410	28 1/2" X 18" R.C.PIPE ARCH CLASS A-III	54.000	LF
613(A) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	784.000	LF
613(A) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	60.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	710.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	56.000	LF
613(B) 0692	36" CORR. GALV. STEEL PIPE	14.000	LF
613(B) 0694	48" CORR. GALV. STEEL PIPE	136.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	242.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	234.000	LF
613(L) 4528	36" X 23" PREFAB. CULVERT END SECTION, ARCH	1.000	EA
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(L) 5738	48" PREFAB. CULVERT END SECTION, ROUND	1.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	1.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	62.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	10.000	EA
613(M) 7200	TYPE E6 CULVERT END TREATMENT	2.000	EA
613(M) 7201	TYPE AA6 CULVERT END TREATMENT	2.000	EA
613(M) 7202	TYPE BB6 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	5.000	EA
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	45,247.000	SY
619(C) 0924	SAWING PAVEMENT	2,326.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	3,264.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	12.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	4.000	EA
629(C) 4960	MAILBOX	27.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	16.000	EA

**SECTION 0002 - TRAFFIC (SIGNING, STRIPING, & LIGHTING)**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	525.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	2,166.000	LF
803(A) 8065	PULL BOX(SIZE I)	3.000	EA
804(A) 2915	STRUCTURAL CONCRETE	9.310	CY
804(B) 2916	REINFORCING STEEL	661.400	LB

805(A)	8724	(PL)REMOVAL OF EXISTING SIGNS	6.000	EA
805(D)	8744	(PL)REMOVE & RESET LIGHT POLE	12.000	EA
805(D)	8756	(PL)REMOVE & RESET EXISTING SIGNS	7.000	EA
810(A)	3118	SERVICE POLE	1.000	EA
811	8038	1/C NO.4 ELECTRICAL CONDUCTOR	5,878.000	LF
811	8046	1/C NO.12 ELECTRICAL CONDUCTOR	1,440.000	LF
827	8623	SOLID STATE FLASHER CONTROLLER(TYPE II)	2.000	EA
831	8301	1WAY 1SEC. ADJ. SIG. HD. S-22	4.000	EA
850(A)	8110	SHEET ALUMINUM SIGNS	319.800	SF
851(B)	3217	2 1/2"@5.79 GALV.STEEL PIPE POST	39.000	LF
851(B)	3218	3"@7.58 GALV.STEEL PIPE POST	90.500	LF
851(B)	3220	4"@10.79 GALV.STEEL PIPE POST	29.000	LF
851(C)	8324	2" SQUARE TUBE POST	439.000	LF
851(C)	8330	2 1/2" SQUARE TUBE POST	17.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	43,470.000	LF
855(A)	8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	605.000	LF
855(A)	8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	184.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	42.000	EA

**SECTION 0003 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A)	8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	46,500.000 LF
857(E)	8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	1,000.000 EA
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	46,500.000 LF
880(A)	8812	ARROW DISPLAY(TYPE C)	200.000 SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,200.000 SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,600.000 SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5,000.000 SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	4,000.000 SD
880(C)	8848	WING BARRICADES	800.000 SD
880(E)	8860	WARNING LIGHTS(TYPE A)	13,000.000 SD
880(F)	8878	DRUMS	4,000.000 SD
880(G)	8890	CHANNELIZER CONES	10,000.000 SD
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	400.000 SD

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
640(A)	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM
643	0087	(SP)CONTRACTORS QUALITY CONTROL	1.000 LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 060  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CHOCTAW

CONTRACT ID : 120129

PROJECT(S) : HSIPIY-112A(097)TR  
PCN : 2846204  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$19.51  
 45 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :  
 INTERSECTION MODIFICATION  
 US-271: AT COX ROAD IN THE CITY OF GRANT.  
 PROJECT LENGTH = 0.244 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1,470.000	CY
202(D) 0184	UNCLASSIFIED BORROW	10.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	84.000	LF
230(A) 2806	SOLID SLAB SODDING	3,591.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	1,233.000	CY
325 5271	SEPARATOR FABRIC	5,452.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	633.000	TON
408 5774	PRIME COAT	787.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	564.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	850.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT )	2,202.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	712.000	CY
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	1,240.000	LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	60.000	LF
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	46.000	CY
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	304.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,373.000	SY
619(C) 0924	SAWING PAVEMENT	1,462.000	LF

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	500.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	45.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1,080.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	675.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	720.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	675.000	SD
880(C) 8848	WING BARRICADES	180.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	450.000	SD
880(F) 8878	DRUMS	1,575.000	SD
880(G) 8890	CHANNELIZER CONES	2,250.000	SD

882(A) 8306 PORT.CHANGEABLE MESSAGE SIGN

90.000 SD

**SECTION 0003 - TRAFFIC SIGNING AND STRIPING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	94.520	SF
851(C) 8324	2" SQUARE TUBE POST	141.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	608.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1,976.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	888.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	16.000	LF
856(B) 8525	TRAFFIC STRIPE (MULTI-POLYMER)(SYMBOLS, WORDS. ETC.)	15.000	EA

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 090  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : COMANCHE  
 STEPHENS

CONTRACT ID : 120175

PROJECT(S) : BTOP-216N(001)  
PCN : 2812842  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$384.73  
 95 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 I-44/US-62/SH-7: US-62 FROM 9.0 MILES W OF I-44, EXT E TO  
 I-44, S TO SH-7, THEN EAST TO DUNCAN.  
 PROJECT LENGTH = 44.90 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 ALL BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTED.

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,000.000	LF
230(A) 2806	SOLID SLAB SODDING	2,000.000	SY
509(B) 0321	CLASS A CONCRETE	26.240	CY
802(B) 8570	(PL)LIQUID TIGHT FLEXIBLE CONDUIT	364.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	13,318.300	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	38,733.400	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	205,669.100	LF
802(D) 8375	4" ALUMINUM CONDUIT (EXPOSED)	2,117.000	LF
803(B) 8135	GROUND BOX (R3248)	141.000	EA
803(B) 8150	GROUND BOX (B2-48)	26.000	EA
804(B) 2916	REINFORCING STEEL	492.000	LB
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	25,938.400	LF
818(A) 8730	(SP)FIBER OPTIC CABLE, 96 SMF	252,663.000	LF
818(A) 8738	(SP) FIBER OPTIC CABLE, 24 INDOOR/OUTDOOR PLENUM	2,000.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	3.000	EA
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	3.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	48.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	240.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	15.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	22.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATION	344.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	130.000	SD
880(I) 8902	FLAGGER	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM



**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 100  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : COMANCHE

CONTRACT ID : 120131

PROJECT(S)  
 HSIPG-116A(210)TR  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$175.02  
 45 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

PCN  
 2896404

CONTRACT DESCRIPTION :  
 SIGNING  
 US-62: BEGIN AT THE KIOWA COUNTY LINE EXTEND EAST.  
 PROJECT LENGTH = 25.00 MILES

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A) 2915	STRUCTURAL CONCRETE	63.780	CY
804(B) 2916	REINFORCING STEEL	9,802.000	LB
805(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	2,476.740	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	3,773.000	SF
851(A) 3206	4"@13 GALV.STEEL WIDE FLANGE BEAM POST	2,176.700	LF
851(A) 3207	6"@15 GALV.STEEL WIDE FLANGE BEAM POST	301.710	LF
851(A) 3209	6"@25 GALV.STEEL WIDE FLANGE BEAM POST	88.100	LF
851(B) 3217	2 1/2"@5.79 GALV.STEEL PIPE POST	68.000	LF
851(C) 8324	2" SQUARE TUBE POST	5,716.500	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 120  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GARFIELD

CONTRACT ID : 120132

PROJECT(S) : BRFY-124A(083)  
PCN : 2330004  
 DBE GOAL : 6.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$67.19  
 150 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 GRADE, DRAIN, SURFACE, AND BRIDGE  
 US-60: OVER SOUTHBOUND US-64, 3.8 MILES NORTH OF US-412.  
 PROJECT LENGTH = 0.435 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3,514.000	CY
202(D) 0184	UNCLASSIFIED BORROW	14,662.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3,528.000	LF
221(F) 0100	TEMPORARY SILT DIKE	210.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	6.000	CY
230(A) 2806	SOLID SLAB SODDING	26,670.000	SY
233(A) 2817	VEGETATIVE MULCHING	9.000	AC
241 2832	MOWING	18.000	AC
307(A) 4200	FLY ASH	563.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	11,310.000	SY
319(B) 5254	OPEN-GRADED PORTLAND CEMENT BASE	9,439.000	SY
325 5271	SEPARATOR FABRIC	20,571.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,389.000	TON
408 5774	PRIME COAT	2,560.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	224.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	3,492.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT )	5,843.000	SY
414(E) 0225	FULL DEPTH P.C. CONCRETE PATCHING(PLACEMENT ONLY)	500.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	2,387.000	CY
415 6300	CONCRETE JOINT SEALING	1,062.000	LF
416 0100	DOWEL BAR RETROFIT	208.000	EA
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	500.000	SY
510(C) 6135	SLOPE WALL (5")	80.000	SY
613(A) 0492	24" R.C.PIPE CLASS III	40.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	124.000	LF
613(B) 0694	48" CORR. GALV. STEEL PIPE	94.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	7,028.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,285.000	SY

619(B) 4780	REMOVAL OF GUARDRAIL	2,021.000 LF
623 0100	(PL)GUARDRAIL CURBING	4.000 EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1,813.000 LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000 EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000 EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	37.000 EA

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	215.000	CY
501(G) 6309	CLSM BACKFILL	156.800	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,076.000	LF
504(A) 1304	APPROACH SLAB	342.100	SY
504(B) 1305	SAW-CUT GROOVING	1,471.500	SY
504(C) 6250	SEALED EXPANSION JOINT	103.560	LF
504(E) 6190	42" F-SHAPED PARAPET	701.550	LF
506(A) 1322	STRUCTURAL STEEL	1,669.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	12.000	EA
509(A) 1326	CLASS AA CONCRETE	314.200	CY
509(B) 1328	CLASS A CONCRETE	290.000	CY
510(C) 6138	SLOPE WALL (5")	671.000	SY
511(A) 1332	REINFORCING STEEL	1,520.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	141,680.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	263.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	976.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	263.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	976.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,419.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	310.500	LF
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	105.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	58.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0003 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	17,800.000	LF
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	3,600.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	10,000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	300.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3,575.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	183,750.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	300.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	6,450.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	12,300.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	9,000.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	6,750.000	SD
880(C) 8848	WING BARRICADES	750.000	SD
880(D) 8854	VERTICAL PANELS	13,500.000	SD

880(E)	8860	WARNING LIGHTS(TYPE A)	19,800.000	SD
880(F)	8878	DRUMS	15,000.000	SD
880(G)	8890	CHANNELIZER CONES	4,500.000	SD
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	750.000	SD

**SECTION 0004 - TRAFFIC SIGNING & STRIPING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A)	8110 SHEET ALUMINUM SIGNS	9.000	SF
851(C)	8324 2" SQUARE TUBE POST	15.000	LF
856(A)	8530 TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	5,400.000	LF
856(A)	8540 TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	200.000	LF
856(A)	8548 TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	300.000	LF

**SECTION 0005 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0006 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641	1552 MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 160  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GREER

CONTRACT ID : 120138

PROJECT(S) : STPY-228B(003)3P  
PCN : 2925904  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$0.00  
 45 CALENDAR DAYS  
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :  
 RESURFACE (UTBWC)  
 SH-6: BEGIN 2.0 MILES NORTH OF THE JACKSON COUNTY LINE  
 EXTEND NORTH.  
 PROJECT LENGTH = 5.00 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
404(G) 4845	ULTRA-THIN BONDED WEARING COURSE, TYPE C	5,875.000	TON
410(A) 6530	(SP)HOT-IN-PLACE RECYCLED ASPHALT CONCRETE	136,730.000	SY
410(B) 6540	(SP)HOT-IN PLACE ASPHALT EMULSION	300.000	TON
412 5267	COLD MILLING PAVEMENT	2,501.000	SY
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	124,500.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	350.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	37.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	12,500.000	LF
857(F) 8007	PAVEMENT MARKING REMOVAL(ARROWS)	37.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 170  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CARTER  
 JEFFERSON

CONTRACT ID : 120176

PROJECT(S) : BTOP-234B(001)  
PCN : 2812844  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$212.96  
 140 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 US-81, US-70: ON US-81, BEGIN 4.7 MILES NORTH OF US-70,  
 EXTEND SOUTH, THEN EAST ON US-70 TO I-35 IN ARDMORE.  
 PROJECT LENGTH = 51.97 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 ALL BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTED.

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,000.000	LF
230(A) 2806	SOLID SLAB SODDING	2,000.000	SY
509(B) 0321	CLASS A CONCRETE	13.440	CY
802(B) 8570	(PL)LIQUID TIGHT FLEXIBLE CONDUIT	138.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	9,315.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	49,566.300	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	222,704.900	LF
802(D) 8375	4" ALUMINUM CONDUIT (EXPOSED)	885.000	LF
803(B) 8135	GROUND BOX (R3248)	87.000	EA
803(B) 8150	GROUND BOX (B2-48)	21.000	EA
804(B) 2916	REINFORCING STEEL	252.000	LB
818(A) 8730	(SP)FIBER OPTIC CABLE, 96 SMF	284,986.200	LF
818(A) 8738	(SP) FIBER OPTIC CABLE, 24 INDOOR/OUTDOOR PLENUM	500.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	1.000	EA
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	2.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	8.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	200.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	3.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	14.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATION	239.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	200.000	SD
880(I) 8902	FLAGGER	45.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	200.000	SD

**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 200  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : KAY

CONTRACT ID : 120140

PROJECT(S) : SBR-136N(211)SB  
PCN : 2831504  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$29.26  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 BRIDGE REHABILITATION  
 US-60B/US-177: OVER US-60 IN TONKAWA.  
 PROJECT LENGTH = 0.062 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	200.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2,200.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
230(A) 2806	SOLID SLAB SODDING	4,000.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	152.000	CY
407(A) 4659	FOG SEAL	49.360	GAL
407(B) 0250	TACK COAT	185.130	GAL
408 5774	PRIME COAT	392.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	660.370	TON
412 5267	COLD MILLING PAVEMENT	2,468.400	SY
509(A) 0319	CLASS AA CONCRETE	53.800	CY
509(D) 0325	CLASS C CONCRETE	17.300	CY
511(B) 4269	EPOXY COATED REINFORCING STEEL	7,496.000	LB
619(B) 4780	REMOVAL OF GUARDRAIL	510.000	LF
619(C) 0924	SAWING PAVEMENT	910.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	945.500	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	6.000	EA

**SECTION 0002 - BRIDGE A**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(A) 1304	APPROACH SLAB	204.400	SY
504(B) 1305	SAW-CUT GROOVING	1,078.200	SY
504(C) 6250	SEALED EXPANSION JOINT	92.000	LF
504(E) 1381	CONCRETE PARAPET	652.000	LF
506(A) 1322	STRUCTURAL STEEL	1,280.000	LB
509(A) 1326	CLASS AA CONCRETE	241.800	CY
510(C) 6137	SLOPE WALL (4")	2,983.100	SY
511(A) 1332	REINFORCING STEEL	622.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	78,845.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	340.200	SY
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	65.000	LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	2.500	GAL
521(A)	6210	PNEUMATICALLY PLACED MORTAR	11.000	SY
523(A)	6550	SEALER CRACK PREPARATION	186.000	LF
523(B)	6560	SEALER RESIN	1.900	GAL
535	6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	59.800	SY
540	4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	4.000	EA
540	4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	12.000	EA
619(B)	2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	90.000	SD
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	14,000.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	4,144.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	10,000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	360.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	1,000.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,000.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,000.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	6,120.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	720.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3,960.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	14,520.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,790.000	SD
880(F) 8878	DRUMS	12,240.000	SD

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 220  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : LEFLORE

CONTRACT ID : 120148

PROJECT(S)  
 BRO-140D(189)CI  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$10.84  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

PCN  
 2690404

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-477): OVER TRIBUTARY OF POTEAU RIVER 2.8  
 MILES SOUTH AND 0.5 MILES WEST OF US-271/SH-9 JCT.  
 PROJECT LENGTH = 0.071 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	400.000	LF
221(F) 0100	TEMPORARY SILT DIKE	50.000	LF
230(A) 2806	SOLID SLAB SODDING	600.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.400	AC
303(A) 2100	AGGREGATE BASE TYPE A	230.000	CY
408 5774	PRIME COAT	454.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	165.000	TON
601(B) 0536	TYPE I-A PLAIN RIPRAP	100.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	100.000	SY
613(B) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	26.000	LF
613(L) 4522	35" X 24" PREFAB. CULVERT END SECTION, ARCH	2.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	458.000	LF

**SECTION 0002 - BRIDGE**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	35.720	CY
504(D) 6239	CONCRETE RAIL (TR3)	129.000	LF
509(A) 1326	CLASS AA CONCRETE	149.810	CY
511(A) 1332	REINFORCING STEEL	26,147.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6034	GUARDRAIL ANCHOR UNIT (TYPE III)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 260  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : LOGAN

CONTRACT ID : 120134

PROJECT(S) : STP-142C(119)AG  
PCN : 2301804  
 DBE GOAL : 4.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$16.26  
 180 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-310)/BROADWAY BLVD.): OVER COTTONWOOD CREEK  
 0.5 MILES SOUTH AND 3.5 MILES WEST OF THE I-35/US-77 JCT.  
 PROJECT LENGTH = 0.302 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	600.000	LF
221(F) 0100	TEMPORARY SILT DIKE	600.000	LF
230(A) 2806	SOLID SLAB SODDING	14,774.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.270	AC
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	6,050.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	325.000	TON
407(B) 0250	TACK COAT	290.000	GAL
408 5774	PRIME COAT	1,300.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,170.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	570.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	310.000	TON
613(B) 0692	36" CORR. GALV. STEEL PIPE	86.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	92.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3,601.000	SY
619(C) 0924	SAWING PAVEMENT	45.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	5.180	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	12.500	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	3,200.000	LF

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	80.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	890.000	LF
504(B) 1305	SAW-CUT GROOVING	828.000	SY
504(C) 6250	SEALED EXPANSION JOINT	35.420	LF

504(E)	1380	CONCRETE RAIL (TR1)	507.000	LF
506(A)	1322	STRUCTURAL STEEL	734.000	LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B)	6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	12.000	EA
509(A)	1326	CLASS AA CONCRETE	204.900	CY
509(B)	1328	CLASS A CONCRETE	103.500	CY
511(A)	1332	REINFORCING STEEL	69,240.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	977.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	977.000	LF
516(A)	6095	DRILLED SHAFTS 54" DIAMETER	197.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	2,753.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	596.000	TON
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 300  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : MARSHALL

CONTRACT ID : 120135

PROJECT(S)  
 BRO-148D(041)CI  
 DBE GOAL : 4.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$14.09  
 150 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

PCN  
 2109704

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-353): OVER CANEY CREEK 1.7 MILES SOUTH AND  
 0.4 MILES WEST OF US-70/SH-32 JCT.  
 PROJECT LENGTH = 0.275 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	21,160.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	600.000	LF
221(C) 2801	TEMPORARY SILT FENCE	100.000	LF
221(F) 0100	TEMPORARY SILT DIKE	310.000	LF
230(A) 2806	SOLID SLAB SODDING	21,450.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.500	AC
303(A) 2100	AGGREGATE BASE TYPE A	1,180.000	CY
325 5271	SEPARATOR FABRIC	5,416.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	522.000	TON
407(B) 0250	TACK COAT	691.000	GAL
408 5774	PRIME COAT	3,174.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,032.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	535.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	1,113.000	TON
613(A) 0493	30" R.C.PIPE CLASS III	40.000	LF
613(A) 0496	48" R.C.PIPE CLASS III	82.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	60.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	110.000	LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	4.000	EA
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(L) 5738	48" PREFAB. CULVERT END SECTION, ROUND	4.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(C) 0924	SAWING PAVEMENT	40.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	10.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,500.000	LF

**SECTION 0002 - BRIDGE**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
501(F) 6352	GRANULAR BACKFILL	92.000	CY

503(A)	1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	258.670	LF
504(A)	1304	APPROACH SLAB	170.000	SY
504(B)	1305	SAW-CUT GROOVING	245.000	SY
504(D)	6239	CONCRETE RAIL (TR3)	198.100	LF
506(A)	1322	STRUCTURAL STEEL	420.000	LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B)	6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	4.000	EA
509(A)	1326	CLASS AA CONCRETE	67.100	CY
509(B)	1328	CLASS A CONCRETE	80.000	CY
511(A)	1332	REINFORCING STEEL	28,160.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	82.000	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	176.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	82.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	176.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,510.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	485.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	74.000	LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	50.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	1418	BEAM GUARDRAIL W-BEAM SINGLE	200.000	LF
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641	1399 MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 340  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : MAYES  
 ROGERS

CONTRACT ID : 120137

PROJECT(S)  
 HSIPG-149A(150)TR  
 HSIPG-266A(004)TR  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$31.43  
 150 CALENDAR DAYS  
 RES. ENG: DIVISION 8 (TULSA)

PCN  
 2896504  
 2896604

CONTRACT DESCRIPTION :  
 SIGNING  
 US-412: BEGIN AT I-44 EXTEND EAST.  
 PROJECT LENGTH = 26.50 MILES

**SECTION 0001 - TRAFFIC SIGNING - HSIPG-149A(150)TR**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A) 2915	STRUCTURAL CONCRETE	20.830	CY
804(B) 2916	REINFORCING STEEL	4,936.000	LB
805(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	69.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	1,485.010	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	1,644.460	SF
850(B) 8114	EXTRUDED ALUMINUM PANEL SIGNS(OVERHEAD SIGNS)	833.900	SF
851(A) 3206	4"@13 GALV.STEEL WIDE FLANGE BEAM POST	314.320	LF
851(A) 3208	6"@20 GALV.STEEL WIDE FLANGE BEAM POST	48.000	LF
851(A) 3209	6"@25 GALV.STEEL WIDE FLANGE BEAM POST	125.340	LF
851(A) 3210	8"@31 GALV.STEEL WIDE FLANGE BEAM POST	109.040	LF
851(B) 3218	3"@7.58 GALV.STEEL PIPE POST	320.000	LF
851(C) 8324	2" SQUARE TUBE POST	2,187.000	LF
852(L) 8772	REPAIR OVHD.SN.STR.TYPE C-1 ALUM.	3.000	EA
852(L) 8781	REPAIR OVHD.SN.STR.TYPE E-1 ALUM.	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - CONSTRUCTION - HSIPG-149A(150)TR**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**SECTION 0003 - TRAFFIC SIGNING - HSIPG-266A(004)TR**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A) 2915	STRUCTURAL CONCRETE	17.330	CY
804(B) 2916	REINFORCING STEEL	4,046.000	LB
805(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	98.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	1,815.850	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	782.100	SF
850(B) 8114	EXTRUDED ALUMINUM PANEL SIGNS(OVERHEAD SIGNS)	302.500	SF
851(A) 3206	4"@13 GALV.STEEL WIDE FLANGE BEAM POST	170.000	LF
851(A) 3210	8"@31 GALV.STEEL WIDE FLANGE BEAM POST	184.000	LF



851(B) 3218	3"@7.58 GALV.STEEL PIPE POST	352.000 LF
851(C) 8324	2" SQUARE TUBE POST	2,650.500 LF
852(L) 8772	REPAIR OVHD.SN.STR.TYPE C-1 ALUM.	1.000 EA
852(L) 8781	REPAIR OVHD.SN.STR.TYPE E-1 ALUM.	1.000 EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 380  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : NOBLE

CONTRACT ID : 120139

PROJECT(S) : STPY-152B(174) PCN : 2031109  
 DBE GOAL : 6.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$185.32  
 130 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 GRADE, DRAIN, AND SURFACE  
 US-64: FROM BOUNDARY STREET IN PERRY, EXTEND EAST.  
 PROJECT LENGTH = 4.658 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	42,990.000	CY
202(F) 0110	EMBANKMENTS	7,603.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	48,765.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	8.000	EA
221(E) 2804	TEMPORARY SEDIMENT BASIN	8.000	EA
221(F) 0100	TEMPORARY SILT DIKE	3,488.000	LF
229 4318	DITCH LINER PROTECTION	811.000	LF
230(A) 2806	SOLID SLAB SODDING	44,978.000	SY
230(B) 2807	MULCH SODDING	25,899.000	SY
230(F) 2812	WATERING	1,800.000	KGAL
241 2832	MOWING	503.000	AC
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	121,752.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	400.000	TON
407(B) 0250	TACK COAT	54,363.000	GAL
408 5774	PRIME COAT	28,010.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	11,263.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	43,025.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	7,510.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	6,245.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	107.000	CY
509(A) 0319	CLASS AA CONCRETE	244.000	CY
509(B) 0321	CLASS A CONCRETE	74.000	CY
509(D) 0325	CLASS C CONCRETE	152.000	CY
511(A) 1332	REINFORCING STEEL	43,539.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	98.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	24.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	242.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	2,330.000	LF
613(I) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	932.000	LF
613(M) 7196	TYPE A6 CULVERT END TREATMENT	8.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	66,164.000 SY
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	13.000 EA
619(B) 4780	REMOVAL OF GUARDRAIL	1,881.000 LF
619(B) 5113	REMOVAL OF RIPRAP	115.000 SY
619(B) 5918	REMOVAL OF EXISTING PIPE	1,201.000 LF
619(C) 0924	SAWING PAVEMENT	1,131.000 LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	13.000 EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000 EA
629(C) 4960	MAILBOX	15.000 EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	14.000 EA

**SECTION 0002 - TRAFFIC SIGNING & STRIPING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	208.370	SF
851(C) 8324	2" SQUARE TUBE POST	467.500	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	90,000.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	640.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	184.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	6.000	EA
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	90.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	300.000	LF
880(C) 8850	PERMANENT BARRICADE UNIT	4.000	EA
880(G) 8900	TUBE CHANNELIZERS	9.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 425  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKLAHOMA

CONTRACT ID : 120072

PROJECT(S) PCN  
 BTOP-255N(002) 2812830  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$97.54  
 70 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 I-40: FROM THE EDUCATIONAL TELEVISIONS NETWORK BLDG IN OKC  
 (NE 14TH ST & PHILLIPS AVE), EXT E TO THE POTTAWATOMIE CL.  
 PROJECT LENGTH = 22.9 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 ALL BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTED.

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,000.000	LF
230(A) 2806	SOLID SLAB SODDING	2,000.000	SY
509(B) 0321	CLASS A CONCRETE	12.000	CY
802(A) 8316	3" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	925.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	3,763.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	9,842.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	81,980.000	LF
803(B) 8135	GROUND BOX (R3248)	26.000	EA
803(B) 8150	GROUND BOX (B2-48)	22.000	EA
804(B) 2916	REINFORCING STEEL	360.000	LB
818(A) 8733	(SP)FIBER OPTIC CABLE, 144 SMF	140,785.000	LF
818(B) 8760	(SP)FIBER OPTIC PATCH PANEL, 144 PORT	1.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	144.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	14.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATION	183.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	140.000	SD
880(I) 8902	FLAGGER	35.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	140.000	SD

**SECTION 0003 - FHWA PARTICIPATING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(A) 8316	3" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	1,275.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	2,651.000	LF

802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	20,526.000 LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	24,630.000 LF

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 430  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : MCINTOSH  
 MUSKOGEE  
 OKMULGEE

CONTRACT ID : 120073

PROJECT(S) : BTOP-256N(001)  
PCN : 2812835  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$183.70  
 160 CALENDAR DAYS  
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENT (FIBER OPTIC CABLE)  
 I-40: BEGIN AT HENRYETTA, EXTEND EAST TO WEBBER FALLS.  
 PROJECT LENGTH = 46.5 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 ALL BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTED.

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
104 0900	RAILROAD FLAGGING	26.000	HOUR
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,000.000	LF
230(A) 2806	SOLID SLAB SODDING	2,000.000	SY
509(B) 0321	CLASS A CONCRETE	12.000	CY
802(A) 8316	3" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	1,750.000	LF
802(A) 8318	3" GALV. STEEL ELECTRICAL CONDUIT PUSHED OR BORED	50.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	5,608.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	5,975.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	252,857.000	LF
803(B) 8135	GROUND BOX (R3248)	90.000	EA
803(B) 8150	GROUND BOX (B2-48)	21.000	EA
804(B) 2916	REINFORCING STEEL	240.000	LB
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	11,645.000	LF
818(A) 8733	(SP)FIBER OPTIC CABLE, 144 SMF	261,045.000	LF
818(A) 8738	(SP) FIBER OPTIC CABLE, 24 INDOOR/OUTDOOR PLENUM	200.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	1.000	EA
818(B) 8760	(SP)FIBER OPTIC PATCH PANEL, 144 PORT	2.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	8.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	296.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	27.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATION	221.000	EA

**SECTION 0002 - TEMPORARY TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	220.000	SD
880(I) 8902	FLAGGER	50.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	220.000	SD

**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 445  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : PONTOTOC

CONTRACT ID : 120173

PROJECT(S) : SAP-262A(006) PCN : 2800404  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$16.26  
 45 CALENDAR DAYS  
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :  
 BRIDGE REPAIR  
 SH-1: OVER SH-19, 1.0 MILE WEST OF ADA.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	5.000	TON
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
540 4505	(PL)REPAIR BRIDGE ITEMS	2.000	EA
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	2.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	6.000	EA

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
540 4505	(PL)REPAIR BRIDGE ITEMS	1.000	EA
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	2.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	2.000	EA

**SECTION 0003 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 450  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : POTTAWATOMIE  
 SEMINOLE

CONTRACT ID : 120075

PROJECT(S) : BTOP-263N(001)  
PCN : 2812831  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$116.50  
 70 CALENDAR DAYS  
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 I-40: BEGIN AT THE OKLAHOMA COUNTY LINE, EXTEND EAST  
 TO US-377.  
 PROJECT LENGTH =26.5 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 ALL BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTED.

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
104 0900	RAILROAD FLAGGING	32.000	HOUR
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,000.000	LF
230(A) 2806	SOLID SLAB SODDING	2,000.000	SY
509(B) 0321	CLASS A CONCRETE	5.000	CY
802(A) 8316	3" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	2,376.000	LF
802(A) 8318	3" GALV. STEEL ELECTRICAL CONDUIT PUSHED OR BORED	50.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	3,366.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	5,000.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	143,329.000	LF
803(B) 8135	GROUND BOX (R3248)	50.000	EA
803(B) 8150	GROUND BOX (B2-48)	5.000	EA
804(B) 2916	REINFORCING STEEL	240.000	LB
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	1,880.000	LF
818(A) 8733	(SP)FIBER OPTIC CABLE, 144 SMF	154,271.000	LF
818(A) 8738	(SP) FIBER OPTIC CABLE, 24 INDOOR/OUTDOOR PLENUM	60.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	1.000	EA
818(B) 8760	(SP)FIBER OPTIC PATCH PANEL, 144 PORT	1.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	8.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	152.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	24.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATION	117.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(I) 8902	FLAGGER	15.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 460  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : ROGERS

CONTRACT ID : 120142

PROJECT(S) PCN  
 BRF-166C(219)CI 2574404  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$24.93  
 120 CALENDAR DAYS  
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (EW-45): OVER DOG CREEK 1.9 MILES EAST OF  
 SH-66.  
 PROJECT LENGTH = 0.235 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,243.000	CY
202(D) 0184	UNCLASSIFIED BORROW	13,109.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,458.000	LF
221(F) 0100	TEMPORARY SILT DIKE	224.000	LF
230(A) 2806	SOLID SLAB SODDING	14,017.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.900	AC
303(B) 2110	AGGREGATE BASE TYPE B	1,046.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	262.000	TON
407(B) 0250	TACK COAT	240.000	GAL
408 5774	PRIME COAT	1,342.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,526.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	529.000	TON
509(D) 0325	CLASS C CONCRETE	24.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	239.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	6.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	65.000	CY
613(V) 1180	TRENCH EXCAVATION	91.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,348.000	SY
619(C) 0924	SAWING PAVEMENT	42.000	LF

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2,464.000	CY
303(A) 2100	AGGREGATE BASE TYPE A	557.000	CY
326(B) 0100	GEOGRID REINFORCEMENT	954.000	SY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	312.000	CY
509(B) 1328	CLASS A CONCRETE	481.000	CY
511(A) 1332	REINFORCING STEEL	94,430.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,430.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	295.000	TON

601(I) 6312 FILTER FABRIC (RIPRAP) 1,195.000 SY

**SECTION 0003 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	8,016.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY
501(G) 6309	CLSM BACKFILL	86.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	439.000	LF
504(A) 1304	APPROACH SLAB	142.000	SY
504(D) 6239	CONCRETE RAIL (TR3)	285.000	LF
506(A) 1322	STRUCTURAL STEEL	250.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
509(A) 0319	CLASS AA CONCRETE	223.000	CY
509(B) 1328	CLASS A CONCRETE	54.000	CY
511(A) 1332	REINFORCING STEEL	32,823.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	684.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	684.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	4,560.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	820.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	4,015.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	66.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	40.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	300.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

**SECTION 0004 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0005 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0006 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 465  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : SEMINOLE

CONTRACT ID : 120076

PROJECT(S) : BTOP-267N(001)  
PCN : 2812832  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$75.32  
 35 CALENDAR DAYS  
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 US-270,SH-99: US-270 FROM SEMINOLE STATE COLLEGE IN SEMINOLE  
 EAST TO SH-99, THEN NORTH ON SH-99 TO I-40.  
 PROJECT LENGTH = 11.3 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 ALL BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTED.

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,000.000	LF
230(A) 2806	SOLID SLAB SODDING	2,000.000	SY
509(B) 0321	CLASS A CONCRETE	20.000	CY
802(A) 8316	3" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	275.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	7,284.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	5,000.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	64,669.000	LF
803(B) 8135	GROUND BOX (R3248)	43.000	EA
803(B) 8150	GROUND BOX (B2-48)	25.000	EA
804(B) 2916	REINFORCING STEEL	360.000	LB
818(A) 8730	(SP)FIBER OPTIC CABLE, 96 SMF	69,435.000	LF
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	2.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	192.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	9.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATION	62.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	50.000	SD
880(I) 8902	FLAGGER	15.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	50.000	SD

**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 470  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : PONTOTOC  
 SEMINOLE

CONTRACT ID : 120077

PROJECT(S)  
 BTOP-167N(002)  
PCN  
 2812833  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$161.48  
 95 CALENDAR DAYS  
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 SH-99: BEGIN SOUTH OF ADA, EXTEND NORTH TO SEMINOLE STATE  
 COLLEGE IN SEMINOLE.  
 PROJECT LENGTH = 36.8 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 ALL BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTED.

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
104 0900	RAILROAD FLAGGING	32.000	HOUR
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,000.000	LF
230(A) 2806	SOLID SLAB SODDING	2,000.000	SY
509(B) 0321	CLASS A CONCRETE	20.000	CY
802(A) 8316	3" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	4,425.000	LF
802(A) 8318	3" GALV. STEEL ELECTRICAL CONDUIT PUSHED OR BORED	375.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	11,192.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	5,000.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	185,502.000	LF
803(B) 8135	GROUND BOX (R3248)	75.000	EA
803(B) 8150	GROUND BOX (B2-48)	35.000	EA
804(B) 2916	REINFORCING STEEL	360.000	LB
818(A) 8715	(SP)FIBER OPTIC CABLE, 24 SMF	3,180.000	LF
818(A) 8730	(SP)FIBER OPTIC CABLE, 96 SMF	228,969.000	LF
818(A) 8738	(SP) FIBER OPTIC CABLE, 24 INDOOR/OUTDOOR PLENUM	500.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	1.000	EA
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	2.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	8.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	200.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	29.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATION	232.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	130.000	SD
880(I) 8902	FLAGGER	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 475  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKFUSKEE  
 OKMULGEE  
 SEMINOLE

CONTRACT ID : 120078

PROJECT(S) PCN  
 BTOP-267N(003) 2812834  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$150.10  
 140 CALENDAR DAYS  
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 I-40: BEGIN AT THE SH-99 INTERCHANGE, EXTEND EAST  
 TO HENRYETTA.  
 PROJECT LENGTH = 40.5 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 ALL BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTED.

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
104 0900	RAILROAD FLAGGING	24.000	HOUR
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,000.000	LF
230(A) 2806	SOLID SLAB SODDING	2,000.000	SY
509(B) 0321	CLASS A CONCRETE	20.000	CY
802(A) 8316	3" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	4,125.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	6,121.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	10,000.000	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	217,630.000	LF
803(B) 8135	GROUND BOX (R3248)	90.000	EA
803(B) 8150	GROUND BOX (B2-48)	15.000	EA
804(B) 2916	REINFORCING STEEL	240.000	LB
818(A) 8733	(SP)FIBER OPTIC CABLE, 144 SMF	229,331.000	LF
818(B) 8760	(SP)FIBER OPTIC PATCH PANEL, 144 PORT	2.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	288.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	27.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATION	176.000	EA

**SECTION 0002 - TEMPORARY TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	190.000	SD
880(I) 8902	FLAGGER	45.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	190.000	SD

**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 480  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : SEQUOYAH

CONTRACT ID : 120150

PROJECT(S)  
 PLHD-168E(225)DC  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$0.00  
 30 CALENDAR DAYS  
 RES. ENG: DIVISION 1 (MUSKOGEE)

PCN  
 2873004

CONTRACT DESCRIPTION :  
 RESURFACE (ASPHALT)  
 SEQUOYAH WILDLIFE REFUGE ROAD: FROM THE I-40/SH-10 JCT,  
 EXTEND SOUTH, AND FROM THE I-40/SH-82 JCT, EXTEND SOUTH.  
 PROJECT LENGTH = 5.80 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
407(B) 0250	TACK COAT	1,531.000	GAL
408 5774	PRIME COAT	7,216.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	8,027.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	61,248.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - ADD ALTERNATE**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2,766.000	TON

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 490  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : JEFFERSON  
 STEPHENS

CONTRACT ID : 120177

PROJECT(S) : BTOP-269N(001)  
PCN : 2812843  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$145.77  
 75 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENTS (FIBER OPTIC CABLE)  
 US-81: BEGIN 4.7 MILES NORTH OF US-70, EXTEND NORTH TO SH-7.  
 PROJECT LENGTH = 20.94 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED, HOWEVER,  
 ALL BIDDERS WILL BE REQUIRED TO PROVIDE VERIFICATION OF  
 EXPERIENCE PRIOR TO RECEIVING BID DOCUMENTS. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTED.

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,000.000	LF
230(A) 2806	SOLID SLAB SODDING	2,000.000	SY
509(B) 0321	CLASS A CONCRETE	3.840	CY
802(B) 8570	(PL)LIQUID TIGHT FLEXIBLE CONDUIT	53.000	LF
802(C) 8551	1 1/2" HIGH DENSITY PE PIPE - BORED	6,001.000	LF
802(C) 8556	1 1/2" HIGH DENSITY PE PIPE - TRENCHED	17,193.700	LF
802(C) 8565	1 1/2" HIGH DENSITY PE PIPE - PLOWED	93,801.600	LF
802(D) 8375	4" ALUMINUM CONDUIT (EXPOSED)	1,044.000	LF
803(B) 8135	GROUND BOX (R3248)	37.000	EA
803(B) 8150	GROUND BOX (B2-48)	11.000	EA
804(B) 2916	REINFORCING STEEL	72.000	LB
818(A) 8730	(SP)FIBER OPTIC CABLE, 96 SMF	114,470.300	LF
818(A) 8741	(SP) FIBER OPTIC CABLE, 96 INDOOR/OUTDOOR PLENUM	500.000	LF
818(B) 8755	(SP)FIBER OPTIC PATCH PANEL, 96 PORT	2.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	192.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	2.000	EA
818(F) 8375	(SP) SHIELD ISOLATION PEDESTAL (MINI)	5.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATION	150.000	EA

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	100.000	SD
880(I) 8902	FLAGGER	25.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	100.000	SD

**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 500  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : TULSA

CONTRACT ID : 120143

PROJECT(S) PCN  
 BRIY-0244-1(006)101 2317104  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$30.35  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :  
 BRIDGE REHABILITATION  
 I-244: I-244 EB RAMP OVER I-244 W-N RAMP, APPROX. 5.39 MILES  
 EAST OF JCT I-244/I-444.

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	250.000	CY
230(A) 2806	SOLID SLAB SODDING	125.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	109.000	CY
307(K) 4300	STABILIZED SUBGRADE	649.000	SY
317 4270	CEMENT TREATED BASE	543.000	SY
408 5774	PRIME COAT	212.000	GAL
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT )	543.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	143.100	CY
609(A) 0287	CONCRETE CURB (4" MNTBLE-INTEGRAL)	240.000	LF
609(A) 0300	CONCRETE CURB (6" BARRIER-INTEGRAL)	240.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	543.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	640.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	450.000	LF
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

**SECTION 0002 - BRIDGE**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(A) 1304	APPROACH SLAB	162.300	SY
504(B) 1305	SAW-CUT GROOVING	350.000	SY
504(C) 6250	SEALED EXPANSION JOINT	63.590	LF
504(E) 6190	42" F-SHAPED PARAPET	404.500	LF
509(A) 1326	CLASS AA CONCRETE	81.900	CY
509(D) 1331	CLASS C CONCRETE	15.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	28,680.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	264.400	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	900.000	LF

880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	150.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 520  
 LETTING DATE : March 15, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CREEK  
 OSAGE  
 ROGERS  
 TULSA  
 WAGONER

CONTRACT ID : 120144

PROJECT(S) : SSP-272C(017)SS PCN : 2318509  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$52.02

60 CALENDAR DAYS  
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :  
 BRIDGE WATER PROOF SEAL  
 VARIOUS LOCATIONS IN DIVISION VIII.

**SECTION 0001 - BRIDGE 'A' I-44 OVER 163RD EAST AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	3,816.000	SY
523(A) 6550	SEALER CRACK PREPARATION	268.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL

**SECTION 0002 - BRIDGE 'B' I-44 OVER 193RD EAST AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	6,156.000	SY
523(A) 6550	SEALER CRACK PREPARATION	431.000	LF
523(B) 6560	SEALER RESIN	2.900	GAL

**SECTION 0003 - BRIDGE 'C' US-60 OVER SAND CREEK**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,900.000	SY
523(A) 6550	SEALER CRACK PREPARATION	133.000	LF
523(B) 6560	SEALER RESIN	0.900	GAL

**SECTION 0004 - BRIDGE 'D' SH-16 OVER TURKEY CREEK**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	660.000	SY
523(A) 6550	SEALER CRACK PREPARATION	47.000	LF
523(B) 6560	SEALER RESIN	0.400	GAL

**SECTION 0005 - BRIDGE 'E' SH-66 OVER I-44 (TURNER TURNPIKE)**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2,827.000	SY
523(A) 6550	SEALER CRACK PREPARATION	227.000	LF
523(B) 6560	SEALER RESIN	1.600	GAL

**SECTION 0006 - BRIDGE 'F' WEST 111TH ST. OVER US-75**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	3,941.000	SY
523(A) 6550	SEALER CRACK PREPARATION	276.000	LF
523(B) 6560	SEALER RESIN	1.900	GAL

**SECTION 0007 - BRIDGE 'G' US-75 NB OVER MOOSER CREEK AND SKELLY DR.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	947.000	SY

523(A) 6550	SEALER CRACK PREPARATION	67.000 LF
523(B) 6560	SEALER RESIN	0.500 GAL

**SECTION 0008 - BRIDGE 'H' US-75 SB OVER MOOSER CREEK AD SKELLY DR.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	947.000	SY
523(A) 6550	SEALER CRACK PREPARATION	67.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL

**SECTION 0009 - BRIDGE 'I' US-75 RAMP OVER MOOSER CREEK AND SKELLY DR.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	738.000	SY
523(A) 6550	SEALER CRACK PREPARATION	52.000	LF
523(B) 6560	SEALER RESIN	0.400	GAL

**SECTION 0010 - BRIDGE 'J' US-75 RAMP OVER MOOSER CREEK AND SKELLY DR.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	754.000	SY
523(A) 6550	SEALER CRACK PREPARATION	53.000	LF
523(B) 6560	SEALER RESIN	0.400	GAL

**SECTION 0011 - BRIDGE 'K' I-244 RAMP TO 1ST. ST. OVER I-444**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,344.000	SY
523(A) 6550	SEALER CRACK PREPARATION	88.000	LF
523(B) 6560	SEALER RESIN	0.600	GAL

**SECTION 0012 - BRIDGE 'L' US-64/SH-51 OVER ST. LOUIS AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2,452.000	SY
523(A) 6550	SEALER CRACK PREPARATION	172.000	LF
523(B) 6560	SEALER RESIN	1.200	GAL

**SECTION 0013 - BRIDGE 'M' I-44 OVER SOUTH HARVARD AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	5,826.000	SY
523(A) 6550	SEALER CRACK PREPARATION	408.000	LF
523(B) 6560	SEALER RESIN	2.800	GAL

**SECTION 0014 - BRIDGE 'N' I-44 WB OVER SOUTH DARLINGTON AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,656.000	SY
523(A) 6550	SEALER CRACK PREPARATION	116.000	LF
523(B) 6560	SEALER RESIN	0.800	GAL

**SECTION 0015 - BRIDGE 'O' I-44 EB OVER DARLINGTON AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,478.000	SY
523(A) 6550	SEALER CRACK PREPARATION	104.000	LF
523(B) 6560	SEALER RESIN	0.700	GAL

**SECTION 0016 - BRIDGE '4' I-444 RAMP OVER S.W. BLVD.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,680.000	SY
523(A) 6550	SEALER CRACK PREPARATION	118.000	LF
523(B) 6560	SEALER RESIN	0.800	GAL

**SECTION 0017 - BRIDGE '40' US-64 OVER DENVER AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	825.000	SY
523(A) 6550	SEALER CRACK PREPARATION	58.000	LF
523(B) 6560	SEALER RESIN	0.400	GAL

**SECTION 0018 - BRIDGE '41' TISDALE EXPRESSWAY OVER I-244**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,644.000	SY
523(A) 6550	SEALER CRACK PREPARATION	116.000	LF
523(B) 6560	SEALER RESIN	0.800	GAL

**SECTION 0019 - BRIDGE '45' I-244 OVER BIKE PATH & ABANDONED RR**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,402.000	SY
523(A) 6550	SEALER CRACK PREPARATION	99.000	LF
523(B) 6560	SEALER RESIN	0.700	GAL

**SECTION 0020 - BRIDGE '46' I-244 RAMP OVER BIKE PATH & ABANDONED RR**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	942.000	SY
523(A) 6550	SEALER CRACK PREPARATION	66.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL

**SECTION 0021 - BRIDGE '49N' I-244 OVER BRADY ST.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,362.000	SY
523(A) 6550	SEALER CRACK PREPARATION	96.000	LF
523(B) 6560	SEALER RESIN	0.700	GAL

**SECTION 0022 - BRIDGE '50' I-244 OVER ARCHER ST.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,297.000	SY
523(A) 6550	SEALER CRACK PREPARATION	91.000	LF
523(B) 6560	SEALER RESIN	0.700	GAL

**SECTION 0023 - BRIDGE '52' I-244 OVER STREET & RR**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	5,885.000	SY
523(A) 6550	SEALER CRACK PREPARATION	530.000	LF
523(B) 6560	SEALER RESIN	3.600	GAL

**SECTION 0024 - BRIDGE '16' I-244 RAMP OVER US-75**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	670.000	SY
523(A) 6550	SEALER CRACK PREPARATION	47.000	LF
523(B) 6560	SEALER RESIN	0.400	GAL

**SECTION 0025 - BRIDGE '19' I-244 EB OVER I-444 & RR**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	4,564.000	SY
523(A) 6550	SEALER CRACK PREPARATION	411.000	LF
523(B) 6560	SEALER RESIN	2.800	GAL

**SECTION 0026 - BRIDGE '21' I-244 RAMP OVER ARCHER ST. & RR**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------



515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,667.000 SY
523(A) 6550	SEALER CRACK PREPARATION	117.000 LF
523(B) 6560	SEALER RESIN	0.800 GAL

**SECTION 0027 - BRIDGE '22' I-244 OVER ARCHER ST. & RR**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,857.000 SY	
523(A) 6550	SEALER CRACK PREPARATION	130.000 LF	
523(B) 6560	SEALER RESIN	0.900 GAL	

**SECTION 0028 - BRIDGE '24' I-244 OVER GREENWOOD AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,494.000 SY	
523(A) 6550	SEALER CRACK PREPARATION	105.000 LF	
523(B) 6560	SEALER RESIN	0.700 GAL	

**SECTION 0029 - BRIDGE '26' I-244 OVER ELGIN AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,250.000 SY	
523(A) 6550	SEALER CRACK PREPARATION	88.000 LF	
523(B) 6560	SEALER RESIN	0.600 GAL	

**SECTION 0030 - BRIDGE '28' I-244 OVER DETROIT AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	684.000 SY	
523(A) 6550	SEALER CRACK PREPARATION	48.000 LF	
523(B) 6560	SEALER RESIN	0.400 GAL	

**SECTION 0031 - BRIDGE '30' I-244 OVER CINCINNATI AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	786.000 SY	
523(A) 6550	SEALER CRACK PREPARATION	56.000 LF	
523(B) 6560	SEALER RESIN	0.400 GAL	

**SECTION 0032 - BRIDGE '32' I-244 OVER BOSTON AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	857.000 SY	
523(A) 6550	SEALER CRACK PREPARATION	60.000 LF	
523(B) 6560	SEALER RESIN	0.400 GAL	

**SECTION 0033 - BRIDGE '33' I-244 RAMP OVER BOSTON AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	246.000 SY	
523(A) 6550	SEALER CRACK PREPARATION	18.000 LF	
523(B) 6560	SEALER RESIN	0.200 GAL	

**SECTION 0034 - BRIDGE '34E' I-244 OVER MAIN ST.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	980.000 SY	
523(A) 6550	SEALER CRACK PREPARATION	69.000 LF	
523(B) 6560	SEALER RESIN	0.500 GAL	

**SECTION 0035 - BRIDGE '35E' I-244 OVER BOULDER AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	910.000 SY	
523(A) 6550	SEALER CRACK PREPARATION	64.000 LF	

523(B) 6560 SEALER RESIN 0.500 GAL

**SECTION 0036 - BRIDGE '36E' I-244 OVER CHEYENNE AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	912.000	SY
523(A) 6550	SEALER CRACK PREPARATION	64.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL

**SECTION 0037 - BRIDGE '38' I-244 OVER DENVER AVE.**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	936.000	SY
523(A) 6550	SEALER CRACK PREPARATION	66.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL

**SECTION 0038 - BRIDGE '43' I-244 RAMP OVER US-64 RAMP**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,046.000	SY
523(A) 6550	SEALER CRACK PREPARATION	74.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL

**SECTION 0039 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	240.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	840.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,560.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,440.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	360.000	SD
880(C) 8848	WING BARRICADES	120.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1,320.000	SD
880(F) 8878	DRUMS	1,500.000	SD
880(G) 8890	CHANNELIZER CONES	1,500.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

**SECTION 0040 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM



## List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting: March 2012

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
<b>J &amp; N INTERNATIONAL COATINGS, INC.</b> Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
<b>KERRVILLE PAINTING COMPANY, INC.</b> Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
<b>MBE, INC.</b> Ms. Fani Gialousis Mr. Tony Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
<b>GLOVER CONSTRUCTION COMPANY, INC.</b> <b>Mr. George Paul Glover</b> P.O. Box 489 Muskogee, OK 74402		X
<b>PATTON CONSTRUCTION</b> Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
<b>SHANKS EXCAVATING COMPANY</b> Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
<b>Mr. Gary Wayne Carr</b> 318 Dog Wood Tahlequah, OK 74464		X
<b>YOCHAM ENTERPRISES</b> Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK		X

**BID OPENING OF – March 15, 2012 AM**

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight
Contractor's Name:	<input type="checkbox"/> Fed Ex   #: _____
Telephone No:	<input type="checkbox"/> Mail
Physical Address:	Please Return Completed Form to:
	Fax :            405-522-0972 or
	Email: <a href="mailto:mjunsay@odot.org">mjunsay@odot.org</a>

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	CADD0	020	STPY-008B(308)SS	01817(04)		\$50.00	132.00 + 11.06	74
2	CARTER	040	STPY-110B(181)SS	20231(07)		\$50.00	86.00 + 7.20	86
3	CHOCTAW	060	HSIPY-112A(097)TR	28462(04)		\$50.00	18.00 + 1.51	20
4	COMANCHE / STEPHENS	090	BTOP-216N(001)	28128(42)		\$50.00	355.00 + 29.73	0
5	COMANCHE	100	HSIPG-116A(210)TR	28964(04)		\$50.00	161.50 + 13.52	0
6	GARFIELD	120	BRFY-124A(083)	23300(04)		\$50.00	62.00 + 5.19	17
7	GREER	160	STPY-228B(003)3P	29259(04)		\$50.00	No Charge	0
8	CARTER / JEFFERSON	170	BTOP-234B(001)	28128(44)		\$50.00	196.50 + 16.46	0
9	KAY	200	SBR-136N(211)SB	28315(04)		\$50.00	27.00 + 2.26	8
10	LEFLORE	220	BRO-140D(189)CI	26904(04)		\$50.00	10.00 + 0.84	2
11	LOGAN	260	STP-142C(119)AG	23018(04)		\$50.00	15.00 + 1.26	4
12	MARSHALL	300	BRO-148D(041)CI	21097(04)		\$50.00	13.00 + 1.09	3
13	MAYES / ROGERS	340	HSIPG-149A(150)TR HSIPG-266A(004)TR	28965(04) 28966(04)		\$50.00	29.00 + 2.43	0
14	NOBLE	380	STPY-152B(174)	20311(09)		\$50.00	171.00 + 14.32	73
15	OKLAHOMA	425	BTOP-255N(002)	28128(30)		\$50.00	90.00 + 7.54	0
16	MCINTOSH / MUSKOGEE / OKMULGEE	430	BTOP-256N(001)	28128(35)		\$50.00	169.50 + 14.20	0
17	PONTOTOC	445	SAP-262A(006)	28004(04)		\$50.00	15.00 + 1.26	0
18	POTTAWATOMIE / SEMINOLE	450	BTOP-263N(001)	28128(31)		\$50.00	107.50 + 9.00	0
19	ROGERS	460	BRF-166C(219)CI	25744(04)		\$50.00	23.00 + 1.93	7
20	SEMINOLE	465	BTOP-267N(001)	28128(32)		\$50.00	69.50 + 5.82	0
21	PONTOTOC / SEMINOLE	470	BTOP-167N(002)	28128(33)		\$50.00	149.00 + 12.48	0
22	OKFUSKEE / OKMULGEE / SEMINOLE	475	BTOP-267N(003)	28128(34)		\$50.00	138.50 + 11.60	0
23	SEQUOYAH	480	PLHD-168E(225)DC	28730(04)		\$50.00	No Charge	0
24	JEFFERSON / STEPHENS	490	BTOP-269N(001)	28128(43)		\$50.00	134.50 + 11.27	0
25	TULSA	500	BRIY-0244-1(006)101	23171(04)		\$50.00	28.00 + 2.35	0
26	CREEK / ROGERS / OSAGE / TULSA / WAGONER	520	SSP-272C(017)SS	23185(09)		\$50.00	48.00 + 4.02	0