

---

## NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE VERSION **(5.9a)** OF EXPEDITE BID AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

[www.okladot.state.ok.us/contracts/index.htm](http://www.okladot.state.ok.us/contracts/index.htm)



---

## REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

## Notice

Internet bidding is required for most projects on the [April 19, 2012 10:30 A.M.](#) Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on [March 29, 2012](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at [10:00 a.m.](#) on [April 06, 2012](#) concerning this [April 19, 2012](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

*Any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.*

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website  
<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:  
Office Engineer Division at 405-522-0972  
or emailed to:

[mpajoh@odot.org](mailto:mpajoh@odot.org) with copy to [bschmitt@odot.org](mailto:bschmitt@odot.org)

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

*Plans for the projects on this letting can be found at:*  
<http://www.okladot.state.ok.us/contracts/a2012/plans.htm>

## CERTIFIED PAYROLL - FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors.

Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

***Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.***

This minimum will be specified at the end of the Special Provision 648-1QA(a)09, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

***Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.***

***Reminder***

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the Prime Contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. There is a new cover sheet that is required with these DBE confirmations. It is located at the website below.

**Please ensure that the DBE commitment provided in the proposal matches the written confirmation.**

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:  
<http://www.okladot.state.ok.us/regserv/dbeinfo>

***Reminder***

***Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bid.***

**For written bids do not disassemble the bidding proposal in any way.**

***Note***

***Only written, Email, Fax and in-person orders will be accepted.***

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

[mjunsay@odot.org](mailto:mjunsay@odot.org)

## OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , Thursday, April 19, 2012 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal. Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

Description of work and location of project:

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 020  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : ATOKA  
 BRYAN  
 CHOCTAW  
 LATIMER  
 LEFLORE  
 MCCURTAIN  
 PITTSBURG

CONTRACT ID : 120151

PROJECT(S) PCN  
 BRFY-203C(003) 2314409  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$44.43

45 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :  
 BRIDGE WATERPROOF SEAL  
 US-59/US-70/US-270/SH-3/SH-7/SH-37/SH-82: AT VARIOUS  
 LOCATIONS IN DIVISION II.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	805.000	SY
523(A) 6550	SEALER CRACK PREPARATION	145.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	643.000	SY
523(A) 6550	SEALER CRACK PREPARATION	282.000	LF
523(B) 6560	SEALER RESIN	1.900	GAL

**SECTION 0003 - BRIDGE 'C'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,507.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

**SECTION 0004 - BRIDGE 'D'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2,142.000	SY
523(A) 6550	SEALER CRACK PREPARATION	400.000	LF
523(B) 6560	SEALER RESIN	2.700	GAL

**SECTION 0005 - BRIDGE 'E'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2,049.000	SY
523(A) 6550	SEALER CRACK PREPARATION	400.000	LF
523(B) 6560	SEALER RESIN	2.700	GAL

**SECTION 0006 - BRIDGE "F"**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	866.000	SY
523(A) 6550	SEALER CRACK PREPARATION	332.000	LF
523(B) 6560	SEALER RESIN	2.300	GAL

**SECTION 0007 - BRIDGE 'G'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	866.000	SY
523(A) 6550	SEALER CRACK PREPARATION	332.000	LF
523(B) 6560	SEALER RESIN	2.300	GAL

**SECTION 0008 - BRIDGE 'H'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,578.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

**SECTION 0009 - BRIDGE 'I'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,401.000	SY
523(A) 6550	SEALER CRACK PREPARATION	250.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0010 - BRIDGE 'J'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	640.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

**SECTION 0011 - BRIDGE 'K'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,520.000	SY
523(A) 6550	SEALER CRACK PREPARATION	250.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0012 - BRIDGE 'L'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,549.000	SY
523(A) 6550	SEALER CRACK PREPARATION	250.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0013 - BRIDGE 'M'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,146.000	SY
523(A) 6550	SEALER CRACK PREPARATION	250.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0014 - BRIDGE 'N'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,578.000	SY
523(A) 6550	SEALER CRACK PREPARATION	250.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0015 - BRIDGE 'O'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2,309.000	SY
523(A) 6550	SEALER CRACK PREPARATION	250.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0016 - BRIDGE 'P'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2,312.000	SY

523(A)	6550	SEALER CRACK PREPARATION	250.000	LF
523(B)	6560	SEALER RESIN	1.700	GAL

**SECTION 0017 - BRIDGE 'Q'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,677.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

**SECTION 0018 - BRIDGE 'R'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,229.000	SY
523(A) 6550	SEALER CRACK PREPARATION	150.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL

**SECTION 0019 - BRIDGE 'S'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	842.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

**SECTION 0020 - BRIDGE "T"**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,044.000	SY
523(A) 6550	SEALER CRACK PREPARATION	150.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL

**SECTION 0021 - BRIDGE 'U'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	4,213.000	SY
523(A) 6550	SEALER CRACK PREPARATION	350.000	LF
523(B) 6560	SEALER RESIN	2.400	GAL

**SECTION 0022 - BRIDGE 'V'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	4,213.000	SY
523(A) 6550	SEALER CRACK PREPARATION	350.000	LF
523(B) 6560	SEALER RESIN	2.400	GAL

**SECTION 0023 - BRIDGE 'W'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2,089.000	SY
523(A) 6550	SEALER CRACK PREPARATION	356.000	LF
523(B) 6560	SEALER RESIN	2.400	GAL

**SECTION 0024 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

**SECTION 0025 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 040  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : ATOKA

CONTRACT ID : 120152

PROJECT(S) : ACBRF-103C(127)CI  
PCN : 2737004  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$15.17  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (EW-186): OVER UNNAMED CREEK 1.0 MILES WEST OF  
 THE US -69 JUNCTION.  
 PROJECT LENGTH = 0.094 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	800.000	LF
221(F) 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	2,700.000	SY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	500.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	300.000	TON
601(A) 0297	TYPE I PLAIN RIPRAP	180.000	TON
613(B) 0696	60" CORR. GALV. STEEL PIPE	300.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,600.000	LF

**SECTION 0002 - BRIDGE A**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(G) 6309	CLSM BACKFILL	66.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	164.000	LF
504(B) 1305	SAW-CUT GROOVING	142.200	SY
504(D) 6239	CONCRETE RAIL (TR3)	165.600	LF
506(A) 1322	STRUCTURAL STEEL	280.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	45.000	CY
509(B) 1328	CLASS A CONCRETE	56.800	CY
511(A) 1332	REINFORCING STEEL	19,160.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	192.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	450.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	192.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	450.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	330.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	250.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000 EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 060  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BRYAN

CONTRACT ID : 120153

PROJECT(S) PCN  
 BRO-107D(087)CI 2165404  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$11.92  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-381) : OVER J-N CREEK, 2.5 MILES NORTH OF  
 US-70E.  
 PROJECT LENGTH = 0.283 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	5,452.000	CY
202(D) 0184	UNCLASSIFIED BORROW	6,356.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,970.000	LF
221(F) 0100	TEMPORARY SILT DIKE	360.000	LF
230(A) 2806	SOLID SLAB SODDING	9,024.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.200	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,287.000	TON
509(D) 0325	CLASS C CONCRETE	88.700	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	42.000	LF
613(B) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	314.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(M) 7193	TYPE CC4 CULVERT END TREATMENT	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	17.000	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	36.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	9.000	EA

**SECTION 0002 - BRIDGE**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	356.670	LF
504(B) 1305	SAW-CUT GROOVING	275.000	SY
504(E) 1380	CONCRETE RAIL (TR1)	245.000	LF
506(A) 1322	STRUCTURAL STEEL	350.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	69.800	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	23,180.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	762.000	LF

514(B)	6292	PILES, DRIVEN (HP 10X42)	762.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,430.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	380.000	TON
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	3.000	EA
623(F)	6034	GUARDRAIL ANCHOR UNIT (TYPE III)	1.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

**SECTION 0005 - NON-PARTICIPATING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	3,022.000 LF
624(D)	4470	GATE, GALVANIZED STEEL	4.000 EA

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 080  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CARTER

CONTRACT ID : 120154

PROJECT(S) : SBR-210N(004)SB  
PCN : 2917604  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$10.84  
 120 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 BRIDGE REHABILITATION  
 I-35: OVER SH-142 AND COUNTY ROAD (EW-189), 2.1 MILES  
 AND 7.2 MILES NORTH OF US-70.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(B) 1305	SAW-CUT GROOVING	376.300	SY
504(G) 6390	RAPID CURE JOINT SEALANT	154.000	LF
505(A) 6065	BRIDGE DECK CONCRETE OVERLAY	376.300	SY
505(B) 6070	REMOVING EXISTING OVERLAY	376.300	SY
505(E) 1000	HYDRODEMOLITION	376.300	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	10.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	1.000	GAL
523(A) 6550	SEALER CRACK PREPARATION	218.500	LF
523(B) 6560	SEALER RESIN	2.600	GAL

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	14.000	CY
504(A) 1304	APPROACH SLAB	168.900	SY
504(B) 1305	SAW-CUT GROOVING	898.300	SY
504(G) 6390	RAPID CURE JOINT SEALANT	203.000	LF
505(A) 6065	BRIDGE DECK CONCRETE OVERLAY	733.800	SY
505(B) 6070	REMOVING EXISTING OVERLAY	733.800	SY
505(E) 1000	HYDRODEMOLITION	733.800	SY
509(D) 1331	CLASS C CONCRETE	5.000	CY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	15.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.000	GAL
523(A) 6550	SEALER CRACK PREPARATION	218.500	LF
523(B) 6560	SEALER RESIN	2.600	GAL
619(B) 2505	REMOVAL OF BRIDGE ITEMS	2.000	EA

**SECTION 0003 - BRIDGE 'C'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(B) 1305	SAW-CUT GROOVING	250.600	SY
504(G) 6390	RAPID CURE JOINT SEALANT	154.000	LF
505(A) 6065	BRIDGE DECK CONCRETE OVERLAY	250.600	SY
505(B) 6070	REMOVING EXISTING OVERLAY	250.600	SY
505(E) 1000	HYDRODEMOLITION	250.600	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
523(A) 6550	SEALER CRACK PREPARATION	145.500	LF

523(B) 6560 SEALER RESIN 1.800 GAL

**SECTION 0004 - BRIDGE 'D'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(B) 1305	SAW-CUT GROOVING	250.600	SY
504(G) 6390	RAPID CURE JOINT SEALANT	154.000	LF
505(A) 6065	BRIDGE DECK CONCRETE OVERLAY	250.600	SY
505(B) 6070	REMOVING EXISTING OVERLAY	250.600	SY
505(E) 1000	HYDRODEMOLITION	250.600	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
523(A) 6550	SEALER CRACK PREPARATION	145.500	LF
523(B) 6560	SEALER RESIN	1.800	GAL

**SECTION 0005 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	1,940.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	540.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	2,500.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	500.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	2,500.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	480.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2,650.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	675.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	480.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	18,000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,800.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3,600.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	480.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2,880.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6,720.000	SD
880(F) 8878	DRUMS	6,000.000	SD
880(G) 8890	CHANNELIZER CONES	6,000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	160.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

**SECTION 0006 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 100  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CIMARRON

CONTRACT ID : 120155

PROJECT(S) : MC-213C(002) PCN : 2924804  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$0.00  
 30 CALENDAR DAYS  
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :  
 RESURFACE (ASPHALT)  
 US-385: FROM THE TEXAS STATE LINE, EXTEND NORTH.  
 PROJECT LENGTH = 7.00 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
407(B) 0250	TACK COAT	5,920.000	GAL
411(D) 5975	SUPERPAVE, TYPE S5(PG 64-22 OK)	5,520.000	TON
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	94,000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 120  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CLEVELAND

CONTRACT ID : 120165

PROJECT(S) : BRFY-NBIP(449)  
PCN : 2192504  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$16.26  
 120 CALENDAR DAYS  
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :  
 BRIDGE PAINTING  
 SH-9/SH-37: AT VARIOUS LOCATIONS IN DIVISION III.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

**SECTION 0003 - BRIDGE 'C'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

**SECTION 0004 - BRIDGE 'D'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

**SECTION 0005 - BRIDGE 'E'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	556.700	LF
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

**SECTION 0006 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	75.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	300.000	SD

**SECTION 0007 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 140  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : COMANCHE

CONTRACT ID : 120156

PROJECT(S) : STP-116C(110)CI  
PCN : 2161404  
 DBE GOAL : 5.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$50.94  
 165 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 GRADE, DRAIN, AND SURFACE  
 COUNTY ROAD (EW-167): FROM SH-115, EXTEND EAST.  
 PROJECT LENGTH = 5.356 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	22,679.000	CY
221(C) 2801	TEMPORARY SILT FENCE	3,700.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	11.000	EA
221(F) 0100	TEMPORARY SILT DIKE	2,550.000	LF
230(A) 2806	SOLID SLAB SODDING	70,490.000	SY
232(B) 2814	SEEDING METHOD B	15.000	AC
233(A) 2817	VEGETATIVE MULCHING	15.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	4,382.000	CY
307(A) 4200	FLY ASH	5,480.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	96,790.000	SY
311(C) 0153	PROCESSING EXISTING BASE & SURFACE, METHOD C	23,662.000	LF
407(B) 0250	TACK COAT	10,583.000	GAL
408 5774	PRIME COAT	24,318.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	30,347.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	13,430.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	70.000	CY
509(A) 0319	CLASS AA CONCRETE	131.800	CY
509(B) 0321	CLASS A CONCRETE	31.010	CY
509(D) 0325	CLASS C CONCRETE	20.000	CY
511(A) 0332	REINFORCING STEEL	28,843.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	760.000	TON
610(B) 0604	6" CONCRETE DRIVEWAY	72.000	SY
613(A) 0492	24" R.C.PIPE CLASS III	126.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	200.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	280.000	LF
613(A) 4404	26" X 15" R.C.PIPE ARCH CLASS A-III	120.000	LF
613(A) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	260.000	LF
613(A) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	50.000	LF
613(A) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	148.000	LF
613(A) 4499	51" X 31" R.C.PIPE ARCH CLASS A-III	126.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	102.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	1,682.000	LF

613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	466.000 LF
613(B) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	236.000 LF
613(L) 4504	21" X 15" PREFAB. CULVERT END SECTION, ARCH	94.000 EA
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	26.000 EA
613(L) 4522	35" X 24" PREFAB. CULVERT END SECTION, ARCH	12.000 EA
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	6.000 EA
613(M) 7191	TYPE AA4 CULVERT END TREATMENT	6.000 EA
613(M) 7192	TYPE BB4 CULVERT END TREATMENT	2.000 EA
613(M) 7193	TYPE CC4 CULVERT END TREATMENT	4.000 EA
613(M) 7194	TYPE DD4 CULVERT END TREATMENT	4.000 EA
613(O) 4375	SPECIAL END SECTION OF 24" RCP ROUND	6.000 EA
613(O) 4377	SPECIAL END SECTION OF 30" RCP ROUND	2.000 EA
613(O) 4804	SPECIAL END SECTION OF 28" X 18" RCP ARCH	2.000 EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 0291	REMOVAL OF HEADWALL	2.000 EA
619(C) 0924	SAWING PAVEMENT	325.000 LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	16.880 LF
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	16.000 EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	3,655.000 LF
624(D) 4470	GATE, GALVANIZED STEEL	2.000 EA
629(E) 5048	REMOVE AND RESET MAILBOX	53.000 EA
850(A) 8110	SHEET ALUMINUM SIGNS	52.870 SF
851(C) 8327	2 1/4" SQUARE TUBE POST	130.000 LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	42,092.000 LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

**SECTION 0002 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 160  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : COMANCHE

CONTRACT ID : 120157

PROJECT(S)  
 SSP-116C(114)SS  
 SSP-116C(195)SS  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$106.21  
 175 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

PCN  
 2171604  
 2171607

CONTRACT DESCRIPTION :  
 GRADE, DRAIN, SURFACE, AND BRIDGE  
 SH-115: FROM EW-154, EXTEND NORTH IN MEERS.  
 PROJECT LENGTH = 1.283 MILES

**SECTION 0001 - ROADWAY - SSP-116C(114)SS**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4,574.000	CY
202(C) 0182	ROCK EXCAVATION	1,961.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,359.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	588.000	LF
230(A) 2806	SOLID SLAB SODDING	15,973.000	SY
241 2832	MOWING	8.000	AC
307(K) 4300	STABILIZED SUBGRADE	18,008.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	75.000	TON
407(B) 0250	TACK COAT	2,816.000	GAL
408 5774	PRIME COAT	4,251.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	17,467.000	SY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	7,491.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2,247.000	TON
412 5267	COLD MILLING PAVEMENT	487.000	SY
509(D) 0325	CLASS C CONCRETE	225.000	CY
602(A) 4154	GABIONS	52.000	CY
611(G) 5950	INLET W/SMALL JCT. BOX, CI, DES.1	1.000	EA
613(A) 0492	24" R.C.PIPE CLASS III	75.000	LF
613(A) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	123.000	LF
613(A) 4498	43" X 26" R.C.PIPE ARCH CLASS A-III	99.000	LF
613(B) 0688	12" CORR. GALV. STEEL PIPE	165.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	46.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	3.000	EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	2.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	3.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
613(M) 7198	TYPE C6 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	14,068.000	SY
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,639.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C) 4960	MAILBOX	2.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA

**SECTION 0002 - BRIDGE 'A' - SSP-116C(114)SS**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2,300.000	CY
202(C) 0182	ROCK EXCAVATION	100.000	CY
303(A) 2100	AGGREGATE BASE TYPE A	131.000	CY
501(E) 6354	SELECT BACKFILL	1,300.000	CY
508 6359	PRECAST ARCH CULVERT	40.000	LF
509(A) 1326	CLASS AA CONCRETE	114.400	CY
510(A) 6334	RETAINING WALL	444.000	SY
511(A) 1332	REINFORCING STEEL	10,750.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0003 - TRAFFIC - SSP-116C(114)SS**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	20.000	SD
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	1,000.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	40.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12,150.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,800.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	6,300.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4,500.000	SD
880(C) 8848	WING BARRICADES	900.000	SD
880(D) 8854	VERTICAL PANELS	600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	15,000.000	SD
880(F) 8878	DRUMS	1,200.000	SD
880(G) 8890	CHANNELIZER CONES	1,200.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	450.000	SD

**SECTION 0004 - TRAFFIC SIGNING & STRIPING - SSP-116C(114)SS**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A) 2915	STRUCTURAL CONCRETE	0.460	CY
804(B) 2916	REINFORCING STEEL	64.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	168.430	SF
851(B) 3218	3"@7.58 GALV.STEEL PIPE POST	30.000	LF
851(C) 8324	2" SQUARE TUBE POST	311.500	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	11,560.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	375.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA

**SECTION 0005 - STAKING - SSP-116C(114)SS**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0006 - CONSTRUCTION - SSP-116C(114)SS**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

**SECTION 0007 - ROADWAY - SSP-116C(195)SS**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(C) 0182	ROCK EXCAVATION	2,833.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,875.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	56.000	LF
230(A) 2806	SOLID SLAB SODDING	3,599.000	SY
241 2832	MOWING	2.000	AC
307(K) 4300	STABILIZED SUBGRADE	3,112.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	25.000	TON
407(B) 0250	TACK COAT	589.000	GAL
408 5774	PRIME COAT	776.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	1,556.000	SY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,242.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	541.000	TON
509(D) 0325	CLASS C CONCRETE	15.000	CY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,790.000	SY
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	872.000	LF
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) 4960	MAILBOX	2.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA

**SECTION 0008 - TRAFFIC - SSP-116C(195)SS**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	75.000	SD
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	5,700.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	500.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,500.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1,500.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,350.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	900.000	SD
880(C) 8848	WING BARRICADES	300.000	SD
880(D) 8854	VERTICAL PANELS	1,875.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,475.000	SD
880(F) 8878	DRUMS	2,250.000	SD
880(G) 8890	CHANNELIZER CONES	1,875.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	150.000	SD

**SECTION 0009 - TRAFFIC SIGNING & STRIPING - SSP-116C(195)SS**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	3.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA

850(A) 8110	SHEET ALUMINUM SIGNS	33.860 SF
851(C) 8324	2" SQUARE TUBE POST	71.000 LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,000.000 LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 170  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : COMANCHE

CONTRACT ID : 120172

PROJECT(S) : SAP-216A(005) PCN : 2800604  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$10.84  
 15 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 BRIDGE REPAIR  
 US-62: OVER COUNTY ROAD NS-247, 3.0 MILES EAST OF SH-115.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM

**SECTION 0002 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	14.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	600.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	600.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	28.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	84.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	112.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	280.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	126.000	SD
880(C) 8848	WING BARRICADES	42.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	392.000	SD
880(F) 8878	DRUMS	560.000	SD
880(G) 8890	CHANNELIZER CONES	826.000	SD
880(I) 8902	FLAGGER	28.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	28.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	14.000	SD

**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 180  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BECKHAM  
 CUSTER  
 JACKSON  
 ROGER MILLS  
 WASHITA

CONTRACT ID : 120158

PROJECT(S) PCN  
 BRFY-220C(006) 2442604  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$24.98

45 CALENDAR DAYS  
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :  
 BRIDGE WATERPROOF SEAL  
 I-40/SH-6/SH-34/SH-47/SH-54/SH-55/SH-152: AT VARIOUS  
 LOCATIONS IN DIVISION V.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	689.000	SY
523(A) 6550	SEALER CRACK PREPARATION	145.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,028.000	SY
523(A) 6550	SEALER CRACK PREPARATION	130.000	LF
523(B) 6560	SEALER RESIN	1.500	GAL

**SECTION 0003 - BRIDGE 'C'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	552.000	SY
523(A) 6550	SEALER CRACK PREPARATION	25.000	LF
523(B) 6560	SEALER RESIN	0.300	GAL

**SECTION 0004 - BRIDGE 'D'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	854.000	SY
523(A) 6550	SEALER CRACK PREPARATION	135.000	LF
523(B) 6560	SEALER RESIN	1.500	GAL

**SECTION 0005 - BRIDGE 'E'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	3,539.000	SY
523(A) 6550	SEALER CRACK PREPARATION	2,180.000	LF
523(B) 6560	SEALER RESIN	24.300	GAL

**SECTION 0006 - BRIDGE 'F'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	855.000	SY
523(A) 6550	SEALER CRACK PREPARATION	670.000	LF
523(B) 6560	SEALER RESIN	7.500	GAL

**SECTION 0007 - BRIDGE 'G'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------



515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,352.000 SY
523(A) 6550	SEALER CRACK PREPARATION	350.000 LF
523(B) 6560	SEALER RESIN	3.900 GAL

**SECTION 0008 - BRIDGE 'H'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,352.000	SY
523(A) 6550	SEALER CRACK PREPARATION	350.000	LF
523(B) 6560	SEALER RESIN	3.900	GAL

**SECTION 0009 - 'BRIDGE 'I'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	990.000	SY
523(A) 6550	SEALER CRACK PREPARATION	290.000	LF
523(B) 6560	SEALER RESIN	3.300	GAL

**SECTION 0010 - BRIDGE 'J'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	654.000	SY
523(A) 6550	SEALER CRACK PREPARATION	210.000	LF
523(B) 6560	SEALER RESIN	2.400	GAL

**SECTION 0011 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

**SECTION 0012 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 190  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GARFIELD

CONTRACT ID : 120178

PROJECT(S) : CIRB-124C(112)RB  
PCN : 2486707  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$31.43  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 GRADE, DRAIN, SURFACE, AND BRIDGE  
 COUNTY ROAD (NS-293): FROM 7.5 MILES SOUTH OF US-64, EXTEND  
 NORTH.  
 PROJECT LENGTH = 4.973 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,316.000	LF
221(F) 0100	TEMPORARY SILT DIKE	1,200.000	LF
230(A) 2806	SOLID SLAB SODDING	20,426.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.220	AC
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	67,114.000	SY
311(D) 0154	PROCESSING EXISTING BASE & SURFACE, METHOD D	26,602.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	393.000	TON
407(B) 0250	TACK COAT	3,367.000	GAL
408 5774	PRIME COAT	10,537.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	15,383.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	7,839.000	TON
413(B) 4862	RUMBLE STRIP-METHOD HMA-CYC GROUP	4.000	EAGP
426(C) 5097	FLY ASH	3,794.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	100.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	62.000	LF
613(B) 5717	15" CORR. GALV. STEEL PIPE	286.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	16.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
619(B) 4780	REMOVAL OF GUARDRAIL	100.000	LF
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	51.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	70,088.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504 6179	BRIDGE TRAFFIC RAIL	526.000	LF
504(G) 6390	RAPID CURE JOINT SEALANT	132.000	LF
504(H) 6389	ELASTOMERIC MORTAR	10.000	CF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(A) 1326	CLASS AA CONCRETE	11.000	CY

601(B) 1353	TYPE I-A PLAIN RIPRAP	1,570.000 TON
601(C) 1355	TYPE I-A FILTER BLANKET	526.000 TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000 LSUM
619(B) 4780	REMOVAL OF GUARDRAIL	2,626.320 LF
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	2,251.320 LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	3.000 EA
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000 EA

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 200  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GRADY

CONTRACT ID : 110241

PROJECT(S) : BRFY-126C(082)  
PCN : 2096004  
 DBE GOAL : 8.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$76.95  
 180 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 SH-37: OVER BUGGY CREEK, 0.6 MILE EAST OF US-81.  
 PROJECT LENGTH = 0.558 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	31,007.000	CY
202(D) 0184	UNCLASSIFIED BORROW	14,830.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,375.000	LF
221(F) 0100	TEMPORARY SILT DIKE	235.000	LF
228 4170	NYLON EROSION CONTROL MAT	870.000	SY
230(A) 2806	SOLID SLAB SODDING	50,394.000	SY
232(B) 2814	SEEDING METHOD B	11.000	AC
233(A) 2817	VEGETATIVE MULCHING	11.000	AC
241 2832	MOWING	26.000	AC
307(K) 4300	STABILIZED SUBGRADE	15,631.000	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	446.000	TON
407(B) 0250	TACK COAT	2,457.000	GAL
408 5774	PRIME COAT	4,168.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	1,245.000	SY
409(B) 4268	BITUMINOUS BINDER	312.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	7,640.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2,122.000	TON
412 5267	COLD MILLING PAVEMENT	134.000	SY
509(D) 0325	CLASS C CONCRETE	41.000	CY
613(B) 0690	24" CORR. GALV. STEEL PIPE	218.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	380.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	82.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	6.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	10.000	EA
613(M) 7191	TYPE AA4 CULVERT END TREATMENT	6.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	8,834.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	450.000	LF
619(C) 0924	SAWING PAVEMENT	1,391.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	200.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000 EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	3,393.000 LF

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	210.000	CY
501(G) 6309	CLSM BACKFILL	184.800	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,196.000	LF
504(A) 1304	APPROACH SLAB	300.000	SY
504(B) 1305	SAW-CUT GROOVING	1,630.000	SY
504(C) 6250	SEALED EXPANSION JOINT	45.870	LF
504(D) 6245	CONCRETE RAIL (TR4)	733.170	LF
506(A) 1322	STRUCTURAL STEEL	1,520.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	357.400	CY
509(B) 1328	CLASS A CONCRETE	205.700	CY
509(D) 1331	CLASS C CONCRETE	25.000	CY
511(A) 1332	REINFORCING STEEL	740.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	110,810.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	216.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	892.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	216.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	892.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,423.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	176.000	LF
523(A) 6550	SEALER CRACK PREPARATION	43.400	LF
523(B) 6560	SEALER RESIN	0.500	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,280.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	300.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	90.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	90.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
804(A) 2915	STRUCTURAL CONCRETE	0.520	CY
804(B) 2916	REINFORCING STEEL	76.000	LB
850(A) 8110	SHEET ALUMINUM SIGNS	110.820	SF
851(B) 3219	3 1/2"@9.11 GALV. STEEL PIPE POST	31.000	LF
851(C) 8324	2" SQUARE TUBE POST	149.500	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	13,000.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	16,800.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	1,000.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	8,400.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	6,300.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4,200.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	7,350.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	5,250.000	SD

880(C) 8848	WING BARRICADES	840.000 SD
880(D) 8854	VERTICAL PANELS	6,300.000 SD
880(E) 8860	WARNING LIGHTS(TYPE A)	15,750.000 SD
880(F) 8878	DRUMS	7,350.000 SD
880(G) 8890	CHANNELIZER CONES	7,350.000 SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	420.000 SD

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 220  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CARTER  
 JEFFERSON  
 LOVE  
 MURRAY

CONTRACT ID : 120159

PROJECT(S) PCN  
 BRFY-234C(005) 2312509  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$15.17

30 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 BRIDGE WATERPROOF SEAL  
 I-35/US-70/SH-76/SH-199: AT MULTIPLE LOCATIONS IN DIVISION VII.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	554.000	SY
523(A) 6550	SEALER CRACK PREPARATION	100.000	LF
523(B) 6560	SEALER RESIN	1.200	GAL

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	477.000	SY
523(A) 6550	SEALER CRACK PREPARATION	100.000	LF
523(B) 6560	SEALER RESIN	1.200	GAL

**SECTION 0003 - BRIDGE 'C'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	552.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF
523(B) 6560	SEALER RESIN	2.300	GAL

**SECTION 0004 - BRIDGE 'D'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,918.000	SY
523(A) 6550	SEALER CRACK PREPARATION	150.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0005 - BRIDGE 'E'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	954.000	SY
523(A) 6550	SEALER CRACK PREPARATION	250.000	LF
523(B) 6560	SEALER RESIN	2.800	GAL

**SECTION 0006 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

**SECTION 0007 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 240  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : KIOWA

CONTRACT ID : 120160

PROJECT(S) : NHY-009N(098) PCN : 1606345  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$82.37  
 180 CALENDAR DAYS  
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :  
 GRADE, DRAIN, AND SURFACE  
 US-183: FROM 1.5 MILES NORTH OF THE SH-9 WEST JUNCTION,  
 EXTEND NORTH.  
 PROJECT LENGTH = 3.049 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	56,089.000	CY
202(D) 0184	UNCLASSIFIED BORROW	7,265.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	16,600.000	LF
221(F) 0100	TEMPORARY SILT DIKE	488.000	LF
230(A) 2806	SOLID SLAB SODDING	67,480.000	SY
233(A) 2817	VEGETATIVE MULCHING	13.970	AC
241 2832	MOWING	41.900	AC
307(D) 4230	LIME	1,817.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	100,921.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	309.000	TON
407(B) 0250	TACK COAT	31,216.000	GAL
408 5774	PRIME COAT	18,272.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	245.000	SY
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	22,163.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	41,237.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	12,585.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	4,367.000	TON
412 5267	COLD MILLING PAVEMENT	2,224.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	65,370.000	LF
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(A) 0492	24" R.C.PIPE CLASS III	27.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	162.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	56.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	3.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	3.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	23,007.000	SY

**SECTION 0002 - TRAFFIC CONTROL**



ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	3,001.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	14,700.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	3,156.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	6,600.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,690.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,850.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5,100.000	SD
880(C) 8836	CONSTRUCTION BARRICADES(TYPE II)	900.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	540.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,880.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	14,820.000	SD
880(F) 8878	DRUMS	9,870.000	SD
880(G) 8890	CHANNELIZER CONES	13,350.000	SD
880(I) 8902	FLAGGER	240.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	56.000	SD

**SECTION 0003 - TRAFFIC SIGNING AND STRIPING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	30.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	819.520	SF
851(C) 8324	2" SQUARE TUBE POST	1,052.000	LF
851(C) 8330	2 1/2" SQUARE TUBE POST	116.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	85,100.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1,050.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	1,400.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	76.000	LF
856(B) 8525	TRAFFIC STRIPE (MULTI-POLYMER)(SYMBOLS, WORDS. ETC.)	38.000	EA

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 260  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : LOGAN

CONTRACT ID : 120124

PROJECT(S) : STPY-242C(002)3P  
PCN : 2919604  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$0.00  
 45 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 RESURFACE (ASPHALT)  
 US-77: FROM 7.25 MILES NORTH OF SH-33, EXTEND NORTH.  
 PROJECT LENGTH = 5.29 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	2,000.000	CY
230(A) 2806	SOLID SLAB SODDING	200.000	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	200.000	TON
407(C) 0300	POLYMER MODIFIED CATIONIC RAPID SET - 1	19,500.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	8,100.000	TON
411(E) 5990	SUPERPAVE, TYPE S6(PG 64-22 OK)	2,700.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	200.000	TON
412 5267	COLD MILLING PAVEMENT	3,200.000	SY
611(G) 6000	INLET (SMD-TYPE 1)	1.000	EA
613(B) 0689	18" CORR. GALV. STEEL PIPE	13.000	LF
619(B) 0291	REMOVAL OF HEADWALL	2.000	EA
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	300.000	SY
623(H) 0940	GUARDRAIL BLOCKOUT REPLACEMENT	600.000	LF

**SECTION 0002 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	200.000	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	240.000	LF
853 9063	BARRIER DELINEATORS(TYPE 2, CODE 1)	70.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	148.000	EA
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	112,000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	45.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 280  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : MCINTOSH

CONTRACT ID : 120161

PROJECT(S) PCN  
 BRF-146C(054)CI 2058404  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$6.50  
 75 CALENDAR DAYS  
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-398) : OVER MILL CREEK, 4.0 MILES SOUTH OF  
 SH-9.  
 PROJECT LENGTH = 0.226 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	150.000	LF
230(A) 2806	SOLID SLAB SODDING	6,100.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.600	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	700.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	96.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	42.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	6.000	EA
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	10.000	SF
851(C) 8324	2" SQUARE TUBE POST	30.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - BRIDGE**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	336.670	LF
504(E) 1380	CONCRETE RAIL (TR1)	235.000	LF
506(A) 1322	STRUCTURAL STEEL	512.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	66.200	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	22,375.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	822.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	822.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	970.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	237.000	TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

623(F) 6034 GUARDRAIL ANCHOR UNIT (TYPE III)

4.000 EA

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 320  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CHEROKEE  
 MUSKOGEE  
 PITTSBURG  
 WAGONER

CONTRACT ID : 120162

PROJECT(S) PCN  
 BRFY-251C(004) 2310509  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$20.59

30 CALENDAR DAYS  
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :  
 BRIDGE WATERPROOF SEAL  
 I-40/SH-2/SH-16/SH-51: AT MULTIPLE LOCATIONS IN DIVISION I.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,950.000	SY
523(A) 6550	SEALER CRACK PREPARATION	250.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,950.000	SY
523(A) 6550	SEALER CRACK PREPARATION	250.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0003 - BRIDGE 'C'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	922.000	SY
523(A) 6550	SEALER CRACK PREPARATION	236.000	LF
523(B) 6560	SEALER RESIN	1.600	GAL

**SECTION 0004 - BRIDGE 'D'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	654.000	SY
523(A) 6550	SEALER CRACK PREPARATION	231.000	LF
523(B) 6560	SEALER RESIN	1.600	GAL

**SECTION 0005 - BRIDGE 'E'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	918.000	SY
523(A) 6550	SEALER CRACK PREPARATION	236.000	LF
523(B) 6560	SEALER RESIN	1.600	GAL

**SECTION 0006 - BRIDGE 'F'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	3,043.000	SY
523(A) 6550	SEALER CRACK PREPARATION	300.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL

**SECTION 0007 - BRIDGE 'G'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,143.000	SY
523(A) 6550	SEALER CRACK PREPARATION	200.000	LF

523(B) 6560 SEALER RESIN 1.400 GAL

**SECTION 0008 - BRIDGE 'H'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	3,648.000	SY
523(A) 6550	SEALER CRACK PREPARATION	300.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL

**SECTION 0009 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

**SECTION 0010 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 340  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKLAHOMA

CONTRACT ID : 120163

PROJECT(S) : STP-155B(800)AG  
PCN : 2783404  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$34.68  
 75 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 INTERSECTION MODIFICATION  
 CITY STREET (HICKMAN AVE): AT N.E. 10TH STREET IN THE CITY  
 OF NICOMA PARK.  
 PROJECT LENGTH = 0.37 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201 0181	SELECTIVE CLEARING	1.000	LSUM
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4,600.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,621.200	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,560.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	7.000	EA
221(F) 0100	TEMPORARY SILT DIKE	84.000	LF
230(A) 2806	SOLID SLAB SODDING	5,372.000	SY
232(B) 2814	SEEDING METHOD B	1.700	AC
241 2832	MOWING	3.400	AC
303(A) 2100	AGGREGATE BASE TYPE A	3,515.000	CY
325 5271	SEPARATOR FABRIC	8,738.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	282.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,500.500	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1,954.500	TON
509(A) 0319	CLASS AA CONCRETE	15.500	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	2,560.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	20.000	TON
609(B) 1526	2'-8" COMB. CURB & GUTTER (8" BARRIER)	2,657.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	17.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	1,064.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	16.000	SF
611(A) 2657	MANHOLE (4' DIAMETER)	3.000	EA
611(A) 2658	MANHOLE (5' DIAMETER)	2.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	9.200	VF
611(B) 2681	ADD'L.DEPTH IN MANHOLE (5' DIAMETER)	1.500	VF
611(C) 4215	REPLACEMENT OF MANHOLE FRAME & COVER	6.000	EA
611(G) 4012	SPECIAL INLET DRAIN	1.000	EA
611(G) 5112	INLET CI DES. 2 (STD)	5.000	EA
611(G) 5705	INLET CDI RCP DES. 2	1.000	EA

611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	11.500	VF
611(H) 5790	ADD'L DEPTH IN INLET CDI RCP DES. 2	1.600	VF
613(A) 0491	18" R.C.PIPE CLASS III	71.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	229.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	86.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	27.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	311.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	20.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	3.000	EA
619(B) 4726	REMOVAL OF CURB AND GUTTER	170.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6,300.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	953.000	SY
619(B) 5918	REMOVAL OF EXISTING PIPE	290.000	LF
619(C) 0924	SAWING PAVEMENT	458.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	7.000	EA
629(C) 4960	MAILBOX	7.000	EA

#### SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B) 8352	6" PVC SCH.40 PLASTIC CONDUIT TRENCHED	161.000	LF
804(A) 2915	STRUCTURAL CONCRETE	2.100	CY
805(D) 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	7.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	5.000	SF
851(C) 8324	2" SQUARE TUBE POST	10.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,049.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	135.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	253.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	72.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	13.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

#### SECTION 0003 - SCHOOL ZONE SIGNS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	60.000	LF
803(A) 8065	PULL BOX(SIZE I)	3.000	EA
804(A) 2915	STRUCTURAL CONCRETE	0.240	CY
805(A) 8700	REMOVAL OF SIGN FOOTING	2.000	EA
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
810(A) 3118	SERVICE POLE	3.000	EA
811 8060	2/C NO.10 ELECTRICAL CONDUCTOR	186.000	LF
827 8623	SOLID STATE FLASHER CONTROLLER(TYPE II)	3.000	EA
836 8425	REGULATORY OR WARNING SIGN ASSEMBLY	3.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	23.000	SF
851(B) 3216	2"@3.65 GALV.STEEL PIPE POST	48.000	LF
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	3.000	EA

#### SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------



642(B) 0096 CONSTRUCTION STAKING LEVEL II

1.000 LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

**SECTION 0006 - NON PARTICIPATING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
616(B) 5229	12" POLYVINYL CHLORIDE (PVC) PIPE	10.000	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 360  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKLAHOMA

CONTRACT ID : 120170

PROJECT(S) : CMC-255A(062) PCN : 2926604  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$0.00  
 45 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 RESURFACE (ASPHALT)  
 CITY STREET (LINCOLN BLVD): FROM JUST SOUTH OF 14TH STREET,  
 EXTEND NORTH IN OKLAHOMA CITY.  
 PROJECT LENGTH = 0.52 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
303(A) 2100	AGGREGATE BASE TYPE A	50.000	CY
407(C) 0300	POLYMER MODIFIED CATIONIC RAPID SET - 1	6,500.000	GAL
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	2,100.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	800.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	100.000	TON
412 5267	COLD MILLING PAVEMENT	26,000.000	SY
612(A) 0641	MANHOLES ADJUST TO GRADE	3.000	EA
612(C) 0645	INLET ADJUST TO GRADE	5.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	10.000	EA

**SECTION 0002 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
828(B) 8136	LOOP DETECTOR WIRE	4,000.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	8,000.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	4,000.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	100.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	3,000.000	LF
856(B) 8525	TRAFFIC STRIPE (MULTI-POLYMER)(SYMBOLS, WORDS. ETC.)	5.000	EA
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 370  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKLAHOMA

CONTRACT ID : 120171

PROJECT(S) : MC-255A(063) PCN : 2927404  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$0.00  
 30 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 BRIDGE REPAIR  
 I-44: OVER THE OKLAHOMA RIVER IN OKLAHOMA CITY.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	650.000	TON
412 5267	COLD MILLING PAVEMENT	5,470.000	SY
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	5,470.000	SY
504(G) 6390	RAPID CURE JOINT SEALANT	510.000	LF
504(H) 6389	ELASTOMERIC MORTAR	84.000	CF
505(D) 6080	ASPHALT MEMBRANE OVERLAY	5,490.000	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	150.000	SY

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	650.000	TON
412 5267	COLD MILLING PAVEMENT	5,470.000	SY
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	5,470.000	SY
504(G) 6390	RAPID CURE JOINT SEALANT	510.000	LF
504(H) 6389	ELASTOMERIC MORTAR	84.000	CF
505(D) 6080	ASPHALT MEMBRANE OVERLAY	5,490.000	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	150.000	SY

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	3,280.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	1,525.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	18.000	EA
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	4,805.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	1,000.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	84.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	84.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	672.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,008.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	672.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	336.000	SD
880(C) 8848	WING BARRICADES	168.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1,344.000	SD
880(E) 8900	(PL) CONSTRUCTION ZONE SEQUENTIAL LIGHTING SYSTEM	1.000	LSUM
880(F) 8878	DRUMS	2,814.000	SD

880(L) 8911 TRAFFIC SURVEILLANCE, POLICE  
882(A) 8306 PORT.CHANGEABLE MESSAGE SIGN

504.000 HOUR  
168.000 SD

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 380  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKMULGEE

CONTRACT ID : 120164

PROJECT(S) : BRF-056C(253)CI  
PCN : 1520504  
 DBE GOAL : 4.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$13.01  
 120 CALENDAR DAYS  
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-390): OVER MONTEZUMA CREEK, 2.75 MILES NORTH  
 OF I-40.  
 PROJECT LENGTH = 0.196 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	10,723.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2,695.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,062.000	LF
221(F) 0100	TEMPORARY SILT DIKE	334.000	LF
230(A) 2806	SOLID SLAB SODDING	8,256.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	562.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	574.000	TON
408 5774	PRIME COAT	1,223.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	527.000	TON
509(D) 0325	CLASS C CONCRETE	108.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	105.000	LF
613(B) 4819	96" CORR. GALV. STEEL PIPE	234.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	6.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,087.000	SY
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	425.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
853 9033	DELINEATORS(TYPE 2, CODE 1)	8.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	4,140.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - BRIDGE**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
501(F) 6352	GRANULAR BACKFILL	102.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	299.000	LF
504(B) 1305	SAW-CUT GROOVING	254.400	SY
504(D) 6239	CONCRETE RAIL (TR3)	281.300	LF

506(A)	1322	STRUCTURAL STEEL	330.000	LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B)	6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A)	1326	CLASS AA CONCRETE	81.400	CY
509(B)	1328	CLASS A CONCRETE	79.400	CY
511(A)	1332	REINFORCING STEEL	32,440.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	80.000	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	218.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	80.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	218.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	388.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	172.000	TON
613(H)	0450	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
613(I)	1096	6" NON-PERF. PIPE UNDERDRAIN RND.	38.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 400  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OTTAWA

CONTRACT ID : 120017

PROJECT(S) : STP-158B(182)UR  
PCN : 2781204  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$46.60  
 120 CALENDAR DAYS  
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 CITY STREET (EAST CENTRAL AVE): OVER TAR CREEK 0.25 MILES  
 WEST OF ELM STREET IN THE CITY OF MIAMI.  
 PROJECT LENGTH = 0.238 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1,940.000	CY
202(D) 0184	UNCLASSIFIED BORROW	9,660.000	CY
221(C) 2801	TEMPORARY SILT FENCE	2,270.000	LF
221(F) 0100	TEMPORARY SILT DIKE	250.000	LF
230(A) 2806	SOLID SLAB SODDING	6,210.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.600	AC
307(K) 4300	STABILIZED SUBGRADE	3,685.000	SY
407(B) 0250	TACK COAT	472.000	GAL
408 5774	PRIME COAT	774.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	880.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	360.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
609(B) 1513	1'-8" COMB. CURB & GUTTER (6" BARRIER)	2,052.000	LF
610(A) 0605	6" CONCRETE SIDEWALK	975.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	17.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	36.000	SF
611(G) 5112	INLET CI DES. 2 (STD)	2.000	EA
611(H) 5196	ADDITIONAL DEPTH IN INLET	1.660	VF
612(A) 0641	MANHOLES ADJUST TO GRADE	1.000	EA
613(A) 0492	24" R.C.PIPE CLASS III	58.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	64.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3,615.000	SY
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	100.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	2.000	EA

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	310.000	CY

501(G) 6309	CLSM BACKFILL	120.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	920.000	LF
504 6179	BRIDGE TRAFFIC RAIL	502.900	LF
504(A) 1304	APPROACH SLAB	286.800	SY
504(B) 1305	SAW-CUT GROOVING	933.800	SY
504(C) 6250	SEALED EXPANSION JOINT	47.630	LF
504(F) 6006	HANDRAILING	209.750	LF
506(A) 1322	STRUCTURAL STEEL	1,590.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	20.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	10.000	EA
509(A) 1326	CLASS AA CONCRETE	215.000	CY
509(B) 1328	CLASS A CONCRETE	214.000	CY
511(A) 1332	REINFORCING STEEL	3,180.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	90,170.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	100.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	386.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	100.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	386.000	LF
514(K) 6260	(PL)PILOT HOLES	386.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,135.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	60.000	LF
523(A) 6550	SEALER CRACK PREPARATION	47.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,385.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	425.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	97.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
624 4100	(PL) ORNAMENTAL FENCE	250.300	LF

#### SECTION 0003 - LIGHTING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(A) 8302	1" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	155.000	LF
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	60.000	LF
802(E) 8370	JUNCTION BOX(6" X 6" X 4")	3.000	EA
803(A) 8065	PULL BOX(SIZE I)	1.000	EA
809 8090	ENHANCEMENT LIGHTING (COMPLETE)	3.000	EA
811 8044	1/C NO.10 ELECTRICAL CONDUCTOR	452.000	LF
811 8046	1/C NO.12 ELECTRICAL CONDUCTOR	108.000	LF

#### SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2,730.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

#### SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

#### SECTION 0006 - CONSTRUCTION



ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 420  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : PONTOTOC  
 POTTAWATOMIE

CONTRACT ID : 120166

PROJECT(S) : BRFY-162C(225) PCN : 2192604  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$18.42  
 120 CALENDAR DAYS  
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :  
 JOINT SEAL/REPAIR  
 US-270/SH-3/SH-18: AT MULTIPLE LOCATIONS IN DIVISION III.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(C) 6250	SEALED EXPANSION JOINT	114.500	LF
504(E) 1381	CONCRETE PARAPET	12.000	LF
509(A) 0319	CLASS AA CONCRETE	8.500	CY
511(A) 0332	REINFORCING STEEL	1,900.000	LB

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(C) 6250	SEALED EXPANSION JOINT	114.500	LF
504(E) 1381	CONCRETE PARAPET	12.000	LF
509(A) 0319	CLASS AA CONCRETE	8.500	CY
511(A) 0332	REINFORCING STEEL	1,900.000	LB

**SECTION 0003 - BRIDGE 'C'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	88.000	LF
523(A) 6550	SEALER CRACK PREPARATION	250.000	LF
523(B) 6560	SEALER RESIN	5.000	GAL
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	521.100	SY

**SECTION 0004 - BRIDGE 'D'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	10.000	CY
504(C) 6250	SEALED EXPANSION JOINT	82.500	LF
504(E) 1381	CONCRETE PARAPET	12.000	LF
504(G) 6390	RAPID CURE JOINT SEALANT	156.000	LF
509 6152	SPECIAL CONCRETE FINISH	133.500	SY
509(A) 0319	CLASS AA CONCRETE	6.100	CY
511(A) 0332	REINFORCING STEEL	1,020.000	LB
521(A) 6210	PNEUMATICALLY PLACED MORTAR	13.500	SY
523(A) 6550	SEALER CRACK PREPARATION	250.000	LF
523(B) 6560	SEALER RESIN	5.000	GAL
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	696.200	SY

**SECTION 0005 - BRIDGE 'E'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	10.000	CY
504(C) 6250	SEALED EXPANSION JOINT	82.500	LF

504(E)	1381	CONCRETE PARAPET	12.000	LF
504(G)	6390	RAPID CURE JOINT SEALANT	156.000	LF
509	6152	SPECIAL CONCRETE FINISH	133.500	SY
509(A)	0319	CLASS AA CONCRETE	6.100	CY
511(A)	0332	REINFORCING STEEL	1,020.000	LB
513(B)	6019	CLASS B BRIDGE DECK REPAIR	10.000	SY
521(A)	6210	PNEUMATICALLY PLACED MORTAR	20.500	SY
523(A)	6550	SEALER CRACK PREPARATION	250.000	LF
523(B)	6560	SEALER RESIN	5.000	GAL
523(C)	6570	DECK AREA SEALED (FLOODCOATS)	696.200	SY

**SECTION 0006 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A)	8482 (PL)TRUCK MOUNTED ATTENUATOR	150.000	SD
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A)	8306 PORT.CHANGEABLE MESSAGE SIGN	200.000	SD

**SECTION 0007 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641	1399 MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 440  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CLEVELAND  
 GARVIN  
 MCCLAIN  
 OKFUSKEE  
 PONTOTOC  
 SEMINOLE

CONTRACT ID : 120167

PROJECT(S) PCN  
 SSP-162C(226)SS 2297310  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$21.68

80 CALENDAR DAYS  
 RES. ENG: TONY KEEFER, ADA

CONTRACT DESCRIPTION :  
 BRIDGE WATERPROOF SEAL  
 I-35/SH-9/SH-29/SH-48/SH-76: AT MULTIPLE LOCATIONS IN  
 DIVISION III.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	729.100	SY
523(A) 6550	SEALER CRACK PREPARATION	211.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	729.100	SY
523(A) 6550	SEALER CRACK PREPARATION	211.000	LF
523(B) 6560	SEALER RESIN	1.400	GAL

**SECTION 0003 - BRIDGE 'C'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	934.200	SY
523(A) 6550	SEALER CRACK PREPARATION	245.000	LF
523(B) 6560	SEALER RESIN	1.500	GAL

**SECTION 0004 - BRIDGE 'D'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	934.200	SY
523(A) 6550	SEALER CRACK PREPARATION	245.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0005 - BRIDGE 'E'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	621.000	SY
523(A) 6550	SEALER CRACK PREPARATION	223.000	LF
523(B) 6560	SEALER RESIN	1.500	GAL

**SECTION 0006 - BRIDGE 'F'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	621.000	SY
523(A) 6550	SEALER CRACK PREPARATION	223.000	LF
523(B) 6560	SEALER RESIN	1.500	GAL

**SECTION 0007 - BRIDGE 'G'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,926.100 SY
523(A) 6550	SEALER CRACK PREPARATION	501.000 LF
523(B) 6560	SEALER RESIN	3.400 GAL

**SECTION 0008 - BRIDGE 'H'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,926.100	SY
523(A) 6550	SEALER CRACK PREPARATION	501.000	LF
523(B) 6560	SEALER RESIN	3.400	GAL

**SECTION 0009 - BRIDGE 'I'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	705.900	SY
523(A) 6550	SEALER CRACK PREPARATION	255.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0010 - BRIDGE 'J'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	705.900	SY
523(A) 6550	SEALER CRACK PREPARATION	255.000	LF
523(B) 6560	SEALER RESIN	1.700	GAL

**SECTION 0011 - BRIDGE 'K'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	624.900	SY
523(A) 6550	SEALER CRACK PREPARATION	225.000	LF
523(B) 6560	SEALER RESIN	1.500	GAL

**SECTION 0012 - BRIDGE 'L'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	624.900	SY
523(A) 6550	SEALER CRACK PREPARATION	225.000	LF
523(B) 6560	SEALER RESIN	1.500	GAL

**SECTION 0013 - BRIDGE 'M'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	595.800	SY
523(A) 6550	SEALER CRACK PREPARATION	257.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL

**SECTION 0014 - BRIDGE 'N'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	658.000	SY
523(A) 6550	SEALER CRACK PREPARATION	277.000	LF
523(B) 6560	SEALER RESIN	1.900	GAL

**SECTION 0015 - BRIDGE 'O'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,350.400	SY
523(A) 6550	SEALER CRACK PREPARATION	397.000	LF
523(B) 6560	SEALER RESIN	2.700	GAL

**SECTION 0016 - BRIDGE 'P'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2,150.800	SY
523(A) 6550	SEALER CRACK PREPARATION	622.000	LF

523(B) 6560 SEALER RESIN 4.200 GAL

**SECTION 0017 - BRIDGE 'Q'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	2,496.300	SY
523(A) 6550	SEALER CRACK PREPARATION	722.000	LF
523(B) 6560	SEALER RESIN	4.900	GAL

**SECTION 0018 - BRIDGE 'R'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	1,037.800	SY
523(A) 6550	SEALER CRACK PREPARATION	314.000	LF
523(B) 6560	SEALER RESIN	2.100	GAL

**SECTION 0019 - BRIDGE 'S'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
515(B) 6014	WATER REPELLENT (PERFORMANCE TESTED)	971.200	SY
523(A) 6550	SEALER CRACK PREPARATION	299.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL

**SECTION 0020 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	160.000	SD
880(I) 8902	FLAGGER	40.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	160.000	SD

**SECTION 0021 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 460  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : TULSA

CONTRACT ID : 120168

PROJECT(S) : SBR-272N(020)SB  
PCN : 2792904  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$34.68  
 150 CALENDAR DAYS  
**TIME 'B' BID - \$3,000.00 / DAY**  
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :  
 BRIDGE REHABILITATION  
 I-244 (E-S RAMP): OVER I-44 IN TULSA.  
 PROJECT LENGTH = 0.26 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1,200.000	CY
202(E) 0186	SELECT BORROW	1,000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,200.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	7.000	EA
230(A) 2806	SOLID SLAB SODDING	3,600.000	SY
241 2832	MOWING	2.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	604.000	CY
307(D) 4230	LIME	73.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	4,230.000	SY
317 4270	CEMENT TREATED BASE	3,042.000	SY
325 5271	SEPARATOR FABRIC	5,023.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,930.000	TON
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT )	1,005.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	281.000	CY
504(E) 1381	CONCRETE PARAPET	1,465.000	LF
509(A) 0319	CLASS AA CONCRETE	431.000	CY
511(B) 4269	EPOXY COATED REINFORCING STEEL	51,027.000	LB
609(A) 0288	CONCRETE CURB (6" MNTBLE-INTEGRAL)	755.000	LF
611(I) 4488	REPLACEMENT OF INLET FRM&GRT (SSIF-FRM,CIG-GRT-VG-F)	7.000	EA
611(M) 4488	REPLACEMENT OF CAST IRON HOOD	4.000	EA
612(C) 0645	INLET ADJUST TO GRADE	4.000	EA
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	1,105.000	LF
613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	400.000	LF
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	160.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	2,304.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	1,500.000	LF
619(C) 0924	SAWING PAVEMENT	36.000	LF

**SECTION 0002 - BRIDGE NO. 13**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

501(G) 6309	CLSM BACKFILL	113.000	CY
504(A) 1304	APPROACH SLAB	169.000	SY
504(B) 1305	SAW-CUT GROOVING	671.000	SY
504(C) 6250	SEALED EXPANSION JOINT	63.000	LF
504(E) 1381	CONCRETE PARAPET	617.000	LF
506(A) 1322	STRUCTURAL STEEL	2,000.000	LB
509(A) 1326	CLASS AA CONCRETE	136.000	CY
509(B) 1328	CLASS A CONCRETE	22.000	CY
510(C) 6137	SLOPE WALL (4")	3.000	SY
511(B) 6010	EPOXY COATED REINFORCING STEEL	51,128.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
513(D) 6025	ANODE	280.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	521.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	12.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	70.000	SY
540 4505	(PL)REPAIR BRIDGE ITEMS	2.000	EA
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
806(D) 8997	38' MTG.HT.HL.PTP.(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	26.000	SF
851(B) 3216	2"@3.65 GALV.STEEL PIPE POST	45.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	2,820.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	1,500.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,500.000	LF
871(A) 8325	(SP)IMPACT ATTENUATOR	2.000	EA
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	800.000	SD
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	1,290.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,290.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,290.000	LF
880(A) 8806	ARROW DISPLAY(TYPE B)	1,600.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	800.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	10,800.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3,600.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	4,400.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	14,400.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	28,800.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	60,000.000	SD
880(F) 8878	DRUMS	60,000.000	SD

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM



**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 470  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CHEROKEE  
 WAGONER

CONTRACT ID : 120174

PROJECT(S) : STPY-173B(009)  
PCN : 1000607  
 DBE GOAL : 8.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$52.02  
 300 CALENDAR DAYS  
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :  
 GRADE AND DRAIN  
 SH-51(CAUSEWAY AT GRAND RIVER BRIDGE): FROM 7.8 MILES  
 EAST OF US-69, EXTEND EAST.  
 PROJECT LENGTH = 0.776 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	20,741.000	CY
202(B) 0105	MUCK EXCAVATION	32,396.000	CY
202(D) 0184	UNCLASSIFIED BORROW	232,337.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	5,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	23,000.000	SY
233(A) 2817	VEGETATIVE MULCHING	8.000	AC
326(B) 0100	GEOGRID REINFORCEMENT	21,844.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON
509(D) 0325	CLASS C CONCRETE	15.000	CY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	140.000	SY
513(E) 6030	EARLY STRENGTH CONCRETE	30.000	CY
514(J) 6390	TEMPORARY SHEET PILING	1.000	LSUM
601(A) 0297	TYPE I PLAIN RIPRAP	276,787.000	TON
601(B) 0536	TYPE I-A PLAIN RIPRAP	45,481.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	8,997.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	66,904.000	SY
613(A) 0492	24" R.C.PIPE CLASS III	456.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	1,000.000	LF
613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	250.000	LF
613(Q) 5946	OUTLET LATERAL HEADWALL	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4780	REMOVAL OF GUARDRAIL	4,037.000	LF
624(E) 4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	150.000	LF
624(F) 5851	GATES-STYLE CLF (4'HIGH X 16'LONG)	2.000	EA

**SECTION 0002 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	40,000.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	20,000.000	LF
871(A) 8325	(SP)IMPACT ATTENUATOR	1.000	EA

877(A)	8483	PORTABLE LONGITUDINAL BARRIER	3,915.000	LF
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8,400.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3,200.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5,600.000	SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	5,600.000	SD
880(C)	8848	WING BARRICADES	1,600.000	SD
880(D)	8854	VERTICAL PANELS	1,600.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	9,600.000	SD
880(F)	8878	DRUMS	4,000.000	SD
880(I)	8902	FLAGGER	60.000	SD
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	800.000	SD

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 480  
 LETTING DATE : April 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : WOODS

CONTRACT ID : 120169

PROJECT(S) : STPY-176B(128) PCN : 2431804  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$48.77  
 120 CALENDAR DAYS  
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 US-64: OVER UNNAMED CREEK, 3.1 MILES EAST OF SH-14.  
 PROJECT LENGTH = 0.227 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	21,533.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2,551.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,055.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	2.000	EA
221(E) 2804	TEMPORARY SEDIMENT BASIN	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	522.000	LF
221(G) 0151	TEMPORARY ROCK FILTER DAM TYPE 2	22.000	CY
230(A) 2806	SOLID SLAB SODDING	27,732.000	SY
230(F) 2812	WATERING	1,110.000	KGAL
233(A) 2817	VEGETATIVE MULCHING	7.640	AC
241 2832	MOWING	18.160	AC
310(B) 0149	SUBGRADE, METHOD B	5,965.000	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	70.100	TON
407(A) 4659	FOG SEAL	54.000	GAL
407(B) 0250	TACK COAT	5,583.000	GAL
408 5774	PRIME COAT	1,207.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	5,758.000	SY
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	750.400	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	3,185.900	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	679.300	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	788.000	TON
412 5267	COLD MILLING PAVEMENT	533.400	SY
509(D) 0325	CLASS C CONCRETE	10.000	CY
611(G) 5334	INLET GPI TYPE 2 (DES. 8)	1.000	EA
611(G) 6004	INLET (SMD-TYPE 2A)	1.000	EA
613(A) 0492	24" R.C.PIPE CLASS III	88.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	170.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	49.000	LF
613(M) 7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
613(M) 7198	TYPE C6 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	10,340.000 SY
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,857.000 LF

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	5,790.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	402.000	CY
509(A) 1326	CLASS AA CONCRETE	1,028.300	CY
511(A) 1332	REINFORCING STEEL	168,540.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	5,636.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	13,600.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	301.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	5,450.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,090.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	550.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,930.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	550.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(D) 8854	VERTICAL PANELS	5,050.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,300.000	SD
880(F) 8878	DRUMS	2,250.000	SD
880(G) 8884	TUBE CHANNELIZERS	900.000	SD
880(G) 8890	CHANNELIZER CONES	5,420.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	30.000	SD

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM



## List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting: April 2012

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
<b>J &amp; N INTERNATIONAL COATINGS, INC.</b> Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
<b>KERRVILLE PAINTING COMPANY, INC.</b> Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
<b>MBE, INC.</b> Ms. Fani Gialousis Mr. Tony Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
<b>GLOVER CONSTRUCTION COMPANY, INC.</b> <b>Mr. George Paul Glover</b> P.O. Box 489 Muskogee, OK 74402		X
<b>PATTON CONSTRUCTION</b> Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
<b>SHANKS EXCAVATING COMPANY</b> Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
<b>Mr. Gary Wayne Carr</b> 318 Dog Wood Tahlequah, OK 74464		X
<b>YOCHAM ENTERPRISES</b> Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK		X

**BID OPENING OF – April 19, 2012 AM**

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex   #:
Contractor's Name:	
Telephone No:	
Physical Address:	Please Return Completed Form to:
	Fax :            405-522-0972 or
	Email: <a href="mailto:mjunsay@odot.org">mjunsay@odot.org</a>

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ATOKA / BRYAN / CHOCTAW / LATIMER / LEFLORE / MCCURTAIN / PITTSBURG	020	BRFY-203C(003)	23144(09)		\$50.00	41.00 + 3.43	0
2	ATOKA	040	ACBRF-103C(127)CI	27370(04)		\$50.00	14.00 + 1.17	2
3	BRYAN	060	BRO-107D(087)CI	21654(04)		\$50.00	11.00 + 0.92	11
4	CARTER	080	SBR-210N(004)SB	29176(04)		\$50.00	10.00 + 0.84	0
5	CIMARRON	100	MC-213C(002)	29248(04)		\$50.00	No Charge	0
6	CLEVELAND	120	BRFY-NBIP(449)	21925(04)		\$50.00	15.00 + 1.26	0
7	COMANCHE	140	STP-116C(110)CI	21614(04)		\$50.00	47.00 + 3.94	41
8	COMANCHE	160	SSP-116C(114)SS SSP-116C(195)SS	21716(04) 21716(07)		\$50.00	98.00 + 8.21	35
9	COMANCHE	170	SAP-216A(005)	28006(04)		\$50.00	10.00 + 0.84	0
10	BECKHAM / CUSTER / JACKSON / ROGER MILLS / WASHITA	180	BRFY-220C(006)	24426(04)		\$50.00	23.00 + 1.98	0
11	GARFIELD	190	CIRB-124C(112)RB	24867(07)		\$50.00	29.00 + 2.43	0
12	GRADY	200	BRFY-126C(082)	20960(04)		\$50.00	71.00 + 5.95	28
13	CARTER / JEFFERSON / LOVE / MURRAY	220	BRFY-234C(005)	23125(09)		\$50.00	14.00 + 1.17	0
14	KIOWA	240	NHY-009N(098)	16063(45)		\$50.00	76.00 + 6.37	44
15	LOGAN	260	STPY-242C(002)3P	29196(04)		\$50.00	No Charge	0
16	MCINTOSH	280	BRF-146C(054)CI	20584(04)		\$50.00	6.00 + 0.50	4
17	CHEROKEE / MUSKOGEE / PITTSBURG / WAGONER	320	BRFY-251C(004)	23105(09)		\$50.00	19.00 + 1.59	0
18	OKLAHOMA	340	STP-155B(800)AG	27834(04)		\$50.00	32.00 + 2.68	11
19	OKLAHOMA	360	CMC-255A(062)	29266(04)		\$50.00	No Charge	0
20	OKLAHOMA	370	MC-255A(063)	29274(04)		\$50.00	No Charge	0
21	OKMULGEE	380	BRF-056C(253)CI	15205(04)		\$50.00	12.00 + 1.01	17
22	OTTAWA	400	STP-158B(182)UR	27812(04)		\$50.00	43.00 + 3.60	2
23	PONTOTOC / POTTAWATOMIE	420	BRFY-162C(225)	21926(04)		\$50.00	17.00 + 1.42	0

**BID OPENING OF – April 19, 2012 AM**

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex #: _____ <input type="checkbox"/> Mail
Contractor's Name:	
Telephone No:	
Physical Address:	Please Return Completed Form to:
	Fax :            405-522-0972 or
	Email: <a href="mailto:mjunsay@odot.org">mjunsay@odot.org</a>

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
24	CLEVELAND / GARVIN / MCCLAIN / OKFUSKEE / PONTOTOC / SEMINOLE	440	SSP-162C(226)SS	22973(10)		\$50.00	20.00 + 1.68	0
25	TULSA	460	SBR-272N(020)SB	27929(04)		\$50.00	32.00 + 2.68	0
26	CHEROKEE / WAGONER	470	STPY-173B(009)	10006(07)		\$50.00	48.00 + 4.02	14
27	WOODS	480	STPY-176B(128)	24318(04)		\$50.00	45.00 + 3.77	33