
NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE VERSION **(5.9a)** OF EXPEDITE BID AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

Notice

Internet bidding is required for most projects on the [June 21, 2012 10:30 A.M.](#) Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal.

(The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on [May 31, 2012](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at [10:00 a.m.](#) on [June 08, 2012](#) concerning this [June 21, 2012](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website
<http://www.okladot.state.ok.us/contracts/index.htm>
Venture" form which is posted on the ODOT website.

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972
or emailed to:
mpajoh@odot.org with copy to bschmitt@odot.org

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

Plans for the projects on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2012/plans.htm>

CERTIFIED PAYROLL - FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors.

Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)09, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the Prime Contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. There is a new cover sheet that is required with these DBE confirmations. It is located at the website below.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo>

Reminder

Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bid.

For written bids do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

kleonard@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , Thursday, June 21, 2012 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal. Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 040
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : BECKHAM

CONTRACT ID : 120237

PROJECT(S) : SAP-205N(013) PCN : 2803104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$8.67
 10 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :
 BRIDGE REPAIR
 COUNTY ROAD (NS-170): OVER I-40, 3.0 MILES EAST OF THE TEXAS
 STATE LINE.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	300.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	10.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	10.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	10.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 060
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : BECKHAM

CONTRACT ID : 120193

PROJECT(S) : SBR-105C(197)SB
PCN : 2813104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$16.26
 60 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 SH-34: OVER FLAT CREEK, 4.3 MILES SOUTH OF SH-152.

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
407(B) 0250	TACK COAT	300.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	500.000	TON
412 5267	COLD MILLING PAVEMENT	2,000.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	650.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	300.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(A) 1304	APPROACH SLAB	143.000	SY
504(B) 1305	SAW-CUT GROOVING	376.000	SY
504(C) 6250	SEALED EXPANSION JOINT	66.340	LF
504(D) 6245	CONCRETE RAIL (TR4)	262.700	LF
506(A) 1322	STRUCTURAL STEEL	41,920.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	15.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	15.000	EA
509 6153	SPECIAL CONCRETE FINISH	1.000	LSUM
509(A) 1326	CLASS AA CONCRETE	77.200	CY
509(B) 1328	CLASS A CONCRETE	35.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	24,160.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	308.000	SY
601(B) 1353	TYPE I-A PLAIN RIPRAP	250.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	60.000	TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	10.670	SF
851(C) 8324	2" SQUARE TUBE POST	30.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,530.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	28.000	SD

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

642(B) 0096 CONSTRUCTION STAKING LEVEL II

1.000 LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 100
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : BLAINE

CONTRACT ID : 120238

PROJECT(S) PCN
 BRO-106D(116)CI 2661804
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$9.75
 120 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER SALT CREEK, 4.7 MILES SOUTH OF SH-51.
 PROJECT LENGTH = 0.217 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	200.000	LF
229 4318	DITCH LINER PROTECTION	1,837.600	LF
230(A) 2806	SOLID SLAB SODDING	4,606.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	498.400	TON
509(D) 0325	CLASS C CONCRETE	50.600	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	50.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(F) 6352	GRANULAR BACKFILL	76.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	239.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	222.000	LF
506(A) 1322	STRUCTURAL STEEL	510.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	6.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	6.000	EA
509(A) 1326	CLASS AA CONCRETE	63.700	CY
509(B) 1328	CLASS A CONCRETE	66.200	CY
511(A) 1332	REINFORCING STEEL	25,595.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	115.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	261.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	115.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	261.000	LF
601(B) 0536	TYPE I-A PLAIN RIPRAP	1,613.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	466.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	60.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000 EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 160
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CARTER

CONTRACT ID : 110282

PROJECT(S)
 SSR-110B(234)SR
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 45 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

PCN
 2816404

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 US-70: FROM THE SH-76N, EXTEND EAST.
 PROJECT LENGTH = 4.99 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
407(C) 0300	POLYMER MODIFIED CATIONIC RAPID SET - 1	17,461.000	GAL
410(A) 6530	(SP)HOT-IN-PLACE RECYCLED ASPHALT CONCRETE	70,260.000	SY
410(B) 6540	(SP)HOT-IN PLACE ASPHALT EMULSION	152.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	10,235.000	TON
412 5267	COLD MILLING PAVEMENT	87,306.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	50,000.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	59,720.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 180
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CIMARRON

CONTRACT ID : 120200

PROJECT(S) : CIRB-113C(058)RB
PCN : 2482304
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$35.76
 120 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND SURFACE
 COUNTY ROAD (EW-35): FROM THE US-287/TEXAS STATE LINE JCT,
 EXTEND WEST.
 PROJECT LENGTH = 6.151 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	9,514.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2,024.000	CY
209 0120	MACHINE GRADING	29,334.000	LF
221(C) 2801	TEMPORARY SILT FENCE	1,250.000	LF
221(F) 0100	TEMPORARY SILT DIKE	1,050.000	LF
230(A) 2806	SOLID SLAB SODDING	30,704.000	SY
233(A) 2817	VEGETATIVE MULCHING	6.350	AC
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	86,578.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3,227.000	TON
407(B) 0250	TACK COAT	6,154.000	GAL
408 5774	PRIME COAT	18,182.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	18,846.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	9,136.000	TON
613(A) 0491	18" R.C.PIPES CLASS III	100.000	LF
613(A) 0492	24" R.C.PIPES CLASS III	49.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,218.000	SY
619(C) 0924	SAWING PAVEMENT	104.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	75.440	SF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	111,533.000	LF
856(B) 8870	TRAFFIC STRIPE(MULTI-POLY.)(SYMBOLS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 200
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CLEVELAND

CONTRACT ID : 120201

PROJECT(S) : STP-114B(222)AG
PCN : 2564804
 DBE GOAL : 7.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$128.97
 320 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, SURFACE, AND BRIDGE
 CITY STREET (WESTERN AVE): FROM SW 164TH STREET, EXTEND
 NORTH IN OKLAHOMA CITY.
 PROJECT LENGTH = 2.002 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	41,884.000	CY
202(D) 0184	UNCLASSIFIED BORROW	28,413.000	CY
221(C) 2801	TEMPORARY SILT FENCE	12,053.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	52.000	EA
221(F) 0100	TEMPORARY SILT DIKE	490.000	LF
221(G) 0152	TEMPORARY ROCK FILTER DAM TYPE 3	68.000	CY
230(A) 2806	SOLID SLAB SODDING	75,900.000	SY
233(A) 2817	VEGETATIVE MULCHING	17.500	AC
307(D) 4230	LIME	2,438.000	TON
307(I) 4280	LIME MODIFIED SUBGRADE	84,630.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,832.000	TON
407(B) 0250	TACK COAT	7,490.000	GAL
408 5774	PRIME COAT	18,406.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	9,576.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	27,185.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	7,212.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	4,330.000	TON
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	17,618.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	3,916.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	570.000	CY
509(A) 0319	CLASS AA CONCRETE	1,483.000	CY
509(B) 0321	CLASS A CONCRETE	534.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	44.000	CY
509(D) 0325	CLASS C CONCRETE	20.000	CY
511(A) 0332	REINFORCING STEEL	300,355.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	483.000	TON
609(A) 0380	CONCRETE CURB (8" BARRIER-INTEGRAL)	4,909.000	LF
609(B) 1514	1'-8" COMB. CURB & GUTTER (8" BARRIER)	21,228.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	6,970.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	4,123.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	640.000	SF

611(A) 2657	MANHOLE (4' DIAMETER)	9.000 EA
611(A) 2658	MANHOLE (5' DIAMETER)	1.000 EA
611(G) 4012	SPECIAL INLET DRAIN	9.000 EA
611(G) 5112	INLET CI DES. 2 (STD)	6.000 EA
611(G) 5113	INLET CI DES. 2 (B)	17.000 EA
611(G) 5115	INLET CI DES. 2 (D)	12.000 EA
611(G) 5117	INLET CI DES. 2 (2B)	8.000 EA
611(G) 5118	INLET CI DES. 2 (B-D)	1.000 EA
611(G) 5119	INLET CI DES. 2 (2D)	1.000 EA
611(G) 5337	INLET GPI TYPE 2 (DES. 11)	2.000 EA
611(L) 0487	JUNCTION BOXES	736.000 CF
613(A) 0491	18" R.C.PIPE CLASS III	3,372.000 LF
613(A) 0492	24" R.C.PIPE CLASS III	2,914.000 LF
613(A) 0493	30" R.C.PIPE CLASS III	656.000 LF
613(A) 0494	36" R.C.PIPE CLASS III	784.000 LF
613(A) 0495	42" R.C.PIPE CLASS III	20.000 LF
613(A) 4410	28 1/2" X 18" R.C.PIPE ARCH CLASS A-III	432.000 LF
613(A) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	46.000 LF
613(A) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	384.000 LF
613(A) 4499	51" X 31" R.C.PIPE ARCH CLASS A-III	92.000 LF
613(A) 4509	43" X 68" R.C.PIPE ELLIPTICAL CLASS HE-III	248.000 LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	906.000 LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	1,000.000 LF
613(I) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	100.000 LF
613(L) 4584	28 1/2" X 18" PREFAB. CULVERT END SECTION, ARCH	1.000 EA
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	7.000 EA
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	2.000 EA
613(L) 5734	36" PREFAB. CULVERT END SECTION, ROUND	2.000 EA
613(M) 7202	TYPE BB6 CULVERT END TREATMENT	2.000 EA
613(O) 5101	SPECIAL END SECTION OF 43" X 68" RCP ELLIPTICAL	1.000 EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	685.000 CY
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	2,571.000 CY
613(V) 1180	TRENCH EXCAVATION	6,217.000 CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4725	REMOVAL OF FENCE	3,692.000 LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	59,939.000 SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	2,394.000 SY
619(B) 4767	REMOVAL OF ASPHALT DRIVEWAY	4,190.000 SY
619(C) 0924	SAWING PAVEMENT	13,963.000 LF
622(A) 4746	PIPE RAILING	580.000 LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	13.000 EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000 EA
629(E) 5048	REMOVE AND RESET MAILBOX	1.000 EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2,645.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	697.000	CY
509(A) 1326	CLASS AA CONCRETE	1,360.500	CY

511(A) 1332	REINFORCING STEEL	268,460.000 LB
622(A) 4746	PIPE RAILING	187.000 LF

SECTION 0003 - TRAFFIC SIGNAL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
230(A) 2806	SOLID SLAB SODDING	600.000	SY
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1,005.000	LF
802(B) 8336	1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	130.000	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	3,570.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	730.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	900.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	210.000	LF
803(A) 8065	PULL BOX(SIZE I)	39.000	EA
803(A) 8066	PULL BOX(SIZE II)	3.000	EA
804(A) 2915	STRUCTURAL CONCRETE	34.800	CY
804(B) 2916	REINFORCING STEEL	5,093.900	LB
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8726	POLE & 25' TS MST.ARM(G.STL.)	2.000	EA
806(A) 8730	POLE & 35' TS MST.ARM(G.STL.)	4.000	EA
806(A) 8732	POLE & 40' TS MST.ARM(G.STL.)	2.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	9.000	EA
809(A) 8090	ROADWAY LUMINAIRE	4.000	EA
811 8040	1/C NO.6 ELECTRICAL CONDUCTOR	600.000	LF
811 8044	1/C NO.10 ELECTRICAL CONDUCTOR	1,750.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	3.000	EA
828(A) 8142	VEHICLE LOOP DETECTOR	22.000	EA
828(B) 8136	LOOP DETECTOR WIRE	11,710.000	LF
830 8000	PEDESTRIAN PUSH BUTTON	18.000	EA
831 8231	1WAY 3SEC. ADJ. SIG. HD. S-6	22.000	EA
831 8252	1WAY 3SEC. ADJ. SIG. HD. S-9	10.000	EA
831 8286	1WAY 5SEC. ADJ. SIG. HD. S-19	2.000	EA
831 8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	18.000	EA
833 3030	BACKPLATE	34.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	8,100.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	100.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	2,605.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	7,185.000	LF
840(A) 8592	E.P.S. OPTICAL EMITTER	5.000	EA
840(B) 8593	E.P.S. OPTICAL DETECTOR	10.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	2,805.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	5.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	219.000	SF

SECTION 0004 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A) 2915	STRUCTURAL CONCRETE	1.560	CY
804(B) 2916	REINFORCING STEEL	72.000	LB

805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	21.000 EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	3.000 EA
850(A) 8110	SHEET ALUMINUM SIGNS	108.440 SF
851(B) 3216	2"@3.65 GALV.STEEL PIPE POST	188.000 LF
851(B) 3217	2 1/2"@5.79 GALV.STEEL PIPE POST	39.000 LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	42,700.000 LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	1,432.000 LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	455.000 LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	26.000 EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	10.000 EA

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	1,074.000	LF
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	12,060.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,000.000	LF
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	300.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	21,565.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	10,240.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	17,025.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	10,605.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	21,210.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	82,135.000	SD
880(F) 8878	DRUMS	82,135.000	SD
880(G) 8890	CHANNELIZER CONES	3,675.000	SD

SECTION 0006 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0008 - NONPARTICIPATING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
624(A) 4281	FENCE-STYLE WWF	192.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,698.000	LF
624(E) 4290	FENCE-STYLE CLF (5'HIGH, CLASS A)	935.000	LF
624(F) 5890	GATES-STYLE CLF (5'HIGH X 8'LONG)	2.000	EA
624(F) 5896	GATES-STYLE CLF (5'HIGH X 14'LONG)	2.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 260
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : DELAWARE

CONTRACT ID : 120208

PROJECT(S)
 STP-121C(152)CO
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$8.67
 COMPLETION DATE OF 10/31/2012
 RES. ENG: DIVISION 8 (TULSA)

PCN
 2832004

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 COUNTY ROAD (OLD SH-33/E 580): BEGIN AT US-412 EXTEND EAST.
 PROJECT LENGTH = 2.42 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1,700.000	CY
202(E) 0186	SELECT BORROW	2,000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
232(A) 2813	SEEDING METHOD A	3.500	AC
402(D) 0223	TRAFFIC BOUND SURFACE COURSE TYPE D	2,883.000	TON
408 5774	PRIME COAT	5,400.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	4,033.000	TON
412 5267	COLD MILLING PAVEMENT	31,306.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	400.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	600.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	12.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	22.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	3.000	EA
629(C) 4960	MAILBOX	28.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	27.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	20.000	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	48.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	20.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	50,437.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	16.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 280
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : GARVIN

CONTRACT ID : 110290

PROJECT(S)
 SSR-125C(188)SR
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 21 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

PCN
 2754404

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 SH-19: FROM 6.51 MI EAST OF SH-74, EXTEND EAST.
 PROJECT LENGTH = 2.63 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	696.000	TON
407(B) 0250	TACK COAT	3,703.000	GAL
411(D) 5970	SUPERPAVE, TYPE S5(PG 70-28 OK)	4,371.000	TON
412 5267	COLD MILLING PAVEMENT	267.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	55,546.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 300
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : GRADY

CONTRACT ID : 120239

PROJECT(S)
 BRO-126D(176)CI
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$10.84
 90 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

PCN
 2685104

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-285): OVER SALT CREEK, 1.7 MILES NORTH AND
 2.0 MILES EAST OF POCASSET.
 PROJECT LENGTH = 0.340 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3,600.000	LF
221(F) 0100	TEMPORARY SILT DIKE	600.000	LF
230(A) 2806	SOLID SLAB SODDING	16,400.000	SY
233(A) 2817	VEGETATIVE MULCHING	6.500	AC
303(A) 2100	AGGREGATE BASE TYPE A	860.000	CY
408 5774	PRIME COAT	1,135.000	GAL
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	170.000	TON
613(A) 0496	48" R.C.PIPE CLASS III	44.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	46.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(O) 4383	SPECIAL END SECTION OF 48" RCP ROUND	2.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(F) 6352	GRANULAR BACKFILL	70.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	269.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	244.600	LF
506(A) 1322	STRUCTURAL STEEL	320.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	6.000	EA
509(A) 1326	CLASS AA CONCRETE	93.800	CY
509(B) 1328	CLASS A CONCRETE	41.800	CY
511(A) 1332	REINFORCING STEEL	23,730.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	966.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	966.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,365.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	400.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

623(A)	1418	BEAM GUARDRAIL W-BEAM SINGLE	200.000	LF
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F)	6030	GUARDRAIL ANCHOR UNIT (TYPE B)	3.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 320
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : JACKSON

CONTRACT ID : 120240

PROJECT(S) PCN
 BRF-133C(105)CI 2662704
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$11.92
 120 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-169): OVER UNNAMED CREEK, 4.5 MILES EAST OF
 US-283.
 PROJECT LENGTH = 0.189 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(F) 0100	TEMPORARY SILT DIKE	400.000	LF
230(A) 2806	SOLID SLAB SODDING	7,800.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.620	AC
303(A) 2100	AGGREGATE BASE TYPE A	464.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	13.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	440.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	48.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	250.000	CY
501(F) 6352	GRANULAR BACKFILL	126.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	378.670	LF
504(D) 6239	CONCRETE RAIL (TR3)	271.300	LF
506(A) 1322	STRUCTURAL STEEL	702.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	96.600	CY
509(B) 1328	CLASS A CONCRETE	91.600	CY
511(A) 1332	REINFORCING STEEL	36,180.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	100.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	280.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	100.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	280.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,725.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	575.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	75.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	28.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA

880(J) 8905 CONSTRUCTION TRAFFIC CONTROL

1.000 LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 340
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : KAY

CONTRACT ID : 120097

PROJECT(S) : SSR-136N(198)SR
PCN : 2744604
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 COMPLETION DATE OF 10/31/2012
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 I-35: FROM 3.98 MILES SOUTH OF THE KANSAS STATE LINE,
 EXTEND NORTH.
 PROJECT LENGTH = 3.98 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(E) 0186	SELECT BORROW	1,500.000	CY
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	4,700.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	100.000	CY
307(A) 4200	FLY ASH	60.000	TON
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	9,300.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	6,000.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	5,700.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3,200.000	TON
412 5267	COLD MILLING PAVEMENT	100,000.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	39,900.000	LF
415 6300	CONCRETE JOINT SEALING	700.000	LF
426(D) 5098	POLYURETHANE INJECTION FOR PAVEMENT	8,800.000	LB
613(A) 0492	24" R.C.PIPE CLASS III	24.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
619(B) 0291	REMOVAL OF HEADWALL	1.000	EA
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	530.000	SY
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
828(B) 8136	LOOP DETECTOR WIRE	1,000.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	6,100.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	52,000.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	500.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	100.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	500.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 360
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : LATIMER

CONTRACT ID : 120211

PROJECT(S) : STPY-139C(094) PCN : 0046414
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$45.52
 185 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND SURFACE
 SH-82: SLIDE REPAIR FROM 6.4 MILES NORTH OF US-270,
 EXTEND NORTH.
 PROJECT LENGTH = 0.616 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	206,378.000	CY
202(D) 0184	UNCLASSIFIED BORROW	30,000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	8,000.000	LF
221(E) 2804	TEMPORARY SEDIMENT BASIN	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	500.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	6.000	CY
229 4318	DITCH LINER PROTECTION	1,475.000	LF
230(A) 2806	SOLID SLAB SODDING	107,835.000	SY
232(A) 2813	SEEDING METHOD A	14.000	AC
233(A) 2817	VEGETATIVE MULCHING	30.200	AC
303(A) 2100	AGGREGATE BASE TYPE A	9,202.000	CY
325 5271	SEPARATOR FABRIC	26,950.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	26,950.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,120.000	TON
407(B) 0250	TACK COAT	2,573.000	GAL
408 5774	PRIME COAT	9,466.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	8,213.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3,244.000	TON
412 5267	COLD MILLING PAVEMENT	3,383.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	7,683.000	LF
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	5.000	CY
509(A) 0319	CLASS AA CONCRETE	15.300	CY
509(D) 0325	CLASS C CONCRETE	140.000	CY
511(A) 0332	REINFORCING STEEL	2,000.000	LB
602(C) 4155	FILTER FABRIC	1,920.000	SY
611(G) 5388	INLET CDI RCB DES. 2	1.000	EA
613(B) 0689	18" CORR. GALV. STEEL PIPE	72.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	58.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	1,150.000	LF
613(I) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	24.000	LF

613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	2.000 EA
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	2.000 EA
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	383.000 CY
613(V) 1180	TRENCH EXCAVATION	770.000 CY
619(B) 4725	REMOVAL OF FENCE	2,300.000 LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	18,810.000 SY
619(B) 4780	REMOVAL OF GUARDRAIL	777.000 LF
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	970.000 LF
619(B) 5918	REMOVAL OF EXISTING PIPE	33.000 LF
619(C) 0924	SAWING PAVEMENT	104.000 LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,923.000 LF

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	40,000.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	20,000.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,800.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,800.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	600.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8,100.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3,900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3,900.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4,800.000	SD
880(C) 8848	WING BARRICADES	1,200.000	SD
880(D) 8854	VERTICAL PANELS	9,000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	14,700.000	SD
880(F) 8878	DRUMS	20,250.000	SD
880(G) 8890	CHANNELIZER CONES	20,250.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	600.000	SD

SECTION 0003 - SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	25,000.000	LF

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 380
LETTING DATE : June 21, 2012
LETTING TIME : 10:30 A.M.
COUNTIES : LINCOLN

CONTRACT ID : 110300

PROJECT(S)
SSR-141C(185)SR
DBE GOAL : 0.00
GUARANTY : 5% OF TOTAL BID
PLAN PRICE : \$0.00
40 CALENDAR DAYS
RES. ENG: DIVISION 3 (ADA)

PCN
2467904

CONTRACT DESCRIPTION :
RESURFACE (ASPHALT)
SH-105: FROM THE LOGAN CL, EXTEND EAST.
PROJECT LENGTH = 6.91 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	967.000	TON
407(B) 0250	TACK COAT	9,729.000	GAL
411(D) 5975	SUPERPAVE, TYPE S5(PG 64-22 OK)	11,484.000	TON
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	127,697.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 410
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : MAYES

CONTRACT ID : 120267

PROJECT(S) PCN
 SBR-249N(004)SB 2089305
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$26.01
 80 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 US-69: OVER CHOUTEAU CREEK, 9.4 MILES NORTH OF THE WAGONER
 COUNTY LINE.

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	300.000	CY
202(D) 0184	UNCLASSIFIED BORROW	150.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	563.000	LF
221(F) 0100	TEMPORARY SILT DIKE	56.000	LF
230(A) 2806	SOLID SLAB SODDING	1,389.000	SY
303(B) 2110	AGGREGATE BASE TYPE B	240.000	CY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	345.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	110.000	TON
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	856.000	SY

SECTION 0002 - BRIDGE "A"

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	10.000	CY
504(A) 1304	APPROACH SLAB	214.400	SY
504(B) 1305	SAW-CUT GROOVING	1,049.400	SY
504(D) 6245	CONCRETE RAIL (TR4)	497.000	LF
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	210.300	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	79,662.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	731.000	SY
523(A) 6550	SEALER CRACK PREPARATION	160.800	LF
523(B) 6560	SEALER RESIN	1.600	GAL
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA
851(C) 8330	2 1/2" SQUARE TUBE POST	58.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,451.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	10,778.000	LF

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	17,500.000	LF

857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	8,200.000 LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3,312.500 LF
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000 SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,040.000 SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3,600.000 SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,240.000 SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	420.000 SD
880(C) 8848	WING BARRICADES	160.000 SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,720.000 SD
880(F) 8878	DRUMS	7,740.000 SD
880(G) 8890	CHANNELIZER CONES	2,420.000 SD

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 500
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKFUSKEE

CONTRACT ID : 110304

PROJECT(S)
 SSR-154C(167)SR
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 35 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

PCN
 2819804

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 US-62: FROM SH-27, EXTEND WEST.
 PROJECT LENGTH = 3.67 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	537.000	TON
407(B) 0250	TACK COAT	3,014.000	GAL
411(D) 5975	SUPERPAVE, TYPE S5(PG 64-22 OK)	5,660.000	TON
412 5267	COLD MILLING PAVEMENT	22,265.000	SY
610(A) 0602	4" CONCRETE SIDEWALK	82.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	128.000	SF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	62,700.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 540
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OSAGE

CONTRACT ID : 120219

PROJECT(S) : HSIPIY-157C(061) PCN : 2191304
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$44.43
 90 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-18: OVER LOST MAN CREEK, 2.0 MILES NORTH OF SH-60.
 PROJECT LENGTH = 0.037 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,844.000	CY
202(D) 0184	UNCLASSIFIED BORROW	3,355.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,485.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	168.000	LF
221(G) 0152	TEMPORARY ROCK FILTER DAM TYPE 3	160.000	CY
229 4318	DITCH LINER PROTECTION	300.000	LF
230(A) 2806	SOLID SLAB SODDING	8,196.000	SY
232(A) 2813	SEEDING METHOD A	1.000	AC
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	329.000	CY
307(D) 4230	LIME	88.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	4,910.000	SY
325 5271	SEPARATOR FABRIC	2,108.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	150.000	TON
407(B) 0250	TACK COAT	310.000	GAL
408 5774	PRIME COAT	1,382.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	693.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	462.000	TON
509(D) 0325	CLASS C CONCRETE	28.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	3,045.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3,462.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	162.000	LF
619(C) 0924	SAWING PAVEMENT	1,000.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	3,200.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2,175.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	135.000	CY
509(A) 1326	CLASS AA CONCRETE	519.900	CY

511(A) 1332	REINFORCING STEEL	97,088.000 LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
853 9030	DELINEATORS(TYPE 1, CODE 3)	4.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	2,715.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	6,400.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	4,000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	160.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	800.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	900.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	540.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,040.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	80.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	880.000	SD
880(F) 8878	DRUMS	6,260.000	SD

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 600
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OTTAWA

CONTRACT ID : 120222

PROJECT(S) : STP-158D(193)CO
PCN : 2847604
 DBE GOAL : 7.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$13.01
 45 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 COUNTY ROAD (EW-5): FROM SH-137, EXTEND EAST THEN SOUTH TO I-44.
 PROJECT LENGTH = 7.60 MILES

SECTION 0001 - ROADWAY - BASE BID

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	1,000.000	LF
230(A) 2806	SOLID SLAB SODDING	100.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	320.000	CY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	11,075.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	63.000	TON
412 5267	COLD MILLING PAVEMENT	159.000	SY
619(C) 0924	SAWING PAVEMENT	50.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	4,262.500	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	26.000	EA

SECTION 0002 - TURNOUTS) ROADWAY - ADD ALTERNATE 1 (DRIVES AND MAILBOX

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	209.000	TON

SECTION 0003 - ROADWAY - ADD ALTERNATE 2 (PEORIA SURFACING)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	868.000	TON

SECTION 0004 - TRAFFIC - BASE BID

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	606.000	SF
851(C) 8324	2" SQUARE TUBE POST	1,092.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	160,520.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0005 - TRAFFIC - ADD ALTERNATE 2 (PEORIA SURFACING)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	11,680.000	LF

SECTION 0006 - STAKING - BASE BID

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION - BASE BID

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 620
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PAYNE

CONTRACT ID : 120241

PROJECT(S) : SSR-160A(206)SR
PCN : 2822504
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 30 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 US-177: FROM PERKINS ROAD IN STILLWATER, EXTEND WEST.
 PROJECT LENGTH = 0.95 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	300.000	CY
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1,600.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,400.000	TON
412 5267	COLD MILLING PAVEMENT	1,500.000	SY

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	200.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	200.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	40.000	LF
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	21,500.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	2.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 640
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PITTSBURG

CONTRACT ID : 120223

PROJECT(S) : SBR-161C(246)SB
PCN : 2819504
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$27.09
 180 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 SH-113: OVER ROCK CREEK, 11.2 MILES NORTH OF US-69.

SECTION 0001 - ROADWAY - SBR-161C(246)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0184	UNCLASSIFIED BORROW	2,143.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,233.000	LF
221(F) 0100	TEMPORARY SILT DIKE	72.000	LF
230(A) 2806	SOLID SLAB SODDING	2,159.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	386.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	41.000	TON
408 5774	PRIME COAT	430.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	220.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	255.000	TON
412 5267	COLD MILLING PAVEMENT	533.000	SY
509(D) 0325	CLASS C CONCRETE	11.000	CY
619(B) 4780	REMOVAL OF GUARDRAIL	582.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	475.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	8.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE "A" - SBR-161C(246)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(G) 6309	CLSM BACKFILL	66.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	187.400	SY
504(B) 1305	SAW-CUT GROOVING	805.900	SY
504(C) 6250	SEALED EXPANSION JOINT	86.400	LF
504(D) 6245	CONCRETE RAIL (TR4)	362.800	LF
506(A) 1322	STRUCTURAL STEEL	33,480.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	6.000	EA
509(A) 1326	CLASS AA CONCRETE	155.000	CY
509(B) 1328	CLASS A CONCRETE	48.400	CY
511(A) 1332	REINFORCING STEEL	680.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	48,660.000	LB

512(A)	1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B)	6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
514(A)	6011	PILES, FURNISHED (HP 12X53)	88.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	88.000	LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	428.000	SY
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	68.000	LF
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	40.000	LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	4.000	GAL
521(A)	6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
601(A)	1351	TYPE I PLAIN RIPRAP	700.000	TON
619(B)	4780	REMOVAL OF GUARDRAIL	582.000	LF

SECTION 0003 - TRAFFIC - SBR-161C(246)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	90.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,560.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,070.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,070.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING - SBR-161C(246)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION - SBR-161C(246)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 660
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PITTSBURG

CONTRACT ID : 120224

PROJECT(S) : SBR-161B(247)SB
PCN : 2819604
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$23.84
 150 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 SH-9A: OVER GAINES CREEK, 0.92 MILES EAST OF US-69.

SECTION 0001 - ROADWAY - SBR-161B(247)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3,650.000	LF
221(F) 0100	TEMPORARY SILT DIKE	40.000	LF
230(A) 2806	SOLID SLAB SODDING	3,200.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	2,590.000	CY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,113.000	TON
412 5267	COLD MILLING PAVEMENT	2,187.000	SY
509(D) 0325	CLASS C CONCRETE	5.000	CY
619(B) 4780	REMOVAL OF GUARDRAIL	2,900.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	3,000.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE "A" - SBR-161B(247)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	120.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	143.000	SY
504(B) 1305	SAW-CUT GROOVING	2,403.400	SY
504(C) 6250	SEALED EXPANSION JOINT	63.500	LF
504(D) 6245	CONCRETE RAIL (TR4)	1,442.000	LF
506(A) 1322	STRUCTURAL STEEL	15,130.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	576.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	143,880.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,243.600	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	31.500	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.800	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	9.700	SY
523(A) 6550	SEALER CRACK PREPARATION	128.700	LF
523(B) 6560	SEALER RESIN	2.000	GAL

619(D) 1397 REMOVAL OF EXISTING BRIDGE STRUCTURE

1.000 LSUM

SECTION 0003 - TRAFFIC - SBR-161B(247)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7,126.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	250.000	SD

SECTION 0004 - STAKING - SBR-161B(247)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION - SBR-161B(247)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0006 - NON-PARTICIPATING ITEMS - SBR-161B(247)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504 6176	INSERTS	85.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 670
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PITTSBURG

CONTRACT ID : 120226

PROJECT(S)
 SBR-161C(246)SB
 SBR-161B(247)SB
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$50.93
 240 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

PCN
 2819504C
 2819604C

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 SH-113: OVER ROCK CREEK, 11.2 MILES NORTH OF US-69.
 SH-9A: OVER GAINES CREEK, 0.92 MILES EAST OF US-69.

SECTION 0001 - ROADWAY - SBR-161C(246)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0184	UNCLASSIFIED BORROW	2,143.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,233.000	LF
221(F) 0100	TEMPORARY SILT DIKE	72.000	LF
230(A) 2806	SOLID SLAB SODDING	2,159.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	386.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	41.000	TON
408 5774	PRIME COAT	430.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	220.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	255.000	TON
412 5267	COLD MILLING PAVEMENT	533.000	SY
509(D) 0325	CLASS C CONCRETE	11.000	CY
619(B) 4780	REMOVAL OF GUARDRAIL	582.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	475.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	8.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE "A" - SBR-161C(246)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(G) 6309	CLSM BACKFILL	66.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	187.400	SY
504(B) 1305	SAW-CUT GROOVING	805.900	SY
504(C) 6250	SEALED EXPANSION JOINT	86.400	LF
504(D) 6245	CONCRETE RAIL (TR4)	362.800	LF
506(A) 1322	STRUCTURAL STEEL	33,480.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	6.000	EA
509(A) 1326	CLASS AA CONCRETE	155.000	CY
509(B) 1328	CLASS A CONCRETE	48.400	CY
511(A) 1332	REINFORCING STEEL	680.000	LB

511(B) 6010	EPOXY COATED REINFORCING STEEL	48,660.000 LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000 LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000 LSUM
514(A) 6011	PILES, FURNISHED (HP 12X53)	88.000 LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	88.000 LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	428.000 SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	68.000 LF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	40.000 LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	4.000 GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000 SY
601(A) 1351	TYPE I PLAIN RIPRAP	700.000 TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000 LSUM

SECTION 0003 - TRAFFIC - SBR-161C(246)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	90.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,560.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,070.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,070.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - ROADWAY - SBR-161B(247)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3,650.000	LF
221(F) 0100	TEMPORARY SILT DIKE	40.000	LF
230(A) 2806	SOLID SLAB SODDING	3,200.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	2,590.000	CY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,113.000	TON
412 5267	COLD MILLING PAVEMENT	2,187.000	SY
509(D) 0325	CLASS C CONCRETE	5.000	CY
619(B) 4780	REMOVAL OF GUARDRAIL	2,900.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	3,000.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0005 - BRIDGE "A" - SBR-161B(247)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	120.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	143.000	SY
504(B) 1305	SAW-CUT GROOVING	2,403.400	SY
504(C) 6250	SEALED EXPANSION JOINT	63.500	LF
504(D) 6245	CONCRETE RAIL (TR4)	1,442.000	LF
506(A) 1322	STRUCTURAL STEEL	15,130.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	576.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	143,880.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM

512(B)	6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	1,243.600	SY
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	31.500	LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	2.800	GAL
521(A)	6210	PNEUMATICALLY PLACED MORTAR	9.700	SY
523(A)	6550	SEALER CRACK PREPARATION	128.700	LF
523(B)	6560	SEALER RESIN	2.000	GAL
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0006 - TRAFFIC - SBR-161B(247)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7,126.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	250.000	SD

SECTION 0007 - STAKING - SBR-161B(247)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0008 - CONSTRUCTION - SBR-161B(247)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0009 - NON-PARTICIPATING ITEMS - SBR-161B(247)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504 6176	INSERTS	85.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 700
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PUSHMATAHA

CONTRACT ID : 120225

PROJECT(S)
 SBR-164B(162)SB
 SBR-164B(163)SB
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$41.18
 150 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

PCN
 2787704
 2787804

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 US-271: OVER UNNAMED CREEK, 11.3 MILES NORTHEAST OF SH-3.
 US-271: OVER GAY CREEK, 13.0 MILES NORTHEAST OF SH-3.

SECTION 0001 - ROADWAY - SBR-164B(162)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0184	UNCLASSIFIED BORROW	1,630.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,040.000	LF
221(F) 0100	TEMPORARY SILT DIKE	20.000	LF
230(A) 2806	SOLID SLAB SODDING	2,775.000	SY
230(F) 2812	WATERING	111.000	KGAL
234(A) 2824	FERTILIZING (10-20-10)	0.280	TON
303(A) 2100	AGGREGATE BASE TYPE A	290.000	CY
408 5774	PRIME COAT	486.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	154.200	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	294.000	TON
412 5267	COLD MILLING PAVEMENT	1,503.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	656.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	400.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE "A" - SBR-164B(162)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	150.000	CY
501(G) 6309	CLSM BACKFILL	185.000	CY
504(A) 1304	APPROACH SLAB	234.200	SY
504(B) 1305	SAW-CUT GROOVING	492.500	SY
504(C) 6250	SEALED EXPANSION JOINT	43.200	LF
504(D) 6245	CONCRETE RAIL (TR4)	221.600	LF
506(A) 1322	STRUCTURAL STEEL	26,480.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	7.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	7.000	EA
509(A) 1326	CLASS AA CONCRETE	67.700	CY
509(B) 1328	CLASS A CONCRETE	45.000	CY
511 6306	MECHANICAL SPLICES	260.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	23,820.000	LB

512(A)	1323	PAINING EXISTING STRUCTURES	1.000	LSUM
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	254.000	SY
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	33.000	LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	3.000	GAL
523(A)	6550	SEALER CRACK PREPARATION	101.600	LF
523(B)	6560	SEALER RESIN	2.000	GAL
545	4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	4.000	EA
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC - SBR-164B(162)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	90.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,404.000	LF
870(A) 8485	SAND FILLED IMPACT ATTENUATION MODULE	675.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,920.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	816.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING - SBR-164B(162)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION - SBR-164B(162)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0006 - ROADWAY - SBR-164B(163)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0184	UNCLASSIFIED BORROW	1,000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,040.000	LF
221(F) 0100	TEMPORARY SILT DIKE	20.000	LF
230(A) 2806	SOLID SLAB SODDING	1,900.000	SY
230(F) 2812	WATERING	76.000	KGAL
234(A) 2824	FERTILIZING (10-20-10)	0.200	TON
303(A) 2100	AGGREGATE BASE TYPE A	290.000	CY
408 5774	PRIME COAT	486.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	154.200	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	294.000	TON
412 5267	COLD MILLING PAVEMENT	1,503.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	656.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	400.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0007 - BRIDGE "A" - SBR-164B(163)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY
501(G) 6309	CLSM BACKFILL	163.000	CY
504(A) 1304	APPROACH SLAB	234.200	SY
504(B) 1305	SAW-CUT GROOVING	403.700	SY

504(C)	6250	SEALED EXPANSION JOINT	43.200	LF
504(D)	6245	CONCRETE RAIL (TR4)	181.600	LF
506(A)	1322	STRUCTURAL STEEL	12,700.000	LB
507(A)	6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	7.000	EA
507(B)	6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	7.000	EA
509(A)	1326	CLASS AA CONCRETE	45.700	CY
509(B)	1328	CLASS A CONCRETE	42.200	CY
511	6306	MECHANICAL SPLICES	189.000	EA
511(B)	6010	EPOXY COATED REINFORCING STEEL	17,550.000	LB
512(A)	1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	208.000	SY
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	26.000	LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	2.000	GAL
523(A)	6550	SEALER CRACK PREPARATION	81.600	LF
523(B)	6560	SEALER RESIN	2.000	GAL
540	4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA
545	4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	4.000	EA
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0008 - TRAFFIC - SBR-164B(163)SB

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	90.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,724.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2,080.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,040.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 760
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : STEPHENS

CONTRACT ID : 120243

PROJECT(S) : MC-269N(005) PCN : 2857004
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 45 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 US-81: FROM BEECH AVE IN DUNCAN, EXTEND NORTH.
 PROJECT LENGTH = 2.13 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
407(B) 0250	TACK COAT	6,000.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	5,670.000	TON
411(D) 5965	SUPERPAVE, TYPE S5(PG 76-28 OK)	1,515.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	70.000	TON
412 5267	COLD MILLING PAVEMENT	38,209.000	SY
828(B) 8136	LOOP DETECTOR WIRE	29,980.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	35,285.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	3,000.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	76.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - ADD ALTERNATE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 780
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : TEXAS

CONTRACT ID : 120227

PROJECT(S) : CIRB-170C(140)RB
PCN : 2548304
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$34.68
 120 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND SURFACE
 COUNTY ROAD (NS-77): FROM 5.0 MILES NORTH OF US-64, EXTEND
 NORTH.
 PROJECT LENGTH = 5.307 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	2,002.000	LF
230(A) 2806	SOLID SLAB SODDING	21,796.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.500	AC
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	80,956.000	SY
311(D) 0154	PROCESSING EXISTING BASE & SURFACE, METHOD D	28,023.210	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	691.000	TON
407(B) 0250	TACK COAT	6,359.000	GAL
408 5774	PRIME COAT	17,001.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	18,378.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	9,078.000	TON
504 6143	TUBULAR METAL TRAFFIC RAIL	150.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	112.000	LF
613(A) 0495	42" R.C.PIPE CLASS III	77.000	LF
613(A) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	168.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	432.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	110.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	114.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	62.000	LF
613(B) 4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	54.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	18.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	18.000	EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
619(C) 0924	SAWING PAVEMENT	66.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	300.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	164.440	SF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	89,956.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

642(B) 0096 CONSTRUCTION STAKING LEVEL II

1.000 LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 800
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : TULSA

CONTRACT ID : 120228

PROJECT(S) PCN
 IMY-0044-2(399)226 0637447
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$479.02
 600 CALENDAR DAYS
TIME 'B' BID - \$15,000.00 / DAY
TIME 'C' BID - \$10,000.00 / DAY
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, SURFACE, AND BRIDGE
 I-44: AT LEWIS AVENUE IN THE CITY OF TULSA.
 PROJECT LENGTH = 0.828 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	371,017.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(B) 2801	TEMPORARY BALE BARRIER	1,000.000	LF
221(C) 2801	TEMPORARY SILT FENCE	6,622.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	130.000	EA
221(E) 2804	TEMPORARY SEDIMENT BASIN	16.000	EA
221(F) 0100	TEMPORARY SILT DIKE	8,160.000	LF
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	12.000	EA
229 4318	DITCH LINER PROTECTION	9,468.000	LF
230(A) 2806	SOLID SLAB SODDING	95,492.000	SY
232(A) 2813	SEEDING METHOD A	20.000	AC
233(A) 2817	VEGETATIVE MULCHING	20.000	AC
241 2832	MOWING	158.000	AC
242 0400	(PL)STABILIZED CONSTRUCTION EXIT	4.000	EA
303(A) 2100	AGGREGATE BASE TYPE A	54,856.000	CY
307(A) 4200	FLY ASH	983.000	TON
307(J) 4290	MODIFIED SUBGRADE	238,700.000	SY
319(A) 5190	OPEN-GRADED BITUMINOUS BASE	125,430.000	SY
325 5271	SEPARATOR FABRIC	422,448.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	15,155.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	161.000	TON
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	3,893.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2,749.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	2,117.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	22,011.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	52,786.000	SY
414(C) 4425	CONT. REINF. P.C.C. PAVEMENT(PLACEMENT)	44,834.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	34,860.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	554.000	CY

504(D)	6245	CONCRETE RAIL (TR4)	4,625.000	LF
504(E)	6190	42" F-SHAPED PARAPET	1,297.000	LF
509(A)	0319	CLASS AA CONCRETE	1,645.000	CY
509(B)	0321	CLASS A CONCRETE	80.000	CY
509(B)	0325	CLASS A CONCRETE(LONG. BAR. DES. 1-A)	150.000	CY
509(D)	0325	CLASS C CONCRETE	1,127.000	CY
510(A)	6334	RETAINING WALL	6,490.000	SY
510(B)	6333	SOUND BARRIER WALL	1,219.000	SY
511(A)	0332	REINFORCING STEEL	288,960.000	LB
516(A)	6091	DRILLED SHAFTS 30" DIAMETER	852.000	LF
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	1,996.000	LF
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	1,376.000	LF
516(A)	6098	DRILLED SHAFTS 72" DIAMETER	984.000	LF
516(A)	6100	DRILLED SHAFTS 84" DIAMETER	377.000	LF
609(A)	0287	CONCRETE CURB (4" MNTBLE-INTEGRAL)	3,629.000	LF
609(A)	0288	CONCRETE CURB (6" MNTBLE-INTEGRAL)	1,507.000	LF
609(A)	0380	CONCRETE CURB (8" BARRIER-INTEGRAL)	15,324.000	LF
609(B)	1513	1'-8" COMB. CURB & GUTTER (6" BARRIER)	3,709.000	LF
610(A)	0602	4" CONCRETE SIDEWALK	1,725.000	SY
610(A)	0650	4" DECORATIVE CONCRETE SIDEWALK	1,279.000	SY
610(B)	0604	6" CONCRETE DRIVEWAY	1,458.000	SY
610(C)	0609	6" CONCRETE DIVIDING STRIP	825.000	SY
610(C)	5824	DECORATIVE MEDIAN CONCRETE	583.000	SY
610(I)	4610	TACTILE WARNING DEVICE-NEW	144.000	SF
611(A)	0484	SPECIAL MANHOLE	319.000	CF
611(A)	2657	MANHOLE (4' DIAMETER)	30.000	EA
611(A)	2658	MANHOLE (5' DIAMETER)	10.000	EA
611(A)	2659	MANHOLE (6' DIAMETER)	1.000	EA
611(G)	5112	INLET CI DES. 2 (STD)	10.000	EA
611(G)	5113	INLET CI DES. 2 (B)	24.000	EA
611(G)	5115	INLET CI DES. 2 (D)	6.000	EA
611(G)	5117	INLET CI DES. 2 (2B)	6.000	EA
611(G)	5119	INLET CI DES. 2 (2D)	1.000	EA
611(G)	5120	INLET CI DES. 3 (STD)	2.000	EA
611(G)	5121	INLET CI DES. 3 (B)	1.000	EA
611(G)	5327	INLET GPI TYPE 1 (DES. 1)	2.000	EA
611(G)	5328	INLET GPI TYPE 1 (DES. 2)	1.000	EA
611(G)	5331	INLET GPI TYPE 1 (DES. 5)	2.000	EA
611(G)	5334	INLET GPI TYPE 2 (DES. 8)	2.000	EA
611(G)	5336	INLET GPI TYPE 2 (DES. 10)	1.000	EA
611(G)	5874	INLET W/LRG. JCT. BOX, CI, DES.2(D)	2.000	EA
611(G)	5970	INLET W/SMALL JCT. BOX, CI, DES.2	2.000	EA
611(G)	5972	INLET W/SMALL JCT. BOX, CI, DES.2(B)	5.000	EA
611(G)	5974	INLET W/SMALL JCT. BOX, CI, DES.2(D)	9.000	EA
611(G)	5976	INLET W/SMALL JCT. BOX, CI, DES.2(2B)	2.000	EA
611(G)	5982	INLET W/SMALL JCT. BOX, CI, DES.3	4.000	EA
611(G)	5984	INLET W/SMALL JCT. BOX, CI, DES.3(B)	3.000	EA
611(G)	6000	INLET (SMD-TYPE 1)	9.000	EA

611(G) 6004	INLET (SMD-TYPE 2A)	2.000 EA
611(G) 6006	INLET (SMD-TYPE 2B)	1.000 EA
611(G) 7140	INLET MEDIAN BARRIER, TYPE II, DES.1	8.000 EA
611(L) 0487	JUNCTION BOXES	31.000 CF
613(A) 0491	18" R.C.PIPE CLASS III	6,182.000 LF
613(A) 0492	24" R.C.PIPE CLASS III	1,333.000 LF
613(A) 0493	30" R.C.PIPE CLASS III	1,817.000 LF
613(A) 0494	36" R.C.PIPE CLASS III	269.000 LF
613(A) 0495	42" R.C.PIPE CLASS III	171.000 LF
613(A) 0497	54" R.C.PIPE CLASS III	349.000 LF
613(A) 4434	73" X 45" R.C.PIPE ARCH CLASS A-III	42.000 LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	100.000 LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	100.000 LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	28,608.000 LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	790.000 LF
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	1.000 EA
613(L) 5736	42" PREFAB. CULVERT END SECTION, ROUND	1.000 EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	3.000 EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	1.000 EA
613(M) 7192	TYPE BB4 CULVERT END TREATMENT	2.000 EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	5.000 EA
613(M) 7198	TYPE C6 CULVERT END TREATMENT	2.000 EA
613(Q) 5946	OUTLET LATERAL HEADWALL	35.000 EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	22,755.000 LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	16,307.000 SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	120,226.000 SY
619(B) 4792	REMOVAL OF SIDEWALK	2,356.000 SY
619(C) 0924	SAWING PAVEMENT	4,643.000 LF
627(A) 4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	4,440.000 LF

SECTION 0002 - WATERLINE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	7,000.000	CY
501(G) 6315	CLSM BACKFILL	400.000	CY
616(A) 5121	6" DUCTILE IRON PIPE	1,816.000	LF
616(A) 5122	8" DUCTILE IRON PIPE	2,477.000	LF
616(A) 5124	12" DUCTILE IRON PIPE	2,819.000	LF
616(A) 5172	36" DUCTILE IRON PIPE	438.000	LF
616(A) 5894	16" DUCTILE IRON PIPE	3,665.000	LF
616(D) 0720	30" BALL VALVE W/ VAULT, RESTRAINED JOINT	3.000	EA
616(D) 0765	4" AIR RELEASE ASSEMBLY AND VAULT	1.000	EA
616(D) 0767	2" AIR RELIEF VALVE ASSEMBLY AND METER CAN	1.000	EA
616(D) 0768	2" COMB.AIR RELEASE ASSEMBLY AND VAULT	4.000	EA
616(D) 1070	6" GATE VALVE	37.000	EA
616(D) 1080	8" GATE VALVE	11.000	EA
616(D) 1100	12" GATE VALVE	16.000	EA
616(D) 1125	16" GATE VALVE	16.000	EA

616(D) 7051	STANDARD VALVE BOX	83.000	EA
616(D) 7078	VALVE BOX EXTENSION	83.000	EA
616(F) 5212	METER INSTALLATION 3"	1.000	EA
616(G) 1192	FIRE HYDRANTS	21.000	EA
616(G) 1193	FIRE HYDRANT EXTENSION	21.000	EA
616(K) 0125	4" SOLID SLEEVE	1.000	EA
616(K) 0150	6" SOLID SLEEVE	12.000	EA
616(K) 0175	8" SOLID SLEEVE	2.000	EA
616(K) 0225	12" SOLID SLEEVE	2.000	EA
616(K) 0240	16" SOLID SLEEVE	1.000	EA
616(K) 0260	36" SOLID SLEEVE	1.000	EA
616(M) 0380	30" WELDED STEEL CONDUIT (BORED)	437.000	LF
616(N) 0092	SERVICE CONNECTION (LONG)	63.000	EA
616(O) 0190	6" 11 1/4 DEGREE FITTING	1.000	EA
616(O) 0195	6" 22 1/2 DEGREE FITTING	2.000	EA
616(O) 0200	6" 45 DEGREE FITTING	25.000	EA
616(O) 0300	8" 11 1/4 DEGREE FITTING	10.000	EA
616(O) 0350	8" 22 1/2 DEGREE FITTING	5.000	EA
616(O) 0400	8" 45 DEGREE FITTING	8.000	EA
616(O) 0500	12" 11 1/4 DEGREE FITTING	10.000	EA
616(O) 0520	12" 22 1/2 DEGREE FITTING	10.000	EA
616(O) 0530	12" 45 DEGREE FITTING	3.000	EA
616(O) 0650	16" 11 1/4 DEGREE FITTING	7.000	EA
616(O) 0700	16" 22 1/2 DEGREE FITTING	14.000	EA
616(O) 0750	16" 45 DEGREE FITTING	6.000	EA
616(O) 0900	36" 11 1/4 DEGREE FITTING	4.000	EA
616(O) 0920	36" 22 1/2 DEGREE FITTING	2.000	EA
616(O) 0930	36" 45 DEGREE FITTING	2.000	EA
616(R) 0480	6" X 4" REDUCER	1.000	EA
616(R) 0760	12" X 6" REDUCER	1.000	EA
616(R) 0770	12" X 8" REDUCER	1.000	EA
616(R) 0800	16" X 8" REDUCER	1.000	EA
616(R) 0810	16" X 12" REDUCER	1.000	EA
616(S) 0210	6" PLUG	1.000	EA
616(S) 0240	12" PLUG	1.000	EA
616(S) 0260	36" PLUG	1.000	EA
616(T) 0570	8" X 8" X 6" TEE	9.000	EA
616(T) 0580	8" X 8" X 8" TEE	1.000	EA
616(T) 0600	12" X 12" X 6" TEE	10.000	EA
616(T) 0610	12" X 12" X 8" TEE	1.000	EA
616(T) 0620	12" X 12" X 12" TEE	2.000	EA
616(T) 0630	12" X 12" X 16" TEE	1.000	EA
616(T) 0640	16" X 16" X 6" TEE	6.000	EA
616(T) 0650	16" X 16" X 16" TEE	3.000	EA
616(T) 0700	36" X 36" X 16" TEE	1.000	EA
616(T) 2500	6" X 6" X 6" TEE	9.000	EA

SECTION 0003 - SANITARY SEWER

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
----------	-------------	----------	-------

201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,598.000	CY
611(A) 0484	SPECIAL MANHOLE	162.000	CF
611(A) 2658	MANHOLE (5' DIAMETER)	14.000	EA
612(B) 0750	CONNECT TO EXISTING MANHOLE	2.000	EA
615(B) 0300	SANITARY SEWER SERVICE CONNECTION	7.000	EA
616(A) 5122	8" DUCTILE IRON PIPE	1,606.000	LF
616(A) 5124	12" DUCTILE IRON PIPE	1,707.000	LF
616(M) 0370	26" WELDED STEEL CONDUIT (BORED)	466.000	LF
619(B) 4742	REMOVAL OF MANHOLES	20.000	EA
619(B) 8660	PLUGGING ABANDONED SEWER	2.000	EA

SECTION 0004 - BRIDGE 'E'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	13,566.000	CY
501(G) 6309	CLSM BACKFILL	7,371.500	CY
504(A) 1304	APPROACH SLAB	1,053.000	SY
504(B) 1305	SAW-CUT GROOVING	3,843.000	SY
504(C) 6250	SEALED EXPANSION JOINT	312.000	LF
504(E) 6190	42" F-SHAPED PARAPET	444.000	LF
506(A) 1322	STRUCTURAL STEEL	600,732.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	17.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	34.000	EA
509(A) 1326	CLASS AA CONCRETE	758.500	CY
509(B) 1328	CLASS A CONCRETE	1,549.400	CY
510(C) 6138	SLOPE WALL (5")	589.000	SY
511(B) 6010	EPOXY COATED REINFORCING STEEL	503,190.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,007.000	SY
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	53.000	LF
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	1,485.000	LF
523(A) 6550	SEALER CRACK PREPARATION	478.000	LF
523(B) 6560	SEALER RESIN	254.000	GAL
610(C) 5824	DECORATIVE MEDIAN CONCRETE	592.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	316.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0005 - TRAFFIC SIGNING & STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	105.000	LF
804(A) 2915	STRUCTURAL CONCRETE	184.120	CY
804(B) 2916	REINFORCING STEEL	11,208.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	113.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	837.050	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	104.000	SF
850(B) 8114	EXTRUDED ALUMINUM PANEL SIGNS(OVERHEAD SIGNS)	1,100.250	SF
851(A) 3206	4"@13 GALV.STEEL WIDE FLANGE BEAM POST	74.000	LF
851(B) 3218	3"@7.58 GALV.STEEL PIPE POST	474.000	LF
851(B) 3219	3 1/2"@9.11 GALV.STEEL PIPE POST	88.000	LF

851(C) 8324	2" SQUARE TUBE POST	286.000 LF
851(C) 8327	2 1/4" SQUARE TUBE POST	810.000 LF
852(C) 0105	OVHD.SN.STR., MONOTUBE TYPE A 75'	1.000 EA
852(C) 0115	OVHD.SN.STR., MONOTUBE TYPE A 85'	2.000 EA
853 9063	BARRIER DELINEATORS(TYPE 2, CODE 1)	105.000 EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	200.000 LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	36,655.000 LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	15,093.000 LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	6,642.000 LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	3,541.000 LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	498.000 LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	80.000 EA
871(A) 8325	(SP)IMPACT ATTENUATOR	3.000 EA

SECTION 0006 - TRAFFIC SIGNALS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
802(B) 8334	1" PVC SCH.40 PLASTIC CONDUIT TRENCHED	20.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1,000.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	150.000	LF
802(C) 8552	2" HIGH DENSITY PE PIPE - BORED	400.000	LF
802(C) 8553	3" HIGH DENSITY PE PIPE - BORED	3,145.000	LF
803(A) 8065	PULL BOX(SIZE I)	13.000	EA
803(A) 8066	PULL BOX(SIZE II)	11.000	EA
803(A) 8067	PULL BOX(SIZE III)	7.000	EA
804(A) 2915	STRUCTURAL CONCRETE	45.400	CY
804(B) 2916	REINFORCING STEEL	6,405.000	LB
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	3.000	EA
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	3.000	EA
806(A) 8314	32'MH POLE 50'TS & 10'LMA(G.STL.)	4.000	EA
806(A) 8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8353	32'MH POLE,55'TS & 10'LMA(G.STL.)	1.000	EA
806(B) 8892	8' MTG.HT.TS PED.POLE(G.STL.)	11.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	7.000	EA
809(A) 8090	ROADWAY LUMINAIRE	12.000	EA
810(A) 3118	SERVICE POLE	3.000	EA
811 8040	1/C NO.6 ELECTRICAL CONDUCTOR	2,425.000	LF
811 8046	1/C NO.12 ELECTRICAL CONDUCTOR	10,650.000	LF
811 8052	2/C NO.12 ELECTRICAL CONDUCTOR	2,550.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	3.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
828(A) 8135	SOL.STE.DIGITAL IND.VEH.LP.DET.	6.000	EA
828(B) 8136	LOOP DETECTOR WIRE	430.000	LF
830 8000	PEDESTRIAN PUSH BUTTON	18.000	EA
831 8231	1WAY 3SEC. ADJ. SIG. HD. S-6	18.000	EA
831 8252	1WAY 3SEC. ADJ. SIG. HD. S-9	10.000	EA
831 8270	1WAY 3SEC. ADJ. SIG. HD. S-11	7.000	EA
831 8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	18.000	EA
833 3030	BACKPLATE	35.000	EA

834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	2,334.000 LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	2,800.000 LF
834(A) 8210	12/C TRAFFIC SIGNAL ELECTRICAL CABLE	1,370.000 LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	1,660.000 LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	1,900.000 LF
840(B) 8593	E.P.S. OPTICAL DETECTOR	10.000 EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	2,240.000 LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	10.000 EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	182.710 SF

SECTION 0007 - TRAFFIC LIGHTING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(A) 8306	1 1/4" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	600.000	LF
802(A) 8310	2" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	300.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	16,600.000	LF
802(C) 8552	2" HIGH DENSITY PE PIPE - BORED	100.000	LF
802(E) 8372	JUNCTION BOX(8" X 8" X 6")	2.000	EA
803(A) 8060	PULL BOX	28.000	EA
803(A) 8065	PULL BOX(SIZE I)	15.000	EA
804(A) 2915	STRUCTURAL CONCRETE	32.000	CY
804(B) 2916	REINFORCING STEEL	3,000.000	LB
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	43.000	EA
806(D) 8995	36' MTG.HT.HL.PTP.(G.STL.)	32.000	EA
806(D) 8997	38' MTG.HT.HL.PTP.(G.STL.)	61.000	EA
807 8092	BREAKAWAY BASE (DES. B)	54.000	EA
809(A) 8090	ROADWAY LUMINAIRE	124.000	EA
809(B) 8098	UNDERPASS LUMINIARE	12.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8036	1/C NO.2 ELECTRICAL CONDUCTOR	5,740.000	LF
811 8038	1/C NO.4 ELECTRICAL CONDUCTOR	38,020.000	LF
811 8044	1/C NO.10 ELECTRICAL CONDUCTOR	1,000.000	LF
811 8046	1/C NO.12 ELECTRICAL CONDUCTOR	14,940.000	LF

SECTION 0008 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8482	(SP)TRAFFIC SIGNAL SPAN WIRE EQUIPMENT	1.000	LSUM
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	128,520.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	135,000.000	LF
870(A) 8485	SAND FILLED IMPACT ATTENUATION MODULE	21,600.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	1,360.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	14,588.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	26,000.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	159,568.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	3,360.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	140,120.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	39,960.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	51,560.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	3,920.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	34,800.000	SD

880(C) 8848	WING BARRICADES	6,600.000 SD
880(D) 8854	VERTICAL PANELS	13,200.000 SD
880(E) 8860	WARNING LIGHTS(TYPE A)	84,720.000 SD
880(F) 8878	DRUMS	404,800.000 SD
880(G) 8890	CHANNELIZER CONES	24,560.000 SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	1,200.000 HOUR
880(M) 8340	(SP)TEMPORARY ROADWAY LIGHTING ASSEMBLY	41,080.000 LMDY
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	2,520.000 SD

SECTION 0009 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0010 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
620(C) 5910	CONTRACTOR HEALTH SAFETY PLAN	1.000	LSUM
620(C) 5920	CONTAMINATED MATERIALS MANAGEMENT PLAN	1.000	LSUM
621(A) 6010	(SP)TRANSPORTATION AND DISPOSAL OF NON-HAZARDOUS	3,500.000	TON
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 820
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : TULSA

CONTRACT ID : 120229

PROJECT(S) : SSP-172N(355)SS PCN : 2092504
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$28.18
 90 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE REPAIR
 US-64: OVER EUCHEE CREEK, 6.4 MILES SOUTHEAST OF THE OSAGE
 COUNTY LINE.
 PROJECT LENGTH = 0.074 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	100.000	CY
202(D) 0184	UNCLASSIFIED BORROW	15,786.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	675.000	LF
221(F) 0100	TEMPORARY SILT DIKE	42.000	LF
230(A) 2806	SOLID SLAB SODDING	5,125.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.120	AC
241 2832	MOWING	2.120	AC
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4780	REMOVAL OF GUARDRAIL	352.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2,830.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	315.000	CY
509(A) 1326	CLASS AA CONCRETE	956.600	CY
511(A) 1332	REINFORCING STEEL	145,780.000	LB
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM
601(B) 1353	TYPE I-A PLAIN RIPRAP	2,675.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	1,160.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	180.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	720.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	900.000	SD
880(C) 8848	WING BARRICADES	180.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,520.000	SD
880(F) 8878	DRUMS	1,800.000	SD
880(G) 8890	CHANNELIZER CONES	900.000	SD

880(I) 8902	FLAGGER	90.000 SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000 SD

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 840
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : WASHITA

CONTRACT ID : 120231

PROJECT(S) : SBR-175C(125)SB
PCN : 2811304
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$16.26
 60 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 SH-44: OVER STEEL DUST CREEK, 0.7 MILES NORTH OF THE
 KIOWA COUNTY LINE.

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
230(A) 2806	SOLID SLAB SODDING	2,000.000	SY
407(B) 0250	TACK COAT	500.000	GAL
408 5774	PRIME COAT	100.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	160.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	500.000	TON
412 5267	COLD MILLING PAVEMENT	1,800.000	SY
509(D) 0325	CLASS C CONCRETE	5.000	CY
619(B) 4780	REMOVAL OF GUARDRAIL	200.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	350.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(A) 1304	APPROACH SLAB	143.000	SY
504(B) 1305	SAW-CUT GROOVING	405.000	SY
504(C) 6250	SEALED EXPANSION JOINT	66.340	LF
504(D) 6245	CONCRETE RAIL (TR4)	282.670	LF
506(A) 1322	STRUCTURAL STEEL	48,810.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	15.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	15.000	EA
509 6153	SPECIAL CONCRETE FINISH	1.000	LSUM
509(A) 1326	CLASS AA CONCRETE	85.300	CY
509(B) 1328	CLASS A CONCRETE	36.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	26,100.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	309.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,400.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

882(A) 8306 PORT.CHANGEABLE MESSAGE SIGN

28.000 SD

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 860
 LETTING DATE : June 21, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : WOODS

CONTRACT ID : 120233

PROJECT(S) : SSR-176B(178)SR
PCN : 2756004
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 35 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 US-281: BEGIN 2.4 MILES NORTH OF US-64, EXTEND NORTH.
 PROJECT LENGTH = 6.00 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
407(B) 0250	TACK COAT	5,430.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	7,600.000	TON

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	89,500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting: June 2012

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK		X

BID OPENING OF – June 21, 2012 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex #: _____ <input type="checkbox"/> Mail
Contractor's Name:	
Telephone No:	
Physical Address:	Please Return Completed Form to: Fax : 405-522-0972 or Email: kleonard@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	BECKHAM	040	SAP-205N(013)	28031(04)		\$50.00	8.00 + 0.67	0.00
2	BECKHAM	060	SBR-105C(197)SB	28131(04)		\$50.00	15.00 + 1.26	0.00
3	BLAINE	100	BRO-106D(116)CI	26618(04)		\$50.00	9.00 + 0.75	4.00
4	CARTER	160	SSR-110B(234)SR	28164(04)		\$50.00	No Charge	0.00
5	CIMARRON	180	CIRB-113C(058)RB	24823(04)		\$50.00	33.00 + 2.76	13.00
6	CLEVELAND	200	STP-114B(222)AG	25648(04)		\$50.00	119.00 + 9.97	106.00
7	DELAWARE	260	STP-121C(152)CO	28320(04)		\$50.00	8.00 + 0.67	0.00
8	GARVIN	280	SSR-125C(188)SR	27544(04)		\$50.00	No Charge	0.00
9	GRADY	300	BRO-126D(176)CI	26851(04)		\$50.00	10.00 + 0.84	4.00
10	JACKSON	320	BRF-133C(105)CI	26627(04)		\$50.00	11.00 + 0.92	4.00
11	KAY	340	SSR-136N(198)SR	27446(04)		\$50.00	No Charge	0.00
12	LATIMER	360	STPY-139C(094)	00464(14)		\$50.00	42.00 + 3.52	26.00
13	LINCOLN	380	SSR-141C(185)SR	24679(04)		\$50.00	No Charge	0.00
14	MAYES	410	SBR-249N(004)SB	20893(05)		\$50.00	24.00 + 2.01	0.00
15	OKFUSKEE	500	SSR-154C(167)SR	28198(04)		\$50.00	No Charge	0.00
16	OSAGE	540	HSIPY-157C(061)	21913(04)		\$50.00	41.00 + 3.43	9.00
17	OTTAWA	600	STP-158D(193)CO	28476(04)		\$50.00	12.00 + 1.01	0.00
18	PAYNE	620	SSR-160A(206)SR	28225(04)		\$50.00	No Charge	0.00
19	PITTSBURG	640	SBR-161C(246)SB	28195(04)		\$50.00	25.00 + 2.09	0.00
20	PITTSBURG	660	SBR-161B(247)SB	28196(04)		\$50.00	22.00 + 1.84	0.00
21	PITTSBURG	670	SBR-161C(246)SB SBR-161B(247)SB	28195(04)C 28196(04)C		\$50.00	47.00 + 3.93	0.00
22	PUSHMATAHA	700	SBR-164B(162)SB SBR-164B(163)SB	27877(04) 27878(04)		\$50.00	38.00 + 3.18	0.00
23	STEPHENS	760	MC-269N(005)	28570(04)		\$50.00	No Charge	0.00
24	TEXAS	780	CIRB-170C(140)RB	25483(04)		\$50.00	32.00 + 2.68	0.00
25	TULSA	800	IMY-0044-2(399)226	06374(47)		\$50.00	442.00 + 37. 02	123.00
26	TULSA	820	SSP-172N(355)SS	20925(04)		\$50.00	26.00 + 2.18	8.00
27	WASHITA	840	SBR-175C(125)SB	28113(04)		\$50.00	15.00 + 1.26	0.00
28	WOODS	860	SSR-176B(178)SR	27560(04)		\$50.00	No Charge	0.00