

---

## NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE VERSION **(5.9a)** OF EXPEDITE BID AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

[www.okladot.state.ok.us/contracts/index.htm](http://www.okladot.state.ok.us/contracts/index.htm)



---

## REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

## Notice

Internet bidding is required for most projects on the [July 19, 2012 10:30 A.M.](#) Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal. (The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on [June 28, 2012](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at [10:00 a.m.](#) on [July 06, 2012](#) concerning this [July 19, 2012](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

*Any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.*

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website  
<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:  
Office Engineer Division at 405-522-0972  
or emailed to:  
[mpajoh@odot.org](mailto:mpajoh@odot.org) with copy to [bschmitt@odot.org](mailto:bschmitt@odot.org)

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

*Plans for the projects on this letting can be found at:*  
<http://www.okladot.state.ok.us/contracts/a2012/plans.htm>

## CERTIFIED PAYROLL - FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors.

Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

***Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.***

This minimum will be specified at the end of the Special Provision 648-1QA(a)09, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

***Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.***

***Reminder***

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the Prime Contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. There is a new cover sheet that is required with these DBE confirmations. It is located at the website below.

**Please ensure that the DBE commitment provided in the proposal matches the written confirmation.**

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:  
<http://www.okladot.state.ok.us/regserv/dbeinfo>

***Reminder***

***Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bid.***

**For written bids do not disassemble the bidding proposal in any way.**

***Note***

***Only written, Email, Fax and in-person orders will be accepted.***

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

[kleonard@odot.org](mailto:kleonard@odot.org)

## OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , Thursday, July 19, 2012 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal. Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 020  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : ATOKA  
 BRYAN  
 CHOCTAW  
 MCCURTAIN  
 PITTSBURG

CONTRACT ID : 120245

PROJECT(S)  
 HSIPG-203F(008)TR  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$7.59

PCN  
 2930804

45 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :  
 STRIPING AND PAVEMENT MARKING  
 US-69/US-70/US-70B/US-271B: MULTIPLE LOCATIONS  
 IN DIVISION II.

**SECTION 0001 - PAVEMENT MARKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	84,000.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	415,720.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	7,431.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	5,587.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	132.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	611,000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 040  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BECKHAM  
 BLAINE  
 CUSTER  
 DEWEY  
 JACKSON

CONTRACT ID : 120246

PROJECT(S) PCN  
 HSIPG-205F(014)TR 2931104  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$9.75

45 CALENDAR DAYS  
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :  
 STRIPING AND PAVEMENT MARKING  
 I-40/US-62/US-183/US-270/US-283/SH-6/SH-3/SH-33:  
 MULTIPLE LOCATIONS IN DIVISION V.

**SECTION 0001 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	222,600.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	8,230.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	1,020.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	44.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	8.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	130,075.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	7,545.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	2,914.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	145.000	EA
856(B) 8870	TRAFFIC STRIPE(MULTI-POLY.)(SYMBOLS)	22.000	EA
856(B) 8880	TRAFFIC STRIPE(MULTI-POLY.)(WORDS)	41.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	321,535.000	LF
857(F) 8007	PAVEMENT MARKING REMOVAL(ARROWS)	189.000	EA
857(F) 8008	PAVEMENT MARKING REMOVAL(WORDS)	30.000	EA
857(F) 8009	PAVEMENT MARKING REMOVAL(SYMBOLS)	24.000	EA
858(A) 8899	PAVEMENT MARKERS CLASS A TYPE 1-B	135.000	EA
858(A) 8911	PAVEMENT MARKERS CLASS A TYPE 2-C	250.000	EA
858(A) 8914	PAVEMENT MARKERS CLASS A TYPE 2-D	765.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 060  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BRYAN

CONTRACT ID : 120247

PROJECT(S) : NHY-022N(157) PCN : 2173304  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$52.02  
 150 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 US-70: OVER BLUE RIVER 7.7 MILES EAST OF US-69B.  
 PROJECT LENGTH = 0.738 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	62,102.000	CY
202(D) 0184	UNCLASSIFIED BORROW	28,666.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,650.000	LF
221(F) 0100	TEMPORARY SILT DIKE	238.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	6.000	CY
230(A) 2806	SOLID SLAB SODDING	43,619.000	SY
230(F) 2812	WATERING	3,490.000	KGAL
233(A) 2817	VEGETATIVE MULCHING	17.000	AC
234(A) 2824	FERTILIZING (10-20-10)	5.000	TON
234(A) 4409	FERTILIZING (18-46-0)	1.000	TON
241 2832	MOWING	17.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	6,067.000	CY
325 5271	SEPARATOR FABRIC	22,396.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	19,994.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,720.000	TON
407(B) 0250	TACK COAT	3,297.000	GAL
408 5774	PRIME COAT	8,311.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	1,453.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	6,867.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	969.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,581.000	TON
509(D) 0325	CLASS C CONCRETE	331.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	310.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	420.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	988.000	LF
613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	330.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	4.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	13.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000	EA
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	113.000	CY



613(V) 1180	TRENCH EXCAVATION	396.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	12,641.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	12,641.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	1,500.000	LF
619(C) 0924	SAWING PAVEMENT	1,944.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	963.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	3,210.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C) 4960	MAILBOX	2.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	26.000	EA

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	190.000	CY
501(G) 6309	CLSM BACKFILL	283.600	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	2,990.000	LF
504(A) 1304	APPROACH SLAB	313.400	SY
504(B) 1305	SAW-CUT GROOVING	2,930.500	SY
504(C) 6250	SEALED EXPANSION JOINT	96.000	LF
504(E) 6190	42" F-SHAPED PARAPET	1,323.400	LF
506(A) 1322	STRUCTURAL STEEL	3,140.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	20.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	40.000	EA
509(A) 1326	CLASS AA CONCRETE	768.000	CY
509(B) 1328	CLASS A CONCRETE	379.800	CY
511(A) 1332	REINFORCING STEEL	2,840.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	225,670.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	208.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	860.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	208.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	860.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2,798.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	582.000	LF
523(A) 6550	SEALER CRACK PREPARATION	470.000	LF
523(B) 6560	SEALER RESIN	3.200	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	890.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	185.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	96.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	42.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0003 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	6,800.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	500.000	EA

857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	2,000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	300.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1,650.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,500.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4,500.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,500.000	SD
880(C) 8848	WING BARRICADES	300.000	SD
880(D) 8854	VERTICAL PANELS	2,250.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5,100.000	SD
880(F) 8878	DRUMS	9,750.000	SD
880(G) 8890	CHANNELIZER CONES	2,250.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	300.000	SD

**SECTION 0004 - TRAFFIC SIGNING AND STRIPING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	45.380	SF
851(C) 8324	2" SQUARE TUBE POST	134.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	15,040.000	LF

**SECTION 0005 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0006 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 080  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BRYAN

CONTRACT ID : 120248

PROJECT(S) : BRFY-107B(151) PCN : 2623104  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$49.85  
 150 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 US-69B: OVER MINERAL BAYOU CREEK 0.5 MILE SOUTH OF US-70.  
 PROJECT LENGTH = 0.152 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3,606.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,513.000	LF
221(F) 0100	TEMPORARY SILT DIKE	70.000	LF
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	4.000	EA
230(A) 2806	SOLID SLAB SODDING	2,622.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.550	AC
241 2832	MOWING	1.200	AC
303(A) 2100	AGGREGATE BASE TYPE A	984.000	CY
310(B) 0149	SUBGRADE, METHOD B	3,475.000	SY
325 5271	SEPARATOR FABRIC	1,248.000	SY
325 5280	MOISTURE BARRIER MEMBRANE	3,100.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	497.000	TON
407(B) 0250	TACK COAT	574.000	GAL
408 5774	PRIME COAT	967.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	409.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	969.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	314.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	56.000	TON
509(A) 1326	CLASS AA CONCRETE	4.200	CY
511(A) 0332	REINFORCING STEEL	804.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	94.000	TON
609(B) 1513	1'-8" COMB. CURB & GUTTER (6" BARRIER)	512.000	LF
609(B) 1525	2'-8" COMB. CURB & GUTTER (6" BARRIER)	124.000	LF
609(B) 1526	2'-8" COMB. CURB & GUTTER (8" BARRIER)	73.000	LF
611(A) 2657	MANHOLE (4' DIAMETER)	2.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	4.000	VF
611(G) 5115	INLET CI DES. 2 (D)	1.000	EA
611(G) 5980	INLET W/SMALL JCT. BOX, CI, DES.2(2D)	1.000	EA
611(G) 5982	INLET W/SMALL JCT. BOX, CI, DES.3	1.000	EA
611(G) 5992	INLET W/SMALL JCT. BOX, CI, DES.3(2D)	1.000	EA
611(H) 5305	ADD'L DEPTH IN INLET CI DES. 2(D)	1.000	VF

611(H) 5980	ADD'L DEPTH IN INLET W/SJB, CI, DES. 2(2D)	2.000	VF
611(H) 5982	ADD'L DEPTH IN INLET W/SJB, CI, DES. 3	2.000	VF
611(H) 5992	ADD'L DEPTH IN INLET W/SJB, CI, DES. 3(2D)	1.000	VF
613(A) 0491	18" R.C.PIPE CLASS III	24.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	537.000	LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	746.000	LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	80.000	LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	3.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	191.000	CY
613(V) 1180	TRENCH EXCAVATION	458.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,918.000	SY
619(C) 0924	SAWING PAVEMENT	125.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	86.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	3.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	3.000	EA
624(A) 4281	FENCE-STYLE WWF	23.000	LF

**SECTION 0002 - BRIDGE "A"**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	1,190.000	CY
501(F) 6352	GRANULAR BACKFILL	11.000	CY
501(G) 6309	CLSM BACKFILL	38.000	CY
503(A) 6123	PRESTRESSED CONCRETE BEAMS	1,270.500	LF
504(A) 1304	APPROACH SLAB	244.800	SY
504(B) 1305	SAW-CUT GROOVING	711.100	SY
504(D) 6245	CONCRETE RAIL (TR4)	320.000	LF
506(A) 1322	STRUCTURAL STEEL	1,095.000	LB
507(C) 6282	ELASTOMERIC BEARING PADS	66.000	EA
509(A) 1326	CLASS AA CONCRETE	121.000	CY
509(B) 1328	CLASS A CONCRETE	134.000	CY
509(D) 1331	CLASS C CONCRETE	3.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	52,460.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	504.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	504.000	LF
514(K) 6260	(PL)PILOT HOLES	200.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	264.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	348.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	491.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	93.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	114.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
624(E) 4298	FENCE-STYLE CLF (7' HIGH, CLASS B)	420.000	LF

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM

850(A)	8110	SHEET ALUMINUM SIGNS	42.680	SF
851(C)	8324	2" SQUARE TUBE POST	126.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2,896.000	LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 100  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : BRYAN

CONTRACT ID : 120196

PROJECT(S)  
 HSIPG-013N(156)TR  
 HSIPG-013N(157)TR  
 DBE GOAL : 8.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$45.52  
 180 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

PCN  
 2907904  
 2908004

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENT (CABLE BARRIER AND INTERSECTION  
 MODIFICATION)  
 US-69: FROM JUST NORTH OF COLBERT EXTEND NORTH, AND FROM  
 BLUE RIVER EXTEND NORTH.  
 PROJECT LENGTH = 13.109 MILES

**SECTION 0001 - TRAFFIC CONTROL - HSIPG-013N(156)TR**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1,860.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,440.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,320.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	900.000	SD
880(C) 8848	WING BARRICADES	240.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,460.000	SD
880(F) 8878	DRUMS	1,800.000	SD
880(G) 8890	CHANNELIZER CONES	17,100.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	480.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

**SECTION 0002 - CABLE BARRIER - HSIPG-013N(156)TR**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
221(C) 2801	TEMPORARY SILT FENCE	1,150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	20.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1,456.000	LF
230(A) 2806	SOLID SLAB SODDING	26,270.000	SY
241 2832	MOWING	70.000	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	7,936.000	TON
509(A) 0319	CLASS AA CONCRETE	314.000	CY
509(D) 0325	CLASS C CONCRETE	25.000	CY
612(C) 0645	INLET ADJUST TO GRADE	20.000	EA
619(C) 0924	SAWING PAVEMENT	100.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	33,744.000	LF
628(C) 5110	END ANCHORS	2.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA

**SECTION 0003 - ROADWAY - HSIPG-013N(157)TR**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
303(A) 2100	AGGREGATE BASE TYPE A	402.000	CY

325	5271	SEPARATOR FABRIC	1,560.000	SY
407(B)	0250	TACK COAT	195.000	GAL
408	5774	PRIME COAT	465.000	GAL
411(B)	5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	297.000	TON
411(C)	5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	147.000	TON
613(J)	5915	EDGE DRAIN CONDUIT-PERFORATED	1,050.000	LF
613(K)	5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	300.000	LF
613(U)	1100	PIPE UNDERDRAIN COVER MAT'L.	69.000	CY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	402.000	SY
619(C)	0924	SAWING PAVEMENT	1,200.000	LF

**SECTION 0004 - TRAFFIC CONTROL - HSIPG-013N(157)TR**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,500.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,720.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,880.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,640.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,800.000	SD
880(C) 8848	WING BARRICADES	480.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4,920.000	SD
880(F) 8878	DRUMS	3,600.000	SD
880(G) 8890	CHANNELIZER CONES	34,200.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	200.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	480.000	SD

**SECTION 0005 - CABLE BARRIER - HSIPG-013N(157)TR**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	9,445.160	CY
202(D) 0184	UNCLASSIFIED BORROW	21,072.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	17.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1,484.000	LF
230(A) 2806	SOLID SLAB SODDING	104,656.000	SY
241 2832	MOWING	58.000	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	6,606.000	TON
509(A) 0319	CLASS AA CONCRETE	446.000	CY
509(D) 0325	CLASS C CONCRETE	337.000	CY
612(C) 0645	INLET ADJUST TO GRADE	16.000	EA
613(B) 4525	17" X 13" CORR. GALV. STEEL PIPE ARCH	40.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	120.000	LF
613(B) 5168	24" X 18" CORR. GALV. STEEL PIPE ARCH	40.000	LF
613(L) 4501	17" X 13" PREFAB. CULVERT END SECTION, ARCH	4.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	8.000	EA
619(C) 0924	SAWING PAVEMENT	100.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	33,414.000	LF
628(C) 5110	END ANCHORS	44.000	EA

628(E) 5175 CABLE BARRIER TENSION METER

1.000 EA

**SECTION 0006 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0007 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 110  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CADDO

CONTRACT ID : 120302

PROJECT(S) : SBR-108B(178)SB  
PCN : 2451204  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$29.26  
 120 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 BRIDGE REPAIR  
 US-281: OVER SUGAR CREEK,0.4 MILE EAST OF THE SH-8/SH-152  
 JUNCTION IN THE CITY OF BINGER.

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0184	UNCLASSIFIED BORROW	222.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	300.000	LF
221(F) 0100	TEMPORARY SILT DIKE	20.000	LF
230(A) 2806	SOLID SLAB SODDING	900.000	SY
230(F) 2812	WATERING	36.000	KGAL
234(A) 2824	FERTILIZING (10-20-10)	0.090	TON
303(A) 2100	AGGREGATE BASE TYPE A	27.000	CY
408 5774	PRIME COAT	68.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	252.000	TON
412 5267	COLD MILLING PAVEMENT	1,660.000	SY
509(D) 0325	CLASS C CONCRETE	14.000	CY
619(B) 4780	REMOVAL OF GUARDRAIL	773.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	700.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	214.400	SY
504(B) 1305	SAW-CUT GROOVING	1,140.600	SY
504(C) 6250	SEALED EXPANSION JOINT	114.000	LF
504(D) 6245	CONCRETE RAIL (TR4)	684.400	LF
506(A) 1322	STRUCTURAL STEEL	15,900.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	40.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	30.000	EA
509(A) 1326	CLASS AA CONCRETE	244.800	CY
509(D) 1331	CLASS C CONCRETE	6.000	CY
511 6306	MECHANICAL SPLICES	986.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	58,460.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

513(B)	6019	CLASS B BRIDGE DECK REPAIR	5.000	SY
513(C)	6020	CLASS C BRIDGE DECK REPAIR	5.000	SY
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	988.000	SY
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	51.000	LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	5.000	GAL
521(A)	6210	PNEUMATICALLY PLACED MORTAR	12.900	SY
523(A)	6550	SEALER CRACK PREPARATION	392.400	LF
523(B)	6560	SEALER RESIN	5.000	GAL
540	4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	5.000	EA
545	4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	24.000	EA
619(B)	2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	120.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,685.000	LF
870(A) 8485	SAND FILLED IMPACT ATTENUATION MODULE	3,600.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	920.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	920.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 120  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CARTER

CONTRACT ID : 120249

PROJECT(S)  
 BRF-NBIL(223)CI  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$8.67  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

PCN  
 2684904

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (EW-200): OVER TRIBUTARY OF WALNUT BAYOU CREEK  
 4.0 MILES SOUTH AND 4.6 MILES EAST OF THE US-70/SH-76 JCT.  
 PROJECT LENGTH = 0.340 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3,600.000	LF
221(F) 0100	TEMPORARY SILT DIKE	800.000	LF
230(A) 2806	SOLID SLAB SODDING	15,380.000	SY
233(A) 2817	VEGETATIVE MULCHING	7.000	AC
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,109.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	559.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0691	30" CORR. GALV. STEEL PIPE	36.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	102.000	LF
613(L) 4504	21" X 15" PREFAB. CULVERT END SECTION, ARCH	6.000	EA
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	2.000	EA

**SECTION 0002 - BRIDGE A**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2,678.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	222.000	CY
509(A) 1326	CLASS AA CONCRETE	409.200	CY
511(A) 1332	REINFORCING STEEL	57,740.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,435.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	480.000	TON
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 140  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CLEVELAND  
 OKLAHOMA

CONTRACT ID : 120130

PROJECT(S)  
 STP-155B(655)AG  
 STP-114B(249)AG  
 DBE GOAL : 6.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$45.52  
 250 CALENDAR DAYS  
 RES. ENG: DIVISION 3 (ADA)

PCN  
 2560004  
 2680304

CONTRACT DESCRIPTION :  
 GRADE, DRAIN, AND SURFACE  
 COUNTY ROAD (EASTERN AVE): BEGIN ONE MILE WEST OF THE  
 I-35/I-240 JCT EXTEND SOUTH.  
 PROJECT LENGTH = 1.972 MILES

**SECTION 0001 - ROADWAY - STP-155B(655)AG**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	30,640.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	13,049.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	51.000	EA
221(F) 0100	TEMPORARY SILT DIKE	63.000	LF
230(A) 2806	SOLID SLAB SODDING	11,100.000	SY
232(A) 2813	SEEDING METHOD A	4.600	AC
241 2832	MOWING	6.900	AC
307(F) 4250	CEMENTITIOUS MODIFIED SUBGRADE	49,794.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,337.000	TON
407(B) 0250	TACK COAT	431.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,921.000	TON
412 5267	COLD MILLING PAVEMENT	8,944.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT )	45,039.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	13,759.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	322.000	CY
509(A) 0319	CLASS AA CONCRETE	236.000	CY
509(B) 0321	CLASS A CONCRETE	41.000	CY
511(A) 0332	REINFORCING STEEL	28,054.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	60.000	TON
609(A) 0380	CONCRETE CURB (8" BARRIER-INTEGRAL)	12,444.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	3,520.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	1,711.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	88.000	SF
611(G) 5113	INLET CI DES. 2 (B)	48.000	EA
611(G) 5394	INLET CDI RCB DES. 8	2.000	EA
611(G) 5395	INLET CDI RCB DES. 9	2.000	EA
611(G) 6002	INLET (SMD-TYPE 2)	2.000	EA
611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	34.000	VF
611(L) 0487	JUNCTION BOXES	1,100.000	CF

613(A) 0491	18" R.C.PIPE CLASS III	1,738.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	1,160.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	1,679.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	1,126.000	LF
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	5.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	293.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	19,442.000	SY
619(C) 0924	SAWING PAVEMENT	940.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	7.000	EA
629(C) 4960	MAILBOX	7.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	7.000	EA

**SECTION 0002 - SIGNING AND STRIPING - STP-155B(655)AG**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	95.000	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	222.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	16,366.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	175.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	9.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	2.000	EA
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	109,000.000	LF
880(B) 8819	CONSTRUCTION SIGNS 0 TO 6.25 SF	37.000	EA
880(B) 8822	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	48.000	EA
880(C) 8845	BARRICADES(TYPE III)	8.000	EA
880(E) 8863	WARNING LIGHTS(TYPE A)	28.000	EA
880(F) 8881	DRUMS	472.000	EA

**SECTION 0003 - STAKING - STP-155B(655)AG**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION - STP-155B(655)AG**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

**SECTION 0005 - NON-PARTICIPATING - STP-155B(655)AG**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
612(A) 0641	MANHOLES ADJUST TO GRADE	2.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	5.000	EA
612(F) 0648	METER BOXES ADJUST TO GRADE	1.000	EA
616 5010	(PL) IRRIGATION SYSTEM	1.000	LSUM

**SECTION 0006 - ROADWAY - STP-114B(249)AG**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	13,495.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,151.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	28.000	EA

230(A)	2806	SOLID SLAB SODDING	800.000	SY
232(A)	2813	SEEDING METHOD A	1.700	AC
241	2832	MOWING	1.900	AC
307(F)	4250	CEMENTITIOUS MODIFIED SUBGRADE	13,973.000	SY
402(E)	0225	TRAFFIC BOUND SURFACE COURSE TYPE E	553.000	TON
407(B)	0250	TACK COAT	101.000	GAL
411(C)	5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	451.000	TON
414(B)	5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT )	13,062.000	SY
414(G)	5275	P.C. CONCRETE FOR PAVEMENT	4,354.000	CY
509(B)	0321	CLASS A CONCRETE	25.000	CY
609(A)	0380	CONCRETE CURB (8" BARRIER-INTEGRAL)	4,244.000	LF
610(A)	0602	4" CONCRETE SIDEWALK	1,206.000	SY
610(B)	0604	6" CONCRETE DRIVEWAY	953.000	SY
610(I)	4610	TACTILE WARNING DEVICE-NEW	16.000	SF
610(I)	4615	TACTILE WARNING DEVICE-RETROFIT	26.000	SF
611(G)	5113	INLET CI DES. 2 (B)	26.000	EA
611(H)	5325	ADD'L DEPTH IN INLET CI DES. 2	16.000	VF
611(L)	0487	JUNCTION BOXES	728.000	CF
613(A)	0491	18" R.C.PIPE CLASS III	668.000	LF
613(A)	0494	36" R.C.PIPE CLASS III	1,057.000	LF
613(A)	0495	42" R.C.PIPE CLASS III	506.000	LF
613(A)	0496	48" R.C.PIPE CLASS III	351.000	LF
613(A)	0497	54" R.C.PIPE CLASS III	437.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4726	REMOVAL OF CURB AND GUTTER	460.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	9,121.000	SY
619(B)	5918	REMOVAL OF EXISTING PIPE	320.000	LF
619(C)	0924	SAWING PAVEMENT	400.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE	5.000	EA
629(C)	4960	MAILBOX	5.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	5.000	EA
805(D)	8744	(PL)REMOVE & RESET LIGHT POLE	1.000	EA

**SECTION 0007 - SIGNING AND STRIPING - STP-114B(249)AG**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A)	8110	SHEET ALUMINUM SIGNS	23.000 SF
851(C)	8327	2 1/4" SQUARE TUBE POST	59.000 LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6,695.000 LF
855(A)	8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	20.000 LF
857(A)	8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	21,000.000 LF
880(B)	8819	CONSTRUCTION SIGNS 0 TO 6.25 SF	13.000 EA
880(B)	8822	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	22.000 EA
880(C)	8845	BARRICADES(TYPE III)	2.000 EA
880(E)	8863	WARNING LIGHTS(TYPE A)	12.000 EA
880(F)	8881	DRUMS	134.000 EA

**SECTION 0008 - NON-PARTICIPATING - STP-114B(249)AG**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
612(A)	0641	MANHOLES ADJUST TO GRADE	2.000 EA

612(E) 0647 VALVE BOXES ADJUST TO GRADE  
616 5010 (PL) IRRIGATION SYSTEM

2.000 EA  
1.000 LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 160  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CLEVELAND

CONTRACT ID : 120250

PROJECT(S)  
 STPG-114F(303)AG  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$5.42  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 3 (ADA)

PCN  
 2901104

CONTRACT DESCRIPTION :  
 TRAFFIC SIGNALS  
 CITY STREETS: MULTIPLE LOCATIONS IN THE CITY OF NORMAN.

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	150.000	LF
803(A) 8066	PULL BOX(SIZE II)	2.000	EA
824(C) 6551	(SP)CABINET	2.000	EA
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	20.000	EA
825(A) 8559	SIGNAL SYSTEM CONTROLLER UPGRADE	35.000	EA
831 8231	1WAY 3SEC. ADJ. SIG. HD. S-6	10.000	EA
831 8275	1WAY 3SEC. ADJ. SIG. HD.S-12	11.000	EA
831 8280	1WAY 4SEC. ADJ. SIG. HD.S-13	147.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	575.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	5,350.000	LF
834(A) 8210	12/C TRAFFIC SIGNAL ELECTRICAL CABLE	200.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	3,175.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 180  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : DELAWARE

CONTRACT ID : 120251

PROJECT(S) : BRF-121C(122)CI  
PCN : 2590104  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$19.51  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-468/EW-028): OVER CARR CREEK 1.0 MILE NORTH  
 AND 3.0 MILE EAST OF SH-10/SH-25 JCT.  
 PROJECT LENGTH = 0.256 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	7,336.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	366.000	LF
221(F) 0100	TEMPORARY SILT DIKE	260.000	LF
230(A) 2806	SOLID SLAB SODDING	5,645.000	SY
303(B) 2110	AGGREGATE BASE TYPE B	490.000	CY
402(D) 0223	TRAFFIC BOUND SURFACE COURSE TYPE D	158.000	TON
407(B) 0250	TACK COAT	213.000	GAL
408 5774	PRIME COAT	659.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	731.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	602.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	1,390.000	CY
509(A) 0319	CLASS AA CONCRETE	282.000	CY
509(B) 0321	CLASS A CONCRETE	127.000	CY
511(A) 0332	REINFORCING STEEL	67,170.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	1,365.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	477.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	44.000	LF
613(P) 0760	18" GALV. STEEL CULVERT END SECTION ROUND	2.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3,018.000	SY
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	412.500	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C) 4960	MAILBOX	1.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	22.180	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	36.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	5,522.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - BRIDGE**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

619(D) 1397 REMOVAL OF EXISTING BRIDGE STRUCTURE

1.000 LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 200  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : GRANT

CONTRACT ID : 120252

PROJECT(S) : BRO-127D(171)CI  
PCN : 2728104  
 DBE GOAL : 4.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$14.09  
 120 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (EW-12) : OVER TRIBUTARY TO SAND CREEK 2.0 MILES  
 NORTH AND 0.4 MILE EAST OF THE SH-11/SH-132 JCT.  
 PROJECT LENGTH = 0.275 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	350.000	LF
230(A) 2806	SOLID SLAB SODDING	8,850.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.640	AC
307(A) 4200	FLY ASH	157.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	3,850.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	175.000	TON
407(B) 0250	TACK COAT	275.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	836.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	403.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	208.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	162.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	6.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
619(C) 0924	SAWING PAVEMENT	36.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	5,800.000	LF

**SECTION 0002 - BRIDGE**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
501(G) 6309	CLSM BACKFILL	102.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	284.000	LF
504(B) 1305	SAW-CUT GROOVING	242.200	SY
504(D) 6239	CONCRETE RAIL (TR3)	271.300	LF
506(A) 1322	STRUCTURAL STEEL	590.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	77.800	CY
509(B) 1328	CLASS A CONCRETE	79.400	CY

511(A)	1332	REINFORCING STEEL	33,300.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	308.000	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	1,008.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	308.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	1,008.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	725.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	242.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	30.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	1418	BEAM GUARDRAIL W-BEAM SINGLE	175.000	LF
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	6.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 220  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : HARMON

CONTRACT ID : 120253

PROJECT(S)  
 CIRB-129C(039)RB  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$62.86  
 270 CALENDAR DAYS  
 RES. ENG: DIVISION 5 (CLINTON)

PCN  
 2494904

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD: OVER THE RED RIVER 8.0 MILES SOUTH AND 3.0  
 MILES WEST OF HOLLIS.  
 PROJECT LENGTH = 0.937 MILES

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED. BOTH BID  
 EXPRESS AND WRITTEN BIDS WILL BE ACCEPTED.

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1,572.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,000.000	CY
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	4,450.000	LF
232(B) 2814	SEEDING METHOD B	9.900	AC
233(A) 2817	VEGETATIVE MULCHING	9.900	AC
303(A) 2100	AGGREGATE BASE TYPE A	1,750.000	CY
311(A) 0151	PROCESSING EXISTING BASE & SURFACE, METHOD A	1,146.840	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	104.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,100.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,100.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	85.000	LF
624(B) 4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	7,244.000	LF
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	212.500	LF

**SECTION 0002 - WORK ROAD**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(D) 0184	UNCLASSIFIED BORROW	5,982.000	CY
601(A) 1351	TYPE I PLAIN RIPRAP	1,197.000	TON
613(B) 4534	71" X 47" CORR. GALV. STEEL PIPE ARCH	308.000	LF

**SECTION 0003 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	240.000	CY
501(F) 6352	GRANULAR BACKFILL	148.000	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	5,786.700	LF
503(C) 6175	PRESTRESSED CONCRETE DECK PANELS	28,320.000	SF
504 6176	INSERTS	644.000	EA
504(B) 1305	SAW-CUT GROOVING	4,490.000	SY

504(C)	6250	SEALED EXPANSION JOINT	175.850	LF
504(D)	6239	CONCRETE RAIL (TR3)	2,977.200	LF
506(A)	1322	STRUCTURAL STEEL	10,060.000	LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	40.000	EA
507(B)	6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	40.000	EA
509(A)	1326	CLASS AA CONCRETE	1,172.000	CY
509(B)	1328	CLASS A CONCRETE	451.500	CY
511(A)	1332	REINFORCING STEEL	290,010.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	260.000	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	1,440.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	260.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	1,440.000	LF
516	6200	(SP)CLASS T CONCRETE	350.000	CY
516(A)	6098	DRILLED SHAFTS 72" DIAMETER	1,515.000	LF
516(A)	6200	(SP)RE-DRILL GROUTED SHAFTS	450.000	LF
516(C)	6200	CROSSHOLE SONIC LOGGING	18.000	EA
516(D)	6400	CSL ACCESS TUBES	11,186.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	500.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	500.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	26.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A)	1398 FIELD OFFICE	1.000	EA
641	1399 MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 225  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : JEFFERSON

CONTRACT ID : 120303

PROJECT(S) : SBR-234C(002)SB  
PCN : 2917404  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$20.59  
 100 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 BRIDGE REHABILITATION  
 SH-32: OVER RED CREEK, 8.1 MILES EAST OF US-81.

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0184	UNCLASSIFIED BORROW	1,510.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,040.000	LF
221(F) 0100	TEMPORARY SILT DIKE	20.000	LF
230(A) 2806	SOLID SLAB SODDING	3,150.000	SY
230(F) 2812	WATERING	126.000	KGAL
234(A) 2824	FERTILIZING (10-20-10)	0.320	TON
303(A) 2100	AGGREGATE BASE TYPE A	179.000	CY
408 5774	PRIME COAT	211.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	82.300	TON
411(D) 5975	SUPERPAVE, TYPE S5(PG 64-22 OK)	218.700	TON
412 5267	COLD MILLING PAVEMENT	977.800	SY
619(B) 4780	REMOVAL OF GUARDRAIL	406.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	400.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502(C) 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	178.800	SY
504(B) 1305	SAW-CUT GROOVING	571.100	SY
504(C) 6250	SEALED EXPANSION JOINT	63.500	LF
504(D) 6245	CONCRETE RAIL (TR4)	342.000	LF
506(A) 1322	STRUCTURAL STEEL	2,870.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	15.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	15.000	EA
509(A) 1326	CLASS AA CONCRETE	102.500	CY
509(B) 1328	CLASS A CONCRETE	1.400	CY
509(D) 1331	CLASS C CONCRETE	40.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	22,860.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	384.000	SY
521(A)	6210	PNEUMATICALLY PLACED MORTAR	2.100	SY
523(A)	6550	SEALER CRACK PREPARATION	64.300	LF
523(B)	6560	SEALER RESIN	1.000	GAL
545	4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	8.000	EA
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,560.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	28.000	SD

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 230  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : JEFFERSON

CONTRACT ID : 120304

PROJECT(S) : SBR-234N(007)SB  
PCN : 2922004  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$18.42  
 120 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 BRIDGE REHABILITATION  
 US-81: OVER SQUIRREL CREEK 3.5 MILES SOUTH OF US-70.

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0184	UNCLASSIFIED BORROW	50.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	520.000	LF
221(F) 0100	TEMPORARY SILT DIKE	20.000	LF
230(A) 2806	SOLID SLAB SODDING	700.000	SY
230(F) 2812	WATERING	28.000	KGAL
234(A) 2824	FERTILIZING (10-20-10)	0.080	TON
303(A) 2100	AGGREGATE BASE TYPE A	8.000	CY
408 5774	PRIME COAT	18.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	202.000	TON
412 5267	COLD MILLING PAVEMENT	1,480.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	890.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	500.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

**SECTION 0002 - BRIDGE**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(A) 1304	APPROACH SLAB	152.000	SY
504(B) 1305	SAW-CUT GROOVING	359.800	SY
504(D) 6245	CONCRETE RAIL (TR4)	202.400	LF
506(A) 1322	STRUCTURAL STEEL	3,920.000	LB
509(A) 1326	CLASS AA CONCRETE	56.400	CY
511 6306	MECHANICAL SPLICES	222.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	12,220.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	168.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	11.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	1.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	7.500	SY
523(A) 6550	SEALER CRACK PREPARATION	129.500	LF
523(B) 6560	SEALER RESIN	3.000	GAL

619(B) 2500 REMOVAL OF BRIDGE ITEMS

1.000 LSUM

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	120.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,136.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	240.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,000.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 235  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : KAY

CONTRACT ID : 120305

PROJECT(S) : SBR-136B(217)SB  
PCN : 2759404  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$24.93  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 BRIDGE REHABILITATION  
 US-60: OVER US-60B SOUTHWEST OF PONCA CITY.  
 PROJECT LENGTH = 0.070 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
303(A) 2100	AGGREGATE BASE TYPE A	20.000	CY
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	58.280	TON
412 5267	COLD MILLING PAVEMENT	477.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	587.500	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	475.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	6.000	EA

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(A) 1304	APPROACH SLAB	180.600	SY
504(B) 1305	SAW-CUT GROOVING	1,142.800	SY
504(C) 6250	SEALED EXPANSION JOINT	80.000	LF
504(E) 6190	42" F-SHAPED PARAPET	549.300	LF
504(G) 6390	RAPID CURE JOINT SEALANT	80.000	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(A) 1326	CLASS AA CONCRETE	333.600	CY
511 6306	MECHANICAL SPLICES	800.000	EA
511(A) 1332	REINFORCING STEEL	7,598.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	103,921.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	556.800	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	70.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	83.700	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	383.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	865.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	270.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	690.000	LF

877(C)	8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	690.000	LF
880(A)	8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1,980.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,160.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,340.000	SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	675.000	SD
880(C)	8848	WING BARRICADES	360.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	720.000	SD
880(F)	8878	DRUMS	4,230.000	SD
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	208.000	SD

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A)	0095 CONSTRUCTION STAKING LEVEL I	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641	1552 MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 240  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : KAY  
 PAYNE

CONTRACT ID : 120254

PROJECT(S)  
 HSIPG-236F(003)TR  
PCN  
 2931004  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$4.34  
 45 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 STRIPING AND PAVEMENT MARKING  
 I-35/US-60/US-77/US-177/SH-51: MULTIPLE LOCATIONS  
 IN DIVISION IV.

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	146,104.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	32,000.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	26,000.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	2,050.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	44.000	EA
856(B) 8870	TRAFFIC STRIPE(MULTI-POLY.)(SYMBOLS)	92.000	EA
856(B) 8880	TRAFFIC STRIPE(MULTI-POLY.)(WORDS)	4.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	198,040.000	LF
857(F) 8007	PAVEMENT MARKING REMOVAL(ARROWS)	44.000	EA
857(F) 8008	PAVEMENT MARKING REMOVAL(WORDS)	92.000	EA
857(F) 8009	PAVEMENT MARKING REMOVAL(SYMBOLS)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 260  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : KINGFISHER

CONTRACT ID : 120255

PROJECT(S) : SSP-237E(001)SS PCN : 2908504  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$11.92  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 GRADE, DRAIN, AND SURFACE  
 US-81: FROM 2.6 MILES SOUTH OF THE SH-33 JCT EXTEND NORTH.  
 PROJECT LENGTH = 0.177 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	750.000	LF
221(F) 0100	TEMPORARY SILT DIKE	28.000	LF
230(A) 2806	SOLID SLAB SODDING	4,670.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	786.000	CY
325 5271	SEPARATOR FABRIC	1,000.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	211.000	TON
407(B) 0250	TACK COAT	332.000	GAL
408 5774	PRIME COAT	900.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	320.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	392.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	212.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	340.000	TON
412 5267	COLD MILLING PAVEMENT	910.000	SY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	615.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT )	2,115.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	682.000	CY
509(A) 0319	CLASS AA CONCRETE	8.000	CY
511(A) 0332	REINFORCING STEEL	990.000	LB
611(G) 6002	INLET (SMD-TYPE 2)	1.000	EA
613(A) 0491	18" R.C.PIPE CLASS III	158.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	455.000	SY

**SECTION 0002 - TRAFFIC TEMPORARY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - TRAFFIC PERMANENT**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	137.000	SF
851(C) 8324	2" SQUARE TUBE POST	130.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	3,210.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	30.000	LF

856(B) 8870 TRAFFIC STRIPE(MULTI-POLY.)(SYMBOLS)

6.000 EA

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM

**SECTION 0006 - ROADWAY NON-PARTICIPATING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	500.000	LF
230(A) 2806	SOLID SLAB SODDING	460.000	SY
619(B) 4791	REMOVAL OF CURB	60.000	LF

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 280  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : LATIMER

CONTRACT ID : 120256

PROJECT(S) : STP-139C(120)CI  
PCN : 2861404  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$14.09  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :  
 GRADE, DRAIN, SURFACE, AND BRIDGE  
 COUNTY ROAD (EW-146/CRAVENS RD): OVER AN UNNAMED CREEK 4.3  
 MILES EAST AND 1.3 MILES SOUTH OF THE US-270/SH-2 JCT.  
 PROJECT LENGTH = 0.311 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	375.000	LF
221(C) 2801	TEMPORARY SILT FENCE	2,400.000	LF
221(F) 0100	TEMPORARY SILT DIKE	50.000	LF
230(A) 2806	SOLID SLAB SODDING	6,240.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	900.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	250.000	TON
408 5774	PRIME COAT	2,000.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,250.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	470.000	TON
601(B) 0536	TYPE I-A PLAIN RIPRAP	1,600.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	2,000.000	SY
613(C) 5100	18" PRECOATED CORR. STEEL PIPE	12.000	LF
613(C) 5221	35" X 24" PRECOATED CORR. STL. PIPE ARCH	520.000	LF
613(L) 4522	35" X 24" PREFAB. CULVERT END SECTION, ARCH	2.000	EA
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	100.000	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6,588.000	LF

**SECTION 0002 - BRIDGE**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	49.000	CY
504(D) 6239	CONCRETE RAIL (TR3)	144.000	LF
509(A) 1326	CLASS AA CONCRETE	189.000	CY
511(A) 1332	REINFORCING STEEL	33,615.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------



642(B) 0096 CONSTRUCTION STAKING LEVEL II

1.000 LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 300  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : LEFLORE

CONTRACT ID : 120182

PROJECT(S) : STPG-140A(211)TR  
PCN : 2845404  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$27.09  
 150 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENT (CONCRETE BARRIER WALL)  
 US-259: BEGIN 3.36 MILES SOUTH OF SH-63, EXTEND SOUTH.  
 PROJECT LENGTH = 0.221 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201 6215	(PL)REMOVE DRIFT AND SILT	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	72.000	CY
202(D) 0184	UNCLASSIFIED BORROW	10.000	CY
221(C) 2801	TEMPORARY SILT FENCE	300.000	LF
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	3,133.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	905.000	TON
412 5267	COLD MILLING PAVEMENT	8,478.000	SY
413(B) 4862	RUMBLE STRIP-METHOD HMA-CYC GROUP	4.000	EAGP
509(A) 0319	CLASS AA CONCRETE	231.000	CY
509(D) 0325	CLASS C CONCRETE	40.000	CY
511(A) 0332	REINFORCING STEEL	14,403.000	LB
516(A) 6090	DRILLED SHAFTS 24" DIAMETER	900.000	LF
619(B) 4780	REMOVAL OF GUARDRAIL	1,175.000	LF
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	1,270.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	825.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	1.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	1.000	EA
853 9033	DELINEATORS(TYPE 2, CODE 1)	20.000	EA

**SECTION 0002 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A) 2915	STRUCTURAL CONCRETE	3.000	CY
804(B) 2916	REINFORCING STEEL	352.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	17.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	195.000	SF
851(B) 3218	3"@7.58 GALV.STEEL PIPE POST	110.000	LF
851(C) 8324	2" SQUARE TUBE POST	57.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6,300.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	6,000.000	LF
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	1,500.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	300.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	150.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,100.000	LF

880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,000.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,800.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,100.000	SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	900.000	SD
880(C)	8848	WING BARRICADES	600.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	4,200.000	SD
880(F)	8878	DRUMS	10,800.000	SD
880(I)	8902	FLAGGER	75.000	SD
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	300.000	SD

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641	1552	MOBILIZATION	1.000 LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 340  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : LOVE

CONTRACT ID : 120257

PROJECT(S) PCN  
 IMY-0035-1(161)003 2858404  
 DBE GOAL : 4.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$105.12  
 200 CALENDAR DAYS  
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :  
 GRADE, DRAIN, AND SURFACE  
 I-35: INTERCHANGE AT ROGERS RD 3.24 NORTH OF THE TEXAS  
 STATE LINE (SOUTH HALF).  
 PROJECT LENGTH = 1.504 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	24,139.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2,774.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	4,026.000	LF
221(F) 0100	TEMPORARY SILT DIKE	168.000	LF
221(G) 0151	TEMPORARY ROCK FILTER DAM TYPE 2	9.000	CY
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	3.000	EA
229 4318	DITCH LINER PROTECTION	100.000	LF
230(A) 2806	SOLID SLAB SODDING	41,742.000	SY
232(A) 2813	SEEDING METHOD A	1.000	AC
233(A) 2817	VEGETATIVE MULCHING	8.000	AC
241 2832	MOWING	18.000	AC
307(B) 4210	CEMENT KILN DUST	1,164.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	26,424.000	SY
408 5774	PRIME COAT	5,550.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	5,552.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	241.000	TON
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	1,476.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	6,476.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT )	15,361.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	6,361.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	100.000	CY
501(G) 6315	CLSM BACKFILL	311.000	CY
509(A) 0319	CLASS AA CONCRETE	369.000	CY
509(B) 0321	CLASS A CONCRETE	1.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	8.000	CY
509(D) 0325	CLASS C CONCRETE	33.000	CY
511(A) 0332	REINFORCING STEEL	71,495.000	LB
609(A) 0300	CONCRETE CURB (6" BARRIER-INTEGRAL)	126.000	LF
609(A) 5864	CONCRETE CURB (6" BARRIER-DOWELLED)	72.000	LF
609(B) 0395	2'-8" COMB. CURB & GUTTER (6" BARRIER-NOTCHED)	131.000	LF

611(A)	2657	MANHOLE (4' DIAMETER)	2.000	EA
611(A)	2658	MANHOLE (5' DIAMETER)	1.000	EA
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	2.000	VF
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIAMETER)	3.000	VF
611(C)	4215	REPLACEMENT OF MANHOLE FRAME & COVER	7.000	EA
611(G)	6000	INLET (SMD-TYPE 1)	2.000	EA
611(G)	6002	INLET (SMD-TYPE 2)	3.000	EA
611(H)	5196	ADDITIONAL DEPTH IN INLET	4.000	VF
611(L)	0487	JUNCTION BOXES	253.000	CF
613(A)	0491	18" R.C.PIPE CLASS III	174.000	LF
613(A)	0492	24" R.C.PIPE CLASS III	516.000	LF
613(A)	0493	30" R.C.PIPE CLASS III	619.000	LF
613(A)	0494	36" R.C.PIPE CLASS III	119.000	LF
613(A)	0495	42" R.C.PIPE CLASS III	487.000	LF
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	200.000	LF
613(I)	1096	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF
613(L)	5730	24" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(M)	7186	TYPE A4 CULVERT END TREATMENT	1.000	EA
613(M)	7193	TYPE CC4 CULVERT END TREATMENT	2.000	EA
613(M)	7199	TYPE D6 CULVERT END TREATMENT	1.000	EA
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	4,716.000	SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	875.000	SY
619(B)	4780	REMOVAL OF GUARDRAIL	878.000	LF
619(C)	0924	SAWING PAVEMENT	5,545.000	LF
624(A)	4281	FENCE-STYLE WWF	5,624.000	LF
624(D)	4470	GATE, GALVANIZED STEEL	4.000	EA

#### SECTION 0002 - TRAFFIC SIGNALS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
802(A)	8310	2" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	305.000 LF
802(B)	8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	450.000 LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1,185.000 LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	180.000 LF
802(B)	8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	55.000 LF
802(E)	8370	JUNCTION BOX(6" X 6" X 4")	2.000 EA
803(A)	8065	PULL BOX(SIZE I)	11.000 EA
803(A)	8066	PULL BOX(SIZE II)	2.000 EA
804(A)	2915	STRUCTURAL CONCRETE	153.000 CY
804(B)	2916	REINFORCING STEEL	2,287.000 LB
806(A)	8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	1.000 EA
806(A)	8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	2.000 EA
806(A)	8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000 EA
806(A)	8724	POLE & 20' TS MST.ARM(G.STL.)	1.000 EA
806(A)	8730	POLE & 35' TS MST.ARM(G.STL.)	1.000 EA
809(A)	8090	ROADWAY LUMINAIRE	5.000 EA
810(A)	3118	SERVICE POLE	2.000 EA
811	8040	1/C NO.6 ELECTRICAL CONDUCTOR	2,175.000 LF
811	8044	1/C NO.10 ELECTRICAL CONDUCTOR	1,010.000 LF

824(A)	8340	(SP)MASTER CONTROLLER	1.000	EA
825	8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	2.000	EA
828	8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831	8231	1WAY 3SEC. ADJ. SIG. HD. S-6	11.000	EA
831	8262	1WAY 3SEC. ADJ. SIG. HD. S-10	2.000	EA
831	8286	1WAY 5SEC. ADJ. SIG. HD. S-19	1.000	EA
833	3030	BACKPLATE	14.000	EA
834(A)	8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	290.000	LF
834(A)	8209	9/C TRAFFIC SIGNAL ELECTRICAL CABLE	245.000	LF
834(A)	8210	12/C TRAFFIC SIGNAL ELECTRICAL CABLE	225.000	LF
834(C)	8359	UNDERGROUND COMMUNICATION CABLE	1,120.000	LF
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	69.000	SF

**SECTION 0003 - TRAFFIC SIGNING & STRIPING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A)	2915	STRUCTURAL CONCRETE	14.000 CY
804(B)	2916	REINFORCING STEEL	1,996.000 LB
805(A)	8724	(PL)REMOVAL OF EXISTING SIGNS	2.000 EA
850(A)	8110	SHEET ALUMINUM SIGNS	195.000 SF
850(B)	8112	EXTRUDED ALUMINUM PANEL SIGNS	377.000 SF
851(A)	3206	4"@13 GALV.STEEL WIDE FLANGE BEAM POST	45.000 LF
851(A)	3208	6"@20 GALV.STEEL WIDE FLANGE BEAM POST	260.000 LF
851(B)	3217	2 1/2"@5.79 GALV.STEEL PIPE POST	319.000 LF
856(A)	8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	17,285.000 LF
856(A)	8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	2,327.000 LF
856(A)	8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	6,436.000 LF
856(A)	8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	1,922.000 LF
856(A)	8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	147.000 LF
856(B)	8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	9.000 EA
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	11,746.000 LF
857(F)	8007	PAVEMENT MARKING REMOVAL(ARROWS)	6.000 EA
857(F)	8008	PAVEMENT MARKING REMOVAL(WORDS)	3.000 EA

**SECTION 0004 - LIGHTING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B)	8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	80.000 LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	4,850.000 LF
803(A)	8065	PULL BOX(SIZE I)	3.000 EA
804(A)	2915	STRUCTURAL CONCRETE	21.000 CY
804(B)	2916	REINFORCING STEEL	1,236.000 LB
806(D)	8997	38' MTG.HT.HL.PTP.(G.STL.)	37.000 EA
807	8092	BREAKAWAY BASE (DES. B)	37.000 EA
809(A)	8090	ROADWAY LUMINAIRE	37.000 EA
810(A)	3118	SERVICE POLE	2.000 EA
811	8040	1/C NO.6 ELECTRICAL CONDUCTOR	10,000.000 LF
811	8046	1/C NO.12 ELECTRICAL CONDUCTOR	4,625.000 LF

**SECTION 0005 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	10,978.000 LF

857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	10,978.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	275.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	10.000	SD
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	5,600.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	5,600.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	825.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	150.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5,625.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5,975.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2,775.000	SD
880(C) 8848	WING BARRICADES	925.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,775.000	SD
880(F) 8878	DRUMS	20,400.000	SD
880(G) 8890	CHANNELIZER CONES	10,000.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	400.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	1,000.000	SD

**SECTION 0006 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0007 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 350  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : MCINTOSH

CONTRACT ID : 120306

PROJECT(S) : SBR-246N(001)SB  
PCN : 2915104  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$57.44  
 180 CALENDAR DAYS  
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :  
 BRIDGE REHABILITATION  
 US-69: OVER LOCUST STREET IN EUFAULA, 4.71 MILES NORTH  
 OF THE PITTSBURG COUNTY LINE.

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1,692.000	CY
303(A) 2100	AGGREGATE BASE TYPE A	876.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	554.000	TON
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	884.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	876.000	TON
412 5267	COLD MILLING PAVEMENT	1,000.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	6,084.000	LF
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT )	2,400.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	736.000	CY
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	536.000	SY
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	1,872.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	1,018.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	912.500	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	3.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
627(A) 4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	40.000	LF
627(B) 4410	CONCRETE LONGITUDINAL BARRIER END SECTIONS	2.000	EA

**SECTION 0002 - BRIDGE "A"**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	40.000	CY
504(A) 1304	APPROACH SLAB	193.800	SY
504(B) 1305	SAW-CUT GROOVING	596.700	SY
504(E) 1381	CONCRETE PARAPET	283.200	LF
504(G) 6390	RAPID CURE JOINT SEALANT	187.500	LF
505(E) 1000	HYDRODEMOLITION	428.700	SY
509(A) 1326	CLASS AA CONCRETE	64.200	CY
509(D) 1331	CLASS C CONCRETE	3.500	CY
510(C) 6137	SLOPE WALL (4")	296.000	SY
511 6306	MECHANICAL SPLICES	145.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	12,626.000	LB
513(C) 6020	CLASS C BRIDGE DECK REPAIR	14.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	540.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	108.000	LF



520(C) 6060	EPOXY RESIN, ABOVE WATER	3.600 GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	15.000 SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000 LSUM

**SECTION 0003 - BRIDGE "B"**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	40.000	CY
504(A) 1304	APPROACH SLAB	193.800	SY
504(B) 1305	SAW-CUT GROOVING	596.700	SY
504(E) 1381	CONCRETE PARAPET	283.200	LF
504(G) 6390	RAPID CURE JOINT SEALANT	187.500	LF
505(E) 1000	HYDRODEMOLITION	428.700	SY
509(A) 1326	CLASS AA CONCRETE	64.200	CY
509(D) 1331	CLASS C CONCRETE	3.200	CY
511 6306	MECHANICAL SPLICES	145.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	12,626.000	LB
513(C) 6020	CLASS C BRIDGE DECK REPAIR	14.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	540.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	108.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.600	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	17.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

**SECTION 0004 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	34,146.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	25,363.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	510.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	5,075.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	6,400.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	360.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,918.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	8,133.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	11,594.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,155.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4,198.000	SD
880(F) 8878	DRUMS	19,297.000	SD
880(I) 8902	FLAGGER	19.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	180.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

**SECTION 0005 - TRAFFIC SIGNING AND STRIPING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	37.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	19,466.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	5,998.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	180.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	90.000	LF

**SECTION 0006 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM
<b>SECTION 0007 - CONSTRUCTION</b>			
ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 360  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : CANADIAN  
 CLEVELAND  
 OKLAHOMA

CONTRACT ID : 120217

PROJECT(S) : STPG-155F(424)AG  
PCN : 2113304  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$48.77  
 180 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENTS (SCHOOL ZONES)  
 CITY STREETS: MULTIPLE LOCATIONS IN THE OKLAHOMA CITY  
 METRO.

**SECTION 0001 - SIGNAL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
803(A) 8065	PULL BOX(SIZE I)	4.000	EA
804(A) 2915	STRUCTURAL CONCRETE	26.300	CY
804(B) 2916	REINFORCING STEEL	1,702.000	LB
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
806(B) 8897	12' MTG.HT.TS PED.POLE(ALUMINUM)	74.000	EA
810(A) 3118	SERVICE POLE	72.000	EA
811 8044	1/C NO.10 ELECTRICAL CONDUCTOR	11,100.000	LF
827 8623	SOLID STATE FLASHER CONTROLLER(TYPE II)	72.000	EA
830 8000	PEDESTRIAN PUSH BUTTON	2.000	EA
831 8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	2.000	EA
831 8301	1WAY 1SEC. ADJ. SIG. HD. S-22	218.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	2,220.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	2,730.000	SF
851(C) 8321	1 3/4" SQUARE TUBE POST	2,374.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	13,500.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	4,888.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	664.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	19,805.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 380  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKLAHOMA

CONTRACT ID : 120258

PROJECT(S)  
 STPG-155F(605)AG  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$34.68  
 30 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

PCN  
 2410704

CONTRACT DESCRIPTION :  
 STRIPING  
 COUNTY ROAD (COVELL RD / EDMOND RD / MACARTHUR BLVD):  
 MULTIPLE LOCATIONS IN OKLAHOMA COUNTY.  
 PROJECT LENGTH = 14.91 MILES

**SECTION 0001 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	273,630.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	603.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	498.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	4.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	27,363.000	LF
857(F) 8007	PAVEMENT MARKING REMOVAL(ARROWS)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 400  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKLAHOMA

CONTRACT ID : 120171

PROJECT(S) : SBR-255A(063)SB PCN : 2927404  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$0.00  
 30 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 BRIDGE REPAIR  
 I-44: OVER THE OKLAHOMA RIVER IN OKLAHOMA CITY.

**SECTION 0001 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	650.000	TON
412 5267	COLD MILLING PAVEMENT	5,470.000	SY
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	5,470.000	SY
504(G) 6390	RAPID CURE JOINT SEALANT	510.000	LF
504(H) 6389	ELASTOMERIC MORTAR	84.000	CF
505(D) 6080	ASPHALT MEMBRANE OVERLAY	5,490.000	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	150.000	SY

**SECTION 0002 - BRIDGE 'B'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	650.000	TON
412 5267	COLD MILLING PAVEMENT	5,470.000	SY
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	5,470.000	SY
504(G) 6390	RAPID CURE JOINT SEALANT	510.000	LF
504(H) 6389	ELASTOMERIC MORTAR	84.000	CF
505(D) 6080	ASPHALT MEMBRANE OVERLAY	5,490.000	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	150.000	SY

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	3,280.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	1,525.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	18.000	EA
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	4,805.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	1,000.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	84.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	84.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	672.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,008.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	672.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	336.000	SD
880(C) 8848	WING BARRICADES	168.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1,344.000	SD
880(E) 8900	(PL) CONSTRUCTION ZONE SEQUENTIAL LIGHTING SYSTEM	1.000	LSUM
880(F) 8878	DRUMS	2,814.000	SD

880(L) 8911 TRAFFIC SURVEILLANCE, POLICE  
882(A) 8306 PORT.CHANGEABLE MESSAGE SIGN

504.000 HOUR  
168.000 SD

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 420  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKLAHOMA

CONTRACT ID : 120259

PROJECT(S)  
 CMC-255E(091) PCN  
2933204  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$0.00  
 COMPLETION DATE OF 10/15/2012  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 RESURFACE (ASPHALT)  
 PARKING LOT: BEGIN AT THE SW QUADRANT OF THE INTERSECTION OF  
 LINCOLN BLVD AND NE 18TH STREET IN OKC, EXTEND WEST.

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
303(A) 2100	AGGREGATE BASE TYPE A	200.000	CY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	900.000	TON
412 5267	COLD MILLING PAVEMENT	8,800.000	SY
511(A) 0332	REINFORCING STEEL	2,500.000	LB
610(B) 5016	8" CONCRETE DRIVEWAY	200.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	600.000	SY

**SECTION 0002 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	5,000.000	LF
854(B) 8803	TRAFFIC STRIPE(PAINT)(ARROW)	4.000	EA
854(B) 8809	TRAFFIC STRIPE(PAINT)(SYMBOLS)	20.000	EA

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 440  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKMULGEE

CONTRACT ID : 120260

PROJECT(S)  
 CIRB-156C(104)RB  
 CIRB-156D(105)RB  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$20.59  
 90 CALENDAR DAYS  
 RES. ENG: DIVISION 1 (MUSKOGEE)

PCN  
 2218104  
 2218204

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-395): OVER NEGRO CREEK 3.1 MILES NORTH  
 AND 1.1 MILES WEST OF THE US-75 / SH - 56 JCT.  
 PROJECT LENGTH = 0.233 MILES

**SECTION 0001 - ROADWAY - CIRB-156C(104)RB**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,260.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	250.000	LF
221(F) 0100	TEMPORARY SILT DIKE	180.000	LF
230(A) 2806	SOLID SLAB SODDING	2,320.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.700	AC
303(A) 2100	AGGREGATE BASE TYPE A	425.000	CY
307(J) 4290	MODIFIED SUBGRADE	2,592.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	114.000	TON
407(B) 0250	TACK COAT	371.000	GAL
408 5774	PRIME COAT	956.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	568.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	275.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(A) 0492	24" R.C.PIPE CLASS III	34.000	LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	1,872.000	SY
619(C) 0924	SAWING PAVEMENT	68.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	23.930	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,530.000	LF

**SECTION 0002 - BRIDGE - CIRB-156C(104)RB**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	81.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	950.000	CY
509(A) 0319	CLASS AA CONCRETE	239.900	CY
511(A) 1332	REINFORCING STEEL	47,003.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	369.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM



880(J) 8905 CONSTRUCTION TRAFFIC CONTROL 1.000 LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

**SECTION 0005 - ROADWAY - CIRB-156D(105)RB**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3,940.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	545.000	LF
221(F) 0100	TEMPORARY SILT DIKE	270.000	LF
230(A) 2806	SOLID SLAB SODDING	2,180.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.700	AC
303(A) 2100	AGGREGATE BASE TYPE A	520.000	CY
307(J) 4290	MODIFIED SUBGRADE	2,457.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	106.000	TON
408 5774	PRIME COAT	971.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	259.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	34.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,535.000	SY
619(C) 0924	SAWING PAVEMENT	22.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	11.430	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2,958.000	LF

**SECTION 0006 - BRIDGE - CIRB-156D(105)RB**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	93.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	1,090.000	CY
509(A) 0319	CLASS AA CONCRETE	318.200	CY
511(A) 1332	REINFORCING STEEL	63,057.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	423.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 450  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : OKMULGEE

CONTRACT ID : 120307

PROJECT(S) : SBR-156C(175)SB  
PCN : 2828904  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$43.35  
 165 CALENDAR DAYS  
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :  
 BRIDGE REHABILITATION  
 SH-56: OVER DEEP FORK RIVER, 13.8 MILES EAST OF THE  
 OKFUSKEE COUNTY LINE.

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	276.000	TON
412 5267	COLD MILLING PAVEMENT	1,256.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	425.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	237.500	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	33.000	CY
502(C) 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	167.400	SY
504(B) 1305	SAW-CUT GROOVING	1,430.600	SY
504(C) 6250	SEALED EXPANSION JOINT	108.000	LF
504(D) 6245	CONCRETE RAIL (TR4)	784.200	LF
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	19.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	19.000	EA
509(A) 1326	CLASS AA CONCRETE	318.900	CY
509(B) 1328	CLASS A CONCRETE	42.800	CY
509(D) 1331	CLASS C CONCRETE	12.200	CY
511 6306	MECHANICAL SPLICES	1,254.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	137,900.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,542.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	120.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	4.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	12.100	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	1,603.100	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	254.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	103.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	5.000	EA
601(B) 1353	TYPE I-A PLAIN RIPRAP	431.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	68.000	TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

**SECTION 0003 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	495.000	SD
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	1,386.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	6,195.000	LF
857(C) 8857	REMOVABLE PAVEMENT MARKING TAPE(8" WIDE)	144.000	LF
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	1,377.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	4,872.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	330.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,050.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,050.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,801.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	165.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,145.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	165.000	SD
880(C) 8848	WING BARRICADES	660.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1,976.000	SD
880(F) 8878	DRUMS	5,631.000	SD
880(I) 8902	FLAGGER	2.000	SD

**SECTION 0004 - TRAFFIC SIGNING AND STRIPING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	10.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	8,431.000	LF

**SECTION 0005 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0006 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 460
LETTING DATE : July 19, 2012
LETTING TIME : 10:30 A.M.
COUNTIES : OSAGE

CONTRACT ID : 120261

PROJECT(S) PCN
BRFY-NBIP(454) 2893205
DBE GOAL : 0.00
GUARANTY : 5% OF TOTAL BID
PLAN PRICE : \$5.42
30 CALENDAR DAYS
RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
BRIDGE PAINTING
SH-99: OVER PENN CREEK 0.3 MILES NORTH OF SH-20.

SECTION 0001 - BRIDGE

Table with 4 columns: ITEM NO., DESCRIPTION, QUANTITY, IUNITS. Rows include 512(A) 1323 PAINTING EXISTING STRUCTURES and 512(B) 6303 COLLECTION AND HANDLING OF WASTE.

SECTION 0002 - TRAFFIC

Table with 4 columns: ITEM NO., DESCRIPTION, QUANTITY, IUNITS. Rows include 876(A) 8482 (PL)TRUCK MOUNTED ATTENUATOR, 880(J) 8905 CONSTRUCTION TRAFFIC CONTROL, and 882(A) 8306 PORT.CHANGEABLE MESSAGE SIGN.

SECTION 0003 - CONSTRUCTION

Table with 4 columns: ITEM NO., DESCRIPTION, QUANTITY, IUNITS. Row includes 641 1399 MOBILIZATION.

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 480  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : NOBLE  
 PAYNE

CONTRACT ID : 120262

PROJECT(S)  
 HSIPIG-0035-4(246)170  
PCN  
 2919004  
 DBE GOAL : 4.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$29.26  
 140 CALENDAR DAYS  
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENT (CABLE BARRIER)  
 I-35: IN PAYNE CO FROM MM 170 EXTEND NORTH 4.0 MILES. IN  
 NOBLE CO FROM MM 180 EXTEND NORTH 1.7 MILES.  
 PROJECT LENGTH = 5.7 MILES

**SECTION 0001 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,790.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,160.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,980.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,350.000	SD
880(C) 8848	WING BARRICADES	360.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3,690.000	SD
880(F) 8878	DRUMS	2,700.000	SD
880(G) 8890	CHANNELIZER CONES	25,650.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	200.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

**SECTION 0002 - CABLE BARRIER**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	3,509.400	CY
202(D) 0184	UNCLASSIFIED BORROW	12,463.890	CY
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	13.000	EA
221(F) 0100	TEMPORARY SILT DIKE	764.000	LF
230(A) 2806	SOLID SLAB SODDING	20,895.780	SY
241 2832	MOWING	22.970	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	5,003.320	TON
509(A) 0319	CLASS AA CONCRETE	190.820	CY
509(D) 0325	CLASS C CONCRETE	10.730	CY
612(C) 0645	INLET ADJUST TO GRADE	13.000	EA
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	26,803.000	LF
628(C) 5110	END ANCHORS	10.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 490  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : PITTSBURG

CONTRACT ID : 120310

PROJECT(S) : SSR-261C(008)SR  
PCN : 2943604  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$0.00  
 COMPLETION DATE OF 10/31/2012  
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :  
 RESURFACE (ASPHALT)  
 SH-31: BEGIN AT THE SH-31A JCT, EXTEND EAST.  
 PROJECT LENGTH = 3.00 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(D) 0184	UNCLASSIFIED BORROW	36,500.000	CY
303(A) 2100	AGGREGATE BASE TYPE A	7,827.000	CY
310(B) 0149	SUBGRADE, METHOD B	52,800.000	SY
325 5271	SEPARATOR FABRIC	47,520.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,000.000	TON
407(B) 0250	TACK COAT	4,224.000	GAL
408 5774	PRIME COAT	11,440.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	5,731.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	7,097.000	TON
613(A) 4438	88" X 54" R.C.PIPE ARCH CLASS A-III	132.000	LF
613(A) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	108.000	LF
613(A) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	70.000	LF
613(A) 4498	43" X 26" R.C.PIPE ARCH CLASS A-III	104.000	LF
613(A) 4501	65" X 40" R.C.PIPE ARCH CLASS A-III	122.000	LF
613(A) 4502	73" X 45" R.C.PIPE ARCH CLASS A-III	90.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	500.000	LF
613(L) 4504	21" X 15" PREFAB. CULVERT END SECTION, ARCH	18.000	EA
613(L) 4515	28" X 18" PREFAB. CULVERT END SECTION, ARCH	6.000	EA
613(L) 4526	36" X 22" PREFAB. CULVERT END SECTION, ARCH	4.000	EA
613(L) 4531	43" X 26" PREFAB. CULVERT END SECTION, ARCH	6.000	EA
613(L) 4552	65" X 40" PREFAB. CULVERT END SECTION, ARCH	8.000	EA
613(L) 4559	73" X 45" PREFAB. CULVERT END SECTION, ARCH	6.000	EA
613(L) 4569	88" X 54" PREFAB. CULVERT END SECTION, ARCH	8.000	EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	588.000	CY
613(V) 1180	TRENCH EXCAVATION	855.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

**SECTION 0002 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM



**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 500  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : POTTAWATOMIE

CONTRACT ID : 120263

PROJECT(S) : HSIP-263B(005)TR  
PCN : 2931804  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$8.67  
 120 CALENDAR DAYS  
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :  
 TRAFFIC SIGNALS  
 US-177: AT ACME RD IN SHAWNEE, 3.5 MILES SOUTH AND 4.0 MILES  
 EAST OF THE I-40 JCT.

**SECTION 0001 - TRAFFIC SIGNALS**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	80.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	360.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	60.000	LF
803(A) 8065	PULL BOX(SIZE I)	5.000	EA
804(A) 2915	STRUCTURAL CONCRETE	10.400	CY
804(B) 2916	REINFORCING STEEL	1,583.400	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	8.000	EA
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8730	POLE & 35' TS MST.ARM(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	3.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECTRICAL CONDUCTOR	200.000	LF
811 8044	1/C NO.10 ELECTRICAL CONDUCTOR	1,455.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
831 8231	1WAY 3SEC. ADJ. SIG. HD. S-6	8.000	EA
831 8252	1WAY 3SEC. ADJ. SIG. HD. S-9	2.000	EA
833 3030	BACKPLATE	10.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	420.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	620.000	LF
840(A) 8592	E.P.S. OPTICAL EMITTER	5.000	EA
840(B) 8593	E.P.S. OPTICAL DETECTOR	4.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	810.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	64.000	SF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	46.000	SF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	4,135.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	42.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	181.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	179.000	LF
856(B) 8525	TRAFFIC STRIPE (MULTI-POLYMER)(SYMBOLS, WORDS. ETC.)	9.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,000.000	LF

880(J) 8905 CONSTRUCTION TRAFFIC CONTROL

1.000 LSUM

**SECTION 0002 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 520  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : PUSHMATAHA

CONTRACT ID : 120264

PROJECT(S) : BRFY-164B(143)  
PCN : 2623204  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$50.94  
 180 CALENDAR DAYS  
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 US-271: OVER HURD CREEK 2.4 MILES SOUTH OF SH-2.  
 PROJECT LENGTH = 0.325 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	6,918.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	370.000	LF
221(F) 0100	TEMPORARY SILT DIKE	182.000	LF
230(A) 2806	SOLID SLAB SODDING	18,642.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.860	AC
303(A) 2100	AGGREGATE BASE TYPE A	1,976.000	CY
325 5271	SEPARATOR FABRIC	8,105.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,403.000	TON
407(B) 0250	TACK COAT	350.000	GAL
408 5774	PRIME COAT	3,216.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	638.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	820.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	594.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	143.000	TON
509(D) 0325	CLASS C CONCRETE	71.600	CY
613(A) 0583	24" R.C.PIPE CLASS IV	111.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	310.000	LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	3.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	5.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	5.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	34.700	CY
613(V) 1180	TRENCH EXCAVATION	52.400	CY
619(B) 4725	REMOVAL OF FENCE	2,217.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6,656.000	SY
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	3.000	EA
619(B) 4780	REMOVAL OF GUARDRAIL	400.000	LF
619(C) 0924	SAWING PAVEMENT	437.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	487.500	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	972.000	LF

629(E) 5048 REMOVE AND RESET MAILBOX 2.000 EA

**SECTION 0002 - BRIDGE "A"**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	68.000	CY
501(F) 6352	GRANULAR BACKFILL	10.000	CY
501(G) 6309	CLSM BACKFILL	80.000	CY
503(A) 6123	PRESTRESSED CONCRETE BEAMS	1,155.000	LF
504(A) 1304	APPROACH SLAB	187.400	SY
504(B) 1305	SAW-CUT GROOVING	711.100	SY
504(D) 6245	CONCRETE RAIL (TR4)	320.000	LF
506(A) 1322	STRUCTURAL STEEL	960.000	LB
507(C) 6282	ELASTOMERIC BEARING PADS	60.000	EA
509(A) 1326	CLASS AA CONCRETE	94.700	CY
509(B) 1328	CLASS A CONCRETE	92.200	CY
509(D) 1331	CLASS C CONCRETE	12.800	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	41,890.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	350.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	350.000	LF
514(K) 6260	(PL)PILOT HOLES	308.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	223.000	SY
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	59.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	760.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	435.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0003 - TRAFFIC**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	3.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	7.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	4.500	SF
851(C) 8324	2" SQUARE TUBE POST	112.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6,748.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	27.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12,960.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	11,880.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3,420.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,800.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1,620.000	SD
880(F) 8878	DRUMS	2,520.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

**SECTION 0004 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0005 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A)	1426	FIELD OFFICE	1.000	EA
641	1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 525  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : ROGERS

CONTRACT ID : 120308

PROJECT(S)  
 SBR-266N(002)SB  
 SBR-266A(003)SB  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$21.68  
 60 CALENDAR DAYS  
 RES. ENG: MARK WILLIAMS, SAND SPRINGS

PCN  
 2906104  
 2906204

CONTRACT DESCRIPTION :  
 BRIDGE REHABILITATION  
 I-44/SH-66: I-44 OVER SH-66 0.6 MILE EAST OF TULSA CL, AND  
 SH-66 OVER ABANDONDED TURNPIKE 0.8 MILE EAST OF TULSA CL.

**SECTION 0001 - BRIDGE "A" SBR-266N(002)SB**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
414(I) 5266	TYPE 3 TERMINAL JOINT	4.000	EA
501(G) 6309	CLSM BACKFILL	5.000	CY
504(A) 1304	APPROACH SLAB	152.200	SY
504(B) 1305	SAW-CUT GROOVING	152.200	SY
504(G) 6390	RAPID CURE JOINT SEALANT	75.000	LF
504(H) 6389	ELASTOMERIC MORTAR	5.600	CF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	112.500	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.700	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
523(A) 6550	SEALER CRACK PREPARATION	138.000	LF
523(B) 6560	SEALER RESIN	0.900	GAL
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	460.500	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	4.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	1.000	EA

**SECTION 0002 - TRAFFIC CONTROL SBR-266N(002)SB**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

**SECTION 0003 - CONSTRUCTION SBR-266N(002)SB**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**SECTION 0004 - BRIDGE "A" SBR-266A(003)SB**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
414(I) 5266	TYPE 3 TERMINAL JOINT	1.000	EA
501(G) 6309	CLSM BACKFILL	5.000	CY
504(A) 1304	APPROACH SLAB	95.700	SY
504(B) 1305	SAW-CUT GROOVING	95.700	SY
504(G) 6390	RAPID CURE JOINT SEALANT	82.200	LF
504(H) 6389	ELASTOMERIC MORTAR	0.200	CF

515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	179.000 SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000 LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.000 GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	160.000 SY
523(A) 6550	SEALER CRACK PREPARATION	71.000 LF
523(B) 6560	SEALER RESIN	1.400 GAL
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	160.000 SY

**SECTION 0005 - TRAFFIC SBR-266A(003)SB**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 540  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : TULSA

CONTRACT ID : 120265

PROJECT(S)  
 BRO-172D(598)CO  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$7.59  
 60 CALENDAR DAYS  
 RES. ENG: DIVISION 8 (TULSA)

PCN  
 1586004

CONTRACT DESCRIPTION :  
 BRIDGE AND APPROACHES  
 COUNTY ROAD (NS-397/HARVARD AVE.): OVER BIRD CREEK TRIB 2.8  
 MILES SOUTH AND 1.0 MILE WEST OF THE US-75/SH-20 JCT.  
 PROJECT LENGTH = 0.099 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	1,500.000	SY
232(A) 2813	SEEDING METHOD A	1.000	AC
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	261.000	CY
325 5271	SEPARATOR FABRIC	1,800.000	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	10.000	TON
411(A) 5930	SUPERPAVE, TYPE S2(PG 64-22 OK)	365.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	200.000	TON
412 5267	COLD MILLING PAVEMENT	120.000	SY
613(A) 0491	18" R.C.PIPE CLASS III	24.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,000.000	SY
629(E) 5048	REMOVE AND RESET MAILBOX	1.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2,400.000	LF

**SECTION 0002 - BRIDGE 'A'**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	345.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	265.000	CY
501(G) 6309	CLSM BACKFILL	40.000	CY
504(D) 6239	CONCRETE RAIL (TR3)	102.000	LF
509(B) 1328	CLASS A CONCRETE	250.000	CY
511(A) 1332	REINFORCING STEEL	45,120.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	40.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	20.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	60.000	SY
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	4.000	EA
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0003 - STAKING**



ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM
<b>SECTION 0004 - CONSTRUCTION</b>			
ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 550  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : TULSA

CONTRACT ID : 120309

PROJECT(S) : SBR-172N(518)SB  
PCN : 2826304  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$28.18  
 180 CALENDAR DAYS  
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :  
 BRIDGE REHABILITATION  
 I-244: OVER 33RD WEST AVENUE, 0.8 MILE NORTH OF I-44.

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
221(C) 2801	TEMPORARY SILT FENCE	600.000	LF
221(F) 0100	TEMPORARY SILT DIKE	80.000	LF
230(A) 2806	SOLID SLAB SODDING	650.000	SY
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	100.000	TON
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT )	162.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	45.000	CY
509(D) 0325	CLASS C CONCRETE	15.000	CY
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	162.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	360.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	75.000	LF
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	6.000	EA

**SECTION 0002 - BRIDGE "A"**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	200.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	553.100	SY
504(B) 1305	SAW-CUT GROOVING	553.100	SY
504(C) 6250	SEALED EXPANSION JOINT	64.300	LF
504(E) 6190	42" F-SHAPED PARAPET	640.600	LF
506(A) 1322	STRUCTURAL STEEL	5,230.000	LB
509(A) 1326	CLASS AA CONCRETE	240.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	69,930.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	782.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	158.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	15.800	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	24.300	SY
523(A) 6550	SEALER CRACK PREPARATION	339.000	LF
523(B) 6560	SEALER RESIN	4.000	GAL
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	298.000	SF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

**SECTION 0003 - BRIDGE "B"**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	200.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	553.100	SY
504(B) 1305	SAW-CUT GROOVING	553.100	SY
504(C) 6250	SEALED EXPANSION JOINT	64.300	LF
504(E) 6190	42" F-SHAPED PARAPET	640.600	LF
506(A) 1322	STRUCTURAL STEEL	5,230.000	LB
509(A) 1326	CLASS AA CONCRETE	240.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	69,930.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	782.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	132.400	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	13.300	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	25.300	SY
523(A) 6550	SEALER CRACK PREPARATION	339.000	LF
523(B) 6560	SEALER RESIN	4.000	GAL
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	298.000	SF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

#### SECTION 0004 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8744	(PL)REMOVE & RESET LIGHT POLE	2.000	EA
809(B) 8098	UNDERPASS LUMINIARE	8.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	9,298.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	360.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,822.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,822.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

#### SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

#### SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 560  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : TULSA

CONTRACT ID : 120230

PROJECT(S) : HSIPIG-0244-1(009)000TR  
PCN : 2919104  
 DBE GOAL : 4.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$30.35  
 140 CALENDAR DAYS  
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :  
 SAFETY IMPROVEMENT (CABLE BARRIER)  
 I-244: BEGIN AT MILE MARKER 0, EXTEND NORTH.  
 SH-11: FROM HARVARD AVE OVERPASS, EXTEND SOUTHEAST.

**SECTION 0001 - TRAFFIC CONTROL**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,790.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,160.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,980.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,350.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3,690.000	SD
880(F) 8878	DRUMS	2,700.000	SD
880(G) 8890	CHANNELIZER CONES	25,650.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	200.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	720.000	SD

**SECTION 0002 - CABLE BARRIER**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	10.000	CY
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	23.000	EA
221(F) 0100	TEMPORARY SILT DIKE	886.000	LF
230(A) 2806	SOLID SLAB SODDING	24,640.710	SY
241 2832	MOWING	27.370	AC
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	5,305.450	TON
509(A) 0319	CLASS AA CONCRETE	401.180	CY
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	750.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	35,526.000	LF
628(C) 5110	END ANCHORS	24.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	224,391.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	40,180.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY.)(12" WIDE)	15,230.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	274.000	LF
856(B) 8870	TRAFFIC STRIPE(MULTI-POLY.)(SYMBOLS)	26.000	EA
856(B) 8880	TRAFFIC STRIPE(MULTI-POLY.)(WORDS)	17.000	EA

857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	308,901.000 LF
857(F) 8008	PAVEMENT MARKING REMOVAL(WORDS)	16.000 EA
857(F) 8009	PAVEMENT MARKING REMOVAL(SYMBOLS)	23.000 EA

**SECTION 0003 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0004 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

**OKLAHOMA DEPARTMENT OF TRANSPORTATION**

**FEDERAL PROJECT**

CALL ORDER : 580  
 LETTING DATE : July 19, 2012  
 LETTING TIME : 10:30 A.M.  
 COUNTIES : WOODWARD

CONTRACT ID : 120266

PROJECT(S)  
 STP-177C(104)CI  
 DBE GOAL : 0.00  
 GUARANTY : 5% OF TOTAL BID  
 PLAN PRICE : \$31.43  
 COMPLETION DATE OF 10/31/2012  
 RES. ENG: DIVISION 6 (BUFFALO)

PCN  
 2680206

CONTRACT DESCRIPTION :  
 RESURFACE (ASPHALT)  
 COUNTY ROAD (NS-203): FROM 2.0 MILES WEST OF THE  
 US-270/SH-34 JCT, EXTEND SOUTH.  
 PROJECT LENGTH = 4.942 MILES

**SECTION 0001 - ROADWAY**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(D) 0184	UNCLASSIFIED BORROW	1,922.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	245.000	LF
230(A) 2806	SOLID SLAB SODDING	20,171.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	390.000	TON
407(B) 0250	TACK COAT	10,122.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	11,977.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	500.000	TON
412 5267	COLD MILLING PAVEMENT	63,556.000	SY
501(G) 6315	CLSM BACKFILL	72.000	CY
613(A) 0496	48" R.C.PIPE CLASS III	70.000	LF
613(L) 5738	48" PREFAB. CULVERT END SECTION, ROUND	4.000	EA
619(B) 4780	REMOVAL OF GUARDRAIL	400.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1,087.500	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	3.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	113.440	SF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	79,600.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

**SECTION 0002 - STAKING**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

**SECTION 0003 - CONSTRUCTION**

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM



## List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting: July 2012

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
<b>J &amp; N INTERNATIONAL COATINGS, INC.</b> Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
<b>KERRVILLE PAINTING COMPANY, INC.</b> Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
<b>MBE, INC.</b> Ms. Fani Gialousis Mr. Tony Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
<b>GLOVER CONSTRUCTION COMPANY, INC.</b> <b>Mr. George Paul Glover</b> P.O. Box 489 Muskogee, OK 74402		X
<b>PATTON CONSTRUCTION</b> Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
<b>SHANKS EXCAVATING COMPANY</b> Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
<b>Mr. Gary Wayne Carr</b> 318 Dog Wood Tahlequah, OK 74464		X
<b>YOCHAM ENTERPRISES</b> Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK		X

**BID OPENING OF – July 19, 2012 AM**

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex   #: _____ <input type="checkbox"/> Mail
Contractor's Name:	
Telephone No:	
Physical Address:	Please Return Completed Form to:
	Fax :            405-522-0972 or
	Email: <a href="mailto:kleonard@odot.org">kleonard@odot.org</a>

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ATOKA / BRYAN / CHOCTAW / MCCURTAIN / PITTSBURG	020	HSIPG-203F(008)TR	29308(04)		\$50.00	7.00 + 0.59	0
2	BECKHAM / BLAINE / CUSTER / DEWEY / JACKSON	040	HSIPG-205F(014)TR	29311(04)		\$50.00	9.00 + 0.75	0
3	BRYAN	060	NHY-022N(157)	21733(04)		\$50.00	48.00 + 4.02	34
4	BRYAN	080	BRFY-107B(151)	26231(04)		\$50.00	46.00 + 3.85	4
5	BRYAN	100	HSIPG-013N(156)TR HSIPG-013N(157)TR	29079(04) 29080(04)		\$50.00	42.00 + 3.52	61
6	CADDO	110	SBR-108B(178)SB	24512(04)		\$50.00	27.00 + 2.26	0
7	CARTER	120	BRF-NBIL(223)CI	26849(04)		\$50.00	8.00 + 0.67	5
8	CLEVELAND / OKLAHOMA	140	STP-114B(249)AG STP-155B(655)AG	26803(04) 25600(04)		\$50.00	42.00 + 3.52	103
9	CLEVELAND	160	STPG-114F(303)AG	29011(04)		\$50.00	5.00 + 0.42	0
10	DELAWARE	180	BRF-121C(122)CI	25901(04)		\$50.00	18.00 + 1.51	6
11	GRANT	200	BRO-127D(171)CI	27281(04)		\$50.00	13.00 + 1.09	5
12	HARMON	220	CIRB-129C(039)RB	24949(04)		\$50.00	58.00 + 4.86	13
13	JEFFERSON	225	SBR-234C(002)SB	29174(04)		\$50.00	19.00 + 1.59	0
14	JEFFERSON	230	SBR-234N(007)SB	29220(04)		\$50.00	17.00 + 1.42	0
15	KAY	235	SBR-136B(217)SB	27594(04)		\$50.00	23.00 + 1.93	0
16	KAY / PAYNE	240	HSIPG-236F(003)TR	29310(04)		\$50.00	4.00 + 0.34	0
17	KINGFISHER	260	SSP-237E(001)SS	29085(04)		\$50.00	11.00 + 0.92	7
18	LATIMER	280	STP-139C(120)CI	28614(04)		\$50.00	13.00 + 1.09	6
19	LEFLORE	300	STPG-140A(211)TR	28454(04)		\$50.00	25.00 + 2.09	28
20	LOVE	340	IMY-0035-1(161)003	28584(04)		\$50.00	97.00 + 8.12	55
21	MCINTOSH	350	SBR-246N(001)SB	29151(04)		\$50.00	53.00 + 4.44	0
22	CANADIAN / CLEVELAND / OKLAHOMA	360	STPG-155F(424)AG	21133(04)		\$50.00	45.00 + 3.77	0
23	OKLAHOMA	380	STPG-155F(605)AG	24107(04)		\$50.00	32.00 + 2.68	0
24	OKLAHOMA	400	SBR-255A(063)SB	29274(04)		\$50.00	No Charge	0



**BID OPENING OF – July 19, 2012 AM**

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex #: _____ <input type="checkbox"/> Mail
Contractor's Name:	
Telephone No:	
Physical Address:	Please Return Completed Form to:
	Fax :            405-522-0972 or
	Email: <a href="mailto:kleonard@odot.org">kleonard@odot.org</a>

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
25	OKLAHOMA	420	CMC-255E(091)	29332(04)		\$50.00	No Charge	0
26	OKMULGEE	440	CIRB-156C(104)RB CIRB-156D(105)RB	22181(04) 22182(04)		\$50.00	19.00 + 1.59	2
27	OKMULGEE	450	SBR-156C(175)SB	28289(04)		\$50.00	40.00 + 3.35	0
28	OSAGE	460	BRFY-NBIP(454)	28932(05)		\$50.00	5.00 + 0.42	0
29	NOBLE / PAYNE	480	HSIPIG-0035-4(246)170	29190(04)		\$50.00	27.00 + 2.26	17
30	PITTSBURG	490	SSR-261C(008)SR	29436(04)		\$50.00	No Charge	0
31	POTTAWATOMIE	500	HSIP-263B(005)TR	29318(04)		\$50.00	8.00 + 0.67	0
32	PUSHMATAHA	520	BRFY-164B(143)	26232(04)		\$50.00	47.00 + 3.94	12
33	ROGERS	525	SBR-266N(002)SB SBR-266A(003)SB	29061(04) 29062(04)		\$50.00	20.00 + 1.68	0
34	TULSA	540	BRO-172D(598)CO	15860(04)		\$50.00	7.00 + 0.59	5
35	TULSA	550	SBR-172N(518)SB	28263(04)		\$50.00	26.00 + 2.18	0
36	TULSA	560	HSIPIG-0244-1(009)000TR	29191(04)		\$50.00	28.00 + 2.35	0
37	WOODWARD	580	STP-177C(104)CI	26802(06)		\$50.00	29.00 + 2.43	0