
NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE VERSION **(5.11a)** OF EXPEDITE BID AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

Notice

Internet bidding is required for most projects on the [August 16, 2012 10:30 A.M.](#) Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal.

(The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on [July 26, 2012](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at [10:00 a.m.](#) on [August 03, 2012](#) concerning this [August 16, 2012](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website
<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972
or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

Plans for the projects on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2012/plans.htm>

CERTIFIED PAYROLL - FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors.

Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)09, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the Prime Contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. There is a new cover sheet that is required with these DBE confirmations. It is located at the website below.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo>

Reminder

Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bid.

For written bids do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

orderdesk@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , Thursday, August 16, 2012 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal. Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

Description of work and location of project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 040
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : ALFALFA

CONTRACT ID : 120268

PROJECT(S) PCN
 BRO-102D(162)CI 2695804
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$16.26
 120 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-252): OVER LITTLE MULE CREEK, 4.2 MILES
 NORTH OF SH-11.
 PROJECT LENGTH = 0.237 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK		1.000 LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	350.000	LF
230(A) 2806	SOLID SLAB SODDING	10,150.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.920	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	710.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0690	24" CORR. GALV. STEEL PIPE	140.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT		4.000 EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	200.000	CY
501(F) 6352	GRANULAR BACKFILL	88.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	672.000	LF
504(C) 6250	SEALED EXPANSION JOINT	66.120	LF
504(D) 6239	CONCRETE RAIL (TR3)	523.400	LF
506(A) 1322	STRUCTURAL STEEL	1,220.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	9.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	9.000	EA
509(A) 1326	CLASS AA CONCRETE	176.400	CY
509(B) 1328	CLASS A CONCRETE	110.000	CY
511(A) 1332	REINFORCING STEEL	68,246.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	132.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	290.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	132.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	290.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	142.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,773.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	591.000	TON
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
613(I) 1096	6" NON-PERF. PIPE UNDERDRAIN RND.	30.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE		1.000 LSUM

623(A)	1418	BEAM GUARDRAIL W-BEAM SINGLE	200.000	LF
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F)	6030	GUARDRAIL ANCHOR UNIT (TYPE B)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 043
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : ATOKA

CONTRACT ID : 120373

PROJECT(S) : SAP-103D(141) PCN : 2875504
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 20 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 DRAIN AND RESURFACE (ASPHALT)
 PARK ROAD: AT MCGEE CREEK STATE PARK, ON MCGEE CREEK LAKE
 ROAD.
 PROJECT LENGTH = 0.01 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1,400.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
230(A) 2806	SOLID SLAB SODDING	500.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	50.000	CY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	25.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	16.000	TON
613(B) 0690	24" CORR. GALV. STEEL PIPE	200.000	LF
613(P) 0761	24" GALV. STEEL CULVERT END SECTION ROUND	2.000	EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	80.000	CY
613(V) 1180	TRENCH EXCAVATION	130.000	CY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	145.000	SY
619(C) 0924	SAWING PAVEMENT	51.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	100.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 045
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : BRYAN

CONTRACT ID : 120284

PROJECT(S) : STP-107C(170)CI
PCN : 2788904
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$52.02
 90 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, SURFACE, AND BRIDGE
 COUNTY ROAD (NS-366): FROM 6.0 MILES SOUTH OF US-70,
 EXTEND SOUTH.
 PROJECT LENGTH = 2.023 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201 6215	(PL)REMOVE DRIFT AND SILT	1.000	LSUM
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	5,907.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,518.000	CY
202(E) 0186	SELECT BORROW	100.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	8,100.000	LF
221(F) 0100	TEMPORARY SILT DIKE	918.000	LF
230(A) 2806	SOLID SLAB SODDING	17,620.000	SY
233(A) 2817	VEGETATIVE MULCHING	7.600	AC
303(A) 2100	AGGREGATE BASE TYPE A	5,050.000	CY
307(K) 4300	STABILIZED SUBGRADE	23,782.000	SY
311(B) 0152	PROCESSING EXISTING BASE & SURFACE, METHOD B	6,486.000	LF
325 5271	SEPARATOR FABRIC	33,492.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,077.000	TON
407(B) 0250	TACK COAT	1,750.000	GAL
408 5774	PRIME COAT	13,001.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	6,043.000	SY
409(B) 4268	BITUMINOUS BINDER	1,209.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	3,107.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	4,921.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	619.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	34.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	68.800	CY
509(A) 0319	CLASS AA CONCRETE	39.500	CY
509(B) 0321	CLASS A CONCRETE	20.900	CY
509(D) 0325	CLASS C CONCRETE	137.700	CY
511(A) 0332	REINFORCING STEEL	8,460.000	LB
610(B) 0604	6" CONCRETE DRIVEWAY	64.000	SY
611(G) 6004	INLET (SMD-TYPE 2A)	6.000	EA
613(A) 0492	24" R.C.PIPE CLASS III	180.000	LF
613(B) 0696	60" CORR. GALV. STEEL PIPE	34.000	LF

613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	372.000 LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	832.000 LF
613(E) 4788	30" CORRUGATED POLYETHYLENE PIPE TYPE "S"	1,450.000 LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	1.000 EA
613(M) 7192	TYPE BB4 CULVERT END TREATMENT	2.000 EA
613(P) 0767	60" GALV. STEEL CULVERT END SECTION ROUND	2.000 EA
613(P) 4571	28" X 20" GALV. STEEL CULVERT END SECTION ARCH	44.000 EA
613(P) 7025	21" X 15" GALV. STEEL CULVERT END SECTION ARCH	9.000 EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	689.000 CY
613(V) 1180	TRENCH EXCAVATION	1,046.000 CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,575.000 SY
619(C) 0924	SAWING PAVEMENT	8,872.000 LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	2.000 EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000 EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	3.000 EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000 EA
629(C) 4960	MAILBOX	7.000 EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	4.000 EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	481.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	20.000	CY
509(A) 1326	CLASS AA CONCRETE	191.000	CY
511(A) 1332	REINFORCING STEEL	26,810.000	LB
601(D) 1357	TYPE II SPECIAL PLAIN RIPRAP	74.000	TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	13.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	75.190	SF
851(D) 8597	FLANGE CHANNEL POSTS(4 LB/FT)	227.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	42,744.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	136.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0006 - NON-PARTICIPATING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,034.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 047
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CARTER

CONTRACT ID : 120374

PROJECT(S) : SAP-110D(241) PCN : 2875404
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 30 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 PARK ROAD: AT MURRAY STATE PARK, ON THE ENTRANCE ROAD IN
 FRONT OF THE PRO SHOP, CIRCLE DRIVE, AND PARKING LOT.
 PROJECT LENGTH = 0.22 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
303(A) 2100	AGGREGATE BASE TYPE A	80.000	CY
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	963.000	TON
610(A) 0605	6" CONCRETE SIDEWALK	143.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2,930.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 048
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CIMARRON

CONTRACT ID : 120314

PROJECT(S)
 ACSTP-113C(087)CI
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$20.59
 60 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

PCN
 2832204

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 COUNTY ROAD (NS-28): FROM EW-23, EXTEND NORTH TO US-56.
 PROJECT LENGTH = 2.86 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	532.000	LF
230(A) 2806	SOLID SLAB SODDING	600.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,376.000	TON
407(B) 0250	TACK COAT	6,270.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	9,570.000	TON
613(A) 0492	24" R.C.PIPE CLASS III	156.000	LF
613(A) 4497	36" X 22" R.C.PIPE ARCH CLASS A-III	60.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	100.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	54.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
613(M) 7192	TYPE BB4 CULVERT END TREATMENT	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	59.680	SF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	36,454.000	LF
856(B) 8870	TRAFFIC STRIPE(MULTI-POLY.)(SYMBOLS)	2.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 050
LETTING DATE : August 16, 2012
LETTING TIME : 10:30 A.M.
COUNTIES : CLEVELAND

CONTRACT ID : 120285

PROJECT(S)
STPY-214C(013)RW
DBE GOAL : 0.00
GUARANTY : 5% OF TOTAL BID
PLAN PRICE : \$0.00
180 CALENDAR DAYS
RES. ENG: DIVISION 3 (ADA)

PCN
2099717

CONTRACT DESCRIPTION :
RIGHT-OF-WAY CLEARANCE
US-77: FROM 4.05 MILES NORTH OF SH-39, EXTEND NORTH THROUGH
SLAUGHTERVILLE.

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED. BOTH BID
EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE.

SECTION 0001 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
619(G) 0094	RIGHT-OF-WAY CLEARANCE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 055
LETTING DATE : August 16, 2012
LETTING TIME : 10:30 A.M.
COUNTIES : CLEVELAND

CONTRACT ID : 120286

PROJECT(S)
STPY-214B(012)RW
DBE GOAL : 0.00
GUARANTY : 5% OF TOTAL BID
PLAN PRICE : \$0.00
180 CALENDAR DAYS
RES. ENG: DIVISION 3 (ADA)

PCN
2411211

CONTRACT DESCRIPTION :
RIGHT-OF-WAY CLEARANCE
SH-39: FROM 2.0 MILES EAST OF US-77, EXTEND EAST.

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED. BOTH BID
EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE.

SECTION 0001 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
619(G) 0094	RIGHT-OF-WAY CLEARANCE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 060
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CREEK
 OSAGE
 PAWNEE
 TULSA

CONTRACT ID : 120269

PROJECT(S) PCN
 BRFY-219C(005) 2893204
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$79.11

90 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 JOINT SEAL/REPAIR
 US-75/SH-11/SH-18/SH-99: AT MULTIPLE LOCATIONS IN DIVISION
 VIII.

SECTION 0001 - BRIDGE 'A' SH 99 OVER CIMARRON RIVER

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
407(A) 4659	FOG SEAL	250.000	GAL
407(B) 0250	TACK COAT	375.000	GAL
501(G) 6309	CLSM BACKFILL	4.600	CY
504(G) 6390	RAPID CURE JOINT SEALANT	56.000	LF
504(H) 6389	ELASTOMERIC MORTAR	9.400	CF
509 6386	SILICONE CONSTRUCTION JOINT	924.000	LF
509(A) 1326	CLASS AA CONCRETE	1.000	CY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	220.000	SY
535 6410	MASTIC ASPHALT JOINT MATERIAL	11.000	CF
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
540 4520	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	LSUM
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	6.000	EA

SECTION 0002 - BRIDGE 'B' US 75 OVER HARVARD & RR (EB)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	665.000	LF
504(H) 6389	ELASTOMERIC MORTAR	37.000	CF
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
540 4520	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	LSUM

SECTION 0003 - BRIDGE 'C' US 75 OVER HARVARD & RR (WB)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	550.000	LF
504(H) 6389	ELASTOMERIC MORTAR	61.000	CF
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
540 4520	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	LSUM
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	1.000	EA

SECTION 0004 - BRIDGE 'D' SH 11 GILCREASE OVER US 75

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	315.000	LF

504(H) 6389	ELASTOMERIC MORTAR	25.000	CF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	2.000	SY
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0005 - BRIDGE 'E' US 75 RAMP N-E OVER SH 11

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	1.200	CY
504(G) 6390	RAPID CURE JOINT SEALANT	208.000	LF
504(H) 6389	ELASTOMERIC MORTAR	5.800	CF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	30.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	1,590.000	SY
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0006 - BRIDGE 'F' US 75 OVER MOHAWK BLVD. (NB)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	264.000	LF
504(H) 6389	ELASTOMERIC MORTAR	40.500	CF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	30.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	790.000	SF
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0007 - BRIDGE 'G' US 75 OVER MOHAWK BLVD. (SB)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	264.000	LF
504(H) 6389	ELASTOMERIC MORTAR	40.500	CF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	152.000	SF
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0008 - BRIDGE 'H' US 75 OVER FLAT ROCK CREEK (NB)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	10.000	CY
504(A) 1304	APPROACH SLAB	156.000	SY
504(G) 6390	RAPID CURE JOINT SEALANT	263.000	LF
504(H) 6389	ELASTOMERIC MORTAR	4.500	CF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	1,100.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	25.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
540 4520	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	LSUM
540 4530	(PL)REPAIR BRIDGE ITEM (TYPE C)	1.000	LSUM
628(F) 5185	(PL)HIGH TENSION CABLE BARRIER - RE-TENSIONING	1.000	EA

SECTION 0009 - BRIDGE 'I' US 75 OVER FLAT ROCK CREEK (SB)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	215.000	LF
504(H) 6389	ELASTOMERIC MORTAR	8.500	CF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	30.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	900.000	SY
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0010 - BRIDGE 'J' SH 18 OVER COAL CREEK

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
506(A) 1322	STRUCTURAL STEEL	250.000	LB
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	80.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	1.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	50.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA

SECTION 0011 - BRIDGE 'K' SH 99 OVER PENN CREEK

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	96.000	LF
504(H) 6389	ELASTOMERIC MORTAR	7.500	CF
506(A) 1322	STRUCTURAL STEEL	1,150.000	LB
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	30.000	SY
523(A) 6550	SEALER CRACK PREPARATION	30.000	LF
523(B) 6560	SEALER RESIN	0.500	GAL
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	503.000	SY
540 4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA
545 4810	(PL)REPLACE BRIDGE ITEM (TYPE A)	1.000	LSUM

SECTION 0012 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	90.000	SD
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	1,000.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	1,000.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	500.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	180.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3,500.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	35,000.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,880.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,340.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,970.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,080.000	SD
880(C) 8848	WING BARRICADES	540.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3,780.000	SD
880(F) 8878	DRUMS	2,250.000	SD

880(G)	8890	CHANNELIZER CONES	3,150.000	SD
880(I)	8902	FLAGGER	14.000	SD
880(L)	8911	TRAFFIC SURVEILLANCE, POLICE	500.000	HOUR
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0013 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 080
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.

CONTRACT ID : 120270

COUNTIES : CUSTER

PROJECT(S)
 SSP-120B(124)SS
 SBR-120B(178)SB
 SBR-220B(007)SB
PCN
 2413304
 2685604
 2923004
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$84.54
 220 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES/BRIDGE REHABILITATION
 SH-33: OVER DEER CREEK, DRY CREEK, AND LITTLE DEER CREEK
 BEGIN 7.1 MILES NORTHEAST OF US-183, EXTEND NORTHEAST.
 PROJECT LENGTH = 0.57 MILES

SECTION 0001 - ROADWAY - SSP-120B(124)SS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4,582.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	930.000	LF
221(F) 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	7,780.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.400	AC
241 2832	MOWING	3.400	AC
310(B) 0149	SUBGRADE, METHOD B	3,445.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	10.000	TON
407(B) 0250	TACK COAT	523.000	GAL
408 5774	PRIME COAT	851.900	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,432.500	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	426.300	TON
412 5267	COLD MILLING PAVEMENT	200.000	SY
413(B) 4863	RUMBLE STRIP-METHOD HMA-CYC	1,520.000	LF
509(D) 0325	CLASS C CONCRETE	40.000	CY
613(B) 0692	36" CORR. GALV. STEEL PIPE	132.000	LF
613(M) 7199	TYPE D6 CULVERT END TREATMENT	2.000	EA
619(B) 4725	REMOVAL OF FENCE	615.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3,220.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	2.000	EA
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	1.000	EA
619(B) 4780	REMOVAL OF GUARDRAIL	760.000	LF
619(B) 5918	REMOVAL OF EXISTING PIPE	282.000	LF
619(C) 0924	SAWING PAVEMENT	232.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	712.500	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	605.000	LF

SECTION 0002 - BRIDGE - SSP-120B(124)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	200.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,037.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(B) 1305	SAW-CUT GROOVING	1,380.000	SY
504(D) 6245	CONCRETE RAIL (TR4)	617.000	LF
506(A) 1322	STRUCTURAL STEEL	1,050.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	342.000	CY
509(B) 1328	CLASS A CONCRETE	138.600	CY
511(A) 1332	REINFORCING STEEL	500.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	99,510.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	942.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	942.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,168.200	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	220.000	LF
523(A) 6550	SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,270.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	255.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC - SSP-120B(124)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	18.750	SF
851(C) 8324	2" SQUARE TUBE POST	48.000	LF
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	26.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,243.000	LF

SECTION 0004 - TRAFFIC CONTROL - SSP-120B(124)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	12.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	440.000	SD

SECTION 0005 - CONSTRUCTION STAKING - SSP-120B(124)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION - SSP-120B(124)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0007 - ROADWAY - SBR-120B(178)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
221(C) 2801	TEMPORARY SILT FENCE	1,510.000	LF
230(A) 2806	SOLID SLAB SODDING	429.000	SY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	500.000	TON
412 5267	COLD MILLING PAVEMENT	2,134.000	SY
509(D) 0325	CLASS C CONCRETE	8.000	CY
619(B) 4780	REMOVAL OF GUARDRAIL	681.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	625.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	10.000	EA

SECTION 0008 - BRIDGE 'A' - SBR-120B(178)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
504(A) 1304	APPROACH SLAB	209.400	SY
504(B) 1305	SAW-CUT GROOVING	535.200	SY
504(C) 6250	SEALED EXPANSION JOINT	75.600	LF
504(D) 6245	CONCRETE RAIL (TR4)	321.200	LF
506(A) 1322	STRUCTURAL STEEL	49,000.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	15.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	15.000	EA
509(A) 1326	CLASS AA CONCRETE	90.000	CY
509(B) 1328	CLASS A CONCRETE	82.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	33,900.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	480.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	480.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	399.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	1.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	2.000	SY
601(B) 1353	TYPE I-A PLAIN RIPRAP	230.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	60.000	TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2520	REMOVAL OF BRIDGE ITEM (TYPE B)	1.000	LSUM
619(B) 2530	REMOVAL OF BRIDGE ITEM (TYPE C)	1.000	LSUM

SECTION 0009 - TRAFFIC - SBR-120B(178)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	32.000	SF
851(C) 8324	2" SQUARE TUBE POST	44.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,024.000	LF

SECTION 0010 - ROADWAY - SBR-220B(007)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,535.000	LF
230(A) 2806	SOLID SLAB SODDING	512.000	SY

411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	589.000 TON
412 5267	COLD MILLING PAVEMENT	2,334.000 SY
509(D) 0325	CLASS C CONCRETE	8.000 CY
619(B) 4780	REMOVAL OF GUARDRAIL	1,002.000 LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	900.000 LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000 EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000 EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	18.000 EA

SECTION 0011 - BRIDGE 'A' - SBR-220B(007)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	14.000	CY
504(A) 1304	APPROACH SLAB	143.000	SY
504(B) 1305	SAW-CUT GROOVING	505.400	SY
504(C) 6250	SEALED EXPANSION JOINT	33.200	LF
504(D) 6245	CONCRETE RAIL (TR4)	302.700	LF
506(A) 1322	STRUCTURAL STEEL	49,310.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	20.000	EA
509(A) 1326	CLASS AA CONCRETE	94.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	23,840.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	211.800	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	1.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	3.000	SY
542 4600	(PL)INSTALLATION OF BRIDGE ITEMS	1.000	LSUM
601(B) 1353	TYPE I-A PLAIN RIPRAP	200.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	60.000	TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2520	REMOVAL OF BRIDGE ITEM (TYPE B)	1.000	LSUM

SECTION 0012 - TRAFFIC - SBR-220B(007)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	31.000	SF
851(C) 8324	2" SQUARE TUBE POST	44.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,024.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 100
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CUSTER

CONTRACT ID : 120271

PROJECT(S) : STP-120C(197)CI
PCN : 2847304
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$15.17
 120 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND SURFACE
 COUNTY ROAD (EW-101/NS-244): FROM AIRPORT RD IN WEATHERFORD
 EXTEND EAST ON EW-101 THEN NORTH ON NS-244.
 PROJECT LENGTH = 1.523 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	5,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	700.000	LF
230(A) 2806	SOLID SLAB SODDING	30,000.000	SY
233(A) 2817	VEGETATIVE MULCHING	5.920	AC
303(A) 2100	AGGREGATE BASE TYPE A	735.000	CY
311(B) 0152	PROCESSING EXISTING BASE & SURFACE, METHOD B	8,100.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	118.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	3,958.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2,691.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(B) 1353	TYPE I-A PLAIN RIPRAP	150.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	50.000	TON
613(A) 4512	28" X 18" R.C.PIPE ARCH CLASS A-IV	206.000	LF
613(A) 4513	36" X 22" R.C.PIPE ARCH CLASS A-IV	78.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	100.000	LF
613(L) 4515	28" X 18" PREFAB. CULVERT END SECTION, ARCH	8.000	EA
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	4.000	EA
613(L) 4526	36" X 22" PREFAB. CULVERT END SECTION, ARCH	6.000	EA
629(E) 5048	REMOVE AND RESET MAILBOX	2.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	16,000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 120
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : DELAWARE

CONTRACT ID : 110422

PROJECT(S) : BRFY-021C(256) PCN : 1044104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$127.88
 400 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-10: OVER ELK RIVER, 1.35 MILES SOUTH OF THE OTTAWA
 COUNTY LINE.
 PROJECT LENGTH = 0.892 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	69,934.000	CY
202(B) 0105	MUCK EXCAVATION	42,059.000	CY
202(D) 0184	UNCLASSIFIED BORROW	3,986.000	CY
203 7116	TEST ROLLING	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	10,692.000	LF
221(F) 0100	TEMPORARY SILT DIKE	504.000	LF
230(A) 2806	SOLID SLAB SODDING	61,276.000	SY
233(A) 2817	VEGETATIVE MULCHING	13.500	AC
241 2832	MOWING	67.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	5,849.000	CY
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	25,990.000	SY
307(G) 4260	LIME PRETREATMENT	5,201.000	SY
325 5271	SEPARATOR FABRIC	25,990.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	12,235.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	502.000	TON
407(B) 0250	TACK COAT	7,705.000	GAL
408 5774	PRIME COAT	10,317.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	3,081.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	4,705.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	2,366.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	942.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	180,256.000	TON
601(B) 0536	TYPE I-A PLAIN RIPRAP	12,067.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	3,117.000	TON
609(B) 1523	2'-8" COMB. CURB & GUTTER (4" MNTBLE)	404.000	LF
610(C) 0609	6" CONCRETE DIVIDING STRIP	1,069.000	SY
613(A) 0491	18" R.C.PIPE CLASS III	181.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	133.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	114.000	LF

613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	6.000 EA
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	4.000 EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000 EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	20,964.000 SY
619(B) 7250	REMOVE AND RELOCATE UTILITIES	1.000 LSUM
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	3,322.000 LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000 EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000 EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	437.000 LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
501(G) 6309	CLSM BACKFILL	280.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	5,082.200	LF
504(A) 1304	APPROACH SLAB	361.200	SY
504(B) 1305	SAW-CUT GROOVING	5,267.600	SY
504(C) 6250	SEALED EXPANSION JOINT	220.600	LF
504(D) 6245	CONCRETE RAIL (TR4)	1,823.400	LF
504(F) 6006	HANDRAILING	910.700	LF
506(A) 1322	STRUCTURAL STEEL	5,680.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	60.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	48.000	EA
509(A) 1326	CLASS AA CONCRETE	1,303.900	CY
509(B) 1328	CLASS A CONCRETE	665.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	385,800.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	240.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1,018.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	240.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1,018.000	LF
514(K) 6260	(PL)PILOT HOLES	646.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	3,902.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	312.000	LF
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	1,202.000	LF
516(A) 6105	DRILLED SHAFTS 96" DIAMETER	164.000	LF
516(A) 6135	DRILLED SHAFTS 144" DIAMETER	102.000	LF
516(C) 6200	CROSSHOLE SONIC LOGGING	24.000	EA
516(D) 6400	CSL ACCESS TUBES	8,004.000	LF
523(A) 6550	SEALER CRACK PREPARATION	1,129.000	LF
523(B) 6560	SEALER RESIN	23.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	3,900.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	1,100.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	108.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - SIGNING & STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

804(A)	2915	STRUCTURAL CONCRETE	4.000	CY
804(B)	2916	REINFORCING STEEL	224.000	LB
850(A)	8110	SHEET ALUMINUM SIGNS	287.000	SF
851(B)	3216	2"@3.65 GALV.STEEL PIPE POST	384.000	LF
851(B)	3217	2 1/2"@5.79 GALV.STEEL PIPE POST	56.000	LF
851(B)	3218	3"@7.58 GALV.STEEL PIPE POST	56.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	20,418.000	LF
855(A)	8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	1,294.000	LF

SECTION 0004 - TRAFFIC OPERATIONS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
854(A)	8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	24,240.000 LF
857(E)	8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	4,700.000 EA
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	18,832.000 LF
871(B)	8705	(SP)CONST.ZONE IMPACT ATTEN.	800.000 SD
877(B)	8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3,772.000 LF
877(C)	8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,874.000 LF
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	9,200.000 SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,400.000 SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5,600.000 SD
880(C)	8848	WING BARRICADES	1,600.000 SD
880(D)	8854	VERTICAL PANELS	30,800.000 SD
880(E)	8860	WARNING LIGHTS(TYPE A)	6,400.000 SD
880(E)	8872	WARNING LIGHTS(TYPE C)	61,600.000 SD
880(F)	8878	DRUMS	30,800.000 SD
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	1,200.000 SD

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
640(A)	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 140
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : BEAVER
 ELLIS
 HARPER

CONTRACT ID : 120272

PROJECT(S) PCN
 BRFY-230C(001) 2172404
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$35.77
 90 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 JOINT SEAL/REPAIR
 US-64/US-83/US-270/US-283/SH-3: AT MULTIPLE LOCATIONS IN
 DIVISION VI.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509 6386	SILICONE CONSTRUCTION JOINT	1,300.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	30.000	SY

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509 6386	SILICONE CONSTRUCTION JOINT	775.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	20.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	12.000	SY

SECTION 0003 - BRIDGE 'C'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
504(A) 1304	APPROACH SLAB	203.000	SY
504(B) 1305	SAW-CUT GROOVING	198.000	SY
509 6386	SILICONE CONSTRUCTION JOINT	1,100.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	25.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	15.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	30.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	1.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	35.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	35.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	3.000	EA

SECTION 0004 - BRIDGE 'D'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
504(A) 1304	APPROACH SLAB	266.000	SY
504(B) 1305	SAW-CUT GROOVING	255.000	SY
509 6386	SILICONE CONSTRUCTION JOINT	210.000	LF

SECTION 0005 - BRIDGE 'E'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509 6386	SILICONE CONSTRUCTION JOINT	300.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	15.000	SY

SECTION 0006 - BRIDGE 'F'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

501(G)	6309	CLSM BACKFILL	20.000	CY
504(A)	1304	APPROACH SLAB	121.000	SY
504(B)	1305	SAW-CUT GROOVING	117.000	SY
509	6386	SILICONE CONSTRUCTION JOINT	1,800.000	LF
513(B)	6019	CLASS B BRIDGE DECK REPAIR	30.000	SY
521(A)	6210	PNEUMATICALLY PLACED MORTAR	750.000	SY
535	6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	750.000	SY
540	4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA

SECTION 0007 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A)	8482 (PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(I)	8902 FLAGGER	90.000	SD
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A)	8306 PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0008 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641	1399 MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 150
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : HASKELL

CONTRACT ID : 120287

PROJECT(S) : BRF-131C(103)CI
PCN : 2738604
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$14.09
 120 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-125): OVER ELM CREEK, 0.2 MILES WEST OF
 SH-2.
 PROJECT LENGTH = 0.128 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1,480.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2,920.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,120.000	LF
221(F) 0100	TEMPORARY SILT DIKE	80.000	LF
230(A) 2806	SOLID SLAB SODDING	3,010.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.620	AC
303(A) 2100	AGGREGATE BASE TYPE A	373.000	CY
325 5271	SEPARATOR FABRIC	2,517.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	400.000	TON
407(B) 0250	TACK COAT	130.000	GAL
408 5774	PRIME COAT	890.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	310.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	250.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	336.000	TON
609(B) 1525	2'-8" COMB. CURB & GUTTER (6" BARRIER)	100.000	LF
610(B) 0604	6" CONCRETE DRIVEWAY	48.000	SY
613(B) 0692	36" CORR. GALV. STEEL PIPE	42.000	LF
613(L) 5734	36" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,660.000	SY
619(C) 0924	SAWING PAVEMENT	170.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	3.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	1,360.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	168.000	CY
501(G) 6309	CLSM BACKFILL	64.000	CY
504(B) 1305	SAW-CUT GROOVING	249.800	SY
504(D) 6239	CONCRETE RAIL (TR3)	258.400	LF
506(A) 6010	STRUCTURAL STEEL A709 GR50	89,860.000	LB

507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B)	6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A)	1326	CLASS AA CONCRETE	74.800	CY
509(B)	1328	CLASS A CONCRETE	62.800	CY
511(A)	1332	REINFORCING STEEL	26,540.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	84.000	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	182.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	84.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	182.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,440.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	290.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G)	8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 165
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : JEFFERSON

CONTRACT ID : 120288

PROJECT(S) PCN
 BRO-134D(079)CI 2747404
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$16.26
 150 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-190): OVER MUD AND COTTONWOOD CREEK,
 0.7 MILES WEST OF SH-89.
 PROJECT LENGTH = 0.376 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	4,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	250.000	LF
221(G) 0151	TEMPORARY ROCK FILTER DAM TYPE 2	15.000	CY
230(A) 2806	SOLID SLAB SODDING	14,000.000	SY
233(A) 2817	VEGETATIVE MULCHING	5.800	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,904.000	TON
408 5774	PRIME COAT	1,287.000	GAL
509(D) 0325	CLASS C CONCRETE	15.000	CY
613(A) 0496	48" R.C.PIPE CLASS III	46.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	50.000	LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(O) 4383	SPECIAL END SECTION OF 48" RCP ROUND	2.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(F) 6352	GRANULAR BACKFILL	66.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	179.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	176.000	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	48.500	CY
509(B) 1328	CLASS A CONCRETE	60.400	CY
511(A) 1332	REINFORCING STEEL	20,160.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	160.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	731.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	160.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	731.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	777.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	184.000	TON

613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000 LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	150.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	200.000 LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000 EA
623(F) 6030	GUARDRAIL ANCHOR UNIT (TYPE B)	3.000 EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0003 - BRIDGE "B"

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	190.000	CY
501(F) 6352	GRANULAR BACKFILL	76.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	179.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	188.100	LF
506(A) 1322	STRUCTURAL STEEL	580.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	50.600	CY
509(B) 1328	CLASS A CONCRETE	68.000	CY
511(A) 1332	REINFORCING STEEL	24,120.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	160.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	801.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	160.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	801.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	703.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	166.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	150.000	LF
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	442.370	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F) 6030	GUARDRAIL ANCHOR UNIT (TYPE B)	1.000	EA

SECTION 0004 - BRIDGE "C"

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(F) 6352	GRANULAR BACKFILL	66.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	179.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	176.000	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	48.500	CY
509(B) 1328	CLASS A CONCRETE	60.400	CY
511(A) 1332	REINFORCING STEEL	20,160.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	160.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	831.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	160.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	831.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,020.000	TON

601(C)	1355	TYPE I-A FILTER BLANKET	270.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	150.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	1418	BEAM GUARDRAIL W-BEAM SINGLE	192.500	LF
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F)	6030	GUARDRAIL ANCHOR UNIT (TYPE B)	3.000	EA

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 168
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : LATIMER
 LEFLORE

CONTRACT ID : 120375

PROJECT(S) : MC-239C(006) PCN : 2173508
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$13.01
 45 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 SH-1: OVER ROCK CREEK, 0.16 MILES WEST OF THE LEFLORE
 COUNTY LINE.
 PROJECT LENGTH = 0.085 MILES

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	73.000	CY
506(A) 1322	STRUCTURAL STEEL	68,580.000	LB
509(A) 1326	CLASS AA CONCRETE	21.800	CY
511(A) 1332	REINFORCING STEEL	1,490.000	LB

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	73.000	CY
506(A) 1322	STRUCTURAL STEEL	72,910.000	LB
509(A) 1326	CLASS AA CONCRETE	21.800	CY
511(A) 1332	REINFORCING STEEL	1,490.000	LB

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	225.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	135.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 170
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : LOGAN

CONTRACT ID : 120289

PROJECT(S) : BRF-142C(118)CI
PCN : 2301704
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$30.35
 90 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-65) : OVER OTTER CREEK 3.0 MILES SOUTH AND
 1.4 MILES EAST OF THE SH-51/SH-74 JCT.
 PROJECT LENGTH = 0.251 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	850.000	LF
230(A) 2806	SOLID SLAB SODDING	8,350.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.730	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	692.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	165.000	TON
613(B) 0692	36" CORR. GALV. STEEL PIPE	158.000	LF
613(M) 7189	TYPE D4 CULVERT END TREATMENT	4.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	90.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	828.500	LF
504(C) 6250	SEALED EXPANSION JOINT	33.500	LF
504(E) 1380	CONCRETE RAIL (TR1)	485.200	LF
506(A) 1322	STRUCTURAL STEEL	590.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	12.000	EA
509(A) 1326	CLASS AA CONCRETE	159.700	CY
509(B) 1328	CLASS A CONCRETE	111.200	CY
511(A) 1332	REINFORCING STEEL	51,030.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	200.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	456.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	200.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	456.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	130.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	2,330.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	707.000	TON

619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 180
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : LOGAN

CONTRACT ID : 120274

PROJECT(S) : STPY-242C(001) PCN : 2772904
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 90 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT) AND PEDESTRIAN IMPROVEMENTS
 SH-000 (EW-73): THRU COYLE, FROM THE NEW SH-33, EXTEND
 EAST THEN NORTH.
 PROJECT LENGTH = 1.55 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	200.000	CY
202(H) 0185	EARTHWORK	1.000	LSUM
230(A) 2806	SOLID SLAB SODDING	700.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	100.000	CY
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	100.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3,800.000	TON
412 5267	COLD MILLING PAVEMENT	9,000.000	SY
509(B) 1328	CLASS A CONCRETE	32.000	CY
509(D) 0325	CLASS C CONCRETE	5.000	CY
511(A) 0332	REINFORCING STEEL	4,000.000	LB
609(A) 5864	CONCRETE CURB (6" BARRIER-DOWELLED)	1,250.000	LF
609(B) 0383	COMBINED CURB & GUTTER (6" BARRIER)	150.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	1,400.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	350.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	300.000	SF
612(I) 0652	WATER METER RESET	1.000	EA
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	12.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	300.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	200.000	LF
619(B) 4791	REMOVAL OF CURB	1,050.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	900.000	SY
619(B) 5949	REMOVAL OF FIRE HYDRANT	1.000	EA
622(A) 4746	PIPE RAILING	150.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	150.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	10.000	EA

853	9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	12.000	EA
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	30,000.000	LF
855(A)	8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	600.000	LF
855(A)	8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	70.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	2.000	EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 185
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : LOVE

CONTRACT ID : 110432

PROJECT(S) : BRFY-143C(060) PCN : 2096404
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$63.94
 250 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, SURFACE, AND BRIDGE
 SH-32: FROM 6.0 MILES EAST OF THE SH-77S JUNCTION, EXTEND
 EAST.
 PROJECT LENGTH = 1.051 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	95,734.000	CY
202(D) 0184	UNCLASSIFIED BORROW	3,363.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3,429.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	3.000	EA
221(F) 0100	TEMPORARY SILT DIKE	266.000	LF
229 4318	DITCH LINER PROTECTION	4,604.000	LF
230(A) 2806	SOLID SLAB SODDING	31,828.000	SY
232(B) 2814	SEEDING METHOD B	13.000	AC
233(A) 2817	VEGETATIVE MULCHING	13.000	AC
241 2832	MOWING	44.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	6,477.000	CY
307(A) 4200	FLY ASH	1,708.000	TON
307(D) 4230	LIME	135.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	34,349.000	SY
307(G) 4260	LIME PRETREATMENT	6,933.000	SY
325 5271	SEPARATOR FABRIC	20,939.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	4,646.000	TON
407(B) 0250	TACK COAT	5,937.000	GAL
408 5774	PRIME COAT	11,974.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	2,150.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	10,035.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1,433.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,844.000	TON
509(D) 0325	CLASS C CONCRETE	817.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	13.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	3.000	TON
611(G) 6006	INLET (SMD-TYPE 2B)	1.000	EA
613(A) 0494	36" R.C.PIPE CLASS III	75.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	82.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	516.000	LF

613(M)	7187	TYPE B4 CULVERT END TREATMENT	7.000	EA
613(M)	7197	TYPE B6 CULVERT END TREATMENT	7.000	EA
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	19,319.000	SY
619(B)	4780	REMOVAL OF GUARDRAIL	1,000.000	LF
619(C)	0924	SAWING PAVEMENT	7,213.000	LF
623	0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A)	0932	BEAM GUARDRAIL W-BEAM SINGLE	1,075.000	LF
623(F)	6030	GUARDRAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(G)	8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I)	8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,213.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE	3.000	EA
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	2.000	EA
629(C)	4960	MAILBOX	13.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	13.000	EA
853	9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	33.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	180.000 CY
501(G)	6309	CLSM BACKFILL	206.000 CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	2,793.000 LF
504(A)	1304	APPROACH SLAB	281.200 SY
504(B)	1305	SAW-CUT GROOVING	3,384.800 SY
504(C)	6250	SEALED EXPANSION JOINT	129.600 LF
504(D)	6245	CONCRETE RAIL (TR4)	1,523.400 LF
506(A)	1322	STRUCTURAL STEEL	3,150.000 LB
507(A)	6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	32.000 EA
507(B)	6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	24.000 EA
509(A)	1326	CLASS AA CONCRETE	811.600 CY
509(B)	1328	CLASS A CONCRETE	408.900 CY
509(D)	1331	CLASS C CONCRETE	25.000 CY
511(A)	1332	REINFORCING STEEL	3,690.000 LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	248,470.000 LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	168.000 LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	536.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	168.000 LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	536.000 LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	3,057.000 SY
516(A)	6097	DRILLED SHAFTS 66" DIAMETER	744.000 LF
523(A)	6550	SEALER CRACK PREPARATION	122.400 LF
523(B)	6560	SEALER RESIN	1.500 GAL
601(B)	1353	TYPE I-A PLAIN RIPRAP	5,430.000 TON
601(C)	1355	TYPE I-A FILTER BLANKET	1,205.000 TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000 LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000 LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	24,800.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	500.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	5,000.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5,000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5,500.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5,250.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	13,500.000	SD
880(C) 8848	WING BARRICADES	1,000.000	SD
880(D) 8854	VERTICAL PANELS	27,500.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	31,000.000	SD
880(F) 8878	DRUMS	15,000.000	SD
880(G) 8890	CHANNELIZER CONES	15,000.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	500.000	SD

SECTION 0004 - SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	144.840	SF
851(C) 8324	2" SQUARE TUBE POST	260.000	LF
853 9024	DELINEATORS(TYPE 1, CODE 1)	25.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	22,368.000	LF

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0007 - NON-PARTICIPATING BRIDGE 'A' (UTILITY CONDUIT)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504 6176	INSERTS	71.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 187
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : LOVE

CONTRACT ID : 120257

PROJECT(S) PCN
 IMY-0035-1(161)003 2858404
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$105.12
 150 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND SURFACE
 I-35: INTERCHANGE AT ROGERS RD 3.24 NORTH OF THE TEXAS
 STATE LINE (SOUTH HALF).
 PROJECT LENGTH = 1.504 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	18,198.000	CY
202(D) 0184	UNCLASSIFIED BORROW	12,423.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	4,311.000	LF
221(F) 0100	TEMPORARY SILT DIKE	192.000	LF
221(G) 0151	TEMPORARY ROCK FILTER DAM TYPE 2	9.000	CY
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	3.000	EA
229 4318	DITCH LINER PROTECTION	100.000	LF
230(A) 2806	SOLID SLAB SODDING	42,042.000	SY
232(A) 2813	SEEDING METHOD A	1.000	AC
233(A) 2817	VEGETATIVE MULCHING	8.000	AC
241 2832	MOWING	18.000	AC
307(B) 4210	CEMENT KILN DUST	1,164.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	26,424.000	SY
408 5774	PRIME COAT	7,770.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	5,574.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	274.000	TON
413(C) 4868	RUMBLE STRIP-METHOD PCC-CON	1,476.000	LF
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	6,476.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	15,361.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	6,361.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	100.000	CY
501(G) 6315	CLSM BACKFILL	311.000	CY
509(A) 0319	CLASS AA CONCRETE	369.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	8.000	CY
509(D) 0325	CLASS C CONCRETE	33.000	CY
511(A) 0332	REINFORCING STEEL	71,377.000	LB
609(A) 0300	CONCRETE CURB (6" BARRIER-INTEGRAL)	126.000	LF
609(A) 5864	CONCRETE CURB (6" BARRIER-DOWELLED)	72.000	LF
609(B) 0395	2'-8" COMB. CURB & GUTTER (6" BARRIER-NOTCHED)	131.000	LF
611(A) 2657	MANHOLE (4' DIAMETER)	2.000	EA

611(A)	2658	MANHOLE (5' DIAMETER)	1.000	EA
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	2.000	VF
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIAMETER)	3.000	VF
611(C)	4215	REPLACEMENT OF MANHOLE FRAME & COVER	7.000	EA
611(G)	6002	INLET (SMD-TYPE 2)	3.000	EA
611(L)	0487	JUNCTION BOXES	253.000	CF
613(A)	0491	18" R.C.PIPE CLASS III	74.000	LF
613(A)	0492	24" R.C.PIPE CLASS III	580.000	LF
613(A)	0493	30" R.C.PIPE CLASS III	619.000	LF
613(A)	0494	36" R.C.PIPE CLASS III	119.000	LF
613(A)	0495	42" R.C.PIPE CLASS III	487.000	LF
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	200.000	LF
613(I)	1096	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF
613(L)	5730	24" PREFAB. CULVERT END SECTION, ROUND	4.000	EA
613(M)	7193	TYPE CC4 CULVERT END TREATMENT	2.000	EA
613(M)	7199	TYPE D6 CULVERT END TREATMENT	1.000	EA
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	9,333.000	SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	1,455.000	SY
619(B)	4780	REMOVAL OF GUARDRAIL	878.000	LF
619(C)	0924	SAWING PAVEMENT	5,545.000	LF
624(A)	4281	FENCE-STYLE WWF	5,624.000	LF
624(D)	4470	GATE, GALVANIZED STEEL	5.000	EA

SECTION 0002 - TRAFFIC SIGNALS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
802(A)	8310	2" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	305.000 LF
802(B)	8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	450.000 LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1,185.000 LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	180.000 LF
802(B)	8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	55.000 LF
802(E)	8370	JUNCTION BOX(6" X 6" X 4")	2.000 EA
803(A)	8065	PULL BOX(SIZE I)	11.000 EA
803(A)	8066	PULL BOX(SIZE II)	2.000 EA
804(A)	2915	STRUCTURAL CONCRETE	153.000 CY
804(B)	2916	REINFORCING STEEL	2,287.000 LB
806(A)	8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	1.000 EA
806(A)	8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	2.000 EA
806(A)	8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000 EA
806(A)	8724	POLE & 20' TS MST.ARM(G.STL.)	1.000 EA
806(A)	8730	POLE & 35' TS MST.ARM(G.STL.)	1.000 EA
809(A)	8090	ROADWAY LUMINAIRE	5.000 EA
810(A)	3118	SERVICE POLE	2.000 EA
811	8040	1/C NO.6 ELECTRICAL CONDUCTOR	2,175.000 LF
811	8044	1/C NO.10 ELECTRICAL CONDUCTOR	1,010.000 LF
824(A)	8340	(SP)MASTER CONTROLLER	1.000 EA
825	8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	2.000 EA
828	8132	(PL)DETECTION SYSTEM (VIDEO)	1.000 LSUM
831	8231	1WAY 3SEC. ADJ. SIG. HD. S-6	11.000 EA

831	8262	1WAY 3SEC. ADJ. SIG. HD. S-10	2.000	EA
831	8286	1WAY 5SEC. ADJ. SIG. HD. S-19	1.000	EA
833	3030	BACKPLATE	14.000	EA
834(A)	8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	290.000	LF
834(A)	8209	9/C TRAFFIC SIGNAL ELECTRICAL CABLE	245.000	LF
834(A)	8210	12/C TRAFFIC SIGNAL ELECTRICAL CABLE	225.000	LF
834(C)	8359	UNDERGROUND COMMUNICATION CABLE	1,120.000	LF
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	69.000	SF

SECTION 0003 - TRAFFIC SIGNING & STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
804(A)	2915	STRUCTURAL CONCRETE	14.000 CY
804(B)	2916	REINFORCING STEEL	1,996.000 LB
805(A)	8724	(PL)REMOVAL OF EXISTING SIGNS	2.000 EA
850(A)	8110	SHEET ALUMINUM SIGNS	195.000 SF
850(B)	8112	EXTRUDED ALUMINUM PANEL SIGNS	377.000 SF
851(A)	3206	4"@13 GALV.STEEL WIDE FLANGE BEAM POST	45.000 LF
851(A)	3208	6"@20 GALV.STEEL WIDE FLANGE BEAM POST	260.000 LF
851(B)	3217	2 1/2"@5.79 GALV.STEEL PIPE POST	319.000 LF
856(A)	8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	17,285.000 LF
856(A)	8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	2,327.000 LF
856(A)	8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	6,436.000 LF
856(A)	8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	1,922.000 LF
856(A)	8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	147.000 LF
856(B)	8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	9.000 EA
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	11,746.000 LF
857(F)	8007	PAVEMENT MARKING REMOVAL(ARROWS)	6.000 EA
857(F)	8008	PAVEMENT MARKING REMOVAL(WORDS)	3.000 EA

SECTION 0004 - LIGHTING

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
802(B)	8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	80.000 LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	4,850.000 LF
803(A)	8065	PULL BOX(SIZE I)	3.000 EA
804(A)	2915	STRUCTURAL CONCRETE	21.000 CY
804(B)	2916	REINFORCING STEEL	1,236.000 LB
806(D)	8997	38' MTG.HT.HL.PTP.(G.STL.)	37.000 EA
807	8092	BREAKAWAY BASE (DES. B)	37.000 EA
809(A)	8090	ROADWAY LUMINAIRE	37.000 EA
810(A)	3118	SERVICE POLE	2.000 EA
811	8040	1/C NO.6 ELECTRICAL CONDUCTOR	10,000.000 LF
811	8046	1/C NO.12 ELECTRICAL CONDUCTOR	4,625.000 LF

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
857(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	10,978.000 LF
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	10,978.000 LF
871(B)	8705	(SP)CONST.ZONE IMPACT ATTEN.	225.000 SD
876(A)	8482	(PL)TRUCK MOUNTED ATTENUATOR	10.000 SD
877(B)	8484	DELIVER PORTABLE LONGITUDINAL BARRIER	5,600.000 LF

877(C)	8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	825.000	LF
880(A)	8812	ARROW DISPLAY(TYPE C)	150.000	SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,975.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,100.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4,575.000	SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	2,025.000	SD
880(C)	8848	WING BARRICADES	675.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	2,175.000	SD
880(F)	8878	DRUMS	14,850.000	SD
880(G)	8890	CHANNELIZER CONES	750.000	SD
880(L)	8911	TRAFFIC SURVEILLANCE, POLICE	300.000	HOUR
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	750.000	SD

SECTION 0006 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A)	1426 FIELD OFFICE	1.000	EA
641	1552 MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 190
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : MCCLAIN

CONTRACT ID : 120290

PROJECT(S) PCN
 BRF-144C(059)CI 2021204
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$21.68
 90 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-144): OVER TRIBUTARY OF COLBERT CREEK 6.0
 MILES AND 5.7 MILES WEST OF THE SH-39/SH-59 JCT.
 PROJECT LENGTH = 0.192 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	4,000.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.700	AC
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	2,175.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	22.000	TON
407(B) 0250	TACK COAT	203.000	GAL
408 5774	PRIME COAT	459.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	356.500	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	348.250	TON
412 5267	COLD MILLING PAVEMENT	275.000	SY
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(B) 0690	24" CORR. GALV. STEEL PIPE	114.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
619(C) 0924	SAWING PAVEMENT	48.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	4,080.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	40.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	198.000	LF
504(B) 1305	SAW-CUT GROOVING	148.000	SY
504(E) 1380	CONCRETE RAIL (TR1)	145.000	LF
509(A) 1326	CLASS AA CONCRETE	35.000	CY
509(B) 1328	CLASS A CONCRETE	28.000	CY
511(A) 1332	REINFORCING STEEL	10,020.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	620.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	620.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	750.000	TON

601(C)	1355	TYPE I-A FILTER BLANKET	140.000	TON
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 195
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : MURRAY

CONTRACT ID : 120299

PROJECT(S) : HSIPG-250A(001)TR
PCN : 2927304
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$13.01
 135 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 SAFETY IMPROVEMENT
 SH-7: AT THE I-35 INTERCHANGE.

SECTION 0001 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
209 0120	MACHINE GRADING	2,010.000	LF
230(A) 2806	SOLID SLAB SODDING	1,113.000	SY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	231.200	TON
619(B) 4780	REMOVAL OF GUARDRAIL	1,757.000	LF
619(C) 0924	SAWING PAVEMENT	1,999.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1,287.500	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	1.000	EA
623(F) 4453	GUARDRAIL ANCHOR UNIT (TYPE GE)	1.000	EA
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
804(A) 2915	STRUCTURAL CONCRETE	3.000	CY
804(B) 2916	REINFORCING STEEL	192.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	3.000	EA
827 8620	SOLID STATE FLASHER CONTROLLER(TYPE I)	9.000	EA
831 8301	1WAY 1SEC. ADJ. SIG. HD. S-22	10.000	EA
836 8425	REGULATORY OR WARNING SIGN ASSEMBLY	5.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	134.000	SF
851(B) 3217	2 1/2"@5.79 GALV.STEEL PIPE POST	166.000	LF
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	32.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 200
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : NOBLE

CONTRACT ID : 120275

PROJECT(S)
 STPY-152B(173)
 BRFY-152B(074)
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$195.08
 270 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

PCN
 2031107
 2186304

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND BRIDGE
 US-64: FROM 7.0 MI EAST OF BOUNDARY ST IN PERRY, EXT EAST.
 US-64: OVER MULE CREEK, 7.8 MI EAST OF US-77.
 PROJECT LENGTH = 4.630 MILES

SECTION 0001 - ROADWAY - STPY-152B(173)

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	294,535.000	CY
202(F) 0110	EMBANKMENTS	187,207.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	49,445.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	9.000	EA
221(E) 2804	TEMPORARY SEDIMENT BASIN	12.000	EA
221(F) 0100	TEMPORARY SILT DIKE	3,328.000	LF
221(G) 0152	TEMPORARY ROCK FILTER DAM TYPE 3	386.000	CY
229 4318	DITCH LINER PROTECTION	3,265.000	LF
230(A) 2806	SOLID SLAB SODDING	239,649.000	SY
230(F) 2812	WATERING	9,586.000	KGAL
232(A) 2813	SEEDING METHOD A	9.000	AC
233(A) 2817	VEGETATIVE MULCHING	72.000	AC
241 2832	MOWING	117.000	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,139.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	528.000	CY
509(A) 0319	CLASS AA CONCRETE	1,704.000	CY
509(D) 0325	CLASS C CONCRETE	628.000	CY
511(A) 0332	REINFORCING STEEL	269,539.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	1,118.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	303.000	TON
611(G) 5327	INLET GPI TYPE 1 (DES. 1)	3.000	EA
611(G) 6000	INLET (SMD-TYPE 1)	1.000	EA
613(A) 0492	24" R.C.PIPE CLASS III	99.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	279.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	181.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	1,779.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	89.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	176.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	20.000	EA

613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	7.000 EA
613(L) 5734	36" PREFAB. CULVERT END SECTION, ROUND	4.000 EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	24.000 EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	1.000 EA
613(M) 7198	TYPE C6 CULVERT END TREATMENT	2.000 EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	330.000 CY
613(V) 1180	TRENCH EXCAVATION	476.000 CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 0291	REMOVAL OF HEADWALL	6.000 EA
619(B) 4725	REMOVAL OF FENCE	22,585.000 LF
619(B) 5918	REMOVAL OF EXISTING PIPE	143.000 LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	25,031.000 LF
629(E) 5048	REMOVE AND RESET MAILBOX	3.000 EA

SECTION 0002 - TRAFFIC - STPY-152B(173)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	540.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	600.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	800.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	11,880.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	86,130.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,970.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	86,130.000	SD
880(C) 8848	WING BARRICADES	2,160.000	SD
880(D) 8854	VERTICAL PANELS	4,050.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	175,230.000	SD
880(F) 8878	DRUMS	9,180.000	SD

SECTION 0003 - STAKING - STPY-152B(173)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0004 - CONSTRUCTION - STPY-152B(173)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0005 - BRIDGE - BRFY-152B(074)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	10,570.000	CY
202(D) 1302	UNCLASSIFIED BORROW	23,240.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	440.000	CY
509(A) 1326	CLASS AA CONCRETE	1,093.400	CY
511(A) 1332	REINFORCING STEEL	157,420.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	46.000	TON

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 220
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : GARFIELD
 KAY
 NOBLE

CONTRACT ID : 120277

PROJECT(S) : BRFY-NBIP(360)
PCN : 2331604
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$8.67
 60 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE PAINTING
 US-77/SH-74: AT MULTIPLE LOCATIONS IN DIVISION IV.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(I) 8902	FLAGGER	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 240
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : GARFIELD
 KAY
 NOBLE

CONTRACT ID : 120278

PROJECT(S) : BRFY-252C(007)
PCN : 2331605
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$15.18
 60 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 JOINT SEAL/REPAIR
 US-77/SH-74: AT MULTIPLE LOCATIONS IN DIVISION IV.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	150.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	5.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	56.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	56.000	SY
540 4545	(PL)REPAIR BRIDGE ITEM (TYPE D)	3.000	EA
540 4555	(PL)REPAIR BRIDGE ITEM (TYPE E)	2.000	EA

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	4.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	9.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	4.000	EA

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(I) 8902	FLAGGER	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 250
LETTING DATE : August 16, 2012
LETTING TIME : 10:30 A.M.
COUNTIES : OKLAHOMA

CONTRACT ID : 120291

PROJECT(S)
IMY-0044-1(122)127RW
DBE GOAL : 0.00
GUARANTY : 5% OF TOTAL BID
PLAN PRICE : \$0.00
45 CALENDAR DAYS
RES. ENG: DIVISION 4 (PERRY)

PCN
0903345

CONTRACT DESCRIPTION :
RIGHT-OF-WAY CLEARANCE
I-44: WESTBOUND TO NORTHBOUND RAMPS AT THE I-44/I-235 JCT.

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED. BOTH BID
EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE.

SECTION 0001 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
619(G) 0094	RIGHT-OF-WAY CLEARANCE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 260
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 120279

PROJECT(S) : OKCY-XTWN(070)TI
PCN : 1742880
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$98.62
 200 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, SURFACE, AND BRIDGE
 I-40 (CONNECTING BOULEVARD): FROM PENNSYLVANIA AVE, EXTEND
 EAST TO WESTERN AVE IN OKLAHOMA CITY.
 PROJECT LENGTH = 0.873 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4,617.000	CY
202(D) 0184	UNCLASSIFIED BORROW	21,991.000	CY
221(C) 2801	TEMPORARY SILT FENCE	9,219.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	34.000	EA
221(F) 0100	TEMPORARY SILT DIKE	140.000	LF
230(A) 2806	SOLID SLAB SODDING	38,147.000	SY
232(B) 2814	SEEDING METHOD B	3.000	AC
233(A) 2817	VEGETATIVE MULCHING	3.000	AC
241 2832	MOWING	12.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	7,109.000	CY
310(B) 0149	SUBGRADE, METHOD B	32,384.000	SY
325 5271	SEPARATOR FABRIC	32,384.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	32,384.000	SY
407(B) 0250	TACK COAT	5,032.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	5,636.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	6,742.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	3,758.000	TON
412 5267	COLD MILLING PAVEMENT	19,027.000	SY
509(A) 0319	CLASS AA CONCRETE	317.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	8.000	CY
509(D) 0325	CLASS C CONCRETE	94.000	CY
511(A) 0332	REINFORCING STEEL	41,130.000	LB
609(B) 0394	2'-8" COMB. CURB & GUTTER (6" MNTBLE-NOTCHED)	7,599.000	LF
609(B) 0396	2'-8" COMB. CURB & GUTTER (8" BARRIER-NOTCHED)	14,819.000	LF
611(A) 2657	MANHOLE (4' DIAMETER)	9.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	4.000	VF
611(G) 5112	INLET CI DES. 2 (STD)	1.000	EA
611(G) 5113	INLET CI DES. 2 (B)	11.000	EA
611(G) 5115	INLET CI DES. 2 (D)	5.000	EA
611(G) 5117	INLET CI DES. 2 (2B)	3.000	EA
611(G) 5120	INLET CI DES. 3 (STD)	5.000	EA

611(G) 5122	INLET CI DES. 3 (D)	4.000 EA
611(G) 5125	INLET CI DES. 3 (2D)	1.000 EA
611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	6.000 VF
611(H) 5330	ADD'L DEPTH IN INLET CI DES. 3	9.000 VF
611(L) 0487	JUNCTION BOXES	222.000 CF
613(A) 0491	18" R.C.PIPE CLASS III	1,810.000 LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	5,400.000 LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	80.000 LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	1.000 EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	1.000 EA
613(Q) 5946	OUTLET LATERAL HEADWALL	4.000 EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	27,903.000 SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	11,384.000 SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	19.000 EA
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	10,871.000 SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	8,721.000 LF
619(B) 5918	REMOVAL OF EXISTING PIPE	1,015.000 LF
619(C) 0924	SAWING PAVEMENT	9,436.000 LF
627(A) 4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	2,145.000 LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	5.000	CY
504(C) 6250	SEALED EXPANSION JOINT	125.700	LF
504(E) 1381	CONCRETE PARAPET	52.000	LF
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	1,435.000	SY
509 6152	SPECIAL CONCRETE FINISH	752.000	SY
510(C) 6137	SLOPE WALL (4")	50.000	SY
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
513(B) 6019	CLASS B BRIDGE DECK REPAIR	24.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	187.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	406.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	8.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	30.000	SY
523(A) 6550	SEALER CRACK PREPARATION	513.700	LF
523(B) 6560	SEALER RESIN	7.000	GAL

SECTION 0003 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	5.000	CY
504(C) 6250	SEALED EXPANSION JOINT	125.800	LF
504(E) 1381	CONCRETE PARAPET	52.000	LF
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	1,435.000	SY
509 6152	SPECIAL CONCRETE FINISH	750.000	SY
510(C) 6137	SLOPE WALL (4")	50.000	SY
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
513(B) 6019	CLASS B BRIDGE DECK REPAIR	4.200	SY

513(C) 6020	CLASS C BRIDGE DECK REPAIR	186.000 SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	406.000 SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000 LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	8.000 GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	30.000 SY
523(A) 6550	SEALER CRACK PREPARATION	513.800 LF
523(B) 6560	SEALER RESIN	7.000 GAL

SECTION 0004 - BRIDGE 'C'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	5.000	CY
504(C) 6250	SEALED EXPANSION JOINT	124.100	LF
504(E) 1381	CONCRETE PARAPET	52.000	LF
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	1,550.000	SY
509 6152	SPECIAL CONCRETE FINISH	876.000	SY
510(C) 6137	SLOPE WALL (4")	15.000	SY
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
513(B) 6019	CLASS B BRIDGE DECK REPAIR	54.600	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	192.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	464.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	8.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	35.000	SY
523(A) 6550	SEALER CRACK PREPARATION	512.100	LF
523(B) 6560	SEALER RESIN	7.000	GAL

SECTION 0005 - BRIDGE 'D'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	5.000	CY
504(C) 6250	SEALED EXPANSION JOINT	124.100	LF
504(E) 1381	CONCRETE PARAPET	64.000	LF
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	1,550.000	SY
509 6152	SPECIAL CONCRETE FINISH	879.000	SY
510(C) 6137	SLOPE WALL (4")	15.000	SY
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
513(B) 6019	CLASS B BRIDGE DECK REPAIR	25.200	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	186.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	464.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	8.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	35.000	SY
523(A) 6550	SEALER CRACK PREPARATION	512.000	LF
523(B) 6560	SEALER RESIN	7.000	GAL

SECTION 0006 - BRIDGE 'E'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	10.000	CY
504(C) 6250	SEALED EXPANSION JOINT	126.100	LF
504(E) 1381	CONCRETE PARAPET	40.000	LF
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	972.000	SY

509	6152	SPECIAL CONCRETE FINISH	485.000	SY
510(C)	6137	SLOPE WALL (4")	10.000	SY
512(A)	1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
513(B)	6019	CLASS B BRIDGE DECK REPAIR	24.000	SY
513(C)	6020	CLASS C BRIDGE DECK REPAIR	140.100	SY
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	485.000	SY
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	4.000	GAL
521(A)	6210	PNEUMATICALLY PLACED MORTAR	62.000	SY
523(A)	6550	SEALER CRACK PREPARATION	504.000	LF
523(B)	6560	SEALER RESIN	6.000	GAL

SECTION 0007 - BRIDGE 'F'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	10.000	CY
504(C) 6250	SEALED EXPANSION JOINT	126.100	LF
504(E) 1381	CONCRETE PARAPET	40.000	LF
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	972.000	SY
509 6152	SPECIAL CONCRETE FINISH	485.000	SY
510(C) 6137	SLOPE WALL (4")	10.000	SY
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
513(B) 6019	CLASS B BRIDGE DECK REPAIR	24.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	140.100	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	485.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	4.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	60.500	SY
523(A) 6550	SEALER CRACK PREPARATION	504.000	LF
523(B) 6560	SEALER RESIN	6.000	GAL

SECTION 0008 - BRIDGE 'G'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	75.000	CY
501(G) 6309	CLSM BACKFILL	80.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	142.300	SY
504(C) 6250	SEALED EXPANSION JOINT	124.100	LF
504(E) 1381	CONCRETE PARAPET	88.000	LF
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	1,005.000	SY
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	6.000	EA
509 6152	SPECIAL CONCRETE FINISH	557.000	SY
509(B) 1328	CLASS A CONCRETE	7.600	CY
510(C) 6137	SLOPE WALL (4")	50.000	SY
511(B) 6010	EPOXY COATED REINFORCING STEEL	780.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
513(B) 6019	CLASS B BRIDGE DECK REPAIR	72.600	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	171.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	282.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	200.000	LF

520(C) 6060	EPOXY RESIN, ABOVE WATER	16.000 GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	60.000 SY
523(A) 6550	SEALER CRACK PREPARATION	512.100 LF
523(B) 6560	SEALER RESIN	7.000 GAL
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000 LSUM

SECTION 0009 - BRIDGE 'H'

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	47.500	CY
501(G) 6309	CLSM BACKFILL	57.500	CY
504(A) 1304	APPROACH SLAB	142.300	SY
504(C) 6250	SEALED EXPANSION JOINT	124.100	LF
504(E) 1381	CONCRETE PARAPET	88.000	LF
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	1,005.000	SY
509 6152	SPECIAL CONCRETE FINISH	559.000	SY
510(C) 6137	SLOPE WALL (4")	30.000	SY
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
513(B) 6019	CLASS B BRIDGE DECK REPAIR	15.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	171.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	282.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	200.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	5.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	60.000	SY
523(A) 6550	SEALER CRACK PREPARATION	512.100	LF
523(B) 6560	SEALER RESIN	7.000	GAL
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0010 - SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
623(D) 5203	BEAM GUARDRAIL THRIE-BEAM DOUBLE	1,038.000	LF
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	170.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	524.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	145.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	524.000	LF
802(B) 8352	6" PVC SCH.40 PLASTIC CONDUIT TRENCHED	524.000	LF
802(B) 8354	6" PVC SCH. 40 PLASTIC CONDUIT (BORED)	170.000	LF
804(A) 2915	STRUCTURAL CONCRETE	49.000	CY
804(B) 2916	REINFORCING STEEL	2,736.000	LB
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	35.000	EA
805(A) 8718	(PL)REMOVAL OF OVERHEAD SIGN STRUCTURE & SIGNS	1.000	LSUM
805(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	714.000	SF
851(B) 3218	3"@7.58 GALV.STEEL PIPE POST	668.000	LF
851(C) 8324	2" SQUARE TUBE POST	245.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	7,082.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	8,401.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	10,925.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	32.000	LF
856(B) 8525	TRAFFIC STRIPE (MULTI-POLYMER)(SYMBOLS, WORDS. ETC.)	10.000	EA

SECTION 0011 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	17,240.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	162.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	176.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	9,000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	220.000	SD
871(C) 8707	RELOCATION OF CONSTRUCTION ZONE QUADGUARD IMPACT ATTENUATOR	5.000	EA
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	8,625.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	8,703.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1,280.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,030.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	960.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,820.000	SD
880(C) 8848	WING BARRICADES	640.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4,600.000	SD
880(F) 8878	DRUMS	26,910.000	SD

SECTION 0012 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0013 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 270
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKMULGEE

CONTRACT ID : 120376

PROJECT(S)
 SAP-156D(178)
 SAP-156D(179)
PCN
 2875704
 2875804
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 60 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 PARK ROAD: AT OKMULGEE STATE PARK, ON DRIPPING SPRING ROAD
 AND CALF CREEK LANDING BOAT RAMP.
 PROJECT LENGTH = 1.676 MILES

SECTION 0001 - ROADWAY - SAP-156D(178)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	240.000	TON
408 5774	PRIME COAT	750.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	500.000	TON
613(B) 0688	12" CORR. GALV. STEEL PIPE	60.000	LF
613(L) 5722	12" PREFAB. CULVERT END SECTION, ROUND	4.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	2,000.000	LF
854(B) 8803	TRAFFIC STRIPE(PAINT)(ARROW)	8.000	EA

SECTION 0002 - ROADWAY - SAP-156D(179)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
230(A) 2806	SOLID SLAB SODDING	3,400.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	1,260.000	CY
407(B) 0250	TACK COAT	1,150.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3,370.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	230.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	10.000	LF
853 9024	DELINEATORS(TYPE 1, CODE 1)	10.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	25,500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 280
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 120149

PROJECT(S) : SBR-155N(876)SB
PCN : 2759104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$28.18
 90 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 I-44: OVER RENO AVE. IN OKLAHOMA CITY.
 PROJECT LENGTH = 0.05 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
509(D) 0325	CLASS C CONCRETE	0.300	CY
619(B) 4780	REMOVAL OF GUARDRAIL	175.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	100.000	LF
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE A

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	18.300	CY
504(A) 1304	APPROACH SLAB	27.400	SY
504(E) 1381	CONCRETE PARAPET	38.000	LF
504(G) 6390	RAPID CURE JOINT SEALANT	480.000	LF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(A) 1326	CLASS AA CONCRETE	39.600	CY
510(C) 6137	SLOPE WALL (4")	2.800	SY
511(A) 1332	REINFORCING STEEL	10,049.000	LB
513(A) 6018	CLASS A BRIDGE DECK REPAIR	14.200	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	3.600	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	15.200	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	70.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.800	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	223.800	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	225.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	753.000	EA
601(B) 1353	TYPE I-A PLAIN RIPRAP	306.300	TON
601(C) 1355	TYPE I-A FILTER BLANKET	153.100	TON
610(A) 0602	4" CONCRETE SIDEWALK	10.800	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(B) 2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 6252	REMOVAL OF EXISTING PARAPET	25.600	LF

SECTION 0003 - BRIDGE B

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	17.200	CY

504(A)	1304	APPROACH SLAB	10.800 SY
504(E)	1381	CONCRETE PARAPET	25.300 LF
504(G)	6390	RAPID CURE JOINT SEALANT	612.000 LF
506(A)	1322	STRUCTURAL STEEL	500.000 LB
509(A)	1326	CLASS AA CONCRETE	25.100 CY
510(C)	6137	SLOPE WALL (4")	2.800 SY
511(A)	1332	REINFORCING STEEL	7,015.000 LB
513(A)	6018	CLASS A BRIDGE DECK REPAIR	18.500 SY
513(B)	6019	CLASS B BRIDGE DECK REPAIR	4.600 SY
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	27.900 SY
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	47.000 LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	1.900 GAL
521(A)	6210	PNEUMATICALLY PLACED MORTAR	31.600 SY
535	6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	155.700 SY
540	4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	393.000 EA
601(B)	1353	TYPE I-A PLAIN RIPRAP	306.300 TON
601(C)	1355	TYPE I-A FILTER BLANKET	153.200 TON
610(A)	0602	4" CONCRETE SIDEWALK	10.800 SY
619(B)	2500	REMOVAL OF BRIDGE ITEMS	1.000 LSUM
619(B)	2510	REMOVAL OF BRIDGE ITEM (TYPE A)	1.000 LSUM
619(B)	6252	REMOVAL OF EXISTING PARAPET	25.600 LF

SECTION 0004 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
856(A)	8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	1,500.000 LF
856(A)	8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	1,500.000 LF
857(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2,160.000 LF
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	2,118.000 LF
876(A)	8482	(PL)TRUCK MOUNTED ATTENUATOR	210.000 SD
877(B)	8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,400.000 LF
877(C)	8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,400.000 LF
880(A)	8812	ARROW DISPLAY(TYPE C)	270.000 SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	810.000 SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	8,280.000 SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,890.000 SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	7,560.000 SD
880(C)	8848	WING BARRICADES	630.000 SD
880(E)	8860	WARNING LIGHTS(TYPE A)	1,710.000 SD
880(F)	8878	DRUMS	12,780.000 SD
880(L)	8911	TRAFFIC SURVEILLANCE, POLICE	1,080.000 HOUR
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	180.000 SD

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 300
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OSAGE

CONTRACT ID : 120220

PROJECT(S)
 SBR-257C(006)SB
 SBR-257C(007)SB
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$35.76
 90 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

PCN
 2923204
 2923304

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 SH-123: OVER SAND CREEK, 1.5 MILES SOUTH OF US-60.
 SH-123: OVER ELIZA CREEK, 0.6 MILES SOUTH OF US-60.
 PROJECT LENGTH = 0.111 MILES

SECTION 0001 - ROADWAY - SBR-257C(006)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	47.700	TON
619(B) 4780	REMOVAL OF GUARDRAIL	485.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	387.500	LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	1.000	EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	180.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	510.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	510.000	LF

SECTION 0002 - BRIDGE - SBR-257C(006)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	2.000	CY
504(A) 1304	APPROACH SLAB	460.800	SY
504(B) 1305	SAW-CUT GROOVING	1,844.000	SY
504(C) 6250	SEALED EXPANSION JOINT	184.200	LF
504(D) 6245	CONCRETE RAIL (TR4)	641.000	LF
506(A) 1322	STRUCTURAL STEEL	300.000	LB
509(A) 1326	CLASS AA CONCRETE	392.800	CY
509(D) 1331	CLASS C CONCRETE	11.700	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	79,200.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	618.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	250.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	10.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	25.000	SY
523(A) 6550	SEALER CRACK PREPARATION	366.000	LF
523(B) 6560	SEALER RESIN	5.000	GAL
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	1,362.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	152.000	SY
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,055.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	177.000	TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC - SBR-257C(006)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	6.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,882.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	360.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING - SBR-257C(006)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION - SBR-257C(006)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0006 - ROADWAY - SBR-257C(007)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	15.000	TON
619(B) 4725	REMOVAL OF FENCE	350.000	LF
619(B) 4780	REMOVAL OF GUARDRAIL	566.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	318.800	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G) 8590	GUARDRAIL END TREATMENT (31")	2.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	320.000	LF

SECTION 0007 - BRIDGE 'A' - SBR-257C(007)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	10.000	CY
504(A) 1304	APPROACH SLAB	313.200	SY
504(B) 1305	SAW-CUT GROOVING	289.000	SY
504(C) 6250	SEALED EXPANSION JOINT	100.700	LF
504(E) 1381	CONCRETE PARAPET	143.300	LF
505(E) 1000	HYDRODEMOLITION	141.000	SY
506(A) 1322	STRUCTURAL STEEL	130.000	LB
509 6152	SPECIAL CONCRETE FINISH	141.000	SY
509(D) 1331	CLASS C CONCRETE	7.300	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	2,140.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
513(B) 6019	CLASS B BRIDGE DECK REPAIR	10.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	37.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	191.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	8.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	40.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	867.100	SY
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,123.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	192.000	TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0008 - TRAFFIC - SBR-257C(007)SB

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

823	8480	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	1.000	LSUM
850(A)	8110	SHEET ALUMINUM SIGNS	4.000	SF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	976.000	LF
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	976.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 320
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OSAGE

CONTRACT ID : 120280

PROJECT(S)
 SSR-257C(008)SR
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 COMPLETION DATE OF 10/31/2012
 RES. ENG: DIVISION 8 (TULSA)

PCN
 2931304

CONTRACT DESCRIPTION :
 INTERSECTION MODIFICATION
 SH-20: INTERSECTION AT SH-99 IN HOMINY.
 PROJECT LENGTH = 0.203 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
303(A) 2100	AGGREGATE BASE TYPE A	105.000	CY
407(B) 0250	TACK COAT	625.000	GAL
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	540.000	TON
411(E) 5980	SUPERPAVE, TYPE S6(PG 76-28 OK)	205.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	215.000	TON
412 5267	COLD MILLING PAVEMENT	4,450.000	SY
612(A) 0641	MANHOLES ADJUST TO GRADE	4.000	EA

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	72.000	LF
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	4,600.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 380
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PAWNEE

CONTRACT ID : 120283

PROJECT(S) : BRFY-NBIP(455) PCN : 2893404
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$5.42
 30 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE PAINTING
 SH-18: OVER COAL CREEK, 7.5 MILES NORTH OF-64.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 390
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PITTSBURG

CONTRACT ID : 120298

PROJECT(S) PCN
 CIRB-261C(007)RB 2348211
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$21.68
 210 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND SURFACE
 COUNTY ROAD (CROWDER BLOCKER ROAD) : FROM CAUSEWAY
 OVER LAKE EUFAULA 2.0 MILES EAST OF CROWDER, EXTEND EAST.
 PROJECT LENGTH = 0.417 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	10,697.180	CY
202(D) 0184	UNCLASSIFIED BORROW	22,988.370	CY
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	6,848.000	CY
221(B) 2801	TEMPORARY BALE BARRIER	1,530.000	LF
221(C) 2801	TEMPORARY SILT FENCE	3,116.000	LF
230(A) 2806	SOLID SLAB SODDING	16,435.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.400	AC
303(B) 2110	AGGREGATE BASE TYPE B	467.000	CY
407(B) 0250	TACK COAT	2,288.000	GAL
408 5774	PRIME COAT	588.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	7,676.000	SY
409(B) 4268	BITUMINOUS BINDER	1,919.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,610.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	961.000	TON
412 5267	COLD MILLING PAVEMENT	5,305.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,448.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	1,721.560	LF
619(C) 0924	SAWING PAVEMENT	44.000	LF
623 0100	(PL)GUARDRAIL CURBING	2.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	4,200.000	LF
623(F) 8300	GUARDRAIL TRAIL END TURNDOWN (31")	2.000	EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	2.000	EA
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	135.000	SD
853 9024	DELINEATORS(TYPE 1, CODE 1)	85.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	8,800.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	56.000	SD

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	295.000	CY
501(G) 6309	CLSM BACKFILL	263.900	CY

504(A)	1304	APPROACH SLAB	86.200	SY
504(E)	1381	CONCRETE PARAPET	60.000	LF
504(H)	6389	ELASTOMERIC MORTAR	2.250	CF
511	6306	MECHANICAL SPLICES	62.000	EA
514(H)	6355	SHEET PILING, FURNISHED	5,040.240	SY
514(I)	6360	SHEET PILING, DRIVEN	5,040.240	SY
521(A)	6210	PNEUMATICALLY PLACED MORTAR	15.000	SY
540	4510	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	LSUM
540	4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	4.000	EA
619(B)	2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
640(A)	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 395
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PITTSBURG

CONTRACT ID : 120378

PROJECT(S) : SAP-161D(251) PCN : 2875604
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 20 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 PARK ROAD: AT ARROWHEAD STATE PARK, ON MAIN PARK ROAD AND
 GOLF COURSE DRIVEWAY.
 PROJECT LENGTH = 0.38 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	15.000	CY
303(A) 2100	AGGREGATE BASE TYPE A	15.000	CY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	875.000	TON
412 5267	COLD MILLING PAVEMENT	6,125.000	SY
619(B) 4767	REMOVAL OF ASPHALT DRIVEWAY	770.000	SY
619(C) 0924	SAWING PAVEMENT	175.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	8,000.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 400
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PONTOTOC

CONTRACT ID : 120292

PROJECT(S) : STP-162C(180)CI
PCN : 2547304
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$18.42
 150 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-345): GARR CORNER CUT-OFF OVER SPRING BROOK
 CREEK, 1.5 MILES SOUTH OF SH-3W.
 PROJECT LENGTH = 0.775 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	11,200.000	CY
202(D) 0184	UNCLASSIFIED BORROW	28,705.000	CY
221(C) 2801	TEMPORARY SILT FENCE	2,647.000	LF
221(F) 0100	TEMPORARY SILT DIKE	504.000	LF
230(A) 2806	SOLID SLAB SODDING	45,718.000	SY
233(A) 2817	VEGETATIVE MULCHING	9.450	AC
303(B) 2110	AGGREGATE BASE TYPE B	2,339.000	CY
311(B) 0152	PROCESSING EXISTING BASE & SURFACE, METHOD B	3,870.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	780.930	TON
407(B) 0250	TACK COAT	530.240	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,801.360	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,178.880	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	382.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	16.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	660.300	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	211.300	CY
509(B) 1328	CLASS A CONCRETE	391.040	CY
510(C) 6138	SLOPE WALL (5")	378.300	SY
511(A) 1332	REINFORCING STEEL	57,000.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	356.940	TON
601(C) 1355	TYPE I-A FILTER BLANKET	118.980	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(F) 6352	GRANULAR BACKFILL	161.600	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	179.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	176.000	LF

506(A)	1322	STRUCTURAL STEEL	1,008.400 LB
509(A)	1326	CLASS AA CONCRETE	48.500 CY
509(B)	1328	CLASS A CONCRETE	61.200 CY
511(A)	1332	REINFORCING STEEL	20,180.000 LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	264.000 LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	739.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	264.000 LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	739.000 LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	782.340 TON
601(C)	1355	TYPE I-A FILTER BLANKET	177.030 TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000 LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	60.000 LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000 EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0004 - BRIDGE 'C'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	230.000 CY
501(F)	6352	GRANULAR BACKFILL	161.600 CY
503(A)	6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	389.000 LF
504(D)	6239	CONCRETE RAIL (TR3)	354.500 LF
506(A)	1322	STRUCTURAL STEEL	2,428.200 LB
509(A)	1326	CLASS AA CONCRETE	116.500 CY
509(B)	1328	CLASS A CONCRETE	93.600 CY
511(A)	1332	REINFORCING STEEL	41,680.000 LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	324.000 LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	645.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	324.000 LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	645.000 LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,853.230 TON
601(C)	1355	TYPE I-A FILTER BLANKET	303.030 TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	62.000 LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	60.000 LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000 EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A)	0095	CONSTRUCTION STAKING LEVEL I	1.000 LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 420
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PONTOTOC

CONTRACT ID : 120293

PROJECT(S) : BRF-162C(203)CI
PCN : 2726604
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$11.93
 90 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER COTTON CREEK, 0.5 MILES SOUTH AND 2.3
 MILES EAST OF FRANCIS.
 PROJECT LENGTH = 0.274 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,710.000	CY
202(D) 0184	UNCLASSIFIED BORROW	8,875.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	280.000	LF
230(A) 2806	SOLID SLAB SODDING	12,677.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.970	AC
303(B) 2110	AGGREGATE BASE TYPE B	1,143.040	CY
311(B) 0152	PROCESSING EXISTING BASE & SURFACE, METHOD B	1,321.830	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	404.510	TON
407(B) 0250	TACK COAT	247.220	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	972.990	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	658.300	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	200.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	8.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,800.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	210.000	CY
501(F) 6352	GRANULAR BACKFILL	161.600	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	374.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	327.200	LF
506(A) 1322	STRUCTURAL STEEL	1,950.000	LB
509(A) 1326	CLASS AA CONCRETE	109.600	CY
509(B) 1328	CLASS A CONCRETE	81.600	CY
511(A) 1332	REINFORCING STEEL	35,650.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	284.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	911.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	284.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	911.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,439.000	TON

601(C)	1355	TYPE I-A FILTER BLANKET	161.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	80.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	52.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A)	0095	CONSTRUCTION STAKING LEVEL I	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 440
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PONTOTOC

CONTRACT ID : 120294

PROJECT(S) : BRF-162C(205)CI
PCN : 2726804
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-344.5): OVER SANDY CREEK, 1.0 MILE SOUTH OF
 VANOSS.
 PROJECT LENGTH = 0.349 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	535.000	CY
202(D) 0184	UNCLASSIFIED BORROW	11,965.000	CY
221(C) 2801	TEMPORARY SILT FENCE	3,427.000	LF
221(F) 0100	TEMPORARY SILT DIKE	360.000	LF
230(A) 2806	SOLID SLAB SODDING	23,061.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.760	AC
303(B) 2110	AGGREGATE BASE TYPE B	1,035.000	CY
311(B) 0152	PROCESSING EXISTING BASE & SURFACE, METHOD B	1,673.500	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	554.200	TON
407(B) 0250	TACK COAT	221.630	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	756.620	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	495.230	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	172.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	6.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY
501(F) 6352	GRANULAR BACKFILL	104.000	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	404.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	346.600	LF
506(A) 1322	STRUCTURAL STEEL	273.000	LB
509(A) 1326	CLASS AA CONCRETE	144.400	CY
509(B) 1328	CLASS A CONCRETE	48.600	CY
511(A) 1332	REINFORCING STEEL	32,820.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	1,215.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1,215.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,600.110	TON
601(C) 1355	TYPE I-A FILTER BLANKET	173.880	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	455.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	54.000	LF

613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000 EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 460
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : POTTAWATOMIE

CONTRACT ID : 120295

PROJECT(S) :
 BRO-163D(337)CI
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$10.84
 90 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

PCN
 2209004

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD(EW-134): OVER TRIBUTARY TO SALT CREEK, 0.2 MILES
 WEST OF US-177.
 PROJECT LENGTH = 0.126 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1,116.000	CY
202(D) 0184	UNCLASSIFIED BORROW	6,187.000	CY
221(C) 2801	TEMPORARY SILT FENCE	350.000	LF
221(F) 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	8,207.890	SY
233(A) 2817	VEGETATIVE MULCHING	1.700	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	959.150	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0696	60" CORR. GALV. STEEL PIPE	160.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	78.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	19.460	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	24.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	812.800	CY
501(D) 6353	UNCLASSIFIED BACKFILL	576.800	CY
506(A) 1322	STRUCTURAL STEEL	36,716.000	LB
506(A) 6007	STRUCTURAL STEEL A588	34,628.000	LB
509(A) 1326	CLASS AA CONCRETE	34.000	CY
509(B) 1328	CLASS A CONCRETE	97.660	CY
511(A) 1332	REINFORCING STEEL	24,860.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	1,224.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	1,224.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	394.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	54.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	200.000	LF
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM
SECTION 0004 - CONSTRUCTION			
ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 480
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : SEQUOYAH

CONTRACT ID : 120296

PROJECT(S) ACSTP-168C(196)CO PCN 2625104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$2.17
 COMPLETION DATE OF 10/31/2012
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 COUNTY ROAD (NS-471): FROM US-64, EXTEND SOUTH.
 PROJECT LENGTH = 4.263 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	350.000	TON
407(B) 0250	TACK COAT	3,850.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	7,210.000	TON
412 5267	COLD MILLING PAVEMENT	450.000	SY

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	88,836.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 500
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : TEXAS

CONTRACT ID : 120297

PROJECT(S) : MC-270C(003) PCN : 2938404
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 45 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 RESURFACE (PC CONCRETE INTERSECTION)
 SH-95: AT 3RD STREET IN THE TOWN OF TEXHOMA.
 PROJECT LENGTH = 0.02 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(B) 0105	MUCK EXCAVATION	200.000	CY
202(D) 0184	UNCLASSIFIED BORROW	200.000	CY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	705.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	196.000	CY
501(F) 6352	GRANULAR BACKFILL	80.000	CY
619(B) 6118	REMOVAL OF PAVING BRICK ROADWAY	705.000	SY
619(C) 0924	SAWING PAVEMENT	275.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 520
 LETTING DATE : August 16, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : WAGONER

CONTRACT ID : 120300

PROJECT(S) : BRFY-NBIP(464)
PCN : 1623308
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$7.59
 60 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 BRIDGE PAINTING
 US-69: OVER UNION PACIFIC RAILROAD, 0.7 MILES AND 1.5 MILES
 NORTH OF SH-51.

SECTION 0001 - BRIDGE "A"

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE "B"

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting: August 2012

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK		X

BID OPENING OF – August 16, 2012 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex #: _____ <input type="checkbox"/> Mail
Contractor's Name:	
Telephone No:	
Physical Address:	Please Return Completed Form to:
	Fax : 405-522-0972 or
	Email: orderdesk@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ALFALFA	040	BRO-102D(162)CI	26958(04)		\$50.00	15.00 + 1.26	5
2	ATOKA	043	SAP-103D(141)	28755(04)		\$50.00	No Charge	0
3	BRYAN	045	STP-107C(170)CI	27889(04)		\$50.00	48.00 + 4.02	27
4	CARTER	047	SAP-110D(241)	28754(04)		\$50.00	No Charge	0
5	CIMARRON	048	ACSTP-113C(087)CI	28322(04)		\$50.00	19.00 + 1.59	0
6	CLEVELAND	050	STPY-214C(013)RW	20997(17)		\$50.00	No Charge	0
7	CLEVELAND	055	STPY-214B(012)RW	24112(11)		\$50.00	No Charge	0
8	CREEK / OSAGE / PAWNEE / TULSA	060	BRFY-219C(005)	28932(04)		\$50.00	73.00 + 6.11	0
9	CUSTER	080	SSP-120B(124)SS SBR-120B(178)SB SBR-220B(007)SB	24133(04) 26856(04) 29230(04)		\$50.00	78.00 + 6.54	7
10	CUSTER	100	STP-120C(197)CI	28473(04)		\$50.00	14.00 + 1.17	18
11	DELAWARE	120	BRFY-021C(256)	10441(04)		\$50.00	118.00 + 9.88	44
12	BEAVER / ELLIS / HARPER	140	BRFY-230C(001)	21724(04)		\$50.00	33.00 + 2.77	0
13	HASKELL	150	BRF-131C(103)CI	27386(04)		\$50.00	13.00 + 1.09	4
14	JEFFERSON	165	BRO-134D(079)CI	27474(04)		\$50.00	15.00 + 1.26	4
15	LATIMER / LEFLORE	168	MC-239C(006)	21735(08)		\$50.00	12.00 + 1.01	0
16	LOGAN	170	BRF-142C(118)CI	23017(04)		\$50.00	28.00 + 2.35	3
17	LOGAN	180	STPY-242C(001)	27729(04)		\$50.00	No Charge	0
18	LOVE PULLED 7-26-12	185	BRFY-143C(060)	20964(04)		\$50.00	59.00 + 4.94	41
19	LOVE	187	IMY-0035-1(161)003	28584(04)		\$50.00	97.00 + 8.12	55
20	MCCLAIN	190	BRF-144C(059)CI	20212(04)		\$50.00	20.00 + 1.68	3
21	MURRAY	195	HSIPG-250A(001)TR	29273(04)		\$50.00	12.00 + 1.01	0
22	NOBLE	200	STPY-152B(173) BRFY-152B(074)	20311(07) 21863(04)		\$50.00	180.00 + 15.08	52
23	GARFIELD / KAY / NOBLE	220	BRFY-NBIP(360)	23316(04)		\$50.00	8.00 + 0.67	0
24	GARFIELD / KAY / NOBLE	240	BRFY-252C(007)	23316(05)		\$50.00	14.00 + 1.18	0
25	OKLAHOMA	250	IMY-0044-1(122)127RW	09033(45)		\$50.00	No Charge	0
26	OKLAHOMA PULLED 7-26-12	260	OKCY-XTWN(070)FI	17428(80)		\$50.00	91.00 + 7.62	34

BID OPENING OF – August 16, 2012 AM

Date:	Order Taken by:	
Contractor's Id No.:	No. Of Proposal(s):	
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex #:	
Contractor's Name:		
Telephone No:		<input type="checkbox"/> Mail
Physical Address:	Please Return Completed Form to:	
	Fax : 405-522-0972 or	
	Email: orderdesk@odot.org	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
27	OKMULGEE	270	SAP-156D(178) SAP-156D(179)	28757(04) 28758(04)		\$50.00	No Charge	0
28	OKLAHOMA	280	SBR-155N(876)SB	27591(04)		\$50.00	26.00 + 2.18	0
29	OSAGE	300	SBR-257C(006)SB SBR-257C(007)SB	29232(04) 29233(04)		\$50.00	33.00 + 2.76	0
30	OSAGE	320	SSR-257C(008)SR	29313(04)		\$50.00	No Charge	0
31	PAWNEE	380	BRFY-NBIP(455)	28934(04)		\$50.00	5.00 + 0.42	0
32	PITTSBURG	390	CIRB-261C(007)RB	23482(11)		\$50.00	20.00 + 1.68	23
33	PITTSBURG	395	SAP-161D(251)	28756(04)		\$50.00	No Charge	0
34	PONTOTOC	400	STP-162C(180)CI	25473(04)		\$50.00	17.00 + 1.42	10
35	PONTOTOC	420	BRF-162C(203)CI	27266(04)		\$50.00	11.00 + 0.93	0
36	PONTOTOC	440	BRF-162C(205)CI	27268(04)		\$50.00	8.00 + 0.67	5
37	POTTAWATOMIE	460	BRO-163D(337)CI	22090(04)		\$50.00	10.00 + 0.84	6
38	SEQUOYAH	480	ACSTP-168C(196)CO	26251(04)		\$50.00	2.00 + 0.17	0
39	TEXAS	500	MC-270C(003)	29384(04)		\$50.00	No Charge	0
40	WAGONER	520	BRFY-NBIP(464)	16233(08)		\$50.00	7.00 + 0.59	0