
NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE VERSION **(5.11a)** OF EXPEDITE BID AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

Notice

Internet bidding is required for most projects on the [September 20, 2012 10:30 A.M.](#) Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal.

(The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on [August 30, 2012](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at [10:00 a.m.](#) on [September 07, 2012](#) concerning this [September 20, 2012](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website
<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972
or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

Plans for the projects on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2012/plans.htm>

CERTIFIED PAYROLL - FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors.

Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)09, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the Prime Contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. There is a new cover sheet that is required with these DBE confirmations. It is located at the website below.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo>

Reminder

Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bid.

For written bids do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

orderdesk@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , Thursday, September 20, 2012 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal. Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

Description of work and location of project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 015
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : ALFALFA

CONTRACT ID : 120221

PROJECT(S) : BRFY-102B(076) PCN : 2171004
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$75.87
 180 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-11: OVER UNNAMED CREEKS, 3.8 MILES AND 4.7 MILES EAST OF
 US-64.
 PROJECT LENGTH = 1.531 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	28,795.000	CY
202(D) 0184	UNCLASSIFIED BORROW	30,771.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	8,933.000	LF
221(F) 0100	TEMPORARY SILT DIKE	805.000	LF
230(A) 2806	SOLID SLAB SODDING	72,122.000	SY
230(D) 2810	BROADCAST SPRIGGING (METHOD A)	12,579.000	SY
230(F) 2812	WATERING	3,388.000	KGAL
233(A) 2817	VEGETATIVE MULCHING	17.500	AC
241 2832	MOWING	68.660	AC
307(A) 4200	FLY ASH	1,552.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	28,735.000	SY
325 5271	SEPARATOR FABRIC	1,609.000	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	575.000	TON
407(B) 0250	TACK COAT	5,407.000	GAL
408 5774	PRIME COAT	6,570.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	9,285.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	5,019.000	TON
412 5267	COLD MILLING PAVEMENT	18,510.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	4.000	CY
501(G) 6315	CLSM BACKFILL	47.000	CY
509(A) 0319	CLASS AA CONCRETE	22.000	CY
511(A) 0332	REINFORCING STEEL	3,422.000	LB
613(A) 0491	18" R.C.PIPE CLASS III	116.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	66.000	LF
613(A) 0495	42" R.C.PIPE CLASS III	138.000	LF
613(B) 0696	60" CORR. GALV. STEEL PIPE	196.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	8.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(M) 7199	TYPE D6 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	10,057.000 SY
619(C) 0924	SAWING PAVEMENT	14,836.000 LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1,700.000 LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	8.000 EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	8.000 EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	15,132.000 LF
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000 LSUM
853 9033	DELINEATORS(TYPE 2, CODE 1)	16.000 EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(G) 6309	CLSM BACKFILL	122.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	597.000	LF
504(A) 1304	APPROACH SLAB	187.400	SY
504(B) 1305	SAW-CUT GROOVING	855.600	SY
504(D) 6245	CONCRETE RAIL (TR4)	381.000	LF
506(A) 1322	STRUCTURAL STEEL	1,050.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	199.200	CY
509(B) 1328	CLASS A CONCRETE	96.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	58,500.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	539.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	539.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	622.400	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	198.000	LF
523(A) 6550	SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	700.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	120.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	45.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	80.000	CY
501(G) 6309	CLSM BACKFILL	164.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	279.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(B) 1305	SAW-CUT GROOVING	526.700	SY
504(D) 6245	CONCRETE RAIL (TR4)	237.000	LF
506(A) 1322	STRUCTURAL STEEL	150.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	113.800	CY
509(B) 1328	CLASS A CONCRETE	52.400	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	28,660.000	LB

514(A)	6010	PILES, FURNISHED (HP 10X42)	592.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	592.000	LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	332.000	SY
601(B)	1353	TYPE I-A PLAIN RIPRAP	830.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	145.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	46.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A)	8724 (PL)REMOVAL OF EXISTING SIGNS	8.000	EA
850(A)	8110 SHEET ALUMINUM SIGNS	56.720	SF
851(C)	8324 2" SQUARE TUBE POST	114.000	LF
853	9039 DELINEATORS(TYPE 2, CODE 3)	6.000	EA
853	9063 BARRIER DELINEATORS(TYPE 2, CODE 1)	10.000	EA
856(A)	8530 TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	33,800.000	LF
857(A)	8839 CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	12,000.000	LF
857(E)	8890 (PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	1,200.000	EA
857(F)	8006 PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	2,500.000	LF
876(A)	8482 (PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(B)	8818 CONSTRUCTION SIGNS 0 TO 6.25 SF	12,060.000	SD
880(B)	8821 CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3,240.000	SD
880(B)	8824 CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4,680.000	SD
880(C)	8842 CONSTRUCTION BARRICADES(TYPE III)	3,600.000	SD
880(C)	8848 WING BARRICADES	720.000	SD
880(D)	8854 VERTICAL PANELS	16,200.000	SD
880(E)	8860 WARNING LIGHTS(TYPE A)	11,880.000	SD
880(F)	8878 DRUMS	5,400.000	SD
880(G)	8890 CHANNELIZER CONES	13,500.000	SD
880(I)	8902 FLAGGER	80.000	SD
880(W)	8800 PILOT CAR	1.000	LSUM
882(A)	8306 PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641	1399 MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 020
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : ALFALFA

CONTRACT ID : 120315

PROJECT(S)
 BRFY-NBIP(460)3B
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$5.42
 60 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

PCN
 2870504

CONTRACT DESCRIPTION :
 BRIDGE PAINTING
 SH-8: OVER WEST CLAY CREEK 3.2 MILES NORTH OF THE SH-45
 JCT.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	15.000	SD
880(I) 8902	FLAGGER	15.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	15.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 030
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : ALFALFA

CONTRACT ID : 120316

PROJECT(S) : BRFY-202C(006)3B
PCN : 2870505
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$7.59
 60 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 BRIDGE REPAIR
 SH-58: OVER AN UNNAMED CREEK 1.1 MILES SOUTH OF THE SH-45
 JCT.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
504(A) 1304	APPROACH SLAB	128.800	SY
510(C) 6139	SLOPE WALL (6")	248.000	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	60.000	SY

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	15.000	SD
880(I) 8902	FLAGGER	15.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	15.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 040
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : ATOKA
 BRYAN

CONTRACT ID : 120317

PROJECT(S) : BRFY-NBIP(456)3B
PCN : 2931504
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$14.09
 90 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 BRIDGE PAINTING
 US-69/SH-43: MULTIPLE LOCATIONS IN DIVISION II.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	404.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	465.667	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	522.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(I) 8902	FLAGGER	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	270.000	SD

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 050
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : ATOKA
 BRYAN

CONTRACT ID : 120318

PROJECT(S) PCN
 BRFY-203F(009)3B 2931505
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$19.51
 90 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 JOINT SEAL/REPAIR
 US-69/SH-43: MULTIPLE LOCATIONS IN DIVISION II.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	147.330	LF
504(H) 6389	ELASTOMERIC MORTAR	2.000	CF
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	83.500	LF
504(H) 6389	ELASTOMERIC MORTAR	1.000	CF
509(D) 1331	CLASS C CONCRETE	90.000	CY
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	15.000	EA

SECTION 0003 - BRIDGE 'C'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	113.500	LF
504(H) 6389	ELASTOMERIC MORTAR	2.000	CF
535 6410	MASTIC ASPHALT JOINT MATERIAL	3.000	CF

SECTION 0004 - BRIDGE 'D'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	356.000	LF
504(H) 6389	ELASTOMERIC MORTAR	3.000	CF
523(A) 6550	SEALER CRACK PREPARATION	224.000	LF
523(B) 6560	SEALER RESIN	1.500	GAL
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	4.000	EA

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(I) 8902	FLAGGER	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	270.000	SD

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 060
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : BECKHAM
 ROGER MILLS

CONTRACT ID : 120319

PROJECT(S) : BRFY-105C(098)SS
PCN : 2170304
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$57.44
 210 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-152: OVER SWEETWATER CREEK 1.9 MILES EAST OF THE TEXAS
 STATE LINE.
 PROJECT LENGTH = 1.205 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	20,703.000	CY
202(D) 0184	UNCLASSIFIED BORROW	70,397.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	820.000	LF
221(C) 2801	TEMPORARY SILT FENCE	6,225.000	LF
221(F) 0100	TEMPORARY SILT DIKE	224.000	LF
230(A) 2806	SOLID SLAB SODDING	97,924.000	SY
232(B) 2814	SEEDING METHOD B	20.230	AC
233(A) 2817	VEGETATIVE MULCHING	20.230	AC
241 2832	MOWING	40.460	AC
307(A) 4200	FLY ASH	1,635.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	30,272.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	125.000	TON
407(B) 0250	TACK COAT	7,193.000	GAL
408 5774	PRIME COAT	8,005.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	2,699.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	13,147.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1,799.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2,153.000	TON
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	12,107.000	LF
509(A) 0319	CLASS AA CONCRETE	58.000	CY
511(A) 0332	REINFORCING STEEL	9,492.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	15.000	TON
601(B) 0536	TYPE I-A PLAIN RIPRAP	63.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	14.000	TON
613(A) 0493	30" R.C.PIPE CLASS III	195.000	LF
613(A) 0496	48" R.C.PIPE CLASS III	111.000	LF
613(A) 4498	43" X 26" R.C.PIPE ARCH CLASS A-III	190.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	56.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	58.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	186.000	LF

613(B)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	176.000	LF
613(B)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	56.000	LF
613(H)	0450	6" PERFORATED PIPE UNDERDRAIN ROUND	431.000	LF
613(I)	1096	6" NON-PERF. PIPE UNDERDRAIN RND.	144.000	LF
613(M)	7188	TYPE C4 CULVERT END TREATMENT	4.000	EA
613(M)	7190	TYPE E4 CULVERT END TREATMENT	2.000	EA
613(M)	7196	TYPE A6 CULVERT END TREATMENT	2.000	EA
613(M)	7197	TYPE B6 CULVERT END TREATMENT	4.000	EA
613(M)	7198	TYPE C6 CULVERT END TREATMENT	6.000	EA
613(M)	7201	TYPE AA6 CULVERT END TREATMENT	2.000	EA
613(M)	7203	TYPE CC6 CULVERT END TREATMENT	2.000	EA
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	4.000	EA
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	21,514.000	SY
619(B)	4780	REMOVAL OF GUARDRAIL	2,210.000	LF
619(C)	0924	SAWING PAVEMENT	3,020.000	LF
623(A)	0932	BEAM GUARDRAIL W-BEAM SINGLE	988.000	LF
623(G)	8590	GUARDRAIL END TREATMENT (31")	4.000	EA
623(I)	8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	655.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C)	4960	MAILBOX	2.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA
853	9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	28.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	90.000 CY
501(G)	6309	CLSM BACKFILL	200.000 CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,197.000 LF
504(A)	1304	APPROACH SLAB	224.800 SY
504(B)	1305	SAW-CUT GROOVING	1,557.800 SY
504(D)	6245	CONCRETE RAIL (TR4)	697.000 LF
506(A)	1322	STRUCTURAL STEEL	1,050.000 LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000 EA
507(B)	6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000 EA
507(C)	6282	ELASTOMERIC BEARING PADS	16.000 EA
509(A)	1326	CLASS AA CONCRETE	385.900 CY
509(B)	1328	CLASS A CONCRETE	132.400 CY
509(D)	1331	CLASS C CONCRETE	25.000 CY
511(A)	1332	REINFORCING STEEL	260.000 LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	107,850.000 LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	870.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	870.000 LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	1,309.000 SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	240.000 LF
523(A)	6550	SEALER CRACK PREPARATION	163.000 LF
523(B)	6560	SEALER RESIN	1.800 GAL
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,950.000 TON

601(C) 1355	TYPE I-A FILTER BLANKET	350.000 TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000 LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	90.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	4,500.000	LF
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	1,000.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,500.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4,200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4,200.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	7,350.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4,620.000	SD
880(C) 8848	WING BARRICADES	840.000	SD
880(D) 8854	VERTICAL PANELS	8,400.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	13,230.000	SD
880(F) 8878	DRUMS	9,450.000	SD
880(G) 8890	CHANNELIZER CONES	10,500.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	420.000	SD

SECTION 0004 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	64.000	SF
851(C) 8324	2" SQUARE TUBE POST	124.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	25,500.000	LF

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 070
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : BECKHAM
 WASHITA

CONTRACT ID : 120320

PROJECT(S)
 BRFY-NBIP(459)3B
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$13.01
 120 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

PCN
 2870204

CONTRACT DESCRIPTION :
 BRIDGE PAINTING
 I-40/COUNTY ROAD (NS-205/NS-210): MULTIPLE LOCATIONS
 IN DIVISION V.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 100
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : BRYAN

CONTRACT ID : 120323

PROJECT(S) : HSIPG-207C(004)TR
PCN : 2927104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$9.75
 30 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 SAFETY IMPROVEMENT (GUARDRAIL)
 US-70/SH-78: US-70 FROM 3.0 MI EAST OF THE MARSHALL CL,
 EXTEND EAST, AND SH-78 FROM SH-48, EXTEND WEST.

SECTION 0001 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	360.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	240.000	SD
880(C) 8848	WING BARRICADES	120.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	240.000	SD
880(F) 8878	DRUMS	756.000	SD
880(G) 8890	CHANNELIZER CONES	2,130.000	SD
880(I) 8902	FLAGGER	60.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0002 - GUARDRAIL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
209 0120	MACHINE GRADING	7,545.000	LF
230(A) 2806	SOLID SLAB SODDING	4,195.000	SY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	904.060	TON
619(B) 4780	REMOVAL OF GUARDRAIL	4,108.000	LF
619(C) 0924	SAWING PAVEMENT	7,547.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	6,325.000	LF
623(F) 4453	GUARDRAIL ANCHOR UNIT (TYPE GE)	2.000	EA
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	2.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000	EA
623(H) 0940	GUARDRAIL BLOCKOUT REPLACEMENT	100.000	LF
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	136.000	EA

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 110
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CADDO

CONTRACT ID : 120324

PROJECT(S)
 BRFY-108B(156)
 BRFY-108B(157)
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$108.37
 240 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

PCN
 2171108
 2171109

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 US-62: OVER UNNAMED CREEKS 2.9 MILES AND 3.51 MILES NORTH OF
 THE US-62/SH-19 JCT.
 PROJECT LENGTH = 0.385 MILES

SECTION 0001 - ROADWAY BRFY-108B(156)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	10,881.000	CY
202(D) 0184	UNCLASSIFIED BORROW	3,440.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(F) 0100	TEMPORARY SILT DIKE	14.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	9.000	CY
230(A) 2806	SOLID SLAB SODDING	9,458.000	SY
232(B) 2814	SEEDING METHOD B	0.900	AC
233(A) 2817	VEGETATIVE MULCHING	0.900	AC
241 2832	MOWING	4.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	907.000	CY
310(B) 0149	SUBGRADE, METHOD B	3,916.000	SY
325 5271	SEPARATOR FABRIC	4,864.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	554.000	TON
407(B) 0250	TACK COAT	1,332.000	GAL
408 5774	PRIME COAT	4,347.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	383.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2,347.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	251.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	734.000	TON
509(D) 0325	CLASS C CONCRETE	94.600	CY
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	242.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6,754.000	SY
619(C) 0924	SAWING PAVEMENT	871.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	196.000	LF

SECTION 0002 - BRIDGE 'A' BRFY-108B(156)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	2,810.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	226.000	CY

509(A)	1326	CLASS AA CONCRETE	495.300	CY
511(A)	1332	REINFORCING STEEL	78,760.000	LB
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC BRFY-108B(156)

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
805(D)	8756 (PL)REMOVE & RESET EXISTING SIGNS	1.000	EA
855(A)	8840 TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	7,251.000	LF
857(A)	8839 CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	7,266.000	LF
857(E)	8890 (PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	90.000	EA
857(F)	8006 PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	960.000	LF
871(B)	8705 (SP)CONST.ZONE IMPACT ATTEN.	300.000	SD
877(B)	8484 DELIVER PORTABLE LONGITUDINAL BARRIER	150.000	LF
877(C)	8486 RELOCATION OF PORTABLE LONGITUDINAL BARRIER	150.000	LF
880(B)	8818 CONSTRUCTION SIGNS 0 TO 6.25 SF	900.000	SD
880(B)	8821 CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,120.000	SD
880(B)	8824 CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,800.000	SD
880(C)	8842 CONSTRUCTION BARRICADES(TYPE III)	1,100.000	SD
880(C)	8848 WING BARRICADES	300.000	SD
880(E)	8860 WARNING LIGHTS(TYPE A)	4,000.000	SD
880(F)	8878 DRUMS	3,000.000	SD

SECTION 0004 - ROADWAY BRFY-108B(157)

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A)	0102 CLEARING AND GRUBBING	1.000	LSUM
202(A)	0183 UNCLASSIFIED EXCAVATION	10,915.000	CY
202(D)	0184 UNCLASSIFIED BORROW	500.000	CY
205(A)	4229 TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(F)	0100 TEMPORARY SILT DIKE	28.000	LF
221(G)	0150 TEMPORARY ROCK FILTER DAM TYPE 1	9.000	CY
230(A)	2806 SOLID SLAB SODDING	15,315.000	SY
232(B)	2814 SEEDING METHOD B	1.300	AC
233(A)	2817 VEGETATIVE MULCHING	1.300	AC
241	2832 MOWING	5.000	AC
303(A)	2100 AGGREGATE BASE TYPE A	1,233.000	CY
310(B)	0149 SUBGRADE, METHOD B	6,223.000	SY
325	5271 SEPARATOR FABRIC	6,990.000	SY
402(E)	0225 TRAFFIC BOUND SURFACE COURSE TYPE E	776.000	TON
407(B)	0250 TACK COAT	779.000	GAL
408	5774 PRIME COAT	5,435.000	GAL
411(B)	5940 SUPERPAVE, TYPE S3(PG 70-28 OK)	551.000	TON
411(B)	5945 SUPERPAVE, TYPE S3(PG 64-22 OK)	2,544.000	TON
411(C)	5955 SUPERPAVE, TYPE S4(PG 70-28 OK)	361.000	TON
411(C)	5960 SUPERPAVE, TYPE S4(PG 64-22 OK)	754.000	TON
509(D)	0325 CLASS C CONCRETE	217.000	CY
613(B)	0689 18" CORR. GALV. STEEL PIPE	149.000	LF
613(M)	7186 TYPE A4 CULVERT END TREATMENT	4.000	EA
619(A)	0920 REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728 REMOVAL OF ASPHALT PAVEMENT	7,408.000	SY

619(C) 0924	SAWING PAVEMENT	819.000 LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,401.000 LF

SECTION 0005 - BRIDGE 'A' BRFY-108B(157)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	2,510.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	282.000	CY
509(A) 1326	CLASS AA CONCRETE	616.800	CY
511(A) 1332	REINFORCING STEEL	109,240.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0006 - TRAFFIC BRFY-108B(157)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	7,253.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	7,266.000	LF
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	90.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	960.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	300.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	150.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	900.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,120.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,800.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,100.000	SD
880(C) 8848	WING BARRICADES	300.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4,000.000	SD
880(F) 8878	DRUMS	3,000.000	SD

SECTION 0007 - STAKING BRFY-108B(157)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0008 - CONSTRUCTION BRFY-108B(157)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 120
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CANADIAN

CONTRACT ID : 120325

PROJECT(S) : BRF-109C(164)CI
PCN : 2696704
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$9.75
 90 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-289): OVER TRIBUTARY TO PURCELL CREEK, 1.3
 MILES SOUTH OF I-40.
 PROJECT LENGTH = 0.235 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	132.000	LF
230(A) 2806	SOLID SLAB SODDING	2,799.000	SY
307(J) 4290	MODIFIED SUBGRADE	4,559.000	SY
311(B) 0152	PROCESSING EXISTING BASE & SURFACE, METHOD B	1,177.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	277.000	TON
407(B) 0250	TACK COAT	471.000	GAL
408 5774	PRIME COAT	672.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	722.500	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	403.500	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0690	24" CORR. GALV. STEEL PIPE	50.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,892.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	210.000	CY
501(F) 6352	GRANULAR BACKFILL	92.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	278.670	LF
504(B) 1305	SAW-CUT GROOVING	224.600	SY
504(D) 6239	CONCRETE RAIL (TR3)	201.200	LF
506(A) 1322	STRUCTURAL STEEL	370.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	70.200	CY
509(B) 1328	CLASS A CONCRETE	76.200	CY
511(A) 1332	REINFORCING STEEL	26,650.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	186.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	617.000	LF

514(B)	6292	PILES, DRIVEN (HP 10X42)	186.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	617.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	850.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	280.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000	LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	80.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	1418	BEAM GUARDRAIL W-BEAM SINGLE	100.000	LF
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G)	8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
853	9033	DELINEATORS(TYPE 2, CODE 1)	12.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A)	0095 CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641	1399 MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 180
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 120331

PROJECT(S) : HSIPG-216C(004)TR
PCN : 2927204
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$11.92
 60 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 SAFETY IMPROVEMENT (GUARDRAIL)
 SH-58: BEGIN AT SH-49, EXTEND WEST.

SECTION 0001 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	180.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	600.000	SD
880(C) 8848	WING BARRICADES	60.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	540.000	SD
880(F) 8878	DRUMS	180.000	SD
880(G) 8890	CHANNELIZER CONES	60.000	SD
880(I) 8902	FLAGGER	60.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0002 - GUARDRAIL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
209 0120	MACHINE GRADING	7,467.700	LF
230(A) 2806	SOLID SLAB SODDING	4,158.000	SY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	833.500	TON
619(B) 4780	REMOVAL OF GUARDRAIL	4,372.000	LF
619(C) 0924	SAWING PAVEMENT	7,471.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	4,262.000	LF
623(D) 5203	BEAM GUARDRAIL THRIE-BEAM DOUBLE	66.000	LF
623(F) 4447	GUARDRAIL ANCHOR UNIT (TYPE B)	2.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(G) 8590	GUARDRAIL END TREATMENT (31")	18.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	106.000	EA

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 195
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 120379

PROJECT(S) : SBR-216N(010)SB
PCN : 2951904
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$9.75
 40 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 BRIDGE REPAIR
 CITY STREET (GORE BLVD.): OVER I-44, IN THE CITY OF LAWTON.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
509 6152	SPECIAL CONCRETE FINISH	360.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	30.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509 6152	SPECIAL CONCRETE FINISH	360.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	80.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	80.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	60.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	200.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	240.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	200.000	SD
880(F) 8878	DRUMS	2,700.000	SD
880(G) 8890	CHANNELIZER CONES	3,000.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	80.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 200
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : COTTON

CONTRACT ID : 120202

PROJECT(S) : STPY-117C(057) PCN : 2411404
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$170.15
 220 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 GRADE, DRAIN AND SURFACE
 SH-36: FROM THE US-70 JCT, EXTEND SOUTH.
 PROJECT LENGTH = 3.795 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	103,228.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	456.000	LF
221(F) 0100	TEMPORARY SILT DIKE	2,576.000	LF
229 4318	DITCH LINER PROTECTION	100.000	LF
230(A) 2806	SOLID SLAB SODDING	181,332.300	SY
232(B) 2814	SEEDING METHOD B	21.000	AC
233(A) 2817	VEGETATIVE MULCHING	21.000	AC
233(E) 2822	EXCELSIOR MAT	8,225.000	SY
241 2832	MOWING	74.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	37,082.000	CY
310(B) 0149	SUBGRADE, METHOD B	120,221.000	SY
325 5271	SEPARATOR FABRIC	130,217.000	SY
326(A) 0100	GEOTEXTILE REINFORCEMENT	130,217.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	7,301.000	TON
408 5774	PRIME COAT	28,468.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	19,329.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	18,884.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	11,900.000	TON
412 5267	COLD MILLING PAVEMENT	2,546.000	SY
509(A) 1326	CLASS AA CONCRETE	1,217.000	CY
509(D) 0325	CLASS C CONCRETE	72.000	CY
511(A) 0332	REINFORCING STEEL	175,073.000	LB
601(G) 1362	TYPE III LAID UP RIPRAP	173.400	SY
601(I) 6312	FILTER FABRIC (RIPRAP)	173.400	SY
610(B) 0604	6" CONCRETE DRIVEWAY	746.000	SY
613(B) 0689	18" CORR. GALV. STEEL PIPE	829.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	75.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	94.000	LF
613(B) 0692	36" CORR. GALV. STEEL PIPE	402.000	LF
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	200.000	LF

613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	100.000 LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	22.000 EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	2.000 EA
613(M) 7188	TYPE C4 CULVERT END TREATMENT	2.000 EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	6.000 EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	69,213.000 SY
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	480.000 LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	1.000 EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	17,958.000 LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	3.000 EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	3.000 EA

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	39.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	381.600	SF
851(C) 8324	2" SQUARE TUBE POST	500.000	LF
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	10.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	65,521.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	1,402.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	3,194.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	41.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	24.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	5,094.000	LF

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	104,792.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	10,188.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	2,000.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3,760.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	2,700.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12,470.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	220.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5,170.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	6,530.000	SD
880(C) 8848	WING BARRICADES	520.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	13,060.000	SD
880(F) 8878	DRUMS	51,530.000	SD
880(K) 8908	SURVEILLANCE TRAFFIC CONTROL	220.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	50.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	660.000	SD

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM

640(A) 1426 FIELD OFFICE
641 1552 MOBILIZATION

1.000 EA
1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 210
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CRAIG

CONTRACT ID : 120333

PROJECT(S) : BRFY-118C(083) PCN : 2411604
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$61.77
 120 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-82: OVER MUSTANG CREEK, 1.6 MILES NORTH OF THE MAYES
 COUNTY LINE.
 PROJECT LENGTH = 0.207 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	13,306.000	CY
202(D) 0184	UNCLASSIFIED BORROW	31,114.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,250.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	2.000	EA
221(F) 0100	TEMPORARY SILT DIKE	539.000	LF
230(A) 2806	SOLID SLAB SODDING	19,632.000	SY
230(F) 2812	WATERING	480.000	KGAL
232(A) 2813	SEEDING METHOD A	4.000	AC
233(A) 2817	VEGETATIVE MULCHING	4.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	1,040.000	CY
307(A) 4200	FLY ASH	576.000	TON
307(D) 4230	LIME	65.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	10,658.000	SY
307(G) 4260	LIME PRETREATMENT	3,553.000	SY
325 5271	SEPARATOR FABRIC	5,596.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	876.000	TON
407(B) 0250	TACK COAT	1,039.000	GAL
408 5774	PRIME COAT	3,283.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	403.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2,231.300	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	265.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	795.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	40.000	LF
613(B) 5739	84" CORR. GALV. STEEL PIPE	210.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(L) 5754	84" PREFAB. CULVERT END SECTION, ROUND	6.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	8,405.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	442.000	LF
619(B) 8610	REMOVE AND RESET CATTLE GUARD	1.000	EA

623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	575.000 LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000 EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000 EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,877.000 LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	92.000	CY
501(G) 6309	CLSM BACKFILL	230.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	596.000	LF
504(A) 1304	APPROACH SLAB	333.000	SY
504(B) 1305	SAW-CUT GROOVING	986.300	SY
504(D) 6245	CONCRETE RAIL (TR4)	443.800	LF
506(A) 1322	STRUCTURAL STEEL	1,225.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	317.500	CY
509(B) 1328	CLASS A CONCRETE	44.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	71,929.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	306.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	60.000	LF
514(K) 6260	(PL)PILOT HOLES	222.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	816.300	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	120.000	LF
523(A) 6550	SEALER CRACK PREPARATION	292.100	LF
523(B) 6560	SEALER RESIN	3.200	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,094.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	248.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	98.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	70.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	8.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	56.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,400.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	7,600.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	2,400.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,075.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,200.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,040.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	360.000	SD
880(C) 8848	WING BARRICADES	180.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,760.000	SD
880(F) 8878	DRUMS	7,140.000	SD

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

642(B) 0096 CONSTRUCTION STAKING LEVEL II

1.000 LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 220
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CRAIG

CONTRACT ID : 120334

PROJECT(S) : CIRB-118C(100)RB
PCN : 2486004
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$22.76
 180 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-427): OVER BIG CREEK, 1.3 MILES NORTH OF
 SH-10.
 PROJECT LENGTH = 0.284 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	5,428.000	CY
202(D) 0184	UNCLASSIFIED BORROW	4,688.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,394.000	LF
221(F) 0100	TEMPORARY SILT DIKE	312.000	LF
230(A) 2806	SOLID SLAB SODDING	8,628.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.780	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,428.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(A) 0491	18" R.C.PIPE CLASS III	370.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	6.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
501(G) 6309	CLSM BACKFILL	102.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	777.000	LF
504(A) 1304	APPROACH SLAB	162.000	SY
504(C) 6250	SEALED EXPANSION JOINT	33.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	601.000	LF
506(A) 1322	STRUCTURAL STEEL	960.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	6.000	EA
509(A) 1326	CLASS AA CONCRETE	205.000	CY
509(B) 1328	CLASS A CONCRETE	140.000	CY
511(A) 1332	REINFORCING STEEL	77,865.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	80.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	280.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	80.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	280.000	LF
514(K) 6260	(PL)PILOT HOLES	252.000	LF

516(A)	6094	DRILLED SHAFTS 48" DIAMETER	84.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,377.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	433.000	TON
601(I)	6312	FILTER FABRIC (RIPRAP)	994.000	SY
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	62.000	LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	40.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G)	8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 230
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CRAIG

CONTRACT ID : 120335

PROJECT(S) PCN
 BRO-118D(156)CI 2852604
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$16.26
 120 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-448): OVER COW CREEK 0.5 MILES NORTH OF
 US-59/SH-10, AND 1.0 MILE WEST OF THE OTTAWA COUNTY LINE.
 PROJECT LENGTH = 0.294 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,707.000	CY
202(D) 0184	UNCLASSIFIED BORROW	232.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,216.000	LF
221(F) 0100	TEMPORARY SILT DIKE	161.000	LF
230(A) 2806	SOLID SLAB SODDING	9,694.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.000	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,574.000	TON
601(B) 0536	TYPE I-A PLAIN RIPRAP	805.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	115.000	TON
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	250.000	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(G) 6309	CLSM BACKFILL	46.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	179.000	LF
504(A) 1304	APPROACH SLAB	115.000	SY
504(B) 1305	SAW-CUT GROOVING	236.700	SY
504(D) 6239	CONCRETE RAIL (TR3)	172.600	LF
506(A) 1322	STRUCTURAL STEEL	540.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	6.000	EA
509(A) 1326	CLASS AA CONCRETE	63.100	CY
509(B) 1328	CLASS A CONCRETE	41.000	CY
511(A) 1332	REINFORCING STEEL	18,744.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	200.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	200.000	LF
514(K) 6260	(PL)PILOT HOLES	180.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	726.000	TON

601(C) 1355	TYPE I-A FILTER BLANKET	143.000 TON
601(I) 6312	FILTER FABRIC (RIPRAP)	582.000 SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000 LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	40.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 260
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : GARFIELD

CONTRACT ID : 120340

PROJECT(S) PCN
 BRO-124D(098)CI 2373904
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$24.93
 120 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-44): OVER CLEAR CREEK, 1.0 MILE SOUTH AND
 1.4 MILES EAST OF THE EAST US-60/SH-132 JCT.
 PROJECT LENGTH = 0.232 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	800.000	LF
221(F) 0100	TEMPORARY SILT DIKE	840.000	LF
230(A) 2806	SOLID SLAB SODDING	14,617.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.020	AC
307(A) 4200	FLY ASH	131.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	3,226.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	67.000	TON
407(B) 0250	TACK COAT	160.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	697.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	349.000	TON
509(D) 0325	CLASS C CONCRETE	126.000	CY
613(B) 0694	48" CORR. GALV. STEEL PIPE	175.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	120.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(M) 7190	TYPE E4 CULVERT END TREATMENT	2.000	EA
619(C) 0924	SAWING PAVEMENT	40.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	4,908.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	68.000	CY
501(G) 6309	CLSM BACKFILL	50.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	474.000	LF
504(B) 1305	SAW-CUT GROOVING	346.000	SY
504(D) 6239	CONCRETE RAIL (TR3)	297.000	LF
509(A) 1326	CLASS AA CONCRETE	86.760	CY
509(B) 1328	CLASS A CONCRETE	68.520	CY
511(A) 1332	REINFORCING STEEL	25,538.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	290.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	290.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	91.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,777.000	TON

601(C)	1355	TYPE I-A FILTER BLANKET	515.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	1418	BEAM GUARDRAIL W-BEAM SINGLE	200.000	LF
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 265
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : GARVIN

CONTRACT ID : 120312

PROJECT(S) : SBR-125C(198)SB
PCN : 2817904
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$30.35
 150 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 SH-17A: OVER THE WASHITA RIVER, 0.87 MILES EAST OF I-35.

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,810.000	LF
230(A) 2806	SOLID SLAB SODDING	1,912.000	SY
407(B) 0250	TACK COAT	131.000	GAL
408 5774	PRIME COAT	202.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	301.000	TON
412 5267	COLD MILLING PAVEMENT	1,740.000	SY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(C) 0924	SAWING PAVEMENT	1,801.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1,200.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	75.000	CY
504(A) 1304	APPROACH SLAB	200.000	SY
504(B) 1305	SAW-CUT GROOVING	3,048.600	SY
504(C) 6250	SEALED EXPANSION JOINT	115.700	LF
504(D) 6245	CONCRETE RAIL (TR4)	1,714.800	LF
506(A) 1322	STRUCTURAL STEEL	747,000.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	24.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	40.000	EA
509(A) 1326	CLASS AA CONCRETE	726.000	CY
509(B) 1328	CLASS A CONCRETE	11.300	CY
509(D) 1331	CLASS C CONCRETE	8.000	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	205,420.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,757.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	150.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	8.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	75.000	SY
523(A) 6550	SEALER CRACK PREPARATION	960.500	LF
523(B) 6560	SEALER RESIN	11.000	GAL
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	240.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	16,200.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	480.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,600.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,600.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 270
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : COAL
 GARVIN
 PONTOTOC

CONTRACT ID : 120341

PROJECT(S) PCN
 BRFY-NBIP(463)3B 2872504
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$18.42
 120 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE PAINTING
 I-35/SH-1/SH-3/SH-76: MULTIPLE LOCATIONS IN DIVISION III.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
506(A) 1322	STRUCTURAL STEEL	400.000	LB
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
545 4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	10.000	EA
545 4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	5.000	EA
545 4835	(PL)REPLACE BRIDGE ITEM (TYPE C)	5.000	EA

SECTION 0005 - BRIDGE 'E'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
506(A) 1322	STRUCTURAL STEEL	400.000	LB
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0006 - BRIDGE 'F'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
506(A) 1322	STRUCTURAL STEEL	400.000	LB
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0007 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	240.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD

880(I) 8902	FLAGGER	120.000 SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000 SD

SECTION 0008 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 275
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : BEAVER
 ELLIS
 HARPER

CONTRACT ID : 120272

PROJECT(S) PCN
 BRFY-230C(001) 2172404
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$35.77
 90 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 JOINT SEAL/REPAIR
 US-64/US-83/US-270/US-283/SH-3: AT MULTIPLE LOCATIONS IN
 DIVISION VI.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509 6386	SILICONE CONSTRUCTION JOINT	1,300.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	30.000	SY

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509 6386	SILICONE CONSTRUCTION JOINT	775.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	20.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	12.000	SY

SECTION 0003 - BRIDGE 'C'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
504(A) 1304	APPROACH SLAB	203.000	SY
504(B) 1305	SAW-CUT GROOVING	198.000	SY
509 6386	SILICONE CONSTRUCTION JOINT	1,100.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	25.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	15.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	30.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	1.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	35.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	35.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	3.000	EA

SECTION 0004 - BRIDGE 'D'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
504(A) 1304	APPROACH SLAB	266.000	SY
504(B) 1305	SAW-CUT GROOVING	255.000	SY
509 6386	SILICONE CONSTRUCTION JOINT	210.000	LF

SECTION 0005 - BRIDGE 'E'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509 6386	SILICONE CONSTRUCTION JOINT	300.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	15.000	SY

SECTION 0006 - BRIDGE 'F'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

501(G)	6309	CLSM BACKFILL	20.000	CY
504(A)	1304	APPROACH SLAB	121.000	SY
504(B)	1305	SAW-CUT GROOVING	117.000	SY
509	6386	SILICONE CONSTRUCTION JOINT	1,800.000	LF
513(B)	6019	CLASS B BRIDGE DECK REPAIR	30.000	SY
521(A)	6210	PNEUMATICALLY PLACED MORTAR	300.000	SY
535	6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	300.000	SY
540	4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA

SECTION 0007 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	84.000	SD
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	3,000.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	3,000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(I) 8902	FLAGGER	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0008 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 280
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : HASKELL

CONTRACT ID : 120343

PROJECT(S) : CIRB-131C(086)RB
PCN : 2496604
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$30.35
 180 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-448): OVER SANS BOIS CREEK, 4.0 MILES SOUTH
 OF SH-9.
 PROJECT LENGTH = 0.748 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	334.000	CY
202(D) 0184	UNCLASSIFIED BORROW	30,270.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3,750.000	LF
221(F) 0100	TEMPORARY SILT DIKE	282.000	LF
230(A) 2806	SOLID SLAB SODDING	14,500.000	SY
232(A) 2813	SEEDING METHOD A	3.000	AC
233(A) 2817	VEGETATIVE MULCHING	6.000	AC
325 5271	SEPARATOR FABRIC	11,154.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,527.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	80.000	CY
509(A) 0319	CLASS AA CONCRETE	185.900	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	23,617.000	LB
613(B) 0689	18" CORR. GALV. STEEL PIPE	36.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	50.000	SD

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
501(F) 6352	GRANULAR BACKFILL	102.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,076.000	LF
504(B) 1305	SAW-CUT GROOVING	881.800	SY
504(C) 6250	SEALED EXPANSION JOINT	33.100	LF
504(D) 6239	CONCRETE RAIL (TR3)	801.400	LF
506(A) 1322	STRUCTURAL STEEL	1,580.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	6.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	18.000	EA
509(A) 1326	CLASS AA CONCRETE	280.600	CY

509(B)	1328	CLASS A CONCRETE	158.600	CY
511(A)	1332	REINFORCING STEEL	100,310.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	122.000	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	357.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	122.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	357.000	LF
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	152.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,029.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	203.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	49.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641	1399 MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 290
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : KIOWA

CONTRACT ID : 120344

PROJECT(S) PCN
 BRO-138D(180)CI 2802204
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$15.17
 120 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-228): OVER RAINY MOUNTAIN CREEK, 6.8 MILES
 AND 3.0 MILES WEST OF THE SH-9/SH-54 JCT.
 PROJECT LENGTH = 0.133 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	400.000	LF
221(F) 0100	TEMPORARY SILT DIKE	250.000	LF
230(A) 2806	SOLID SLAB SODDING	5,400.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.090	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	414.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	107.000	LF
613(M) 7188	TYPE C4 CULVERT END TREATMENT	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	200.000	CY
501(F) 6352	GRANULAR BACKFILL	88.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	239.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	233.300	LF
506(A) 1322	STRUCTURAL STEEL	580.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	65.900	CY
509(B) 1328	CLASS A CONCRETE	74.200	CY
511(A) 1332	REINFORCING STEEL	30,732.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	160.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	400.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	160.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	400.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,050.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	300.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	28.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 300
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : MCINTOSH

CONTRACT ID : 120345

PROJECT(S)
 IMG-0040-6(375)262TR
 HSIPIG-0040-6(378)256TR
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$49.85
 260 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

PCN
 2895804
 2918604

CONTRACT DESCRIPTION :
 SAFETY IMPROVEMENT (CABLE BARRIER)
 I-40: FROM MILE MARKER 256, EXTEND EAST.
 PROJECT LENGTH = 15.45 MILES

SECTION 0001 - TRAFFIC CONTROL IMG-40-6(375)262TR

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	260.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	260.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8,060.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6,240.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5,720.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	3,900.000	SD
880(C) 8848	WING BARRICADES	1,040.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	10,660.000	SD
880(F) 8878	DRUMS	7,800.000	SD
880(G) 8890	CHANNELIZER CONES	74,100.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	200.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	1,040.000	SD

SECTION 0002 - CABLE BARRIER IMG-40-6(375)262TR

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	13,877.000	CY
202(D) 0184	UNCLASSIFIED BORROW	45,404.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	25.000	EA
221(F) 0100	TEMPORARY SILT DIKE	2,044.000	LF
230(A) 2806	SOLID SLAB SODDING	41,675.000	SY
241 2832	MOWING	187.000	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	10,104.000	TON
509(A) 0319	CLASS AA CONCRETE	537.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	6.000	CY
509(D) 0325	CLASS C CONCRETE	210.000	CY
511(A) 0332	REINFORCING STEEL	1,866.000	LB
611(G) 5334	INLET GPI TYPE 2 (DES. 8)	2.000	EA
611(G) 5338	INLET GPI TYPE 2 (DES. 12)	1.000	EA
611(H) 5375	ADD'L DEPTH IN INLET GPI TYPE 2	0.190	VF
612(C) 0645	INLET ADJUST TO GRADE	23.000	EA
613(A) 0492	24" R.C.PIPE CLASS III	739.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	171.000	LF

613(M) 7197	TYPE B6 CULVERT END TREATMENT	8.000 EA
613(M) 7198	TYPE C6 CULVERT END TREATMENT	2.000 EA
613(N) 7522	TYPE C6 SLOPED CONCRETE END SECTION	2.000 EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	140.000 CY
619(B) 4780	REMOVAL OF GUARDRAIL	425.000 LF
619(C) 0924	SAWING PAVEMENT	525.000 LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	57,724.000 LF
628(C) 5110	END ANCHORS	12.000 EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000 EA
870(A) 8011	SAND FILLED IMPACT ATTENUATION MODULE	114.000 EA

SECTION 0003 - STAKING IMG-40-6(375)262TR

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION IMG-40-6(375)262TR

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0005 - CABLE BARRIER HSIPIG-40-6(378)256TR

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	9,642.000	CY
202(D) 0184	UNCLASSIFIED BORROW	19,795.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	9.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1,274.000	LF
230(A) 2806	SOLID SLAB SODDING	21,251.000	SY
241 2832	MOWING	86.000	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	5,074.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	107.000	TON
509(A) 0319	CLASS AA CONCRETE	258.000	CY
509(D) 0325	CLASS C CONCRETE	13.000	CY
611(G) 5338	INLET GPI TYPE 2 (DES. 12)	3.000	EA
611(H) 5375	ADD'L DEPTH IN INLET GPI TYPE 2	1.890	VF
612(C) 0645	INLET ADJUST TO GRADE	8.000	EA
613(A) 0492	24" R.C.PIPE CLASS III	183.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	20.000	LF
613(A) 0496	48" R.C.PIPE CLASS III	30.000	LF
613(M) 7197	TYPE B6 CULVERT END TREATMENT	5.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	140.000	CY
619(B) 4780	REMOVAL OF GUARDRAIL	425.000	LF
619(C) 0924	SAWING PAVEMENT	425.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1,150.000	LF
623(F) 8300	GUARDRAIL TRAIL END TURNDOWN (31")	2.000	EA
623(G) 8590	GUARDRAIL END TREATMENT (31")	2.000	EA
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	26,931.000	LF
628(C) 5110	END ANCHORS	4.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	24.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 310
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : NOBLE

CONTRACT ID : 120346

PROJECT(S) PCN
 BRO-152D(117)CI 2365104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$29.26
 120 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-318): OVER RED ROCK CREEK, 4.2 MILES SOUTH
 AND 0.5 MILE EAST OF THE I-35/SH-15 JCT.
 PROJECT LENGTH = 0.204 MILES

SECTION 0001 - ROADWAY BRO-152D(117)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	350.000	LF
221(F) 0100	TEMPORARY SILT DIKE	300.000	LF
230(A) 2806	SOLID SLAB SODDING	7,313.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.510	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	501.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY

SECTION 0002 - BRIDGE 'A' BRO-152D(117)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	90.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	828.510	LF
504(C) 6250	SEALED EXPANSION JOINT	33.500	LF
504(E) 1380	CONCRETE RAIL (TR1)	485.160	LF
506(A) 1322	STRUCTURAL STEEL	590.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	12.000	EA
509(A) 1326	CLASS AA CONCRETE	159.700	CY
509(B) 1328	CLASS A CONCRETE	105.500	CY
511(A) 1332	REINFORCING STEEL	49,900.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	181.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	423.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	181.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	423.000	LF
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	146.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,450.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	404.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING BRO-152D(117)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION BRO-152D(117)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 311
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : NOBLE

CONTRACT ID : 120347

PROJECT(S) PCN
 BRO-152D(166)CI 2556104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$27.09
 120 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-37/WINDMILL RD): OVER DOE CREEK, 4.0 MILES
 SOUTH AND 1.0 MILE EAST OF THE I-35/SH-15 JCT.
 PROJECT LENGTH = 0.169 MILES

SECTION 0001 - ROADWAY BRO-152D(166)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,349.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,307.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	800.000	LF
221(F) 0100	TEMPORARY SILT DIKE	240.000	LF
230(A) 2806	SOLID SLAB SODDING	4,412.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.920	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	446.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	118.000	TON

SECTION 0002 - BRIDGE 'A' BRO-152D(166)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	68.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	50.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	534.000	LF
504(E) 1380	CONCRETE RAIL (TR1)	327.000	LF
509(A) 1326	CLASS AA CONCRETE	95.300	CY
509(B) 1328	CLASS A CONCRETE	68.200	CY
511(A) 1332	REINFORCING STEEL	25,885.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	455.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	455.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	196.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,430.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	380.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING BRO-152D(166)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION BRO-152D(166)CI

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 312
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : NOBLE

CONTRACT ID : 120348

PROJECT(S)
 BRO-152D(117)CI
 BRO-152D(166)CI
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$56.35
 180 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

PCN
 2365104C
 2556104C

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-318/EW-37): 4.0 MI S OF THE I-35/SH-15 JCT,
 AND 0.5 MI E OVER RED ROCK CR, AND 1.0 MI E OVER DOE CR.
 PROJECT LENGTH = 0.373 MILES

SECTION 0001 - ROADWAY BRO-152D(117)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	350.000	LF
221(F) 0100	TEMPORARY SILT DIKE	300.000	LF
230(A) 2806	SOLID SLAB SODDING	7,313.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.510	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	501.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY

SECTION 0002 - BRIDGE 'A' BRO-152D(117)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	88.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	90.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	828.510	LF
504(C) 6250	SEALED EXPANSION JOINT	33.500	LF
504(E) 1380	CONCRETE RAIL (TR1)	485.160	LF
506(A) 1322	STRUCTURAL STEEL	590.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	12.000	EA
509(A) 1326	CLASS AA CONCRETE	159.700	CY
509(B) 1328	CLASS A CONCRETE	105.500	CY
511(A) 1332	REINFORCING STEEL	49,900.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	181.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	423.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	181.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	423.000	LF
516(A) 6095	DRILLED SHAFTS 54" DIAMETER	146.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,450.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	404.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA

880(J) 8905 CONSTRUCTION TRAFFIC CONTROL 1.000 LSUM

SECTION 0003 - STAKING BRO-152D(117)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION BRO-152D(117)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0005 - ROADWAY BRO-152D(166)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,349.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,307.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	800.000	LF
221(F) 0100	TEMPORARY SILT DIKE	240.000	LF
230(A) 2806	SOLID SLAB SODDING	4,412.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.920	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	446.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	118.000	TON

SECTION 0006 - BRIDGE 'A' BRO-152D(166)CI

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	68.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	50.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	534.000	LF
504(E) 1380	CONCRETE RAIL (TR1)	327.000	LF
509(A) 1326	CLASS AA CONCRETE	95.300	CY
509(B) 1328	CLASS A CONCRETE	68.200	CY
511(A) 1332	REINFORCING STEEL	25,885.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	455.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	455.000	LF
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	196.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,430.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	380.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 320
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : NOWATA

CONTRACT ID : 120349

PROJECT(S) PCN
 BRFY-153C(140) 2312804
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$42.27
 90 CALENDAR DAYS
TIME 'B' BID - \$2,000.00 / DAY
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 SH-28: OVER BIG CREEK 4.5 MILES NORTH OF THE US-60 JCT.
 PROJECT LENGTH = 0.876 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,659.000	CY
202(D) 0184	UNCLASSIFIED BORROW	100.000	CY
221(C) 2801	TEMPORARY SILT FENCE	660.000	LF
221(F) 0100	TEMPORARY SILT DIKE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	744.000	SY
233(A) 2817	VEGETATIVE MULCHING	0.160	AC
241 2832	MOWING	1.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	2,038.000	CY
307(D) 4230	LIME	120.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	6,652.000	SY
325 5271	SEPARATOR FABRIC	9,469.000	SY
407(B) 0250	TACK COAT	1,493.000	GAL
408 5774	PRIME COAT	3,321.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	20,848.000	SY
409(B) 4268	BITUMINOUS BINDER	2,477.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,467.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2,220.000	TON
412 5267	COLD MILLING PAVEMENT	11,284.000	SY
601(A) 0297	TYPE I PLAIN RIPRAP	3,825.000	TON
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,635.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	8,332.000	LF
619(C) 0924	SAWING PAVEMENT	8,523.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	8,050.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	114.000	CY
501(G) 6309	CLSM BACKFILL	127.000	CY
504(A) 1304	APPROACH SLAB	227.800	SY

504(B) 1305	SAW-CUT GROOVING	1,329.700 SY
504(C) 6250	SEALED EXPANSION JOINT	70.330 LF
504(D) 6245	CONCRETE RAIL (TR4)	748.000 LF
506(A) 1322	STRUCTURAL STEEL	391,000.000 LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	10.000 EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	10.000 EA
509(A) 1326	CLASS AA CONCRETE	289.800 CY
509(B) 1328	CLASS A CONCRETE	41.700 CY
509(D) 1331	CLASS C CONCRETE	30.000 CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	114,060.000 LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	360.000 LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	360.000 LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	716.000 SY
523(A) 6550	SEALER CRACK PREPARATION	136.800 LF
523(B) 6560	SEALER RESIN	1.400 GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	715.000 TON
601(C) 1355	TYPE I-A FILTER BLANKET	145.000 TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	72.000 LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	40.000 LF
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000 LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0004 - SIGNING & STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	33.000	SF
851(C) 8324	2" SQUARE TUBE POST	62.000	LF
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	6,000.000	LF

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 330
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : NOWATA

CONTRACT ID : 120350

PROJECT(S) : SBR-253C(001)SB
PCN : 2905804
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$41.18
 195 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 SH-10: OVER CEDAR CREEK, 8.8 MILES WEST OF THE CRAIG COUNTY
 LINE.

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	317.000	CY
202(D) 0184	UNCLASSIFIED BORROW	61.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,500.000	LF
230(A) 2806	SOLID SLAB SODDING	750.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	116.000	CY
310(B) 0149	SUBGRADE, METHOD B	839.000	SY
325 5271	SEPARATOR FABRIC	926.000	SY
402(B) 0219	TRAFFIC BOUND SURFACE COURSE TYPE B	5.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	89.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	275.000	TON
412 5267	COLD MILLING PAVEMENT	1,295.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	536.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	225.000	LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	6.000	EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	19.000	CY
501(G) 6309	CLSM BACKFILL	20.000	CY
502(C) 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	246.200	SY
504(B) 1305	SAW-CUT GROOVING	916.000	SY
504(C) 6250	SEALED EXPANSION JOINT	82.000	LF
504(D) 6245	CONCRETE RAIL (TR4)	503.000	LF
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	12.000	EA
509(A) 1326	CLASS AA CONCRETE	174.000	CY
509(D) 1331	CLASS C CONCRETE	24.300	CY
511 6306	MECHANICAL SPLICES	990.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	66,910.000	LB

515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	864.000	SY
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	168.000	LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	5.600	GAL
521(A)	6210	PNEUMATICALLY PLACED MORTAR	22.800	SY
524(A)	6610	(SP)CARBON FIBER-REINFORCED POLYMER	818.400	SF
535	6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	91.200	SY
540	4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	11.000	EA
601(B)	1353	TYPE I-A PLAIN RIPRAP	610.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	96.000	TON
619(B)	2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	195.000	SD
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	170.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,116.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	3,265.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	11,985.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	770.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,650.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	265.000	SD
880(C) 8848	WING BARRICADES	370.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	470.000	SD
880(E) 8872	WARNING LIGHTS(TYPE C)	2,405.000	SD
880(G) 8890	CHANNELIZER CONES	3,950.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	240.000	SD

SECTION 0004 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	8.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6,800.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	6,800.000	LF

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 335
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 120372

PROJECT(S) PCN
 BRO-155D(690)CI 2607904
 DBE GOAL : 3.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$11.92
 90 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-96/NE 150TH ST): OVER SMITH CREEK 1.2 MILES
 SOUTH OF THE I-44/SWLC RAILROAD INTERSECTION.
 PROJECT LENGTH = 0.221 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	400.000	LF
221(G) 0151	TEMPORARY ROCK FILTER DAM TYPE 2	25.000	CY
230(A) 2806	SOLID SLAB SODDING	10,450.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.300	AC
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	860.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	405.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	638.000	TON
613(B) 0690	24" CORR. GALV. STEEL PIPE	80.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	60.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	4.000	EA
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	16.070	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	26.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	636.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	30.000	LF
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	1.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY
501(F) 6352	GRANULAR BACKFILL	70.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	278.670	LF
504(B) 1305	SAW-CUT GROOVING	219.400	SY
504(D) 6239	CONCRETE RAIL (TR3)	196.600	LF
506(A) 1322	STRUCTURAL STEEL	130.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	92.000	CY
509(B) 1328	CLASS A CONCRETE	44.600	CY
511(A) 1332	REINFORCING STEEL	14,490.000	LB

514(A)	6010	PILES, FURNISHED (HP 10X42)	996.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	996.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,115.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	265.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000	LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	220.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	1418	BEAM GUARDRAIL W-BEAM SINGLE	225.000	LF
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F)	6030	GUARDRAIL ANCHOR UNIT (TYPE B)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - BRIDGE "B"

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2,775.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	200.000	CY
509(B) 1328	CLASS A CONCRETE	295.500	CY
511(A) 1332	REINFORCING STEEL	54,438.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	630.000	TON

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 340
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 120351

PROJECT(S)
 BRFY-NBIP(458)3B
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$6.50
 60 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

PCN
 2863304

CONTRACT DESCRIPTION :
 BRIDGE PAINTING
 SH-152: OVER NEWCASTLE ROAD, 1.4 MILES WEST OF I-44.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 350
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 120352

PROJECT(S) PCN
 BRFY-255A(090)3B 2863305
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$18.42
 90 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 JOINT SEAL/REPAIR
 SH-152: OVER NEWCASTLE RD 1.4 MILES WEST OF THE I-44 JCT.

SECTION 0001 - BRIDGE A

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	30.000	CY
504(G) 6390	RAPID CURE JOINT SEALANT	81.500	LF
509 6386	SILICONE CONSTRUCTION JOINT	350.000	LF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	250.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	140.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	65.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	140.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	4.000	EA

SECTION 0002 - BRIDGE B

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	30.000	CY
504(G) 6390	RAPID CURE JOINT SEALANT	91.500	LF
509 6386	SILICONE CONSTRUCTION JOINT	200.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	54.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	250.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	140.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	72.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	140.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	4.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 370
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PAWNEE

CONTRACT ID : 120354

PROJECT(S) : BRFY-159C(039)
PCN : 2089604
 DBE GOAL : 6.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$55.27
 90 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 US-64: OVER PANTHER CREEK, 0.9 MILES EAST OF THE NOBLE
 COUNTY LINE.
 PROJECT LENGTH = 0.236 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	11,793.000	CY
202(D) 0184	UNCLASSIFIED BORROW	9,589.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	5,020.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	5.000	EA
221(F) 0100	TEMPORARY SILT DIKE	448.000	LF
230(A) 2806	SOLID SLAB SODDING	18,584.000	SY
232(A) 2813	SEEDING METHOD A	4.000	AC
233(A) 2817	VEGETATIVE MULCHING	4.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	1,324.000	CY
307(A) 4200	FLY ASH	684.000	TON
307(D) 4230	LIME	58.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	12,667.000	SY
307(G) 4260	LIME PRETREATMENT	3,167.000	SY
325 5271	SEPARATOR FABRIC	7,216.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	994.000	TON
407(B) 0250	TACK COAT	1,313.000	GAL
408 5774	PRIME COAT	4,329.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	506.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2,837.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	331.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,217.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0688	12" CORR. GALV. STEEL PIPE	90.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	330.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	152.000	LF
613(B) 0698	72" CORR. GALV. STEEL PIPE	324.000	LF
613(P) 0760	18" GALV. STEEL CULVERT END SECTION ROUND	14.000	EA
613(P) 0762	30" GALV. STEEL CULVERT END SECTION ROUND	4.000	EA
613(P) 0769	72" GALV. STEEL CULVERT END SECTION ROUND	6.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

619(B) 4725	REMOVAL OF FENCE	4,465.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	8,592.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	810.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	350.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,932.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(C) 4960	MAILBOX	2.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	200.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	399.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(B) 1305	SAW-CUT GROOVING	660.100	SY
504(D) 6245	CONCRETE RAIL (TR4)	297.000	LF
506(A) 1322	STRUCTURAL STEEL	150.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	155.600	CY
509(B) 1328	CLASS A CONCRETE	59.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	37,340.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	730.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	730.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	461.000	SY
601(B) 1353	TYPE I-A PLAIN RIPRAP	360.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	110.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	24.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	8,300.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	6,360.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	2,400.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,300.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,800.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	300.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1,800.000	SD
880(F) 8878	DRUMS	7,200.000	SD

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 380
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PAWNEE

CONTRACT ID : 120355

PROJECT(S) : BRFY-159C(042) PCN : 2089704
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$93.20
 240 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 US-64: OVER BNSF RAILROAD, 6.1 MILES EAST OF SH-18.
 PROJECT LENGTH = 0.960 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	52,510.000	CY
202(D) 0184	UNCLASSIFIED BORROW	131,657.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	2,100.000	LF
221(C) 2801	TEMPORARY SILT FENCE	6,775.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	13.000	EA
221(F) 0100	TEMPORARY SILT DIKE	819.000	LF
230(A) 2806	SOLID SLAB SODDING	66,864.000	SY
232(A) 2813	SEEDING METHOD A	13.000	AC
233(A) 2817	VEGETATIVE MULCHING	13.000	AC
234(A) 2824	FERTILIZING (10-20-10)	7.000	TON
241 2832	MOWING	13.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	5,081.000	CY
307(B) 4210	CEMENT KILN DUST	319.000	TON
307(D) 4230	LIME	798.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	7,384.000	SY
307(H) 4270	LIME STABILIZED SUBGRADE	36,919.000	SY
325 5271	SEPARATOR FABRIC	29,871.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,714.000	TON
407(B) 0250	TACK COAT	4,488.000	GAL
408 5774	PRIME COAT	12,424.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	10,066.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	4,174.000	TON
412 5267	COLD MILLING PAVEMENT	934.000	SY
509(D) 0325	CLASS C CONCRETE	17.000	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	105.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	35.000	TON
611(G) 6000	INLET (SMD-TYPE 1)	1.000	EA
611(L) 0487	JUNCTION BOXES	49.000	CF
613(A) 0492	24" R.C.PIPE CLASS III	456.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	304.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	370.000	LF

613(B) 0690	24" CORR. GALV. STEEL PIPE	288.000 LF
613(B) 0692	36" CORR. GALV. STEEL PIPE	180.000 LF
613(B) 5717	15" CORR. GALV. STEEL PIPE	206.000 LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	4,600.000 LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	1,200.000 LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	11.000 EA
613(L) 5734	36" PREFAB. CULVERT END SECTION, ROUND	4.000 EA
613(P) 0760	18" GALV. STEEL CULVERT END SECTION ROUND	11.000 EA
613(P) 0761	24" GALV. STEEL CULVERT END SECTION ROUND	5.000 EA
613(P) 0763	36" GALV. STEEL CULVERT END SECTION ROUND	4.000 EA
613(Q) 5946	OUTLET LATERAL HEADWALL	24.000 EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	532.000 CY
613(V) 1180	TRENCH EXCAVATION	756.000 CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4725	REMOVAL OF FENCE	11,574.000 LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	24,460.000 SY
619(C) 0924	SAWING PAVEMENT	1,090.000 LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	575.000 LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000 EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000 EA
624(A) 4281	FENCE-STYLE WWF	2,685.000 LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	6,935.000 LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	5.000 EA
629(C) 4960	MAILBOX	5.000 EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	5.000 EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	86.600	CY
501(G) 6309	CLSM BACKFILL	180.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	496.700	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	548.300	LF
504(A) 1304	APPROACH SLAB	278.600	SY
504(B) 1305	SAW-CUT GROOVING	1,200.300	SY
504(D) 6245	CONCRETE RAIL (TR4)	540.200	LF
506(A) 1322	STRUCTURAL STEEL	1,170.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	20.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	20.000	EA
509(A) 1326	CLASS AA CONCRETE	347.600	CY
509(B) 1328	CLASS A CONCRETE	39.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	90,142.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	399.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	399.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	904.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	148.000	LF
523(A) 6550	SEALER CRACK PREPARATION	263.200	LF
523(B) 6560	SEALER RESIN	2.900	GAL
601(C) 1355	TYPE I-A FILTER BLANKET	67.000	TON

613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	88.000 LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	100.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	36.000	SF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	21,914.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	15,852.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	2,364.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	300.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	270.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	6,855.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3,015.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4,590.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,575.000	SD
880(C) 8850	PERMANENT BARRICADE UNIT	6.000	EA
880(E) 8860	WARNING LIGHTS(TYPE A)	3,795.000	SD
880(F) 8878	DRUMS	15,765.000	SD

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 384
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PONTOTOC

CONTRACT ID : 120293

PROJECT(S) PCN
 BRF-162C(203)CI 2726604
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$11.93
 90 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD: OVER COTTON CREEK, 0.5 MILES SOUTH AND 2.3
 MILES EAST OF FRANCIS.
 PROJECT LENGTH = 0.274 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4,935.000	CY
202(D) 0184	UNCLASSIFIED BORROW	100.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	280.000	LF
230(A) 2806	SOLID SLAB SODDING	12,677.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.970	AC
303(B) 2110	AGGREGATE BASE TYPE B	1,143.040	CY
311(B) 0152	PROCESSING EXISTING BASE & SURFACE, METHOD B	1,321.830	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	404.510	TON
407(B) 0250	TACK COAT	247.220	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	972.990	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	658.300	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	200.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	8.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,800.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	210.000	CY
501(F) 6352	GRANULAR BACKFILL	161.600	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	374.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	327.200	LF
506(A) 1322	STRUCTURAL STEEL	1,950.000	LB
509(A) 1326	CLASS AA CONCRETE	109.600	CY
509(B) 1328	CLASS A CONCRETE	81.600	CY
511(A) 1332	REINFORCING STEEL	35,650.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	284.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	911.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	284.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	911.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,439.000	TON

601(C)	1355	TYPE I-A FILTER BLANKET	161.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	80.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	52.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A)	0095	CONSTRUCTION STAKING LEVEL I	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 386
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PONTOTOC

CONTRACT ID : 120294

PROJECT(S) : BRF-162C(205)CI
PCN : 2726804
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-344.5): OVER SANDY CREEK, 1.0 MILE SOUTH OF
 VANOSS.
 PROJECT LENGTH = 0.349 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	4,670.000	CY
202(D) 0184	UNCLASSIFIED BORROW	100.000	CY
221(C) 2801	TEMPORARY SILT FENCE	3,427.000	LF
221(F) 0100	TEMPORARY SILT DIKE	360.000	LF
230(A) 2806	SOLID SLAB SODDING	23,061.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.760	AC
303(B) 2110	AGGREGATE BASE TYPE B	1,035.000	CY
311(B) 0152	PROCESSING EXISTING BASE & SURFACE, METHOD B	1,673.500	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	554.200	TON
407(B) 0250	TACK COAT	221.630	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	756.620	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	495.230	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	172.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	6.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY
501(F) 6352	GRANULAR BACKFILL	104.000	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	404.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	346.600	LF
506(A) 1322	STRUCTURAL STEEL	273.000	LB
509(A) 1326	CLASS AA CONCRETE	144.400	CY
509(B) 1328	CLASS A CONCRETE	48.600	CY
511(A) 1332	REINFORCING STEEL	32,820.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	1,215.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1,215.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,600.110	TON
601(C) 1355	TYPE I-A FILTER BLANKET	173.880	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	455.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	54.000	LF

613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000 EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 400
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : SEQUOYAH

CONTRACT ID : 120357

PROJECT(S) : STPY-068C(238) PCN : 1253104
 DBE GOAL : 7.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$130.05
 350 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 WIDEN, RESURFACE, AND BRIDGE
 SH-100: FROM THE CITY OF GORE, EXTEND NORTH.
 PROJECT LENGTH = 6.180 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	77,657.000	CY
202(C) 0182	ROCK EXCAVATION	3,138.000	CY
202(D) 0184	UNCLASSIFIED BORROW	24,336.000	CY
202(J) 5250	QUARRY STONE EMBANKMENT	24,663.000	TON
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	14,952.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	6.000	EA
221(F) 0100	TEMPORARY SILT DIKE	2,652.000	LF
229 4318	DITCH LINER PROTECTION	13,539.000	LF
230(A) 2806	SOLID SLAB SODDING	155,391.000	SY
232(B) 2814	SEEDING METHOD B	75.420	AC
233(A) 2817	VEGETATIVE MULCHING	64.210	AC
241 2832	MOWING	128.420	AC
303(A) 2100	AGGREGATE BASE TYPE A	1,376.000	CY
307(A) 4200	FLY ASH	4,346.000	TON
307(D) 4230	LIME	388.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	88,278.000	SY
307(G) 4260	LIME PRETREATMENT	19,815.000	SY
318 5112	ECONCRETE BASE	589.000	SY
325 5271	SEPARATOR FABRIC	18,480.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	14,657.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	4,183.000	TON
407(B) 0250	TACK COAT	26,540.000	GAL
408 5774	PRIME COAT	26,165.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	94,611.000	SY
409(B) 4268	BITUMINOUS BINDER	18,923.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	17,960.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	36,937.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	10,023.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	9,292.000	TON
412 5267	COLD MILLING PAVEMENT	78,555.000	SY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	514.000	SY

414(G)	5275	P.C. CONCRETE FOR PAVEMENT	129.000	CY
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	232.000	CY
509(B)	0321	CLASS A CONCRETE	716.000	CY
509(D)	0325	CLASS C CONCRETE	804.000	CY
511(A)	0332	REINFORCING STEEL	85,404.000	LB
601(A)	0297	TYPE I PLAIN RIPRAP	1,658.000	TON
601(C)	0538	TYPE I-A FILTER BLANKET	51.000	TON
611(G)	5705	INLET CDI RCP DES. 2	1.000	EA
611(G)	5706	INLET CDI RCP DES. 3	2.000	EA
611(G)	5707	INLET CDI RCP DES. 4	2.000	EA
611(G)	5709	INLET CDI RCP DES. 6	1.000	EA
611(H)	5790	ADD'L DEPTH IN INLET CDI RCP DES. 2	2.000	VF
611(H)	5791	ADD'L DEPTH IN INLET CDI RCP DES. 3	10.000	VF
611(H)	5792	ADD'L DEPTH IN INLET CDI RCP DES. 4	4.000	VF
611(H)	5794	ADD'L DEPTH IN INLET CDI RCP DES. 6	4.000	VF
613(A)	0492	24" R.C.PIPE CLASS III	168.000	LF
613(A)	0493	30" R.C.PIPE CLASS III	152.000	LF
613(A)	0494	36" R.C.PIPE CLASS III	426.000	LF
613(A)	0495	42" R.C.PIPE CLASS III	62.000	LF
613(A)	0496	48" R.C.PIPE CLASS III	92.000	LF
613(A)	4496	28" X 18" R.C.PIPE ARCH CLASS A-III	54.000	LF
613(A)	4498	43" X 26" R.C.PIPE ARCH CLASS A-III	62.000	LF
613(A)	4505	24" X 38" R.C.PIPE ELLIPTICAL CLASS HE-III	414.000	LF
613(A)	4507	34" X 53" R.C.PIPE ELLIPTICAL CLASS HE-III	58.000	LF
613(B)	0689	18" CORR. GALV. STEEL PIPE	948.000	LF
613(B)	0690	24" CORR. GALV. STEEL PIPE	246.000	LF
613(B)	0691	30" CORR. GALV. STEEL PIPE	68.000	LF
613(B)	4525	17" X 13" CORR. GALV. STEEL PIPE ARCH	332.000	LF
613(B)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	4,093.000	LF
613(B)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	114.000	LF
613(L)	4501	17" X 13" PREFAB. CULVERT END SECTION, ARCH	16.000	EA
613(L)	4504	21" X 15" PREFAB. CULVERT END SECTION, ARCH	242.000	EA
613(L)	4515	28" X 18" PREFAB. CULVERT END SECTION, ARCH	2.000	EA
613(L)	4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	8.000	EA
613(L)	4531	43" X 26" PREFAB. CULVERT END SECTION, ARCH	2.000	EA
613(L)	5726	18" PREFAB. CULVERT END SECTION, ROUND	44.000	EA
613(L)	5730	24" PREFAB. CULVERT END SECTION, ROUND	13.000	EA
613(L)	5732	30" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(L)	5734	36" PREFAB. CULVERT END SECTION, ROUND	8.000	EA
613(L)	5736	42" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(L)	5738	48" PREFAB. CULVERT END SECTION, ROUND	1.000	EA
613(O)	5100	SPECIAL END SECTION OF 24" X 38" RCP ELLIPTICAL	10.000	EA
613(O)	5155	SPECIAL END SECTION OF 34" X 53" RCP ELLIPTICAL	2.000	EA
613(T)	1187	STANDARD BEDDING MATERIAL, CLASS C	963.000	CY
613(V)	1180	TRENCH EXCAVATION	3,645.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	34.000	EA
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	20,739.000	SY

619(C) 0924	SAWING PAVEMENT	72,808.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	3,200.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	6.000	EA
624(A) 4281	FENCE-STYLE WWF	5,069.000	LF
624(B) 4462	GATES-STYLE WWF (4.5'HIGH X 12'LONG)	6.000	EA
624(B) 4468	GATES-STYLE WWF (4.5'HIGH X 20'LONG)	2.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	9,173.000	LF
624(E) 4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	3,058.000	LF
624(F) 5847	GATES-STYLE CLF (4'HIGH X 12'LONG)	18.000	EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	34.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	10.000	EA
629(C) 4960	MAILBOX	64.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	52.000	EA

SECTION 0002 - BRIDGE A SH-100 OVER UNNAMED CREEK

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	710.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	184.000	CY
509(A) 1326	CLASS AA CONCRETE	329.400	CY
511(A) 1332	REINFORCING STEEL	50,290.000	LB
619(B) 2515	REMOVAL OF BRIDGE ITEM (TYPE A)	4.000	EA

SECTION 0003 - BRIDGE B SH-100 OVER UNNAMED CREEK

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	730.000	CY
501(C) 1308	SUBSTRUCTURE EXCAVATION ROCK	26.000	CY
509(A) 1326	CLASS AA CONCRETE	183.800	CY
511(A) 1332	REINFORCING STEEL	38,240.000	LB
619(B) 2515	REMOVAL OF BRIDGE ITEM (TYPE A)	4.000	EA

SECTION 0004 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
413(B) 4863	RUMBLE STRIP-METHOD HMA-CYC	65,104.000	LF
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	14.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	86.000	EA
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	700.000	SD
850(A) 8110	SHEET ALUMINUM SIGNS	529.760	SF
851(C) 8324	2" SQUARE TUBE POST	1,052.500	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	130,800.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	145,400.000	LF
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	26,200.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	5,000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	700.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	350.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,425.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	9,900.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	33,950.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	10,500.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	30,450.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2,100.000	SD

880(C) 8848	WING BARRICADES	2,800.000 SD
880(D) 8854	VERTICAL PANELS	77,000.000 SD
880(E) 8860	WARNING LIGHTS(TYPE A)	14,700.000 SD
880(F) 8878	DRUMS	7,000.000 SD
880(G) 8890	CHANNELIZER CONES	52,500.000 SD
880(I) 8902	FLAGGER	350.000 SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	700.000 SD

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 410
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : SEQUOYAH

CONTRACT ID : 120358

PROJECT(S) : BRO-168D(114)CI
PCN : 2073804
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$6.50
 90 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-109.6): OVER WOLF CREEK, 2.0 MILES NORTH
 AND 0.2 MILES WEST OF THE US-64/SH-141 JCT.
 PROJECT LENGTH = 0.208 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,550.000	LF
221(F) 0100	TEMPORARY SILT DIKE	255.000	LF
230(A) 2806	SOLID SLAB SODDING	4,644.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.200	AC
303(A) 2100	AGGREGATE BASE TYPE A	370.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	60.000	TON
408 5774	PRIME COAT	490.000	GAL
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0690	24" CORR. GALV. STEEL PIPE	90.000	LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	4.000	EA
629(E) 5048	REMOVE AND RESET MAILBOX	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	12.500	SF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1,221.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	170.000	CY
509(B) 1328	CLASS A CONCRETE	327.000	CY
511(A) 1332	REINFORCING STEEL	59,910.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	525.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	220.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 420
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : SEQUOYAH

CONTRACT ID : 120359

PROJECT(S) : BRFY-NBIP(457)3B
PCN : 2857904
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$16.26
 90 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 BRIDGE PAINTING
 I-40: MULTIPLE LOCATIONS IN DIVISION I.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	436.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	470.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	526.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	526.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	180.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(I) 8902	FLAGGER	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	180.000	SD

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 430
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : SEQUOYAH

CONTRACT ID : 120360

PROJECT(S) : BRFY-268N(002)3B
PCN : 2857905
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$16.26
 45 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 JOINT/SEAL REPAIR
 I-40: MULTIPLE LOCATIONS IN DIVISION I.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	59.240	LF
509 6386	SILICONE CONSTRUCTION JOINT	147.700	LF

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	70.420	LF
509 6386	SILICONE CONSTRUCTION JOINT	105.510	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	10.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY

SECTION 0003 - BRIDGE 'C'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	77.960	LF
509 6386	SILICONE CONSTRUCTION JOINT	38.980	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	10.000	SY

SECTION 0004 - BRIDGE 'D'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	77.960	LF
509 6386	SILICONE CONSTRUCTION JOINT	38.980	LF

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	45.000	SD
880(I) 8902	FLAGGER	45.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 440
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : SEQUOYAH

CONTRACT ID : 120361

PROJECT(S) : SBR-268N(003)SB
PCN : 2932004
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$7.59
 40 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 BRIDGE PAINTING
 I-40: UNDER COUNTY ROAD (N4660) 4.81 MI E OF US-59 JCT, AND
 UNDER MOCKINGBIRD LANE 16.07 MI E OF MUSKOGEE COUNTY LINE.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	433.375	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	393.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	80.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	40.000	SD
880(I) 8902	FLAGGER	40.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	160.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 450
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : SEQUOYAH

CONTRACT ID : 120362

PROJECT(S)
 SBR-268N(004)SB
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$7.59
 15 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

PCN
 2932005

CONTRACT DESCRIPTION :
 JOINT SEAL/REPAIR
 I-40: UNDER COUNTY ROAD (N4660) 4.81 MI E OF US-59 JCT, AND
 UNDER MOCKINGBIRD LANE 16.07 MI E OF MUSKOGEE COUNTY LINE.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509 6386	SILICONE CONSTRUCTION JOINT	27.500	LF

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(G) 6390	RAPID CURE JOINT SEALANT	60.920	LF
509 6386	SILICONE CONSTRUCTION JOINT	60.920	LF

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	15.000	SD
880(I) 8902	FLAGGER	15.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 460
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : TULSA

CONTRACT ID : 120363

PROJECT(S) : NHY-014N(071) PCN : 2430004
 DBE GOAL : 7.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$150.64
 270 CALENDAR DAYS
TIME 'B' BID - \$4,000.00 / DAY
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 INTERCHANGE
 US-75: AT 116TH STREET NORTH.
 PROJECT LENGTH = 0.365 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	19,043.000	CY
202(D) 0184	UNCLASSIFIED BORROW	144,398.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	18,938.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	13.000	EA
221(F) 0100	TEMPORARY SILT DIKE	2,268.000	LF
230(A) 2806	SOLID SLAB SODDING	84,093.000	SY
232(A) 2813	SEEDING METHOD A	14.000	AC
233(A) 2817	VEGETATIVE MULCHING	14.000	AC
234(A) 2824	FERTILIZING (10-20-10)	9.000	TON
241 2832	MOWING	62.000	AC
307(K) 4300	STABILIZED SUBGRADE	39,928.000	SY
407(B) 0250	TACK COAT	7,559.000	GAL
408 5774	PRIME COAT	7,695.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	3,687.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	12,872.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	2,822.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,374.000	TON
504(E) 1381	CONCRETE PARAPET	140.000	LF
509(A) 0319	CLASS AA CONCRETE	61.000	CY
509(D) 0325	CLASS C CONCRETE	273.000	CY
510(D) 6341	MSE RETAINING WALL	802.000	SY
511(A) 0332	REINFORCING STEEL	562.000	LB
511(B) 4269	EPOXY COATED REINFORCING STEEL	8,458.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	80.000	SY
611(G) 6006	INLET (SMD-TYPE 2B)	2.000	EA
613(A) 0491	18" R.C.PIPE CLASS III	194.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	466.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	360.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	120.000	LF
613(A) 0495	42" R.C.PIPE CLASS III	264.000	LF

613(B) 0689	18" CORR. GALV. STEEL PIPE	40.000 LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	92.000 LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	1.000 EA
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	5.000 EA
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	1.000 EA
613(L) 5734	36" PREFAB. CULVERT END SECTION, ROUND	2.000 EA
613(L) 5736	42" PREFAB. CULVERT END SECTION, ROUND	4.000 EA
613(P) 0760	18" GALV. STEEL CULVERT END SECTION ROUND	2.000 EA
613(P) 0762	30" GALV. STEEL CULVERT END SECTION ROUND	4.000 EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	626.000 CY
613(V) 1180	TRENCH EXCAVATION	850.000 CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	9,062.000 SY
619(C) 0924	SAWING PAVEMENT	5,098.000 LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1,725.000 LF
623(F) 6030	GUARDRAIL ANCHOR UNIT (TYPE B)	2.000 EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	6.000 EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	5.000 EA
624 4100	(PL) ORNAMENTAL FENCE	835.000 LF
624(A) 4281	FENCE-STYLE WWF	796.000 LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	480.000 LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	480.000 LF
870(A) 8011	SAND FILLED IMPACT ATTENUATION MODULE	38.000 EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	115.000	CY
501(F) 6352	GRANULAR BACKFILL	34.000	CY
501(G) 6309	CLSM BACKFILL	320.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	1,723.000	LF
504(A) 1304	APPROACH SLAB	336.000	SY
504(B) 1305	SAW-CUT GROOVING	286.200	SY
504(E) 6190	42" F-SHAPED PARAPET	529.000	LF
506(A) 1322	STRUCTURAL STEEL	1,030.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	515.900	CY
509(B) 1328	CLASS A CONCRETE	161.400	CY
510(C) 6138	SLOPE WALL (5")	1,102.400	SY
511(A) 1332	REINFORCING STEEL	10,380.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	112,200.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	936.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	936.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	735.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	44.000	LF
523(A) 6550	SEALER CRACK PREPARATION	130.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	331.000	LF

613(I) 6207 6" NON-PERF.PIPE UNDERDRAIN RND. 100.000 LF

SECTION 0003 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	261.000	CY
509(A) 1326	CLASS AA CONCRETE	152.400	CY
511(A) 1332	REINFORCING STEEL	23,175.000	LB

SECTION 0004 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A) 2915	STRUCTURAL CONCRETE	14.800	CY
804(B) 2916	REINFORCING STEEL	2,532.000	LB
805(A) 8700	REMOVAL OF SIGN FOOTING	19.000	EA
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	17.000	EA
805(D) 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	480.570	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	164.500	SF
851(A) 3209	6"@25 GALV.STEEL WIDE FLANGE BEAM POST	192.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STEEL PIPE POST	396.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	31,905.000	LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	2,517.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	4,789.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	3,088.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	79.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	5.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	11.000	EA
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	2,835.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	22,605.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	16,420.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	4,500.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,726.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	8,350.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	7,792.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4,789.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3,776.000	SD
880(F) 8878	DRUMS	80,940.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	526.000	SD

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 470
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : TULSA

CONTRACT ID : 120364

PROJECT(S)
 STP-172A(535)SG
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$13.01
 60 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

PCN
 2867004

CONTRACT DESCRIPTION :
 LIGHTING
 SH-51 (BROKEN ARROW EXPRESSWAY): BEGIN AT ASPEN AVE.,
 EXTEND EAST.
 PROJECT LENGTH = 1.95 MILES

SECTION 0001 - LIGHTING - PHASE 1

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	400.000	LF
803(A) 8065	PULL BOX(SIZE I)	2.000	EA
806(D) 8995	36' MTG.HT.HL.PTP.(G.STL.)	22.000	EA
809(A) 8090	ROADWAY LUMINAIRE	44.000	EA
810(A) 3118	SERVICE POLE	2.000	EA
811 8038	1/C NO.4 ELECTRICAL CONDUCTOR	11,615.000	LF
811 8046	1/C NO.12 ELECTRICAL CONDUCTOR	6,060.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - LIGHTING - PHASE 2

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	200.000	LF
803(A) 8065	PULL BOX(SIZE I)	1.000	EA
806(D) 8995	36' MTG.HT.HL.PTP.(G.STL.)	22.000	EA
809(A) 8090	ROADWAY LUMINAIRE	44.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECTRICAL CONDUCTOR	10,008.000	LF
811 8046	1/C NO.12 ELECTRICAL CONDUCTOR	5,280.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 480
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PAWNEE
 TULSA

CONTRACT ID : 120365

PROJECT(S) : BRFY-NBIP(462)3B
PCN : 2871404
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$13.01
 45 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE PAINTING
 US-75/SH-18: MULTIPLE LOCATIONS IN DIVISION VIII.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - BRIDGE 'C'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0004 - BRIDGE 'D'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0005 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	45.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	45.000	SD
880(I) 8902	FLAGGER	15.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	45.000	SD

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 490
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : TULSA

CONTRACT ID : 120366

PROJECT(S) PCN
 BRFY-272N(025)3B 2871405
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$34.68
 30 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 JOINT SEAL/REPAIR
 US-75: OVER SOUTHWEST BLVD, AND OVER SW 46TH STREET IN THE
 CITY OF TULSA.

SECTION 0001 - BRIDGE A US 75 OVER I-244

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(A) 1304	APPROACH SLAB	93.000	SY
504(B) 1305	SAW-CUT GROOVING	84.000	SY
504(G) 6390	RAPID CURE JOINT SEALANT	817.000	LF
504(H) 6389	ELASTOMERIC MORTAR	15.500	CF
509 6386	SILICONE CONSTRUCTION JOINT	468.000	LF
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
513(B) 6019	CLASS B BRIDGE DECK REPAIR	60.000	SY
513(C) 6020	CLASS C BRIDGE DECK REPAIR	5.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	250.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	2.500	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	140.000	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	2,436.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	1,794.000	SF
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
540 4520	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	LSUM

SECTION 0002 - BRIDGE B US 75 OVER 46TH STREET (SB)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	86.000	TON
412 5267	COLD MILLING PAVEMENT	1,373.000	SY
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	528.000	SY
501(G) 6309	CLSM BACKFILL	9.000	CY
504(G) 6390	RAPID CURE JOINT SEALANT	117.500	LF
505(D) 6080	ASPHALT MEMBRANE OVERLAY	423.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	20.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	0.200	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA

SECTION 0003 - BRIDGE C US 75 OVER 46TH STREET (NB)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	85.000	TON
412 5267	COLD MILLING PAVEMENT	1,364.000	SY
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	520.000	SY

501(G)	6309	CLSM BACKFILL	9.000	CY
504(G)	6390	RAPID CURE JOINT SEALANT	117.500	LF
505(D)	6080	ASPHALT MEMBRANE OVERLAY	423.000	SY
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	20.000	LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	0.200	GAL
521(A)	6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
540	4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
540	4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA

SECTION 0004 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
856(A)	8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	2,500.000 LF
871(B)	8705	(SP)CONST.ZONE IMPACT ATTEN.	90.000 SD
876(A)	8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000 SD
877(B)	8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,100.000 LF
877(C)	8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	3,300.000 LF
880(A)	8812	ARROW DISPLAY(TYPE C)	180.000 SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	630.000 SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,620.000 SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	990.000 SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	1,350.000 SD
880(C)	8848	WING BARRICADES	180.000 SD
880(E)	8860	WARNING LIGHTS(TYPE A)	3,420.000 SD
880(F)	8878	DRUMS	1,800.000 SD
880(G)	8890	CHANNELIZER CONES	2,400.000 SD
880(I)	8902	FLAGGER	20.000 SD
880(L)	8911	TRAFFIC SURVEILLANCE, POLICE	600.000 HOUR
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	180.000 SD

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 500
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : TULSA

CONTRACT ID : 120367

PROJECT(S) : SBR-272A(004)SB
PCN : 2905104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$21.68
 120 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 CITY STREET (FAIRVIEW STREET): OVER SH-11 (TISDALE) JUST
 NORTH OF THE I-244/US-64/US-75/US-412 INTERCHANGE IN TULSA.

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	18.000	CY
303(A) 2100	AGGREGATE BASE TYPE A	18.000	CY
310(B) 0149	SUBGRADE, METHOD B	81.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	81.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	61.000	CY
510(C) 6136	SLOPE WALL (6")	374.000	SY
609(A) 0300	CONCRETE CURB (6" BARRIER-INTEGRAL)	60.000	LF
610(A) 0605	6" CONCRETE SIDEWALK	21.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	20.000	SF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	81.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	475.000	LF
619(B) 4791	REMOVAL OF CURB	60.000	LF
619(B) 4792	REMOVAL OF SIDEWALK	21.000	SY
619(B) 4821	REMOVAL OF CONCRETE SLOPE PROTECTION	374.000	SY
619(C) 0924	SAWING PAVEMENT	72.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	477.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	1.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	1.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	237.400	SY
504(B) 1305	SAW-CUT GROOVING	940.200	SY
504(C) 6250	SEALED EXPANSION JOINT	110.000	LF
504(E) 1381	CONCRETE PARAPET	393.600	LF
504(G) 6390	RAPID CURE JOINT SEALANT	27.000	LF
506(A) 1322	STRUCTURAL STEEL	80.000	LB
509(A) 1326	CLASS AA CONCRETE	255.800	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	74,160.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	449.000	SY
523(A) 6550	SEALER CRACK PREPARATION	110.000	LF

523(B)	6560	SEALER RESIN	1.300	GAL
619(B)	2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
802(A)	8310	2" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	227.000	LF
802(A)	8316	3" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	681.000	LF

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	8.000	EA
805(D) 8758	(PL)REMOVE & RESET OVERHEAD SIGN STRUCTURE	2.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,520.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	2.000	EA
880(A) 8812	ARROW DISPLAY(TYPE C)	240.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,356.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,344.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,100.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	432.000	SD
880(C) 8848	WING BARRICADES	120.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4,500.000	SD
880(F) 8878	DRUMS	8,198.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	720.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 510
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : WASHINGTON

CONTRACT ID : 120368

PROJECT(S) : NHY-014N(049) PCN : 2190304
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$20.59
 60 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 INTERSECTION MODIFICATION AND SIGNALS
 US-75: AT US-60 IN THE CITY OF BARTLESVILLE.
 PROJECT LENGTH = 0.125 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	100.000	LF
230(A) 2806	SOLID SLAB SODDING	400.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	30.000	CY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	80.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	20.000	CY
609(A) 0288	CONCRETE CURB (6" MNTBLE-INTEGRAL)	330.000	LF
609(A) 0300	CONCRETE CURB (6" BARRIER-INTEGRAL)	100.000	LF
609(A) 5864	CONCRETE CURB (6" BARRIER-DOWELLED)	135.000	LF
610(C) 0609	6" CONCRETE DIVIDING STRIP	95.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	875.000	LF
619(B) 6189	REMOVAL OF EXISTING SLAB	220.000	SY
619(C) 0924	SAWING PAVEMENT	300.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	800.000	LF
623(F) 8300	GUARDRAIL TRAIL END TURNDOWN (31")	1.000	EA
623(G) 8590	GUARDRAIL END TREATMENT (31")	1.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	19.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - TRAFFIC SIGNAL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
838(A) 0100	(SP)DETECTION SYSTEM (OVER-HEIGHT)	2.000	EA
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

SECTION 0004 - TRAFFIC SIGNING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A) 2915	STRUCTURAL CONCRETE	0.720	CY
804(B) 2916	REINFORCING STEEL	130.000	LB
805(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	9.000	EA

850(A)	8110	SHEET ALUMINUM SIGNS	205.720	SF
850(B)	8112	EXTRUDED ALUMINUM PANEL SIGNS	63.000	SF
851(A)	3206	4"@13 GALV.STEEL WIDE FLANGE BEAM POST	34.000	LF
851(C)	8324	2" SQUARE TUBE POST	239.400	LF
851(C)	8330	2 1/2" SQUARE TUBE POST	131.580	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,400.000	LF
855(A)	8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	550.000	LF
855(A)	8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	80.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	5.000	EA
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	3,000.000	LF

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
642(A)	0095 CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
641	1552 MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 520
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : WASHITA

CONTRACT ID : 120369

PROJECT(S) PCN
 BRO-175D(124)CI 2804004
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$19.51
 120 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-204): OVER ELK CREEK, 0.8 MILES AND 3.2
 MILES NORTH OF THE SH-6/SH-55 JCT.
 PROJECT LENGTH = 0.189 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(D) 0184	UNCLASSIFIED BORROW	5,515.000	CY
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	180.000	LF
230(A) 2806	SOLID SLAB SODDING	7,600.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.570	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	405.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0692	36" CORR. GALV. STEEL PIPE	130.000	LF
613(M) 7189	TYPE D4 CULVERT END TREATMENT	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	240.000	CY
501(F) 6352	GRANULAR BACKFILL	140.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	314.000	LF
504(D) 6239	CONCRETE RAIL (TR3)	294.800	LF
506(A) 1322	STRUCTURAL STEEL	600.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	83.700	CY
509(B) 1328	CLASS A CONCRETE	107.400	CY
511(A) 1332	REINFORCING STEEL	39,506.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	240.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1,358.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	240.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1,358.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,675.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	490.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	48.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA

880(J) 8905 CONSTRUCTION TRAFFIC CONTROL

1.000 LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 530
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : WOODS

CONTRACT ID : 120370

PROJECT(S) : STPY-276C(004) PCN : 2700205
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$19.51
 25 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 INTERSECTION MODIFICATION
 US-281: AT SH-14 IN THE CITY OF WAYNOKA.
 PROJECT LENGTH = 0.06 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	557.000	CY
202(D) 0184	UNCLASSIFIED BORROW	115.000	CY
221(C) 2801	TEMPORARY SILT FENCE	580.000	LF
221(F) 0100	TEMPORARY SILT DIKE	560.000	LF
310(B) 0149	SUBGRADE, METHOD B	2,497.000	SY
408 5774	PRIME COAT	526.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	1,480.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	267.000	TON
609(B) 1513	1'-8" COMB. CURB & GUTTER (6" BARRIER)	681.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	163.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	319.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	8.000	SF
612(A) 0641	MANHOLES ADJUST TO GRADE	1.000	EA
619(B) 4725	REMOVAL OF FENCE	40.000	LF
619(B) 4726	REMOVAL OF CURB AND GUTTER	181.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,181.000	SY
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	1,000.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	385.000	SY
619(B) 4767	REMOVAL OF ASPHALT DRIVEWAY	56.000	SY
619(B) 4792	REMOVAL OF SIDEWALK	125.000	SY

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	45.740	SF
851(C) 8324	2" SQUARE TUBE POST	83.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	1,350.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	165.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	24.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 540
 LETTING DATE : September 20, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : WOODWARD

CONTRACT ID : 120371

PROJECT(S) : NHY-019N(013) PCN : 1006107
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$137.67
 310 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND SURFACE
 US-412: BEGIN 10.0 MILES EAST OF MOORELAND, EXTEND EAST.
 PROJECT LENGTH = 4.167 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	341,914.000	CY
202(D) 0184	UNCLASSIFIED BORROW	500.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	8,120.000	LF
221(E) 2804	TEMPORARY SEDIMENT BASIN	5.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1,473.000	LF
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	3.000	EA
230(A) 2806	SOLID SLAB SODDING	182,308.000	SY
232(B) 2814	SEEDING METHOD B	160.200	AC
233(A) 2817	VEGETATIVE MULCHING	160.200	AC
241 2832	MOWING	75.900	AC
307(A) 4200	FLY ASH	1,289.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	23,423.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	853.000	TON
407(B) 0250	TACK COAT	55,819.000	GAL
408 5774	PRIME COAT	43,380.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	24,971.000	SY
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	33,213.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	49,910.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	20,422.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	603.000	TON
412 5267	COLD MILLING PAVEMENT	50,240.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	88,400.000	LF
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	497.000	CY
509(A) 1326	CLASS AA CONCRETE	1,150.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	12.000	CY
509(D) 0325	CLASS C CONCRETE	144.000	CY
510(C) 6136	SLOPE WALL (6")	173.000	SY
511(A) 0332	REINFORCING STEEL	162,657.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	373.000	TON
611(G) 5334	INLET GPI TYPE 2 (DES. 8)	3.000	EA
611(H) 5375	ADD'L DEPTH IN INLET GPI TYPE 2	16.000	VF

613(A)	0492	24" R.C.PIPE CLASS III	258.000	LF
613(A)	0493	30" R.C.PIPE CLASS III	20.000	LF
613(A)	0494	36" R.C.PIPE CLASS III	64.000	LF
613(B)	0689	18" CORR. GALV. STEEL PIPE	1,108.000	LF
613(B)	0690	24" CORR. GALV. STEEL PIPE	490.000	LF
613(B)	0691	30" CORR. GALV. STEEL PIPE	376.000	LF
613(B)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	80.000	LF
613(B)	4529	35" X 24" CORR. GALV. STEEL PIPE ARCH	158.000	LF
613(B)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	42.000	LF
613(L)	5730	24" PREFAB. CULVERT END SECTION, ROUND	1.000	EA
613(L)	5732	30" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(L)	5734	36" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(M)	7186	TYPE A4 CULVERT END TREATMENT	14.000	EA
613(M)	7187	TYPE B4 CULVERT END TREATMENT	20.000	EA
613(M)	7188	TYPE C4 CULVERT END TREATMENT	6.000	EA
613(T)	1187	STANDARD BEDDING MATERIAL, CLASS C	39.000	CY
613(V)	1180	TRENCH EXCAVATION	109.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	30.000	EA
619(B)	4725	REMOVAL OF FENCE	21,589.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	17,993.000	SY
619(C)	0924	SAWING PAVEMENT	43,026.000	LF
623(A)	0932	BEAM GUARDRAIL W-BEAM SINGLE	2,463.000	LF
623(F)	8300	GUARDRAIL TRAIL END TURNDOWN (31")	6.000	EA
623(G)	8590	GUARDRAIL END TREATMENT (31")	6.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	18,662.000	LF
853	9024	DELINEATORS(TYPE 1, CODE 1)	100.000	EA

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A)	8110 SHEET ALUMINUM SIGNS	1,145.000	SF
851(C)	8324 2" SQUARE TUBE POST	1,221.000	LF
855(A)	8812 TRAFFIC STRIPE(PLASTIC)(4" WIDE)	127,390.000	LF
855(A)	8814 TRAFFIC STRIPE(PLASTIC)(8" WIDE)	243.000	LF
855(A)	8818 TRAFFIC STRIPE(PLASTIC)(12" WIDE)	449.000	LF
855(A)	8825 TRAFFIC STRIPE(PLASTIC)(24" WIDE)	560.000	LF
857(A)	8839 CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	46,133.000	LF
871(B)	8705 (SP)CONST.ZONE IMPACT ATTEN.	310.000	SD
877(A)	8483 PORTABLE LONGITUDINAL BARRIER	1,655.000	LF
880(B)	8818 CONSTRUCTION SIGNS 0 TO 6.25 SF	15,190.000	SD
880(B)	8821 CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	16,895.000	SD
880(B)	8824 CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,395.000	SD
880(C)	8842 CONSTRUCTION BARRICADES(TYPE III)	17,980.000	SD
880(C)	8848 WING BARRICADES	620.000	SD
880(E)	8860 WARNING LIGHTS(TYPE A)	35,960.000	SD
880(F)	8878 DRUMS	30,690.000	SD

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

642(B) 0096 CONSTRUCTION STAKING LEVEL II

1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM
643 0087	(SP)CONTRACTORS QUALITY CONTROL	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting: September 2012

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK		X

BID OPENING OF – September 20, 2012 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex #: <input type="checkbox"/> Mail
Contractor's Name:	
Telephone No:	
Physical Address:	Please Return Completed Form to:
	Fax : 405-522-0972 or
	Email: orderdesk@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ALFALFA	015	BRFY-102B(076)	21710(04)		\$50.00	70.00 + 5.87	21
2	ALFALFA	020	BRFY-NBIP(460)3B	28705(04)		\$50.00	5.00 + 0.42	0
3	ALFALFA	030	BRFY-202C(006)3B	28705(05)		\$50.00	7.00 + 0.59	0
4	ATOKA / BRYAN	040	BRFY-NBIP(456)3B	29315(04)		\$50.00	13.00 + 1.09	0
5	ATOKA / BRYAN	050	BRFY-203F(009)3B	29315(05)		\$50.00	18.00 + 1.51	0
6	BECKHAM / ROGER MILLS	060	BRFY-105C(098)SS	21703(04)		\$50.00	53.00 + 4.44	35
7	BECKHAM / WASHITA	070	BRFY-NBIP(459)3B	28702(04)		\$50.00	12.00 + 1.01	0
8	BRYAN	100	HSIPG-207C(004)TR	29271(04)		\$50.00	9.00 + 0.75	0
9	CADDO	110	BRFY-108B(156) BRFY-108B(157)	21711(08) 21711(09)		\$50.00	100.00 + 8.37	40
10	CANADIAN	120	BRF-109C(164)CI	26967(04)		\$50.00	9.00 + 0.75	4
11	COMANCHE	180	HSIPG-216C(004)TR	29272(04)		\$50.00	11.00 + 0.92	0
12	COMANCHE	195	SBR-216N(010)SB	29519(04)		\$50.00	9.00 + 0.75	0
13	COTTON	200	STPY-117C(057)	24114(04)		\$50.00	157.00 + 13.15	59
14	CRAIG	210	BRFY-118C(083)	24116(04)		\$50.00	57.00 + 4.77	16
15	CRAIG	220	CIRB-118C(100)RB	24860(04)		\$50.00	21.00 + 1.76	5
16	CRAIG	230	BRO-118D(156)CI	28526(04)		\$50.00	15.00 + 1.26	5
17	GARFIELD	260	BRO-124D(098)CI	23739(04)		\$50.00	23.00 + 1.93	7
18	GARVIN	265	SBR-125C(198)SB	28179(04)		\$50.00	28.00 + 2.35	0
19	COAL / GARVIN / PONTOTOC	270	BRFY-NBIP(463)3B	28725(04)		\$50.00	17.00 + 1.42	0
20	BEAVER / ELLIS / HARPER	275	BRFY-230C(001)	21724(04)		\$50.00	33.00 + 2.77	0
21	HASKELL	280	CIRB-131C(086)RB	24966(04)		\$50.00	28.00 + 2.35	7
22	KIOWA	290	BRO-138D(180)CI	28022(04)		\$50.00	14.00 + 1.17	3
23	MCINTOSH	300	IMG-0040-6(375)262TR HSIPG-0040-6(378)256TR	28958(04) 29186(04)		\$50.00	46.00 + 3.85	137
24	NOBLE	310	BRO-152D(117)CI	23651(04)		\$50.00	27.00 + 2.26	3
25	NOBLE	311	BRO-152D(166)CI	25561(04)		\$50.00	25.00 + 2.09	3
26	NOBLE	312	BRO-152D(117)CI BRO-152D(166)CI	23651(04)C 25561(04)C		\$50.00	52.00 + 4.35	6

BID OPENING OF – September 20, 2012 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex #: <input type="checkbox"/> Mail
Contractor's Name:	
Telephone No:	
Physical Address:	Please Return Completed Form to:
	Fax : 405-522-0972 or
	Email: orderdesk@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
27	NOWATA	320	BRFY-153C(140)	23128(04)		\$50.00	39.00 + 3.27	23
28	NOWATA	330	SBR-253C(001)SB	29058(04)		\$50.00	38.00+3.18	0
29	OKLAHOMA	335	BRO-155D(690)CI	26079(04)		\$50.00	11.00 + 0.92	6
30	OKLAHOMA	340	BRFY-NBIP(458)3B	28633(04)		\$50.00	6.00 + 0.50	0
31	OKLAHOMA	350	BRFY-255A(090)3B	28633(05)		\$50.00	17.00 + 1.42	0
32	PAWNEE	370	BRFY-159C(039)	20896(04)		\$50.00	51.00 + 4.27	23
33	PAWNEE	380	BRFY-159C(042)	20897(04)		\$50.00	86.00 + 7.20	64
34	PONTOTOC	384	BRF-162C(203)CI	27266(04)		\$50.00	11.00 + 0.93	0
35	PONTOTOC	386	BRF-162C(205)CI	27268(04)		\$50.00	8.00 + 0.67	5
36	SEQUOYAH	400	STPY-068C(238)	12531(04)		\$50.00	120.00 + 10.05	289
37	SEQUOYAH	410	BRO-168D(114)CI	20738(04)		\$50.00	6.00 + 0.50	2
38	SEQUOYAH	420	BRFY-NBIP(457)3B	28579(04)		\$50.00	15.00 + 1.26	0
39	SEQUOYAH	430	BRFY-268N(002)3B	28579(05)		\$50.00	15.00 + 1.26	0
40	SEQUOYAH	440	SBR-268N(003)SB	29320(04)		\$50.00	7.00 + 0.59	0
41	SEQUOYAH	450	SBR-268N(004)SB	29320(05)		\$50.00	7.00 + 0.59	0
42	TULSA	460	NHY-014N(071)	24300(04)		\$50.00	139.00 + 11.64	69
43	TULSA	470	STP-172A(535)SG	28670(04)		\$50.00	12.00 + 1.01	0
44	PAWNEE / TULSA	480	BRFY-NBIP(462)3B	28714(04)		\$50.00	12.00 + 1.01	0
45	TULSA	490	BRFY-272N(025)3B	28714(05)		\$50.00	32.00 + 2.68	0
46	TULSA	500	SBR-272A(004)SB	29051(04)		\$50.00	20.00 + 1.68	0
47	WASHINGTON	510	NHY-014N(049)	21903(04)		\$50.00	19.00 + 1.59	0
48	WASHITA	520	BRO-175D(124)CI	28040(04)		\$50.00	18.00 + 1.51	4
49	WOODS	530	STPY-276C(004)	27002(05)		\$50.00	18.00 + 1.51	8
50	WOODWARD	540	NHY-019N(013)	10061(07)		\$50.00	127.00 + 10.67	47