
NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE VERSION **(5.11a)** OF EXPEDITE BID AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

Notice

Internet bidding is required for most projects on the [October 18, 2012 10:30 A.M.](#) Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal.

(The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on [September 27, 2012](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at **10:00 a.m.** on [October 05, 2012](#) concerning this [October 18, 2012](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website
<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972
or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

Plans for the projects on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2012/plans.htm>

CERTIFIED PAYROLL - FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors.

Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)09, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the Prime Contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. There is a new cover sheet that is required with these DBE confirmations. It is located at the website below.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbeinfo>

Reminder

Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bid.

For written bids do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

orderdesk@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , Thursday, October 18, 2012 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal. Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

Description of work and location of project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 020
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : BECKHAM

CONTRACT ID : 120380

PROJECT(S) : BRF-105C(180)CI
PCN : 2665704
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$21.68
 120 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-113): OVER TIMBER CREEK, 4.0 MILES WEST OF
 I-40.
 PROJECT LENGTH = 0.227 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	350.000	LF
230(A) 2806	SOLID SLAB SODDING	9,000.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.880	AC
303(A) 2100	AGGREGATE BASE TYPE A	608.000	CY
311(A) 0151	PROCESSING EXISTING BASE & SURFACE, METHOD A	1,164.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	120.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	550.000	TON
509(D) 0325	CLASS C CONCRETE	43.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	202.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	240.000	CY
501(F) 6352	GRANULAR BACKFILL	134.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	258.670	LF
504(D) 6239	CONCRETE RAIL (TR3)	204.400	LF
506(A) 1322	STRUCTURAL STEEL	630.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	64.500	CY
509(B) 1328	CLASS A CONCRETE	108.800	CY
509(D) 0325	CLASS C CONCRETE	22.000	CY
511(A) 1332	REINFORCING STEEL	31,055.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	80.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	205.000	LF
514(K) 6260	(PL)PILOT HOLES	195.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,045.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	300.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF

619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 040
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : BRYAN

CONTRACT ID : 120321

PROJECT(S) : TCSP-107B(157)TC
PCN : 2625404
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 60 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 WIDEN AND RESURFACE (ASPHALT)
 US-69B: FROM 1.7 MILES SOUTH OF US-70, EXTEND NORTH.
 PROJECT LENGTH = 0.928 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
303(A) 2100	AGGREGATE BASE TYPE A	1,500.000	CY
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	13,067.000	SY
311(D) 0154	PROCESSING EXISTING BASE & SURFACE, METHOD D	4,900.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,200.000	TON
407(B) 0250	TACK COAT	4,575.000	GAL
408 5774	PRIME COAT	2,615.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	4,356.000	SY
409(B) 4268	BITUMINOUS BINDER	1,089.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	6,190.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	3,702.000	TON
609(B) 1524	2'-8" COMB. CURB & GUTTER (6" MNTBLE)	80.000	LF
619(B) 4726	REMOVAL OF CURB AND GUTTER	80.000	LF
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	50.000	SY
619(C) 0924	SAWING PAVEMENT	9,800.000	LF

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	19,600.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	34.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 050
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : BRYAN

CONTRACT ID : 120322

PROJECT(S) : NHY-013N(155) PCN : 2867804
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$34.68
 140 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 INTERCHANGE
 US-69: SOUTHBOUND OFF-RAMP TO UNIVERSITY BLVD IN THE CITY OF
 DURANT.
 PROJECT LENGTH = 0.317 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	18,070.000	CY
202(D) 0184	UNCLASSIFIED BORROW	500.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	647.000	LF
221(F) 0100	TEMPORARY SILT DIKE	238.000	LF
230(A) 2806	SOLID SLAB SODDING	21,273.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.400	AC
241 2832	MOWING	4.400	AC
303(A) 2100	AGGREGATE BASE TYPE A	4,072.000	CY
326(B) 0100	GEOGRID REINFORCEMENT	19,253.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,446.000	TON
407(B) 0250	TACK COAT	1,799.000	GAL
408 5774	PRIME COAT	5,018.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	3,763.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	627.000	TON
411(C) 5965	(SP) SUPERPAVE, TYPE S4(PG 76-28 E)	850.000	TON
509(D) 0325	CLASS C CONCRETE	213.440	CY
609(B) 1500	1'-8" COMB. CURB & GUTTER (4" MNTBLE)	128.000	LF
609(B) 1525	2'-8" COMB. CURB & GUTTER (6" BARRIER)	187.000	LF
610(H) 4478	ASPHALT DIVIDING STRIP (6")	83.000	SY
613(A) 0491	18" R.C.PIPE CLASS III	166.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	1,000.000	LF
613(I) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	250.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(Q) 5946	OUTLET LATERAL HEADWALL	4.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	7,670.000	SY
619(C) 0924	SAWING PAVEMENT	2,827.000	LF

SECTION 0002 - SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A) 2915	STRUCTURAL CONCRETE	4.240	CY

804(B) 2916	REINFORCING STEEL	600.000 LB
850(A) 8110	SHEET ALUMINUM SIGNS	45.510 SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	254.500 SF
851(A) 3206	4"@13 GALV.STEEL WIDE FLANGE BEAM POST	45.000 LF
851(A) 3207	6"@15 GALV.STEEL WIDE FLANGE BEAM POST	44.300 LF
851(A) 3208	6"@20 GALV.STEEL WIDE FLANGE BEAM POST	47.300 LF
851(B) 3216	2"@3.65 GALV.STEEL PIPE POST	101.000 LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	9,199.000 LF
855(A) 8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	115.000 LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	1,498.000 LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	675.000 LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	50.000 LF
855(B) 3300	TRAFFIC STRIPE (PLASTIC)(SYMBOLS, WORDS, ETC.)	5.000 EA
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	3.000 EA

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	7,645.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	379.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	4,775.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	985.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	648.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	676.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	253.000	SD
880(C) 8848	WING BARRICADES	274.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1,182.000	SD
880(F) 8878	DRUMS	3,612.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	42.000	SD

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 060
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CADDO

CONTRACT ID : 120382

PROJECT(S) : SBR-208C(004)SB
PCN : 2952004
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$21.68
 90 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 SH-19: OVER BOX ELDER CREEK, 15.3 MILE EAST OF THE
 KIOWA COUNTY LINE.

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(D) 0184	UNCLASSIFIED BORROW	331.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	400.000	LF
221(F) 0100	TEMPORARY SILT DIKE	20.000	LF
230(A) 2806	SOLID SLAB SODDING	400.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	45.000	CY
408 5774	PRIME COAT	70.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	237.000	TON
412 5267	COLD MILLING PAVEMENT	1,740.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	940.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	620.000	LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000	EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	20.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	143.000	SY
504(B) 1305	SAW-CUT GROOVING	604.600	SY
504(C) 6250	SEALED EXPANSION JOINT	64.000	LF
504(D) 6245	CONCRETE RAIL (TR4)	362.600	LF
506(A) 1322	STRUCTURAL STEEL	6,480.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	15.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	15.000	EA
509(A) 1326	CLASS AA CONCRETE	124.000	CY
509(D) 1331	CLASS C CONCRETE	11.000	CY
511 6306	MECHANICAL SPLICES	384.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	28,460.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	395.000	SY

520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	40.000	LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	3.200	GAL
521(A)	6210	PNEUMATICALLY PLACED MORTAR	10.000	SY
523(A)	6550	SEALER CRACK PREPARATION	141.300	LF
523(B)	6560	SEALER RESIN	1.600	GAL
540	4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	5.000	EA
601(B)	1353	TYPE I-A PLAIN RIPRAP	184.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	49.000	TON
619(B)	2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	270.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,200.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	600.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	600.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 080
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CANADIAN

CONTRACT ID : 120383

PROJECT(S) : STPG-109A(189)AG
PCN : 2853504
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$24.38
 30 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 TRAFFIC SIGNALS
 SH-152: MULTIPLE INTERSECTIONS IN THE CITY OF MUSTANG.

SECTION 0001 - TRAFFIC SIGNAL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
230(A) 2806	SOLID SLAB SODDING	88.000	SY
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	397.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	1,860.000	LF
803(A) 8065	PULL BOX(SIZE I)	30.000	EA
803(A) 8066	PULL BOX(SIZE II)	8.000	EA
804(A) 2915	STRUCTURAL CONCRETE	5.000	CY
804(B) 2916	REINFORCING STEEL	357.000	LB
805(A) 8704	REMOVAL OF PULL BOX	14.000	EA
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
805(D) 8742	(PL)REMOVE & RESET TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	16.000	EA
819(C) 5545	(SP)WIRELESS DATA-VIDEA TRANSMISSION SYS	5.000	EA
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	7.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	2.000	EA
831 8252	1WAY 3SEC. ADJ. SIG. HD. S-9	6.000	EA
831 8280	1WAY 4SEC. ADJ. SIG. HD.S-13	14.000	EA
831 8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	50.000	EA
833 3030	BACKPLATE	20.000	EA
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	1,297.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	2,670.000	LF
834(B) 8225	4/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	397.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	58.000	SF
855(A) 8827	TRAFFIC STRIPE(PLASTIC)(TAPE)(4" WIDE)	18,648.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	898.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

SECTION 0002 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 095
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CLEVELAND

CONTRACT ID : 120328

PROJECT(S)
 IM-NHIY-0035-2(289)109
 DBE GOAL : 7.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$328.38
 500 CALENDAR DAYS
TIME 'B' BID - \$15,000.00 / DAY
 RES. ENG: DIVISION 3 (ADA)

PCN
 0903108

CONTRACT DESCRIPTION :
 GRADE, DRAIN, SURFACE, AND BRIDGE
 I-35: SINGLE POINT URBAN INTERCHANGE (SPUI) AT MAIN STREET
 IN THE CITY OF NORMAN.
 PROJECT LENGTH = 1.491 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	107,409.000	CY
202(D) 0184	UNCLASSIFIED BORROW	334,132.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	6,222.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	16.000	EA
221(F) 0100	TEMPORARY SILT DIKE	539.000	LF
229 4318	DITCH LINER PROTECTION	6,603.000	LF
230(A) 2806	SOLID SLAB SODDING	122,434.000	SY
233(A) 2817	VEGETATIVE MULCHING	25.000	AC
241 2832	MOWING	50.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	16,525.000	CY
307(A) 4200	FLY ASH	5,241.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	69,149.000	SY
325 5271	SEPARATOR FABRIC	107,403.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	18,000.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	206.000	TON
405 5200	PERMEABLE FRICTION COURSE	3,472.000	TON
407(B) 0250	TACK COAT	26,386.000	GAL
408 5774	PRIME COAT	37,833.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	12,196.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	37,427.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	8,133.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	5,155.000	TON
412 5267	COLD MILLING PAVEMENT	33,218.000	SY
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	8,753.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	35,969.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	12,452.000	CY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	397.000	CY
509(A) 0319	CLASS AA CONCRETE	591.000	CY
509(B) 0325	CLASS A CONCRETE(LONG. BAR. DES. 1-A)	1,357.000	CY
509(D) 0325	CLASS C CONCRETE	1,155.000	CY

510(C)	6135	SLOPE WALL (5")	981.000	SY
511(A)	0332	REINFORCING STEEL	256,750.000	LB
609(A)	0300	CONCRETE CURB (6" BARRIER-INTEGRAL)	8,436.000	LF
609(B)	1524	2'-8" COMB. CURB & GUTTER (6" MNTBLE)	442.000	LF
609(B)	1525	2'-8" COMB. CURB & GUTTER (6" BARRIER)	2,948.000	LF
610(A)	0605	6" CONCRETE SIDEWALK	4,937.000	SY
610(C)	0608	4" CONCRETE DIVIDING STRIP	789.000	SY
610(I)	4610	TACTILE WARNING DEVICE-NEW	480.000	SF
611(A)	2657	MANHOLE (4' DIAMETER)	7.000	EA
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	10.000	VF
611(G)	5102	INLET CI DES. 1 (B)	2.000	EA
611(G)	5112	INLET CI DES. 2 (STD)	1.000	EA
611(G)	5699	INLET - LONGITUDINAL BARRIER - TYPE I, DES. 2	8.000	EA
611(G)	5700	INLET - LONGITUDINAL BARRIER - TYPE II, DES. 2	9.000	EA
611(G)	5974	INLET W/SMALL JCT. BOX, CI, DES.2(D)	7.000	EA
611(G)	5986	INLET W/SMALL JCT. BOX, CI, DES.3(D)	9.000	EA
611(G)	6000	INLET (SMD-TYPE 1)	16.000	EA
611(H)	5196	ADDITIONAL DEPTH IN INLET	11.000	VF
611(H)	5974	ADD'L DEPTH IN INLET W/SJB, CI, DES. 2(D)	79.000	VF
611(H)	5986	ADD'L DEPTH IN INLET W/SJB, CI, DES. 3(D)	20.000	VF
613(A)	0491	18" R.C.PIPES CLASS III	5,888.000	LF
613(A)	0492	24" R.C.PIPES CLASS III	5,207.000	LF
613(A)	0493	30" R.C.PIPES CLASS III	2,181.000	LF
613(H)	0450	6" PERFORATED PIPE UNDERDRAIN ROUND	200.000	LF
613(I)	1096	6" NON-PERF.PIPES UNDERDRAIN RND.	800.000	LF
613(J)	5915	EDGE DRAIN CONDUIT-PERFORATED	27,000.000	LF
613(K)	5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	3,762.000	LF
613(L)	5730	24" PREFAB. CULVERT END SECTION, ROUND	5.000	EA
613(M)	7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613(Q)	5946	OUTLET LATERAL HEADWALL	8.000	EA
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	6.000	EA
619(B)	4726	REMOVAL OF CURB AND GUTTER	9,750.000	LF
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	2,334.000	SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	108,077.000	SY
619(B)	4780	REMOVAL OF GUARDRAIL	3,136.000	LF
619(B)	4791	REMOVAL OF CURB	5,293.000	LF
619(B)	4792	REMOVAL OF SIDEWALK	474.000	SY
619(C)	0924	SAWING PAVEMENT	27,521.000	LF
623(A)	0932	BEAM GUARDRAIL W-BEAM SINGLE	1,875.000	LF
623(F)	8300	GUARDRAIL TRAIL END TURNDOWN (31")	4.000	EA
623(G)	8590	GUARDRAIL END TREATMENT (31")	4.000	EA
623(I)	8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA
627(A)	4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	2,527.000	LF
853	9024	DELINEATORS(TYPE 1, CODE 1)	47.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	DESCRIPTION	QUANTITY	UNITS	
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	4,159.200	CY

501(F) 6352	GRANULAR BACKFILL	810.000 CY
501(G) 6309	CLSM BACKFILL	13,525.100 CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	4,876.840 LF
504(A) 1304	APPROACH SLAB	3,924.200 SY
504(B) 1305	SAW-CUT GROOVING	8,836.800 SY
504(C) 6250	SEALED EXPANSION JOINT	293.010 LF
504(E) 6190	42" F-SHAPED PARAPET	341.000 LF
506(A) 1322	STRUCTURAL STEEL	9,780.000 LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	58.000 EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	58.000 EA
509(A) 1326	CLASS AA CONCRETE	1,787.700 CY
509(B) 1328	CLASS A CONCRETE	3,821.600 CY
510(A) 6338	TEMPORARY RETAINING WALL	131.000 SY
510(C) 6138	SLOPE WALL (5")	692.000 SY
510(D) 0350	(SP)GRAFFITI TREATMENT	104,421.000 SF
510(D) 6341	MSE RETAINING WALL	1,027.900 SY
511(A) 1332	REINFORCING STEEL	65,180.000 LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	956,980.000 LB
514(A) 6012	PILES, FURNISHED (HP 14X73)	23,652.000 LF
514(B) 6296	PILES, DRIVEN (HP 14X73)	23,652.000 LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2,131.000 SY
523(A) 6550	SEALER CRACK PREPARATION	853.000 LF
523(B) 6560	SEALER RESIN	5.800 GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	1,180.000 LF
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000 LSUM
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
624(E) 4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	1,004.000 LF

SECTION 0003 - WORK ZONE TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	42,100.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	8,400.000	EA
857(F) 8820	PAVEMENT MARKING REMOVAL (HYDROBLASTING)	20,000.000	LF
871(A) 8325	(SP)IMPACT ATTENUATOR	1.000	EA
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	1,260.000	SD
871(C) 8709	(SP) RELOCATION OF IMPACT ATTENUATOR	2.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	420.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	12,812.500	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	16,537.500	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	1,680.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	123,480.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	12,600.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	17,220.000	SD
880(B) 8827	CONSTRUCTION SIGNS 33.0 SF & OVER	3,360.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	21,000.000	SD
880(C) 8848	WING BARRICADES	3,360.000	SD
880(D) 8854	VERTICAL PANELS	84,000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	34,020.000	SD
880(E) 8900	(PL) CONSTRUCTION ZONE SEQUENTIAL LIGHTING SYSTEM	1.000	LSUM

880(F)	8878	DRUMS	45,360.000	SD
880(G)	8890	CHANNELIZER CONES	37,380.000	SD
880(L)	8911	TRAFFIC SURVEILLANCE, POLICE	3,360.000	HOURL
882	8370	(SP)SMART WORK ZONE SYSTEM-PORTABLE CHANGEABLE MESSAGE SIGN	10,080.000	SD
882	8372	(SP)SMART WORK ZONE SYSTEM-PORTABLE TRAFFIC SENSOR (PTS)	7,980.000	SD
882	8374	(SP)SMART WORK ZONE SYSTEM-PAN-TILT-ZOOM CAMERA (PTZC)	840.000	SD
882	8376	(SP)SMART WORK ZONE SYSTEM-WEBSITE SYSTEM	420.000	SD
882	8378	(PL)SMART WORK ZONE SYSTEM SETUP	1.000	EA
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	2,520.000	SD

SECTION 0004 - SIGNING & PAVEMENT MARKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509(B)	0321 CLASS A CONCRETE	224.000	CY
516(A)	6096 DRILLED SHAFTS 60" DIAMETER	56.500	LF
804(A)	2915 STRUCTURAL CONCRETE	177.880	CY
804(B)	2916 REINFORCING STEEL	14,480.000	LB
805(A)	8722 (PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
823	8510 (SP)LIGHTED CROSSWALK WARNING SYSTEM	1.000	LSUM
850(A)	8110 SHEET ALUMINUM SIGNS	405.180	SF
850(B)	8112 EXTRUDED ALUMINUM PANEL SIGNS	698.100	SF
850(B)	8114 EXTRUDED ALUMINUM PANEL SIGNS(OVERHEAD SIGNS)	1,345.300	SF
851(A)	3206 4"@13 GALV.STEEL WIDE FLANGE BEAM POST	176.800	LF
851(A)	3207 6"@15 GALV.STEEL WIDE FLANGE BEAM POST	89.260	LF
851(A)	3208 6"@20 GALV.STEEL WIDE FLANGE BEAM POST	80.000	LF
851(B)	3218 3"@7.58 GALV.STEEL PIPE POST	76.000	LF
851(C)	8324 2" SQUARE TUBE POST	703.500	LF
852(D)	0310 OVHD.SN.STR., MONOTUBE TYPE B 80'	3.000	EA
856(A)	8535 TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	47,100.000	LF
856(A)	8540 TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	6,000.000	LF
856(A)	8548 TRAFFIC STRIPE(MULTI-POLY.)(12" WIDE)	436.000	LF
856(A)	8555 TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	1,030.000	LF
856(B)	8860 TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	55.000	EA
856(B)	8870 TRAFFIC STRIPE(MULTI-POLY.)(SYMBOLS)	24.000	EA
856(B)	8880 TRAFFIC STRIPE(MULTI-POLY.)(WORDS)	4.000	EA
857(F)	8820 PAVEMENT MARKING REMOVAL (HYDROBLASTING)	2,000.000	LF
890	7700 (PL)TRAFFIC ITEMS	1.000	LSUM

SECTION 0005 - TRAFFIC LIGHTING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509(B)	0321 CLASS A CONCRETE	100.300	CY
516(A)	6094 DRILLED SHAFTS 48" DIAMETER	106.000	LF
610(A)	0602 4" CONCRETE SIDEWALK	42.000	SY
802(A)	8300 3/4" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	1,037.000	LF
802(A)	8306 1 1/4" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	473.000	LF
802(B)	8340 2" PVC SCH.40 PLASTIC CONDUIT BORED	60.000	LF
802(B)	8342 2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	5,602.000	LF
802(E)	8372 JUNCTION BOX(8" X 8" X 6")	4.000	EA
803(A)	8060 PULL BOX	17.000	EA
803(A)	8065 PULL BOX(SIZE I)	5.000	EA

804(A)	2915	STRUCTURAL CONCRETE	5.800	CY
804(B)	2916	REINFORCING STEEL	6,295.000	LB
805(A)	8712	(PL)REMOVAL OF LIGHT POLE	17.000	EA
806(D)	8989	40' MTG.HT.HL.PTP.(G.STL.)	17.000	EA
806(D)	8997	38' MTG.HT.HL.PTP.(G.STL.)	10.000	EA
807	8092	BREAKAWAY BASE (DES. B)	10.000	EA
809(A)	8090	ROADWAY LUMINAIRE	44.000	EA
809(B)	8098	UNDERPASS LUMINIARE	16.000	EA
809(E)	8103	HIGH MAST LUMINAIRE	10.000	EA
810(A)	3118	SERVICE POLE	3.000	EA
811	8038	1/C NO.4 ELECTRICAL CONDUCTOR	19,940.000	LF
811	8046	1/C NO.12 ELECTRICAL CONDUCTOR	4,260.000	LF
812	8052	100' HIGH MAST POLE(G.STL.)	2.000	EA
813	8074	HIGH MAST LOWERING DEVICE TYPE I	2.000	EA

SECTION 0006 - CABLE BARRIER

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	90.000	TON
509(A) 0319	CLASS AA CONCRETE	53.000	CY
509(D) 0325	CLASS C CONCRETE	2.000	CY
619(B) 5190	REMOVAL OF CABLE BARRIER	6,755.000	LF
628 5180	INSTALLATION OF CABLE BARRIER SYSTEM	740.000	LF
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	460.000	LF
628(C) 5110	END ANCHORS	13.000	EA

SECTION 0007 - SIGNAL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(A) 8310	2" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	600.000	LF
802(A) 8316	3" GALV. STEEL ELECTRICAL CONDUIT EXPOSED	427.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	475.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	210.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	325.000	LF
802(C) 8552	2" HIGH DENSITY PE PIPE - BORED	112.000	LF
802(C) 8557	2" HIGH DENSITY PE PIPE - TRENCHED	1,900.000	LF
802(E) 8376	JUNCTION BOX (12"X12"X8")	9.000	EA
803(A) 8066	PULL BOX(SIZE II)	5.000	EA
803(B) 8100	GROUND BOX (R36)	9.000	EA
803(B) 8105	GROUND BOX (R48)	3.000	EA
804(A) 2915	STRUCTURAL CONCRETE	13.500	CY
804(B) 2916	REINFORCING STEEL	1,972.900	LB
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8348	32'MH POLE,60'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	9.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8044	1/C NO.10 ELECTRICAL CONDUCTOR	1,225.000	LF
818(A) 8710	(SP)FIBER OPTIC CABLE, 12 SMF	117.000	LF
818(A) 8733	(SP)FIBER OPTIC CABLE, 144 SMF	2,700.000	LF

818(B)	8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	3.000	EA
818(C)	8735	(SP)FIBER OPTIC CABLE SPLICE	360.000	EA
818(D)	8740	(SP)FIBER OPTIC CABLE TERMINATION	72.000	EA
818(F)	8370	(SP) SHIELD ISOLATION PEDESTAL	5.000	EA
818(G)	5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATION	12.000	EA
825	8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	3.000	EA
828	8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830	8000	PEDESTRIAN PUSH BUTTON	21.000	EA
831	8231	1WAY 3SEC. ADJ. SIG. HD. S-6	17.000	EA
831	8252	1WAY 3SEC. ADJ. SIG. HD. S-9	8.000	EA
831	8262	1WAY 3SEC. ADJ. SIG. HD. S-10	3.000	EA
831	8270	1WAY 3SEC. ADJ. SIG. HD. S-11	4.000	EA
831	8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	21.000	EA
833	3030	BACKPLATE	32.000	EA
834(A)	8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	7,032.000	LF
834(A)	8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	1,998.000	LF
840(B)	8593	E.P.S. OPTICAL DETECTOR	12.000	EA
840(C)	8594	E.P.S. OPTICAL DETECTOR CABLE	3,060.000	LF
840(D)	8595	E.P.S. 2 CHANNEL PHASE SELECTOR	21.000	EA
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	186.000	SF
890	7700	(PL)TRAFFIC ITEMS	1.000	LSUM

SECTION 0008 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0009 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A)	1426 FIELD OFFICE	1.000	EA
641	1552 MOBILIZATION	1.000	LSUM

SECTION 0010 - NON-PARTICIPATING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
231(E)	4625 (PL) LANDSCAPING	1.000	LSUM
231(E)	4650 (PL) DRAINAGE COMPOSITE	832.000	SY
505(D)	6080 ASPHALT MEMBRANE OVERLAY	832.000	SY
509(A)	1326 CLASS AA CONCRETE	56.200	CY
511(B)	6010 EPOXY COATED REINFORCING STEEL	4,490.000	LB
610(J)	4810 (PL) STAMPED CONCRETE FINISH	673.000	SY
616	5000 (PL)WATER SYSTEM IMPROVEMENTS	1.000	LSUM
624	4100 (PL) ORNAMENTAL FENCE	341.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 100
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CLEVELAND
 MCCLAIN

CONTRACT ID : 120384

PROJECT(S) : IM-NHIY-0035-2(317)107
PCN : 2789604
 DBE GOAL : 6.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$119.21
 300 CALENDAR DAYS
TIME 'B' BID - \$3,000.00 / DAY
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 I-35: OVER THE SOUTH CANADIAN RIVER, IN THE CITY OF NORMAN.
 PROJECT LENGTH = 0.84 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1,465.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,594.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	7,604.000	LF
221(F) 0100	TEMPORARY SILT DIKE	96.000	LF
229 4318	DITCH LINER PROTECTION	15.000	LF
230(A) 2806	SOLID SLAB SODDING	2,734.000	SY
230(F) 2812	WATERING	110.000	KGAL
233(A) 2817	VEGETATIVE MULCHING	4.000	AC
241 2832	MOWING	2.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	917.000	CY
310(B) 0149	SUBGRADE, METHOD B	4,798.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	100.000	TON
405 5200	PERMEABLE FRICTION COURSE	245.000	TON
407(B) 0250	TACK COAT	2,735.000	GAL
408 5774	PRIME COAT	997.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	704.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,931.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	469.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	55.000	TON
504(E) 6190	42" F-SHAPED PARAPET	564.000	LF
509(B) 0321	CLASS A CONCRETE	174.000	CY
509(D) 0325	CLASS C CONCRETE	12.000	CY
510(D) 6341	MSE RETAINING WALL	891.000	SY
511(A) 0332	REINFORCING STEEL	13,080.000	LB
514(H) 6355	SHEET PILING, FURNISHED	110.000	SY
514(I) 6360	SHEET PILING, DRIVEN	110.000	SY
601(B) 0536	TYPE I-A PLAIN RIPRAP	719.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	259.000	TON
610(C) 0608	4" CONCRETE DIVIDING STRIP	129.000	SY
611(A) 2657	MANHOLE (4' DIAMETER)	1.000	EA

611(C) 4215	REPLACEMENT OF MANHOLE FRAME & COVER	1.000 EA
611(G) 5100	INLET CI DES. 1 (STD)	1.000 EA
613(A) 0491	18" R.C.PIPE CLASS III	14.000 LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	390.000 LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	701.000 LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	440.000 LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	100.000 LF
613(M) 7196	TYPE A6 CULVERT END TREATMENT	1.000 EA
613(Q) 5946	OUTLET LATERAL HEADWALL	1.000 EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,869.000 SY
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	356.000 SY
619(B) 4780	REMOVAL OF GUARDRAIL	403.000 LF
619(B) 4821	REMOVAL OF CONCRETE SLOPE PROTECTION	483.000 SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	246.000 LF
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	474.000 LF
619(B) 6068	REMOVAL OF EXISTING RETAINING WALL	253.000 LF
619(B) 6252	REMOVAL OF EXISTING PARAPET	253.000 LF
619(C) 0924	SAWING PAVEMENT	1,198.000 LF
627(A) 4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	180.000 LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	460.000	CY
501(G) 6309	CLSM BACKFILL	104.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	7,406.000	LF
504(A) 1304	APPROACH SLAB	473.200	SY
504(B) 1305	SAW-CUT GROOVING	7,691.800	SY
504(C) 6250	SEALED EXPANSION JOINT	690.000	LF
504(E) 1381	CONCRETE PARAPET	100.000	LF
504(E) 6190	42" F-SHAPED PARAPET	3,800.500	LF
506(A) 1322	STRUCTURAL STEEL	8,510.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	112.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	40.000	EA
509(A) 1326	CLASS AA CONCRETE	2,163.300	CY
509(B) 1328	CLASS A CONCRETE	795.100	CY
511(A) 1332	REINFORCING STEEL	6,930.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	684,350.000	LB
513(B) 6019	CLASS B BRIDGE DECK REPAIR	10.000	SY
514(A) 6010	PILES, FURNISHED (HP 10X42)	300.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	300.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	8,139.000	SY
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	326.000	LF
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	1,783.000	LF
516(C) 6200	CROSSHOLE SONIC LOGGING	37.000	EA
516(D) 6400	CSL ACCESS TUBES	11,568.000	LF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	100.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	10.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	30.000	SY

523(A)	6550	SEALER CRACK PREPARATION	4,682.000	LF
523(B)	6560	SEALER RESIN	52.000	GAL
523(C)	6570	DECK AREA SEALED (FLOODCOATS)	21,023.000	SY
524(A)	6610	(SP)CARBON FIBER-REINFORCED POLYMER	100.000	SF
535	6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	25.000	SY
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	28.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	105.000	LF
619(B)	2515	REMOVAL OF BRIDGE ITEM (TYPE A)	2.000	EA
619(B)	6189	REMOVAL OF EXISTING SLAB	629.700	SY
619(B)	6252	REMOVAL OF EXISTING PARAPET	3,871.000	LF
619(B)	6319	REMOVAL OF DECK	1,445.100	SY

SECTION 0003 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	545.000 CY
501(F)	6352	GRANULAR BACKFILL	175.000 CY
501(G)	6309	CLSM BACKFILL	225.000 CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	7,406.000 LF
504(A)	1304	APPROACH SLAB	473.200 SY
504(B)	1305	SAW-CUT GROOVING	7,691.800 SY
504(C)	6250	SEALED EXPANSION JOINT	690.000 LF
504(E)	1381	CONCRETE PARAPET	100.000 LF
504(E)	6190	42" F-SHAPED PARAPET	3,800.500 LF
506(A)	1322	STRUCTURAL STEEL	8,510.000 LB
507(A)	6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	112.000 EA
507(B)	6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	40.000 EA
509(A)	1326	CLASS AA CONCRETE	2,179.900 CY
509(B)	1328	CLASS A CONCRETE	811.500 CY
511(A)	1332	REINFORCING STEEL	6,930.000 LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	703,630.000 LB
513(B)	6019	CLASS B BRIDGE DECK REPAIR	10.000 SY
514(A)	6010	PILES, FURNISHED (HP 10X42)	300.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	300.000 LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	8,143.000 SY
516(A)	6092	DRILLED SHAFTS 36" DIAMETER	195.000 LF
516(A)	6098	DRILLED SHAFTS 72" DIAMETER	1,767.000 LF
516(C)	6200	CROSSHOLE SONIC LOGGING	37.000 EA
516(D)	6400	CSL ACCESS TUBES	11,568.000 LF
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	100.000 LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	10.000 GAL
521(A)	6210	PNEUMATICALLY PLACED MORTAR	30.000 SY
523(A)	6550	SEALER CRACK PREPARATION	4,682.000 LF
523(B)	6560	SEALER RESIN	52.000 GAL
523(C)	6570	DECK AREA SEALED (FLOODCOATS)	21,023.000 SY
524(A)	6610	(SP)CARBON FIBER-REINFORCED POLYMER	100.000 SF
535	6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	25.000 SY
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	81.000 LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	53.000 LF
619(B)	2525	REMOVAL OF BRIDGE ITEM (TYPE B)	1.000 EA

619(B) 6189	REMOVAL OF EXISTING SLAB	629.700 SY
619(B) 6252	REMOVAL OF EXISTING PARAPET	3,831.000 LF
619(B) 6319	REMOVAL OF DECK	1,445.100 SY

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	4,500.000	LF
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	8,500.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	6,000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	600.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	600.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	10,700.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	10,700.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	1,200.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12,600.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	14,100.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	12,000.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	14,700.000	SD
880(C) 8848	WING BARRICADES	2,400.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	37,800.000	SD
880(F) 8878	DRUMS	43,500.000	SD
880(G) 8890	CHANNELIZER CONES	34,500.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	240.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	1,200.000	SD

SECTION 0005 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509(A) 0319	CLASS AA CONCRETE	60.770	CY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	67.000	LF
804(A) 2915	STRUCTURAL CONCRETE	3.600	CY
804(B) 2916	REINFORCING STEEL	3,995.100	LB
805(A) 8718	(PL)REMOVAL OF OVERHEAD SIGN STRUCTURE & SIGNS	1.000	LSUM
805(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	161.000	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	264.500	SF
850(B) 8114	EXTRUDED ALUMINUM PANEL SIGNS(OVERHEAD SIGNS)	1,229.500	SF
851(A) 3208	6"@20 GALV.STEEL WIDE FLANGE BEAM POST	54.800	LF
851(A) 3209	6"@25 GALV.STEEL WIDE FLANGE BEAM POST	52.700	LF
851(B) 3218	3"@7.58 GALV.STEEL PIPE POST	27.000	LF
851(C) 8324	2" SQUARE TUBE POST	150.000	LF
852(D) 0320	OVHD.SN.STR., MONOTUBE TYPE B 90'	1.000	EA
852(E) 0500	OVHD.SN.STR., MONOTUBE TYPE C	3.000	EA
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	18,900.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	27,500.000	LF
871(A) 8325	(SP)IMPACT ATTENUATOR	3.000	EA
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	775.000	LF

SECTION 0006 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

642(B) 0096 CONSTRUCTION STAKING LEVEL II

1.000 LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 120
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.

CONTRACT ID : 120385

COUNTIES : CLEVELAND

PROJECT(S)
 STPG-214B(005)AG
 STPG-214A(009)AG
 STPG-214B(016)AG
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$24.93
 120 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

PCN
 2893304
 2926204
 2929904

CONTRACT DESCRIPTION :
 TRAFFIC SIGNALS
 CITY STREET (24TH AVE/JENKINS AVE/STINSON ST/BROOKS ST):
 MULTIPLE LOCATIONS IN THE CITY OF NORMAN.

SECTION 0001 - TRAFFIC - STPG-214B(005)AG

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(B) 0181	SELECTIVE CLEARING	1.000	LSUM
230(A) 2806	SOLID SLAB SODDING	24.000	SY
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	27.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	12.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	317.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	95.000	LF
803(A) 8066	PULL BOX(SIZE II)	5.000	EA
804(A) 2915	STRUCTURAL CONCRETE	8.900	CY
804(B) 2916	REINFORCING STEEL	1,296.000	LB
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
806(A) 8728	POLE & 30' TS MST.ARM(G.STL.)	1.000	EA
806(A) 8730	POLE & 35' TS MST.ARM(G.STL.)	2.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	3.000	EA
809(A) 8090	ROADWAY LUMINAIRE	2.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECTRICAL CONDUCTOR	223.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	4.000	EA
831 8231	1WAY 3SEC. ADJ. SIG. HD. S-6	6.000	EA
831 8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	4.000	EA
833 3030	BACKPLATE	6.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	534.000	LF
834(A) 8209	9/C TRAFFIC SIGNAL ELECTRICAL CABLE	430.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	449.000	LF
840(B) 8593	E.P.S. OPTICAL DETECTOR	3.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	551.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	4.000	SF
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	63.000	SF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - TRAFFIC - STPG-214A(009)AG

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(B) 0181	SELECTIVE CLEARING	1.000	LSUM
230(A) 2806	SOLID SLAB SODDING	928.000	SY
610(A) 0602	4" CONCRETE SIDEWALK	4.000	SY
619(B) 4792	REMOVAL OF SIDEWALK	4.000	SY
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	67.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	205.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	53.000	LF
802(C) 8552	2" HIGH DENSITY PE PIPE - BORED	1,030.000	LF
802(C) 8557	2" HIGH DENSITY PE PIPE - TRENCHED	4,124.000	LF
803(A) 8065	PULL BOX(SIZE I)	3.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
803(B) 8085	GROUND BOX (GB36)	26.000	EA
803(B) 8105	GROUND BOX (R48)	2.000	EA
804(A) 2915	STRUCTURAL CONCRETE	7.100	CY
804(B) 2916	REINFORCING STEEL	1,021.000	LB
805(A) 8704	REMOVAL OF PULL BOX	1.000	EA
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	1.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	3.000	EA
809(A) 8090	ROADWAY LUMINAIRE	1.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECTRICAL CONDUCTOR	150.000	LF
811 8044	1/C NO.10 ELECTRICAL CONDUCTOR	398.000	LF
818(A) 8710	(SP)FIBER OPTIC CABLE, 12 SMF	93.000	LF
818(A) 8733	(SP)FIBER OPTIC CABLE, 144 SMF	5,172.000	LF
818(B) 8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	1.000	EA
818(C) 8735	(SP)FIBER OPTIC CABLE SPLICE	40.000	EA
818(D) 8740	(SP)FIBER OPTIC CABLE TERMINATION	18.000	EA
818(F) 8370	(SP) SHIELD ISOLATION PEDESTAL	2.000	EA
818(G) 5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATION	12.000	EA
819 8780	(PL)FIBER OPTIC & COMMUNICATION EQUIPMENT	1.000	LSUM
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	4.000	EA
831 8231	1WAY 3SEC. ADJ. SIG. HD. S-6	6.000	EA
831 8280	1WAY 4SEC. ADJ. SIG. HD.S-13	1.000	EA
831 8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	4.000	EA
833 3030	BACKPLATE	7.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	641.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	109.000	LF
834(A) 8209	9/C TRAFFIC SIGNAL ELECTRICAL CABLE	162.000	LF
834(A) 8210	12/C TRAFFIC SIGNAL ELECTRICAL CABLE	152.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	241.000	LF
840(B) 8593	E.P.S. OPTICAL DETECTOR	3.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	464.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	4.000	SF

850(C)	8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	48.000	SF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	300.000	LF
855(A)	8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	50.000	LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	3.000	EA
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	300.000	LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING - STPG-214A(009)AG

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION - STPG-214A(009)AG

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641	1552	MOBILIZATION	1.000 LSUM

SECTION 0005 - TRAFFIC - STPG-214B(016)AG

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(B)	0181	SELECTIVE CLEARING	1.000 LSUM
230(A)	2806	SOLID SLAB SODDING	492.000 SY
610(A)	0602	4" CONCRETE SIDEWALK	38.000 SY
610(I)	4610	TACTILE WARNING DEVICE-NEW	33.000 SF
619(B)	4792	REMOVAL OF SIDEWALK	38.000 SY
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	8.000 LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	209.000 LF
802(B)	8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	43.000 LF
802(C)	8552	2" HIGH DENSITY PE PIPE - BORED	1,219.000 LF
802(C)	8557	2" HIGH DENSITY PE PIPE - TRENCHED	2,163.000 LF
803(A)	8066	PULL BOX(SIZE II)	2.000 EA
803(B)	8085	GROUND BOX (GB36)	24.000 EA
803(B)	8105	GROUND BOX (R48)	4.000 EA
804(A)	2915	STRUCTURAL CONCRETE	8.400 CY
804(B)	2916	REINFORCING STEEL	1,250.000 LB
805(A)	8724	(PL)REMOVAL OF EXISTING SIGNS	3.000 EA
806(B)	8894	10' MTG.HT.TS PED.POLE(G.STL.)	1.000 EA
809(A)	8090	ROADWAY LUMINAIRE	3.000 EA
810(A)	3118	SERVICE POLE	1.000 EA
811	8040	1/C NO.6 ELECTRICAL CONDUCTOR	150.000 LF
811	8044	1/C NO.10 ELECTRICAL CONDUCTOR	778.000 LF
818(A)	8710	(SP)FIBER OPTIC CABLE, 12 SMF	246.000 LF
818(A)	8733	(SP)FIBER OPTIC CABLE, 144 SMF	3,083.000 LF
818(B)	8745	(SP)FIBER OPTIC PATCH PANEL, 24 PORT	1.000 EA
818(C)	8735	(SP)FIBER OPTIC CABLE SPLICE	84.000 EA
818(D)	8740	(SP)FIBER OPTIC CABLE TERMINATION	48.000 EA
818(F)	8370	(SP) SHIELD ISOLATION PEDESTAL	4.000 EA
818(G)	5570	(SP)FIBER OPTIC ROUTE SIGN & INSTALLATION	15.000 EA
819	8780	(PL)FIBER OPTIC & COMMUNICATION EQUIPMENT	1.000 LSUM
825	8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000 EA
828	8132	(PL)DETECTION SYSTEM (VIDEO)	1.000 LSUM
830	8000	PEDESTRIAN PUSH BUTTON	6.000 EA
831	8231	1WAY 3SEC. ADJ. SIG. HD. S-6	4.000 EA

831	8252	1WAY 3SEC. ADJ. SIG. HD. S-9	1.000	EA
831	8262	1WAY 3SEC. ADJ. SIG. HD. S-10	1.000	EA
831	8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	6.000	EA
833	3030	BACKPLATE	6.000	EA
834(A)	8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	443.000	LF
834(A)	8209	9/C TRAFFIC SIGNAL ELECTRICAL CABLE	318.000	LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	249.000	LF
840(B)	8593	E.P.S. OPTICAL DETECTOR	3.000	EA
840(C)	8594	E.P.S. OPTICAL DETECTOR CABLE	443.000	LF
840(D)	8595	E.P.S. 2 CHANNEL PHASE SELECTOR	2.000	EA
850(A)	8110	SHEET ALUMINUM SIGNS	13.500	SF
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	48.000	SF
856(A)	8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	600.000	LF
856(A)	8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	179.000	LF
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	800.000	LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0006 - ALTERNATE 1 - STPG-214A(009)AG

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
806(A) 8365	32'MH POLE,TWIN TS & 15'LMA(G.STL.)	1.000	EA
806(A) 8734	POLE & 45' TS MST.ARM(G.STL.)	1.000	EA

SECTION 0007 - ALTERNATE 2 - STPG-214A(009)AG

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
806(E) 0200	DECORATIVE POLE AND MAST ARM	1.000	EA
806(E) 0210	DECORATIVE POLE AND TWIN MAST ARM	1.000	EA

SECTION 0008 - ALTERNATE 1 - STPG-214B(016)AG

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	2.000	EA

SECTION 0009 - ALTERNATE 2-STPG-214B(016)AG

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
806(E) 0200	DECORATIVE POLE AND MAST ARM	3.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 140
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 120329

PROJECT(S)
 BRFY-NBIP(461)3B
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$7.59
 50 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

PCN
 2870904

CONTRACT DESCRIPTION :
 BRIDGE PAINTING
 CITY STREET (GORE BLVD): OVER I-44, IN THE CITY OF LAWTON.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	100.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	100.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	600.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	500.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,400.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	600.000	SD
880(C) 8848	WING BARRICADES	100.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,600.000	SD
880(F) 8878	DRUMS	1,550.000	SD
880(G) 8890	CHANNELIZER CONES	3,000.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	100.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 160
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 120330

PROJECT(S) PCN
 BRFY-216N(007)3B 2870905
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$10.84
 45 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 JOINT SEAL/REPAIR
 CITY STREET (GORE BLVD): OVER I-44, IN THE CITY OF LAWTON.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(G) 6390	RAPID CURE JOINT SEALANT	90.000	LF
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	700.000	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	90.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	3.000	EA

SECTION 0002 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(G) 6390	RAPID CURE JOINT SEALANT	90.000	LF
505(C) 6075	MULTIPLE LAYER POLYMER CONCRETE OVERLAY	700.000	SY
513(B) 6019	CLASS B BRIDGE DECK REPAIR	150.000	SY
521(A) 6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	5.000	EA

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,350.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	540.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	450.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,260.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	540.000	SD
880(C) 8848	WING BARRICADES	90.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,340.000	SD
880(F) 8878	DRUMS	1,395.000	SD
880(G) 8890	CHANNELIZER CONES	2,700.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 180
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : COMANCHE

CONTRACT ID : 120388

PROJECT(S) : SSP-216B(009)SS
PCN : 2883407
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$13.55
 30 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 SAFETY IMPROVEMENT (TRAFFIC SIGNING)
 US-62: AT THE INTERSECTION OF US-277.

SECTION 0001 - TRAFFIC SIGNING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
413(B) 4862	RUMBLE STRIP-METHOD HMA-CYC GROUP	16.000	EAGP
804(A) 2915	STRUCTURAL CONCRETE	5.600	CY
804(B) 2916	REINFORCING STEEL	672.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	9.000	SF
851(B) 3217	2 1/2"@5.79 GALV.STEEL PIPE POST	444.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	13,872.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	760.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	105.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	14.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	16.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	30.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	30.000	SD
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

SECTION 0002 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 190
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CREEK

CONTRACT ID : 120336

PROJECT(S) : BRFY-119C(148) PCN : 2412204
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$33.60
 90 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-66: OVER SAND CREEK, 1.8 MILES NORTH OF THE SH-48 JCT.
 PROJECT LENGTH = 0.11

SECTION 0001 - ROADWAY - BRFY-119C(148)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,307.000	CY
202(D) 0184	UNCLASSIFIED BORROW	13,781.000	CY
205(A) 4230	TYPE A-SALVAGED TOPSOIL	1.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,730.000	LF
221(F) 0100	TEMPORARY SILT DIKE	240.000	LF
230(A) 2806	SOLID SLAB SODDING	11,405.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	1,624.000	CY
310(B) 0149	SUBGRADE, METHOD B	5,725.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	3,007.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	281.000	TON
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	285.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,460.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	190.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	443.000	TON
613(B) 0690	24" CORR. GALV. STEEL PIPE	22.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	1,194.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,923.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	501.000	LF
619(B) 5918	REMOVAL OF EXISTING PIPE	19.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,300.000	LF

SECTION 0002 - BRIDGE 'A' - BRFY-119C(148)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	8,750.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	390.000	CY
509(A) 1326	CLASS AA CONCRETE	1,559.200	CY
511(A) 1332	REINFORCING STEEL	257,982.000	LB
513(C) 6020	CLASS C BRIDGE DECK REPAIR	4.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC - BRFY-119C(148)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	3.000	EA

855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,900.000	LF
857(A)	8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	4,855.000	LF
857(E)	8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	2,000.000	EA
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	4,900.000	LF
871(B)	8705	(SP)CONST.ZONE IMPACT ATTEN.	1,120.000	SD
877(B)	8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,848.000	LF
877(C)	8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,230.000	LF
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,240.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3,360.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,120.000	SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	3,360.000	SD
880(F)	8878	DRUMS	7,840.000	SD

SECTION 0004 - STAKING - BRFY-119C(148)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION - BRFY-119C(148)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641	1552 MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 191
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CREEK

CONTRACT ID : 120337

PROJECT(S) : BRFY-119C(151) PCN : 2412304
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$66.11
 180 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-66: OVER SAND CREEK, 0.8 MILES NORTH OF THE SH-48 JCT.
 PROJECT LENGTH = 0.08 MILES

SECTION 0001 - ROADWAY - BRFY-119C(151)

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,486.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,228.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,480.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	70.000	LF
230(A) 2806	SOLID SLAB SODDING	4,938.000	SY
241 2832	MOWING	4.400	AC
303(A) 2100	AGGREGATE BASE TYPE A	576.000	CY
310(B) 0149	SUBGRADE, METHOD B	1,910.000	SY
325 5271	SEPARATOR FABRIC	2,413.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	1,910.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	219.000	TON
407(B) 0250	TACK COAT	989.000	GAL
408 5774	PRIME COAT	766.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	1,146.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	929.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1,048.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	461.000	TON
412 5267	COLD MILLING PAVEMENT	4,465.000	SY
509(D) 0325	CLASS C CONCRETE	20.000	CY
611(G) 6002	INLET (SMD-TYPE 2)	1.000	EA
613(A) 0491	18" R.C.PIPE CLASS III	158.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	8.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	1.000	EA
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,482.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	382.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	550.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	3.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	3.000	EA

853	9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	16.000	EA
871(A)	8325	(SP)IMPACT ATTENUATOR	1.000	EA

SECTION 0002 - BRIDGE 'A' - BRFY-119C(151)

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	280.000	CY
501(G) 6309	CLSM BACKFILL	250.000	CY
504(A) 1304	APPROACH SLAB	429.200	SY
504(B) 1305	SAW-CUT GROOVING	1,335.000	SY
504(C) 6250	SEALED EXPANSION JOINT	56.200	LF
504(D) 6245	CONCRETE RAIL (TR4)	632.200	LF
506(A) 1322	STRUCTURAL STEEL	194,680.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	383.700	CY
509(B) 1328	CLASS A CONCRETE	255.000	CY
511(A) 1332	REINFORCING STEEL	600.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	128,780.000	LB
513(C) 6020	CLASS C BRIDGE DECK REPAIR	4.000	SY
514(A) 6010	PILES, FURNISHED (HP 10X42)	108.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	473.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	108.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	473.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	825.000	SY
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	196.000	LF
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	101.000	LF
523(A) 6550	SEALER CRACK PREPARATION	55.000	LF
523(B) 6560	SEALER RESIN	1.000	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,294.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	284.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	112.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B' - BRFY-119C(151)

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	275.000	CY
501(G) 6309	CLSM BACKFILL	255.000	CY
504(A) 1304	APPROACH SLAB	429.200	SY
504(B) 1305	SAW-CUT GROOVING	1,335.000	SY
504(C) 6250	SEALED EXPANSION JOINT	56.200	LF
504(D) 6245	CONCRETE RAIL (TR4)	632.200	LF
506(A) 1322	STRUCTURAL STEEL	194,680.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	383.700	CY
509(B) 1328	CLASS A CONCRETE	256.500	CY
511(A) 1332	REINFORCING STEEL	600.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	128,910.000	LB

514(A)	6010	PILES, FURNISHED (HP 10X42)	96.000	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	414.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	96.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	414.000	LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	826.000	SY
516(A)	6092	DRILLED SHAFTS 36" DIAMETER	202.000	LF
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	117.000	LF
523(A)	6550	SEALER CRACK PREPARATION	55.000	LF
523(B)	6560	SEALER RESIN	1.000	GAL
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,243.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	273.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	112.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC TEMPORARY - BRFY-119C(151)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A)	8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	3,890.000 LF
857(E)	8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	2,000.000 EA
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	4,000.000 LF
880(A)	8812	ARROW DISPLAY(TYPE C)	360.000 SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4,770.000 SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,610.000 SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3,420.000 SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	1,170.000 SD
880(C)	8848	WING BARRICADES	720.000 SD
880(E)	8860	WARNING LIGHTS(TYPE A)	2,340.000 SD
880(F)	8878	DRUMS	21,780.000 SD

SECTION 0005 - TRAFFIC PERMANENT - BRFY-119C(151)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A)	8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000 LSUM
805(D)	8744	(PL)REMOVE & RESET LIGHT POLE	5.000 EA
805(D)	8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000 EA
850(A)	8110	SHEET ALUMINUM SIGNS	225.000 SF
851(C)	8324	2" SQUARE TUBE POST	495.000 LF
856(A)	8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	4,172.000 LF
856(A)	8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	19.000 LF

SECTION 0006 - STAKING - BRFY-119C(151)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0007 - CONSTRUCTION - BRFY-119C(151)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1552	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 192
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CREEK

CONTRACT ID : 120338

PROJECT(S)
 BRFY-119C(148)
 BRFY-119C(151)
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$99.71
 210 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

PCN
 2412204C
 2412304C

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-66: OVER SAND CREEK, 0.8 MILES AND 1.8 MILES NORTH OF
 THE SH-48 JCT.
 PROJECT LENGTH = 0.19 MILES

SECTION 0001 - ROADWAY - BRFY-119C(148)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,307.000	CY
202(D) 0184	UNCLASSIFIED BORROW	13,781.000	CY
205(A) 4230	TYPE A-SALVAGED TOPSOIL	1.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,730.000	LF
221(F) 0100	TEMPORARY SILT DIKE	240.000	LF
230(A) 2806	SOLID SLAB SODDING	11,405.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	1,624.000	CY
310(B) 0149	SUBGRADE, METHOD B	5,725.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	3,007.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	281.000	TON
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	285.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,460.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	190.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	443.000	TON
613(B) 0690	24" CORR. GALV. STEEL PIPE	22.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	1,194.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,923.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	501.000	LF
619(B) 5918	REMOVAL OF EXISTING PIPE	19.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,300.000	LF

SECTION 0002 - BRIDGE 'A' - BRFY-119C(148)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	8,750.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	390.000	CY
509(A) 1326	CLASS AA CONCRETE	1,559.200	CY
511(A) 1332	REINFORCING STEEL	257,982.000	LB
513(C) 6020	CLASS C BRIDGE DECK REPAIR	4.000	SY
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC - BRFY-119C(148)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	3.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,900.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	4,855.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	2,000.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	4,900.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	1,120.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,848.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,230.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,240.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3,360.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,120.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	3,360.000	SD
880(F) 8878	DRUMS	7,840.000	SD
SECTION 0004 - STAKING - BRFY-119C(148)			
ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM
SECTION 0005 - CONSTRUCTION - BRFY-119C(148)			
ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM
SECTION 0006 - ROADWAY - BRFY-119C(151)			
ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,486.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,228.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,480.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	70.000	LF
230(A) 2806	SOLID SLAB SODDING	4,938.000	SY
241 2832	MOWING	4.400	AC
303(A) 2100	AGGREGATE BASE TYPE A	576.000	CY
310(B) 0149	SUBGRADE, METHOD B	1,910.000	SY
325 5271	SEPARATOR FABRIC	2,413.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	1,910.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	219.000	TON
407(B) 0250	TACK COAT	989.000	GAL
408 5774	PRIME COAT	766.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	1,146.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	929.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1,048.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	461.000	TON
412 5267	COLD MILLING PAVEMENT	4,465.000	SY
509(D) 0325	CLASS C CONCRETE	20.000	CY
611(G) 6002	INLET (SMD-TYPE 2)	1.000	EA
613(A) 0491	18" R.C.PIPE CLASS III	158.000	LF

613(A)	0492	24" R.C.PIPE CLASS III	8.000	LF
613(L)	5726	18" PREFAB. CULVERT END SECTION, ROUND	1.000	EA
613(L)	5730	24" PREFAB. CULVERT END SECTION, ROUND	1.000	EA
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	1,482.000	SY
619(B)	4780	REMOVAL OF GUARDRAIL	382.000	LF
623(A)	0932	BEAM GUARDRAIL W-BEAM SINGLE	550.000	LF
623(G)	8571	GUARDRAIL END TREATMENT (GET)	3.000	EA
623(I)	8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	3.000	EA
853	9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	16.000	EA
871(A)	8325	(SP)IMPACT ATTENUATOR	1.000	EA

SECTION 0007 - BRIDGE 'A' - BRFY-119C(151)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	280.000 CY
501(G)	6309	CLSM BACKFILL	250.000 CY
504(A)	1304	APPROACH SLAB	429.200 SY
504(B)	1305	SAW-CUT GROOVING	1,335.000 SY
504(C)	6250	SEALED EXPANSION JOINT	56.200 LF
504(D)	6245	CONCRETE RAIL (TR4)	632.200 LF
506(A)	1322	STRUCTURAL STEEL	194,680.000 LB
507(A)	6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000 EA
507(B)	6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000 EA
509(A)	1326	CLASS AA CONCRETE	383.700 CY
509(B)	1328	CLASS A CONCRETE	255.000 CY
511(A)	1332	REINFORCING STEEL	600.000 LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	128,780.000 LB
513(C)	6020	CLASS C BRIDGE DECK REPAIR	4.000 SY
514(A)	6010	PILES, FURNISHED (HP 10X42)	108.000 LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	473.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	108.000 LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	473.000 LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	825.000 SY
516(A)	6092	DRILLED SHAFTS 36" DIAMETER	196.000 LF
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	101.000 LF
523(A)	6550	SEALER CRACK PREPARATION	55.000 LF
523(B)	6560	SEALER RESIN	1.000 GAL
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,294.000 TON
601(C)	1355	TYPE I-A FILTER BLANKET	284.000 TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	112.000 LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000 LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0008 - BRIDGE 'B' - BRFY-119C(151)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	275.000 CY
501(G)	6309	CLSM BACKFILL	255.000 CY
504(A)	1304	APPROACH SLAB	429.200 SY
504(B)	1305	SAW-CUT GROOVING	1,335.000 SY

504(C) 6250	SEALED EXPANSION JOINT	56.200 LF
504(D) 6245	CONCRETE RAIL (TR4)	632.200 LF
506(A) 1322	STRUCTURAL STEEL	194,680.000 LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000 EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000 EA
509(A) 1326	CLASS AA CONCRETE	383.700 CY
509(B) 1328	CLASS A CONCRETE	256.500 CY
511(A) 1332	REINFORCING STEEL	600.000 LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	128,910.000 LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	96.000 LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	414.000 LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	96.000 LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	414.000 LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	826.000 SY
516(A) 6092	DRILLED SHAFTS 36" DIAMETER	202.000 LF
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	117.000 LF
523(A) 6550	SEALER CRACK PREPARATION	55.000 LF
523(B) 6560	SEALER RESIN	1.000 GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,243.000 TON
601(C) 1355	TYPE I-A FILTER BLANKET	273.000 TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	112.000 LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0009 - TRAFFIC TEMPORARY - BRFY-119C(151)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	3,890.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	2,000.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	4,000.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	360.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4,770.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,610.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3,420.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,170.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,340.000	SD
880(F) 8878	DRUMS	21,780.000	SD

SECTION 0010 - TRAFFIC PERMANENT - BRFY-119C(151)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
805(D) 8744	(PL)REMOVE & RESET LIGHT POLE	5.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	225.000	SF
851(C) 8324	2" SQUARE TUBE POST	495.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	4,172.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	19.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 200
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : JACKSON

CONTRACT ID : 120389

PROJECT(S) : SBR-233N(004)SB
PCN : 2923104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$24.93
 100 CALENDAR DAYS
 RES. ENG: DIVISION 5 (CLINTON)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 US-62 (WESTBOUND): OVER THE SALT FORK OF THE RED RIVER, 0.60
 MILES EAST OF THE SH-6 SOUTH JUNCTION.
 PROJECT LENGTH = 0.212 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
407(B) 0250	TACK COAT	63.000	GAL
408 5774	PRIME COAT	96.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	146.000	TON
509(D) 0325	CLASS C CONCRETE	5.000	CY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	335.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	290.000	LF
623 0100	(PL)GUARDRAIL CURBING	1.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	513.000	LF
623(F) 8300	GUARDRAIL TRAIL END TURNDOWN (31")	2.000	EA
623(G) 8590	GUARDRAIL END TREATMENT (31")	2.000	EA
623(I) 8690	GUARDRAIL BRIDGE CONN-TRAIL END (31")	2.000	EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	2.000	EA
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	20.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	8.000	CY
504(C) 6250	SEALED EXPANSION JOINT	156.000	LF
504(E) 1381	CONCRETE PARAPET	64.000	LF
509(A) 1326	CLASS AA CONCRETE	40.400	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	6,550.000	LB
513(B) 6019	CLASS B BRIDGE DECK REPAIR	15.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	60.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	429.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	34.200	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	55.900	SY
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	4,766.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	704.000	SF
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	7,620.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2,290.000	LF

857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	5,020.000	LF
870(A)	8485	SAND FILLED IMPACT ATTENUATION MODULE	1,500.000	SD
877(A)	8483	PORTABLE LONGITUDINAL BARRIER	2,350.000	LF
877(C)	8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	2,350.000	LF
880(A)	8800	ARROW DISPLAY(TYPE A)	100.000	SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	13,800.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,800.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	400.000	SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	200.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	2,000.000	SD
880(F)	8878	DRUMS	4,500.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 220
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : LOGAN

CONTRACT ID : 120390

PROJECT(S) : STP-142C(184)AG
PCN : 2686104
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$29.26
 90 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-87): OVER CHISHOLM CREEK, 3.5 MILES EAST OF
 SH-74.
 PROJECT LENGTH = 0.345 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	300.000	LF
230(A) 2806	SOLID SLAB SODDING	8,500.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.590	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,057.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(A) 0492	24" R.C.PIPE CLASS III	36.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	172.000	LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	168.000	CY
501(F) 6352	GRANULAR BACKFILL	64.000	CY
504(D) 6239	CONCRETE RAIL (TR3)	258.400	LF
506(A) 1322	STRUCTURAL STEEL	89,450.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	74.700	CY
509(B) 1328	CLASS A CONCRETE	63.200	CY
511(A) 1332	REINFORCING STEEL	8,700.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	17,900.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	114.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	245.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	114.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	245.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	2,050.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	500.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF

613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000 EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 240
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : MCCLAIN

CONTRACT ID : 120391

PROJECT(S) : SAP-244D(005) PCN : 2953304
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$15.17
 30 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE REPAIR
 COUNTY ROAD (LADD ROAD): OVERHEIGHT VEHICLE IMPACT OVER
 I-35 IN THE CITY OF GOLDSBY.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	1.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	1.000	EA
540 4545	(PL)REPAIR BRIDGE ITEM (TYPE D)	2.000	EA

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,500.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	500.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	600.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	180.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	240.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	780.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	540.000	SD
880(C) 8848	WING BARRICADES	120.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	1,380.000	SD
880(F) 8878	DRUMS	600.000	SD
880(G) 8890	CHANNELIZER CONES	800.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	60.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 260
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 120393

PROJECT(S) : STP-155A(869)AG
PCN : 2854004
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$0.00
 45 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 CITY STREET: ON MEMORIAL RD, BETWEEN PENNSYLVANIA AVE AND
 WESTERN IN OKLAHOMA CITY.
 PROJECT LENGTH = 0.993 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
202(B) 0105	MUCK EXCAVATION	1,200.000	CY
221(C) 2801	TEMPORARY SILT FENCE	280.000	LF
230(A) 2806	SOLID SLAB SODDING	400.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,150.000	TON
409(A) 4242	FABRIC REINFORCEMENT	34,000.000	SY
409(B) 4268	BITUMINOUS BINDER	6,657.000	GAL
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	3,850.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	2,550.000	TON
412 5267	COLD MILLING PAVEMENT	34,000.000	SY
609(B) 1513	1'-8" COMB. CURB & GUTTER (6" BARRIER)	57.000	LF
609(B) 1525	2'-8" COMB. CURB & GUTTER (6" BARRIER)	198.000	LF
610(A) 0605	6" CONCRETE SIDEWALK	71.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	100.000	SF
612(A) 0641	MANHOLES ADJUST TO GRADE	2.000	EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	2.000	EA
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	400.000	LF
613(I) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	200.000	LF
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	177.000	CY
613(V) 1180	TRENCH EXCAVATION	88.000	CY
619(B) 4726	REMOVAL OF CURB AND GUTTER	280.000	LF
619(C) 0924	SAWING PAVEMENT	1,069.000	LF
806(B) 8896	12' MTG.HT.TS PED.POLE(G.STL.)	8.000	EA
828(B) 8136	LOOP DETECTOR WIRE	2,613.000	LF
830 8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831 8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	8.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,421.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	96.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	540.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	13.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	55.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM
SECTION 0003 - CONSTRUCTION			
ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 270
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 120352

PROJECT(S) PCN
 BRFY-255A(090)3B 2863305
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$18.42
 90 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 JOINT SEAL/REPAIR
 SH-152: OVER NEWCASTLE RD 1.4 MILES WEST OF THE I-44 JCT.

SECTION 0001 - BRIDGE A

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	30.000	CY
504(G) 6390	RAPID CURE JOINT SEALANT	81.500	LF
509 6386	SILICONE CONSTRUCTION JOINT	350.000	LF
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	250.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	140.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	560.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	140.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	4.000	EA

SECTION 0002 - BRIDGE B

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	30.000	CY
504(G) 6390	RAPID CURE JOINT SEALANT	91.500	LF
509 6386	SILICONE CONSTRUCTION JOINT	200.000	LF
513(B) 6019	CLASS B BRIDGE DECK REPAIR	54.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	250.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	3.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	140.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	605.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	140.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	2.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	4.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	90.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	90.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	90.000	SD

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 280
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 120394

PROJECT(S) : STPG-155A(900)AG
PCN : 2873104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$9.75
 30 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 TRAFFIC SIGNAL
 CITY STREET: AT THE INTERSECTION OF DOUGLAS BLVD AND HARMONY
 DRIVE IN THE CITY OF MIDWEST CITY.

SECTION 0001 - SIGNALS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
230(A) 2806	SOLID SLAB SODDING	500.000	SY
610(A) 0602	4" CONCRETE SIDEWALK	236.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	79.000	SF
619(B) 4792	REMOVAL OF SIDEWALK	120.000	SY
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	80.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	175.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	115.000	LF
803(A) 8065	PULL BOX(SIZE I)	3.000	EA
803(A) 8066	PULL BOX(SIZE II)	1.000	EA
804(A) 2915	STRUCTURAL CONCRETE	8.100	CY
804(B) 2916	REINFORCING STEEL	1,210.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	1.000	EA
806(A) 8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8726	POLE & 25' TS MST.ARM(G.STL.)	1.000	EA
806(A) 8730	POLE & 35' TS MST.ARM(G.STL.)	1.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	1.000	EA
809(A) 8090	ROADWAY LUMINAIRE	1.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECTRICAL CONDUCTOR	200.000	LF
811 8044	1/C NO.10 ELECTRICAL CONDUCTOR	200.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	4.000	EA
831 8231	1WAY 3SEC. ADJ. SIG. HD. S-6	6.000	EA
831 8280	1WAY 4SEC. ADJ. SIG. HD.S-13	1.000	EA
831 8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	4.000	EA
833 3030	BACKPLATE	7.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	640.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	195.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	425.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	25.000	LF
840(B) 8593	E.P.S. OPTICAL DETECTOR	3.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	530.000	LF

840(D)	8595	E.P.S. 2 CHANNEL PHASE SELECTOR	2.000 EA
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	64.500 SF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	810.000 LF
855(A)	8813	TRAFFIC STRIPE(PLASTIC)(6" WIDE)	200.000 LF
855(A)	8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	100.000 LF
855(A)	8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	253.000 LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	2.000 EA
855(B)	8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000 EA
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	500.000 LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 300
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 120313

PROJECT(S) : SBR-255N(014)SB
PCN : 2908604
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$75.86
 210 CALENDAR DAYS
TIME 'B' BID - \$15,000.00 / DAY
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 I-40: OVER THE NORTH CANADIAN RIVER, 0.10 MILES EAST OF THE
 CANADIAN COUNTY LINE.
 PROJECT LENGTH = 0.447 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
221(C) 2801	TEMPORARY SILT FENCE	975.000	LF
230(A) 2806	SOLID SLAB SODDING	13,800.000	SY
230(F) 2812	WATERING	552.000	KGAL
303(B) 2110	AGGREGATE BASE TYPE B	432.960	CY
325 5271	SEPARATOR FABRIC	2,078.220	SY
326(B) 0100	GEOGRID REINFORCEMENT	1,948.330	SY
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	654.640	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	218.210	TON
509(D) 0325	CLASS C CONCRETE	25.000	CY
611(G) 5700	INLET - LONGITUDINAL BARRIER - TYPE II, DES. 2	2.000	EA
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(W) 4498	18" JACKED CONDUIT	210.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,948.330	SY
619(B) 4915	REMOVAL OF CONCRETE MEDIAN BARRIER	584.500	LF
627(A) 4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	544.500	LF
627(B) 4410	CONCRETE LONGITUDINAL BARRIER END SECTIONS	4.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	277.800	SY
504(B) 1305	SAW-CUT GROOVING	5,631.400	SY
504(C) 6250	SEALED EXPANSION JOINT	187.500	LF
504(E) 6190	42" F-SHAPED PARAPET	843.900	LF
506(A) 6010	STRUCTURAL STEEL A709 GR50	187,159.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	2.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	1,407.900	CY
509(B) 1328	CLASS A CONCRETE	168.500	CY
511(A) 1332	REINFORCING STEEL	12,759.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	401,466.000	LB
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM

512(B)	6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
514(A)	6010	PILES, FURNISHED (HP 10X42)	84.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	84.000	LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	1,147.400	SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	179.370	LF
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	25.000	LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	1.000	GAL
521(A)	6210	PNEUMATICALLY PLACED MORTAR	5.000	SY
523(A)	6550	SEALER CRACK PREPARATION	802.600	LF
523(B)	6560	SEALER RESIN	8.000	GAL
524(A)	6610	(SP)CARBON FIBER-REINFORCED POLYMER	110.000	SF
535	6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	17.200	SY
540	4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	3.000	EA
540	4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	1.000	EA
540	4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	6.000	EA
540	4545	(PL)REPAIR BRIDGE ITEM (TYPE D)	78.000	EA
542	4615	(PL)INSTALLATION OF BRIDGE ITEMS(TYPE A)	16.000	EA
545	4815	(PL)REPLACE BRIDGE ITEM (TYPE A)	5.000	EA
545	4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	3.000	EA
619(B)	2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - BRIDGE "B"

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(G)	6309	CLSM BACKFILL	10.000 CY
502	6116	(PL)FALSEWORK JACKING	1.000 LSUM
504(A)	1304	APPROACH SLAB	277.800 SY
504(B)	1305	SAW-CUT GROOVING	5,631.400 SY
504(C)	6250	SEALED EXPANSION JOINT	187.500 LF
504(E)	6190	42" F-SHAPED PARAPET	843.900 LF
506(A)	6010	STRUCTURAL STEEL A709 GR50	194,629.000 LB
507(A)	6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	2.000 EA
507(B)	6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	8.000 EA
509(A)	1326	CLASS AA CONCRETE	1,407.900 CY
509(B)	1328	CLASS A CONCRETE	168.500 CY
511(A)	1332	REINFORCING STEEL	12,759.000 LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	401,466.000 LB
512(A)	1323	PAINTING EXISTING STRUCTURES	1.000 LSUM
512(B)	6303	COLLECTION AND HANDLING OF WASTE	1.000 LSUM
514(A)	6010	PILES, FURNISHED (HP 10X42)	78.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	78.000 LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	1,147.400 SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	179.380 LF
520(A)	6058	PREPARATION OF CRACKS, ABOVE WATER	90.000 LF
520(C)	6060	EPOXY RESIN, ABOVE WATER	3.500 GAL
521(A)	6210	PNEUMATICALLY PLACED MORTAR	12.000 SY
523(A)	6550	SEALER CRACK PREPARATION	802.700 LF
523(B)	6560	SEALER RESIN	8.000 GAL
535	6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	12.000 SY
540	4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	5.000 EA

540	4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	6.000	EA
540	4545	(PL)REPAIR BRIDGE ITEM (TYPE D)	69.000	EA
542	4615	(PL)INSTALLATION OF BRIDGE ITEMS(TYPE A)	16.000	EA
545	4825	(PL)REPLACE BRIDGE ITEM (TYPE B)	23.000	EA
619(B)	2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0004 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
616(J) 0100	HDPE CONDUIT ENCASED	2,480.000	LF
802(B) 8570	(PL)LIQUID TIGHT FLEXIBLE CONDUIT	1,980.000	LF
805(A) 8712	(PL)REMOVAL OF LIGHT POLE	8.000	EA
805(D) 8744	(PL)REMOVE & RESET LIGHT POLE	2.000	EA
806(D) 8995	36' MTG.HT.HL.PTP.(G.STL.)	5.000	EA
809(A) 8090	ROADWAY LUMINAIRE	5.000	EA
811 8038	1/C NO.4 ELECTRICAL CONDUCTOR	2,880.000	LF
811 8046	1/C NO.12 ELECTRICAL CONDUCTOR	660.000	LF
853 9060	BARRIER DELINEATORS(TYPE 1, CODE 1)	112.000	EA
853 9063	BARRIER DELINEATORS(TYPE 2, CODE 1)	56.000	EA
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	18,160.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	20,640.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,820.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,640.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	270.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,160.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	3,240.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,204.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2,160.000	SD
880(C) 8848	WING BARRICADES	1,080.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	10,080.000	SD
880(F) 8878	DRUMS	28,320.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	500.000	HOUR
882 8370	(SP)SMART WORK ZONE SYSTEM-PORTABLE CHANGEABLE MESSAGE SIGN	3,450.000	SD
882 8372	(SP)SMART WORK ZONE SYSTEM-PORTABLE TRAFFIC SENSOR (PTS)	2,400.000	SD
882 8374	(SP)SMART WORK ZONE SYSTEM-PAN-TILT-ZOOM CAMERA (PTZC)	300.000	SD
882 8376	(SP)SMART WORK ZONE SYSTEM-WEBSITE SYSTEM	150.000	SD
882 8378	(PL)SMART WORK ZONE SYSTEM SETUP	1.000	EA
882(A) 8303	PORTABLE CHANGEABLE MESSAGE SIGN	2.000	EA

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 320
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OSAGE

CONTRACT ID : 120396

PROJECT(S) : CIRB-157C(173)RB
PCN : 2784104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$13.01
 75 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (D3615): OVER LUCY CREEK, 6.0 MILES EAST OF
 SH-18.
 PROJECT LENGTH = 0.208 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,928.000	CY
202(D) 0184	UNCLASSIFIED BORROW	77.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,081.000	LF
221(F) 0100	TEMPORARY SILT DIKE	160.000	LF
230(A) 2806	SOLID SLAB SODDING	9,248.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.910	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	866.000	TON
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
508 6359	PRECAST ARCH CULVERT	60.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,054.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	95.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	225.000	LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 330
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OTTAWA

CONTRACT ID : 120353

PROJECT(S) : BRFY-158B(071) PCN : 2191604
 DBE GOAL : 6.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$69.36
 120 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 US-69: OVER TAR CREEK, 7.7 MILES NORTH OF THE US-59 JCT.
 PROJECT LENGTH = 0.395 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	27,290.000	CY
202(C) 0182	ROCK EXCAVATION	5,736.000	CY
202(D) 0184	UNCLASSIFIED BORROW	61,962.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,688.000	LF
221(F) 0100	TEMPORARY SILT DIKE	469.000	LF
230(A) 2806	SOLID SLAB SODDING	35,021.000	SY
232(B) 2814	SEEDING METHOD B	14.480	AC
233(A) 2817	VEGETATIVE MULCHING	7.240	AC
241 2832	MOWING	14.480	AC
303(A) 2100	AGGREGATE BASE TYPE A	3,411.000	CY
307(K) 4300	STABILIZED SUBGRADE	19,960.000	SY
325 5271	SEPARATOR FABRIC	11,248.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,689.000	TON
407(B) 0250	TACK COAT	2,164.000	GAL
408 5774	PRIME COAT	6,628.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	839.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	5,141.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	550.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,469.000	TON
412 5267	COLD MILLING PAVEMENT	500.000	SY
613(B) 0688	12" CORR. GALV. STEEL PIPE	100.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	208.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	112.000	LF
613(B) 0698	72" CORR. GALV. STEEL PIPE	210.000	LF
613(B) 5075	108" CORR. GALV. STEEL PIPE	230.000	LF
613(B) 5739	84" CORR. GALV. STEEL PIPE	160.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	4.000	EA
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	4.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	1.000	EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

619(B) 4725	REMOVAL OF FENCE	2,150.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	7,219.000	SY
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	9,108.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	412.000	LF
619(C) 0924	SAWING PAVEMENT	350.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	575.000	LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000	EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,800.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) 4960	MAILBOX	4.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	3.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	86.400	CY
501(G) 6309	CLSM BACKFILL	178.200	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,068.600	LF
504(A) 1304	APPROACH SLAB	246.400	SY
504(B) 1305	SAW-CUT GROOVING	1,288.600	SY
504(D) 6245	CONCRETE RAIL (TR4)	527.000	LF
506(A) 1322	STRUCTURAL STEEL	1,707.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	10.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	30.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	30.000	EA
509(A) 1326	CLASS AA CONCRETE	309.600	CY
509(B) 1328	CLASS A CONCRETE	156.200	CY
509(D) 1331	CLASS C CONCRETE	18.900	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	104,925.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	336.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	336.000	LF
514(G) 6310	METAL PILE SHOES	14.000	EA
514(K) 6260	(PL)PILOT HOLES	140.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,034.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	176.000	LF
523(A) 6550	SEALER CRACK PREPARATION	277.200	LF
523(B) 6560	SEALER RESIN	2.400	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,865.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	274.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	20.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - PERMANENT TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	8.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	31.250	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	69.750	LF
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	16.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	12,658.000	LF

SECTION 0005 - TEMPORARY TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	11,712.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2,719.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	4,675.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	165.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	6,300.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4,695.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,970.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4,860.000	SD
880(C) 8848	WING BARRICADES	1,020.000	SD
880(D) 8854	VERTICAL PANELS	16,335.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	12,195.000	SD
880(F) 8878	DRUMS	8,160.000	SD

SECTION 0006 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 340
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OTTAWA

CONTRACT ID : 120397

PROJECT(S) PCN
 CIRB-158D(184)RB 2800204
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$18.42
 90 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-13): OVER A TRIBUTARY OF THE SPRING RIVER,
 1.3 MILES EAST OF SH-137.
 PROJECT LENGTH = 0.283 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3,464.000	CY
202(C) 0182	ROCK EXCAVATION	100.000	CY
202(D) 0184	UNCLASSIFIED BORROW	323.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,636.000	LF
221(F) 0100	TEMPORARY SILT DIKE	259.000	LF
230(A) 2806	SOLID SLAB SODDING	5,642.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.170	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,658.000	TON
509(D) 0325	CLASS C CONCRETE	58.000	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	27.000	TON
613(A) 0493	30" R.C.PIPE CLASS III	65.000	LF
613(D) 0780	18" CORR. ALUMINUM PIPE	234.000	LF
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	10.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(G) 6309	CLSM BACKFILL	46.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	149.000	LF
504(A) 1304	APPROACH SLAB	115.000	SY
504(B) 1305	SAW-CUT GROOVING	212.300	SY
504(D) 6239	CONCRETE RAIL (TR3)	103.000	LF
506(A) 1322	STRUCTURAL STEEL	540.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	6.000	EA
509(A) 1326	CLASS AA CONCRETE	56.100	CY
509(B) 1328	CLASS A CONCRETE	41.000	CY
511(A) 1332	REINFORCING STEEL	16,822.000	LB

514(A)	6010	PILES, FURNISHED (HP 10X42)	250.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	250.000	LF
514(K)	6260	(PL)PILOT HOLES	220.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	571.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	101.000	TON
601(I)	6312	FILTER FABRIC (RIPRAP)	425.000	SY
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	40.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 360
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PAWNEE

CONTRACT ID : 120398

PROJECT(S) : BRF-159C(081)CI
PCN : 2437504
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$23.84
 120 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-353): OVER CRYSTAL CREEK, 0.30 MILES WEST
 OF SKEDEE.
 PROJECT LENGTH = 0.518 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	9,160.000	CY
205(A) 4230	TYPE A-SALVAGED TOPSOIL	1,687.000	CY
221(C) 2801	TEMPORARY SILT FENCE	4,499.000	LF
221(F) 0100	TEMPORARY SILT DIKE	440.000	LF
230(A) 2806	SOLID SLAB SODDING	11,734.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.510	AC
310(B) 0149	SUBGRADE, METHOD B	8,749.000	SY
311(B) 0152	PROCESSING EXISTING BASE & SURFACE, METHOD B	2,812.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	697.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,825.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	969.000	TON
509(D) 0325	CLASS C CONCRETE	70.600	CY
613(A) 0492	24" R.C.PIPE CLASS III	243.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	50.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	330.000	LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	8.000	EA
613(L) 5734	36" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	12.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	882.000	SY
619(C) 0924	SAWING PAVEMENT	110.000	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(G) 6309	CLSM BACKFILL	80.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	256.670	LF
504(A) 1304	APPROACH SLAB	109.600	SY
504(B) 1305	SAW-CUT GROOVING	214.900	SY
504(D) 6239	CONCRETE RAIL (TR3)	191.000	LF

506(A)	1322	STRUCTURAL STEEL	1,690.000	LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
509(A)	1326	CLASS AA CONCRETE	61.700	CY
509(B)	1328	CLASS A CONCRETE	70.500	CY
511(A)	1332	REINFORCING STEEL	23,188.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	100.000	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	205.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	100.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	205.000	LF
514(K)	6260	(PL)PILOT HOLES	185.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,156.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	251.000	TON
601(I)	6312	FILTER FABRIC (RIPRAP)	996.000	SY
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	70.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	20.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A)	8110 SHEET ALUMINUM SIGNS	25.500	SF
851(C)	8330 2 1/2" SQUARE TUBE POST	50.000	LF
853	9039 DELINEATORS(TYPE 2, CODE 3)	10.000	EA
855(A)	8812 TRAFFIC STRIPE(PLASTIC)(4" WIDE)	11,248.000	LF
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641	1399 MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 380
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PAYNE

CONTRACT ID : 120399

PROJECT(S)
 STPY-160B(103)SS
 STPY-160B(135)
 DBE GOAL : 6.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$298.04
 460 CALENDAR DAYS
 RES. ENG: JONATHAN ARPS, STILLWATER

PCN
 2033204
 2193204

CONTRACT DESCRIPTION :
 GRADE, DRAIN, SURFACE, AND BRIDGE
 US-177: FROM THE LINCOLN C/L AND FROM 1.12 MI S OF SH-33,
 EXT. N THRU PERKINS. SH-33: AT THE INTERSECTION OF US-177.
 PROJECT LENGTH = 4.304 MILES

SECTION 0001 - ROADWAY - STPY-160B(103)SS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	184,410.000	CY
202(D) 0184	UNCLASSIFIED BORROW	10,000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	8,405.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1,176.000	LF
221(G) 0153	TEMPORARY ROCK FILTER DAM TYPE 4	31.000	CY
229 4318	DITCH LINER PROTECTION	12,608.000	LF
230(A) 2806	SOLID SLAB SODDING	148,761.000	SY
232(B) 2814	SEEDING METHOD B	31.000	AC
233(A) 2817	VEGETATIVE MULCHING	31.000	AC
241 2832	MOWING	62.000	AC
303(B) 2110	AGGREGATE BASE TYPE B	14,864.000	CY
307(K) 4300	STABILIZED SUBGRADE	72,106.000	SY
325 5271	SEPARATOR FABRIC	81,231.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	10,868.000	TON
407(B) 0250	TACK COAT	16,414.000	GAL
408 5774	PRIME COAT	28,719.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	6,557.000	SY
409(B) 4268	BITUMINOUS BINDER	1,312.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	6,463.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	29,247.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	4,309.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	4,760.000	TON
412 5267	COLD MILLING PAVEMENT	5,621.000	SY
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	263.000	CY
509(A) 0319	CLASS AA CONCRETE	621.000	CY
509(D) 0325	CLASS C CONCRETE	2,348.000	CY
511(A) 0332	REINFORCING STEEL	103,932.000	LB
611(G) 5738	INLET CDI 30SK RCP DES.3	1.000	EA

613(A)	0493	30" R.C.PIPE CLASS III	106.000	LF
613(A)	4497	36" X 22" R.C.PIPE ARCH CLASS A-III	106.000	LF
613(B)	0690	24" CORR. GALV. STEEL PIPE	1,056.000	LF
613(B)	0691	30" CORR. GALV. STEEL PIPE	628.000	LF
613(B)	0692	36" CORR. GALV. STEEL PIPE	172.000	LF
613(B)	4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	136.000	LF
613(B)	4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	64.000	LF
613(L)	5732	30" PREFAB. CULVERT END SECTION, ROUND	1.000	EA
613(M)	7187	TYPE B4 CULVERT END TREATMENT	10.000	EA
613(M)	7188	TYPE C4 CULVERT END TREATMENT	3.000	EA
613(M)	7189	TYPE D4 CULVERT END TREATMENT	2.000	EA
613(M)	7192	TYPE BB4 CULVERT END TREATMENT	4.000	EA
613(M)	7193	TYPE CC4 CULVERT END TREATMENT	2.000	EA
613(M)	7197	TYPE B6 CULVERT END TREATMENT	8.000	EA
613(M)	7198	TYPE C6 CULVERT END TREATMENT	3.000	EA
613(M)	7199	TYPE D6 CULVERT END TREATMENT	2.000	EA
613(M)	7202	TYPE BB6 CULVERT END TREATMENT	4.000	EA
613(M)	7203	TYPE CC6 CULVERT END TREATMENT	2.000	EA
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	1.000	EA
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	40,399.000	SY
619(B)	4780	REMOVAL OF GUARDRAIL	820.000	LF
619(C)	0924	SAWING PAVEMENT	7,640.000	LF
623(A)	0932	BEAM GUARDRAIL W-BEAM SINGLE	1,400.000	LF
623(F)	8300	GUARDRAIL TRAIL END TURNDOWN (31")	2.000	EA
623(G)	8590	GUARDRAIL END TREATMENT (31")	6.000	EA
623(I)	8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	8.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	11,680.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	2.000	EA
629(C)	4960	MAILBOX	6.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	6.000	EA
853	9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	43.000	EA

SECTION 0002 - BRIDGE 'A' - STPY-160B(103)SS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	80.000 CY
501(G)	6309	CLSM BACKFILL	122.000 CY
503(A)	1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	398.000 LF
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	399.000 LF
504(A)	1304	APPROACH SLAB	187.400 SY
504(B)	1305	SAW-CUT GROOVING	1,077.800 SY
504(D)	6245	CONCRETE RAIL (TR4)	481.000 LF
506(A)	1322	STRUCTURAL STEEL	1,050.000 LB
507(A)	6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000 EA
507(B)	6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000 EA
507(C)	6282	ELASTOMERIC BEARING PADS	16.000 EA
509(A)	1326	CLASS AA CONCRETE	256.900 CY
509(B)	1328	CLASS A CONCRETE	114.600 CY

511(A)	1332	REINFORCING STEEL	420.000 LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	74,830.000 LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	525.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	525.000 LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	887.000 SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	154.000 LF
523(A)	6550	SEALER CRACK PREPARATION	163.000 LF
523(B)	6560	SEALER RESIN	1.800 GAL
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,480.000 TON
601(C)	1355	TYPE I-A FILTER BLANKET	310.000 TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000 LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	58.000 LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0003 - BRIDGE 'B' - STPY-160B(103)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	180.000 CY
501(G)	6309	CLSM BACKFILL	206.000 CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	3,591.000 LF
504(A)	1304	APPROACH SLAB	281.200 SY
504(B)	1305	SAW-CUT GROOVING	4,273.600 SY
504(C)	6250	SEALED EXPANSION JOINT	172.800 LF
504(D)	6245	CONCRETE RAIL (TR4)	1,923.400 LF
506(A)	1322	STRUCTURAL STEEL	4,050.000 LB
507(A)	6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	32.000 EA
507(B)	6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	40.000 EA
509(A)	1326	CLASS AA CONCRETE	1,042.800 CY
509(B)	1328	CLASS A CONCRETE	357.100 CY
511(A)	1332	REINFORCING STEEL	2,720.000 LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	295,000.000 LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	216.000 LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	708.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	216.000 LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	708.000 LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	3,811.000 SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	740.000 LF
523(A)	6550	SEALER CRACK PREPARATION	163.200 LF
523(B)	6560	SEALER RESIN	2.000 GAL
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,310.000 TON
601(C)	1355	TYPE I-A FILTER BLANKET	270.000 TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000 LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	72.000 LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0004 - TRAFFIC CONTROL - STPY-160B(103)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
413(B)	4863	RUMBLE STRIP-METHOD HMA-CYC	25,242.000 LF
857(A)	8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	24,000.000 LF
857(E)	8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	4,800.000 EA

857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	50,000.000	LF
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	20,160.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	12,160.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	8,960.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	27,200.000	SD
880(C) 8848	WING BARRICADES	1,280.000	SD
880(D) 8854	VERTICAL PANELS	88,000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	62,720.000	SD
880(F) 8878	DRUMS	88,000.000	SD
880(G) 8890	CHANNELIZER CONES	118,400.000	SD
880(I) 8902	FLAGGER	180.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	640.000	SD

SECTION 0005 - TRAFFIC - STPY-160B(103)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	7.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	184.300	SF
851(C) 8324	2" SQUARE TUBE POST	439.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	50,568.000	LF

SECTION 0006 - STAKING - STPY-160B(103)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION - STPY-160B(103)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0008 - ROADWAY - STPY-160B(135)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	210,355.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	6,795.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	80.000	EA
221(E) 2804	TEMPORARY SEDIMENT BASIN	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	672.000	LF
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	23.000	EA
230(A) 2806	SOLID SLAB SODDING	84,599.000	SY
233(A) 2817	VEGETATIVE MULCHING	18.000	AC
241 2832	MOWING	35.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	4,464.000	CY
303(B) 2110	AGGREGATE BASE TYPE B	6,701.000	CY
307(K) 4300	STABILIZED SUBGRADE	26,721.000	SY
325 5271	SEPARATOR FABRIC	30,587.000	SY
326(A) 0100	GEOTEXTILE REINFORCEMENT	1,098.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	5,584.000	TON
407(B) 0250	TACK COAT	4,602.000	GAL

408	5774	PRIME COAT	11,462.000 GAL
411(B)	5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	4,536.000 TON
411(B)	5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	10,716.000 TON
411(C)	5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	3,911.000 TON
411(C)	5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2,407.000 TON
412	5267	COLD MILLING PAVEMENT	11,625.000 SY
501(A)	0313	STRUCTURAL EXCAVATION UNCLASSIFIED	1,269.000 CY
509(A)	0319	CLASS AA CONCRETE	3,186.000 CY
509(B)	0321	CLASS A CONCRETE	16.300 CY
509(C)	0322	CLASS A CONCRETE, SMALL STRUCTURES	37.000 CY
509(D)	0325	CLASS C CONCRETE	624.000 CY
511(A)	0332	REINFORCING STEEL	552,525.000 LB
601(B)	0536	TYPE I-A PLAIN RIPRAP	569.000 TON
601(C)	0538	TYPE I-A FILTER BLANKET	344.000 TON
602(C)	4155	FILTER FABRIC	728.000 SY
609(B)	1500	1'-8" COMB. CURB & GUTTER (4" MNTBLE)	1,446.000 LF
609(B)	1513	1'-8" COMB. CURB & GUTTER (6" BARRIER)	4,979.000 LF
610(A)	0602	4" CONCRETE SIDEWALK	74.000 SY
610(B)	0604	6" CONCRETE DRIVEWAY	2,459.000 SY
610(C)	0608	4" CONCRETE DIVIDING STRIP	1,181.000 SY
610(I)	4610	TACTILE WARNING DEVICE-NEW	24.000 SF
611(A)	0484	SPECIAL MANHOLE	7,112.000 CF
611(A)	2657	MANHOLE (4' DIAMETER)	10.000 EA
611(A)	2658	MANHOLE (5' DIAMETER)	7.000 EA
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	10.000 VF
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIAMETER)	16.000 VF
611(G)	5112	INLET CI DES. 2 (STD)	23.000 EA
611(G)	5113	INLET CI DES. 2 (B)	2.000 EA
611(G)	5327	INLET GPI TYPE 1 (DES. 1)	1.000 EA
611(G)	5334	INLET GPI TYPE 2 (DES. 8)	8.000 EA
611(G)	5338	INLET GPI TYPE 2 (DES. 12)	1.000 EA
611(G)	5339	INLET GPI TYPE 2 (DES. 13)	1.000 EA
611(G)	5340	INLET GPI TYPE 2 (DES. 14)	2.000 EA
611(G)	5397	INLET CDI RCB DES. 11	1.000 EA
611(G)	6000	INLET (SMD-TYPE 1)	56.000 EA
611(H)	5325	ADD'L DEPTH IN INLET CI DES. 2	47.000 VF
611(H)	5374	ADD'L DEPTH IN INLET GPI TYPE 1	2.000 VF
611(H)	5375	ADD'L DEPTH IN INLET GPI TYPE 2	6.000 VF
613(A)	0491	18" R.C.PIPE CLASS III	3,653.000 LF
613(A)	0492	24" R.C.PIPE CLASS III	1,220.000 LF
613(A)	0493	30" R.C.PIPE CLASS III	342.000 LF
613(A)	0494	36" R.C.PIPE CLASS III	530.000 LF
613(A)	0498	60" R.C.PIPE CLASS III	1,146.000 LF
613(A)	0587	48" R.C.PIPE CLASS IV	3,320.000 LF
613(A)	0589	60" R.C.PIPE CLASS IV	143.000 LF
613(B)	0689	18" CORR. GALV. STEEL PIPE	40.000 LF
613(B)	0690	24" CORR. GALV. STEEL PIPE	369.000 LF
613(B)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	57.000 LF

613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	5,188.000 LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	7.000 EA
613(L) 5742	60" PREFAB. CULVERT END SECTION, ROUND	1.000 EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	6,039.000 CY
613(V) 1180	TRENCH EXCAVATION	71,676.000 CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4725	REMOVAL OF FENCE	6,090.000 LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	11,924.000 SY
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	12,946.000 SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	1,472.000 SY
619(B) 4792	REMOVAL OF SIDEWALK	66.000 SY
619(B) 6130	REMOVAL OF 4" CONCRETE DIVIDING STRIP	190.000 SY
624(A) 4281	FENCE-STYLE WWF	186.000 LF
624(B) 4460	GATES-STYLE WWF (4.5'HIGH X 10'LONG)	10.000 EA
624(B) 4462	GATES-STYLE WWF (4.5'HIGH X 12'LONG)	3.000 EA
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	4,212.000 LF
624(E) 4288	FENCE-STYLE CLF (4'HIGH, CLASS A)	400.000 LF
624(F) 5845	GATES-STYLE CLF (4'HIGH X 10'LONG)	16.000 EA
629(A) 4958	MAILBOX INSTALLATION-SINGLE	23.000 EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	4.000 EA
629(C) 4960	MAILBOX	34.000 EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	29.000 EA
629(E) 5048	REMOVE AND RESET MAILBOX	38.000 EA

SECTION 0009 - TRAFFIC CONTROL - STPY-160B(135)

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	29,015.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	13,850.000	LF
857(E) 8881	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS	1,000.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	12,000.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	338.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	450.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	180.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	9,570.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4,560.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	7,010.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	3,880.000	SD
880(C) 8848	WING BARRICADES	3,420.000	SD
880(D) 8854	VERTICAL PANELS	2,400.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	11,780.000	SD
880(G) 8884	TUBE CHANNELIZERS	31,600.000	SD

SECTION 0010 - TRAFFIC SIGNING & STRIPING - STPY-160B(135)

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
850(A) 8110	SHEET ALUMINUM SIGNS	263.000	SF
851(C) 8324	2" SQUARE TUBE POST	430.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	20,200.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	3,202.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	146.000	LF

855(A)	8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	234.000 LF
855(B)	8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	12.000 EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 400
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PAYNE

CONTRACT ID : 120401

PROJECT(S) PCN
 BRO-160D(143)CI 2234204
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$31.43
 90 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-61): OVER STILLWATER CREEK, 5.1 MILES WEST
 OF US-177.
 PROJECT LENGTH = 0.436 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	300.000	LF
230(A) 2806	SOLID SLAB SODDING	12,975.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.680	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,116.200	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(A) 0492	24" R.C.PIPE CLASS III	102.000	LF
613(A) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	36.000	LF
613(L) 4515	28" X 18" PREFAB. CULVERT END SECTION, ARCH	2.000	EA
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	10.360	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	29.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	68.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	50.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	628.500	LF
504(E) 1380	CONCRETE RAIL (TR1)	347.000	LF
509(A) 1326	CLASS AA CONCRETE	101.300	CY
509(B) 1328	CLASS A CONCRETE	70.700	CY
511(A) 1332	REINFORCING STEEL	28,370.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	715.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	715.000	LF
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	276.500	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,677.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	628.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	80.000	LF
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	3.000	EA

880(J) 8905 CONSTRUCTION TRAFFIC CONTROL

1.000 LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 420
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : POTTAWATOMIE

CONTRACT ID : 120402

PROJECT(S)
 BRO-163D(186)CI
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$7.59
 90 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

PCN
 2307404

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-336): OVER DANCE CREEK, 2.2 MILES SOUTH OF
 SH-9.
 PROJECT LENGTH = 0.283 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,805.000	CY
202(D) 0184	UNCLASSIFIED BORROW	7,595.000	CY
221(C) 2801	TEMPORARY SILT FENCE	2,857.000	LF
221(F) 0100	TEMPORARY SILT DIKE	280.000	LF
230(A) 2806	SOLID SLAB SODDING	11,118.560	SY
233(A) 2817	VEGETATIVE MULCHING	2.470	AC
303(B) 2110	AGGREGATE BASE TYPE B	783.450	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	259.060	TON
408 5774	PRIME COAT	6,966.310	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	602.690	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	473.000	CY
509(B) 0321	CLASS A CONCRETE	125.700	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	18,690.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	124.000	TON
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	222.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	8.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,269.000	LF

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(F) 6352	GRANULAR BACKFILL	56.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	209.000	LF
504(A) 1304	APPROACH SLAB	115.000	SY
504(B) 1305	SAW-CUT GROOVING	88.800	SY
504(D) 6239	CONCRETE RAIL (TR3)	196.600	LF
506(A) 1322	STRUCTURAL STEEL	1,560.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	6.000	EA
509(A) 1326	CLASS AA CONCRETE	75.000	CY
509(B) 1328	CLASS A CONCRETE	39.600	CY
511(A) 1332	REINFORCING STEEL	20,250.000	LB

514(A)	6010	PILES, FURNISHED (HP 10X42)	924.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	924.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	999.300	TON
601(C)	1355	TYPE I-A FILTER BLANKET	158.100	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	40.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 440
 LETTING DATE : October 18, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : WAGONER

CONTRACT ID : 120403

PROJECT(S)
 SBR-273N(001)SB
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$5.42
 20 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

PCN
 2942504

CONTRACT DESCRIPTION :
 JOINT SEAL/REPAIR
 SH-51: OVER THE VERDIGRIS RIVER, 9.2 MILES EAST OF SH-72.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
523(C) 6570	DECK AREA SEALED (FLOODCOATS)	3,648.000	SY
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,184.000	LF

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	20.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	20.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	40.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	80.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting: October 2012

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK		X

BID OPENING OF – October 18, 2012 AM

Date:	Order Taken by:	
Contractor's Id No.:	No. Of Proposal(s):	
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex #: <input type="checkbox"/> Mail	
Contractor's Name:		
Telephone No:		
Physical Address:	Please Return Completed Form to:	
	Fax : 405-522-0972 or	
	Email: orderdesk@odot.org	

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	BECKHAM	020	BRF-105C(180)CI	26657(04)		\$50.00	20.00 + 1.68	5
2	BRYAN	040	TCSP-107B(157)TC	26254(04)		\$50.00	No Charge	0
3	BRYAN	050	NHY-013N(155)	28678(04)		\$50.00	32.00 + 2.68	13
4	CADDO	060	SBR-208C(004)SB	29520(04)		\$50.00	20.00 + 1.68	0
5	CANADIAN	080	STPG-109A(189)AG	28535(04)		\$50.00	22.50 + 1.88	0
6	CLEVELAND	095	IM-NHIY-0035-2(289)109	09031(08)		\$50.00	303.00 + 25.38	83
7	CLEVELAND / MCCLAIN	100	IM-NHIY-0035-2(317)107	27896(04)		\$50.00	110.00 + 9.21	12
8	CLEVELAND	120	STPG-214A(009)AG STPG-214B(005)AG STPG-214B(016)AG	29262(04) 28933(04) 29299(04)		\$50.00	23.00 + 1.93	0
9	COMANCHE	140	BRFY-NBIP(461)3B	28709(04)		\$50.00	7.00 + 0.59	0
10	COMANCHE	160	BRFY-216N(007)3B	28709(05)		\$50.00	10.00 + 0.84	0
11	COMANCHE	180	SSP-216B(009)SS	28834(07)		\$50.00	12.50 + 1.05	0
12	CREEK	190	BRFY-119C(148)	24122(04)		\$50.00	31.00 + 2.60	11
13	CREEK	191	BRFY-119C(151)	24123(04)		\$50.00	61.00 + 5.11	20
14	CREEK	192	BRFY-119C(148) BRFY-119C(151)	24122(04)C 24123(04)C		\$50.00	92.00 + 7.71	31
15	JACKSON	200	SBR-233N(004)SB	29231(04)		\$50.00	23.00 + 1.93	0
16	LOGAN	220	STP-142C(184)AG	26861(04)		\$50.00	27.00 + 2.26	4
17	MCCLAIN	240	SAP-244D(005)	29533(04)		\$50.00	14.00 + 1.17	0
18	OKLAHOMA	260	STP-155A(869)AG	28540(04)		\$50.00	No Charge	0
19	OKLAHOMA	270	BRFY-255A(090)3B	28633(05)		\$50.00	17.00 + 1.42	N/ A
20	OKLAHOMA	280	STPG-155A(900)AG	28731(04)		\$50.00	9.00 + 0.75	0
21	OKLAHOMA	300	SBR-255N(014)SB	29086(04)		\$50.00	70.00 + 5.86	0
22	OSAGE	320	CIRB-157C(173)RB	27841(04)		\$50.00	12.00 + 1.01	3
23	OTTAWA	330	BRFY-158B(071)	21916(04)		\$50.00	64.00 + 5.36	17
24	OTTAWA	340	CIRB-158D(184)RB	28002(04)		\$50.00	17.00 + 1.42	7
25	PAWNEE	360	BRF-159C(081)CI	24375(04)		\$50.00	22.00 + 1.84	7
26	PAYNE	380	STPY-160B(103)SS STPY-160B(135)	20332(04) 21932(04)		\$50.00	275.00 + 23.04	259

BID OPENING OF – October 18, 2012 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex #: _____ <input type="checkbox"/> Mail
Contractor's Name:	
Telephone No:	
Physical Address:	Please Return Completed Form to:
	Fax : 405-522-0972 or
	Email: orderdesk@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
27	PAYNE	400	BRO-160D(143)CI	22342(04)		\$50.00	29.00 + 2.43	6
28	POTTAWATOMIE	420	BRO-163D(186)CI	23074(04)		\$50.00	7.00 + 0.59	4
29	WAGONER	440	SBR-273N(001)SB	29425(04)		\$50.00	5.00 + 0.42	0