
NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, THE VERSION **(5.11a)** OF EXPEDITE BID AND USE THIS VERSION WHEN SUBMITTING THEIR BIDS. THIS UPDATE MAY BE ACCESSED THROUGH THE ODOT WEB SITE AT:

www.okladot.state.ok.us/contracts/index.htm



REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

Notice

Internet bidding is required for most projects on the [November 15, 2012 10:30 A.M.](#) Letting. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer's office. When paper bids are allowed, the printed bid sheets created from the EBS system must be placed in front of the bid item pages in the bidding proposal and will be turned in with the bid documents along with the proper disk. They should be placed and attached there without detaching the original proposal.

(The paper copy of the bid items is the official bid document.) Plans and proposals should be ready for sale on [October 25, 2012](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at [10:00 a.m.](#) on [November 02, 2012](#) concerning this [November 15, 2012](#) Bid Opening at the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals and send your comments and questions to the Office Engineer Division (attn: Masoud Pajoh) as early as possible at Fax: (405) 522-0972 or phone: (405) 521-2625. Please include JP, County, Letting date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Website
<http://www.okladot.state.ok.us/contracts/index.htm>

Questions and concerns regarding projects on any Letting should be faxed to:
Office Engineer Division at 405-522-0972
or emailed to:

mpajoh@odot.org with copy to bschmitt@odot.org

Please include words 'Pre-bid questions(s) and the Call Order and the Letting Date of the project in Question' in the subject line

Plans for the projects on this letting can be found at:
<http://www.okladot.state.ok.us/contracts/a2012/plans.htm>

CERTIFIED PAYROLL - FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors.

Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the Regulatory Services Office at (405) 521-6046.

Until further notice all projects which include a pay item for Contractors Quality Control (Item 643) will require the bidder to bid a minimum amount for that item.

This minimum will be specified at the end of the Special Provision 648-1QA(a)09, Payment for Contractor's Quality Control. You may increase this amount as necessary to cover the estimated Quality Control expenses.

Failure to include at least this amount will be considered grounds for rejection of Contractor's bid as nonresponsive.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the Prime Contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. There is a new cover sheet that is required with these DBE confirmations. It is located at the website below.

Please ensure that the DBE commitment provided in the proposal matches the written confirmation.

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:
<http://www.okladot.state.ok.us/regserv/dbefinfo>

Reminder

Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bid.

For written bids do not disassemble the bidding proposal in any way.

Note

Only written, Email, Fax and in-person orders will be accepted.

The Order Form included in this Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

orderdesk@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , Thursday, November 15, 2012 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal.

Bids must be prepared as directed by the State Standard Specifications. Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

Description of work and location of project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 020
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : ADAIR

CONTRACT ID : 120404

PROJECT(S) : CIRB-101C(076)RB
PCN : 2483004
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$26.01
 180 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (PINEY RD): OVER EVANSVILLE CREEK 2.7 MILES EAST
 AND 0.2 MILE NORTH OF THE US-59/SH-51 JCT.
 PROJECT LENGTH = 0.426 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3,364.000	CY
202(D) 0184	UNCLASSIFIED BORROW	7,551.000	CY
221(C) 2801	TEMPORARY SILT FENCE	2,825.000	LF
221(F) 0100	TEMPORARY SILT DIKE	250.000	LF
230(A) 2806	SOLID SLAB SODDING	14,250.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.800	AC
307(K) 4300	STABILIZED SUBGRADE	3,935.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	3,200.000	TON
407(B) 0250	TACK COAT	455.000	GAL
408 5774	PRIME COAT	1,020.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	937.400	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	668.600	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(A) 0492	24" R.C.PIPE CLASS III	54.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	162.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	102.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	32.000	LF
613(B) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	32.000	LF
613(L) 4504	21" X 15" PREFAB. CULVERT END SECTION, ARCH	6.000	EA
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	2.000	EA
613(L) 4530	42" X 29" PREFAB. CULVERT END SECTION, ARCH	2.000	EA
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3,425.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	135.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	237.500	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
625(B) 1252	REMOVE AND RECONSTRUCT FENCE	1,900.000	LF
629(E) 5048	REMOVE AND RESET MAILBOX	4.000	EA

SECTION 0002 - ROADWAY (WATERLINE)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
303(A) 2100	AGGREGATE BASE TYPE A	13.000	CY
501(E) 6354	SELECT BACKFILL	160.000	CY
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	38.000	CY
616(B) 5218	2" POLYVINYL CHLORIDE (PVC) PIPE	90.000	LF
616(D) 1060	4" GATE VALVE	2.000	EA
616(F) 5211	METER INSTALLATION 2"	3.000	EA
616(P) 0100	4" HDPE PIPE	1,410.000	LF
802(C) 8550	HIGH DENSITY POLYETHYLENE (HDPE) CONDUIT BORED	420.000	LF

SECTION 0003 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(G) 6309	CLSM BACKFILL	70.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	792.000	LF
504(A) 1304	APPROACH SLAB	115.000	SY
504(B) 1305	SAW-CUT GROOVING	728.200	SY
504(D) 6239	CONCRETE RAIL (TR3)	594.600	LF
506(A) 1322	STRUCTURAL STEEL	980.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	6.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	12.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	12.000	EA
509(A) 1326	CLASS AA CONCRETE	227.500	CY
509(B) 1328	CLASS A CONCRETE	86.800	CY
511(A) 1332	REINFORCING STEEL	73,210.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	246.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	132.000	LF
514(K) 6260	(PL)PILOT HOLES	120.000	LF
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	93.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	745.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	225.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	35.000	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	99.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	11.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	9,074.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 040
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : ADAIR

CONTRACT ID : 120405

PROJECT(S) : CIRB-101C(077)RB
PCN : 2483104
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$26.01
 180 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 COUNTY ROAD (CHEWEY RD): OVER ILLINOIS RIVER 4.0 MILE SOUTH
 AND 0.8 MILE EAST OF THE NORTHWEST COUNTY LINE.

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
221(C) 2801	TEMPORARY SILT FENCE	2,000.000	LF
230(A) 2806	SOLID SLAB SODDING	3,000.000	SY
232(A) 2813	SEEDING METHOD A	1.000	AC
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
407(B) 0250	TACK COAT	72.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	240.000	TON
412 5267	COLD MILLING PAVEMENT	734.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	620.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	400.000	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	5.000	CY
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
504(A) 1304	APPROACH SLAB	125.400	SY
504(B) 1305	SAW-CUT GROOVING	1,453.400	SY
504(C) 6250	SEALED EXPANSION JOINT	58.340	LF
504(D) 6239	CONCRETE RAIL (TR3)	1,005.400	LF
506(A) 1322	STRUCTURAL STEEL	379,430.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	24.000	EA
509(A) 1326	CLASS AA CONCRETE	318.400	CY
509(B) 1328	CLASS A CONCRETE	35.000	CY
511(A) 1332	REINFORCING STEEL	108,440.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	906.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	50.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	5.000	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	20.000	SY
523(A) 6550	SEALER CRACK PREPARATION	169.000	LF
523(B) 6560	SEALER RESIN	2.000	GAL
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	180.000	SD
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	14.000	EA
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,620.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	360.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	5.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2,325.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	325.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 070
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CADDO

CONTRACT ID : 120438

PROJECT(S) : STPY-108C(170) PCN : 2441404
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$41.18
 200 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, SURFACE, AND BRIDGE
 SH-19: CURVE CORRECTION 1.7 MILES EAST OF THE KIOWA COUNTY
 LINE.
 PROJECT LENGTH = 0.557 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	10,452.000	CY
202(D) 0184	UNCLASSIFIED BORROW	34,915.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,200.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	434.000	LF
230(A) 2806	SOLID SLAB SODDING	62,133.000	SY
230(F) 2812	WATERING	4,971.000	KGAL
233(A) 2817	VEGETATIVE MULCHING	13.000	AC
241 2832	MOWING	26.000	AC
307(A) 4200	FLY ASH	1,112.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	20,588.000	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	104.000	TON
407(B) 0250	TACK COAT	1,720.000	GAL
408 5774	PRIME COAT	4,328.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	6,569.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2,111.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	52.000	CY
509(B) 0321	CLASS A CONCRETE	169.000	CY
511(A) 0332	REINFORCING STEEL	22,418.000	LB
613(A) 0492	24" R.C.PIPE CLASS III	80.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	70.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	148.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	2.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	13,195.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	624.000	LF
619(C) 0924	SAWING PAVEMENT	2,252.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,089.000	LF

629(A)	4958	MAILBOX INSTALLATION-SINGLE	1.000	EA
629(C)	4960	MAILBOX	1.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	1.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1,910.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	392.000	CY
509(A) 1326	CLASS AA CONCRETE	725.400	CY
511(A) 1332	REINFORCING STEEL	127,520.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	6,600.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1,000.000	LF
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	400.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,000.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,800.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,600.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,400.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	800.000	SD
880(C) 8848	WING BARRICADES	400.000	SD
880(D) 8854	VERTICAL PANELS	9,000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	4,000.000	SD
880(F) 8878	DRUMS	3,600.000	SD
880(G) 8890	CHANNELIZER CONES	6,000.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	400.000	SD

SECTION 0004 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	38.000	EA
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	12,000.000	LF
880(C) 8850	PERMANENT BARRICADE UNIT	1.000	EA

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 100
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CARTER

CONTRACT ID : 120407

PROJECT(S)
 HSIPG-210C(012)TR
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$11.92
 40 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

PCN
 2944004

CONTRACT DESCRIPTION :
 SAFETY IMPROVEMENT (WARNING SIGNS)
 US-70/SH-76: INSTALL FLASHING WARNING SIGNS AT THE
 US-70/SH-76 JCT.

SECTION 0001 - TRAFFIC SIGNALS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
413(B) 4862	RUMBLE STRIP-METHOD HMA-CYC GROUP	12.000	EAGP
804(A) 2915	STRUCTURAL CONCRETE	6.400	CY
804(B) 2916	REINFORCING STEEL	768.000	LB
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	72.000	SF
851(B) 3217	2 1/2"@5.79 GALV.STEEL PIPE POST	520.000	LF
851(C) 8324	2" SQUARE TUBE POST	84.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	14,900.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	270.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	785.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	40.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	17.000	EA
855(B) 8824	TRAFFIC STRIPE(PLASTIC)(SYMBOLS)	8.000	EA
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	40.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	40.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	80.000	SD
890 7700	(PL)TRAFFIC ITEMS	1.000	LSUM

SECTION 0002 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

THIS PROJECT PULLED
10/25/12

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 110
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CHEROKEE

CONTRACT ID : 120327

PROJECT(S) : HSIPG-211F(002)TR
PCN : 2922904
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$14.09
 60 CALENDAR DAYS
 RES. ENG: DIVISION 1 (MUSKOGEE)

CONTRACT DESCRIPTION :
 SAFETY IMPROVEMENT (CABLE BARRIER AND GUARDRAIL)
 US-62/SH-10: US-62 FROM SH-51, EXTEND NORTH, AND SH-10 FROM
 US-62, EXTEND NORTH.
 PROJECT LENGTH = 10.00 MILES

SECTION 0001 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	60.000	SD
880(I) 8902	FLAGGER	60.000	SD
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	120.000	SD

SECTION 0002 - CABLE BARRIER

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	304.000	CY
202(D) 0184	UNCLASSIFIED BORROW	18,701.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	598.000	LF
230(A) 2806	SOLID SLAB SODDING	15,543.000	SY
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-27)OC	1,782.000	TON
509(A) 0319	CLASS AA CONCRETE	245.000	CY
619(B) 4780	REMOVAL OF GUARDRAIL	5,920.000	LF
623(A) 0932	BEAM GUARDRAIL W/ BEAM SINGLE	3,125.000	LF
623(D) 5203	BEAM GUARDRAIL TRIE-BEAM DOUBLE	150.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	16.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	8.000	EA
628(B) 5125	HIGH-TENSION CABLE BARRIER(TL-4)	18,848.000	LF
628(C) 5110	END ANCHORS	30.000	EA
628(E) 5175	CABLE BARRIER TENSION METER	1.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	90.000	EA

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

**THIS PROJECT PULLED
10/25/12**

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 120
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CLEVELAND

CONTRACT ID : 120408

PROJECT(S)
 STPG-214F(008)AG
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$2.17
 30 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

PCN
 2824804

CONTRACT DESCRIPTION :
 STRIPING AND PAVEMENT MARKING
 CITY STREETS: MULTIPLE LOCATIONS IN THE CITY OF NORMAN.

SECTION 0001 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,963.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	112.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	1,265.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	15.000	EA
855(B) 8821	TRAFFIC STRIPE(PLASTIC)(WORDS)	1.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	105,871.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	3,814.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	14,180.000	LF
856(B) 8525	TRAFFIC STRIPE (MULTI-POLYMER)(SYMBOLS, WORDS. ETC.)	258.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	211,490.000	LF
857(F) 8007	PAVEMENT MARKING REMOVAL(ARROWS)	254.000	EA
857(F) 8008	PAVEMENT MARKING REMOVAL(WORDS)	16.000	EA
857(F) 8009	PAVEMENT MARKING REMOVAL(SYMBOLS)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 140
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CLEVELAND

CONTRACT ID : 120409

PROJECT(S) : STP-114C(298)AG
PCN : 2853604
 DBE GOAL : 6.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$22.22
 120 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 RESURFACE (ASPHALT)
 CITY STREET (BRYANT AVE.): FROM 89TH ST. TO 104TH STREET
 IN THE CITY OF OKLAHOMA CITY.
 PROJECT LENGTH = 0.781 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	1,113.000	CY
221(F) 0100	TEMPORARY SILT DIKE	200.000	LF
230(A) 2806	SOLID SLAB SODDING	4,900.000	SY
307(A) 4200	FLY ASH	1,275.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	14,250.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	550.000	TON
408 5774	PRIME COAT	2,650.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2,235.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1,485.000	TON
609(A) 0300	CONCRETE CURB (6" BARRIER-INTEGRAL)	40.000	LF
609(B) 1525	2'-8" COMB. CURB & GUTTER (6" BARRIER)	290.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	150.000	SY
610(A) 0605	6" CONCRETE SIDEWALK	175.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	60.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	100.000	SF
613(A) 4504	19" X 30" R.C.PIPE ELLIPTICAL CLASS HE-III	20.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	450.000	LF
613(I) 1097	8" NON-PERF.PIPE UNDERDRAIN RND.	150.000	LF
613(L) 5810	19" X 30" PREFAB. CULVERT END SEC., ELLIPTICAL	4.000	EA
619(B) 4726	REMOVAL OF CURB AND GUTTER	150.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	13,060.000	SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	60.000	SY
619(B) 4792	REMOVAL OF SIDEWALK	50.000	SY
619(C) 0924	SAWING PAVEMENT	1,275.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	19,712.000	LF
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	230.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	40.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 160
LETTING DATE : November 15, 2012
LETTING TIME : 10:30 A.M.
COUNTIES : CLEVELAND

CONTRACT ID : 120410

PROJECT(S)
STPG-114B(302)AG
DBE GOAL : 0.00
GUARANTY : 5% OF TOTAL BID
PLAN PRICE : \$10.84
60 CALENDAR DAYS
RES. ENG: BRUCE VALLEY, PURCELL

PCN
2901004

CONTRACT DESCRIPTION :
LIGHTING
CITY STREET (JENKINS AVE.): FROM SH-9 TO CONSTITUTION ST.
IN THE CITY OF NORMAN.
PROJECT LENGTH = 0.76 MILES

SECTION 0001 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	910.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	3,020.000	LF
803(A) 8065	PULL BOX(SIZE I)	26.000	EA
804(A) 2915	STRUCTURAL CONCRETE	15.400	CY
804(B) 2916	REINFORCING STEEL	1,056.000	LB
806(E) 0200	DECORATIVE POLE AND MAST ARM	2.000	EA
806(E) 0210	DECORATIVE POLE AND TWIN MAST ARM	20.000	EA
809(A) 8090	ROADWAY LUMINAIRE	50.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8038	1/C NO.4 ELECTRICAL CONDUCTOR	11,790.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 180
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CLEVELAND
 MCCLAIN

CONTRACT ID : 120411

PROJECT(S)
 SBR-214C(014)SB
PCN
 2943404
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$33.60
 30 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 US-77: OVER SOUTH CANADIAN RIVER AND BNSF RAILROAD.
 PROJECT LENGTH = 0.70 MILES

SECTION 0001 - BRIDGE A

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
504(H) 6389	ELASTOMERIC MORTAR	22.000	CF
506(A) 1322	STRUCTURAL STEEL	500.000	LB
509(B) 1328	CLASS A CONCRETE	2.000	CY
512(A) 1323	PAINTING EXISTING STRUCTURES	1.000	LSUM
512(B) 6303	COLLECTION AND HANDLING OF WASTE	1.000	LSUM
513(B) 6019	CLASS B BRIDGE DECK REPAIR	5.000	SY
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	20.300	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	103.000	EA
540 4525	(PL)REPAIR BRIDGE ITEM (TYPE B)	660.000	EA
540 4535	(PL)REPAIR BRIDGE ITEM (TYPE C)	264.000	EA
542 4615	(PL)INSTALLATION OF BRIDGE ITEMS(TYPE A)	594.000	EA
542 4620	(PL)INSTALLATION OF BRIDGE ITEMS(TYPE B)	1.000	LSUM
545 4810	(PL)REPLACE BRIDGE ITEM (TYPE A)	1.000	LSUM
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	30.000	SD
857(C) 8857	REMOVABLE PAVEMENT MARKING TAPE(8" WIDE)	576.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	330.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	90.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	390.000	SD
880(C) 8848	WING BARRICADES	90.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	330.000	SD
880(F) 8878	DRUMS	750.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 200
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : COTTON

CONTRACT ID : 120412

PROJECT(S) : CIRB-117C(063)RB
PCN : 2485804
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$20.59
 180 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-262): OVER EAST CACHE CREEK 1.0 MILE NORTH
 OF THE SH-5/SH-53 JCT.
 PROJECT LENGTH = 1.116 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	6,400.000	LF
221(F) 0100	TEMPORARY SILT DIKE	160.000	LF
221(G) 0151	TEMPORARY ROCK FILTER DAM TYPE 2	31.000	CY
230(A) 2806	SOLID SLAB SODDING	45,100.000	SY
233(A) 2817	VEGETATIVE MULCHING	18.600	AC
303(A) 2100	AGGREGATE BASE TYPE A	600.000	CY
307(A) 4200	FLY ASH	619.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	14,330.000	SY
311(C) 0153	PROCESSING EXISTING BASE & SURFACE, METHOD C	4,805.000	LF
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2,747.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,867.000	TON
509(A) 0319	CLASS AA CONCRETE	16.500	CY
509(D) 0325	CLASS C CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	2,365.000	LB
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	224.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	6.000	EA
619(B) 0291	REMOVAL OF HEADWALL	2.000	EA
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	360.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	309.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	5,900.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	421.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	100.000	CY
508 6335	REMOVAL OF CULVERT END	2.000	EA
509(A) 1326	CLASS AA CONCRETE	222.200	CY
511(A) 1332	REINFORCING STEEL	31,450.000	LB

SECTION 0003 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY

501(F)	6352	GRANULAR BACKFILL	56.000	CY
503(A)	1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	437.340	LF
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	318.670	LF
504(B)	1305	SAW-CUT GROOVING	110.000	SY
504(D)	6239	CONCRETE RAIL (TR3)	435.400	LF
506(A)	1322	STRUCTURAL STEEL	870.000	LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B)	6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
509(A)	1326	CLASS AA CONCRETE	199.600	CY
509(B)	1328	CLASS A CONCRETE	128.600	CY
511(A)	1332	REINFORCING STEEL	68,100.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	500.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	500.000	LF
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	166.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	3,115.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	594.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	66.000	LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	60.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F)	6029	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641	1399 MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 220
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : COTTON

CONTRACT ID : 120413

PROJECT(S) PCN
 BRO-117D(086)CI 2743604
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$8.67
 90 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-253): OVER TRIBUTARY OF CACHE CREEK, 0.2
 MILE NORTH AND 1.0 MILE WEST OF THE US-277/SH-5 JCT.
 PROJECT LENGTH = 0.188 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,900.000	LF
221(F) 0100	TEMPORARY SILT DIKE	160.000	LF
230(A) 2806	SOLID SLAB SODDING	5,750.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.400	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	940.000	TON
408 5774	PRIME COAT	702.000	GAL
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	80.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	4.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1,198.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	104.000	CY
509(A) 1326	CLASS AA CONCRETE	279.360	CY
511(A) 1332	REINFORCING STEEL	51,306.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,072.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	301.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0005 - ROADWAY (NON-PARTICIPATING)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,893.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 221
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CREEK

CONTRACT ID : 120439

PROJECT(S) PCN
 BRFY-219A(006) 2706704
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$65.03
 180 CALENDAR DAYS
TIME 'B' BID - \$20,000.00 / DAY
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-51: ACCELERATED BRIDGE CONSTRUCTION OVER COTTONWOOD
 CREEK, 8.5 MILES EAST OF SH-99.
 PROJECT LENGTH = 0.079 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	358.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,775.000	LF
221(F) 0100	TEMPORARY SILT DIKE	28.000	LF
230(A) 2806	SOLID SLAB SODDING	1,008.000	SY
232(B) 2814	SEEDING METHOD B	0.420	AC
233(A) 2817	VEGETATIVE MULCHING	0.210	AC
241 2832	MOWING	0.420	AC
303(A) 2100	AGGREGATE BASE TYPE A	103.000	CY
310(B) 0149	SUBGRADE, METHOD B	505.000	SY
325 5271	SEPARATOR FABRIC	543.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	705.200	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	428.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	256.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	382.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	267.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	96.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	118.000	SY
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	382.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	152.000	LF
619(C) 0924	SAWING PAVEMENT	1,135.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	625.000	LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000	EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	34.000	CY
501(G) 6309	CLSM BACKFILL	314.000	CY

502(A)	6173	ENGINEERED FALSEWORK	1.000	LSUM
503(A)	6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	1,028.700	LF
504(A)	1304	APPROACH SLAB	353.200	SY
504(B)	1305	SAW-CUT GROOVING	1,484.200	SY
504(C)	6250	SEALED EXPANSION JOINT	89.800	LF
504(D)	6245	CONCRETE RAIL (TR4)	668.100	LF
506(A)	1322	STRUCTURAL STEEL	4,567.000	LB
507(A)	6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B)	6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	12.000	EA
509	6152	SPECIAL CONCRETE FINISH	246.000	SY
509(A)	1326	CLASS AA CONCRETE	433.000	CY
509(B)	1328	CLASS A CONCRETE	489.000	CY
509(D)	1331	CLASS C CONCRETE	2.800	CY
510(A)	6334	RETAINING WALL	124.000	SY
511(A)	1332	REINFORCING STEEL	1,346.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	251,231.000	LB
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	1,431.000	SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	484.000	LF
516(A)	6098	DRILLED SHAFTS 72" DIAMETER	176.000	LF
516(C)	6200	CROSSHOLE SONIC LOGGING	12.000	EA
516(D)	6400	CSL ACCESS TUBES	3,540.000	LF
536(A)	2000	(SP) ABC - HORIZONTAL SLIDE	1.000	LSUM
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,262.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	271.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	160.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	7.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC SIGNING & STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A)	8724 (PL)REMOVAL OF EXISTING SIGNS	1.000	EA
805(D)	8756 (PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
851(C)	8330 2 1/2" SQUARE TUBE POST	25.000	LF
853	9069 GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	20.000	EA
856(A)	8530 TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	2,960.000	LF

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
880(B)	8818 CONSTRUCTION SIGNS 0 TO 6.25 SF	630.000	SD
880(B)	8821 CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	126.000	SD
880(B)	8824 CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	84.000	SD
880(C)	8842 CONSTRUCTION BARRICADES(TYPE III)	42.000	SD
880(E)	8860 WARNING LIGHTS(TYPE A)	168.000	SD
880(I)	8902 FLAGGER	10.000	SD
882(A)	8306 PORT.CHANGEABLE MESSAGE SIGN	84.000	SD

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 223
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : CARTER
 GARVIN

CONTRACT ID : 120424

PROJECT(S) : STPY-125C(109) PCN : 2096904
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$59.61
 220 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-74: OVER AN UNNAMED TRIBUTARY TO WILDHORSE CREEK 0.24
 MILES NORTH OF THE CARTER COUNTY LINE.
 PROJECT LENGTH = 0.590 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	24,916.000	CY
202(D) 0184	UNCLASSIFIED BORROW	10,136.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,322.000	LF
221(F) 0100	TEMPORARY SILT DIKE	266.000	LF
227 0300	(SP)TURF REINFORCEMENT MAT	58.000	SY
229 4318	DITCH LINER PROTECTION	336.000	LF
230(A) 2806	SOLID SLAB SODDING	28,228.000	SY
232(B) 2814	SEEDING METHOD B	2.500	AC
233(A) 2817	VEGETATIVE MULCHING	2.500	AC
241 2832	MOWING	11.600	AC
303(A) 2100	AGGREGATE BASE TYPE A	2,825.000	CY
307(D) 4230	LIME	450.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	13,867.000	SY
310(B) 0149	SUBGRADE, METHOD B	3,995.000	SY
325 5271	SEPARATOR FABRIC	14,560.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,465.000	TON
407(B) 0250	TACK COAT	2,140.000	GAL
408 5774	PRIME COAT	11,109.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	4,316.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,752.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	70.000	CY
509(A) 0319	CLASS AA CONCRETE	92.500	CY
509(D) 0325	CLASS C CONCRETE	43.700	CY
511(A) 0332	REINFORCING STEEL	11,850.000	LB
613(B) 0689	18" CORR. GALV. STEEL PIPE	164.000	LF
613(B) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	112.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(M) 7193	TYPE CC4 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	10,165.000	SY

619(C) 0924	SAWING PAVEMENT	3,281.000 LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	3,642.000 LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	3,350.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	650.000	CY
509(A) 1326	CLASS AA CONCRETE	741.200	CY
511(A) 1332	REINFORCING STEEL	138,875.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1,850.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	285.000	CY
509(A) 1326	CLASS AA CONCRETE	362.200	CY
511(A) 1332	REINFORCING STEEL	65,080.000	LB
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	245.000	SF
851(C) 8324	2" SQUARE TUBE POST	150.000	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	6.000	EA
853 9039	DELINEATORS(TYPE 2, CODE 3)	6.000	EA
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	15,116.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	8,172.000	LF
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	240.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	2,935.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	440.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	740.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,300.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	440.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,980.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,420.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,140.000	SD
880(C) 8848	WING BARRICADES	880.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7,120.000	SD
880(F) 8878	DRUMS	1,865.000	SD

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 229
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : GRANT

CONTRACT ID : 120426

PROJECT(S) : BRFY-127B(058) PCN : 2184904
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$85.62
 265 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 US-60: OVER POND CREEK 1.5 MILES EAST OF THE SH-74 JCT
 SOUTH OF LAMONT.
 PROJECT LENGTH = 0.649 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	21,633.000	CY
202(D) 0184	UNCLASSIFIED BORROW	68,116.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	6,463.000	LF
221(F) 0100	TEMPORARY SILT DIKE	385.000	LF
230(A) 2806	SOLID SLAB SODDING	55,712.000	SY
232(B) 2814	SEEDING METHOD B	23.040	AC
233(A) 2817	VEGETATIVE MULCHING	11.520	AC
241 2832	MOWING	23.040	AC
242 0400	(PL)STABILIZED CONSTRUCTION EXIT	2.000	EA
303(A) 2100	AGGREGATE BASE TYPE A	3,388.000	CY
307(K) 4300	STABILIZED SUBGRADE	24,973.000	SY
325 5271	SEPARATOR FABRIC	16,805.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	1,000.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,856.000	TON
408 5774	PRIME COAT	7,776.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	6,287.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2,517.000	TON
412 5267	COLD MILLING PAVEMENT	500.000	SY
509(D) 0325	CLASS C CONCRETE	63.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	13.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	3.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	307.000	SY
611(G) 5334	INLET GPI TYPE 2 (DES. 8)	1.000	EA
613(A) 0400	12" R.C.PIPE CLASS III	61.000	LF
613(A) 0491	18" R.C.PIPE CLASS III	58.000	LF
613(B) 0688	12" CORR. GALV. STEEL PIPE	94.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	49.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	674.000	LF

619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6,775.000 SY
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	11,478.000 SY
619(B) 4780	REMOVAL OF GUARDRAIL	1,053.000 LF
619(C) 0924	SAWING PAVEMENT	1,280.000 LF
623 0100	(PL)GUARDRAIL CURBING	4.000 EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	687.500 LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000 EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000 EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	292.000 LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	201.700	CY
501(G) 6309	CLSM BACKFILL	213.900	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	956.100	LF
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	478.700	LF
504(A) 1304	APPROACH SLAB	281.200	SY
504(B) 1305	SAW-CUT GROOVING	1,879.000	SY
504(C) 6250	SEALED EXPANSION JOINT	83.200	LF
504(D) 6245	CONCRETE RAIL (TR4)	845.800	LF
506(A) 1322	STRUCTURAL STEEL	2,565.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	452.400	CY
509(B) 1328	CLASS A CONCRETE	257.600	CY
509(D) 1331	CLASS C CONCRETE	9.000	CY
511(A) 1332	REINFORCING STEEL	1,110.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	139,695.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	192.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	611.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	192.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	611.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,769.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	238.000	LF
523(A) 6550	SEALER CRACK PREPARATION	42.200	LF
523(B) 6560	SEALER RESIN	0.400	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	2,084.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	316.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	86.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC SIGNING & STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	14.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	74.680	SF
851(C) 8330	2 1/2" SQUARE TUBE POST	139.750	LF
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	20.000	EA

855(A) 8840 TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE) 18,550.000 LF

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	12,496.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2,075.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	4,702.000	LF
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	25.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	10,830.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4,970.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3,735.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4,920.000	SD
880(C) 8848	WING BARRICADES	1,380.000	SD
880(C) 8850	PERMANENT BARRICADE UNIT	2.000	EA
880(D) 8854	VERTICAL PANELS	20,520.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	9,975.000	SD
880(F) 8878	DRUMS	17,790.000	SD

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 230
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : GRANT

CONTRACT ID : 120428

PROJECT(S) : BRFY-127B(120) PCN : 2417704
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$42.27
 150 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 US-60: OVER BOGGY CREEK 4.2 MILES WEST OF THE KAY COUNTY
 LINE.
 PROJECT LENGTH = 0.183 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	18,816.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	652.000	LF
221(F) 0100	TEMPORARY SILT DIKE	252.000	LF
230(A) 2806	SOLID SLAB SODDING	22,536.000	SY
232(B) 2814	SEEDING METHOD B	9.340	AC
233(A) 2817	VEGETATIVE MULCHING	4.670	AC
241 2832	MOWING	9.340	AC
303(A) 2100	AGGREGATE BASE TYPE A	1,148.000	CY
307(K) 4300	STABILIZED SUBGRADE	12,682.000	SY
325 5271	SEPARATOR FABRIC	5,908.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	615.000	TON
408 5774	PRIME COAT	3,580.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2,917.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,327.000	TON
412 5267	COLD MILLING PAVEMENT	300.000	SY
509(D) 0325	CLASS C CONCRETE	42.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	262.000	LF
613(B) 5739	84" CORR. GALV. STEEL PIPE	250.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(M) 7191	TYPE AA4 CULVERT END TREATMENT	1.000	EA
613(M) 7201	TYPE AA6 CULVERT END TREATMENT	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	5,831.000	SY
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	3,260.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	659.000	LF
619(C) 0924	SAWING PAVEMENT	468.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	500.000	LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000	EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	842.000	LF

624(D) 4470 GATE, GALVANIZED STEEL 1.000 EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	304.000	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	499.000	LF
504(A) 1304	APPROACH SLAB	271.800	SY
504(B) 1305	SAW-CUT GROOVING	815.600	SY
504(D) 6245	CONCRETE RAIL (TR4)	367.000	LF
506(A) 1322	STRUCTURAL STEEL	600.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	208.800	CY
509(B) 1328	CLASS A CONCRETE	69.200	CY
509(D) 1331	CLASS C CONCRETE	13.800	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	50,575.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	564.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	564.000	LF
514(K) 6260	(PL)PILOT HOLES	444.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	641.000	SY
601(B) 1353	TYPE I-A PLAIN RIPRAP	964.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	146.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	100.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - PERMANENT TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	18.000	SF
851(C) 8330	2 1/2" SQUARE TUBE POST	26.500	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	1.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	14.000	EA
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	6,186.000	LF

SECTION 0004 - TEMPORARY TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	9,180.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	3,090.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,569.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,840.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,860.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,280.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,860.000	SD
880(C) 8848	WING BARRICADES	1,200.000	SD
880(D) 8854	VERTICAL PANELS	7,200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5,820.000	SD
880(F) 8878	DRUMS	4,740.000	SD
880(I) 8902	FLAGGER	20.000	SD

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM
SECTION 0006 - CONSTRUCTION			
ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 231
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : GRANT

CONTRACT ID : 120443

PROJECT(S)
 BRFY-127B(058)
 BRFY-127B(120)
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$127.89
 300 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

PCN
 2184904C
 2417704C

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 US-60: OVER POND CREEK 1.5 MILES EAST OF THE SH-74 JCT, AND
 OVER BOGGEY CREEK 4.2 MILES WEST OF THE KAY COUNTY LINE.
 PROJECT LENGTH = 0.832 MILES

SECTION 0001 - ROADWAY - BRFY-127B(058)

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	21,633.000	CY
202(D) 0184	UNCLASSIFIED BORROW	68,116.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	6,463.000	LF
221(F) 0100	TEMPORARY SILT DIKE	385.000	LF
230(A) 2806	SOLID SLAB SODDING	55,712.000	SY
232(B) 2814	SEEDING METHOD B	23.040	AC
233(A) 2817	VEGETATIVE MULCHING	11.520	AC
241 2832	MOWING	23.040	AC
242 0400	(PL)STABILIZED CONSTRUCTION EXIT	2.000	EA
303(A) 2100	AGGREGATE BASE TYPE A	3,388.000	CY
307(K) 4300	STABILIZED SUBGRADE	24,973.000	SY
325 5271	SEPARATOR FABRIC	16,805.000	SY
326(B) 0100	GEOGRID REINFORCEMENT	1,000.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,856.000	TON
408 5774	PRIME COAT	7,776.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	6,287.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2,517.000	TON
412 5267	COLD MILLING PAVEMENT	500.000	SY
509(D) 0325	CLASS C CONCRETE	63.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	13.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	3.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	307.000	SY
611(G) 5334	INLET GPI TYPE 2 (DES. 8)	1.000	EA
613(A) 0400	12" R.C.PIPE CLASS III	61.000	LF
613(A) 0491	18" R.C.PIPE CLASS III	58.000	LF
613(B) 0688	12" CORR. GALV. STEEL PIPE	94.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	49.000	LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

619(B) 4725	REMOVAL OF FENCE	674.000 LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	6,775.000 SY
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	11,478.000 SY
619(B) 4780	REMOVAL OF GUARDRAIL	1,053.000 LF
619(C) 0924	SAWING PAVEMENT	1,280.000 LF
623 0100	(PL)GUARDRAIL CURBING	4.000 EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	687.500 LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000 EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000 EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	292.000 LF

SECTION 0002 - BRIDGE 'A' - BRFY-127B(058)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	201.700	CY
501(G) 6309	CLSM BACKFILL	213.900	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	956.100	LF
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	478.700	LF
504(A) 1304	APPROACH SLAB	281.200	SY
504(B) 1305	SAW-CUT GROOVING	1,879.000	SY
504(C) 6250	SEALED EXPANSION JOINT	83.200	LF
504(D) 6245	CONCRETE RAIL (TR4)	845.800	LF
506(A) 1322	STRUCTURAL STEEL	2,565.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	16.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	452.400	CY
509(B) 1328	CLASS A CONCRETE	257.600	CY
509(D) 1331	CLASS C CONCRETE	9.000	CY
511(A) 1332	REINFORCING STEEL	1,110.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	139,695.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	192.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	611.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	192.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	611.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,769.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	238.000	LF
523(A) 6550	SEALER CRACK PREPARATION	42.200	LF
523(B) 6560	SEALER RESIN	0.400	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	2,084.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	316.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	86.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC SIGNING & STRIPING - BRFY-127B(058)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	14.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	74.680	SF
851(C) 8330	2 1/2" SQUARE TUBE POST	139.750	LF

853	9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	20.000	EA
855(A)	8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	18,550.000	LF

SECTION 0004 - TRAFFIC CONTROL - BRFY-127B(058)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	12,496.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	2,075.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	4,702.000	LF
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	25.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	10,830.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4,970.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3,735.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4,920.000	SD
880(C) 8848	WING BARRICADES	1,380.000	SD
880(C) 8850	PERMANENT BARRICADE UNIT	2.000	EA
880(D) 8854	VERTICAL PANELS	20,520.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	9,975.000	SD
880(F) 8878	DRUMS	17,790.000	SD

SECTION 0005 - STAKING - BRFY-127B(058)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION - BRFY-127B(058)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0007 - ROADWAY - BRFY-127B(120)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	18,816.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	652.000	LF
221(F) 0100	TEMPORARY SILT DIKE	252.000	LF
230(A) 2806	SOLID SLAB SODDING	22,536.000	SY
232(B) 2814	SEEDING METHOD B	9.340	AC
233(A) 2817	VEGETATIVE MULCHING	4.670	AC
241 2832	MOWING	9.340	AC
303(A) 2100	AGGREGATE BASE TYPE A	1,148.000	CY
307(K) 4300	STABILIZED SUBGRADE	12,682.000	SY
325 5271	SEPARATOR FABRIC	5,908.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	615.000	TON
408 5774	PRIME COAT	3,580.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2,917.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,327.000	TON
412 5267	COLD MILLING PAVEMENT	300.000	SY
509(D) 0325	CLASS C CONCRETE	42.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	262.000	LF
613(B) 5739	84" CORR. GALV. STEEL PIPE	250.000	LF

613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	2.000 EA
613(M) 7191	TYPE AA4 CULVERT END TREATMENT	1.000 EA
613(M) 7201	TYPE AA6 CULVERT END TREATMENT	1.000 EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	5,831.000 SY
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	3,260.000 SY
619(B) 4780	REMOVAL OF GUARDRAIL	659.000 LF
619(C) 0924	SAWING PAVEMENT	468.000 LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	500.000 LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000 EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000 EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	842.000 LF
624(D) 4470	GATE, GALVANIZED STEEL	1.000 EA

SECTION 0008 - BRIDGE 'A' - BRFY-127B(120)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	304.000	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	499.000	LF
504(A) 1304	APPROACH SLAB	271.800	SY
504(B) 1305	SAW-CUT GROOVING	815.600	SY
504(D) 6245	CONCRETE RAIL (TR4)	367.000	LF
506(A) 1322	STRUCTURAL STEEL	600.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	208.800	CY
509(B) 1328	CLASS A CONCRETE	69.200	CY
509(D) 1331	CLASS C CONCRETE	13.800	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	50,575.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	564.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	564.000	LF
514(K) 6260	(PL)PILOT HOLES	444.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	641.000	SY
601(B) 1353	TYPE I-A PLAIN RIPRAP	964.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	146.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	100.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0009 - PERMANENT TRAFFIC - BRFY-127B(120)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	18.000	SF
851(C) 8330	2 1/2" SQUARE TUBE POST	26.500	LF
853 9033	DELINEATORS(TYPE 2, CODE 1)	1.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	14.000	EA
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	6,186.000	LF

SECTION 0010 - TEMPORARY TRAFFIC - BRFY-127B(120)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	9,180.000	LF

857(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	3,090.000	LF
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,569.000	LF
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,840.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,860.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,280.000	SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	1,860.000	SD
880(C)	8848	WING BARRICADES	1,200.000	SD
880(D)	8854	VERTICAL PANELS	7,200.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	5,820.000	SD
880(F)	8878	DRUMS	4,740.000	SD
880(I)	8902	FLAGGER	20.000	SD

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 240
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : HARPER

CONTRACT ID : 120414

PROJECT(S) : STP-130C(135)CI
PCN : 2591304
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$41.18
 120 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-171): OVER KIOWA CREEK, 2.9 MILES NORTH AND
 5.0 MILES WEST OF THE US-283/SH-149 JCT.
 PROJECT LENGTH = 0.259 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	790.000	LF
221(F) 0100	TEMPORARY SILT DIKE	530.000	LF
230(A) 2806	SOLID SLAB SODDING	15,581.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.200	AC
311(D) 0154	PROCESSING EXISTING BASE & SURFACE, METHOD D	1,210.000	LF
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	572.000	TON
407(B) 0250	TACK COAT	160.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	705.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	352.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
510(E) 0100	DECORATIVE WALL	45.000	LF
613(B) 0694	48" CORR. GALV. STEEL PIPE	108.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	45.000	LF
613(U) 1100	PIPE UNDERDRAIN COVER MAT'L.	6.000	CY

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	60.000	CY
501(G) 6309	CLSM BACKFILL	40.000	CY
503(B) 6144	PRESTRESSED CONCRETE DOUBLE TEE	654.000	LF
504(B) 1305	SAW-CUT GROOVING	402.000	SY
504(D) 6239	CONCRETE RAIL (TR3)	375.000	LF
509(A) 1326	CLASS AA CONCRETE	108.700	CY
509(B) 1328	CLASS A CONCRETE	49.200	CY
511(A) 1332	REINFORCING STEEL	27,067.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	160.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1,318.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	160.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1,318.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	310.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	58.000	TON

613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000 LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	200.000 LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000 EA
623(F) 8300	GUARDRAIL TRAIL END TURNDOWN (31")	4.000 EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 250
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : JOHNSTON

CONTRACT ID : 120429

PROJECT(S) : BRFY-135B(050) PCN : 2097104
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$30.35
 90 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-99: OVER PECAN CREEK 2.25 MILES NORTH OF SH-7.
 PROJECT LENGTH = 0.132 MILES

SECTION 0001 - ROADWAY - BRFY-135B(050)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1,574.000	CY
202(D) 0184	UNCLASSIFIED BORROW	7,791.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,800.000	LF
221(F) 0100	TEMPORARY SILT DIKE	210.000	LF
230(A) 2806	SOLID SLAB SODDING	8,257.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	757.000	CY
307(A) 4200	FLY ASH	354.000	TON
307(D) 4230	LIME	59.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	6,495.000	SY
307(G) 4260	LIME PRETREATMENT	3,248.000	SY
325 5271	SEPARATOR FABRIC	3,725.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	434.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,112.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	591.000	TON
509(D) 0325	CLASS C CONCRETE	9.000	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	60.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	85.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	80.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	20.000	LF
619(B) 4725	REMOVAL OF FENCE	762.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3,825.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	950.000	LF
619(C) 0924	SAWING PAVEMENT	44.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	738.000	LF

SECTION 0002 - BRIDGE 'A' - BRFY-135B(050)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1,030.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	273.000	CY
501(G) 6309	CLSM BACKFILL	96.000	CY
509(A) 1326	CLASS AA CONCRETE	613.600	CY

511(A) 1332	REINFORCING STEEL	97,470.000 LB
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000 LSUM

SECTION 0003 - TRAFFIC - BRFY-135B(050)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	75.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,200.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	2,700.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	800.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	800.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2,500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING - BRFY-135B(050)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION - BRFY-135B(050)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 251
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : JOHNSTON

CONTRACT ID : 120430

PROJECT(S) : BRFY-135B(077) PCN : 2326504
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$41.18
 90 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-99: OVER LITTLE PECAN CREEK, 3.68 MILES NORTH OF SH-7.
 PROJECT LENGTH = 0.142 MILES

SECTION 0001 - ROADWAY - BRFY-135B(077)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1,881.000	CY
202(D) 0184	UNCLASSIFIED BORROW	10,730.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,920.000	LF
221(F) 0100	TEMPORARY SILT DIKE	210.000	LF
230(A) 2806	SOLID SLAB SODDING	11,607.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	815.000	CY
307(A) 4200	FLY ASH	388.000	TON
307(D) 4230	LIME	65.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	7,137.000	SY
307(G) 4260	LIME PRETREATMENT	3,569.000	SY
325 5271	SEPARATOR FABRIC	4,009.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	488.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,219.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	619.000	TON
509(D) 0325	CLASS C CONCRETE	9.000	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	207.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	125.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	80.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	20.000	LF
619(B) 4725	REMOVAL OF FENCE	1,730.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	4,162.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	950.000	LF
619(C) 0924	SAWING PAVEMENT	45.000	LF
624(A) 4281	FENCE-STYLE WWF	704.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,264.000	LF

SECTION 0002 - BRIDGE 'A' - BRFY-135B(077)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2,225.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	325.000	CY
501(G) 6309	CLSM BACKFILL	239.000	CY

509(A)	1326	CLASS AA CONCRETE	854.500	CY
511(A)	1332	REINFORCING STEEL	168,010.000	LB
619(B)	2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - TRAFFIC - BRFY-135B(077)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	75.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,600.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	5,800.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	840.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	800.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2,800.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING - BRFY-135B(077)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION - BRFY-135B(077)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 252
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : JOHNSTON

CONTRACT ID : 120441

PROJECT(S)
 BRFY-135B(050)
 BRFY-135B(077)
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$71.53
 150 CALENDAR DAYS
 RES. ENG: DIVISION 3 (ADA)

PCN
 2097104C
 2326504C

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-99: OVER PECAN CREEK 2.25 MILES NORTH OF SH-7, AND OVER
 LITTLE PECAN CREEK 3.68 MILES NORTH OF SH-7.
 PROJECT LENGTH = 0.274 MILES

SECTION 0001 - ROADWAY - BRFY-135B(050)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1,574.000	CY
202(D) 0184	UNCLASSIFIED BORROW	7,791.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,800.000	LF
221(F) 0100	TEMPORARY SILT DIKE	210.000	LF
230(A) 2806	SOLID SLAB SODDING	8,257.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	757.000	CY
307(A) 4200	FLY ASH	354.000	TON
307(D) 4230	LIME	59.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	6,495.000	SY
307(G) 4260	LIME PRETREATMENT	3,248.000	SY
325 5271	SEPARATOR FABRIC	3,725.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	434.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,112.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	591.000	TON
509(D) 0325	CLASS C CONCRETE	9.000	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	60.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	85.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	80.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	20.000	LF
619(B) 4725	REMOVAL OF FENCE	762.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3,825.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	950.000	LF
619(C) 0924	SAWING PAVEMENT	44.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	738.000	LF

SECTION 0002 - BRIDGE 'A' - BRFY-135B(050)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1,030.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	273.000	CY

501(G) 6309	CLSM BACKFILL	96.000 CY
509(A) 1326	CLASS AA CONCRETE	613.600 CY
511(A) 1332	REINFORCING STEEL	97,470.000 LB
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000 LSUM

SECTION 0003 - TRAFFIC - BRFY-135B(050)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	75.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,200.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	2,700.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	800.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	800.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2,500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - ROADWAY - BRFY-135B(077)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1,881.000	CY
202(D) 0184	UNCLASSIFIED BORROW	10,730.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,920.000	LF
221(F) 0100	TEMPORARY SILT DIKE	210.000	LF
230(A) 2806	SOLID SLAB SODDING	11,607.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	815.000	CY
307(A) 4200	FLY ASH	388.000	TON
307(D) 4230	LIME	65.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	7,137.000	SY
307(G) 4260	LIME PRETREATMENT	3,569.000	SY
325 5271	SEPARATOR FABRIC	4,009.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	488.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,219.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	619.000	TON
509(D) 0325	CLASS C CONCRETE	9.000	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	207.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	125.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	80.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	20.000	LF
619(B) 4725	REMOVAL OF FENCE	1,730.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	4,162.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	950.000	LF
619(C) 0924	SAWING PAVEMENT	45.000	LF
624(A) 4281	FENCE-STYLE WWF	704.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,264.000	LF

SECTION 0005 - BRIDGE 'A' - BRFY-135B(077)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2,225.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	325.000	CY

501(G) 6309	CLSM BACKFILL	239.000 CY
509(A) 1326	CLASS AA CONCRETE	854.500 CY
511(A) 1332	REINFORCING STEEL	168,010.000 LB
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000 LSUM

SECTION 0006 - TRAFFIC - BRFY-135B(077)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	75.000	SD
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	5,600.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	5,800.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	840.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	800.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	2,800.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0007 - STAKING - BRFY-135B(077)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0008 - CONSTRUCTION - BRFY-135B(077)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 290
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : LOGAN

CONTRACT ID : 120431

PROJECT(S) : BRFY-142C(136) PCN : 2421504
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$34.68
 150 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-74: OVER CROW/SHAWNEE CREEK, 11.0 MILES NORTH OF SH-33.
 PROJECT LENGTH = 0.193 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	24,604.000	CY
202(D) 0184	UNCLASSIFIED BORROW	4,560.160	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,738.000	LF
221(F) 0100	TEMPORARY SILT DIKE	308.000	LF
230(A) 2806	SOLID SLAB SODDING	9,927.000	SY
233(A) 2817	VEGETATIVE MULCHING	5.860	AC
241 2832	MOWING	14.650	AC
307(A) 4200	FLY ASH	598.570	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	11,084.440	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	14.720	TON
407(B) 0250	TACK COAT	752.560	GAL
408 5774	PRIME COAT	1,639.900	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2,810.730	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,213.710	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0689	18" CORR. GALV. STEEL PIPE	120.000	LF
613(B) 5075	108" CORR. GALV. STEEL PIPE	400.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4725	REMOVAL OF FENCE	2,943.600	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,734.610	SY
619(B) 4780	REMOVAL OF GUARDRAIL	562.430	LF
619(C) 0924	SAWING PAVEMENT	48.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	550.000	LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
623(I) 8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,897.170	LF
624(D) 4470	GATE, GALVANIZED STEEL	1.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	18.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	170.000	CY
501(G) 6309	CLSM BACKFILL	180.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	597.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(B) 1305	SAW-CUT GROOVING	677.800	SY
504(D) 6245	CONCRETE RAIL (TR4)	397.000	LF
506(A) 1322	STRUCTURAL STEEL	1,050.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	209.800	CY
509(B) 1328	CLASS A CONCRETE	143.350	CY
511(A) 1332	REINFORCING STEEL	4,050.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	68,230.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	910.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	910.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	691.000	SY
516(A) 6094	DRILLED SHAFTS 48" DIAMETER	183.000	LF
523(A) 6550	SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL
601(A) 1351	TYPE I PLAIN RIPRAP	280.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	54.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	100.000	LF

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	8,930.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,540.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,900.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,400.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,500.000	SD
880(C) 8848	WING BARRICADES	600.000	SD
880(D) 8854	VERTICAL PANELS	4,200.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,100.000	SD
880(F) 8878	DRUMS	2,100.000	SD

SECTION 0004 - SIGNING & STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A) 2915	STRUCTURAL CONCRETE	1.200	CY
804(B) 2916	REINFORCING STEEL	144.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	32.500	SF
851(C) 8324	2" SQUARE TUBE POST	61.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	4,700.000	LF

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(A) 0095	CONSTRUCTION STAKING LEVEL I	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 295
LETTING DATE : November 15, 2012
LETTING TIME : 10:30 A.M.
COUNTIES : LOGAN

CONTRACT ID : 120437

PROJECT(S) : MC-242A(004) PCN : 2989104
DBE GOAL : 0.00
GUARANTY : 5% OF TOTAL BID
PLAN PRICE : \$4.34
30 CALENDAR DAYS
RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
BRIDGE REPAIR
SH-33: OVER COTTONWOOD CREEK AND BNSF RAILROAD 0.3 MILE WEST
OF US-77.
PROJECT LENGTH = 0.143 MILES

SECTION 0001 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
521(A) 6210	PNEUMATICALLY PLACED MORTAR	32.000	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	531.000	SF
619(B) 2505	REMOVAL OF BRIDGE ITEMS	1.000	EA

SECTION 0002 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 300
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : MCCURTAIN

CONTRACT ID : 120417

PROJECT(S) : BRO-145D(132)CI
PCN : 2205604
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$11.92
 90 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-457): OVER BENNINGFIELD CREEK 1.2 MILE SOUTH
 AND 0.2 MILE WEST OF THE SH-3/SH-98 JCT.
 PROJECT LENGTH = 0.182 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3,845.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	90.000	LF
221(F) 0100	TEMPORARY SILT DIKE	370.000	LF
230(A) 2806	SOLID SLAB SODDING	9,163.170	SY
233(A) 2817	VEGETATIVE MULCHING	2.640	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	845.000	TON
509(D) 0325	CLASS C CONCRETE	100.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	618.880	TON
613(B) 0690	24" CORR. GALV. STEEL PIPE	37.000	LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
623(F) 6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	180.000	CY
501(F) 6352	GRANULAR BACKFILL	76.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	209.000	LF
504(B) 1305	SAW-CUT GROOVING	176.500	SY
504(D) 6239	CONCRETE RAIL (TR3)	201.200	LF
506(A) 1322	STRUCTURAL STEEL	510.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	56.500	CY
509(B) 1328	CLASS A CONCRETE	66.200	CY
511(A) 1332	REINFORCING STEEL	22,560.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	80.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	150.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	80.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	150.000	LF
514(K) 6260	(PL)PILOT HOLES	132.000	LF

514(L)	6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
601(B)	1353	TYPE I-A PLAIN RIPRAP	530.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	165.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	32.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 310
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : MCCURTAIN

CONTRACT ID : 120432

PROJECT(S) : BRFY-245N(007) PCN : 2623404
 DBE GOAL : 6.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$61.77
 180 CALENDAR DAYS
 RES. ENG: DIVISION 2 (ANTLERS)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 US-70: SOUTHBOUND OVER YASHAU CREEK, 9.1 MILES NORTHEAST OF
 US-259.
 PROJECT LENGTH = 1.039 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	22,297.000	CY
202(D) 0184	UNCLASSIFIED BORROW	15,484.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,133.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	4.000	EA
221(E) 2804	TEMPORARY SEDIMENT BASIN	1.000	EA
221(F) 0100	TEMPORARY SILT DIKE	546.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	16.000	CY
230(A) 2806	SOLID SLAB SODDING	80,354.000	SY
233(A) 2817	VEGETATIVE MULCHING	16.230	AC
234(A) 2824	FERTILIZING (10-20-10)	8.000	TON
241 2832	MOWING	16.230	AC
303(A) 2100	AGGREGATE BASE TYPE A	11,470.000	CY
325 5271	SEPARATOR FABRIC	30,682.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	725.000	TON
407(B) 0250	TACK COAT	4,415.000	GAL
408 5774	PRIME COAT	11,618.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	2,846.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	7,672.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	1,940.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,447.000	TON
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	4.000	CY
509(D) 0325	CLASS C CONCRETE	206.000	CY
609(B) 1513	1'-8" COMB. CURB & GUTTER (6" BARRIER)	621.000	LF
610(B) 0604	6" CONCRETE DRIVEWAY	51.000	SY
611(G) 6002	INLET (SMD-TYPE 2)	2.000	EA
613(A) 0492	24" R.C.PIPE CLASS III	200.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	172.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	988.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	294.000	LF
613(H) 0500	8" PERFORATED PIPE UNDERDRAIN ROUND	369.000	LF

613(I)	1097	8" NON-PERF.PIPE UNDERDRAIN RND.	123.000	LF
613(J)	5915	EDGE DRAIN CONDUIT-PERFORATED	621.000	LF
613(K)	5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	30.000	LF
613(L)	5730	24" PREFAB. CULVERT END SECTION, ROUND	3.000	EA
613(M)	7197	TYPE B6 CULVERT END TREATMENT	26.000	EA
613(Q)	5946	OUTLET LATERAL HEADWALL	3.000	EA
613(T)	1187	STANDARD BEDDING MATERIAL, CLASS C	149.000	CY
613(U)	1100	PIPE UNDERDRAIN COVER MAT'L.	111.000	CY
613(V)	1180	TRENCH EXCAVATION	427.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	0291	REMOVAL OF HEADWALL	2.000	EA
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	26,134.000	SY
619(B)	4780	REMOVAL OF GUARDRAIL	400.000	LF
619(C)	0924	SAWING PAVEMENT	2,940.000	LF
623(A)	0932	BEAM GUARDRAIL W-BEAM SINGLE	750.000	LF
623(G)	8571	GUARDRAIL END TREATMENT (GET)	2.000	EA
623(I)	8675	GUARDRAIL BRIDGE CONNECTION-TYPE A	2.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,344.000	LF
629(A)	4958	MAILBOX INSTALLATION-SINGLE	8.000	EA
629(B)	4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C)	4960	MAILBOX	10.000	EA
629(D)	4961	REMOVAL OF MAILBOX INSTALLATION	9.000	EA
853	9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	18.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	100.000 CY
501(G)	6309	CLSM BACKFILL	272.300 CY
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	1,194.670 LF
504(A)	1304	APPROACH SLAB	218.800 SY
504(B)	1305	SAW-CUT GROOVING	1,311.800 SY
504(E)	6190	42" F-SHAPED PARAPET	697.000 LF
506(A)	1322	STRUCTURAL STEEL	1,480.000 LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000 EA
507(B)	6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	24.000 EA
507(C)	6282	ELASTOMERIC BEARING PADS	24.000 EA
509(A)	1326	CLASS AA CONCRETE	345.900 CY
509(B)	1328	CLASS A CONCRETE	161.100 CY
511(A)	1332	REINFORCING STEEL	970.000 LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	109,020.000 LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	472.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	472.000 LF
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	1,241.000 SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	250.000 LF
523(A)	6550	SEALER CRACK PREPARATION	246.000 LF
523(B)	6560	SEALER RESIN	1.700 GAL
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,650.000 TON
601(C)	1355	TYPE I-A FILTER BLANKET	300.000 TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000 LF

613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	22.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	21,000.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	500.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	21,000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	180.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	360.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,200.000	LF
878(B) 8487	MODULAR GLARE SCREEN (TEMPORARY)	6,480.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	540.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,340.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,880.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,800.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	23,520.000	SD
880(C) 8848	WING BARRICADES	720.000	SD
880(D) 8854	VERTICAL PANELS	3,600.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	57,200.000	SD
880(F) 8878	DRUMS	15,300.000	SD
880(G) 8884	TUBE CHANNELIZERS	9,000.000	SD
880(G) 8890	CHANNELIZER CONES	9,000.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	360.000	SD

SECTION 0004 - SIGNING & PAVEMENT MARKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	350.600	SF
851(C) 8324	2" SQUARE TUBE POST	578.500	LF
851(C) 8330	2 1/2" SQUARE TUBE POST	34.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	25,600.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	500.000	LF

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 323
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : NOBLE

CONTRACT ID : 120442

PROJECT(S) : NHY-152N(071) PCN : 2186204
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$40.10
 100 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 US-64: OVER COW CREEK 0.7 MILE EAST OF US-77.
 PROJECT LENGTH = 0.216 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3,936.000	CY
221(C) 2801	TEMPORARY SILT FENCE	2,296.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	2.000	EA
221(F) 0100	TEMPORARY SILT DIKE	203.000	LF
229 4318	DITCH LINER PROTECTION	700.000	LF
230(A) 2806	SOLID SLAB SODDING	11,196.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	94.000	CY
307(A) 4200	FLY ASH	262.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	3,228.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	69.000	TON
407(B) 0250	TACK COAT	793.000	GAL
408 5774	PRIME COAT	1,567.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	381.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,307.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	410.000	TON
509(D) 0325	CLASS C CONCRETE	90.000	CY
609(B) 1525	2'-8" COMB. CURB & GUTTER (6" BARRIER)	1,861.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	853.000	SY
611(A) 2657	MANHOLE (4' DIAMETER)	1.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	7.000	VF
611(G) 5112	INLET CI DES. 2 (STD)	2.000	EA
611(G) 5737	INLET CDI 30SK RCP DES.2	1.000	EA
611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	5.000	VF
611(H) 5750	ADD'L DEPTH IN INLET CDI RCP 30SK DES. 2	9.000	VF
613(A) 0491	18" R.C.PIPE CLASS III	78.000	LF
613(A) 4503	14" X 23" R.C.PIPE ELLIPTICAL CLASS HE-III	60.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	60.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	512.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	5.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	10.000	EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	252.000	CY
613(V) 1180	TRENCH EXCAVATION	960.000	CY

619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 0291	REMOVAL OF HEADWALL	7.000	EA
619(B) 4725	REMOVAL OF FENCE	257.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3,648.000	SY
619(B) 4741	REMOVAL OF DRAINAGE INLETS	6.000	EA
619(B) 4778	REMOVAL OF EXISTING STRUCTURES	1.000	EA
619(B) 4780	REMOVAL OF GUARDRAIL	213.000	LF
619(B) 4791	REMOVAL OF CURB	78.000	LF
619(B) 5918	REMOVAL OF EXISTING PIPE	538.000	LF
619(C) 0924	SAWING PAVEMENT	197.000	LF
624(C) 4465	FENCE-STYLE SWF (5 BARBLESS WIRE)	165.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA
629(B) 4959	MAILBOX INSTALLATION-MULTIPLE	1.000	EA
629(C) 4960	MAILBOX	4.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	4.000	EA

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	225.700	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	716.000	LF
504(A) 1304	APPROACH SLAB	224.900	SY
504(B) 1305	SAW-CUT GROOVING	711.000	SY
504(D) 6245	CONCRETE RAIL (TR4)	361.000	LF
506(A) 1322	STRUCTURAL STEEL	14,220.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A) 1326	CLASS AA CONCRETE	300.300	CY
509(B) 1328	CLASS A CONCRETE	162.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	136,624.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	531.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	531.000	LF
514(F) 6354	PILE LOAD TEST (DYNAMIC)	18.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	835.000	SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	136.000	LF
523(A) 6550	SEALER CRACK PREPARATION	163.000	LF
523(B) 6560	SEALER RESIN	1.800	GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,433.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	325.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	82.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	48.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	471.000	LF
803(A) 8065	PULL BOX(SIZE I)	5.000	EA

804(A)	2915	STRUCTURAL CONCRETE	3.000	CY
804(B)	2916	REINFORCING STEEL	101.000	LB
805(A)	8712	(PL)REMOVAL OF LIGHT POLE	3.000	EA
805(A)	8724	(PL)REMOVAL OF EXISTING SIGNS	11.000	EA
805(D)	8756	(PL)REMOVE & RESET EXISTING SIGNS	13.000	EA
806(C)	8926	40' MTG & 12' HLMA(G.STL.)	3.000	EA
807	8092	BREAKAWAY BASE (DES. B)	3.000	EA
809(A)	8090	ROADWAY LUMINAIRE	3.000	EA
811	8046	1/C NO.12 ELECTRICAL CONDUCTOR	1,884.000	LF
850(A)	8110	SHEET ALUMINUM SIGNS	36.000	SF
851(C)	8324	2" SQUARE TUBE POST	84.000	LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	2,060.000	LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 325
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : NOBLE

CONTRACT ID : 120433

PROJECT(S) : BRFY-152C(134)
PCN : 2424804
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$30.35
 60 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-15: OVER TWO UNNAMED CREEKS 8.1 AND 8.4 MILES EAST OF THE
 GARFIELD COUNTY LINE.
 PROJECT LENGTH = 0.20 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1,990.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2,118.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	124.000	LF
221(F) 0100	TEMPORARY SILT DIKE	228.000	LF
230(A) 2806	SOLID SLAB SODDING	11,200.000	SY
307(D) 4230	LIME	47.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	2,582.000	SY
407(B) 0250	TACK COAT	233.000	GAL
408 5774	PRIME COAT	388.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	788.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	257.000	TON
509(D) 0325	CLASS C CONCRETE	62.700	CY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,000.000	SY
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	3,148.000	LF

SECTION 0002 - BRIDGE A

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	530.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	89.000	CY
509(A) 1326	CLASS AA CONCRETE	217.400	CY
511(A) 1332	REINFORCING STEEL	32,320.000	LB
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - BRIDGE B

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1,080.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	120.000	CY
509(A) 1326	CLASS AA CONCRETE	364.700	CY
511(A) 1332	REINFORCING STEEL	51,730.000	LB
601(B) 1353	TYPE I-A PLAIN RIPRAP	300.000	TON
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0004 - TRAFFIC TEMPORARY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
SECTION 0005 - TRAFFIC PERMANENT			
ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	3,000.000	LF
SECTION 0006 - STAKING			
ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM
SECTION 0007 - CONSTRUCTION			
ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 340
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 120418

PROJECT(S) : STP-155C(661)AG
PCN : 2565304
 DBE GOAL : 6.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$84.53
 210 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND SURFACE
 CITY STREET (NW 150TH): BETWEEN PORTLAND AVE. AND MAY AVE.
 IN THE CITY OF OKLAHOMA CITY.
 PROJECT LENGTH = 0.670 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	6,801.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,324.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	7,733.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	13.000	EA
221(F) 0100	TEMPORARY SILT DIKE	238.000	LF
221(G) 0152	TEMPORARY ROCK FILTER DAM TYPE 3	53.000	CY
221(G) 0153	TEMPORARY ROCK FILTER DAM TYPE 4	99.000	CY
230(A) 2806	SOLID SLAB SODDING	26,717.000	SY
233(A) 2817	VEGETATIVE MULCHING	6.000	AC
241 2832	MOWING	11.000	AC
307(K) 4300	STABILIZED SUBGRADE	22,221.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,074.000	TON
407(B) 0250	TACK COAT	950.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	716.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	5,057.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	475.000	TON
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	20,637.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	4,873.000	CY
504(E) 6190	42" F-SHAPED PARAPET	22.000	LF
509(A) 1326	CLASS AA CONCRETE	10.000	CY
511(A) 0332	REINFORCING STEEL	930.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	154.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	49.000	TON
602(A) 4154	GABIONS	107.000	CY
602(B) 5860	REVTMENT MATTRESSES	384.000	SY
602(C) 4155	FILTER FABRIC	241.000	SY
609(A) 0380	CONCRETE CURB (8" BARRIER-INTEGRAL)	7,137.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	1,906.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	330.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	128.000	SF

611(A)	2657	MANHOLE (4' DIAMETER)	6.000	EA
611(A)	2658	MANHOLE (5' DIAMETER)	1.000	EA
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	3.000	VF
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIAMETER)	1.000	VF
611(G)	5112	INLET CI DES. 2 (STD)	2.000	EA
611(G)	5113	INLET CI DES. 2 (B)	3.000	EA
611(G)	5114	INLET CI DES. 2 (C)	1.000	EA
611(G)	5119	INLET CI DES. 2 (2D)	2.000	EA
611(G)	5120	INLET CI DES. 3 (STD)	2.000	EA
611(G)	5125	INLET CI DES. 3 (2D)	2.000	EA
611(H)	5325	ADD'L DEPTH IN INLET CI DES. 2	15.000	VF
611(H)	5330	ADD'L DEPTH IN INLET CI DES. 3	15.000	VF
613(A)	0491	18" R.C.PIPE CLASS III	210.000	LF
613(A)	0492	24" R.C.PIPE CLASS III	1,722.000	LF
613(A)	4500	58" X 36" R.C.PIPE ARCH CLASS A-III	88.000	LF
613(A)	4501	65" X 40" R.C.PIPE ARCH CLASS A-III	68.000	LF
613(A)	4502	73" X 45" R.C.PIPE ARCH CLASS A-III	24.000	LF
613(B)	4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	58.000	LF
613(H)	0450	6" PERFORATED PIPE UNDERDRAIN ROUND	252.000	LF
613(I)	1096	6" NON-PERF.PIPE UNDERDRAIN RND.	84.000	LF
613(L)	4546	58" X 36" PREFAB. CULVERT END SECTION, ARCH	1.000	EA
613(L)	4552	65" X 40" PREFAB. CULVERT END SECTION, ARCH	1.000	EA
613(L)	4559	73" X 45" PREFAB. CULVERT END SECTION, ARCH	1.000	EA
613(S)	1186	STANDARD BEDDING MATERIAL, CLASS B	266.000	CY
613(T)	1187	STANDARD BEDDING MATERIAL, CLASS C	901.000	CY
613(U)	1100	PIPE UNDERDRAIN COVER MAT'L.	34.000	CY
613(V)	1180	TRENCH EXCAVATION	2,221.000	CY
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4726	REMOVAL OF CURB AND GUTTER	216.000	LF
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	12,030.000	SY
619(B)	4766	REMOVAL OF CONCRETE DRIVEWAY	806.000	SY
619(B)	4780	REMOVAL OF GUARDRAIL	401.000	LF
619(C)	0924	SAWING PAVEMENT	221.000	LF
871(A)	8325	(SP)IMPACT ATTENUATOR	2.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1,570.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	147.000	CY
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	460.000	CY
504(E) 6190	42" F-SHAPED PARAPET	186.200	LF
509(A) 1326	CLASS AA CONCRETE	423.900	CY
509(B) 1328	CLASS A CONCRETE	166.300	CY
511(A) 1332	REINFORCING STEEL	91,470.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	1,470.000	LB
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	355.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	90.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	40.000	LF

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
877(A) 8483	PORTABLE LONGITUDINAL BARRIER	3,640.000	LF
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3,640.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	6,330.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A) 2915	STRUCTURAL CONCRETE	0.820	CY
804(B) 2916	REINFORCING STEEL	48.000	LB
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	4.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	54.970	SF
851(B) 3216	2"@3.65 GALV.STEEL PIPE POST	84.000	LF
851(B) 3217	2 1/2"@5.79 GALV.STEEL PIPE POST	26.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	11,798.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	491.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	77.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	6.000	EA
856(B) 8880	TRAFFIC STRIPE(MULTI-POLY.)(WORDS)	2.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	500.000	LF
857(F) 8007	PAVEMENT MARKING REMOVAL(ARROWS)	2.000	EA
857(F) 8008	PAVEMENT MARKING REMOVAL(WORDS)	1.000	EA

SECTION 0005 - TRAFFIC SIGNAL MODIFICATION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B) 8332	1" PVC SCH.40 PLASTIC CONDUIT BORED	20.000	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	130.000	LF
803(A) 8065	PULL BOX(SIZE I)	2.000	EA
805(A) 8704	REMOVAL OF PULL BOX	2.000	EA
828(B) 8136	LOOP DETECTOR WIRE	970.000	LF
831 8252	1WAY 3SEC. ADJ. SIG. HD. S-9	1.000	EA
833 3030	BACKPLATE	1.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	75.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	130.000	LF

SECTION 0006 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0008 - WATER (NON-PARTICIPATING)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
230(A) 2806	SOLID SLAB SODDING	2,350.000	SY
601(A) 1351	TYPE I PLAIN RIPRAP	50.000	TON
616(A) 6010	6" DUCTILE IRON PIPE W/POLYETHYLENE ENCASEMENT	24.000	LF
616(A) 6030	12" DUCTILE IRON PIPE W/POLYETHYLENE ENCASEMENT	1,058.000	LF
616(A) 6500	DUCTILE IRON FITTINGS	4,494.000	LB

616(D) 1070	6" GATE VALVE	1.000 EA
616(D) 6000	12" TAP	6.000 EA
616(D) 7023	12" X 12" TAPPING SLEEVE	6.000 EA
616(D) 8060	12" TAPPING VALVE AND BOX	6.000 EA
616(I) 0125	12" STEEL CASING	10.000 LF
616(I) 5266	20" STEEL CASING	110.000 LF
616(N) 0100	WET CONNECTION (12")	2.000 EA
616(U) 0100	6" MECHANICAL JOINT RESTRAINT	13.000 EA
616(U) 0110	12" MECHANICAL JOINT RESTRAINT	91.000 EA
616(V) 0100	HYDROSTATIC PRESSURE TESTING & DISINFECTION	1.000 LSUM
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 7210	REMOVAL OF GATE VALVE AND BOX	1.000 EA
619(B) 7220	REMOVAL OF WATER LINE	29.000 LF

SECTION 0009 - STAKING (NON-PARTICIPATING)

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 360
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OKLAHOMA

CONTRACT ID : 120419

PROJECT(S) : SAP-255B(130) PCN : 2989204
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$11.92
 10 CALENDAR DAYS
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE REPAIR
 CITY STREET (ROCKWELL AVE.): BRIDGE IMPACT OVER I-40
 2.0 MILES EAST OF THE CANADIAN COUNTY LINE.

SECTION 0001 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
502 6116	(PL)FALSEWORK JACKING	1.000	LSUM
540 4500	(PL)REPAIR BRIDGE ITEMS	1.000	LSUM

SECTION 0002 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	10.000	SD
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	40.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	20.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	130.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	160.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	370.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	110.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	710.000	SD
880(E) 8900	(PL) CONSTRUCTION ZONE SEQUENTIAL LIGHTING SYSTEM	1.000	LSUM
880(F) 8878	DRUMS	800.000	SD
880(G) 8890	CHANNELIZER CONES	650.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	140.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	20.000	SD

SECTION 0003 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 365
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : OTTAWA

CONTRACT ID : 120435

PROJECT(S) : BRFY-158B(104) PCN : 2315704
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$73.70
 130 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 BRIDGE REHABILITATION
 US-60: OVER US-59 7.5 MILES NORTHWEST OF THE DELAWARE
 COUNTY LINE.
 PROJECT LENGTH = 0.148 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,422.000	CY
202(D) 0184	UNCLASSIFIED BORROW	584.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,581.000	LF
221(F) 0100	TEMPORARY SILT DIKE	252.000	LF
230(A) 2806	SOLID SLAB SODDING	1,769.000	SY
232(B) 2814	SEEDING METHOD B	0.740	AC
233(A) 2817	VEGETATIVE MULCHING	0.370	AC
241 2832	MOWING	0.740	AC
303(A) 2100	AGGREGATE BASE TYPE A	1,607.000	CY
325 5271	SEPARATOR FABRIC	6,480.000	SY
407(B) 0250	TACK COAT	240.000	GAL
408 5774	PRIME COAT	1,135.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	447.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	367.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	149.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	5,286.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	1,359.000	CY
609(A) 0287	CONCRETE CURB (4" MNTBLE-INTEGRAL)	2,075.000	LF
609(A) 0300	CONCRETE CURB (6" BARRIER-INTEGRAL)	1,205.000	LF
609(B) 1513	1'-8" COMB. CURB & GUTTER (6" BARRIER)	1,455.000	LF
610(C) 0608	4" CONCRETE DIVIDING STRIP	451.000	SY
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	1,428.000	LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	450.000	LF
613(Q) 5946	OUTLET LATERAL HEADWALL	8.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	1,454.000	LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	5,217.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	3,076.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	1,306.000	LF
619(B) 4791	REMOVAL OF CURB	3,174.000	LF

619(B) 6130	REMOVAL OF 4" CONCRETE DIVIDING STRIP	450.000 SY
619(C) 0924	SAWING PAVEMENT	1,830.000 LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	250.000 LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	6.000 EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	6.000 EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(G) 6309	CLSM BACKFILL	30.000	CY
504(A) 1304	APPROACH SLAB	298.000	SY
504(B) 1305	SAW-CUT GROOVING	1,106.600	SY
504(E) 6190	42" F-SHAPED PARAPET	369.400	LF
504(G) 6390	RAPID CURE JOINT SEALANT	265.500	LF
505(E) 1000	HYDRODEMOLITION	972.800	SY
509(A) 1326	CLASS AA CONCRETE	151.400	CY
509(D) 1331	CLASS C CONCRETE	13.600	CY
510(C) 6137	SLOPE WALL (4")	526.200	SY
511 6306	MECHANICAL SPLICES	187.000	EA
511(B) 6010	EPOXY COATED REINFORCING STEEL	24,807.000	LB
513(C) 6020	CLASS C BRIDGE DECK REPAIR	30.000	SY
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	434.000	SY
520(A) 6058	PREPARATION OF CRACKS, ABOVE WATER	804.000	LF
520(C) 6060	EPOXY RESIN, ABOVE WATER	26.800	GAL
521(A) 6210	PNEUMATICALLY PLACED MORTAR	79.600	SY
524(A) 6610	(SP)CARBON FIBER-REINFORCED POLYMER	449.000	SF
535 6130	(SP)CORROSION INHIBITOR(SURFACE APPLIED)	50.000	SY
540 4515	(PL)REPAIR BRIDGE ITEM (TYPE A)	44.000	EA
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - PERMANENT TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	3.000	EA
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	24.000	EA
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	16,743.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	2,400.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	5,527.000	LF
871(A) 8325	(SP)IMPACT ATTENUATOR	2.000	EA

SECTION 0004 - TEMPORARY TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	4,750.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	5,075.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	22,000.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	180.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	4,748.000	LF
877(C) 8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	887.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	5,495.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,170.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,345.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	800.000	SD

880(C) 8848	WING BARRICADES	1,080.000 SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,525.000 SD
880(F) 8878	DRUMS	13,780.000 SD

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 370
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : PAYNE

CONTRACT ID : 120436

PROJECT(S) : BRFY-160B(168) PCN : 2433004
 DBE GOAL : 6.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$42.27
 120 CALENDAR DAYS
TIME 'B' BID - \$5,000.00 / DAY
 RES. ENG: DIVISION 4 (PERRY)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-51: EASTBOUND OVER HARRINGTON CREEK 6.8 MILES WEST OF
 US-177.
 PROJECT LENGTH = 0.359 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	3,993.000	CY
202(D) 0184	UNCLASSIFIED BORROW	8,927.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,240.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	4.000	EA
221(F) 0100	TEMPORARY SILT DIKE	208.000	LF
229 4318	DITCH LINER PROTECTION	332.000	LF
230(A) 2806	SOLID SLAB SODDING	21,450.000	SY
303(A) 2100	AGGREGATE BASE TYPE A	10.000	CY
307(A) 4200	FLY ASH	344.000	TON
307(D) 4230	LIME	34.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	6,370.000	SY
307(G) 4260	LIME PRETREATMENT	1,912.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	416.000	TON
407(B) 0250	TACK COAT	1,692.000	GAL
408 5774	PRIME COAT	1,402.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	735.000	SY
409(B) 4268	BITUMINOUS BINDER	148.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	1,066.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,673.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	796.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	356.000	TON
412 5267	COLD MILLING PAVEMENT	4,756.000	SY
509(D) 0325	CLASS C CONCRETE	57.000	CY
611(G) 5340	INLET GPI TYPE 2 (DES. 14)	3.000	EA
611(G) 6002	INLET (SMD-TYPE 2)	2.000	EA
611(H) 5196	ADDITIONAL DEPTH IN INLET	2.000	VF
611(H) 5375	ADD'L DEPTH IN INLET GPI TYPE 2	2.000	VF
613(A) 0494	36" R.C.PIPE CLASS III	542.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	42.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	80.000	LF

613(B) 0692	36" CORR. GALV. STEEL PIPE	67.000 LF
613(B) 0693	42" CORR. GALV. STEEL PIPE	69.000 LF
613(M) 7189	TYPE D4 CULVERT END TREATMENT	4.000 EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	560.000 CY
613(V) 1180	TRENCH EXCAVATION	1,893.000 CY
619(B) 4725	REMOVAL OF FENCE	733.000 LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	4,038.000 SY
619(B) 4780	REMOVAL OF GUARDRAIL	328.000 LF
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	329.000 LF
619(B) 5918	REMOVAL OF EXISTING PIPE	90.000 LF
619(C) 0924	SAWING PAVEMENT	1,795.000 LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	275.000 LF
629(E) 5048	REMOVE AND RESET MAILBOX	1.000 EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	1,938.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	342.000	CY
509(A) 1326	CLASS AA CONCRETE	833.000	CY
511(A) 1332	REINFORCING STEEL	148,800.000	LB
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	3,167.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	3,362.000	LF
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	4,310.000	LF
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	120.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	1,800.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 380
LETTING DATE : November 15, 2012
LETTING TIME : 10:30 A.M.
COUNTIES : POTTAWATOMIE

CONTRACT ID : 120420

PROJECT(S)
SSP-263C(009)SS
DBE GOAL : 0.00
GUARANTY : 5% OF TOTAL BID
PLAN PRICE : \$0.00
180 CALENDAR DAYS
RES. ENG: TERRY SWAYZE, WEWOKA

PCN
2178810

CONTRACT DESCRIPTION :
RIGHT-OF-WAY CLEARANCE
SH-102: FROM 0.35 MILES SOUTH OF I-40, EXTEND SOUTH.

PREQUALIFICATION FOR THIS PROJECT HAS BEEN WAIVED. BOTH BID
EXPRESS AND WRITTEN BIDS WILL BE ACCEPTABLE.

SECTION 0001 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
619(G) 0094	RIGHT-OF-WAY CLEARANCE	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 400
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : POTTAWATOMIE

CONTRACT ID : 120242

PROJECT(S) : STPY-163A(356)SG
PCN : 2290805
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$195.08
 545 CALENDAR DAYS
TIME 'B' BID - \$2,000.00 / DAY
 RES. ENG: DIVISION 3 (ADA)

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND SURFACE
 CITY STREET (KICKAPOO ST.): FROM W. KICKAPOO SPUR ST.,
 EXTEND NORTH TO W MACARTHUR ST. IN THE CITY OF SHAWNEE.
 PROJECT LENGTH = 1.245 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	14,500.000	CY
202(D) 0184	UNCLASSIFIED BORROW	4,100.000	CY
221(C) 2801	TEMPORARY SILT FENCE	16,645.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	49.000	EA
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	49.000	EA
230(A) 2806	SOLID SLAB SODDING	3,676.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.000	AC
307(D) 4230	LIME	758.000	TON
307(G) 4260	LIME PRETREATMENT	23,027.000	SY
307(H) 4270	LIME STABILIZED SUBGRADE	56,137.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	4,000.000	TON
407(B) 0250	TACK COAT	284.000	GAL
408 5774	PRIME COAT	12,633.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	10,275.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	818.000	TON
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	53,608.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	13,367.000	CY
509(C) 0322	CLASS A CONCRETE, SMALL STRUCTURES	75.000	CY
509(D) 0325	CLASS C CONCRETE	100.000	CY
510(A) 6333	RETAINING WALL	1,835.000	SY
510(C) 6135	SLOPE WALL (5")	1,420.000	SY
511(A) 0332	REINFORCING STEEL	17,780.000	LB
609(A) 0288	CONCRETE CURB (6" MNTBLE-INTEGRAL)	1,820.000	LF
609(A) 0300	CONCRETE CURB (6" BARRIER-INTEGRAL)	18,665.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	9,266.000	SY
610(B) 5016	8" CONCRETE DRIVEWAY	10,192.000	SY
610(C) 0609	6" CONCRETE DIVIDING STRIP	269.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	1,440.000	SF
610(J) 4810	(PL) STAMPED CONCRETE FINISH	9,000.000	SY
611(A) 2657	MANHOLE (4' DIAMETER)	26.000	EA
611(A) 2658	MANHOLE (5' DIAMETER)	5.000	EA

611(A) 2659	MANHOLE (6' DIAMETER)	2.000 EA
611(G) 5112	INLET CI DES. 2 (STD)	1.000 EA
611(G) 5113	INLET CI DES. 2 (B)	12.000 EA
611(G) 5115	INLET CI DES. 2 (D)	11.000 EA
611(G) 5117	INLET CI DES. 2 (2B)	4.000 EA
611(G) 5121	INLET CI DES. 3 (B)	4.000 EA
611(G) 5122	INLET CI DES. 3 (D)	8.000 EA
611(G) 5124	INLET CI DES. 3 (B-D)	2.000 EA
611(G) 5125	INLET CI DES. 3 (2D)	3.000 EA
611(G) 5974	INLET W/SMALL JCT. BOX, CI, DES.2(D)	3.000 EA
611(G) 6000	INLET (SMD-TYPE 1)	3.000 EA
611(L) 0487	JUNCTION BOXES	380.000 CF
612(A) 0641	MANHOLES ADJUST TO GRADE	15.000 EA
613(A) 0491	18" R.C.PIPE CLASS III	3,150.000 LF
613(A) 0492	24" R.C.PIPE CLASS III	2,475.000 LF
613(A) 0493	30" R.C.PIPE CLASS III	228.000 LF
613(A) 0494	36" R.C.PIPE CLASS III	1,280.000 LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	1.000 EA
613(M) 7194	TYPE DD4 CULVERT END TREATMENT	1.000 EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	9,150.000 SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	8,268.000 SY
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	35,786.000 SY
619(B) 4766	REMOVAL OF CONCRETE DRIVEWAY	10,302.000 SY
619(B) 4792	REMOVAL OF SIDEWALK	837.000 SY
619(C) 0924	SAWING PAVEMENT	18,282.000 LF

SECTION 0002 - TRAFFIC SIGNAL

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	570.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	1,225.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	590.000	LF
803(A) 8065	PULL BOX(SIZE I)	16.000	EA
803(A) 8066	PULL BOX(SIZE II)	5.000	EA
804(A) 2915	STRUCTURAL CONCRETE	54.300	CY
804(B) 2916	REINFORCING STEEL	8,211.000	LB
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
805(D) 8744	(PL)REMOVE & RESET LIGHT POLE	7.000	EA
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	2.000	EA
806(A) 8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	5.000	EA
806(A) 8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	8.000	EA
806(A) 8314	32'MH POLE 50'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000	EA
806(A) 8730	POLE & 35' TS MST.ARM(G.STL.)	1.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	4.000	EA
809(A) 8090	ROADWAY LUMINAIRE	17.000	EA
810(A) 3118	SERVICE POLE	5.000	EA
811 8040	1/C NO.6 ELECTRICAL CONDUCTOR	1,000.000	LF
811 8044	1/C NO.10 ELECTRICAL CONDUCTOR	7,300.000	LF

824(A)	8340	(SP)MASTER CONTROLLER	1.000	EA
825	8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	5.000	EA
828	8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830	8000	PEDESTRIAN PUSH BUTTON	33.000	EA
831	8231	1WAY 3SEC. ADJ. SIG. HD. S-6	33.000	EA
831	8252	1WAY 3SEC. ADJ. SIG. HD. S-9	2.000	EA
831	8274	1WAY 4SEC. ADJ. SIG. HD. S-16	14.000	EA
831	8286	1WAY 5SEC. ADJ. SIG. HD. S-19	2.000	EA
831	8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	34.000	EA
833	3030	BACKPLATE	51.000	EA
834(A)	8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	6,295.000	LF
834(A)	8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	1,770.000	LF
834(A)	8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	3,260.000	LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	215.000	LF
840(A)	8592	E.P.S. OPTICAL EMITTER	5.000	EA
840(B)	8593	E.P.S. OPTICAL DETECTOR	18.000	EA
840(C)	8594	E.P.S. OPTICAL DETECTOR CABLE	4,345.000	LF
840(D)	8595	E.P.S. 2 CHANNEL PHASE SELECTOR	10.000	EA
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	412.000	SF

SECTION 0003 - TRAFFIC CONTROL, SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A)	8724 (PL)REMOVAL OF EXISTING SIGNS	84.000	EA
850(A)	8110 SHEET ALUMINUM SIGNS	369.790	SF
851(C)	8324 2" SQUARE TUBE POST	667.000	LF
855(A)	8812 TRAFFIC STRIPE(PLASTIC)(4" WIDE)	24,259.000	LF
855(A)	8814 TRAFFIC STRIPE(PLASTIC)(8" WIDE)	2,228.000	LF
855(A)	8825 TRAFFIC STRIPE(PLASTIC)(24" WIDE)	452.000	LF
855(B)	8818 TRAFFIC STRIPE(PLASTIC)(ARROWS)	33.000	EA
855(B)	8821 TRAFFIC STRIPE(PLASTIC)(WORDS)	20.000	EA
857(C)	8851 REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	94,544.000	LF
857(F)	8006 PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	17,918.000	LF
880(B)	8818 CONSTRUCTION SIGNS 0 TO 6.25 SF	29,430.000	SD
880(B)	8821 CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	9,502.000	SD
880(B)	8824 CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	12,273.000	SD
880(C)	8842 CONSTRUCTION BARRICADES(TYPE III)	3,535.000	SD
880(C)	8848 WING BARRICADES	1,090.000	SD
880(E)	8860 WARNING LIGHTS(TYPE A)	7,070.000	SD
880(F)	8878 DRUMS	54,582.000	SD
880(N)	0100 (SP) TEMPORARY TRAFFIC SIGNAL SPAN WIRE EQUIPMENT	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A)	1426 FIELD OFFICE	1.000	EA
641	1552 MOBILIZATION	1.000	LSUM

SECTION 0006 - NON PARTICIPATING (CITY) - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	500.000	CY
202(D) 0184	UNCLASSIFIED BORROW	500.000	CY
221(C) 2801	TEMPORARY SILT FENCE	880.000	LF
230(A) 2806	SOLID SLAB SODDING	164.000	SY
307(D) 4230	LIME	22.000	TON
307(H) 4270	LIME STABILIZED SUBGRADE	1,575.000	SY
408 5774	PRIME COAT	237.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	265.000	TON
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	1,500.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	394.000	CY
609(A) 0300	CONCRETE CURB (6" BARRIER-INTEGRAL)	880.000	LF
610(B) 5016	8" CONCRETE DRIVEWAY	123.000	SY
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	1,768.000	SY
619(C) 0924	SAWING PAVEMENT	200.000	LF

SECTION 0007 - NON PARTICIPATING (CITY) - WATER

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	530.000	TON
411(H) 6210	SUPERPAVE, TYPE S3(PATCH)(PG64-22OK)	86.000	TON
414(E) 0225	FULL DEPTH P.C. CONCRETE PATCHING(PLACEMENT ONLY)	117.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	22.000	CY
612(F) 0648	METER BOXES ADJUST TO GRADE	12.000	EA
616(A) 5126	24" DUCTILE IRON PIPE	680.000	LF
616(B) 5223	6" POLYVINYL CHLORIDE (PVC) PIPE	400.000	LF
616(B) 5225	8" POLYVINYL CHLORIDE (PVC) PIPE	720.000	LF
616(B) 5227	10" POLYVINYL CHLORIDE (PVC) PIPE	30.000	LF
616(B) 5228	14" POLYVINYL CHLORIDE (PVC) PIPE	160.000	LF
616(B) 5229	12" POLYVINYL CHLORIDE (PVC) PIPE	200.000	LF
616(B) 5230	16" POLYVINYL CHLORIDE (PVC) PIPE	5,750.000	LF
616(C) 0902	2" COPPER WATER SERVICE PIPE (SHORT)	39.000	EA
616(C) 0904	2" COPPER WATER SERVICE PIPE (LONG)	13.000	EA
616(D) 1080	8" GATE VALVE	2.000	EA
616(D) 1105	14" GATE VALVE	3.000	EA
616(D) 1125	16" GATE VALVE	16.000	EA
616(D) 8050	6" TAPPING VALVE AND BOX	12.000	EA
616(D) 8055	8" TAPPING VALVE AND BOX	4.000	EA
616(D) 8056	10" TAPPING VALVE AND BOX	1.000	EA
616(D) 8060	12" TAPPING VALVE AND BOX	3.000	EA
616(D) 8062	14" TAPPING VALVE AND BOX	1.000	EA
616(D) 8072	24" TAPPING VALVE AND BOX	2.000	EA
616(F) 5211	METER INSTALLATION 2"	40.000	EA
616(G) 1192	FIRE HYDRANTS	10.000	EA
616(I) 0125	12" STEEL CASING	180.000	LF
616(I) 0150	14" STEEL CASING	295.000	LF
616(I) 5266	20" STEEL CASING	55.000	LF
616(I) 5270	24" STEEL CASING	60.000	LF
616(I) 5279	33" STEEL CASING	70.000	LF

619(C) 0924	SAWING PAVEMENT	9,190.000 LF
802(C) 8550	HIGH DENSITY POLYETHYLENE (HDPE) CONDUIT BORED	225.000 LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 420
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : STEPHENS

CONTRACT ID : 120421

PROJECT(S)
 STP-169D(170)CI
 DBE GOAL : 5.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$11.92
 90 CALENDAR DAYS
 RES. ENG: DIVISION 7 (DUNCAN)

PCN
 2686804

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-178): OVER WALKER CREEK 4.5 MILES NORTH AND
 5.6 MILES WEST OF THE US-81/SH-53 JCT.
 PROJECT LENGTH = 0.188 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,000.000	LF
221(F) 0100	TEMPORARY SILT DIKE	400.000	LF
230(A) 2806	SOLID SLAB SODDING	9,200.000	SY
233(A) 2817	VEGETATIVE MULCHING	4.000	AC
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	574.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	282.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	408.000	TON
619(C) 0924	SAWING PAVEMENT	40.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
501(F) 6352	GRANULAR BACKFILL	102.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	299.000	LF
504(B) 1305	SAW-CUT GROOVING	254.400	SY
504(D) 6239	CONCRETE RAIL (TR3)	281.300	LF
506(A) 1322	STRUCTURAL STEEL	590.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	81.400	CY
509(B) 1328	CLASS A CONCRETE	79.400	CY
511(A) 1332	REINFORCING STEEL	32,440.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	46.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	133.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	46.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	133.000	LF
516(A) 6091	DRILLED SHAFTS 30" DIAMETER	27.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,100.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	288.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF

613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000 EA
623(F) 6029	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000 EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

SECTION 0005 - ROADWAY (NON-PARTICIPATING)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	2,405.000	LF

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 440
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : TULSA

CONTRACT ID : 120422

PROJECT(S) : SSP-272N(021)SS PCN : 2317004
 DBE GOAL : 0.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$29.26
 150 CALENDAR DAYS
 RES. ENG: DIVISION 8 (TULSA)

CONTRACT DESCRIPTION :
 SAFETY IMPROVEMENT (GUARDRAIL AND CABLE BARRIER)
 US-75/US-169/SH-51: US-75 FROM 131ST TO 81ST, US-169 FROM
 56TH TO I-244, AND SH-51 FROM GARNET ST TO 15TH.

SECTION 0001 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	150.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	150.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	1,500.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	2,700.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,200.000	SD
880(C) 8848	WING BARRICADES	300.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	3,900.000	SD
880(F) 8878	DRUMS	3,000.000	SD
880(G) 8890	CHANNELIZER CONES	30,150.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	1,000.000	HOURL
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	300.000	SD

SECTION 0002 - SAFETY, CABLE, & GUARDRAIL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	11,943.780	CY
221(C) 2801	TEMPORARY SILT FENCE	1,150.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	23.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1,186.000	LF
230(A) 2806	SOLID SLAB SODDING	12,560.000	SY
241 2832	MOWING	2.100	AC
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	5,152.320	TON
509(A) 0319	CLASS AA CONCRETE	253.400	CY
509(D) 0325	CLASS C CONCRETE	114.070	CY
609(B) 0383	COMBINED CURB & GUTTER (6" BARRIER)	100.000	LF
612(C) 0645	INLET ADJUST TO GRADE	23.000	EA
619(B) 4763	REMOVAL OF CONCRETE PAVEMENT W/ASPHALT OVERLAY	625.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	1,959.000	LF
619(C) 0924	SAWING PAVEMENT	8,455.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	2,600.000	LF
623(C) 5202	BEAM GUARDRAIL THRIE-BEAM SINGLE	50.000	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	2.000	EA
623(F) 8300	GUARDRAIL TRAIL END TURNDOWN (31")	3.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	2.000	EA

623(G)	8590	GUARDRAIL END TREATMENT (31")	5.000	EA
623(I)	8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA
628(B)	5125	HIGH-TENSION CABLE BARRIER(TL-4)	24,261.000	LF
628(C)	5110	END ANCHORS	10.000	EA
628(E)	5175	CABLE BARRIER TENSION METER	1.000	EA
805(A)	8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
805(D)	8756	(PL)REMOVE & RESET EXISTING SIGNS	8.000	EA
850(A)	8110	SHEET ALUMINUM SIGNS	156.000	SF
851(C)	8324	2" SQUARE TUBE POST	150.000	LF
853	9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	42.000	EA
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	6,900.000	LF
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	1,800.000	LF
857(F)	8007	PAVEMENT MARKING REMOVAL(ARROWS)	15.000	EA
857(F)	8008	PAVEMENT MARKING REMOVAL(WORDS)	10.000	EA
870(A)	8011	SAND FILLED IMPACT ATTENUATION MODULE	152.000	EA
870(C)	8011	SAND FILLED IMPACT ATTENUATION MODULE REMOVAL	1.000	LSUM
871(A)	8325	(SP)IMPACT ATTENUATOR	8.000	EA

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1552	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 460
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : WOODS

CONTRACT ID : 120423

PROJECT(S) : STP-176C(066)CI
PCN : 2059004
 DBE GOAL : 4.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$23.84
 120 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-249): OVER DRIFTWOOD CREEK, 2.1 MILES NORTH
 AND 4.0 MILES EAST OF THE US-281/SH-11 JCT.
 PROJECT LENGTH = 0.170 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	300.000	LF
221(F) 0100	TEMPORARY SILT DIKE	400.000	LF
230(A) 2806	SOLID SLAB SODDING	7,000.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.440	AC
303(A) 2100	AGGREGATE BASE TYPE A	450.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	77.000	TON
407(B) 0250	TACK COAT	165.000	GAL
408 5774	PRIME COAT	450.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	455.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	220.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	610.000	TON
602(C) 4155	FILTER FABRIC	1,140.000	SY
613(B) 0690	24" CORR. GALV. STEEL PIPE	120.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,644.000	SY
619(C) 0924	SAWING PAVEMENT	40.000	LF
854(A) 8800	TRAFFIC STRIPE(PAINT)(4" WIDE)	1,340.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	78.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	64.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	890.010	LF
504(B) 1305	SAW-CUT GROOVING	677.000	SY
504(C) 6250	SEALED EXPANSION JOINT	29.420	LF
504(E) 1380	CONCRETE RAIL (TR1)	507.000	LF
506(A) 1322	STRUCTURAL STEEL	610.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	12.000	EA

509(A)	1326	CLASS AA CONCRETE	169.500	CY
509(B)	1328	CLASS A CONCRETE	90.800	CY
511(A)	1332	REINFORCING STEEL	49,750.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	144.000	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	316.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	144.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	316.000	LF
516(A)	6095	DRILLED SHAFTS 54" DIAMETER	122.700	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	715.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	189.000	TON
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	6033	GUARDRAIL ANCHOR UNIT (TYPE II)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 480
 LETTING DATE : November 15, 2012
 LETTING TIME : 10:30 A.M.
 COUNTIES : WOODS

CONTRACT ID : 120440

PROJECT(S) : STPY-176B(131) PCN : 2431904
 DBE GOAL : 6.00
 GUARANTY : 5% OF TOTAL BID
 PLAN PRICE : \$47.69
 150 CALENDAR DAYS
 RES. ENG: DIVISION 6 (BUFFALO)

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 US-281: OVER AN UNNAMED CREEK 1.4 MILE WEST OF SH-45 JCT.
 PROJECT LENGTH = 0.398 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	39,624.000	CY
202(D) 0184	UNCLASSIFIED BORROW	59,790.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(B) 2801	TEMPORARY BALE BARRIER	1,100.000	LF
221(C) 2801	TEMPORARY SILT FENCE	5,483.000	LF
221(F) 0100	TEMPORARY SILT DIKE	1,100.000	LF
229 4318	DITCH LINER PROTECTION	83.000	LF
230(A) 2806	SOLID SLAB SODDING	47,476.000	SY
230(F) 2812	WATERING	1,899.000	KGAL
233(A) 2817	VEGETATIVE MULCHING	9.810	AC
241 2832	MOWING	28.400	AC
307(A) 4200	FLY ASH	483.000	TON
307(D) 4230	LIME	24.100	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	20,225.000	SY
307(G) 4260	LIME PRETREATMENT	1,341.300	SY
402(A) 0217	TRAFFIC BOUND SURFACE COURSE TYPE A	85.500	TON
407(B) 0250	TACK COAT	3,022.000	GAL
408 5774	PRIME COAT	4,228.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	5,790.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	2,235.100	TON
412 5267	COLD MILLING PAVEMENT	513.000	SY
509(D) 0325	CLASS C CONCRETE	29.010	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	234.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	78.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	285.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	60.000	LF
613(B) 0698	72" CORR. GALV. STEEL PIPE	200.000	LF
613(M) 7196	TYPE A6 CULVERT END TREATMENT	4.000	EA
613(M) 7198	TYPE C6 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	14,721.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	156.000	LF

619(C) 0924	SAWING PAVEMENT	480.000 LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	1,150.000 LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000 EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000 EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	4,302.000 LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	200.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	399.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(B) 1305	SAW-CUT GROOVING	660.100	SY
504(D) 6245	CONCRETE RAIL (TR4)	297.000	LF
506(A) 1322	STRUCTURAL STEEL	150.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
509(A) 1326	CLASS AA CONCRETE	155.600	CY
509(B) 1328	CLASS A CONCRETE	59.600	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	37,340.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	495.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	495.000	LF
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	461.000	SY
601(B) 1353	TYPE I-A PLAIN RIPRAP	620.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	140.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	60.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	12.500	SF
851(C) 8324	2" SQUARE TUBE POST	26.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	7,192.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	25,400.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	600.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	7,000.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	2,550.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	900.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	1,915.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	600.000	SD
880(C) 8848	WING BARRICADES	600.000	SD
880(D) 8854	VERTICAL PANELS	5,700.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	2,100.000	SD
880(F) 8878	DRUMS	2,300.000	SD
880(G) 8890	CHANNELIZER CONES	6,385.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	450.000	SD

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting: November 2012

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
GLOVER CONSTRUCTION COMPANY, INC. Mr. George Paul Glover P.O. Box 489 Muskogee, OK 74402		X
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK		X

BID OPENING OF – November 15, 2012 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex #: _____ <input type="checkbox"/> Mail
Contractor's Name:	
Telephone No:	
Physical Address:	Please Return Completed Form to:
	Fax : 405-522-0972 or
	Email: orderdesk@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
1	ADAIR	020	CIRB-101C(076)RB	24830(04)		\$50.00	24.00 + 2.01	3
2	ADAIR	040	CIRB-101C(077)RB	24831(04)		\$50.00	24.00 + 2.01	0
3	CADDO	070	STPY-108C(170)	24414(04)		\$50.00	38.00 + 3.18	17
4	CARTER PULLED 10/25/12	100	HSIPG-210C(012)TR	29440(04)		\$50.00	11.00 + 0.92	0
5	CHEROKEE PULLED 10/25/12	110	HSIPG-211F(002)TR	29229(04)		\$50.00	13.00 + 1.09	0
6	CLEVELAND	120	STPG-214F(008)AG	28248(04)		\$50.00	2.00 + 0.17	0
7	CLEVELAND	140	STP-114C(298)AG	28536(04)		\$50.00	20.50 + 1.72	0
8	CLEVELAND	160	STPG-114B(302)AG	29010(04)		\$50.00	10.00 + 0.84	0
9	CLEVELAND / MCCLAIN	180	SBR-214C(014)SB	29434(04)		\$50.00	31.00 + 2.60	0
10	COTTON	200	CIRB-117C(063)RB	24858(04)		\$50.00	19.00 + 1.59	10
11	COTTON	220	BRO-117D(086)CI	27436(04)		\$50.00	8.00 + 0.67	3
12	CREEK	221	BRFY-219A(006)	27067(04)		\$50.00	60.00 + 5.03	13
13	CARTER / GARVIN	223	STPY-125C(109)	20969(04)		\$50.00	55.00 + 4.61	25
14	GRANT	229	BRFY-127B(058)	21849(04)		\$50.00	79.00 + 6.62	19
15	GRANT	230	BRFY-127B(120)	24177(04)		\$50.00	39.00 + 3.27	14
16	GRANT	231	BRFY-127B(058) BRFY-127B(120)	21849(04)C 24177(04)C		\$50.00	118.00 + 9.89	33
17	HARPER	240	STP-130C(135)CI	25913(04)		\$50.00	38.00 + 3.18	16
18	JOHNSTON	250	BRFY-135B(050)	20971(04)		\$50.00	28.00 + 2.35	11
19	JOHNSTON	251	BRFY-135B(077)	23265(04)		\$50.00	38.00 + 3.18	13
20	JOHNSTON	252	BRFY-135B(050) BRFY-135B(077)	20971(04)C 23265(04)C		\$50.00	66.00 + 5.53	24
21	LOGAN	290	BRFY-142C(136)	24215(04)		\$50.00	32.00 + 2.68	21
22	LOGAN	295	MC-242A(004)	29891(04)		\$50.00	4.00 + 0.34	0
23	MCCURTAIN	300	BRO-145D(132)CI	22056(04)		\$50.00	11.00 + 0.92	3
24	MCCURTAIN	310	BRFY-245N(007)	26234(04)		\$50.00	57.00 + 4.77	28
25	NOBLE	323	NHY-152N(071)	21862(04)		\$50.00	37.00 + 3.10	7
26	NOBLE	325	BRFY-152C(134)	24248(04)		\$50.00	28.00 + 2.35	7
27	OKLAHOMA	340	STP-155C(661)AG	25653(04)		\$50.00	78.00 + 6.53	33

BID OPENING OF – November 15, 2012 AM

Date:	Order Taken by:
Contractor's Id No.:	No. Of Proposal(s):
Person Ordering:	<input type="checkbox"/> Pickup <input type="checkbox"/> COD <input type="checkbox"/> Overnight <input type="checkbox"/> Fed Ex #: _____ <input type="checkbox"/> Mail
Contractor's Name:	
Telephone No:	
Physical Address:	Please Return Completed Form to:
	Fax : 405-522-0972 or
	Email: orderdesk@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	JP	Sample Proposal	Bid Proposal	Plan Cost	X-sec
28	OKLAHOMA	360	SAP-255B(130)	29892(04)		\$50.00	11.00 + 0.92	0
29	OTTAWA	365	BRFY-158B(104)	23157(04)		\$50.00	68.00 + 5.70	20
30	PAYNE	370	BRFY-160B(168)	24330(04)		\$50.00	39.00 + 3.27	9
31	POTTAWATOMIE	380	SSP-263C(009)SS	21788(10)		\$50.00	No Charge	0
32	POTTAWATOMIE	400	STPY-163A(356)SG	22908(05)		\$50.00	180.00 + 15.08	73
33	STEPHENS	420	STP-169D(170)CI	26868(04)		\$50.00	11.00 + 0.92	3
34	TULSA	440	SSP-272N(021)SS	23170(04)		\$50.00	27.00 + 2.26	31
35	WOODS	460	STP-176C(066)CI	20590(04)		\$50.00	22.00 + 1.84	2
36	WOODS	480	STPY-176B(131)	24319(04)		\$50.00	44.00 + 3.69	37