


- CONSTRUCTION FOR DETOURS
- CONSTRUCTION PHASE 1
- $\bar{E}=123.45$  PERMANENT FLOWLINE
- CONSTRUCTION PHASE 2
- $\bar{E}=123.45$  TEMPORARY FLOWLINE
- CONSTRUCTION PHASE 3


NOTE: EXISTING UTILITIES SHOWN AT AN ESTIMATED DEPTH OF 4.00' BELOW EXISTING GROUND AT THE SURVEYED HORIZONTAL LOCATION.



AREA	PHASE I	PHASE II	PHASE III
CUT	0.00 S.F.	2.32 S.F.	10.92 S.F.
FILL	0.00 S.F.	10.92 S.F.	2.32 S.F.

152+00.00

VOLUME	PHASE I	PHASE II	PHASE III
CUT	0.00 C.Y.	0.24 C.Y.	1.15 C.Y.
FILL	0.00 C.Y.	1.32 C.Y.	0.28 C.Y.



AREA	PHASE I	PHASE II	PHASE III
CUT	0.00 S.F.	2.35 S.F.	11.14 S.F.
FILL	0.00 S.F.	11.14 S.F.	2.36 S.F.

END TEMP WIDENING SECTION LT  
151+97.18

VOLUME	PHASE I	PHASE II	PHASE III
CUT	5.87 C.Y.	8.27 C.Y.	56.34 C.Y.
FILL	3.56 C.Y.	61.23 C.Y.	16.26 C.Y.

6/16/2016 JP28858\_04Xsec FIncl.dgn