

DDOT DIVISION	STATE	JOB PIECE No.	FISCAL YEAR	SHEET No.	TOTAL SHEETS
8	OKLA	27092(04)		42	143

BM NO.	RUN 1	RUN 2	MEAN DIFF.	ADJ. MEAN	ADJ. ELEV.	PUBLISHED ELEV.	BENCHMARK DESCRIPTION
7499					761.22	7499	3/8" Iron Pin with Plastic Cap N-53-290
7400	-33.66	-33.66	-33.66	-33.66	727.66	7400	1/2" Iron Pin with Aluminum Cap N-53-287
BM 1	1.37	1.36	1.37	1.37	728.93	BM 1	80d in 30' Pecan Sta. 825+41.08, 123.92' Rt.
7401	-7.55	-7.54	-7.55	-7.54	721.39	7401	3/8" Iron Pin with Plastic Cap Sta. 831+03.16, 57.43' Rt.
BM 2	5.92	5.92	5.92	5.92	727.31	BM 2	80d in 12" Elm Sta. 831+59.16, 79.23' Rt.
7402	-10.60	-10.59	-10.60	-10.59	716.72	7402	3/8" Iron Pin with Plastic Cap Sta. 836+58.35, 49.52' Rt.
BM 3	5.89	5.88	5.89	5.89	722.61	BM 3	80d in 12" Oak Sta. 837+15.95, 59.20' Rt.
BM 4	-9.41	-9.41	-9.41	-9.41	713.20	BM 4	Chiseled box on NW corner of East Headwall Sta. 839+72.02, 29.40' Rt.
RV 2	4.15	4.15	4.15	4.15	717.35	RV 2	NGS BM - Monu-Metal Rivet in Headwall HAVD '88
7403	-7.30	-7.29	-7.30	-7.29	710.06	7403	3/8" Iron Pin with Plastic Cap Sta. 842+24.78, 47.86' Rt.
7404	-0.59	-0.59	-0.59	-0.59	709.47	7404	3/8" Iron Pin with Plastic Cap Sta. 847+36.50, 50.33' Rt.
BM 5	1.08	1.09	1.09	1.09	710.56	BM 5	80d in 24" Elm Sta. 847+29.43, 63.40' Rt.
7405	-5.80	-5.80	-5.80	-5.80	704.76	7405	3/8" Iron Pin with Plastic Cap Sta. 852+93.91, 54.54' Rt.
BM 6	-5.96	-5.97	-5.97	-5.96	698.80	BM 6	80d in 10" Elm Sta. 852+95.89, 91.68' Rt.
7406	16.97	16.97	16.97	16.97	715.77	7406	3/8" Iron Pin with Plastic Cap Sta. 859+35.52, 28.26' Rt.
BM 7	2.18	2.18	2.18	2.18	717.95	BM 7	Chiseled "x" on SE wingwall Sta. 859+49.26, 20.77' Rt.
7407	-2.09	-2.10	-2.10	-2.09	715.86	7407	3/8" Iron Pin with Plastic Cap Sta. 864+86.03, 27.51' Lt.
7408	-15.95	-15.96	-15.95	-15.95	699.91	7408	3/8" Iron Pin with Plastic Cap Sta. 871+44.31, 139.44' Rt.
BM 8	1.57	1.57	1.57	1.57	701.48	BM 8	80d in 15" Elm Sta. 871+27.16, 166.81' Rt.
BM 9	8.40	8.41	8.41	8.41	709.89	BM 9	80d in 36" Oak Sta. 878+69.41, 202.81' Rt.
7409	1.07	1.06	1.07	1.07	710.96	7409	3/8" Iron Pin with Plastic Cap Sta. 878+04.68, 37.27' Rt.
7410	3.29	3.29	3.29	3.29	714.25	7410	3/8" Iron Pin with Plastic Cap Sta. 884+16.00, 65.64' Rt.
BM 10	-1.02	-1.01	-1.02	-1.01	713.24	BM 10	Chiseled box on SE corner of East Headwall Sta. 888+77.26, 31.07' Rt.
7411	-1.72	-1.72	-1.72	-1.72	711.52	7411	3/8" Iron Pin with Plastic Cap Sta. 889+09.42, 58.07' Rt.
7412	2.59	2.58	2.59	2.59	714.11	7412	1/2" Iron Pin with Aluminum Cap N-53-288
BM 11	0.34	0.34	0.34	0.34	714.45	BM 11	Top of Sucker Rod
7413	-1.39	-1.39	-1.39	-1.39	713.06	7413	3/8" Iron Pin with Plastic Cap N-53-289

PLS	DMM	OKLAHOMA DEPARTMENT OF TRANSPORTATION SURVEY DIVISION <b>SURVEY DATA SHEET (4)</b> SWO 4744(1) PROJECT NO. 27092(04) SHEET NO. 42
DRAWN	ARR	
CHECKED	VKM	
APPROVED	DMM	
CREW	GES, INC.	