

To All Contractors:

Please note, for the month of November 2017 the Department is hosting two bid openings. The first bid opening will be at 10:30 A.M. The second bid opening will be at 2:00 P.M. There are separate advertisements (short forms and long forms) and order forms for each bid opening. Information for both bid openings can be viewed on the Contracts and Proposals page of the ODOT website. Please contact Office Engineer Division if you have any trouble locating information with regard to projects on either of the November bid openings.

Anthony Delce, P.E.
Division Engineer

NOTICE TO ALL CONTRACTORS

CONTRACTORS WILL NEED TO DOWNLOAD, AND INSTALL, AASHTOWARE PROJECT: BIDS TO USE WHEN SUBMITTING THEIR BIDS. THIS SOFTWARE MAY BE DOWNLOADED AT:

<https://bids.cloverleaf.net/>



REMINDER

ODOT NOW REQUIRES ON LINE BIDDING. TO GET SIGNED UP TO BID OVER THE INTERNET CONTACT BID EXPRESS AT (352)381-4888, OR:

<http://www.BIDX.com>



Unless otherwise noted in the proposal, all bids must be submitted over the internet using Bid Express. If a bidder is unable to submit an electronic bid due to conditions out of their control, such as, a disabled network server, power outage, or other unforeseen emergency, the bidder must request and get approval to submit a paper bid. This written approval should include the justification for the request and be taken to the Office Engineer for signature prior to the bid opening. Once signed, include the approval form with the submitted bid.

Notice

Unless otherwise specified in the advertisement for a particular project, bids for all projects on the [November 16, 2017](#) letting must be submitted over the internet via Bid Express. Instructions for using Bid Express, Expedite, and the electronic bidding system (EBS) are available from the Office Engineer Division. Plans and proposals for this Letting should be ready for sale on [October 26, 2017](#).

If ordering plans only please call the Print Services Branch at 521-2586.

A Pre-Bid Conference will be held at 10:00 a.m. on [November 3, 2017](#) concerning this [November 16th](#) Bid Opening in the Oklahoma Department of Transportation (ODOT) Commission Room. Please review plans and proposals as soon as possible. Contact Office Engineer Division with any questions or concerns regarding these projects via email: ODOT-Prebid.Question@odot.org, fax: 405-522-0972, or phone: (405) 521-2625. Please include the words "Pre-bid question(s)" along with the Call Order and the Letting date of the project in question in the subject line of the emails.

Please include JP, County, Letting Date and Call Order (if known) in all your correspondence with Office Engineer. This will help both ODOT and Contractor.

Please write the call order number of the jobs you are bidding on any bidders disk submitted. Be sure to save your work and any revisions you receive to your original disk and submit that disk with your bid.

Sample proposals may be obtained at the Order Desk in Office Engineer Division, or by printing the proposal from the ODOT website.

The Civil Rights Division's Disadvantaged Business Enterprise (DBE) program now has available a "DBE Certified Directory Database." This database can be accessed on ODOT's web site:

<http://www.okladot.state.ok.us/dbeinfo/index.htm>

The database allows for the search for certified DBEs by firm name, owner, work category, and/or location. This database is tied to the "Directory of Certified Firms" which will still remain available and updated until the 15th of each month.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, religion, national origin, age, disability, retaliation or genetic information, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, its recipients, sub-recipients, and contractors. To request an accommodation please contact the ADA Coordinator at 405-521-4140 or the Oklahoma Relay Service at 1-800-722-0353. If you have any ADA or Title VI questions email ODOT-ada-titlevi@odot.org

Any firm bidding a project as a joint venture must complete the "Request for Joint Venture" form which is posted on the ODOT website.

Sample Proposals and Plans, Long Form and Short Form Notices, Order Forms, Bid Tabs and Awards, can be accessed on ODOT's Web site

<http://www.okladot.state.ok.us/contracts/index.htm>

CERTIFIED PAYROLL – FEDERAL RULE CHANGE

The U.S. Department of Labor, Wage and Hour Division, has revised regulations, pursuant to the Davis-Bacon and Related Acts and the Copeland Anti-Kickback Act to better protect the personal privacy of laborers and mechanics employed on covered construction projects.

The final rule, 29 CFR Parts 3 and 5, has an effective date of January 18, 2009. The revisions shall be applicable to federally assisted construction contracts entered into pursuant to invitations for bids issued or negotiations concluded on or after January 18, 2009.

The rule change states, in part, “ The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR Part 5.5 (a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead, the payrolls shall only need to include an individual identifying number for each employee.”

The rule suggests that the last four digits of the employee’s social security number be used as the employee’s identification number. There is no prescribed method required by U.S. DOL.

The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request of the federal and/or state agency responsible for the contract for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of the rule for a prime contractor to require a subcontractor provide addresses and social security numbers to the prime contractor for its own records, without weekly submission of such information to the sponsor government agency.

If the contractors utilize an electronic payroll system, a change from social security number to a personal identification number may require programming changes. If it is more convenient for the contractors, FHWA agrees that they may go ahead and make the necessary changes on all existing contracts, rather than only on those entered into after the effective date.

The provisions of the contracts will be revised to reflect this rule change as soon as practical. Should you have questions, you may contact the ODOT Civil Rights Division at (405) 521-3186.

Reminder

The low bidder must submit to the Office Engineer Division written confirmation from the DBE that it is participating in the contract as provided in the Prime Contractor's commitment. This may be submitted with the bid or not later than the Department's close of business on the Wednesday following the bid opening. Otherwise the bid shall be considered nonresponsive and shall be rejected by the Department. There is new cover sheet that is required with these DBE confirmations, it is located at this web site below. **Please ensure that the DBE commitment provided in the proposal matches the written confirmation.**

Only DBE firms listed for the Letting month on the following web site are eligible for DBE credit:

https://www.ok.gov/odot/Doing_Business/Civil_Rights/index.html

Reminder

Please be sure that bid bonds are properly executed through the Bid Express system or stapled to the back of the proposal with written bid.

For written bids, do not disassemble the bidding proposal in any way.

Note:

Only written, emailed, faxed and in-person orders will be accepted.

The **Order Form** included in this Short Form Notice may be used to order plans and proposals for this letting.

Please check off the proposal(s) in which you are interested and fax to:

405-522-0972 attention Order Desk

Or email your requests to:

orderdesk@odot.org

OKLAHOMA DEPARTMENT OF TRANSPORTATION

Unless otherwise noted in the proposal, all bids must be submitted over the Internet via Bid Express. When written bids are allowed, sealed proposals sent by registered mail will be received through the ODOT Office Engineer Division until 30 minutes prior to the scheduled bid opening. From 30 minutes prior to the bid opening until the time of the bid opening, bid proposals must be turned in directly to the ODOT Commission Room located on the east side of the lobby. The scheduled bid opening is 10:30 A.M. , Thursday, November 16, 2017 for the work listed below.

No Proposal for construction or maintenance work of the department will be issued to any contractor after 10:30 A.M. on the working day preceding opening of bids for any contract.

Each bid shall be accompanied by a Certified or Cashier's Check or Bid Bond equal to 5% of the bid made payable to the State of Oklahoma, Department of Transportation, as a proposal guaranty. Proposal checks will be held or returned by the Department as per Section 103.04 of the State Standard Specifications.

The minimum wage to be paid laborers and mechanics employed on this project shall be included in the proposal. Bids must be prepared as directed by the State Standard Specifications.

Plans, proposals, and specifications may be examined in the plan room or in the Office Engineer Division at the Oklahoma Department of Transportation central office in Oklahoma City, Oklahoma.

This work will be done under the Oklahoma Department of Transportation applicable specifications for highway construction as depicted on the lower left corner of the plan's title sheet.

Plans and proposal forms may be ordered from the Office Engineer Division, Oklahoma Department of Transportation Building, 200 N.E. 21st Street, Oklahoma City, OK 73105. Cost of Bidding Documents is \$ 50.00 + tax for each Bidding Proposal. State Standard Specifications may be purchased for \$55.00 + tax. (Oklahoma tax is 8.375%). Make checks payable to Oklahoma Department of Transportation.

No refunds will be made for bidding documents or Specification books purchased.

Unless otherwise noted in the proposal, upon award of the contract to the successful bidder, the contract will be completely and correctly executed by the contractor and returned to the Department within ten (10) working days from the date of award. The Department will have fourteen (14) working days from the date of award to complete it's execution of the contract.

The Oklahoma Department of Transportation (ODOT) ensures that no person or groups of persons shall, on the grounds of race, color, sex, age, national origin, disability/handicap, or income status, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any and all programs, services, or activities administered by ODOT, it's recipients, sub-recipients, and contractors.

Description of work and location of project:

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 400	RES. ENG : DIVISION 7 (DUNCAN)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 3.00
LETTING TIME : 10:30 A.M.	300 CALENDAR DAYS	PLAN PRICE : \$200.49
COUNTIES : COMANCHE	<u>PROJECT(S)</u> NHPPI-216N(021)SS	<u>PCN</u> 2705004

CONTRACT DESCRIPTION :
 INTERCHANGE
 I-44: AT THE US-62 INTERCHANGE IN THE CITY OF LAWTON.
 PROJECT LENGTH = 0.961 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	93,849.000	CY
202(D) 0184	UNCLASSIFIED BORROW	1,000.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3,315.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	13.000	EA
221(F) 0100	TEMPORARY SILT DIKE	2,877.000	LF
221(G) 0152	TEMPORARY ROCK FILTER DAM TYPE 3	44.000	CY
229 4318	DITCH LINER PROTECTION	235.000	LF
230(A) 2806	SOLID SLAB SODDING	64,155.000	SY
232(B) 2814	SEEDING METHOD B	27.000	AC
233(A) 2817	VEGETATIVE MULCHING	13.000	AC
241 2832	MOWING	27.000	AC
242 0400	(PL)STABILIZED CONSTRUCTION EXIT	4.000	EA
307(K) 4300	STABILIZED SUBGRADE	42,199.000	SY
317 4270	CEMENT TREATED BASE	37,532.000	SY
325 5271	SEPARATOR FABRIC	933.000	SY
407(B) 0250	TACK COAT	19,247.000	GAL
408 5774	PRIME COAT	15,161.000	GAL
409(A) 4242	FABRIC REINFORCEMENT	42,261.000	SY
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	10.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	216.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	4.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	79.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	11,004.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	22,427.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	8,360.000	CY
509(B) 0321	CLASS A CONCRETE	26.000	CY
509(D) 0325	CLASS C CONCRETE	148.000	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	134.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	33.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	120.000	SY
609(A) 0288	CONCRETE CURB (6" MNTBLE-INTEGRAL)	1,463.000	LF
609(B) 1524	2'-8" COMB. CURB & GUTTER (6" MNTBLE)	79.000	LF
609(B) 1526	2'-8" COMB. CURB & GUTTER (8" BARRIER)	262.000	LF
610(C) 0609	6" CONCRETE DIVIDING STRIP	1,878.000	SY

611(A) 2657	MANHOLE (4' DIAMETER)	6.000 EA
611(A) 2658	MANHOLE (5' DIAMETER)	1.000 EA
611(A) 2659	MANHOLE (6' DIAMETER)	1.000 EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	2.150 VF
611(B) 2681	ADD'L.DEPTH IN MANHOLE (5' DIAMETER)	2.210 VF
611(G) 5112	INLET CI DES. 2 (STD)	3.000 EA
611(G) 5113	INLET CI DES. 2 (B)	1.000 EA
611(G) 5337	INLET GPI TYPE 2 (DES. 11)	1.000 EA
611(G) 6002	INLET (SMD-TYPE 2)	1.000 EA
611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	9.120 VF
611(H) 5375	ADD'L DEPTH IN INLET GPI TYPE 2	0.600 VF
612(A) 0641	MANHOLES ADJUST TO GRADE	1.000 EA
613(A) 0491	18" R.C.PIPE CLASS III	1,200.000 LF
613(A) 0492	24" R.C.PIPE CLASS III	459.000 LF
613(A) 0493	30" R.C.PIPE CLASS III	77.000 LF
613(A) 0495	42" R.C.PIPE CLASS III	78.000 LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	95.000 LF
613(L) 5726	18" PREFAB. CULVERT END SECTION, ROUND	5.000 EA
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	4.000 EA
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	2.000 EA
613(L) 5734	36" PREFAB. CULVERT END SECTION, ROUND	1.000 EA
613(L) 5736	42" PREFAB. CULVERT END SECTION, ROUND	2.000 EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	5.000 EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	1.000 EA
613(M) 7201	TYPE AA6 CULVERT END TREATMENT	2.000 EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	8,419.000 LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	27,478.000 SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	540.000 SY
619(B) 6132	REMOVAL OF 6" CONCRETE DIVIDING STRIP	417.000 SY
619(C) 0924	SAWING PAVEMENT	7,409.000 LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,231.000 LF
624(E) 4290	FENCE-STYLE CLF (5'HIGH, CLASS A)	1,150.000 LF
624(E) 4298	FENCE-STYLE CLF (7' HIGH, CLASS B)	1,064.000 LF

SECTION 0002 - BRIDGE "A"

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	337.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	202.000	CY
509(A) 1326	CLASS AA CONCRETE	379.100	CY
511(A) 1332	REINFORCING STEEL	55,013.000	LB
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0003 - BRIDGE "B"

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	243.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	147.000	CY
509(A) 1326	CLASS AA CONCRETE	316.700	CY
511(A) 1332	REINFORCING STEEL	49,569.000	LB
601(A) 1351	TYPE I PLAIN RIPRAP	64.000	TON
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0004 - BRIDGE "C"

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	79.000	SY
504(G) 6390	RAPID CURE JOINT SEALANT	1,747.900	LF
505(A) 6065	BRIDGE DECK CONCRETE OVERLAY	77.000	SY
509 6152	SPECIAL CONCRETE FINISH	2,401.000	SY
509(A) 1326	CLASS AA CONCRETE	66.900	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	15,946.000	LB
512 6280	CLEANING AND PAINTING BRIDGE METAL RAIL	328.600	LF
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0005 - TRAFFIC SIGNING & STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509(D) 0325	CLASS C CONCRETE	34.150	CY
511(A) 0332	REINFORCING STEEL	1,405.000	LB
804(A) 2915	STRUCTURAL CONCRETE	66.090	CY
804(B) 2916	REINFORCING STEEL	9,482.000	LB
805(A) 8720	(PL)REMOVAL OF GROUND MOUNTED SIGNS	1.000	LSUM
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	28.000	EA
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	5.000	EA
805(D) 8760	(PL)REMOVE & RESET GROUND MOUNTED SIGN	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	4,241.370	SF
850(B) 8112	EXTRUDED ALUMINUM PANEL SIGNS	2,917.500	SF
850(B) 8114	EXTRUDED ALUMINUM PANEL SIGNS(OVERHEAD SIGNS)	839.750	SF
851(A) 3206	4"@13 GALV.STEEL WIDE FLANGE BEAM POST	203.000	LF
851(A) 3207	6"@15 GALV.STEEL WIDE FLANGE BEAM POST	335.000	LF
851(A) 3209	6"@25 GALV.STEEL WIDE FLANGE BEAM POST	49.000	LF
851(A) 3210	8"@31 GALV.STEEL WIDE FLANGE BEAM POST	258.000	LF
851(B) 3218	3"@7.58 GALV.STEEL PIPE POST	442.000	LF
851(C) 8324	2" SQUARE TUBE POST	546.300	LF
852(H) 8603	OVERHEAD SIGN STRUCTURE WALKWAY & HANDRAIL-INTERNAL	124.000	LF
852(H) 8604	OVERHEAD SIGN STRUCTURE WALKWAY & HANDRAIL-EXTERNAL	124.000	LF
852A/B 8958	OVHD.SN.STR.TYPE C-1 ALUM./G.STL.75'	1.000	EA
852A/B 9015	OVHD.SN.STR.TYPE E-1 ALUM./G.STL.	2.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYER)(4" WIDE)	10,899.000	LF
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	38,890.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	6,772.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	2,488.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	317.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	26.000	EA
856(B) 8870	TRAFFIC STRIPE(MULTI-POLY.)(SYMBOLS)	4.000	EA
856(B) 8880	TRAFFIC STRIPE(MULTI-POLY.)(WORDS)	2.000	EA
870(A) 8011	SAND FILLED IMPACT ATTENUATION MODULE	130.000	EA

SECTION 0006 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
104 0955	(SP) RAILROAD FLAGGING(NON-BIDDABLE)	220.000	DAY
823 8478	(SP)PORTABLE TRAFFIC SIGNAL SYSTEM	430.000	SD
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	68,255.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	430.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	24,945.000	LF

871(B)	8705	(SP)CONST.ZONE IMPACT ATTEN.	280.000	SD
877(B)	8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3,450.000	LF
877(C)	8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	10,250.000	LF
880(A)	8812	ARROW DISPLAY(TYPE C)	10.000	SD
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	12,825.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6,800.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	10,790.000	SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	450.000	SD
880(C)	8848	WING BARRICADES	6,170.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	8,415.000	SD
880(F)	8878	DRUMS	16,935.000	SD
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM
880(K)	8908	SURVEILLANCE TRAFFIC CONTROL	300.000	SD
880(L)	8911	TRAFFIC SURVEILLANCE, POLICE	2,400.000	HOUR
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	900.000	SD

SECTION 0007 - TRAFFIC SIGNALS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B)	8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	263.000 LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	9.000 LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	214.000 LF
803(A)	8065	PULL BOX(SIZE I)	1.000 EA
804(A)	2915	STRUCTURAL CONCRETE	3.000 CY
804(B)	2916	REINFORCING STEEL	396.000 LB
805(A)	8704	REMOVAL OF PULL BOX	1.000 EA
805(A)	8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000 LSUM
806(A)	8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000 EA
809(A)	8090	ROADWAY LUMINAIRE	1.000 EA
811	8044	1/C NO.10 ELECTRICAL CONDUCTOR	574.000 LF
828(B)	8136	LOOP DETECTOR WIRE	2,124.000 LF
831	8231	1WAY 3SEC. ADJ. SIG. HD. S-6	2.000 EA
833	3030	BACKPLATE	2.000 EA
834(A)	8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	204.000 LF
834(A)	8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	50.000 LF
834(A)	8211	15/C TRAFFIC SIGNAL ELECTRICAL CABLE	248.000 LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	727.000 LF
836	8425	REGULATORY OR WARNING SIGN ASSEMBLY	1.000 EA
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	9.000 SF

SECTION 0008 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0009 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
640(A)	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 405	RES. ENG : DIVISION 7 (DUNCAN)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 0.00
LETTING TIME : 10:30 A.M.	100 CALENDAR DAYS	PLAN PRICE : \$10.84

COUNTIES : COMANCHE	<u>PROJECT(S)</u> CIRB-216C(074)RB	<u>PCN</u> 3044004
---------------------	---------------------------------------	-----------------------

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-246/AIRPORT ROAD): OVER TRIBUTARY TO BLUE
 BEAVER CREEK, 1.2 MILES SOUTH OF US-62 NEAR CACHE.
 PROJECT LENGTH = 0.328 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	300.000	LF
230(A) 2806	SOLID SLAB SODDING	18,599.000	SY
233(A) 2817	VEGETATIVE MULCHING	7.700	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	100.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,067.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	556.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0690	24" CORR. GALV. STEEL PIPE	28.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	82.000	LF
613(B) 4528	28" X 20" CORR. GALV. STEEL PIPE ARCH	56.000	LF
613(L) 4516	28" X 20" PREFAB. CULVERT END SECTION, ARCH	4.000	EA
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	4.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	732.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,847.000	LF
624(H) 5920	(PL) GATE	3.000	EA
629(E) 5048	REMOVE AND RESET MAILBOX	2.000	EA

SECTION 0002 - BRIDGE "A"

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	220.000	CY
501(F) 6352	GRANULAR BACKFILL	102.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	314.000	LF
504(B) 1305	SAW-CUT GROOVING	266.700	SY
504(D) 6239	CONCRETE RAIL (TR3)	291.300	LF
506(A) 1322	STRUCTURAL STEEL	690.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA
509(A) 1326	CLASS AA CONCRETE	86.100	CY
509(B) 1328	CLASS A CONCRETE	79.400	CY
511(A) 1332	REINFORCING STEEL	33,490.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	142.000	LF

514(A) 6011	PILES, FURNISHED (HP 12X53)	442.000 LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	142.000 LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	442.000 LF
514(L) 6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000 EA
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,214.000 TON
601(C) 1355	TYPE I-A FILTER BLANKET	316.000 TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000 LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	60.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(A) 1418	BEAM GUARDRAIL W-BEAM SINGLE	35.000 LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000 EA
623(F) 6029	GUARDRAIL ANCHOR UNIT (TYPE A)	3.000 EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 410	RES. ENG : DIVISION 8 (TULSA)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 4.50
LETTING TIME : 10:30 A.M.	295 CALENDAR DAYS	PLAN PRICE : \$54.36

COUNTIES : CRAIG	<u>PROJECT(S)</u>	<u>PCN</u>
	STP-218C(059)SS	2906804

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-10: OVER BIG CABIN CREEK, 3.6 MILES WEST OF THE US-59
 INTERSECTION NEAR WELCH.
 PROJECT LENGTH = 0.186 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1,416.000	CY
202(D) 0184	UNCLASSIFIED BORROW	7,359.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,926.000	LF
221(F) 0100	TEMPORARY SILT DIKE	105.000	LF
221(G) 0153	TEMPORARY ROCK FILTER DAM TYPE 4	8.000	CY
230(A) 2806	SOLID SLAB SODDING	8,417.000	SY
232(A) 2813	SEEDING METHOD A	1.740	AC
233(A) 2817	VEGETATIVE MULCHING	1.740	AC
233(E) 2822	EXCELSIOR MAT	1,636.000	SY
241 2832	MOWING	3.480	AC
242 0400	(PL)STABILIZED CONSTRUCTION EXIT	2.000	EA
303(A) 2100	AGGREGATE BASE TYPE A	909.000	CY
307(K) 4300	STABILIZED SUBGRADE	4,052.000	SY
325 5271	SEPARATOR FABRIC	4,052.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	168.000	TON
408 5774	PRIME COAT	2,657.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,109.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	503.000	TON
411(I) 6310	SUPERPAVE, TYPE S4(PATCH)(PG64-22OK)	200.000	TON
509(D) 0325	CLASS C CONCRETE	9.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,054.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	216.000	LF
619(C) 0924	SAWING PAVEMENT	74.000	LF
623 0100	(PL)GUARDRAIL CURBING	4.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	612.500	LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000	EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	391.000	LF

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	122.600	CY

502	1000	TEMPORARY EARTH RETAINAGE	1.000	LSUM
504(A)	1304	APPROACH SLAB	187.600	SY
504(B)	1305	SAW-CUT GROOVING	1,058.800	SY
504(D)	6245	CONCRETE RAIL (TR4)	541.000	LF
506(A)	1322	STRUCTURAL STEEL	341,240.000	LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B)	6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	24.000	EA
507(C)	6282	ELASTOMERIC BEARING PADS	24.000	EA
509	6152	SPECIAL CONCRETE FINISH	66.000	SY
509(A)	1326	CLASS AA CONCRETE	276.400	CY
509(B)	1328	CLASS A CONCRETE	139.600	CY
511	6306	MECHANICAL SPLICES	1,043.000	EA
511(A)	1332	REINFORCING STEEL	680.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	120,910.000	LB
513(B)	6019	CLASS B BRIDGE DECK REPAIR	50.000	SY
513(C)	6020	CLASS C BRIDGE DECK REPAIR	50.000	SY
514(A)	6010	PILES, FURNISHED (HP 10X42)	400.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	400.000	LF
514(G)	6310	METAL PILE SHOES	14.000	EA
514(L)	6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	716.000	SY
516(A)	6096	DRILLED SHAFTS 60" DIAMETER	86.000	LF
516(C)	6200	CROSSHOLE SONIC LOGGING	2.000	EA
523(A)	6550	SEALER CRACK PREPARATION	399.400	LF
523(B)	6560	SEALER RESIN	2.700	GAL
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,300.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	210.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	90.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	40.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A)	8110 SHEET ALUMINUM SIGNS	51.000	SF
851(C)	8330 2 1/2" SQUARE TUBE POST	66.000	LF
853	9069 GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	19.000	EA
856(A)	8530 TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	8,660.000	LF

SECTION 0004 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
823	8478 (SP)PORTABLE TRAFFIC SIGNAL SYSTEM	295.000	SD
857(A)	8839 CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	2,144.000	LF
857(C)	8851 REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	144.000	LF
857(F)	8820 PAVEMENT MARKING REMOVAL (HYDROBLASTING)	8,660.000	LF
871(B)	8705 (SP)CONST.ZONE IMPACT ATTEN.	590.000	SD
877(B)	8484 DELIVER PORTABLE LONGITUDINAL BARRIER	1,400.000	LF
877(C)	8486 RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,400.000	LF
880(B)	8818 CONSTRUCTION SIGNS 0 TO 6.25 SF	5,900.000	SD
880(B)	8821 CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	11,505.000	SD
880(B)	8824 CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4,425.000	SD
880(C)	8842 CONSTRUCTION BARRICADES(TYPE III)	1,770.000	SD

880(C) 8848	WING BARRICADES	1,180.000	SD
880(D) 8854	VERTICAL PANELS	2,950.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7,375.000	SD
880(F) 8878	DRUMS	10,325.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	590.000	SD

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1398	FIELD OFFICE	1.000	EA
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 415	RES. ENG : DIVISION 8 (TULSA)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 2.00
LETTING TIME : 10:30 A.M.	120 CALENDAR DAYS	PLAN PRICE : \$21.68

COUNTIES : CREEK	<u>PROJECT(S)</u>	<u>PCN</u>
	STP-119D(131)CI	2275204

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-369): OVER DOG CREEK, 4.2 MILES NORTH OF THE
 SH-16 JUNCTION NEAR DRUMRIGHT.
 PROJECT LENGTH = 0.359 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(H) 0185	EARTHWORK	1.000	LSUM
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	408.000	LF
221(F) 0100	TEMPORARY SILT DIKE	230.000	LF
230(A) 2806	SOLID SLAB SODDING	7,666.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.580	AC
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,370.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(A) 0492	24" R.C.PIPE CLASS III	64.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	98.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	92.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	6.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
623(F) 4446	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000	EA
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA

SECTION 0002 - BRIDGE "A" - NBI# 09999

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	84.000	CY
501(D) 6353	UNCLASSIFIED BACKFILL	82.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	416.670	LF
504(D) 6239	CONCRETE RAIL (TR3)	275.000	LF
506(A) 1322	STRUCTURAL STEEL	1,810.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	4.000	EA
509(A) 1326	CLASS AA CONCRETE	80.600	CY
509(B) 1328	CLASS A CONCRETE	53.800	CY
511(A) 1332	REINFORCING STEEL	26,410.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	186.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	585.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	186.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	585.000	LF
514(L) 6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
601(B) 1353	TYPE I-A PLAIN RIPRAP	950.000	TON

601(C)	1355	TYPE I-A FILTER BLANKET	260.000	TON
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 420	RES. ENG : DIVISION 8 (TULSA)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 5.00
LETTING TIME : 10:30 A.M.	120 CALENDAR DAYS	PLAN PRICE : \$35.76

COUNTIES : CREEK	<u>PROJECT(S)</u>	<u>PCN</u>
	STP-219D(056)CI	2940704

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-3650/S 465TH W AVE): OVER LITTLE DEEP FORK
 CREEK, 0.1 MI SOUTH OF I-44 (TURNER TURNPIKE) NEAR DEPEW.
 PROJECT LENGTH = 0.589 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	15,682.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2,671.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
210 0121	OBLITERATING ABANDONED ROAD	1,427.000	LF
221(C) 2801	TEMPORARY SILT FENCE	5,506.000	LF
221(F) 0100	TEMPORARY SILT DIKE	490.000	LF
230(A) 2806	SOLID SLAB SODDING	38,966.000	SY
233(A) 2817	VEGETATIVE MULCHING	11.010	AC
303(A) 2100	AGGREGATE BASE TYPE A	1,493.000	CY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	510.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2,084.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,010.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
510(A) 6333	RETAINING WALL	143.000	SY
601(B) 0536	TYPE I-A PLAIN RIPRAP	96.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	48.000	TON
611(G) 5338	INLET GPI TYPE 2 (DES. 12)	1.000	EA
613(A) 0491	18" R.C.PIPE CLASS III	93.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	60.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	71.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	152.000	LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	1.000	EA
613(M) 7187	TYPE B4 CULVERT END TREATMENT	4.000	EA
613(T) 1187	STANDARD BEDDING MATERIAL, CLASS C	62.000	CY
613(V) 1180	TRENCH EXCAVATION	140.000	CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	38,506.000	SY
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	1,139.000	LF

SECTION 0002 - BRIDGE 'A' (NBI# 01058)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	100.000	CY
501(G) 6309	CLSM BACKFILL	56.000	CY

503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	448.000	LF
504(A)	1304	APPROACH SLAB	115.000	SY
504(B)	1305	SAW-CUT GROOVING	452.000	SY
504(D)	6239	CONCRETE RAIL (TR3)	357.000	LF
506(A)	1322	STRUCTURAL STEEL	380.000	LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	6.000	EA
507(B)	6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	6.000	EA
507(C)	6282	ELASTOMERIC BEARING PADS	6.000	EA
509(A)	1326	CLASS AA CONCRETE	135.000	CY
509(B)	1328	CLASS A CONCRETE	60.000	CY
511(A)	1332	REINFORCING STEEL	38,580.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	324.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	324.000	LF
514(K)	6260	(PL)PILOT HOLES	96.000	LF
514(L)	6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	108.000	LF
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,163.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	124.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	52.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	40.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
623(A)	0932	BEAM GUARDRAIL W-BEAM SINGLE	75.000 LF
623(G)	8571	GUARDRAIL END TREATMENT (GET)	4.000 EA
850(A)	8110	SHEET ALUMINUM SIGNS	16.000 SF
851(C)	8324	2" SQUARE TUBE POST	30.000 LF
856(A)	8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	12,482.000 LF
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000 LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 425	RES. ENG : DIVISION 5 (CLINTON)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 4.00
LETTING TIME : 10:30 A.M.	240 CALENDAR DAYS	PLAN PRICE : \$109.46

COUNTIES : DEWEY	<u>PROJECT(S)</u> NHPP-222N(027)	<u>PCN</u> 1767134
------------------	-------------------------------------	-----------------------

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND SURFACE
 US-270: FROM 0.4 MILES SOUTHEAST OF THE SH-51 JUNCTION,
 EXTEND NORTHEAST NEAR SEILING.
 PROJECT LENGTH = 3.420 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	198,819.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	7,430.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	4.000	EA
221(F) 0100	TEMPORARY SILT DIKE	1,344.000	LF
221(G) 0150	TEMPORARY ROCK FILTER DAM TYPE 1	150.000	CY
230(A) 2806	SOLID SLAB SODDING	221,413.000	SY
232(B) 2814	SEEDING METHOD B	50.000	AC
233(A) 2817	VEGETATIVE MULCHING	50.000	AC
241 2832	MOWING	92.000	AC
307(K) 4300	STABILIZED SUBGRADE	117,731.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,562.000	TON
407(B) 0250	TACK COAT	25,567.000	GAL
408 5774	PRIME COAT	41,381.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	13,839.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	49,846.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	9,226.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	4,001.000	TON
412 5267	COLD MILLING PAVEMENT	24,148.000	SY
509(A) 0319	CLASS AA CONCRETE	13.340	CY
509(D) 0325	CLASS C CONCRETE	51.000	CY
511(A) 0332	REINFORCING STEEL	2,151.900	LB
611(G) 6002	INLET (SMD-TYPE 2)	2.000	EA
613(A) 0491	18" R.C.PIPE CLASS III	1,097.000	LF
613(A) 0492	24" R.C.PIPE CLASS III	602.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	456.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	478.000	LF
613(A) 4495	22" X 13" R.C.PIPE ARCH CLASS A-III	46.000	LF
613(A) 4506	29" X 45" R.C.PIPE ELLIPTICAL CLASS HE-III	404.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	500.000	LF
613(L) 4506	22" X 13" PREFAB. CULVERT END SEC., ARCH	2.000	EA
613(L) 5734	36" PREFAB. CULVERT END SECTION, ROUND	4.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	8.000	EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	1.000	EA

613(M) 7192	TYPE BB4 CULVERT END TREATMENT	3.000 EA
613(M) 7193	TYPE CC4 CULVERT END TREATMENT	16.000 EA
613(M) 7196	TYPE A6 CULVERT END TREATMENT	12.000 EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	2.000 EA
613(M) 7198	TYPE C6 CULVERT END TREATMENT	1.000 EA
613(M) 7202	TYPE BB6 CULVERT END TREATMENT	1.000 EA
613(M) 7203	TYPE CC6 CULVERT END TREATMENT	2.000 EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 0291	REMOVAL OF HEADWALL	7.000 EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	41,032.040 SY
619(C) 0924	SAWING PAVEMENT	5,983.000 LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	26,157.000 LF

SECTION 0002 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	140,000.000	LF
857(E) 8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	25,000.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	10,000.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	11,000.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	10,000.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	7,000.000	SD
880(C) 8836	CONSTRUCTION BARRICADES(TYPE II)	2,000.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	4,500.000	SD
880(C) 8848	WING BARRICADES	1,500.000	SD
880(D) 8854	VERTICAL PANELS	9,000.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	19,000.000	SD
880(F) 8878	DRUMS	3,500.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	480.000	SD

SECTION 0003 - SIGN AND STRIPE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
413(B) 4863	RUMBLE STRIP-METHOD HMA-CYC	61,400.000	LF
805(A) 8722	(PL)REMOVAL OF EXISTING SIGNS	1.000	LSUM
850(A) 8110	SHEET ALUMINUM SIGNS	493.000	SF
851(C) 8324	2" SQUARE TUBE POST	722.000	LF
853 9048	DELINEATORS(TYPE 1, CODE 3, FLEXIBLE)	50.000	EA
855(A) 8814	TRAFFIC STRIPE(PLASTIC)(8" WIDE)	2,580.000	LF
855(A) 8818	TRAFFIC STRIPE(PLASTIC)(12" WIDE)	1,560.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	100.000	LF
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	84,900.000	LF
855(B) 8818	TRAFFIC STRIPE(PLASTIC)(ARROWS)	53.000	EA

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 430	RES. ENG : DIVISION 3 (ADA)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 3.00
LETTING TIME : 10:30 A.M.	150 CALENDAR DAYS	PLAN PRICE : \$19.51

COUNTIES : GARVIN	<u>PROJECT(S)</u> STP-225C(071)CI	<u>PCN</u> 3142604
-------------------	--------------------------------------	-----------------------

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-305): OVER HAPPY HOLLOW CREEK, 2.1 MILES
 SOUTH OF THE SH-19 JUNCTION NEAR LINDSAY.
 PROJECT LENGTH = 0.540 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	2,478.000	CY
202(D) 0184	UNCLASSIFIED BORROW	9,994.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	770.000	LF
221(F) 0100	TEMPORARY SILT DIKE	190.000	LF
230(A) 2806	SOLID SLAB SODDING	8,072.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.670	AC
307(K) 4300	STABILIZED SUBGRADE	5,842.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	39.000	TON
407(B) 0250	TACK COAT	558.000	GAL
408 5774	PRIME COAT	2,191.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,212.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	1,010.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
613(A) 0496	48" R.C.PIPE CLASS III	76.000	LF
613(A) 4496	28" X 18" R.C.PIPE ARCH CLASS A-III	74.000	LF
613(A) 4500	58" X 36" R.C.PIPE ARCH CLASS A-III	64.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	1.000	EA
613(M) 7190	TYPE E4 CULVERT END TREATMENT	1.000	EA
613(M) 7194	TYPE DD4 CULVERT END TREATMENT	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	5,166.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	156.000	LF
619(C) 0924	SAWING PAVEMENT	71.000	LF
623(F) 4446	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000	EA
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	200.000	CY
501(F) 6352	GRANULAR BACKFILL	88.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	388.000	LF
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	314.000	LF
504(B) 1305	SAW-CUT GROOVING	590.200	SY

504(C) 6250	SEALED EXPANSION JOINT	33.060 LF
504(D) 6239	CONCRETE RAIL (TR3)	552.700 LF
506(A) 1322	STRUCTURAL STEEL	1,330.000 LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	9.000 EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	9.000 EA
509(A) 1326	CLASS AA CONCRETE	190.300 CY
509(B) 1328	CLASS A CONCRETE	152.200 CY
511(A) 1332	REINFORCING STEEL	72,210.000 LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	282.000 LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	681.000 LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	282.000 LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	681.000 LF
514(L) 6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000 EA
516(A) 6098	DRILLED SHAFTS 72" DIAMETER	302.000 LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	1,380.000 TON
601(C) 1355	TYPE I-A FILTER BLANKET	385.000 TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000 LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	80.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0003 - SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A) 8110	SHEET ALUMINUM SIGNS	28.360	SF
851(C) 8327	2 1/4" SQUARE TUBE POST	60.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	10,514.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	22.000	LF

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 435	RES. ENG : DIVISION 5 (CLINTON)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 0.00
LETTING TIME : 10:30 A.M.	320 CALENDAR DAYS	PLAN PRICE : \$97.54

COUNTIES : HARMON	<u>PROJECT(S)</u>	<u>PCN</u>
	SSP-229C(010)SS	2876804

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-30: OVER SALT FORK OF RED RIVER, 3.9 MILES SOUTH OF SH-9
 NEAR HOLLIS.
 PROJECT LENGTH = 0.931 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	58,631.000	CY
202(D) 0184	UNCLASSIFIED BORROW	37,242.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	4,025.000	LF
221(F) 0100	TEMPORARY SILT DIKE	924.000	LF
230(A) 2806	SOLID SLAB SODDING	119,169.000	SY
233(A) 2817	VEGETATIVE MULCHING	19.000	AC
241 2832	MOWING	50.000	AC
310(B) 0149	SUBGRADE, METHOD B	35,874.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	339.000	TON
407(B) 0250	TACK COAT	7,819.000	GAL
408 5774	PRIME COAT	12,987.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	10,703.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3,794.000	TON
413(B) 4863	RUMBLE STRIP-METHOD HMA-CYC	7,718.000	LF
509(D) 0325	CLASS C CONCRETE	15.000	CY
601(B) 0536	TYPE I-A PLAIN RIPRAP	25.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	8.000	TON
613(A) 0492	24" R.C.PIPE CLASS III	90.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	176.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	262.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	172.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	24.000	LF
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	375.000	LF
613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	125.000	LF
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(M) 7197	TYPE B6 CULVERT END TREATMENT	2.000	EA
613(M) 7198	TYPE C6 CULVERT END TREATMENT	4.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	6.000	SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	26,249.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	526.000	LF
619(C) 0924	SAWING PAVEMENT	5,811.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	850.000	LF

623(G)	8590	GUARDRAIL END TREATMENT (31")	4.000	EA
623(I)	8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA
624(C)	4459	FENCE-STYLE SWF (5 BARBED WIRE)	5,197.000	LF
853	9033	DELINEATORS(TYPE 2, CODE 1)	28.000	EA

SECTION 0002 - BRIDGE NBI NO. 31365

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	202.000 CY
501(G)	6309	CLSM BACKFILL	188.000 CY
503(A)	1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	4,983.300 LF
504(A)	1304	APPROACH SLAB	281.200 SY
504(B)	1305	SAW-CUT GROOVING	4,718.600 SY
504(C)	6250	SEALED EXPANSION JOINT	172.800 LF
504(D)	6245	CONCRETE RAIL (TR4)	2,139.400 LF
506(A)	1322	STRUCTURAL STEEL	4,500.000 LB
507(A)	6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	40.000 EA
507(B)	6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	60.000 EA
509(A)	1326	CLASS AA CONCRETE	1,144.900 CY
509(B)	1328	CLASS A CONCRETE	607.800 CY
509(D)	1331	CLASS C CONCRETE	23.100 CY
511(A)	1332	REINFORCING STEEL	4,970.000 LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	423,390.000 LB
513(B)	6019	CLASS B BRIDGE DECK REPAIR	75.000 SY
513(C)	6020	CLASS C BRIDGE DECK REPAIR	25.000 SY
514(A)	6010	PILES, FURNISHED (HP 10X42)	274.000 LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	907.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	274.000 LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	907.000 LF
514(K)	6260	(PL)PILOT HOLES	196.000 LF
514(L)	6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000 EA
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	4,588.000 SY
516(A)	6098	DRILLED SHAFTS 72" DIAMETER	878.000 LF
516(C)	6200	CROSSHOLE SONIC LOGGING	4.000 EA
523(A)	6550	SEALER CRACK PREPARATION	204.000 LF
523(B)	6560	SEALER RESIN	3.000 GAL
601(B)	1353	TYPE I-A PLAIN RIPRAP	3,590.000 TON
601(C)	1355	TYPE I-A FILTER BLANKET	680.000 TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000 LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000 LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0003 - TRAFFIC SIGNING & STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A)	8110	SHEET ALUMINUM SIGNS	58.220 SF
851(C)	8324	2" SQUARE TUBE POST	146.000 LF
855(A)	8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	11,535.000 LF
855(A)	8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	63.000 LF

SECTION 0004 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A)	8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	25,000.000 LF
857(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	56,150.000 LF

857(E)	8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	11,230.000	EA
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	15,000.000	LF
871(B)	8705	(SP)CONST.ZONE IMPACT ATTEN.	1,305.000	SD
871(C)	8709	(SP) RELOCATION OF IMPACT ATTENUATOR	16.000	EA
877(B)	8484	DELIVER PORTABLE LONGITUDINAL BARRIER	5,950.000	LF
877(C)	8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	11,625.000	LF
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4,370.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5,040.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	3,880.000	SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	2,610.000	SD
880(C)	8848	WING BARRICADES	1,280.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	9,100.000	SD
880(F)	8878	DRUMS	2,275.000	SD
880(G)	8890	CHANNELIZER CONES	2,750.000	SD
880(I)	8902	FLAGGER	50.000	SD
880(K)	8908	SURVEILLANCE TRAFFIC CONTROL	320.000	SD
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	640.000	SD

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
640(A)	1426	FIELD OFFICE	1.000 EA
641	1552	MOBILIZATION	1.000 LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 445	RES. ENG : DIVISION 4 (PERRY)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 2.00
LETTING TIME : 10:30 A.M.	180 CALENDAR DAYS	PLAN PRICE : \$21.68

COUNTIES : KAY	<u>PROJECT(S)</u>	<u>PCN</u>
	STP-236C(039)CI	2843304

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-18): OVER KILDARE CR AND BOIS D'ARC CR,
 2.2 MILES AND 2.4 MILES WEST OF US-77 NEAR PONCA CITY.
 PROJECT LENGTH = 0.402 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3,200.000	LF
221(F) 0100	TEMPORARY SILT DIKE	392.000	LF
230(A) 2806	SOLID SLAB SODDING	15,378.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.180	AC
307(A) 4200	FLY ASH	350.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	6,603.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	38.000	TON
407(B) 0250	TACK COAT	347.000	GAL
408 5774	PRIME COAT	2,401.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	1,521.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	770.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0692	36" CORR. GALV. STEEL PIPE	140.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	100.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	4.000	EA
613(M) 7189	TYPE D4 CULVERT END TREATMENT	4.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	4,994.000	SY
619(B) 6363	(PL)REMOVAL OF EXISTING RIPRAP	1.000	LSUM
619(C) 0924	SAWING PAVEMENT	48.000	LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	8,500.000	LF
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE A - NBI # 12208

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	200.000	CY
501(G) 6309	CLSM BACKFILL	92.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	357.340	LF
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	358.670	LF
504(B) 1305	SAW-CUT GROOVING	564.800	SY
504(C) 6250	SEALED EXPANSION JOINT	70.340	LF
504(D) 6239	CONCRETE RAIL (TR3)	418.800	LF
506(A) 1322	STRUCTURAL STEEL	1,110.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	12.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	12.000	EA

509(A)	1326	CLASS AA CONCRETE	175.000	CY
509(B)	1328	CLASS A CONCRETE	124.200	CY
511(A)	1332	REINFORCING STEEL	56,480.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	130.000	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	295.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	130.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	295.000	LF
514(L)	6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
516(A)	6094	DRILLED SHAFTS 48" DIAMETER	106.000	LF
516(C)	6200	CROSSHOLE SONIC LOGGING	1.000	EA
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,160.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	387.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000	LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	30.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(A)	1418	BEAM GUARDRAIL W-BEAM SINGLE	200.000	LF
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G)	8571	GUARDRAIL END TREATMENT (GET)	4.000	EA

SECTION 0003 - BRIDGE B

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	210.000 CY
501(G)	6309	CLSM BACKFILL	104.000 CY
503(A)	1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	358.670 LF
504(B)	1305	SAW-CUT GROOVING	286.800 SY
504(D)	6239	CONCRETE RAIL (TR3)	241.200 LF
506(A)	1322	STRUCTURAL STEEL	370.000 LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000 EA
507(B)	6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	4.000 EA
509(A)	1326	CLASS AA CONCRETE	87.800 CY
509(B)	1328	CLASS A CONCRETE	76.200 CY
511(A)	1332	REINFORCING STEEL	29,090.000 LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	174.000 LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	553.000 LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	174.000 LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	553.000 LF
514(L)	6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000 EA
601(B)	1353	TYPE I-A PLAIN RIPRAP	591.000 TON
601(C)	1355	TYPE I-A FILTER BLANKET	197.000 TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000 LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	30.000 LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM
623(A)	1418	BEAM GUARDRAIL W-BEAM SINGLE	375.000 LF
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000 EA
623(G)	8571	GUARDRAIL END TREATMENT (GET)	4.000 EA

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

220	2800	SWPPP DOCUMENTATION AND MANAGEMENT
641	1552	MOBILIZATION

1.000	LSUM
1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 455	RES. ENG : DIVISION 4 (PERRY)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 2.00
LETTING TIME : 10:30 A.M.	210 CALENDAR DAYS	PLAN PRICE : \$65.03

COUNTIES : LOGAN	<u>PROJECT(S)</u>	<u>PCN</u>
	STP-242C(059)SS	2831204

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-74D: OVER ROCK CREEK, 1.7 MILES WEST OF SH-74 NEAR
 LOVELL.
 PROJECT LENGTH = 0.122 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	504.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2,517.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,123.000	LF
221(K) 0600	TEMPORARY FIBER LOG	1,499.000	LF
230(A) 2806	SOLID SLAB SODDING	3,133.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.000	AC
241 2832	MOWING	4.000	AC
307(K) 4300	STABILIZED SUBGRADE	1,603.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	1,365.000	TON
407(B) 0250	TACK COAT	7,065.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	726.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	4,929.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(H) 0450	6" PERFORATED PIPE UNDERDRAIN ROUND	34.000	LF
613(I) 1096	6" NON-PERF.PIPE UNDERDRAIN RND.	12.000	LF
613(Q) 5946	OUTLET LATERAL HEADWALL	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	1,394.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	211.000	LF
619(C) 0924	SAWING PAVEMENT	83.000	LF
623 0100	(PL)GUARDRAIL CURBING	8.000	EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	213.000	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	8.000	EA
623(G) 8590	GUARDRAIL END TREATMENT (31")	8.000	EA
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	171.000	LF
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	124.000	LF
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	27.000	EA

SECTION 0002 - BRIDGE 'A' (NBI# 11098)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	120.000	CY
501(F) 6352	GRANULAR BACKFILL	56.000	CY
503(A) 6293	PRESTRESSED CONCRETE BEAM (TYPE B)	397.340	LF
503(A) 6294	PRESTRESSED CONCRETE BEAM (TYPE C)	278.670	LF

504(A)	1304	APPROACH SLAB	141.600	SY
504(B)	1305	SAW-CUT GROOVING	756.100	SY
504(D)	6239	CONCRETE RAIL (TR3)	395.400	LF
506(A)	1322	STRUCTURAL STEEL	870.000	LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B)	6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
507(C)	6282	ELASTOMERIC BEARING PADS	16.000	EA
509(A)	1326	CLASS AA CONCRETE	180.800	CY
509(B)	1328	CLASS A CONCRETE	117.100	CY
509(D)	1331	CLASS C CONCRETE	12.000	CY
511(A)	1332	REINFORCING STEEL	49,030.000	LB
511(B)	6010	EPOXY COATED REINFORCING STEEL	9,080.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	560.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	560.000	LF
514(L)	6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	2.000	EA
515(A)	6013	WATER REPELLENT (VISUALLY INSPECTED)	124.000	SY
516(A)	6098	DRILLED SHAFTS 72" DIAMETER	241.200	LF
516(C)	6200	CROSSHOLE SONIC LOGGING	1.000	EA
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,150.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	205.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	80.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B' (NBI# 02035)

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B)	1307	SUBSTRUCTURE EXCAVATION COMMON	1,498.000 CY
501(E)	6354	SELECT BACKFILL	13.000 CY
501(F)	6352	GRANULAR BACKFILL	82.000 CY
504(D)	6239	CONCRETE RAIL (TR3)	100.000 LF
506(A)	1322	STRUCTURAL STEEL	26,440.000 LB
509(A)	1326	CLASS AA CONCRETE	139.400 CY
509(D)	1331	CLASS C CONCRETE	2.000 CY
511(B)	6010	EPOXY COATED REINFORCING STEEL	12,630.000 LB
514(A)	6017	PILES, FURNISHED (HP 14X102)	540.000 LF
514(A)	6018	PILES, FURNISHED (HP 14X117)	800.000 LF
514(B)	6298	PILES, DRIVEN (HP 14X102)	18.000 LF
514(H)	6355	SHEET PILING, FURNISHED	364.000 SY
514(I)	6360	SHEET PILING, DRIVEN	364.000 SY
514(K)	6260	(PL)PILOT HOLES	1,126.000 LF
535	6225	HAUL AND ERECT STEEL BEAMS	1.000 LSUM
601(B)	1353	TYPE I-A PLAIN RIPRAP	189.000 TON
601(C)	1355	TYPE I-A FILTER BLANKET	46.000 TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	226.000 LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	6.000 LF
613(S)	1186	STANDARD BEDDING MATERIAL, CLASS B	321.000 CY
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0004 - SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
850(A)	8110	SHEET ALUMINUM SIGNS	24.750 SF

851(C) 8324	2" SQUARE TUBE POST	46.000 LF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	4,450.000 LF

SECTION 0005 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,300.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,280.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	540.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2,280.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	5,100.000	SD
880(I) 8902	FLAGGER	20.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	28.000	SD

SECTION 0006 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 460	RES. ENG : DIVISION 3 (ADA)	DBE GOAL : 0.00
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	PLAN PRICE : \$14.09
LETTING TIME : 10:30 A.M.	120 CALENDAR DAYS	

COUNTIES : MCCLAIN	<u>PROJECT(S)</u> STP-244C(058)CI	<u>PCN</u> 3010704
--------------------	--------------------------------------	-----------------------

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-147): OVER TRIBUTARY OF BEAR CREEK, 1.2
 MILES EAST OF THE SH-76 JUNCTION NEAR LINDSAY.
 PROJECT LENGTH = 0.237 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	1,998.000	CY
202(D) 0184	UNCLASSIFIED BORROW	2,850.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	405.000	LF
221(F) 0100	TEMPORARY SILT DIKE	365.000	LF
230(A) 2806	SOLID SLAB SODDING	5,707.000	SY
233(A) 2817	VEGETATIVE MULCHING	1.180	AC
307(B) 4210	CEMENT KILN DUST	222.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	4,096.000	SY
407(B) 0250	TACK COAT	338.000	GAL
408 5774	PRIME COAT	1,025.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	756.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	597.000	TON
509(D) 0325	CLASS C CONCRETE	20.000	CY
601(A) 0297	TYPE I PLAIN RIPRAP	412.000	TON
613(B) 0689	18" CORR. GALV. STEEL PIPE	136.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	10.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,921.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	400.000	LF
619(C) 0924	SAWING PAVEMENT	44.000	LF
623(F) 4446	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000	EA
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0002 - BRIDGE "A" - NBI # 11501

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	190.000	CY
501(F) 6352	GRANULAR BACKFILL	76.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	149.000	LF
504(B) 1305	SAW-CUT GROOVING	132.200	SY
504(D) 6239	CONCRETE RAIL (TR3)	168.100	LF
506(A) 1322	STRUCTURAL STEEL	580.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	3.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	3.000	EA

509(A)	1326	CLASS AA CONCRETE	43.600	CY
509(B)	1328	CLASS A CONCRETE	68.000	CY
511(A)	1332	REINFORCING STEEL	22,350.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	232.000	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	556.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	232.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	556.000	LF
514(L)	6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
601(B)	1353	TYPE I-A PLAIN RIPRAP	774.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	200.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
613(I)	6207	6" NON-PERF. PIPE UNDERDRAIN RND.	80.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
855(A) 8812	TRAFFIC STRIPE(PLASTIC)(4" WIDE)	1,790.000	LF

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 465	RES. ENG : DIVISION 2 (ANTLERS)
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID DBE GOAL : 0.00
LETTING TIME : 10:30 A.M.	120 CALENDAR DAYS PLAN PRICE : \$21.68
COUNTIES : MCCURTAIN	<u>PROJECT(S)</u> CIRB-145C(172)RB
	<u>PCN</u> 2546804

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-208): OVER YANUBBEE CREEK, 1.6 MILES EAST OF
 US-259 NEAR BROKEN BOW.
 PROJECT LENGTH = 0.397 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	15,686.000	CY
202(D) 0184	UNCLASSIFIED BORROW	939.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	3,500.000	LF
221(F) 0100	TEMPORARY SILT DIKE	528.000	LF
229 4318	DITCH LINER PROTECTION	975.000	LF
230(A) 2806	SOLID SLAB SODDING	32,719.000	SY
233(A) 2817	VEGETATIVE MULCHING	6.070	AC
241 2832	MOWING	12.150	AC
303(A) 2100	AGGREGATE BASE TYPE A	1,147.000	CY
307(J) 4290	MODIFIED SUBGRADE	7,378.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	431.000	TON
407(B) 0250	TACK COAT	954.000	GAL
408 5774	PRIME COAT	4,430.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	2,252.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	737.000	TON
509(D) 0325	CLASS C CONCRETE	150.000	CY
613(B) 0690	24" CORR. GALV. STEEL PIPE	262.000	LF
613(M) 7187	TYPE B4 CULVERT END TREATMENT	8.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,130.000	SY
619(C) 0924	SAWING PAVEMENT	44.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	100.000	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(G) 8571	GUARDRAIL END TREATMENT (GET)	4.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	800.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	2.000	EA

SECTION 0002 - BRIDGE "A", 105' TYPE IV PCB, 32' CLR. RDY. W/ TR3

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	210.000	CY
501(G) 6309	CLSM BACKFILL	108.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	418.670	LF
504(A) 1304	APPROACH SLAB	141.600	SY
504(B) 1305	SAW-CUT GROOVING	447.500	SY
504(D) 6239	CONCRETE RAIL (TR3)	276.400	LF

506(A)	1322	STRUCTURAL STEEL	760.000	LB
507(A)	6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	4.000	EA
507(B)	6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	4.000	EA
509(A)	1326	CLASS AA CONCRETE	104.000	CY
509(B)	1328	CLASS A CONCRETE	79.800	CY
511(A)	1332	REINFORCING STEEL	32,960.000	LB
514(A)	6010	PILES, FURNISHED (HP 10X42)	88.000	LF
514(A)	6011	PILES, FURNISHED (HP 12X53)	239.000	LF
514(B)	6292	PILES, DRIVEN (HP 10X42)	88.000	LF
514(B)	6294	PILES, DRIVEN (HP 12X53)	239.000	LF
514(L)	6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
601(B)	1353	TYPE I-A PLAIN RIPRAP	1,410.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	410.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	64.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	50.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
850(A)	8110 SHEET ALUMINUM SIGNS	10.000	SF
851(C)	8327 2 1/4" SQUARE TUBE POST	30.000	LF
856(A)	8530 TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	8,920.000	LF
880(J)	8905 CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641	1399 MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 470	RES. ENG : DIVISION 6 (BUFFALO)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 3.00
LETTING TIME : 10:30 A.M.	120 CALENDAR DAYS	PLAN PRICE : \$19.51

COUNTIES : MAJOR	<u>PROJECT(S)</u>	<u>PCN</u>
	STP-247D(020)CI	2834804

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (EW-52): OVER SAND CREEK, 1.0 MILES EAST OF THE
 SH-58 INTERSECTION IN FAIRVIEW.
 PROJECT LENGTH = 0.216 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	2,340.000	LF
221(F) 0100	TEMPORARY SILT DIKE	280.000	LF
230(A) 2806	SOLID SLAB SODDING	10,689.000	SY
233(A) 2817	VEGETATIVE MULCHING	2.210	AC
307(A) 4200	FLY ASH	186.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	3,667.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	124.000	TON
407(B) 0250	TACK COAT	179.000	GAL
408 5774	PRIME COAT	1,293.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	821.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	391.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(A) 0494	36" R.C.PIPE CLASS III	64.000	LF
613(B) 4527	21" X 15" CORR. GALV. STEEL PIPE ARCH	60.000	LF
613(L) 5734	36" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(M) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,248.000	SY
619(C) 0924	SAWING PAVEMENT	64.000	LF
850(A) 8110	SHEET ALUMINUM SIGNS	22.380	SF
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	2,560.000	LF

SECTION 0002 - BRIDGE (NBI# 07307)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	190.000	CY
501(G) 6309	CLSM BACKFILL	86.000	CY
503(A) 1311	PRESTRESSED CONCRETE BEAMS (TYPE II)	447.000	LF
504(B) 1305	SAW-CUT GROOVING	371.000	SY
504(C) 6250	SEALED EXPANSION JOINT	66.120	LF
504(D) 6239	CONCRETE RAIL (TR3)	368.200	LF
506(A) 1322	STRUCTURAL STEEL	960.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	9.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	9.000	EA
509(A) 1326	CLASS AA CONCRETE	120.100	CY
509(B) 1328	CLASS A CONCRETE	103.600	CY
511(A) 1332	REINFORCING STEEL	51,120.000	LB

514(A) 6010	PILES, FURNISHED (HP 10X42)	138.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	315.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	138.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	315.000	LF
514(L) 6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
516(A) 6093	DRILLED SHAFTS 42" DIAMETER	136.000	LF
601(B) 1353	TYPE I-A PLAIN RIPRAP	792.000	TON
601(C) 1355	TYPE I-A FILTER BLANKET	136.000	TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
613(I) 6207	6" NON-PERF. PIPE UNDERDRAIN RND.	30.000	LF
623(F) 5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F) 6029	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000	EA
880(J) 8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 475	RES. ENG : DIVISION 7 (DUNCAN)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 5.00
LETTING TIME : 10:30 A.M.	200 CALENDAR DAYS	PLAN PRICE : \$106.21

COUNTIES : MURRAY	<u>PROJECT(S)</u>	<u>PCN</u>
	NHPPI-3500(060)SS	3036304

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (ROCK CRUSHER ROAD): OVER I-35, 1.8 MILES
 SOUTHEAST OF THE GARVIN COUNTY LINE NEAR DAVIS.
 PROJECT LENGTH = 0.363 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	27,469.000	CY
202(D) 0184	UNCLASSIFIED BORROW	25,627.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,673.000	LF
221(G) 0151	TEMPORARY ROCK FILTER DAM TYPE 2	6.000	CY
221(G) 0152	TEMPORARY ROCK FILTER DAM TYPE 3	133.000	CY
221(G) 0153	TEMPORARY ROCK FILTER DAM TYPE 4	13.000	CY
221(K) 0600	TEMPORARY FIBER LOG	5,127.000	LF
230(A) 2806	SOLID SLAB SODDING	35,326.000	SY
230(F) 2812	WATERING	2,826.000	KGAL
233(A) 2817	VEGETATIVE MULCHING	10.000	AC
241 2832	MOWING	37.000	AC
307(K) 4300	STABILIZED SUBGRADE	6,253.000	SY
310(B) 0149	SUBGRADE, METHOD B	6,185.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	12.000	TON
407(B) 0250	TACK COAT	2,217.000	GAL
408 5774	PRIME COAT	4,667.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	952.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	3,993.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	727.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	675.000	TON
412 5267	COLD MILLING PAVEMENT	898.000	SY
509(A) 0319	CLASS AA CONCRETE	117.000	CY
509(D) 0325	CLASS C CONCRETE	350.000	CY
511(A) 0332	REINFORCING STEEL	15,306.000	LB
514(J) 6390	TEMPORARY SHEET PILING	1.000	LSUM
601(B) 0536	TYPE I-A PLAIN RIPRAP	381.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	127.000	TON
611(G) 5328	INLET GPI TYPE 1 (DES. 2)	1.000	EA
613(B) 0689	18" CORR. GALV. STEEL PIPE	193.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	3.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	24.000	LF
613(M) 7186	TYPE A4 CULVERT END TREATMENT	2.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM

619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	12,337.000 SY
619(B) 4780	REMOVAL OF GUARDRAIL	599.000 LF
623 0100	(PL)GUARDRAIL CURBING	2.000 EA
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	232.000 LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000 EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000 EA
624(C) 4458	FENCE-STYLE SWF (4 BARBED WIRE)	924.000 LF
629(E) 5048	REMOVE AND RESET MAILBOX	1.000 EA

SECTION 0002 - BRIDGE 'A' NBI NO. 17571

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	601.000	CY
501(G) 6309	CLSM BACKFILL	350.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	258.400	LF
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	1,076.000	LF
504(A) 1304	APPROACH SLAB	252.800	SY
504(B) 1305	SAW-CUT GROOVING	1,427.600	SY
504(C) 6250	SEALED EXPANSION JOINT	33.000	LF
504(E) 6190	42" F-SHAPED PARAPET	803.000	LF
506(A) 1322	STRUCTURAL STEEL	2,550.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	8.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000	EA
509(A) 1326	CLASS AA CONCRETE	349.600	CY
509(B) 1328	CLASS A CONCRETE	313.200	CY
510(C) 6138	SLOPE WALL (5")	797.000	SY
511(A) 1332	REINFORCING STEEL	22,970.000	LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	152,440.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	582.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	1,485.000	LF
514(A) 6012	PILES, FURNISHED (HP 14X73)	1,152.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	582.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	1,485.000	LF
514(B) 6296	PILES, DRIVEN (HP 14X73)	1,152.000	LF
514(L) 6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	2,033.000	SY
523(A) 6550	SEALER CRACK PREPARATION	32.000	LF
523(B) 6560	SEALER RESIN	0.400	GAL
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	160.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	101.000	LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - TRAFFIC CONTROL

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	4,444.000	LF
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	367.000	EA
871(B) 8705	(SP)CONST.ZONE IMPACT ATTEN.	970.000	SD
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	3,600.000	LF
880(A) 8812	ARROW DISPLAY(TYPE C)	200.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	8,120.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	2,720.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4,750.000	SD

880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,520.000	SD
880(C) 8848	WING BARRICADES	2,400.000	SD
880(D) 8854	VERTICAL PANELS	660.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	6,990.000	SD
880(F) 8878	DRUMS	20,220.000	SD
880(L) 8911	TRAFFIC SURVEILLANCE, POLICE	1,600.000	HOUR
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	456.000	SD

SECTION 0004 - TRAFFIC SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	2.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	60.000	SF
851(C) 8324	2" SQUARE TUBE POST	84.000	LF
855(A) 8825	TRAFFIC STRIPE(PLASTIC)(24" WIDE)	42.000	LF
855(A) 8840	TRAFFIC STRIPE(PLASTIC)(THIN LINE)(4" WIDE)	10,715.000	LF

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A) 1426	FIELD OFFICE	1.000	EA
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 480	RES. ENG : DIVISION 1 (MUSKOGEE)
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID DBE GOAL : 0.00
LETTING TIME : 10:30 A.M.	180 CALENDAR DAYS PLAN PRICE : \$32.52

COUNTIES : MUSKOGEE	<u>PROJECT(S)</u>	<u>PCN</u>
	NHPP-251N(073)	3281604
	HSIPG-251N(074)TR	3309404

CONTRACT DESCRIPTION :
 SAFETY IMPROVEMENT (RUMBLE STRIP AND CABLE BARRIER)
 SH-165: FROM 0.8 MILES NORTH OF THE US-62 INTERCHANGE,
 EXTEND SOUTH IN MUSKOGEE.

SECTION 0001 - ROADWAY - NHPP-251N(073)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	300.000	LF
221(F) 0100	TEMPORARY SILT DIKE	300.000	LF
241 2832	MOWING	77.000	AC
326(B) 0100	GEOGRID REINFORCEMENT	200.000	SY
407(B) 0250	TACK COAT	2,880.000	GAL
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	7,375.000	TON
412 5267	COLD MILLING PAVEMENT	26,800.000	SY
413(A) 4861	RUMBLE STRIP-METHOD HMA-CON	69,000.000	LF
624(A) 4281	FENCE-STYLE WWF	36,342.000	LF
624(E) 4292	FENCE-STYLE CLF (6'HIGH, CLASS A)	1,322.000	LF

SECTION 0002 - TRAFFIC CONTROL - HSIPG-251N(074)TR

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
876(A) 8482	(PL)TRUCK MOUNTED ATTENUATOR	120.000	SD
880(A) 8812	ARROW DISPLAY(TYPE C)	120.000	SD
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4,200.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	4,800.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	5,400.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,800.000	SD
880(C) 8848	WING BARRICADES	960.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7,680.000	SD
880(F) 8878	DRUMS	9,000.000	SD
880(G) 8890	CHANNELIZER CONES	18,000.000	SD
882(A) 8306	PORT.CHANGEABLE MESSAGE SIGN	536.000	SD

SECTION 0003 - TRAFFIC SIGNING AND STRIPING - HSIPG-251N(074)TR

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	4.000	EA

SECTION 0004 - CABLE BARRIER - HSIPG-251N(074)TR

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 0183	UNCLASSIFIED EXCAVATION	2,065.000	CY
202(D) 0184	UNCLASSIFIED BORROW	100.000	CY
221(C) 2801	TEMPORARY SILT FENCE	1,000.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	13.000	EA
221(F) 0100	TEMPORARY SILT DIKE	382.000	LF
230(A) 2806	SOLID SLAB SODDING	4,752.500	SY

241	2832	MOWING	7.200	AC
411(C)	5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	3,904.740	TON
509(A)	0319	CLASS AA CONCRETE	217.430	CY
628(B)	5125	HIGH-TENSION CABLE BARRIER(TL-4)	19,010.000	LF
628(C)	5110	END ANCHORS	10.000	EA
628(E)	5175	CABLE BARRIER TENSION METER	1.000	EA

SECTION 0005 - STAKING - HSIPG-251N(074)TR

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION - HSIPG-251N(074)TR

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 485	RES. ENG : DIVISION 4 (PERRY)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 3.50
LETTING TIME : 10:30 A.M.	445 CALENDAR DAYS	PLAN PRICE : \$298.01

TIME 'B' BID - \$10,000.00 / DAY

COUNTIES : OKLAHOMA	<u>PROJECT(S)</u>	<u>PCN</u>
	OKC-XTWN(078)SS	1742888
	ACNHPPI-XTWN(079)SS	1742889

CONTRACT DESCRIPTION :
 GRADE, DRAIN, SURFACE, AND BRIDGE
 CITY STREET (OKLAHOMA CITY BOULEVARD): FROM 0.1 MILES WEST
 OF WESTERN AVENUE, EXTEND SOUTHEAST IN OKLAHOMA CITY.
 PROJECT LENGTH = 1.095 MILES

SECTION 0001 - ROADWAY - OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	26,380.000	CY
202(D) 0184	UNCLASSIFIED BORROW	36,277.000	CY
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	5,797.000	CY
221(C) 2801	TEMPORARY SILT FENCE	12,300.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	48.000	EA
230(A) 2806	SOLID SLAB SODDING	41,732.000	SY
232(B) 2814	SEEDING METHOD B	8.620	AC
233(A) 2817	VEGETATIVE MULCHING	8.620	AC
241 2832	MOWING	17.240	AC
303(A) 2100	AGGREGATE BASE TYPE A	11,865.000	CY
307(K) 4300	STABILIZED SUBGRADE	54,109.000	SY
317 4270	CEMENT TREATED BASE	24,233.000	SY
325 5271	SEPARATOR FABRIC	63,226.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON
407(B) 0250	TACK COAT	72.000	GAL
411(B) 5935	SUPERPAVE, TYPE S3(PG 76-28 OK)	167.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	223.000	TON
411(C) 5950	SUPERPAVE, TYPE S4(PG 76-28 OK)	112.000	TON
411(D) 5970	SUPERPAVE, TYPE S5(PG 70-28 OK)	124.000	TON
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	40,810.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	10,203.000	CY
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	1,104.000	SY
504(E) 6190	42" F-SHAPED PARAPET	1,620.000	LF
509(A) 0319	CLASS AA CONCRETE	260.000	CY
511(B) 4269	EPOXY COATED REINFORCING STEEL	10,913.000	LB
609(A) 0380	CONCRETE CURB (8" BARRIER-INTEGRAL)	10,522.000	LF
609(B) 0395	2'-8" COMB. CURB & GUTTER (6" BARRIER-NOTCHED)	7,861.000	LF
609(B) 0396	2'-8" COMB. CURB & GUTTER (8" BARRIER-NOTCHED)	596.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	4,201.000	SY
610(A) 0605	6" CONCRETE SIDEWALK	6,778.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	2,299.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	1,766.000	SF
611(A) 0484	SPECIAL MANHOLE	203.040	CF

611(A) 2657	MANHOLE (4' DIAMETER)	4.000 EA
611(A) 2658	MANHOLE (5' DIAMETER)	5.000 EA
611(A) 2659	MANHOLE (6' DIAMETER)	7.000 EA
611(A) 2660	MANHOLE (7' DIA.)	3.000 EA
611(A) 2661	MANHOLE (8' DIA.METER)	1.000 EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	1.000 VF
611(B) 2681	ADD'L.DEPTH IN MANHOLE (5' DIAMETER)	8.000 VF
611(B) 2682	ADD'L.DEPTH IN MANHOLE (6' DIAMETER)	16.000 VF
611(B) 2683	ADD'L.DEPTH IN MANHOLE (7' DIA.)	8.000 VF
611(B) 2684	ADD'L.DEPTH IN MANHOLE (8' DIAMETER)	2.000 VF
611(G) 5100	INLET CI DES. 1 (STD)	2.000 EA
611(G) 5112	INLET CI DES. 2 (STD)	29.000 EA
611(G) 5113	INLET CI DES. 2 (B)	10.000 EA
611(G) 5115	INLET CI DES. 2 (D)	1.000 EA
611(G) 5120	INLET CI DES. 3 (STD)	2.000 EA
611(G) 5970	INLET W/SMALL JCT. BOX, CI, DES.2	2.000 EA
611(G) 5974	INLET W/SMALL JCT. BOX, CI, DES.2(D)	1.000 EA
611(H) 5320	ADD'L DEPTH IN INLET CI DES. 1	3.000 VF
611(H) 5325	ADD'L DEPTH IN INLET CI DES. 2	75.000 VF
611(H) 5330	ADD'L DEPTH IN INLET CI DES. 3	3.000 VF
611(L) 0487	JUNCTION BOXES	126.000 CF
612(A) 0641	MANHOLES ADJUST TO GRADE	30.000 EA
612(E) 0647	VALVE BOXES ADJUST TO GRADE	7.000 EA
612(G) 0650	FIRE HYDRANT RESET	8.000 EA
613(A) 0491	18" R.C.PIPE CLASS III	1,342.000 LF
613(A) 0492	24" R.C.PIPE CLASS III	1,376.000 LF
613(A) 0493	30" R.C.PIPE CLASS III	334.000 LF
613(A) 0494	36" R.C.PIPE CLASS III	684.000 LF
613(A) 0496	48" R.C.PIPE CLASS III	330.000 LF
613(J) 5915	EDGE DRAIN CONDUIT-PERFORATED	11,769.000 LF
613(K) 5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	384.000 LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	12,648.000 LF
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	22,211.000 SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	13,146.000 SY
619(B) 4792	REMOVAL OF SIDEWALK	3,817.000 SY
619(C) 0924	SAWING PAVEMENT	2,652.000 LF

SECTION 0002 - BRIDGE 'A' - OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	1,165.000	CY
501(F) 6352	GRANULAR BACKFILL	2,890.000	CY
501(G) 6309	CLSM BACKFILL	1,385.000	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	637.000	LF
504(A) 1304	APPROACH SLAB	425.600	SY
504(B) 1305	SAW-CUT GROOVING	1,011.000	SY
504(C) 6250	SEALED EXPANSION JOINT	49.500	LF
504(E) 6190	42" F-SHAPED PARAPET	432.700	LF
506(A) 1322	STRUCTURAL STEEL	1,660.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	5.000	EA

507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	5.000 EA
509(A) 1326	CLASS AA CONCRETE	192.600 CY
509(B) 1328	CLASS A CONCRETE	1,328.400 CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	176,010.000 LB
514(A) 6016	PILES, FURNISHED (HP 14X89)	3,365.000 LF
514(B) 6297	PILES, DRIVEN (HP 14X89)	3,365.000 LF
514(L) 6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000 EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,322.000 SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	162.000 LF

SECTION 0003 - BRIDGE 'B' - OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	1,160.000	CY
501(F) 6352	GRANULAR BACKFILL	2,935.000	CY
501(G) 6309	CLSM BACKFILL	1,535.000	CY
503(A) 6290	PRESTRESSED CONCRETE BEAMS (TYPE J BT)	637.000	LF
504(A) 1304	APPROACH SLAB	425.600	SY
504(B) 1305	SAW-CUT GROOVING	1,011.000	SY
504(C) 6250	SEALED EXPANSION JOINT	49.500	LF
504(E) 6190	42" F-SHAPED PARAPET	432.700	LF
506(A) 1322	STRUCTURAL STEEL	1,660.000	LB
507(A) 6170	STAINLESS STEEL FIXED BEARING ASSEMBLY	5.000	EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	5.000	EA
509(A) 1326	CLASS AA CONCRETE	192.600	CY
509(B) 1328	CLASS A CONCRETE	1,371.200	CY
511(B) 6010	EPOXY COATED REINFORCING STEEL	178,280.000	LB
514(A) 6016	PILES, FURNISHED (HP 14X89)	3,387.000	LF
514(B) 6297	PILES, DRIVEN (HP 14X89)	3,387.000	LF
514(L) 6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,327.000	SY
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	162.000	LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	140.000	LF

SECTION 0004 - RETAINING WALL - OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
510(A) 6334	RETAINING WALL	3,677.000	SY
514(A) 6010	PILES, FURNISHED (HP 10X42)	35,869.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	35,869.000	LF

SECTION 0005 - TRAFFIC CONTROL - OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	3,255.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	5,890.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	852.500	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	5,967.500	SD
880(F) 8878	DRUMS	2,557.500	SD

SECTION 0006 - TRAFFIC - SIGNING AND STRIPING - OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A) 2915	STRUCTURAL CONCRETE	1.380	CY
850(A) 8110	SHEET ALUMINUM SIGNS	117.340	SF
851(B) 3216	2"@3.65 GALV.STEEL PIPE POST	274.500	LF

856(A)	8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	14,840.000	LF
856(A)	8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	2,409.000	LF
856(A)	8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	6,927.000	LF
856(A)	8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	4,069.000	LF
856(B)	8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	42.000	EA

SECTION 0007 - LIGHTING - OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B)	8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	905.000 LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	4,610.000 LF
803(A)	8065	PULL BOX(SIZE I)	67.000 EA
804(A)	2915	STRUCTURAL CONCRETE	36.120 CY
804(B)	2916	REINFORCING STEEL	2,117.200 LB
806(C)	8270	30' MTG & HLMA (SPECIAL)	57.000 EA
806(D)	8989	40' MTG.HT.HL.PTP.(G.STL.)	10.000 EA
807	8092	BREAKAWAY BASE (DES. B)	4.000 EA
809(A)	8090	ROADWAY LUMINAIRE	10.000 EA
809(C)	8399	POST TOP LUMINAIRE	76.000 EA
810(A)	3118	SERVICE POLE	1.000 EA
811	8038	1/C NO.4 ELECTRICAL CONDUCTOR	17,097.000 LF
811	8046	1/C NO.12 ELECTRICAL CONDUCTOR	5,370.000 LF

SECTION 0008 - TRAFFIC SIGNAL - OKC BLVD AND RENO AVE - OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B)	8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	580.000 LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	570.000 LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	580.000 LF
802(B)	8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	80.000 LF
803(A)	8066	PULL BOX(SIZE II)	4.000 EA
804(A)	2915	STRUCTURAL CONCRETE	13.400 CY
804(B)	2916	REINFORCING STEEL	1,753.200 LB
806(A)	8350	32'MH POLE,30'TS & 10'LMMA(G.STL.)	2.000 EA
806(A)	8351	32'MH POLE 25',TS & 10'LMMA(G.STL.)	2.000 EA
806(B)	8897	12' MTG.HT.TS PED.POLE(ALUMINUM)	8.000 EA
809(A)	8090	ROADWAY LUMINAIRE	4.000 EA
810(A)	3118	SERVICE POLE	1.000 EA
811	8040	1/C NO.6 ELECTRICAL CONDUCTOR	200.000 LF
811	8044	1/C NO.10 ELECTRICAL CONDUCTOR	2,840.000 LF
825	8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	1.000 EA
828	8132	(PL)DETECTION SYSTEM (VIDEO)	1.000 LSUM
830	8000	PEDESTRIAN PUSH BUTTON	12.000 EA
831	8231	1WAY 3SEC. ADJ. SIG. HD. S-6	8.000 EA
831	8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	12.000 EA
833	3030	BACKPLATE	8.000 EA
834(A)	8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	5,700.000 LF
834(A)	8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	895.000 LF
834(A)	8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	1,240.000 LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	60.000 LF
840(B)	8593	E.P.S. OPTICAL DETECTOR	4.000 EA
840(C)	8594	E.P.S. OPTICAL DETECTOR CABLE	1,435.000 LF
840(D)	8595	E.P.S. 2 CHANNEL PHASE SELECTOR	2.000 EA

850(C) 8118 MAST ARM MOUNTED SIGNS(ALUMINUM) 59.500 SF

SECTION 0009 - TRAFFIC SIGNAL-RENO/WESTERN/CLASSEN/SHERIDAN-OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B) 8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	555.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	560.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	555.000	LF
802(B) 8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	90.000	LF
803(A) 8066	PULL BOX(SIZE II)	8.000	EA
804(A) 2915	STRUCTURAL CONCRETE	17.400	CY
804(B) 2916	REINFORCING STEEL	2,324.200	LB
806(A) 8311	32'MH POLE 35'TS & 10'LMA(G.STL.)	4.000	EA
806(A) 8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000	EA
806(B) 8897	12' MTG.HT.TS PED.POLE(ALUMINUM)	9.000	EA
809(A) 8090	ROADWAY LUMINAIRE	5.000	EA
810(A) 3118	SERVICE POLE	1.000	EA
811 8040	1/C NO.6 ELECTRICAL CONDUCTOR	200.000	LF
811 8044	1/C NO.10 ELECTRICAL CONDUCTOR	2,445.000	LF
825 8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	2.000	EA
828 8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830 8000	PEDESTRIAN PUSH BUTTON	16.000	EA
831 8231	1WAY 3SEC. ADJ. SIG. HD. S-6	10.000	EA
831 8280	1WAY 4SEC. ADJ. SIG. HD.S-13	6.000	EA
831 8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	16.000	EA
833 3030	BACKPLATE	16.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	6,405.000	LF
834(A) 8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	360.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	1,655.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	80.000	LF
840(A) 8592	E.P.S. OPTICAL EMITTER	2.000	EA
840(B) 8593	E.P.S. OPTICAL DETECTOR	8.000	EA
840(C) 8594	E.P.S. OPTICAL DETECTOR CABLE	2,115.000	LF
840(D) 8595	E.P.S. 2 CHANNEL PHASE SELECTOR	4.000	EA
850(C) 8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	88.500	SF

SECTION 0010 - WATERLINE - OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
612(E) 0647	VALVE BOXES ADJUST TO GRADE	15.000	EA
612(F) 0648	METER BOXES ADJUST TO GRADE	20.000	EA
616(A) 5172	36" DUCTILE IRON PIPE	400.000	LF
616(B) 5223	6" POLYVINYL CHLORIDE (PVC) PIPE	37.450	LF
616(B) 5225	8" POLYVINYL CHLORIDE (PVC) PIPE	899.130	LF
616(D) 1080	8" GATE VALVE	1.000	EA
616(D) 8015	8" X 8" TAPPING SLEEVE	1.000	EA
616(D) 8055	8" TAPPING VALVE AND BOX	1.000	EA
616(K) 0150	6" SOLID SLEEVE	2.000	EA
616(K) 0175	8" SOLID SLEEVE	15.000	EA
616(K) 0260	36" SOLID SLEEVE	2.000	EA
616(O) 0200	6" 45 DEGREE FITTING	4.000	EA
616(O) 0400	8" 45 DEGREE FITTING	38.000	EA
616(O) 0930	36" 45 DEGREE FITTING	4.000	EA

616(S) 0215	8" PLUG	1.000 EA
616(T) 0580	8" X 8" X 8" TEE	1.000 EA
616(V) 0100	HYDROSTATIC PRESSURE TESTING & DISINFECTION	1.000 LSUM

SECTION 0011 - SANITARY SEWER - OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
611(A) 2659	MANHOLE (6' DIAMETER)	3.000	EA
611(B) 2682	ADD'L.DEPTH IN MANHOLE (6' DIAMETER)	12.000	VF
612(A) 0641	MANHOLES ADJUST TO GRADE	11.000	EA
615(A) 6134	24" POLYVINYL CHLORIDE (PVC) PIPE	250.000	LF
615(D) 0410	SEWER LEAKAGE TEST(> OR = 24" DIAM.)	250.000	LF
615(E) 0475	DEFLECTION TEST (> OR = 24" DIAMETER)	1.000	LSUM
615(F) 0600	SEWER FLOW CONTROL	1.000	LSUM

SECTION 0012 - STAKING - OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0013 - CONSTRUCTION - OKC-XTWN(078)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220 2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641 1552	MOBILIZATION	1.000	LSUM

SECTION 0014 - ROADWAY - ACNHPPI-XTWN(079)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	20,083.000	CY
202(D) 0184	UNCLASSIFIED BORROW	5,000.000	CY
202(D) 4781	UNCLASSIFIED BORROW (TOPSOIL)	5,194.000	CY
221(C) 2801	TEMPORARY SILT FENCE	5,372.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	24.000	EA
230(A) 2806	SOLID SLAB SODDING	37,396.000	SY
232(B) 2814	SEEDING METHOD B	7.730	AC
233(A) 2817	VEGETATIVE MULCHING	7.730	AC
241 2832	MOWING	15.500	AC
303(A) 2100	AGGREGATE BASE TYPE A	4,744.000	CY
307(K) 4300	STABILIZED SUBGRADE	27,405.000	SY
317 4270	CEMENT TREATED BASE	24,330.000	SY
325 5271	SEPARATOR FABRIC	51,754.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	500.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	50.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	863.000	TON
412 5267	COLD MILLING PAVEMENT	7,692.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	23,015.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	5,754.000	CY
425 5195	DIAMOND GRINDING CONCRETE PAVEMENT	292.000	SY
609(A) 0380	CONCRETE CURB (8" BARRIER-INTEGRAL)	7,623.000	LF
609(B) 0395	2'-8" COMB. CURB & GUTTER (6" BARRIER-NOTCHED)	2,256.000	LF
610(A) 0605	6" CONCRETE SIDEWALK	6,716.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	126.000	SY
610(E) 0425	(PL) CONCRETE PAVERS	25,000.000	SF
610(I) 4610	TACTILE WARNING DEVICE-NEW	1,208.000	SF
611(A) 2657	MANHOLE (4' DIAMETER)	2.000	EA

611(A)	2658	MANHOLE (5' DIAMETER)	5.000	EA
611(A)	2659	MANHOLE (6' DIAMETER)	5.000	EA
611(B)	2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	3.000	VF
611(B)	2681	ADD'L.DEPTH IN MANHOLE (5' DIAMETER)	15.000	VF
611(B)	2682	ADD'L.DEPTH IN MANHOLE (6' DIAMETER)	17.000	VF
611(G)	5112	INLET CI DES. 2 (STD)	20.000	EA
611(G)	5113	INLET CI DES. 2 (B)	4.000	EA
611(G)	5114	INLET CI DES. 2 (C)	1.000	EA
611(H)	5325	ADD'L DEPTH IN INLET CI DES. 2	40.000	VF
612(G)	0650	FIRE HYDRANT RESET	6.000	EA
613(A)	0407	21" R.C.PIPE CLASS III	242.000	LF
613(A)	0491	18" R.C.PIPE CLASS III	440.000	LF
613(A)	0492	24" R.C.PIPE CLASS III	532.000	LF
613(A)	0493	30" R.C.PIPE CLASS III	356.000	LF
613(A)	0495	42" R.C.PIPE CLASS III	44.000	LF
613(A)	0496	48" R.C.PIPE CLASS III	536.000	LF
613(J)	5915	EDGE DRAIN CONDUIT-PERFORATED	9,879.000	LF
613(K)	5916	EDGE DRAIN OUTLET LATERAL-NONPERFORATED	320.000	LF
616(B)	5218	2" POLYVINYL CHLORIDE (PVC) PIPE	3,106.000	LF
616(B)	5223	6" POLYVINYL CHLORIDE (PVC) PIPE	1,233.000	LF
616(B)	5225	8" POLYVINYL CHLORIDE (PVC) PIPE	152.000	LF
619(A)	0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B)	4726	REMOVAL OF CURB AND GUTTER	10,502.000	LF
619(B)	4727	REMOVAL OF CONCRETE PAVEMENT	10,734.000	SY
619(B)	4728	REMOVAL OF ASPHALT PAVEMENT	42,346.000	SY
619(B)	4792	REMOVAL OF SIDEWALK	3,020.000	SY
619(C)	0924	SAWING PAVEMENT	3,068.000	LF
624(E)	4294	FENCE-STYLE CLF (8'HIGH, CLASS A)	327.000	LF
805(A)	8726	(PL)REMOVAL OF TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM

SECTION 0015 - TRAFFIC SIGNAL - ACNHPPPI-XTWN(079)SS

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
802(B)	8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	1,005.000 LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	950.000 LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	1,085.000 LF
802(B)	8346	3" PVC SCH.40 PLASTIC CONDUIT TRENCHED	380.000 LF
803(A)	8066	PULL BOX(SIZE II)	12.000 EA
804(A)	2915	STRUCTURAL CONCRETE	38.200 CY
804(B)	2916	REINFORCING STEEL	5,331.300 LB
806(A)	8312	32'MH POLE 40'TS & 10'LMA(G.STL.)	7.000 EA
806(A)	8313	32'MH POLE 45'TS & 10'LMA(G.STL.)	1.000 EA
806(A)	8350	32'MH POLE,30'TS & 10'LMA(G.STL.)	1.000 EA
806(A)	8351	32'MH POLE 25',TS & 10'LMA(G.STL.)	1.000 EA
806(A)	8352	32'MH POLE,20'TS & 10'LMA(G.STL.)	2.000 EA
806(B)	8897	12' MTG.HT.TS PED.POLE(ALUMINUM)	12.000 EA
809(A)	8090	ROADWAY LUMINAIRE	12.000 EA
810(A)	3118	SERVICE POLE	3.000 EA
811	8040	1/C NO.6 ELECTRICAL CONDUCTOR	600.000 LF
811	8044	1/C NO.10 ELECTRICAL CONDUCTOR	6,300.000 LF
825	8550	TRAFFIC SIGNAL CONTROLLER ASSEMBLY	3.000 EA

828	8132	(PL)DETECTION SYSTEM (VIDEO)	1.000	LSUM
830	8000	PEDESTRIAN PUSH BUTTON	24.000	EA
831	8231	1WAY 3SEC. ADJ. SIG. HD. S-6	24.000	EA
831	8280	1WAY 4SEC. ADJ. SIG. HD.S-13	8.000	EA
831	8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	24.000	EA
833	3030	BACKPLATE	32.000	EA
834(A)	8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	9,685.000	LF
834(A)	8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	530.000	LF
834(A)	8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	2,760.000	LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	120.000	LF
840(A)	8592	E.P.S. OPTICAL EMITTER	2.000	EA
840(B)	8593	E.P.S. OPTICAL DETECTOR	12.000	EA
840(C)	8594	E.P.S. OPTICAL DETECTOR CABLE	3,440.000	LF
840(D)	8595	E.P.S. 2 CHANNEL PHASE SELECTOR	6.000	EA
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	216.000	SF

SECTION 0016 - SIGNING AND STRIPING - ACNHPPI-XTWN(079)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
804(A)	2915	STRUCTURAL CONCRETE	1.940 CY
804(B)	2916	REINFORCING STEEL	24.000 LB
850(A)	8110	SHEET ALUMINUM SIGNS	144.120 SF
851(B)	3215	1 1/2"@2.72 GALV.STEEL PIPE POST	55.000 LF
851(B)	3216	2"@3.65 GALV.STEEL PIPE POST	284.500 LF
851(B)	3217	2 1/2"@5.79 GALV.STEEL PIPE POST	13.000 LF
856(A)	8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	17,850.000 LF
856(A)	8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	1,810.000 LF
856(A)	8555	TRAFFIC STRIPE(MULTI-POLY.)(24" WIDE)	5,340.000 LF
856(B)	8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	40.000 EA
856(B)	8870	TRAFFIC STRIPE(MULTI-POLY.)(SYMBOLS)	5.000 EA

SECTION 0017 - LIGHTING - ACNHPPI-XTWN(079)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B)	8340	2" PVC SCH.40 PLASTIC CONDUIT BORED	1,250.000 LF
802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	5,950.000 LF
803(A)	8065	PULL BOX(SIZE I)	61.000 EA
804(A)	2915	STRUCTURAL CONCRETE	34.320 CY
804(B)	2916	REINFORCING STEEL	2,026.560 LB
806(C)	8270	30' MTG & HLMA (SPECIAL)	48.000 EA
809(C)	8399	POST TOP LUMINAIRE	69.000 EA
810(A)	3118	SERVICE POLE	1.000 EA
811	8038	1/C NO.4 ELECTRICAL CONDUCTOR	21,600.000 LF
811	8046	1/C NO.12 ELECTRICAL CONDUCTOR	3,040.000 LF

SECTION 0018 - I-40 LIGHTING - ACNHPPI-XTWN(079)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
803(A)	8065	PULL BOX(SIZE I)	211.000 EA
803(A)	8066	PULL BOX(SIZE II)	6.000 EA
807	8092	BREAKAWAY BASE (DES. B)	47.000 EA
809(A)	8090	ROADWAY LUMINAIRE	25.000 EA
809(B)	8098	UNDERPASS LUMINIARE	10.000 EA
809(E)	8103	HIGH MAST LUMINAIRE	10.000 EA
811	8036	1/C NO.2 ELECTRICAL CONDUCTOR	12,000.000 LF

811	8038	1/C NO.4 ELECTRICAL CONDUCTOR	106,000.000	LF
811	8044	1/C NO.10 ELECTRICAL CONDUCTOR	2,500.000	LF
811	8046	1/C NO.12 ELECTRICAL CONDUCTOR	5,500.000	LF

SECTION 0019 - TRAFFIC CONTROL - ACNHPPI-XTWN(079)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	50.000	LF
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	1,080.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4,320.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2,880.000	SD
880(C) 8850	PERMANENT BARRICADE UNIT	1.000	EA
880(E) 8860	WARNING LIGHTS(TYPE A)	5,760.000	SD
880(G) 8890	CHANNELIZER CONES	6,750.000	SD

SECTION 0020 - WATERLINE - ACNHPPI-XTWN(079)SS

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
616(B) 5223	6" POLYVINYL CHLORIDE (PVC) PIPE	20.000	LF
616(B) 5229	12" POLYVINYL CHLORIDE (PVC) PIPE	195.000	LF
616(D) 1070	6" GATE VALVE	1.000	EA
616(D) 7023	12" X 12" TAPPING SLEEVE	2.000	EA
616(D) 8060	12" TAPPING VALVE AND BOX	2.000	EA
616(K) 0150	6" SOLID SLEEVE	1.000	EA
616(O) 0200	6" 45 DEGREE FITTING	2.000	EA
616(O) 0530	12" 45 DEGREE FITTING	4.000	EA
616(O) 0550	12" 90 DEGREE FITTING	4.000	EA
616(S) 0240	12" PLUG	2.000	EA
616(T) 0600	12" X 12" X 6" TEE	2.000	EA
616(V) 0100	HYDROSTATIC PRESSURE TESTING & DISINFECTION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 495	RES. ENG : DIVISION 4 (PERRY)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 4.00
LETTING TIME : 10:30 A.M.	320 CALENDAR DAYS	PLAN PRICE : \$58.42

COUNTIES : OKLAHOMA	<u>PROJECT(S)</u> STP-255B(360)AG	<u>PCN</u> 3032604
---------------------	--------------------------------------	-----------------------

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND SURFACE
 CITY STREET (WESTERN AVENUE): FROM NW 178TH STREET, EXTEND
 NORTH IN THE CITY OF EDMOND.
 PROJECT LENGTH = 0.966 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	7,787.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	9,436.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	26.000	EA
221(F) 0100	TEMPORARY SILT DIKE	56.000	LF
227 0300	(SP)TURF REINFORCEMENT MAT	687.000	SY
230(A) 2806	SOLID SLAB SODDING	11,256.000	SY
232(B) 2814	SEEDING METHOD B	2.300	AC
241 2832	MOWING	4.600	AC
307(A) 4200	FLY ASH	1,917.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	35,466.000	SY
408 5774	PRIME COAT	12,414.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	6,295.000	TON
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	29,814.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	8,282.000	CY
504(F) 6006	HANDRAILING	28.000	LF
509(A) 0319	CLASS AA CONCRETE	119.000	CY
509(D) 0325	CLASS C CONCRETE	90.000	CY
511(A) 0332	REINFORCING STEEL	15,686.000	LB
601(A) 0297	TYPE I PLAIN RIPRAP	16.000	TON
601(I) 6312	FILTER FABRIC (RIPRAP)	19.000	SY
609(B) 1526	2'-8" COMB. CURB & GUTTER (8" BARRIER)	10,542.000	LF
610(A) 0602	4" CONCRETE SIDEWALK	3,598.000	SY
610(B) 0604	6" CONCRETE DRIVEWAY	1,225.000	SY
610(I) 4610	TACTILE WARNING DEVICE-NEW	240.000	SF
611(A) 2657	MANHOLE (4' DIAMETER)	4.000	EA
611(A) 2658	MANHOLE (5' DIAMETER)	6.000	EA
611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	0.600	VF
611(B) 2681	ADD'L.DEPTH IN MANHOLE (5' DIAMETER)	0.900	VF
611(G) 4012	SPECIAL INLET DRAIN	5.000	EA
611(G) 5112	INLET CI DES. 2 (STD)	21.000	EA
611(L) 0487	JUNCTION BOXES	359.000	CF
612(A) 0641	MANHOLES ADJUST TO GRADE	1.000	EA
613(A) 0491	18" R.C.PIPE CLASS III	1,354.000	LF

613(A) 0492	24" R.C.PIPE CLASS III	510.000	LF
613(A) 0493	30" R.C.PIPE CLASS III	736.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	787.000	LF
613(A) 0495	42" R.C.PIPE CLASS III	318.000	LF
613(L) 5736	42" PREFAB. CULVERT END SECTION, ROUND	1.000	EA
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4726	REMOVAL OF CURB AND GUTTER	6,527.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	28,154.000	SY
619(C) 0924	SAWING PAVEMENT	901.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	400.000	LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	2.000	EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	2.000	EA

SECTION 0002 - SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	24.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	15,648.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY)(12" WIDE)	777.000	LF
856(A) 8555	TRAFFIC STRIPE(MULTI-POLY)(24" WIDE)	149.000	LF
856(B) 8525	TRAFFIC STRIPE (MULTI-POLYMER)(SYMBOLS, WORDS. ETC.)	21.000	EA
857(E) 8890	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-2	4,737.000	EA
877(B) 8484	DELIVER PORTABLE LONGITUDINAL BARRIER	500.000	LF
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	7,240.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6,570.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	7,680.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	2,700.000	SD
880(C) 8848	WING BARRICADES	2,560.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	13,080.000	SD
880(F) 8878	DRUMS	13,635.000	SD
880(G) 8890	CHANNELIZER CONES	31,700.000	SD

SECTION 0003 - TRAFFIC SIGNAL - WESTERN AVE. AND 178TH ST.

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
802(B) 8336	1 1/2" PVC SCH.40 PLASTIC CONDUIT BORED	100.000	LF
802(B) 8338	1 1/2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	1,170.000	LF
802(B) 8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	190.000	LF
802(B) 8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	285.000	LF
803(A) 8065	PULL BOX(SIZE I)	13.000	EA
804(A) 2915	STRUCTURAL CONCRETE	2.400	CY
804(B) 2916	REINFORCING STEEL	178.400	LB
805(A) 8704	REMOVAL OF PULL BOX	6.000	EA
805(D) 8742	(PL)REMOVE & RESET TRAFFIC SIGNAL EQUIPMENT	1.000	LSUM
806(B) 8892	8' MTG.HT.TS PED.POLE(G.STL.)	3.000	EA
806(B) 8894	10' MTG.HT.TS PED.POLE(G.STL.)	3.000	EA
830 8000	PEDESTRIAN PUSH BUTTON	8.000	EA
831 8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	8.000	EA
834(A) 8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	1,897.000	LF
834(A) 8213	21/C TRAFFIC SIGNAL ELECTRICAL CABLE	655.000	LF
834(B) 8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	120.000	LF

SECTION 0004 - TRAFFIC SIGNAL - WESTERN AVE. AND SIGNALIZED PED. CROSSING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

802(B)	8342	2" PVC SCH.40 PLASTIC CONDUIT TRENCHED	45.000	LF
802(B)	8344	3" PVC SCH.40 PLASTIC CONDUIT BORED	100.000	LF
803(A)	8065	PULL BOX(SIZE I)	2.000	EA
804(A)	2915	STRUCTURAL CONCRETE	6.000	CY
804(B)	2916	REINFORCING STEEL	867.400	LB
806(A)	8726	POLE & 25' TS MST.ARM(G.STL.)	1.000	EA
806(A)	8728	POLE & 30' TS MST.ARM(G.STL.)	1.000	EA
810(A)	3118	SERVICE POLE	1.000	EA
811	8040	1/C NO.6 ELECTRICAL CONDUCTOR	200.000	LF
830	8000	PEDESTRIAN PUSH BUTTON	2.000	EA
831	8295	1WAY 2SEC. ADJ. PED. SIG. HD. S-20	2.000	EA
834(A)	8207	5/C TRAFFIC SIGNAL ELECTRICAL CABLE	380.000	LF
834(A)	8208	7/C TRAFFIC SIGNAL ELECTRICAL CABLE	182.000	LF
834(B)	8220	2/C SHIELDED LOOP DETECTOR LEAD-IN CABLE	50.000	LF
850(A)	8110	SHEET ALUMINUM SIGNS	44.000	SF
850(C)	8118	MAST ARM MOUNTED SIGNS(ALUMINUM)	22.000	SF
851(B)	3217	2 1/2"@5.79 GALV.STEEL PIPE POST	52.000	LF
890	7700	(PL)TRAFFIC ITEMS	1.000	LSUM

SECTION 0005 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0006 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A)	1426 FIELD OFFICE	1.000	EA
641	1552 MOBILIZATION	1.000	LSUM

SECTION 0007 - UTILITY RELOCATION (NON-PARTICIPATING)

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
616(B)	5229 12" POLYVINYL CHLORIDE (PVC) PIPE	175.000	LF
616(D)	7023 12" X 12" TAPPING SLEEVE	15.000	EA
616(I)	5285 42" STEEL CASING	35.000	LF
616(O)	0530 12" 45 DEGREE FITTING	30.000	EA
616(U)	0110 12" MECHANICAL JOINT RESTRAINT	60.000	EA

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 500	RES. ENG : DIVISION 4 (PERRY)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 4.00
LETTING TIME : 10:30 A.M.	135 CALENDAR DAYS	PLAN PRICE : \$66.11
TIME 'B' BID - \$5,000.00 / DAY		

COUNTIES : OKLAHOMA	<u>PROJECT(S)</u>	<u>PCN</u>
	NHPPI-3500-(062)SS	3044406

CONTRACT DESCRIPTION :
 GRADE, DRAIN, AND SURFACE
 I-40: AT THE I-35/I-235 INTERCHANGE IN OKLAHOMA CITY.
 PROJECT LENGTH = 1.461 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	UNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	10,998.000	CY
202(D) 0184	UNCLASSIFIED BORROW	12,554.000	CY
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	9,272.000	LF
221(F) 0100	TEMPORARY SILT DIKE	150.000	LF
221(H) 0450	(PL)TEMPORARY INLET SEDIMENT FILTER	6.000	EA
229 4318	DITCH LINER PROTECTION	1,070.000	LF
230(A) 2806	SOLID SLAB SODDING	29,580.000	SY
230(F) 2812	WATERING	2,367.000	KGAL
233(A) 2817	VEGETATIVE MULCHING	7.000	AC
234(A) 2824	FERTILIZING (10-20-10)	3.000	TON
241 2832	MOWING	14.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	3,069.000	CY
307(K) 4300	STABILIZED SUBGRADE	21,653.000	SY
317 4270	CEMENT TREATED BASE	18,331.000	SY
325 5271	SEPARATOR FABRIC	16,581.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	2,042.000	TON
414(A) 0210	P.C.CONCRETE PAVEMENT(PLACEMENT)	5,415.000	SY
414(B) 5725	DOWEL JOINTED P.C. CONCRETE PAVEMENT(PLACEMENT)	10,768.000	SY
414(E) 0225	FULL DEPTH P.C. CONCRETE PATCHING(PLACEMENT ONLY)	250.000	SY
414(G) 5275	P.C. CONCRETE FOR PAVEMENT	4,855.000	CY
501(G) 6309	CLSM BACKFILL	25.000	CY
504(E) 1381	CONCRETE PARAPET	18.000	LF
504(E) 6190	42" F-SHAPED PARAPET	1,179.000	LF
509(B) 0321	CLASS A CONCRETE	189.000	CY
509(D) 0325	CLASS C CONCRETE	182.000	CY
510(C) 6135	SLOPE WALL (5")	1,472.000	SY
511(A) 0332	REINFORCING STEEL	28,130.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	4,605.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	864.000	TON
610(C) 0609	6" CONCRETE DIVIDING STRIP	900.000	SY
613(A) 0492	24" R.C.PIPE CLASS III	24.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	16.000	LF
613(L) 5730	24" PREFAB. CULVERT END SECTION, ROUND	1.000	EA

613(L) 5734	36" PREFAB. CULVERT END SECTION, ROUND	2.000 EA
613(Q) 5946	OUTLET LATERAL HEADWALL	11.000 EA
613(S) 1186	STANDARD BEDDING MATERIAL, CLASS B	20.000 CY
613(V) 1180	TRENCH EXCAVATION	33.000 CY
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000 LSUM
619(B) 0291	REMOVAL OF HEADWALL	14.000 EA
619(B) 4727	REMOVAL OF CONCRETE PAVEMENT	5,796.000 SY
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	272.000 SY
619(B) 4780	REMOVAL OF GUARDRAIL	250.000 LF
619(B) 4821	REMOVAL OF CONCRETE SLOPE PROTECTION	935.000 SY
619(B) 5881	REMOVAL OF CONCRETE DITCH LINER	170.000 LF
619(B) 6132	REMOVAL OF 6" CONCRETE DIVIDING STRIP	1,027.000 SY
619(B) 6252	REMOVAL OF EXISTING PARAPET	18.000 LF
619(C) 0924	SAWING PAVEMENT	15,235.000 LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	125.000 LF
623(G) 8571	GUARDRAIL END TREATMENT (GET)	1.000 EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	1.000 EA
627(A) 4317	CONCRETE LONGITUDINAL BARRIER, DESIGN 1	1,150.000 LF
853 9066	GUARDRAIL DELINEATORS(TYPE 1, CODE 1)	4.000 EA

SECTION 0002 - SIGNING AND STRIPING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
509(D) 0325	CLASS C CONCRETE	41.000	CY
511(A) 0332	REINFORCING STEEL	841.000	LB
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	252.000	LF
805(A) 8700	REMOVAL OF SIGN FOOTING	11.000	EA
805(A) 8718	(PL)REMOVAL OF OVERHEAD SIGN STRUCTURE & SIGNS	1.000	LSUM
805(D) 8756	(PL)REMOVE & RESET EXISTING SIGNS	7.000	EA
805(D) 8764	(PL)REMOVE & RESET/RELOCATE ITS EQUIPMENT	1.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	144.000	SF
850(B) 8114	EXTRUDED ALUMINUM PANEL SIGNS(OVERHEAD SIGNS)	1,672.500	SF
851(C) 8324	2" SQUARE TUBE POST	120.000	LF
852(D) 0340	OVHD.SN.STR., MONOTUBE TYPE B 110'	1.000	EA
852(D) 0345	OVHD.SN.STR., MONOTUBE TYPE B 115'	1.000	EA
852(D) 0350	OVHD.SN.STR., MONOTUBE TYPE B 120'	1.000	EA
852(D) 0355	OVHD.SN.STR., MONOTUBE TYPE B 125'	1.000	EA
852(D) 0360	OVHD.SN.STR., MONOTUBE TYPE B 130'	1.000	EA
852(E) 0500	OVHD.SN.STR., MONOTUBE TYPE C	1.000	EA
856(A) 8535	TRAFFIC STRIPE(MULTI-POLY.)(6" WIDE)	48,649.000	LF
856(A) 8540	TRAFFIC STRIPE(MULTI-POLY.)(8" WIDE)	7,322.000	LF
856(A) 8548	TRAFFIC STRIPE(MULTI-POLY.)(12" WIDE)	5,591.000	LF
856(B) 8860	TRAFFIC STRIPE(MULTI-POLY.)(ARROWS)	63.000	EA
856(B) 8870	TRAFFIC STRIPE(MULTI-POLY.)(SYMBOLS)	19.000	EA
856(B) 8880	TRAFFIC STRIPE(MULTI-POLY.)(WORDS)	17.000	EA
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	17,954.000	LF
870(A) 8011	SAND FILLED IMPACT ATTENUATION MODULE	57.000	EA
871(A) 8325	(SP)IMPACT ATTENUATOR	3.000	EA

SECTION 0003 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	32,692.000	LF

857(C)	8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	1,000.000	LF
857(E)	8887	(PL)CONSTRUCTION ZONE PAVEMENT MARKERS(FLEX TAB)TYPE 2-1	1,000.000	EA
857(F)	8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	31,240.000	LF
871(B)	8705	(SP)CONST.ZONE IMPACT ATTEN.	270.000	SD
877(B)	8484	DELIVER PORTABLE LONGITUDINAL BARRIER	8,287.500	LF
877(C)	8486	RELOCATION OF PORTABLE LONGITUDINAL BARRIER	1,537.500	LF
880(B)	8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	4,860.000	SD
880(B)	8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	6,075.000	SD
880(B)	8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	13,365.000	SD
880(C)	8842	CONSTRUCTION BARRICADES(TYPE III)	675.000	SD
880(C)	8848	WING BARRICADES	1,080.000	SD
880(E)	8860	WARNING LIGHTS(TYPE A)	3,510.000	SD
880(F)	8878	DRUMS	8,640.000	SD
880(G)	8890	CHANNELIZER CONES	19,305.000	SD
880(L)	8911	TRAFFIC SURVEILLANCE, POLICE	120.000	HOUR
882	8370	(SP)SMART WORK ZONE SYSTEM-PORTABLE CHANGEABLE MESSAGE SIGN	1,890.000	SD
882	8372	(SP)SMART WORK ZONE SYSTEM-PORTABLE TRAFFIC SENSOR (PTS)	1,350.000	SD
882	8374	(SP)SMART WORK ZONE SYSTEM-PAN-TILT-ZOOM CAMERA (PTZC)	135.000	SD
882	8376	(SP)SMART WORK ZONE SYSTEM-WEBSITE SYSTEM	135.000	SD
882	8378	(PL)SMART WORK ZONE SYSTEM SETUP	1.000	EA
882(A)	8306	PORT.CHANGEABLE MESSAGE SIGN	270.000	SD

SECTION 0004 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096 CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0005 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800 SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
641	1552 MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 510	RES. ENG : DIVISION 8 (TULSA)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 0.00
LETTING TIME : 10:30 A.M.	450 CALENDAR DAYS	PLAN PRICE : \$130.05

COUNTIES : OSAGE	<u>PROJECT(S)</u> SSP-157B(101)SS	<u>PCN</u> 2426104
------------------	--------------------------------------	-----------------------

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 SH-99: OVER BIRCH CREEK AND AN ABANDONED RAILROAD, 1.4 MILES
 SOUTH OF SH-11 NEAR WYNONA.
 PROJECT LENGTH = 1.874 MILES

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
201(A) 0102	CLEARING AND GRUBBING	1.000	LSUM
202(A) 0183	UNCLASSIFIED EXCAVATION	109,617.000	CY
202(C) 0182	ROCK EXCAVATION	68,002.000	CY
202(L) 6100	(SP) VIBRATING WIRE PIEZOMETERS	3.000	EA
202(L) 6105	(SP) VIBRATING WIRE TERMINAL BOXES	3.000	EA
202(L) 6110	(SP) VIBRATING WIRE READOUT AND DATA COLLECTOR	3.000	EA
202(L) 6115	(SP) SUPERVISING AND MAINTAINING INSTRUMENTS	1.000	LSUM
202(L) 6120	(SP) SETTLEMENT PLATE	11.000	EA
205(A) 4229	TYPE A-SALVAGED TOPSOIL	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	5,059.000	LF
221(D) 2803	TEMPORARY SEDIMENT FILTER	14.000	EA
221(F) 0100	TEMPORARY SILT DIKE	2,933.000	LF
221(G) 0152	TEMPORARY ROCK FILTER DAM TYPE 3	56.000	CY
230(A) 2806	SOLID SLAB SODDING	129,306.000	SY
232(A) 2813	SEEDING METHOD A	29.000	AC
233(A) 2817	VEGETATIVE MULCHING	29.000	AC
241 2832	MOWING	58.000	AC
303(A) 2100	AGGREGATE BASE TYPE A	11,078.000	CY
307(B) 4210	CEMENT KILN DUST	2,669.000	TON
307(E) 4240	CEMENTITIOUS STABILIZED SUBGRADE	61,725.000	SY
325 5271	SEPARATOR FABRIC	57,096.000	SY
402(E) 0225	TRAFFIC BOUND SURFACE COURSE TYPE E	4,633.000	TON
407(B) 0250	TACK COAT	7,548.000	GAL
408 5774	PRIME COAT	34,845.000	GAL
411(B) 5940	SUPERPAVE, TYPE S3(PG 70-28 OK)	7,936.000	TON
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	8,961.000	TON
411(C) 5955	SUPERPAVE, TYPE S4(PG 70-28 OK)	6,073.000	TON
501(A) 0313	STRUCTURAL EXCAVATION UNCLASSIFIED	10.000	CY
501(G) 6315	CLSM BACKFILL	11.000	CY
509(A) 0319	CLASS AA CONCRETE	29.000	CY
509(D) 0325	CLASS C CONCRETE	973.000	CY
511(A) 0332	REINFORCING STEEL	4,065.000	LB
601(B) 0536	TYPE I-A PLAIN RIPRAP	84.000	TON
601(C) 0538	TYPE I-A FILTER BLANKET	28.000	TON
611(A) 2657	MANHOLE (4' DIAMETER)	1.000	EA

611(B) 2680	ADD'L.DEPTH IN MANHOLE (4' DIAMETER)	1.750	VF
613(A) 0493	30" R.C.PIPE CLASS III	286.000	LF
613(A) 0494	36" R.C.PIPE CLASS III	66.000	LF
613(B) 0689	18" CORR. GALV. STEEL PIPE	40.000	LF
613(B) 0690	24" CORR. GALV. STEEL PIPE	60.000	LF
613(B) 0691	30" CORR. GALV. STEEL PIPE	84.000	LF
613(B) 4530	42" X 29" CORR. GALV. STEEL PIPE ARCH	24.000	LF
613(L) 5732	30" PREFAB. CULVERT END SECTION, ROUND	6.000	EA
613(L) 5734	36" PREFAB. CULVERT END SECTION, ROUND	2.000	EA
613(P) 0760	18" GALV. STEEL CULVERT END SECTION ROUND	4.000	EA
613(P) 0761	24" GALV. STEEL CULVERT END SECTION ROUND	4.000	EA
613(P) 0762	30" GALV. STEEL CULVERT END SECTION ROUND	4.000	EA
613(P) 4573	42" X 29" GALV. STEEL CULVERT END SECTION ARCH	2.000	EA
613(W) 4498	18" JACKED CONDUIT	58.000	LF
613(W) 4502	30" JACKED CONDUIT	84.000	LF
613(W) 4504	36" JACKED CONDUIT	38.000	LF
619(A) 0920	REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LSUM
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	30,902.000	SY
619(B) 4780	REMOVAL OF GUARDRAIL	2,524.000	LF
623(A) 0932	BEAM GUARDRAIL W-BEAM SINGLE	525.000	LF
623(G) 8590	GUARDRAIL END TREATMENT (31")	4.000	EA
623(I) 8700	GUARDRAIL BRIDGE CONN-THRIE BEAM (31")	4.000	EA
624(A) 4281	FENCE-STYLE WWF	401.000	LF
624(B) 4464	GATES-STYLE WWF (4.5'HIGH X 14'LONG)	4.000	EA
624(B) 4466	GATES-STYLE WWF (4.5'HIGH X 16'LONG)	2.000	EA
624(C) 4459	FENCE-STYLE SWF (5 BARBED WIRE)	10,068.000	LF
629(A) 4958	MAILBOX INSTALLATION-SINGLE	5.000	EA
629(C) 4960	MAILBOX	5.000	EA
629(D) 4961	REMOVAL OF MAILBOX INSTALLATION	5.000	EA

SECTION 0002 - BRIDGE 'A'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM

SECTION 0003 - BRIDGE 'B'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(A) 1301	UNCLASSIFIED EXCAVATION	2,340.000	CY
501(A) 1306	STRUCTURAL EXCAVATION UNCLASSIFIED	415.000	CY
509(A) 1326	CLASS AA CONCRETE	826.900	CY
511(A) 1332	REINFORCING STEEL	129,200.000	LB
514(A) 6011	PILES, FURNISHED (HP 12X53)	2,130.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	2,130.000	LF
514(L) 6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA
619(B) 2500	REMOVAL OF BRIDGE ITEMS	1.000	LSUM

SECTION 0004 - BRIDGE 'C'

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	90.000	CY
501(G) 6309	CLSM BACKFILL	200.000	CY
503(A) 1313	PRESTRESSED CONCRETE BEAMS (TYPE IV)	877.000	LF
504(A) 1304	APPROACH SLAB	224.800	SY
504(B) 1305	SAW-CUT GROOVING	1,202.400	SY

504(D) 6245	CONCRETE RAIL (TR4)	537.000 LF
506(A) 1322	STRUCTURAL STEEL	1,050.000 LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	8.000 EA
507(B) 6174	STAINLESS STEEL EXPANSION BEARING ASSEMBLY	16.000 EA
507(C) 6282	ELASTOMERIC BEARING PADS	16.000 EA
509(A) 1326	CLASS AA CONCRETE	298.700 CY
509(B) 1328	CLASS A CONCRETE	138.700 CY
511(A) 1332	REINFORCING STEEL	800.000 LB
511(B) 6010	EPOXY COATED REINFORCING STEEL	118,350.000 LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	464.000 LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	464.000 LF
514(L) 6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000 EA
515(A) 6013	WATER REPELLENT (VISUALLY INSPECTED)	1,012.000 SY
516(A) 6096	DRILLED SHAFTS 60" DIAMETER	110.000 LF
516(C) 6200	CROSSHOLE SONIC LOGGING	1.000 EA
523(A) 6550	SEALER CRACK PREPARATION	163.000 LF
523(B) 6560	SEALER RESIN	1.800 GAL
601(B) 1353	TYPE I-A PLAIN RIPRAP	4,920.000 TON
601(C) 1355	TYPE I-A FILTER BLANKET	680.000 TON
613(H) 6204	6" PERFORATED PIPE UNDERDRAIN ROUND	84.000 LF
613(I) 6207	6" NON-PERF.PIPE UNDERDRAIN RND.	72.000 LF
619(D) 1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000 LSUM

SECTION 0005 - TRAFFIC

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
805(A) 8700	REMOVAL OF SIGN FOOTING	6.000	EA
805(A) 8724	(PL)REMOVAL OF EXISTING SIGNS	6.000	EA
850(A) 8110	SHEET ALUMINUM SIGNS	36.000	SF
851(C) 8330	2 1/2" SQUARE TUBE POST	46.000	LF
853 9069	GUARDRAIL DELINEATORS(TYPE 2, CODE 1)	18.000	EA
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	45,031.000	LF
857(A) 8839	CONSTRUCTION TRAFFIC STRIPE(PAINT)(4" WIDE)	9,173.000	LF
857(C) 8851	REMOVABLE PAVEMENT MARKING TAPE(4" WIDE)	3,321.000	LF
857(F) 8006	PAVEMENT MARKING REMOVAL(TRAFFIC STRIPE)	9,672.000	LF
858(A) 8893	PAVEMENT MARKERS CLASS A TYPE 1	468.000	EA
858(A) 8914	PAVEMENT MARKERS CLASS A TYPE 2-D	468.000	EA
880(B) 8818	CONSTRUCTION SIGNS 0 TO 6.25 SF	14,290.000	SD
880(B) 8821	CONSTRUCTION SIGNS 6.26 SF TO 15.99 SF	7,200.000	SD
880(B) 8824	CONSTRUCTION SIGNS 16.0 SF TO 32.99 SF	4,960.000	SD
880(C) 8842	CONSTRUCTION BARRICADES(TYPE III)	1,800.000	SD
880(C) 8848	WING BARRICADES	1,800.000	SD
880(D) 8854	VERTICAL PANELS	17,395.000	SD
880(E) 8860	WARNING LIGHTS(TYPE A)	7,200.000	SD
880(F) 8878	DRUMS	64,500.000	SD
880(G) 8884	TUBE CHANNELIZERS	17,395.000	SD

SECTION 0006 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B) 0096	CONSTRUCTION STAKING LEVEL II	1.000	LSUM

SECTION 0007 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
----------	-------------	----------	--------

220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000	LSUM
640(A)	1398	FIELD OFFICE	1.000	EA
641	1399	MOBILIZATION	1.000	LSUM

OKLAHOMA DEPARTMENT OF TRANSPORTATION

FEDERAL PROJECT

CALL ORDER : 515	RES. ENG : DIVISION 6 (BUFFALO)	
LETTING DATE : November 16, 2017	GUARANTY : 5% OF TOTAL BID	DBE GOAL : 3.00
LETTING TIME : 10:30 A.M.	180 CALENDAR DAYS	PLAN PRICE : \$20.59

COUNTIES : TEXAS	<u>PROJECT(S)</u> STP-270C(032)CI	<u>PCN</u> 3049004
------------------	--------------------------------------	-----------------------

CONTRACT DESCRIPTION :
 BRIDGE AND APPROACHES
 COUNTY ROAD (NS-63): OVER SAND CREEK, 9.9 MILES SOUTH OF THE
 US-64 INTERSECTION NEAR TEXHOMA.
 PROJECT LENGTH = 0.227 MILE

SECTION 0001 - ROADWAY

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
202(H) 0185	EARTHWORK	1.000	LSUM
221(C) 2801	TEMPORARY SILT FENCE	1,600.000	LF
221(F) 0100	TEMPORARY SILT DIKE	280.000	LF
230(A) 2806	SOLID SLAB SODDING	15,254.000	SY
233(A) 2817	VEGETATIVE MULCHING	3.150	AC
305 0125	CALICHE BASE	658.000	CY
310(B) 0149	SUBGRADE, METHOD B	2,900.000	SY
407(B) 0250	TACK COAT	144.000	GAL
411(B) 5945	SUPERPAVE, TYPE S3(PG 64-22 OK)	665.000	TON
411(C) 5960	SUPERPAVE, TYPE S4(PG 64-22 OK)	315.000	TON
509(D) 0325	CLASS C CONCRETE	10.000	CY
613(B) 0694	48" CORR. GALV. STEEL PIPE	228.000	LF
619(B) 4728	REMOVAL OF ASPHALT PAVEMENT	2,365.000	SY
856(A) 8530	TRAFFIC STRIPE(MULTI-POLYMER)(4" WIDE)	2,400.000	LF

SECTION 0002 - BRIDGE - NBI # 17549

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
501(B) 1307	SUBSTRUCTURE EXCAVATION COMMON	200.000	CY
501(G) 6309	CLSM BACKFILL	98.000	CY
503(A) 1312	PRESTRESSED CONCRETE BEAMS (TYPE III)	717.000	LF
504(B) 1305	SAW-CUT GROOVING	591.200	SY
504(C) 6250	SEALED EXPANSION JOINT	66.120	LF
504(D) 6239	CONCRETE RAIL (TR3)	553.400	LF
506(A) 1322	STRUCTURAL STEEL	3,820.000	LB
507(A) 6172	WEATHERING STEEL FIXED BEARING ASSEMBLY	9.000	EA
507(B) 6176	WEATHERING STEEL EXPANSION BEARING ASSEMBLY	9.000	EA
509(A) 1326	CLASS AA CONCRETE	187.200	CY
509(B) 1328	CLASS A CONCRETE	125.600	CY
511(A) 1332	REINFORCING STEEL	66,130.000	LB
514(A) 6010	PILES, FURNISHED (HP 10X42)	224.000	LF
514(A) 6011	PILES, FURNISHED (HP 12X53)	530.000	LF
514(A) 6016	PILES, FURNISHED (HP 14X89)	816.000	LF
514(B) 6292	PILES, DRIVEN (HP 10X42)	224.000	LF
514(B) 6294	PILES, DRIVEN (HP 12X53)	530.000	LF
514(B) 6297	PILES, DRIVEN (HP 14X89)	816.000	LF
514(L) 6220	PILE SPLICE, H-PILE (NON-BIDDABLE)	1.000	EA

601(B)	1353	TYPE I-A PLAIN RIPRAP	887.000	TON
601(C)	1355	TYPE I-A FILTER BLANKET	296.000	TON
613(H)	6204	6" PERFORATED PIPE UNDERDRAIN ROUND	60.000	LF
613(I)	6207	6" NON-PERF.PIPE UNDERDRAIN RND.	30.000	LF
619(D)	1397	REMOVAL OF EXISTING BRIDGE STRUCTURE	1.000	LSUM
623(F)	5686	GUARDRAIL ANCHOR UNIT (TYPE D-BF)	4.000	EA
623(F)	6029	GUARDRAIL ANCHOR UNIT (TYPE A)	4.000	EA
880(J)	8905	CONSTRUCTION TRAFFIC CONTROL	1.000	LSUM

SECTION 0003 - STAKING

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
642(B)	0096	CONSTRUCTION STAKING LEVEL II	1.000 LSUM

SECTION 0004 - CONSTRUCTION

ITEM NO.	DESCRIPTION	QUANTITY	IUNITS
220	2800	SWPPP DOCUMENTATION AND MANAGEMENT	1.000 LSUM
641	1399	MOBILIZATION	1.000 LSUM



List of Debarred and/or Suspended Contractors for ODOT's Projects on this month's letting: November 2017

The following companies and/or individuals are not permitted to submit bids, provide services as a subcontractor, supply materials, or otherwise participate in any project let by ODOT.

Name of Company and Individual	Suspended	Debarred
J & N INTERNATIONAL COATINGS, INC. Ms. Nikoleta M. Tiliakos Mr. John D. Tiliakos Mr. Drossos J. Tiliakos 17130 Groeschke Road Houston, TX 77084		X
KERRVILLE PAINTING COMPANY, INC. Mr. Nickolas Mouzakis 203 "G" Street, South Kerrville, TX 78028		X
MBE, INC. Ms. Fani Gialousis Mr. Tony Gialousis 426 South Florida Ave. P.O. Box 1292 Tarpon Springs, FL 34689	X	
PATTON CONSTRUCTION Mr. Alan Patton Rt. 2, Box 303 Tahlequah, OK 74464		X (Voluntary Exclusion)
SHANKS EXCAVATING COMPANY Jimmy "Dale" Shanks 204 North 4th Street P.O. Box 510 Webbers Falls, OK 74470		X (Voluntary Exclusion)
Mr. Gary Wayne Carr 318 Dog Wood Tahlequah, OK 74464		X
YOCHAM ENTERPRISES Mr. Harlen Eugene Yocham 12350 S. Mesa Road Sapulpa, OK		X

And those federally debarred and/or suspended contractors which are listed on
<https://www.sam.gov/portal/public/SAM/>

BID OPENING OF – November 16, 2017 A.M.

Date:	Order Taken by:		
Contractor's Id No.:	No. Of Proposal(s):		
Person Ordering:	<input type="checkbox"/> Pickup*	<input type="checkbox"/> COD	<input type="checkbox"/> Overnight
Contractor's Name:	<input type="checkbox"/> Fed Ex	#:	
Telephone No:	<input type="checkbox"/> Mail		
Physical Address:	*Contractor's name will not appear in the PLAN HOLDER'S list until the order is paid for.	Please Return Completed Form to:	
		Fax : 405-522-0972 or	
		Email: orderdesk@odot.org	

Specification Book Ordered:

#	County	Call No.	Project Number	Contract ID	JP	Sample Proposal	Bid Proposal \$50.00/Prop	Plan Cost	X-sec
1	COMANCHE	400	NHPPI-216N(021)SS	170342	27050(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 185.00 + 15.49	<input type="checkbox"/> 104
2	COMANCHE	405	CIRB-216C(074)RB	170343	30440(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 10.00 + 0.84	<input type="checkbox"/> 10
3	CRAIG	410	STP-218C(059)SS	170344	29068(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 50.00 + 4.36	<input type="checkbox"/> 7
4	CREEK	415	STP-119D(131)CI	170345	22752(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 20.00 + 1.68	<input type="checkbox"/> 7
5	CREEK	420	STP-219D(056)CI	170223	29407(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 33.00 + 2.76	<input type="checkbox"/> 26
6	DEWEY	425	NHPP-222N(027)	170346	17671(34)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 101.00 + 8.46	<input type="checkbox"/> 142
7	GARVIN	430	STP-225C(071)CI	170347	31426(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 18.00 + 1.51	<input type="checkbox"/> 11
8	HARMON	435	SSP-229C(010)SS	170260	28768(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 90.00 + 7.54	<input type="checkbox"/> 61
9	KAY	445	STP-236C(039)CI	170349	28433(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 20.00 + 1.68	<input type="checkbox"/> 11
10	LOGAN	455	STP-242C(059)SS	170351	28312(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 60.00 + 5.03	<input type="checkbox"/> 13
11	MCCLAIN	460	STP-244C(058)CI	170352	30107(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 13.00 + 1.09	<input type="checkbox"/> 5
12	MCCURTAIN	465	CIRB-145C(172)RB	170353	25468(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 20.00 + 1.68	<input type="checkbox"/> 6
13	MAJOR	470	STP-247D(020)CI	170354	28348(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 18.00 + 1.51	<input type="checkbox"/> 5
14	MURRAY	475	NHPPI-3500(060)SS	170355	30363(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 98.00 + 8.21	<input type="checkbox"/> 39
15	MUSKOGEE	480	HSIPG-251N(074)TR NHPP-251N(073)	170288	33094(04) 32816(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 30.00 + 2.52	<input type="checkbox"/> 0
16	OKLAHOMA	485	OKC-XTWN(078)SS ACNHPPI-XTWN(079)SS	170356	17428(88) 17428(89)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 275.00 + 23.01	<input type="checkbox"/> 64
17	OKLAHOMA	495	STP-255B(360)AG	170358	30326(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 54.00 + 4.42	<input type="checkbox"/> 38
18	OKLAHOMA	500	NHPPI-3500-(062)SS	170359	30444(06)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 61.00 + 5.11	<input type="checkbox"/> 104
19	OSAGE	510	SSP-157B(101)SS	170361	24261(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 120.00 + 10.05	<input type="checkbox"/> 100
20	TEXAS	515	STP-270C(032)CI	170362	30490(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 19.00 + 1.59	<input type="checkbox"/> 6

BID OPENING OF – November 16, 2017 P.M.

Date:		Order Taken by:		
Contractor's Id No.:		No. Of Proposal(s):		
Person Ordering:		<input type="checkbox"/> Pickup*	<input type="checkbox"/> COD	
Contractor's Name:		<input type="checkbox"/> Fed Ex	#:	
Telephone No:		<input type="checkbox"/> Overnight		
Physical Address:		<input type="checkbox"/> Mail		
		* Contractor's name will not appear in the PLAN HOLDER'S list until the order is paid for.	Please Return Completed Form to:	
			Fax :	405-522-0972 or
			Email:	orderdesk@odot.org

Specification Book Ordered:

#	County	Call No.	Project Number	Contract ID	JP	Sample Proposal	Bid Proposal \$50.00/Prop	Plan Cost	X-sec
21	ADAIR	540	STP-201C(032)CI	170365	29823(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 13.00 + 1.09	<input type="checkbox"/> 12
22	ATOKA	545	CIRB-203D(034)RB	170366	31169(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 16.00 + 1.34	<input type="checkbox"/> 2
23	BRYAN	550	SBR-207C(073)SB	170367	32756(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 11.00 + 0.92	<input type="checkbox"/> 0
24	BRYAN	555	HSIPG-022N(217)TR	170306	33251(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 13.00 + 1.09	<input type="checkbox"/> 0
25	CADDO	560	STP-208C(052)SS	170218	24092(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 108.00 + 9.05	<input type="checkbox"/> 139
26	CANADIAN	565	CIRB-209D(063)RB	170368	27858(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 48.00 + 4.02	<input type="checkbox"/> 51
27	CARTER	570	STP-210D(059)CI	170309	28448(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 20.00 + 1.68	<input type="checkbox"/> 13
28	CLEVELAND	580	STPG-214E(081)AG	170314	30484(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 8.00 + 0.67	<input type="checkbox"/> 0
29	CLEVELAND	585	STPG-214C(082)AG	170370	33127(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 2.00 + 0.17	<input type="checkbox"/> 0
30	COMANCHE	590	STP-216C(072)SS	170371	27968(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 60.00 + 5.03	<input type="checkbox"/> 31
31	COTTON	595	STP-217C(035)CI	170372	31110(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 12.00 + 1.01	<input type="checkbox"/> 9
32	CREEK	600	STP-219B(054)SS	170254	27925(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 69.00 + 5.78	<input type="checkbox"/> 20
33	DELAWARE	605	STP-221B(011)SS	170373	30223(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 21.00 + 1.76	<input type="checkbox"/> 0
34	GARFIELD	610	STP-224B(052)UR STP-224B(053)UR	170256	17020(05) 17020(07)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 123.00 + 10.31	<input type="checkbox"/> 34
35	GRADY	617	TAP-226D(059)TP STPG-226C(060)AG	170317	33001(04) 32403(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 28.00 + 2.35	<input type="checkbox"/> 0
36	MCINTOSH	620	STP-246C(030)CI	170374	29374(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 27.00 + 2.26	<input type="checkbox"/> 8
37	MCINTOSH	622	NHPP-246N(026)SS	170385	27113(05)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 11.00 + 0.92	<input type="checkbox"/> 0
38	MAJOR	625	HSIPG-247B(019)	170266	27005(07)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 5.00 + 0.42	<input type="checkbox"/> 0
39	MAYES	630	SAP-249N(041)	170375	33366(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 5.00 + 0.42	<input type="checkbox"/> 0
40	NOWATA	640	STP-253C(041)SS	170376	28857(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 54.00 + 4.52	<input type="checkbox"/> 6
41	OKLAHOMA	645	STP-155C(569)SS	170377	14964(08)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 239.00 + 20.02	<input type="checkbox"/> 102
42	PAWNEE	650	STP-259D(044)CI	170378	29930(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 13.00 + 1.09	<input type="checkbox"/> 2
43	STEPHENS	665	CIRB-269C(002)RB	170381	27847(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 52.00 + 4.36	<input type="checkbox"/> 53
44	TEXAS	670	NHPP-270N(017)FP	170101	20839(08)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 100.00 + 8.38	<input type="checkbox"/> 60
45	TULSA	675	STP-272D(090)CI	170382	27822(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 9.00 + 0.75	<input type="checkbox"/> 2
46	TULSA	680	NHPP-272N(231)SS	170383	28878(04)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 52.00 + 4.36	<input type="checkbox"/> 15