




DESCRIPTION	REVISIONS	DATE

RETAINING WALL REINFORCING SCHEDULE																																				
PANEL TYPE	FB BARS						FH BARS						FT BARS						SB1 BARS						SB2 BARS						SB3 BARS					
	SIZE	NO.	FORM	LENGTH	L1	L2	SIZE	NO.	FORM	LENGTH	SIZE	NO.	FORM	LENGTH	L1	L2	SIZE	NO.	FORM	LENGTH	SIZE	NO.	FORM	LENGTH	L1	L2	SIZE	NO.	FORM	LENGTH	L1	L2	L3	Δ	J	
I	#6	22	BNT.	13'-0"	3'-0"	7'-0"	#6	18	STR.	19'-8"	#6	22	BNT.	13'-0"	3'-0"	7'-0"	#6	41	STR.	9'-8"	#6	41	BNT.	10'-3"	9'-3"	1'-0"										
II	#6	22	BNT.	14'-6"	3'-0"	8'-6"	#6	20	STR.	19'-8"	#6	22	BNT.	14'-6"	3'-0"	8'-6"	#7	41	STR.	11'-8"	#7	41	BNT.	11'-5"	10'-3"	1'-2'										
III	#6	24	BNT.	15'-6"	3'-0"	9'-6"	#6	22	STR.	19'-8"	#6	24	BNT.	15'-6"	3'-0"	9'-6"	#7	41	STR.	13'-8"						#7	41	BNT.	11'-4"	5'-0"	5'-6"	10"	1'-2 1/8"	7"		
IV	#6	22	BNT.	16'-6"	3'-0"	10'-6"	#6	24	STR.	19'-8"	#6	22	BNT.	16'-6"	3'-0"	10'-6"	#7	41	STR.	13'-8"						#7	41	BNT.	13'-5"	5'-0"	7'-7"	10"	1'-2 1/8"	7"		
V	#6	22	BNT.	17'-6"	3'-0"	11'-6"	#6	26	STR.	19'-8"	#8	22	BNT.	17'-6"	3'-0"	11'-6"	#7	41	STR.	13'-8"						#7	41	BNT.	15'-6"	5'-0"	9'-8"	10"	1'-2 1/8"	7"		
VI	#6	24	BNT.	17'-6"	3'-0"	11'-6"	#6	26	STR.	19'-8"	#8	24	BNT.	17'-6"	3'-0"	11'-6"	#7	41	STR.	13'-8"						#8	41	BNT.	19'-1"	6'-6"	11'-8"	11"	1'-6 1/8"	8"		
VII	#6	22	BNT.	18'-6"	3'-0"	12'-6"	#6	28	STR.	19'-8"	#8	22	BNT.	18'-6"	3'-0"	12'-6"	#7	41	STR.	13'-8"						#8	41	BNT.	21'-2"	6'-6"	13'-9"	11"	1'-6 1/8"	8"		
VIII	#6	24	BNT.	19'-6"	3'-0"	13'-6"	#6	32	STR.	19'-8"	#10	24	BNT.	19'-6"	3'-0"	13'-6"	#7	41	STR.	13'-8"						#8	41	BNT.	23'-3"	6'-6"	15'-10"	11"	1'-6 1/8"	8"		
IX	#6	22	BNT.	20'-6"	3'-0"	14'-6"	#6	34	STR.	19'-8"	#10	22	BNT.	20'-6"	3'-0"	14'-6"	#7	41	STR.	13'-8"						#9	41	BNT.	27'-4"	8'-2"	17'-11"	1'-3"	1'-11 3/4"	11 3/4"		
X	#7	24	BNT.	21'-6"	3'-6"	15'-6"	#7	36	STR.	19'-8"	#10	24	BNT.	21'-6"	3'-6"	15'-6"	#7	41	STR.	13'-8"						#9	41	BNT.	29'-11"	8'-2"	20'-6"	1'-3"	1'-11 3/4"	11 3/4"		
XI	#7	24	BNT.	22'-6"	3'-6"	16'-6"	#7	38	STR.	19'-8"	#10	24	BNT.	22'-6"	3'-6"	16'-6"	#7	41	STR.	13'-8"						#9	41	BNT.	32'-7"	8'-2"	23'-2"	1'-3"	2'-7"	11 3/4"		
XII	#7	22	BNT.	23'-6"	4'-0"	17'-6"	#7	40	STR.	19'-8"	#10	22	BNT.	23'-6"	4'-0"	17'-6"	#7	41	STR.	13'-8"						#9	41	BNT.	35'-5"	8'-2"	26'-0"	1'-3"	2'-9 1/8"	11 3/4"		

RETAINING WALL REINFORCING SCHEDULE, CONT.																		
PANEL TYPE	SF1 BARS				SF2 BARS						SH1 BARS				SH2 BARS			
	SIZE	NO.	FORM	LENGTH	SIZE	NO.	FORM	LENGTH	L1	L2	SIZE	NO.	FORM	LENGTH	SIZE	NO.	FORM	LENGTH
I	#4	21	STR.	9'-8"	#4	21	BNT.	8'-8"	8'-0"	8"	#4	26	STR.	19'-8"				
II	#4	21	STR.	11'-8"	#4	21	BNT.	8'-8"	8'-0"	8"	#4	30	STR.	19'-8"				
III	#4	21	STR.	13'-8"	#4	21	BNT.	8'-8"	8'-0"	8"	#4	30	STR.	19'-8"	#4	4	STR.	19'-8"
IV	#4	21	STR.	13'-8"	#4	21	BNT.	10'-8"	10'-0"	8"	#4	30	STR.	19'-8"	#4	8	STR.	19'-8"
V	#4	21	STR.	13'-8"	#4	21	BNT.	12'-8"	12'-0"	8"	#4	30	STR.	19'-8"	#4	12	STR.	19'-8"
VI	#4	21	STR.	13'-8"	#5	21	BNT.	15'-6"	14'-8"	10"	#4	30	STR.	19'-8"	#5	16	STR.	19'-8"
VII	#4	21	STR.	13'-8"	#5	21	BNT.	17'-6"	16'-8"	10"	#4	30	STR.	19'-8"	#5	20	STR.	19'-8"
VIII	#4	21	STR.	13'-8"	#5	21	BNT.	19'-6"	18'-8"	10"	#4	30	STR.	19'-8"	#5	24	STR.	19'-8"
IX	#4	21	STR.	13'-8"	#5	21	BNT.	21'-6"	20'-8"	10"	#4	30	STR.	19'-8"	#5	28	STR.	19'-8"
X	#4	21	STR.	13'-8"	#6	21	BNT.	24'-3"	23'-3"	1'-0"	#4	30	STR.	19'-8"	#6	32	STR.	19'-8"
XI	#4	21	STR.	13'-8"	#6	21	BNT.	26'-3"	25'-3"	1'-0"	#4	30	STR.	19'-8"	#6	36	STR.	19'-8"
XII	#4	21	STR.	13'-8"	#7	21	BNT.	29'-7"	28'-3"	1'-4"	#4	30	STR.	19'-8"	#7	40	STR.	19'-8"



DESIGN	B.J.K.	CROSSTOWN BOULEVARD OVER CLASSEN BLVD. <b>RETAINING WALL                  REINFORCEMENT SCHEDULE</b> JOB PIECE NO. 17428(88) SHEET NO. 135
DRAWN	B.J.K.	
CHECKED	B.J.K.	
APPROV.	T.A.C.	
SQUAD	CEC	