



KINGFISHER COUNTY COMMISSIONERS

Jeff Moss, District 1
Ray Alan Shimanek, District 2
Heath Dobrovolny, District 3

Phone: (405) 375-3808
Fax: (405) 375-2366

Kingfisher County Courthouse
101 S. Main, Room #9
Kingfisher, OK 73750

March 28, 2022

Bid # 15-21-22

NOTICE TO BIDDERS

Notice is hereby given that the Board of County Commissioners of Kingfisher County will receive sealed bids on labor and materials necessary for the application of chips & oil on county roads. Bids will be accepted at the Kingfisher County Courthouse in the Office of the County Clerk until 4:00pm on the 22nd day of April, 2022 to be opened at their regular meeting of April 25th, 2022.

Statement of Work and Specifications of the project to be bid are included in the bid packet and also available from the purchasing agent located in the Kingfisher County Clerk's office and the County Engineer's office.

The successful bidder is required to produce a performance bond upon request and to show certificates of Insurance, its limits, and Workers Compensation Insurance. This will be detailed in the Statement of Work and general requirements.

The Board of County Commissioners reserves the right to reject any or all bids. All bidders must complete a statement of non-collusion and a Cashier's Check, a certified check, or a surety bid bond in the amount of five percent (5%) of the gross amount of base bid as a guaranty, shall accompany the sealed proposal of each bidder. Deposits will be returned to the unsuccessful bidders and successful bidders, upon approval of the contract and submission of a 100% Performance Bond, a 100% Statutory Bond, and a 100% Maintenance Bond. Please contact Kingfisher County Clerk's office for bid results at 405-375-3887.

Board of County Commissioners
Kingfisher County Courthouse
Kingfisher, Oklahoma

CHAIRMAN: _____
Heath Dobrovolny

MEMBER: _____
Jeff Moss

MEMBER: _____
Ray Shimanek

ATTEST:

Jeanie Bowers



Statement of Work

General: The Bidder should bid labor and materials necessary for single and double application of bituminous surfacing to complete this project. The bidder shall provide all 5/8” chips, oil, labor, equipment and a certificate of analysis for the oil used. Kingfisher County will provide the 3/8” chips from Apac in Tulsa, Oklahoma. All work must be done under the supervision of the County and the Kingfisher County Commissioners will perform a final inspection, in their respective district, of the roads before accepting the work performed. Bidders must detail their bid using 5/8in 3C washed rock. All mileage is **approximate** and roads shall be inspected prior to bid as **road width and length** may vary. See attached roadway maps, which identify roads for bituminous surfacing application, for each District. These maps will identify approximate miles to be covered. The Commissioners reserve the right to add or subtract miles from the bid as needed by the County. Construction to be performed on asphalt treatment from date of Notice to Proceed, depending on weather and seasonal limitations to October 1st, 2022. Temperature and weather limitations shall be 60 degrees F and rising and sufficiently dry. All work shall be completed by **October 1st, 2022**. At this time all unused material will become property of the Contractor. Any material remaining on County property will be removed by County forces after thirty (30) days and become the property of the County.

SPECIAL NOTE: Pre-Bid Conference

All chip & seal contractors who are interested in submitting a bid should attend the Pre-Bid Conference. The conference will be held **April 4th, 2022** in the office of the County Commissioners at the Kingfisher County Courthouse at **10:30 a.m.** We will discuss each District’s projects, safety procedures, traffic control, and answer any questions you may have.

Section 1. Road Surface Preparation

The County will make repairs to the roadway prior to any chip and seal application. The winning bidder shall ensure the road surface shall be cleaned of all foreign materials prior to application of Bituminous Asphaltic Materials.

General Cleaning: Cleaning of roadway surface shall be accomplished by self-propelled power broom or brooms. Each power broom unit shall be equipped with an AMBER colored strobe light to caution traffic to its presence on the roadway.

Sweeping – Single Coat: Roadway shall be swept clean of all dust and foreign materials before binder oil is applied. After rock chips have been spread, rolled, and cured all loose chips shall be swept off roadway surface within 48 hours.

Sweeping – Double Coat: After the 1st coat of binder oil is applied and rock chips are spread, rolled, and cured, loose chips will be swept off the roadway before the 2nd coat of binder oil is applied. After the 2nd coat of binder oil is applied and rock chips are spread, rolled, and cured, loose chips will be swept from the roadway surface within 48 hours.

Section 2. Rock Type

5/8in 3C washed rock, applied at 35lbs per square yard. The rock shall meet the Oklahoma Department of Transportation 2009 Standard Specification for Highway Construction, with Sieve size No. 3C Aggregate shall have:

5/8in	100
1/2in	70-100
3/8in	20-55
No. 4	0-15
No. 8	0-5
No.200	0-2
Dust Coating	0-1

PROPOSAL
Kingfisher County
Chip and Seal Bids

Dist. #1: Approx. 2 Single miles - Dist. #2: Approx. Single miles - Dist. #3: Approx. 10 Single miles

Dist. #1: Approx. 7 Double miles - Dist. #2: Approx. 11 Double miles - Dist. #3: Approx. Double miles

PAY QUANTITIES					
Item	Description	Units	Unit Price Dist 1	Unit Price Dist 2	Unit Price Dist 3
1	Prime Coat – MC-30 @ .30gal/S.Y.	S.Y.			
2	Prime Coat – AEP @ .30gal/S.Y.	S.Y.			
3	Single Application – Oil CRS-2 @ .45gal/S.Y. 5/8” chips @35lbs/S.Y.	S.Y.			
4	Single Application – Oil CRS-2 @ .40gal/S.Y. 3/8” chips @28lbs/S.Y.	S.Y.			
5	Single Application – Oil CRS-2S @ .45gal/S.Y. 5/8” chips @35lbs/S.Y.	S.Y.			
6	Single Application – Oil CRS-2S @ .40gal/S.Y. 3/8” chips @28lbs/S.Y.	S.Y.			
7	Single Application – Oil CHFRS-2P @ .45gal/S.Y. 5/8” chips @35lbs/S.Y.	S.Y.			
8	Single Application – Oil CHFRS-2P @ .40gal/S.Y. 3/8” chips @28lbs/S.Y.	S.Y.			
9	Fog Seal – CQS-1F emulsion @ 0.1gal/S.Y.	S.Y.			
10	Emulsion – 1 gal for testing	GAL			

PAY QUANTITIES

Item	Description	Units	Unit Price Dist 1	Unit Price Dist 2	Unit Price Dist 3
1	Prime Coat – MC-30 @ .30gal/S.Y.	S.Y.			
2	Prime Coat – AEP @ .30gal/S.Y.	S.Y.			
3	Double Application - Oil CRS-2 @ .35gal/S.Y. 5/8” chips @35lbs/S.Y. Oil CRS-2 @ .50gal/S.Y. 3/8” chips @28lbs/S.Y.	S.Y.			
4	Double Application - Oil CRS-2S @ .35gal/S.Y. 5/8” chips @35lbs/S.Y. Oil CRS-2S @ .50gal/S.Y. 3/8” chips @28lbs/S.Y.	S.Y.			
5	Double Application - Oil CHFRS-2P @ .35gal/S.Y. 5/8” chips @35lbs/S.Y. Oil CHFRS-2P @ .50gal/S.Y. 3/8” chips @28lbs/S.Y.	S.Y.			